



KUARZO
LIGHTING







KUARZO

L I G H T I N G

AT KUARZO LIGHTING, WE ARE DEDICATED TO PROVIDING INNOVATIVE AND HIGH-QUALITY LIGHTING SOLUTIONS FOR ARCHITECTS, DESIGNERS, AND INDUSTRY PROFESSIONALS. THROUGH THE IMPORTATION OF LAMPS AND LUMINAIRES FEATURING CUTTING-EDGE TECHNOLOGY AND INTERNATIONALLY RECOGNIZED CERTIFICATIONS, WE CREATE UNIQUE SPACES THAT BLEND FUNCTIONALITY, AESTHETICS, AND EFFICIENCY. OUR COMMITMENT IS TO TRANSFORM EACH PROJECT INTO AN EXCEPTIONAL LIGHTING EXPERIENCE, ADAPTING TO OUR CLIENTS' NEEDS WITH VERSATILE AND HIGH-PERFORMANCE PRODUCTS.







LED LINEAR LIGHT



Designed for modern architectural LED lighting applications. An unmatched combination of flexible performance specifications, attractive design, and easy modular connection to meet various requirements, from general use applications to high-specification applications.



Suspended



Ceiling Mounted



FEATURES:

- PC, PMMA and Louver Lens selectable
- Extruded aluminum housing.
- 3 CCT and 3 power tunable in one fixture.
- Various ways of installation: Suspended, recessed, surfaced mounted, wall mounted
- White, black, silver housing selectable.
- Direct and indirect lighting output available.



CCT TUNABLE FIXED

3500K warm white, 4000K natural white and 5000K cold white are fixed, other CCT customized can be selected according to customer's need.

LIGHT OPTICS

Common 100% Downlight output as standard, 30% UP and 70% downlight output can be optional, the UP light output mode can be purchased separately.

ELECTRICAL:

Luminaire Surge Protection Level:
Designed to withstand up to 1kV.

PF>0.9

AC100-277V Input, with 0-10V
dimmable function selected
Sensor and Emergency Solution

INSTALLATION:

Various installation ways: Suspended, ceiling mounted, recessed and wall mounted.

Linkable function by several ways of connection: Direct Connect, L connection, T connection, + connection with our matched connectors (With or without light output)

Warranty:



"Available colors: white, black, and gray."



OPTICS&BEAM ANGLE



80°




90°




120°

PC lens / Microprismatic lens / Grille lens



Direct light








Indirect light/Direct light

► OPTICS

LED LINEAR LIGHT RECESSED

Designed for modern architectural LED lighting applications.
Optimized recessed installation accessories adapt to the requirements
of interior recessed lighting applications.




Warranty:
 5 year




RECESSED

OPTICS&BEAM ANGLE ► OPTICS



PC lens / Microprismatic lens / Grille lens




Single CCT
3500K warm white, 4000K natural white and 5000K cold white, single color select from 3000K to 6500K.

LIGHT OPTICS
Common 100% Downlight output as standard.

ELECTRICAL:
Luminaire Surge Protection Level: Designed to withstand up to 1kV.
PF>0.9
AC100-277V Input, with 0-10V dimmable function selected
Sensor and Emergency Solution

INSTALLATION:
Various installation ways: This linear light is specially designed for recessed led linear light installation, its competitive cost makes it much better a choice by selecting a common linear with an recessed linear frame.





DLWNLIGHT

This fixture has an integrated junction box, making installation quick and easy.

Design with a baffle trim.

Features color tunable technology lets the user choose between 2700K, 3000K, 3500K, 4000K, or 5000K.

Wet-location rated, ideal for retail lighting, commercial lighting, residential lighting, office lighting, kitchen lighting, bathroom lighting, basement lighting.

ELECTRICAL

This fixture is built with the highest quality 120V drivers, ensuring energy efficiency.

ENERGY SAVINGS

80% more energy savings than halogen lamps.





Warranty:
 **5** year




INSTALLATION

No existing recessed housing or junction box required.
Suitable for most new constructions.
Simply connect the junction box wiring on the back of the recessed downlight to your light switch and place it into your ceiling.

DIMMING


Compatible with most triac dimmers to give user a smooth 100%-5% dimming to choose the desired brightness.
Please check the recommended dimmer list in next page.

Selectable CCT: 2700K,3000K,3500K,4000K,5000K



Products view







PANEL LED

LED panels provide a high-quality professional lighting solution with optimal energy savings for businesses, schools, supermarkets, and offices. LED panels are the ideal solution for installation in standard ceilings and replace traditional TL fluorescent fixtures.

FEATURES:

Kuarzo Led Panel is specifically designed for commercial indoor spaces such as offices, schools, and hospitality venues. With 15-variations that can be selected via dip-switches, the luminaire is built for 3-way switchable power and 3-way CCT, promising versatility and adaptability.

Warranty:
 **5** year



Warranty:




This product is suitable for use in dimming circuit. For 5-100% light control, use with a compatible dimmer. Compatible dimmers include most standard dimmers, such as Lutron :SCL-153P,CTCL-153P,DVCL-153P,MACL-153M.



DISC



Designed for modern architectural LED lighting applications. This product is ideal for use in many residential and commercial lighting applications with a base.

WET LOCATION





**Kurazo DISC downlight for 120V AC, 10W /15W.
triac dimmable and non dimming.
DISC downlight can fit 4" junction box and
replace of most 4" and 6" surface mount downlights;
DISC downlight can fit 4" & 5" & 6" downlight housings
and replace of most 4" & 5" & 6" recessed downlights;
This product is ideal for use in many residential and
commercial lighting applications with E26 base.**





SLIM PANEL LED

PANEL LED 4"

Description:

WATTS: 9W

LUMENS: 600LM

CCT TEMPERATURE: 3000°K, 4000°K, 5000°K

VOLTAGE: 120V

DIMMABLE: YES

BEAM ANGLE: 110°

COMPATIBLE WITH STANDARD TRIAC/ELV

DIMMERS / SUITABLE FOR DAMP LOCATIONS

PANEL LED 6"

Description:

WATTS: 12W

LUMENS: 780LM

CCT TEMPERATURE: 3000°K, 4000°K, 5000°K

VOLTAGE: 120V

DIMMABLE: YES

BEAM ANGLE: 110°

COMPATIBLE WITH STANDARD TRIAC/ELV

DIMMERS / SUITABLE FOR DAMP LOCATIONS

PANEL LED 8"

Description:

WATTS: 18W

LUMENS: 1200LM

CCT TEMPERATURE: 3000°K, 4000°K, 5000°K

VOLTAGE: 120V

DIMMABLE: YES

BEAM ANGLE: 110°

COMPATIBLE WITH STANDARD TRIAC/ELV

DIMMERS / SUITABLE FOR DAMP LOCATIONS

Warranty:
 5 year





SPOT DIRIGIBLE

With color adjustment and includes 355° rotation, 90° tilt, and a narrow 36° beam angle to highlight architectural or artistic elements in your home.

Suitable for wet locations.

Ideal for both commercial and residential lighting and optimal for sloped ceilings, wall washing, and general-use lighting.



Warranty:
5 year



INSTALLATION

No existing recessed housing or junction box required.
Suitable for most new constructions.
Install J-Box in ceiling beam, and insert light right into drywall opening.

DIMMING

Compatible with most triac dimmers to give user a smooth 100%-10% dimming to choose the desired brightness.
Please check the recommended dimmer list in next page.

ELECTRICAL

This fixture is built with the highest quality 120V drivers, ensuring energy efficiency.

HERMETIC LED LUMINAIRE

Perfect for illuminating spaces such as warehouses, factories, workshops, gyms, and supermarkets, offering high color rendering performance for accurate color representation.


TECHNICAL INFORMATION

Name	Hermetic lamp
Material	Polycarbonate
Finish	WHITE
Voltage	AC120-277V
Power	50W
Note	Maximum environments 40c









Warranty:
 5 year



CCT ADJUSTABLE






Product Installation
Single lamp ceiling installation:





Light distribution





**LUMINAIRE
WITH GU10**



METAL CYLINDER


Contemporary kitchen island pendant light in black metal, cylindrical shape, a small suspension suitable for lighting kitchen areas like islands, peninsulas, but also particularly suitable for bars, restaurants, hotels, b&b, bar counters, reception desks, etc A modern and economic suspension.

Adjustable cable The GU 10 attack allows to use LED bulbs Available interior in Silver and Gold



1XGU10 (NOT INCLUDED)

COLORS





This cylindrical pendant light is made of high-quality aluminum. It undergoes a high-temperature baking paint surface treatment, making it anti-rust, highly resistant to pressure oxidation, and easy to clean. The chassis is refined and stable through multiple processes, providing strong load-bearing capacity, ensuring safety and reliability.

Suitable for various scene decorations. It is the best choice for installation in the living room, dining room, bar, store, balcony, bedroom, hallway, and foyer.




TRACK HEAD

Powerful directional lighting with a clean design and a simple shape. This texture adds a touch of depth and balance to any existing interior space, projecting high-quality lighting to highlight displays, bars, and countertops.



1XGU10 (NOT INCLUDED)





"Available colors: white, black."





1XGU10 (NOT INCLUDED)

SPOTLIGHT

The perfect combination of lighting and design. This lamp will bring life to your spaces, allowing you to make the most of them. Plus, you can personalize your favorite areas and add a distinctive touch.

Style with a personal touch



Thanks to its unique design, you can install this lamp indoors and decorate every corner of your home or office according to your needs and preferences.

Warranty:



USE:
COMMERCIAL SPACES,
RESIDENTIAL AREAS,
OFFICES, HALLWAYS,
RECEPTION, LOBBIES.

AVAILABLE



SURFACE SQUARE

The Surface Square for GU10 is a modern surface-mounted lamp with compact dimensions.


It is elegant and sophisticated, ideal for installation on ceilings where recessed lights cannot be installed or simply to illuminate spaces in an original way. Easy to install, it allows the bulb to be changed and the light to be directed in any direction with ease.


COLORS

- White
- Black



1XGU10 (NOT INCLUDED)





LIGHTS ON VERSUS LIGHTS OFF



Warranty:
 **5** year



CYLINDER SURFACE

The Surface Cylinder for GU10 is a modern cylindrical surface-mounted lamp with compact dimensions. It is elegant and sophisticated, ideal for installation on ceilings where recessed lights cannot be installed or simply to illuminate spaces in an original way. Easy to install, it allows the bulb to be changed and the light to be directed in any direction with ease.

Features and benefits


- Kuarzo quality and reliability
- IP20 protection
- 30° adjustable angle
- CE certificate
- Made in aluminium
- Available in white or black color finish

Applications

- Lobby and offices
- Restaurants, cafes and hotels
- Galleries and museums
- Living rooms
- Stores



1XGU10 (NOT INCLUDED)



Warranty:





"Available colors: white, black."



LED STRIP



5050 LED STRIP LIGHT

Description:

WATTS: 6W / MT

VOLTAGE: 120V

CCT TEMPERATURE: 3000°K / 4000°K / 6000°K

LUMEN: 365LM / MT

DIMMABLE: YES

BEAM ANGLE: 120°

CUTTABLE EVERY 100CM

3528 LED STRIP LIGHT

Description:

WATTS: 6W / MT

VOLTAGE: 120V

CCT TEMPERATURE: 3000°K / 6000°K

DIMMABLE: YES

BEAM ANGLE: 120°

CUTTABLE EVERY 100CM

RGB LED STRIP LIGHT

Description:

WATTS: 6W / MT

VOLTAGE: 120V


CCT TEMPERATURE: RGB

DIMMABLE: YES

BEAM ANGLE: 120°

CUTTABLE EVERY 100CM

ON ORDER





LED PROFILES & BOARDS

SIZE:
5.0 cm
3.5 cm
2.0 cm



WALL TO CEILING
CONNECTOR 90°



WALL TO CEILING
CONNECTOR 90°

Warranty:
 **5** year



Description:

**SIZE: 5X240 CM.
3.5CM ANCHO.
PMMA Opal lens cover.
Eliminating dark spots and diodes look.
RECESSED LED PROFILE 3535**

Description:



**SIZE: 3.5X300CM
3.5CM ANCHO.
PMMA Opal lens cover.
Eliminating dark spots and diodes look.
LED BOARD FOR RECESSED PROFILE**

Description:

**WATTS: 20W/mt.
CCT TEMPERATURE: 3000°K / 4000°K
VOLTAJE: 24V.**



THANK YOU FOR TRUSTING KUARZO LIGHTING

AT KUARZO LIGHTING, WE DEEPLY APPRECIATE THE TRUST YOU PLACE IN US FOR YOUR LIGHTING PROJECTS. YOUR CONFIDENCE IN OUR INNOVATIVE AND HIGH-QUALITY SOLUTIONS MOTIVATES US TO CONTINUE DELIVERING EXCELLENCE TO ARCHITECTS, DESIGNERS, AND INDUSTRY PROFESSIONALS.

THROUGH OUR CUTTING-EDGE LAMPS AND LUMINAIRES WITH INTERNATIONALLY RECOGNIZED CERTIFICATIONS, WE STRIVE TO CREATE UNIQUE SPACES THAT SEAMLESSLY BLEND FUNCTIONALITY, AESTHETICS, AND EFFICIENCY. YOUR PROJECTS INSPIRE US TO PUSH THE BOUNDARIES OF LIGHTING DESIGN, ENSURING EVERY SPACE IS TRANSFORMED INTO AN EXCEPTIONAL EXPERIENCE.

THANK YOU FOR ALLOWING US TO BE PART OF YOUR VISION. WE REMAIN COMMITTED TO ADAPTING TO YOUR NEEDS WITH VERSATILE AND HIGH-PERFORMANCE PRODUCTS, ALWAYS AIMING TO ILLUMINATE YOUR IDEAS IN THE BEST POSSIBLE WAY.

WITH GRATITUDE,
KUARZO LIGHTING TEAM

KUARZO
L I G H T I N G

