



AUTOMOTIVE WORKSHOP

Equipment & Fitout Specials
1st Nov – 28th Feb 2022

KEEP YOUR COOL THIS SUMMER

Alemlube Automotive Premium AIR CONDITIONING SERVICE MACHINES

Four air conditioning service machines are available from Alemlube, the AAP1000, AAP2000, AAP3000 and AAP5000R provide true cutting edge technology and superb efficiency when it comes to recovery, recycling, evacuating and recharging of R134A refrigerant (AAP5000R for use with refrigerant type R1234YF).

The four units available from Alemlube make the service process quite simple which involves recovering the old refrigerant gas from the air-con system and recycling it before replacing this with the correct amount of new refrigerant and lubricant as per the vehicle manufacturer's recommendation.

A vacuum test is also performed to ensure there are no cracks or damage in the customer's vehicle air conditioning system that could cause the gas to leak out.

Product Number	Description	Refrigerant Type	Flow Rate	Price	Monthly Repayment
AAP1000	Automatic	R134a	up to 72L/min	\$5,550	\$136
AAP2000	Fully Automatic	R134a	up to 142L/min	\$7,550	\$181
AAP3000	Commercial 4 in 1	R134a	up to 142L/min	\$13,100	\$307
AAP5000R	Automatic	R1234yf	up to 142L/min	\$8,400	\$201

AAP1000
\$5,550
+ INSTALL
Repayments of
\$136 per month



FREE
AACMAC001
Alemlube Automotive
Electronic Refrigerant
Gas Leak Detector with
any machine purchase

18
MONTHS
WARRANTY

GREAT

COMBO DEAL
PAGES
2 & 3

LIFTING TABLE



AA49010
Alemlube Automotive 1,200kg.

P4

WHEEL BALANCER



G3.150
Ravaglioli Electronic Wheel Balancer.

P6

VEHICLE HOISTS



RAV640N.2l not in xls or page11??
Ravaglioli Vehicle Hoist.

P11

SUPER SAVINGS

ALEMLUBE WORKSHOP EQUIPMENT CATALOGUE



*Applies to the vast majority of Alemlube products. All prices exclude GST and vehicle hoist installation costs.

Visit: alemlube.com.au

RAVAGLIOLI & ALEMLUBE AUTOMOTIVE COMBO DEALS

G7645IV.26A Ravaglioli Automatic Tilt Back Tyre Changer

- Automatic 26" tyre changer with mount/demount device and rotating arm (includes assist arm PLUS83)
- Maximum rim width 17" (431mm)
 - Maximum tyre diameter 45" (1,143mm)
 - 12" to 28.5" internal clamping and 10" to 26" external clamping
 - Easy servicing for any type of tyre to a maximum of 14" (355 mm) width
 - Manufactured in Italy

G3.150 Ravaglioli Electronic Wheel Balancer

- New Modern Design
- 22" Colour Monitor with Graphics
- Rim Diameter 10" – 26"
- Rim Width 1.5" – 22"
- Max wheel weight 70KG
- Suitable for tyre shops, dealerships & General Workshops
- Manufactured in Italy

COMBO DEAL

\$17,100

+ INSTALL

RAVCOMBODEAL1: G7645IV.26A & G3150 with bonus AAHA90 Bead Inflation Blaster Repayments of \$398 per month

RAVTD3000SP.3 Ravaglioli 2ND Generation 3D Wheel Aligner

- New Modern Compact Design suitable for workshops where space is limited
- Exclusive 3D targets, extremely light, no electronic components inside & no maintenance required
- Equipped with tyre grabbing 3 point quick clamps to avoid run out compensation
- Tower free for further space saving
- Suits any 4 post hoist or alignment scissor lift
- Manufactured in Italy

J17X Ravaglioli 2.0t Manual Jacking Beam

- 2,000kg capacity, hydraulic hand-pump scissor type with extendable lifting arms
- Suitable for hydraulic 4-post hoists and scissor lifts
- Automatically engaging and hand released mechanical lock device
- Two hand "deadman" lowering control
- Manufactured in Italy

RAV4502L Ravaglioli 5.0t Electro-Hydraulic 4-Post Vehicle Hoist

- Extra-long platforms for total wheel alignment with front turning plates locations and rear slip plates
- Automatic mechanical backup safety devices with pneumatic release
- Mechanical, electrical and hydraulic safety devices in compliance with the prevailing standard for CE marking
- Manufactured in Italy

COMBO DEAL

\$46,825

+ INSTALL

RAVCOMBODEAL2: RAVTD3000SP.3 / J17X / RAV4502L with bonus 30080 Alemlube 80L oil drainer comes with 2 x 2 tonne Jacking beams Repayments of \$1,071 per month

AA226A Alemlube Automotive 24" Tilt Back Tyre Changer with Helper Arm

- Fully automatic pneumatic tilting column
- Tubeless tyre inflating device
- Large 24" turntable suitable for low profile tyres
- Maximum rim width 14" (355mm)
- Maximum tyre diameter 41" (1,040mm)
- High strength alloy pedal

AA828 Alemlube Automotive Automatic Wheel Balancer with LED Monitor

- 5 different balancing programs
- Self-calibration and diagnostic 24"
- Rim width from 1.5" 20"
- Rim diameter from 10" 24"
- Maximum wheel weight of 65kg
- Balancing accuracy $\pm 1.0g$
- Measuring time of 8 seconds
- Balancing accuracy of $\pm 1.0g$

COMBO DEAL

\$6,750

+ INSTALL

AACOMBODEAL3: AA226A & AA828 with bonus AAHA90 Bead Inflation Blaster Repayments of \$163 per month

AAPWA3D Alemlube Automotive Premium 3D Wheel Aligner

- Compact targets with no electronics and batteries
- Comprehensive wheel alignment software and database
- Large 27" LCD display
- Compact console
- Ergonomic design and easy accessibility during maintenance operations

AA30PJB Alemlube Automotive Jacking Beam

- Air operated hydraulic jacking beam
- Lifting capacity of 3,000kg
- Maximum lifting height of 375mm
- Fully adjustable lift pad beam width between 870mm to 1,400mm
- Suitable for use with AA 4-post and scissor lifts
- Compliant with Australian Standards
- Manufactured to stringent European CE Standards

AA45LPAS Alemlube Automotive 4.5t Low Profile Motor Vehicle Alignment Scissor Lift

- Low profile scissor lift designed for precise wheel alignment procedures and general under vehicle service operations
- Heavy duty lifting capacity of 4,500kg
- Maximum lifting height of 1,860mm
- Minimum lowered height of 180mm
- Overall length 6,500mm
- Overall width 2,070mm

COMBO DEAL

\$31,250

+ INSTALL

AACOMBODEAL4: AAPWA3D / AA30PJB / AA45LPAS with bonus 30080 Alemlube 80L oil drainer comes with 2 x 2 tonne Jacking beams Repayments of \$718 per month

SUPER SAVINGS WITH INSTALLATION & COMMISSIONING BY FACTORY TRAINED TECHNICIANS



RAVAGLIOLI & ALEMLUBE AUTOMOTIVE TYRE CHANGERS

AAHA90 Alemlube 9L Bead Inflation Blaster

- Air volume of 9L
- Maximum air pressure of up to 145 psi (10 bar)
- Normal air pressure of up to 116 psi (8 bar)
- Push button trigger allows technician to keep both hands on the tank for more control
- Handles to support and protect the tank when lying flat
- Seamless thick air tank that is durable and safe
- Combines a unique rapid air release technology
- Double Barrel directs the air for best overall lift
- Made for run flat and low profile tyres
- Anti vibration oil filled pressure gauge
- Made from high quality materials
- Lightweight at 4.2kg
- Easy to handle

\$475



AA49010 Alemlube Automotive 1,200kg Lifting Table

The Alemlube 1,200kg Lifting Table is a multi-angle and multi-direction lifting table providing a safe and efficient solution for under vehicle tasks such as engine transmission, hybrid battery and sub frame works to be carried out.

- Capacity 1,200kg • Rest Height 480mm • Lifting Height 1,810mm • Platform Width 770mm • Platform Length 1,300mm

\$3,880 + INSTALL




AA48010 Alemlube Express Maintenance Service Trolley

The Alemlube express maintenance trolley is an essential piece of equipment for your dealership service centre and can dramatically increase your workshop's output, maximizing profit, customer satisfaction and above all customer retention.

- Australian standards approved AS4991-2004
- Approved by Toyota Australia
- Designed for Express maintenance

\$3,350 + INSTALL



AA48020 Alemlube Automotive Battery Operated Wheel Lift

- Maximum lifting weight 80kg
- Lifting height 0 to 1.2m
- Lifting time 12 to 16 seconds
- Lifting precision of 2mm
- Lifts per charge 150 to 200
- Dimensions: 700mm (W) x 740mm (D) x 1,630mm (H)

\$1,975 + INSTALL



G7645IV.26-A Ravaglioli Automatic Tilt Back Tyre Changer

- Automatic 26" tyre changer with mount/demount device and rotating arm (includes assist arm PLUS83)
- Maximum rim width 17" (431mm)
- Maximum tyre diameter 45" (1,143mm)
- 12" - 28.5" internal clamping and 10" - 26" external clamping
- Tool shaft has increased rigidity due to its tilted construction and allows for easier operation with extra-large tyres
- Manufactured in Italy

\$11,200 + INSTALL
or repayments
of \$264 per month



G8945ITV.26S Ravaglioli Lever-less Tyre changer

- Powerful tubeless tyre inflation system suitable for any rim diameter.
- Post with vertical "space saver" movement
- Maximum rim width 15" (381mm)
- Maximum tyre diameter 45" (1,143mm)
- Powerful tool memory, returning back to rim edge position
- Ideal for HP and RFT tyres, centre mounting preventing rim damage
- Manufactured in Italy

\$14,990 + INSTALL
or repayments
of \$350 per month



AA226A Alemlube Automotive 24" Tilt Back Tyre Changer with Helper Arm

- Fully automatic pneumatic tilting column
- Tubeless tyre inflating device
- Large 24" turntable suitable for low profile tyres
- Maximum rim width 14" (355mm)
- Maximum tyre diameter 41" (1,040mm)
- High strength alloy pedal

\$4,080 + INSTALL



AA236A Alemlube Automotive 26" Tilt Back Tyre Changer with Helper Arm

- Large 26" turntable suitable for low profile tyres
- Maximum rim width 16" (406mm)
- Maximum tyre diameter 45" (1,143mm)
- 14" to 26" internal clamping & 12" to 23" external clamping
- Pneumatically operated tilting column
- Automatic pneumatic right help arm device
- Tubeless tyre inflating device

\$4,930 + INSTALL
or repayments of \$122 per month



SUPER SAVINGS WITH DIRECT ENQUIRIES TO THE AUSTRALIAN DISTRIBUTOR



RAVAGLIOLI & ALEMLUBE AUTOMOTIVE WHEEL BALANCERS

G2.121RFM Ravaglioli Electronic Wheel Balancer



- New modern design
- Automatic Start-Stop
- Brake pedal to keep the wheel stopped during weight positioning
- Rim diameter 10" - 30"
- Maximum wheel weight 65kg
- Suitable for medium size tyre shops and general workshops
- Manufactured in Italy

\$4,150



AA820 Alemlube Automotive Wheel Balancer



- Highly accurate integrated circuit, self-calibration and diagnostic functions
- LED numeric display screen
- Automatic distance & wheel diameter measuring
- Rim width from 1.5" - 20"
- Rim diameter from 10" - 24"
- Maximum wheel weight of 65kg
- Measuring time of 8 seconds
- Balancing accuracy of $\pm 1.0g$

\$2,270 + INSTALL



AA828 Alemlube Automotive Automatic Wheel Balancer with LED Monitor



- 5 different balancing programs
- Self-calibration and diagnostic 24"
- Rim width from 1.5" - 20"
- Rim diameter from 10" - 24"
- Balancing accuracy $\pm 1.0g$
- Maximum wheel weight of 65kg
- Measuring time of 8 seconds
- Balancing accuracy of $\pm 1.0g$

\$2,840 + INSTALL



AA579 Alemlube Automotive Automatic Wheel Balancer with LCD Monitor & Laser Pointer



- 17" LCD larger higher resolution
- Rim width measurements 1.5" - 20"
- Rim diameter measurements 10" - 24"
- Maximum Wheel Weight 65Kg
- Balancing accuracy $\pm 1g$
- 9 Balancing modes
- Equipped with LCD monitor, 3D animation interface, easy to read balancing operating modes, with innovative adhesive weight placement laser for accuracy and convenience

\$3,480 + INSTALL



G3.150 Ravaglioli Electronic Wheel Balancer



- Maximum rim diameter of 26"
- Colour TFT SVGA 19" monitor with 3D graphics
- Fast and accurate selection using internal data gauge, with software guided balancing program
- Manufactured in Italy

\$6,570 + INSTALL or repayments of \$159 per month

Also Available G3.150WS as above but with laser blade for BDC placement of adhesive weights & width sonar for automatic rim width measurement

\$8,590 + INSTALL or repayments of \$205 per month



G4.140R Ravaglioli Wheel Balancer with Automatic Distance & Diameter Input



- Fast and accurate selection using internal data gauge, with software guided balancing program
- Colour TFT SVGA 19" monitor & Industrial PC with static hard disk 3D Graphic
- Maximum rim diameter of 30"
- Maximum wheel weight 80kg

\$7,910 + INSTALL or repayments of \$189 per month

Also Available G4.140WS as above but with laser pointer for adhesive weights & width sonar for automatic rim width measurement

\$10,560 + INSTALL or repayments of \$250 per month



Motorsport Wheels & Tyres performs the perfect balancing act with Ravaglioli & Butler

Motorsport Wheels & Tyres is a state of the art, fast paced tyre shop fitting hundreds of tyres a day and the need for spot on wheel balancing is paramount. The Italian manufactured Butler wheel balancer is the balancer of choice in this large operation and with its many automatic functions, balancing a wheel is turned around fast and back onto the vehicle in no time at all. Automatic tyre inflators also supplied and installed by Alemlube can inflate many tyres simultaneously and with the aid of Ravaglioli scissor lifts supplied & installed by Alemlube, the customer is back on the road and driving safely. The product of reliably efficient equipment and customer service.



SUPER SAVINGS WITH NATIONWIDE AFTER SALES SERVICE & FOR TECHNICAL SUPPORT CALL 1300 159 311



RAVAGLIOLI & ALEMLUBE AUTOMOTIVE VEHICLE HOISTS

KPH370.45 Ravaglioli 4.5t Electro-Hydraulic 2-Post Clear Floor Hoist



- Maximum lifting height 4,065mm or 4,165mm
- 3 different extensions height available on request from 3,625mm to 5,000mm
- 4,500kg lifting capacity
- Three-stage short arms and two-stage long arms provide asymmetric lifting of vans and off-road vehicles
- Each column features a maintenance-free lifting cylinder
- Includes top limit switch safety bar, door protectors, 4WD spacers & spacer holders

\$7,250 + INSTALL
or repayments
of \$175 per month



KPH370.45LIK-A Ravaglioli 4.5t Electro-Hydraulic 2-Post Clear Floor Hoist with Long Arms



- 4.5 tonne lifting capacity
- Equipped with four long three-stage arms: ideal to lift long wheel base vans and easy loading of cars
- Maximum lifting height of 2,040mm
- Minimum lifting height of 125mm
- Hoist height of 4,950mm
- Hoist width 3,340mm
- Includes top limit switch safety bar, door protectors, 4WD spacers & spacer holders • Manufactured in Italy

\$8,710 + INSTALL
or repayments
of \$208 per month



AA50CF2PN Alemlube Automotive 5.0t Electro-Hydraulic 2-Post Clear Floor Vehicle Hoist



- Lifting capacity of 5,000kg
- Lifting height 1,900mm
- Minimum pad height 110mm
- Post height 4,420mm
- Includes 4WD extension
- Ideal for light commercial vehicles

\$6,050 + INSTALL
or repayments
of \$147 per month
AA50CF2PN
also available
in 240V



AA40CF2P Alemlube Automotive 4.0t Electro-Hydraulic 2-Post Clear Floor Vehicle Hoist



- 4,000kg Lifting capacity
- Maximum lifting height of 1,900mm
- Minimum lowered height of 100mm
- Standard height clearance of 3,900mm
- Fast lifting time of 60 seconds
- Fast descent time of 18 to 40 seconds
- Distance between columns of 2,760mm
- Drive through width of 2,640mm
- Includes 4WD extensions

\$4,590 + INSTALL
or repayments of
\$114 per month
AA40CF2P
also available
in 240V



KPN349WEK Ravaglioli 4.2t Electro-Mechanical 2-Post Clear Floor Vehicle Hoist



- Lifting capacity of up to 4,200kg
- Superior lifting height of 2,020mm
- 3-stage short arms and 2-stage long arms
- Synchronised alignment within 20mm
- Width between columns of 2,650mm
- Overall hoist height of 3,873mm
- Overall hoist width of 3,420mm

\$8,275 + INSTALL or repayments of \$198 per month



KPX337WK Ravaglioli 3.2t Electro-Mechanical 2-Post Clear Floor Vehicle Hoist



- Short arms with longer reach, recommended to lift off-road vehicles
- Double thread pads with a minimum height of 95mm only

\$6,680 + INSTALL or repayments of \$34 per month



AA402N-240V Alemlube Automotive 4.0t Electro-Hydraulic 4.0t 2-Post Clear Floor Hoist



- Lifting capacity of 4,000kg
- Maximum lifting height of 2,000mm
- Minimum lowered height of 110mm
- Fast lifting time of 60 seconds
- Fast lowering time of between 18 to 40 seconds
- 100mm 4WD spacers included
- Standard height clearance of 3,950mm with overall height of 4,140mm
- 240V single phase operation

\$3,500 + INSTALL



AA40FB2P Alemlube Automotive 4.0t Electro-Hydraulic 2-Post Floor Base Vehicle Hoist



- Lifting capacity of 4,000kg
- Lifting height of 1,900mm
- Minimum height of 100mm
- Inside column height of 2,824mm
- Post height of 2,826mm
- Lifting time of 55 seconds
- P54ABS control box and 24V operating button
- Electrical single release & 2.2kW aluminium motor

\$4,420 + INSTALL
AA40FB2P also available in 240V



SUPER SAVINGS WITH EXTENDED WARRANTY WHEN INSTALLED BY ALEMLUBE TECHNICIANS



RAVAGLIOLI & ALEMLUBE AUTOMOTIVE VEHICLE HOISTS

RAV4401 Ravaglioli 4.0t Electro-Hydraulic 4-Post Vehicle Hoist



- Adjustable platforms to accommodate varying vehicle widths
- Automatic mechanical back up safety devices with pneumatic release allow for stationary operation with loaded cables
- Immediately triggered safety stud devices operate in the event of a cable slackening or failing
- An automatic anti-toe trapping alarm during the final stages of vehicle hoist decent supplied standard
- Manufactured in Italy

\$9,790 + INSTALL or repayments of \$232 per month

Also Available RAV4402 4.0t 4-Post Wheel Alignment Hoist

\$12,030 + INSTALL or repayments of \$283 per month



RAV4501L Ravaglioli 5.0t Electro-Hydraulic 4-Post Vehicle Hoist



- Long 5,700mm platform with adjustable width
- Automatic mechanical backup safety devices with pneumatic release
- Automatic anti toe trap alarm during final stages of lift descent
- Mechanical, electrical and hydraulic safety devices in compliance with the prevailing standard for CE marking
- Manufactured in Italy

\$12,250 + INSTALL or repayments of \$288 per month

Also Available RAV4502L Extra-long platforms for total wheel alignment with front turning plates locations and rear slip plates

\$15,990 + INSTALL or repayments of \$373 per month



AA454PAN Alemlube Automotive 4.5t 4-Post Alignment Hoist



- Heavy duty lifting capacity of 4,500kg
- Maximum lifting height of 1,896mm
- Minimum lowered height of 246mm
- Overall length of 6,288mm
- Overall width of 3,342mm
- Width between columns of 2,742mm
- Conventional 4-post hoist designed for general under vehicle service and specialist exhaust system operations

\$7,350 + INSTALL or repayments of \$177 per month

Also Available AA454PAN-2JB with one free jacking beam

\$9,940 + INSTALL or repayments of \$235 per month



AA101P Alemlube Automotive 1.0t Single Post Vehicle Hoist



- Load capacity of 1,000kg
- 240V single phase power supply
- Hydraulic cylinder lifting mechanism
- Maximum lift height of 1,750mm
- Each platform measures 350mm wide
- Platform length of 1,850mm with ramps 2,010mm
- Maximum platforms adjustable width setting: 1,500mm
- Minimum platforms adjustable width setting: 1,060mm
- Overall hoist height of 2,826mm
- Overall hoist length of 2,395mm

\$3,625 + INSTALL



& SCISSOR LIFTS

AA35S Alemlube Automotive 3.5t Low Profile Full Rise Scissor Lift



- 3,500kg lifting capacity
- Lifting height 1,930mm
- Minimum lifting height 105mm
- Lifting time 60 seconds
- Lowering time 20 seconds
- Available in single phase or three phase
- Platform size 1,485mm x 2,035mm x 660mm
- Available in 3 phase or 240V
- 4 x Reinforced oil cylinders with German seals
- Weight 820kg

\$6,270 + INSTALL or repayments of \$152 per month

Also Available AA35S-240V



AA35MRS Alemlube Automotive 3.5t Low Profile Mid Rise Scissor Lift



- 3,500kg lifting capacity
- Lifting height 1,000mm
- Minimum lifting height 105mm
- Lifting time 40 seconds
- Lowering time 20 seconds
- 240V 15AMP
- Platform size 1,400mm x 1,974mm x 480mm
- 4 x Reinforced oil cylinders with German seals
- Weight 650kg

\$4,640 + INSTALL or repayments of \$115 per month



Jefferson Automotive Group relies on Alemlube Automotive AA35S Scissor Lifts

The Jefferson Motor Group has undertaken a major development on a large site to accommodate their vehicle pre-delivery department. The preferred equipment to handle the workload consists of Alemlube Automotive scissor lifts, and many of them, in addition to Ravaglioli 2-post hoists, Samoa oil hose reels, meters and drip trays, Alemlube air and water reels and all pipework supplied & installed to service the hose reels. Truly a comprehensive fitout.



SUPER SAVINGS WITH PROMPT & EFFICIENT SUPPLY & INSTALLATION CAPABILITIES



RAVAGLIOLI & ALEMLUBE AUTOMOTIVE WHEEL ALIGNERS

RAVTD3000HPR.B

Ravaglioli 3D Premium Wheel Aligner

- 3DT® Target – extremely light, no electronic components inside & maintenance free
- Bluetooth transmission between measuring heads & control unit
- Automatic lift level compensation – can be used on any 4-post or scissor lifts
- Manufactured in Italy
- Runout model – '4 only'

\$30,000 + INSTALL or repayments of \$690 per month



RAVTD3200HPR.3

Ravaglioli 2ND Generation 3D Premium Wheel Aligner

- Suitable for workshops where space is limited
- Exclusive 3D targets, extremely light, no electronic components inside & no maintenance required
- 2 year data base upgrade
- Equipped with tyre grabbing 3 point quick clamps to avoid run out compensation
- Suits any 4 post hoist or alignment scissor lift
- Manufactured in Italy

\$33,750 + INSTALL or repayments of \$775 per month



RAVTD3200SP.3

Ravaglioli 2ND Generation 3D Wheel Aligner

- Suitable for tyre shops, dealerships & General Workshops
- Exclusive 3D targets, extremely light, no electronic components inside & no maintenance required
- Tower free for further space saving
- No height limitations
- Suits any 4 post hoist or alignment scissor lift
- Manufactured in Italy

\$29,000 + INSTALL or repayments of \$667 per month



The New 2nd Generation 3D aligners from Ravaglioli include 3point quick clamps avoiding runout compensation & new rugged design measuring heads for extra durability

AAWA8CCD

Alemlube Automotive Wheel Aligner

- Large 24" LCD screen is easy to read and analyse
- Blue tooth transmission between the front heads & the cabinet
- 90,000 vehicle data start database
- No runout required when using STDA95E Quick Clamps
- Full customer database

\$13,350 + INSTALL or repayments of \$313 per month



AAPWA8CCD

Alemlube Automotive Premium 8CCD Wheel Aligner

- Infra-red transmission among measuring heads
- Bluetooth transmission between measuring heads and control unit
- Large 24" LCD display
- Compact console
- Fast Run Out compensation without lifting the vehicle if required

\$15,650 + INSTALL or repayments of \$365 per month



AAPWA3D

Alemlube Automotive Premium 3D Wheel Aligner

- Compact targets with no electronics & batteries
- Comprehensive wheel alignment software and database
- Large 27" LCD display
- Compact console
- Ergonomic design and easy accessibility during maintenance operations

\$17,900 + INSTALL or repayments of \$416 per month

AIM INSTITUTE



Peter Roughly, Head Trainer commented:

Our aim was to provide the most comprehensive workshop environment to ensure that our trainees received the best possible opportunity for developing their skills and mechanical knowledge to the highest possible level utilising up to date, reliable workshop equipment.



And Helen Stig, RTO Manager said:

Alemlube has facilitated this ideal. Furthermore, working with Alemlube's Workshop Equipment Sales Manager and Alemlube's workshop equipment fitout team, we have achieved an outstanding result in creating a fit for purpose, premium, state-of-the-art automotive workshop.



Alemlube Automotive was invited to submit a scope of works including workshop equipment supply and installation for a new Automotive Technology training facility located in Fyshwick, ACT.

AIM Institute of Health & Sciences is a registered training organisation and takes pride in the quality of courses and services it delivers, providing innovative workplace training in the Australian Capital Territory.

The AA equipment list included hoists, hose reels, tyre changer, wheel balancer, wheel aligner, waste oil drainer and diagnostic equipment creating the ideal workshop environment for today's proactive, aspiring automotive professional

SUPER SAVINGS WITH PROMPT & EFFICIENT SUPPLY & INSTALLATION CAPABILITIES



ALEMLUBE AUTOMOTIVE INTERACTIVE BAY

**Looking for a new piece of Workshop Equipment?
Make an informed decision and Visit Alemlube!**

**TRY
BEFORE YOU
BUY**



At Alemlube we understand workshop equipment to be a major investment to your business. You have looked around and done some research online. Our workshop team equipment specialists at Alemlube are on hand to assist you to make an informed decision and offer their recommendation based on your requirements and budget.

Alemlube would like to invite you to visit our purpose-built interactive workshop bays and training centres. Packed with the latest machines such as tyre changers, wheel balancers, wheel aligners and our on-car service machines and air conditioning, transmission, coolant & Power steering fluid exchange.

To book an obligation free visit call Alemlube today 1300 159 311



NSW/ACT (02) 9677 1555 | QLD/PNG (07) 3204 9166 | VIC/TAS (03) 8787 8288 | WA (08) 9302 4199 | SA/NT (08) 8241 7111

*Applies to the vast majority of Alemlube products. All prices exclude GST and vehicle hoist installation costs. Delivery and freight charges apply. Repayments paid monthly over 60 months, excluding GST. To approved applicants subject to normal credit criteria. Alemlube will do everything possible, within reason to maintain stocks of products advertised but cannot be responsible for unforeseen shortfalls beyond their control.

info@alemlube.com.au | www.alemlube.com.au

E&OE Prices & Specifications subject to change without prior notice © 2021 Alemlube Pty Ltd AWE&FS 1121