

Immunization, Lab and Developmental Screening Guidelines

We follow the Immunization Schedule as recommended by the American Academy of Pediatrics.

NEWBORN	Hep B if not given in hospital
1 MONTH	Hep B #2 (must be 28 days apart)
2 MONTHS	DTaP, IPV, HIB(Pentacel), Prevnar, Rotateq
4 MONTHS	DTaP, IPV, HIB(Pentacel), Prevnar, Rotateq
6 MONTHS	DTaP, IPV, HIB(Pentacel), Prevnar, Rotateq
FLU	FLU
9 MONTHS	Hep B #3, Hgb, Lead (vaccine catch-up)
Ages & Stages	Ages & Stages
12 MONTHS <u>(must be 1 year old)</u>	Varivax, MMR, Prevnar, Hep A #1 <u>(must be 1 year old)</u>
15 MONTHS	DTaP, HIB, Hep A #1 (if not given at 12mo)
18 MONTHS	Hep A #2 (15 mo vaccines if not given yet)
MCHAT	MCHAT
23 MONTHS	Hgb, Lead (15 & 18 mo vaccines if not given yet), MCHAT
30 MONTHS	Vaccine catch-up, Ages & Stages
3 YEARS	PPD, Urine test
4 YEARS <u>(must be 4 years old)</u>	DTaP, IPV, MMR, Varicella <u>(must be 4 years old)</u>
5 YEARS	Hgb, Cholesterol, Urine test (PPD & 4 year vaccines if not given yet)
6 th GRADE	Tdap (booster every 10 years), Menactra (booster after age 16), HPV (series of 3), Catch-up, Cholesterol, Hgb, Urine test

Please see next page for further information

Yearly check ups are recommended by the American Academy of Pediatrics through age 21.

Flu shots are recommended for patients 6 months and older, generally given from August-June.

Fluoride treatments are recommended from age 9 months to 35 months up to 3 times per year.

If traveling, please call the office for recommended immunizations for the area you are traveling to.