

www.vaughanind.com

855-425-8071



Parts & Equipment 2025




TABLE OF CONTENTS

DESCRIPTION	PAGES
Table of Contents	2
Vaughan Rollers & V-Trac System	3-9
Chain	10
Chain Links	11
Carrier Links	12
Sprockets	13-20
Shafts	21
Custom Arches	22-24
Arch Panels	25
Tsunami & Tsunami 2.0	26-27
Car Wash Equipment	28-35
Conveyor Accessories	36
Hydraulic Motors	37
Product Applicators	38
Powder Blenders	39
Car Wash Accessories	40
High Pressure Equipment	41
Foamers	42-43
Bearings	44-46

ROLLERS



TYPE A3 V-Trac
AVW™ Replacement
(Most Common AVW™ Replacement)

For Use with X348 Chain
UHMW Frame
Link Included



TYPE A4 V-Trac
AVW™ Replacement

For Use with X458 Chain
UHMW Frame
Link Included



TYPE A3 Standard
AVW™ Replacement
For AVW™ Conveyor

For Use with X348 Chain
UHMW Frame
Link Included




TYPE B6
Belanger® Classic
Conveyor Replacement

(Old Style) 6-Wheel, UHMW
Frame, Triangle Plates
Included
For Use with C-188 Chain



TYPE D
Belanger® Duratrans
Standard 4 Wheel
Roller Replacement

Welded Steel Frame
Urethane Outboards and
UHMW Pusher Wheels
X458 Link Included



TYPE DZ
Belanger® Duratrans
4 Wheel Off-set Roller
Replacement

Welded Steel Frame
Urethane Outboards and UHMW
Pusher Wheels
X458 Link Included



TYPE E Standard
Econocraft™ Replacement

For Use with X458 or D88 Chain
(Please Specify)
UHMW Frame
Link Included



TYPE E V-Trac
Econocraft™ Replacement

For Use with X458 or D88 Chain
(Please Specify)
UHMW Frame
Link Included



TYPE F V-Trac
Flapan™ Replacement
UHMW Frame

For Use with C188 Chain
Triangle Plates Included

ROLLERS



**TYPE F Standard
Flapan™ Replacement
UHMW Frame**

For Use with C188 Chain
Triangle Plates Included



**TYPE FI V-Trac
Flapan™ Replacement In**
Includes Front Idle Wheels
UHMW Frame

For Use with C188 Chain
Triangle Plates Included



TYPE FWP
For Front Wheel Pull
Conveyors.

Can be built with different
chain links.



TYPE H3
Hodge™ Replacement
No Link Included

For Use with Log Chain
UHMW Frame



TYPE H6
Hodge™ Replacement

For Use with Log (shown) or 458
Chain (link included)
UHMW Frame



TYPE HN4
V-Trac
Hanna™ Replacement

For Use With X458 Chain
UHMW Frame
X458 Link Included



TYPE HN4 Standard
Hanna™ Replacement

For Use With X458 Chain
UHMW Frame
X458 Link Included



TYPE HN6
Hanna™ Replacement
6-WHEEL STEEL FRAME

For Use with D88K Chain
D88K Link Included



TYPE HN V-Trac
Hanna™ Replacement
4- WHEEL UHMW Frame

For Use with D88K Chain
D88K Link Included

ROLLERS



TYPE HN Standard
Hanna™ Replacement

4- WHEEL UHMW Frame
For Use with D88K Chain
D88K Link Included



TYPE M
MacNeil® Replacement

X458 Link Included
UHMW Pusher Wheels



TYPE MC
Motor City® Standard 4
Wheel Roller Replacement

Welded Steel Frame
Urethane Outboards and UHMW
Pusher Wheels
X458 Link Included



TYPE P V-Trac
Peco™ Replacement

For Use With X458 Chain
UHMW Frame
X458 Link Included



TYPE P Standard
Peco™ Replacement

For Use With X458 Chain
UHMW Frame
X458 Link Included



TYPE HNP V-Trac
Peco™ Replacement

For Use With D88K Chain
UHMW Frame
D88K Link Included



TYPE HNP Standard
Peco™ Replacement

For Use with D88K Chain
UHMW Frame
D88K Link Included



TYPE Q V-Trac
PDQ™ Replacement

Does Not Include Link
For Use With Log Chain



TYPE Q Standard
PDQ™ Replacement

Does Not Include Link
For Use With Log Chain

ROLLERS



TYPE R
Ryko® Replacement

4-Wheel
For Use With X458 Chain



TYPE SC4 Standard
Sonny's® Replacement

For use with multiple chains.
UHMW Frame



TYPE SC4 V-Trac
Sonny's® Replacement

For use With multiple chains.
UHMW Frame



TYPE S4 LOG
(SHORT)
Hanna® Replacement

UHMW Frame
Log Link Included



TYPE S4 458
Sonny's® Replacement

UHMW Frame
X458 Link Included




TYPE S4 LOG
Sonny's® Replacement

UHMW Frame
Log Link Included



TYPE SM-6
6-Wheel
Sonny's® Replacement
For Use With SC78 Chain
UHMW Frame
SC78 Link Included



TYPE SURFL
Surface Roller

Use with Log Chain



TYPE SURFBRH
Surface Roller

Use with BRH188C Chain

CONVEYOR LENGTH

CONVEYOR LENGTH (FT.)	ROLLER SPACING			
	3'6"	5'0"	7'4"	15'0"
30	18	12	9	4
35	20	14	10	5
40	23	16	11	6
45	26	18	13	6
50	29	20	14	7
55	32	22	16	8
60	35	24	17	8
65	38	26	18	9
70	40	28	20	10
75	43	30	21	10
80	46	32	22	11
85	49	34	24	12
90	52	36	25	12
95	55	38	26	13
100	58	40	28	14
105	60	42	29	14
110	63	44	31	15
115	66	46	32	16
120	69	48	33	16
125	72	50	35	17
130	75	52	36	18
135	78	54	37	18
140	80	56	39	19
145	83	58	40	20
150	86	60	41	20
155	89	62	43	21
160	92	64	44	22

HOW TO CALCULATE ROLLERS/CONVEYOR

Length of Conveyor x 2 Divide by Roller Spacing = Number of Rollers per Conveyor
 45 ft. x 2 / 3'6" (aka 3.5) = 25.71, or 26 Rollers
 (Round up to the next whole number)

HOW TO CALCULATE CHAIN SPEED IN CARS/HOUR

(3,600 seconds in an hour) / (Seconds/20 feet of chain travel) = Chain Speed in Cars/
 Hour
 (Round up to the next whole number)
 3,600 seconds in an hour / 70 seconds for chain to travel 20 feet = 52 Cars/Hour

V-TRAC SYSTEM


What is the VAUGHAN “V-Trac” System??

The “V-Trac” systems is a set of steel wear bars or rails that are welded to the top deck of your conveyor. Some manufactures sell conveyors with the wear bars already installed. We offer the option to upgrade your existing conveyor to the “V-Trac” wear bar system!

Why upgrade to the VAUGHAN “V-Trac” System?

Installation of the “V-Trac” system will prevent the downtime and cost associated with conveyor top deck replacement. Let us show you how!

We recommend our “V-Trac” rollers with a reduced diameter urethane outboard roller wheels. These are known as our “V-Trac Rollers” These wheels are formulated from a proprietary blend of urethane that wear ideally when placed on a steel track. This means your urethane wheels will wear before the wear bars will. This will eliminate wear on your conveyor, and will prevent a costly conveyor deck repair! It is much easier to replace outboard roller wheels than it is to replace a top deck on your conveyor.



Rent the V-Trac alignment clamps with a
\$165 deposit.
Deposit is refundable once product is returned.

The only thing left to pay for is the welder, and
we've seen
estimates from \$40 a hour to \$100 a hour. You
will have to check your local rates!

V-TRAC ALIGNMENT CLAMP
(SET OF 3)
ITEM # V-VCK
\$165.00 RENTAL FEE



V-TRAC SYSTEM

Installation Instructions

1) MATERIALS NEEDED:

- 1/2" x 1-1/2" Hot Rolled Steel (Conveyor Length x 2)
(MUST BE TAPERED AT EACH END—SEE PIC)
- 2' 1/2" x 1" Steel Bar (For Forks)
- Set of Clamps (3-Pcs. Provided by Vaughan) See Picture
- Welder



2) STARTING OUT:

Remove your rollers

Prepare the top deck for welding by clearing away rust and loose material.


3) STARTING OUT:

Place your steel bars down and move them into alignment with Vaughan V-Trac Clamps!
The bars should start and end about 1/2" from either opening!

ALIGNMENT BARS

V-TRAC CLAMP

BOTH ENDS OF THE ALIGNMENT
BARS NEED TO BE TAPERED AT
ENDS OF THE CONVEYOR



4) WELDING: Weld the bars in place (we prefer a 3" bead on all sides placed about 6 inches apart). This must be performed by an experienced welder.

5) WRAP-UP: Remove the clamps and re-install your rollers. Your V-Trac installation is complete.

CHAIN



BRH188 CHAIN

(SPECIAL ORDER)

2.609" Pitch
Pin & Cotter
10' Lengths

ITEM # C-BRH188-R

ITEM # C-BRH188-PC



C188 CHAIN

2.609" Pitch
Pin & Cotter
10' Lengths

ITEM # C-C188



D81X CHAIN

(SPECIAL ORDER)

2.609" Pitch
Riveted
ITEM # C-D81X-R

Pin and Cotter
ITEM # C-D81X-PC



D88K CHAIN

2.609" Pitch
3.5' & 7.5' Lengths

Riveted
ITEM # C-D88K-R16P
ITEM # C-D88K-R34P

Pin & Cotter
ITEM # C-D88K-PC16P



LOG CHAIN

3.25" Pitch & 5/8" Dia. Up
to 300' continuous or 11
pitch pcs for 3.5' spacing

11 Pitch
ITEM # C-LOG-11P
ITEM # C-LOG-13P

Continuous
ITEM # C-LOG-C



SC78 CHAIN

2.609" Pitch,
3.5' & 6.5' Lengths

Riveted
ITEM # C-SC78-R16P
ITEM # C-SC78-R30P

Pin & Cotter
ITEM # C-SC78-PC16P



X348 CHAIN

3.00" Pitch
10' Length

ITEM # C-X348



X458 PREMIUM CHAIN

4.00" Pitch
10' Lengths

AISI 5140 Chromium
Steel

ITEM # C-X458-P

Note: Chain prices are subject to change. Please call to confirm current prices.

CHAIN LINKS

X348 CHAIN LINKS

- X348 CENTER LINK ITEM # CTR-348
- X348 SIDE PLATE ITEM # SP-348
- X348 DOG BONE ITEM # DB-348



81X CENTER LINK

- ITEM # 5024



LOG CHAIN LINK 5/8" LOG CHAIN-OPEN LINK

- ITEM # 8610901



D81X OFFSET LINK

- ITEM # 5021



D81X MASTER LINK

- ITEM # 5022



LOG OPEN CARRIER LINK

- ITEM # CL-LOG-XBODY



X458 CHAIN LINKS

- X458 CENTER LINK ITEM # CTR-458
- X458 SIDE PLATE ITEM # SP-458
- X458 DOG BONE ITEM # DB-458



CARRIER LINKS



**348 CARRIER
LINK**

ITEM # CL-348

**D-88 CARRIER
LINK**

ITEM # CL-88



**458 CARRIER
LINK**

ITEM # CL-458

**SC78 CARRIER
LINK**

ITEM # CL-78



**CL-188
TRIANGLE PLATE
for FLAPAN
ROLLERS**

ITEM # CL-188
5/8"
Connecting Hole

**SC78/C188
Link Pin**

ITEM # LP-SC-78



D88 Cotter Keys

Stainless D88 Cotter Pin
ITEM # CP-D88-SS

Zinc D88 Cotter Pin
ITEM # CP-D88-Z

**SC78/C188
Cotter Keys**

Stainless SC78
Cotter
ITEM # CP-SC78-SS

Zinc SC78 Cotter
ITEM # CP-SC78-Z



D88 Link Pins



STRAIGHT LINK PIN	ITEM# LP-D88-S	CALL FOR PRICING
TEAR DROP LINK PIN	ITEM# LP-D88-TD	CALL FOR PRICING
LONG LINK PIN	ITEM# LP-D88-L	CALL FOR PRICING



REMOVABLE TOOTH SPROCKETS


458 DRIVE SPROCKET 4-BOLT FOR MACNEIL® CONVEYORS

Easily removable teeth will allow quick and economical repair of worn sprockets.

ITEM # S-X458-REM-DR MAC



HEAT TREATED



458 TAKE-UP SPROCKET


(Universal has grease zerk/Hanna® and MacNeil® Do Not)

Weld in tube w/inserts for a 2" or 1-15/16" shaft (please specify shaft diameter & length)
Easily removable teeth will allow quick and economical repair of worn sprockets
MACNEIL®, HANNA® & UNIVERSAL

ITEM # S-X458-REM-TU-WT



HEAT TREATED



458 REPLACEMENT TEETH

Change teeth without replacing the sprocket!

ITEM # V-4RT



HEAT TREATED



LOG REPLACEMENT TEETH

Change teeth without replacing the sprocket!

ITEM # V-LRT



HEAT TREATED



REMOVABLE TOOTH SPROCKETS




LOG CHAIN DRIVE SPROCKET

Easily removable teeth will allow quick and economical repair of worn sprockets. Installs with Taper Lock Bushing (Sold Separately)

Drive Sprocket -
ITEM # S-4TLOG-REM-DR

CALL FOR YOUR SPECIFIC SIZING NEEDS

Take up Sprocket -
ITEM # S-4TLOG-REM-TU



LOG CHAIN DRIVE SPROCKET 5-TOOTH

Easily removable teeth will allow quick and economical repair of worn sprockets. Installs with Taper Lock Bushing (Sold Separately)

Drive Sprocket -
ITEM # S-LOG5T-REM-DR

CALL FOR YOUR SPECIFIC SIZING NEEDS

Take up Sprocket -
ITEM # S-LOG5T-REM-TU



458 DRIVE SPROCKET 4-TOOTH

Easily removable teeth will allow quick and economical repair of worn sprockets. Installs with Taper Lock Bushing (Sold Separately)

Drive Sprocket -
ITEM # S-X458-REM-DR

CALL FOR YOUR SPECIFIC SIZING NEEDS  HEAT TREATED



UHMW SPROCKETS

458 TAKE-UP SPROCKET

Inserts Included
ITEM # S-X458 UHMW TU



UHMW DRIVE SPROCKET

ITEM # S-D88 UHMW DR
\$154.67
(Shown with Hub Assembly Not Included)
TAPER LOCK \$46.75 (NOT INCLUDED)
4-Bolt Hub Assembly
ITEM # S-4B-HUB



D88K SPROCKET/DRUM COMBO

Inserts Included
ITEM # S-S8439



2" OR 3" TAKE-UP DRUM

Shown with shaft
sold separately

Inserts Included

ITEM # S-TUD3 3" -
ITEM # S-TUD2 2" -



458 SPROCKET/DRUM TAKE-UP COMBO

Inserts Included
ITEM # S-S8438



D88K TAKE-UP SPROCKET

Inserts Included
ITEM # S-D88 UHMW TU



TAKE-UP SPROCKETS



D-88 TAKE UP SPROCKET—Hanna™

**For 12-Tooth Tube Style
Replaceable UHMW Bushings**

Shown with optional side plates (3 styles available)

ITEM# S-D88 TU HANNA



458 TAKE-UP SPROCKET FOR MACNEIL®

**Replaceable UHMW Bushings
(With Grease Zerk Fitting)**

ITEM# S-X458 TU MAC

Requires Macneil® Shaft
ITEM# 44-031-00-ZN



HEAT TREATED



458 TAKE-UP SPROCKET FOR HANNA®

**Replaceable UHMW Bushings
(With Grease Zerk Fitting)**

ITEM# S-X458 TU HANNA

HANNA TAKE UP SHAFT 2" X 12.5" (WITH GREASE ZERK FITTING) PG 21



HEAT TREATED

TAKE-UP SPROCKETS

SONNY'S WELD IN SC78 TAKE UP

12 Tooth With Weld in Shaft
CALL WITH YOUR SPECIFIC SHAFT SIZE

ITEM # S-SC78 TU WS

New bearings recommended
(sold separately)



D-88 UNIVERSAL TAKE-UP

**12 Tooth with Weld-In
2" or 1-15/16" Shaft**
Replaceable UHMW Bushings
(With Grease Zerk Fitting)

Weld in Tube with Inserts
ITEM# S-D88 TU UNIV



348 TAKE UP SPROCKET AVW CONVEYOR

Replaces Take-Up Drum
Replaceable UHMW Bushings
(With Grease Zerk Fitting)

ITEM # S-X348 TU



Requires Two 2" Set Collars

ITEM # S-SET COLLAR 2"

(SOLD SEPARATELY)



HEAT TREATED

TAKE-UP SPROCKETS



458 TAKE UP SPROCKET WITH SHAFT

Fits Sonny's® or Econocraft™
CALL FOR YOUR SPECIFIC SIZING NEEDS

ITEM# S-X458 TU W/SHAFT



HEAT TREATED



458 UNIVERSAL TAKE UP SPROCKET


CNC Machined with Weld-In Tube

ITEM # S-X458 TU UNIV

Replaceable UHMW Bushings
(With Grease Zerk Fitting)



HEAT TREATED



458 TAKE UP SPROCKET Belanger Duratrans®

4-Tooth 458 TAKE UP

ITEM # S-X458 TU DURA

Requires 2 spindle hub assemblies
(SOLD SEPERATLY/SHOWN BELOW)



HEAT TREATED



SPINDLE BEARING ASSEMBLY

**Spindle Bearing Assembly Required for
Belanger 458 Take up Sprocket**

ITEM # S-45872

DRIVE SPROCKETS

SC78 DRIVE SPROCKET 12-TOOTH

Weld-In Hub

Bushing (Not Included)

Contoured for the SC78 Chain

Note: 2.25" Taper Lock Bushing Re-
quired

ITEM # S-SC78 DR

ITEM # S-TL-2 1/4



LOG SPROCKET 5-TOOTH

Made From 1" Plate

Wider Chain Rests

Weld-In Hub

Bushing Required

ITEM # S-LOG 5T DR R1 (SHOWN)

ITEM # S-LOG 5T DR STD



HEAT TREATED



LOG SPROCKET 4-TOOTH

Made From 1" Plate

Wider Chain Rests

Welded in Hub

CNC Machined

Bushing Required

ITEM # S-LOG 4T DR



HEAT TREATED



DRIVE SPROCKETS



HEAT TREATED



HEAT TREATED



HEAT TREATED



HEAT TREATED



HEAT TREATED

458 DRIVE SPROCKET 4-TOOTH 4-TOOTH

WELD-IN HUB

ITEM # S-X458 DR

Note: 2 1/4" Taper Lock Bushing
Required

ITEM # S-TL-2 1/4

348 DRIVE SPROCKET 5-TOOTH AVW™

WELD-IN HUB

ITEM # S-X348 DR

Note: Taper Lock Bushing Required

1 1/2 ITEM # S-TL-1 1/2

2 1/4 ITEM # S-TL-2 1/4

458 4-BOLT DRIVE SPROCKET

4-Tooth for MacNeil® 1" Thick Steel Plate

ITEM # S-458 DR MAC

458 4-BOLT DRIVE SPROCKET

4-Tooth for Belanger Duratrans® 1" Thick Steel

ITEM # S-X458 DR DURA

D88K DRIVE SPROCKET 12-TOOTH


4-Bolt Mount Also fits Belanger® Classic

ITEM # S-D88 DR 4BOLT

SHAFTS

SPROCKET SIDE PLATE KIT (348, 458, D88)

ITEM # V-SP



MacNeil Zinc Coated Shaft 2" X 15"

ITEM # 44-031-00-ZN

AVW Shaft 2" X 18.5"

Item # S-AVW TU SHAFT



HANNA Shaft 2" X 12.5" (With Grease Zerk Fitting)

Item # S-HTU

CUSTOM BUILT ARCHES



ALL 304 STAINLESS STEEL

8' HIGH X 10' WIDE

BUILT TO YOUR APPLICATION

Call for pricing!

CUSTOM BUILT ARCHES

Description	Item #	Qty/ Arch	Call for current pricing
3" Stainless Steel Arch 10'x 8'	V-ARCH3SS	1	CALL FOR PRICING
Bright Polish add on for 3" Arch	V-ARCHPOLISH3	1	CALL FOR PRICING
Weld-on Mount Clips	V-ARCHCLIPSIN	10	CALL FOR PRICING
SJO Wire Fitting	V-ARCH-SJO	Each	CALL FOR PRICING
2½" Access Hole	V-ARCHACCHOLE	Each	CALL FOR PRICING
Rain Kick	V-SARK	2	CALL FOR PRICING
Flip Arch Option	V-FLIP ARCH OP	1	CALL FOR PRICING
Side Manifold (4 Nozzle)	V-SIDE MAN 4	2	CALL FOR PRICING
Top Manifold (2 Nozzle)	V-TOP MAN 2	1	CALL FOR PRICING
Top Manifold (3 Nozzle)	V-TOP MAN 3	1	CALL FOR PRICING
Top Manifold (4 Nozzle)	V-TOP MAN 4	1	CALL FOR PRICING
Top Manifold (5 Nozzle)	V-TOP MAN 5	1	CALL FOR PRICING
Shower Head Foamer Complete	NUMBERS VARY	1-3	PRICES VARY
Clamp Kit Tri Coat (Plastic)	NUMBERS VARY	2	PRICES VARY
Clamp Kit Tri Coat (Stainless Steel)	NUMBERS VARY	2	PRICES VARY
Clamp Kit Tri Coat (Stainless Steel) with Bracket	NUMBERS VARY	2	PRICES VARY
Rain Bar 60 Hole	V-RAINBAR60	1	CALL FOR PRICING
Rain Bar 100 Hole	V-RAINBAR100	1	CALL FOR PRICING
Rain Bar 200 Hole	V-RAINBAR200	1	CALL FOR PRICING
Rain Bar 560 Hole	V-RAINBAR560	1	CALL FOR PRICING
Check Valve with Nozzle	NUMBERS VARY	Each	PRICES VARY
Roto-Jet HP Nozzle	NUMBERS VARY	Each	PRICES VARY
Hydra-Flex Blast-Tec Pro Rotating Turbo Nozzle	NUMBERS VARY	Each	CALL FOR PRICING
Stauff Clamp Assembly	S-CA	Each	CALL FOR PRICING




Flip arch shown in Bright Polish, Weld-On Mount Clips, Stauff Clamp Assembly

ARCH CLAMP KITS



**TRIPLE CLAMP KIT
for
Vaughan Arch Only**

ITEM # TRI-CKV



**SINGLE CLAMP KIT
Stainless Steel
with 3" or 4" U-Bolt
Bracket**

ITEM # SINGLE-CK4
ITEM # SINGLE-CK3



**DUAL CLAMP KIT
Stainless Steel
with 3" or 4" U-Bolt
Bracket**

ITEM # DUAL-CK4
ITEM # DUAL-CK3




**TRIPLE CLAMP KIT
Stainless Steel
with 3" or 4" U-Bolt
Bracket**

ITEM # TRI-CK4
ITEM # TRI-CK3



**QUAD CLAMP KIT
Stainless Steel
with 3" or 4" U-Bolt
Bracket**

ITEM # QUAD-CK4
ITEM # QUAD-CK3



**B-LINE CLAMP
Stainless Steel
(Unistrut Not Included)**

ITEM # BLC



**SQAURE U-BOLT 4"
Stainless Steel
3/8"**

ITEM # U-BOLT SQ4



**ROUND U-BOLT
4" Stainless Steel
3/8"**

ITEM # U-BOLT RD4

ARCH PANELS

FULLY ILLUMINATED ARCH PANELS



Features

- Whether it is the distinct shape or vibrant illumination, this arch will make a statement and provide a memorable experience with every wash.
- Fully Illuminated, die-cut and able to be tailored to any car washes distinctive style or branding.
- Driver side provides instructions to incoming washers while the passenger side confirms their wash selection with powerful LED strobes.



Illumination

The background of the graphics are illuminated with ultra bright LED clusters

Specifications

Construction	Baked enamel aluminum body with a high impact plastic face.
Voltage/Amp	100-240VAC / 7.5 Amp
Mounting	Mounts on Vaughan Arch

Item	Description	Price
VAEA	Fully Illuminated Arch panels to fit on Vaughan Arch.	Call



**TSUNAMI® ORIGINAL SHEETING ACTION
INCLUDES:**

- **Stainless Steel Tray Assembly**
 - **Stainless Steel Foaming Bar**
- **Triple Flojet Pump Station with Manifold**
 - **(3) 6-M Beaded Foam Generators**
 - **Clamps**
 - **(6) Elbows**

VAUGHAN'S PACKAGE PRICE: CALL FOR CURRENT PRICING





TSUNAMI® 2.0 SHEETING & BUBBLIZER ACTION

ALL THE FEATURES OF THE TSUNAMI® ORIGINAL PLUS THE ABILITY TO BUBBLIZE THE OUTPUT WITH VARYING INSTENSITY.

VAUGHAN'S PACKAGE PRICE: CALL FOR PRICING



ADDITIONAL OPTIONS AVAILABLE




STAINLESS STEEL ARCH 3"

POLISHED FINISH



**3-COLOR
FOAMING BAR**



**TRIPLE FLOJET PUMP STATION
WITH AIR MANIFOLD**

PREP UNITS & RECLAIM BLASTER



PREP UNIT 7.5 HP

More Pressure with Less Water
Heavy Duty for Constant Use
8 GPM @ 1,800 PSI Hypro Pump
7.5 HP Totally Enclosed Electric Motor
Can Power up to 2 Prep Guns
This Unit will Blast Dirt, Bugs, Ice and Snow


ITEM # V-PUCS

Wanner Hydra-cell D10 8 GPM
Prep Unit 7.5HP Electric Motor

ITEM # V-PUCSD10

KOBOLD UPGRADE FOR SINGLE PREP UNIT


ITEM # V-KUPS



DUAL PREP UNIT 7.5 HP

Same Design as Single Prep Unit
Save Floor Space
Stackable to 3 Units

ITEM # V-PUCD



HIGH VOLUME LOW PRESSURE RECLAIM BLASTER SET

ITEM # V-RBS40

All Stainless Steel
Multiple Angle Nozzles
Quick Change Nozzles
1½" NPT Inlet
20-3/8" NPT Outlets
3/4" NPT Outlet for Underbody Feed

(Not for High Pressure-300 PSI max)

WHEEL & TIRE CLEANERS



WIND GUARD CHEMICAL TIRE APPLICATOR

- Stops Over Spray—Put Chemical on Tires or Wheels not on the Ground!
- Stainless Steel Frame
- Standard Foaming PVF8020 Nozzles⁽²⁾

ITEM # CTAWIND

Optional Wind Guard Colors:
Red, Green, Pink, Blue, Black & Yellow
*Note: Clear is Standard

ITEM # WG-CLEAR
ITEM # WG-COLOR



BUSY BLASTER

Roto Jet Nozzles

(Sold Separate)

ITEM # 374134

(Per Nozzle)

ITEM # V-BZBLAST

STAND OPTION

CALL FOR PRICING

ITEM # V-4X4X36SS STAND



DUAL CTA With Wind Guard

- Stainless Steel Frame
- Standard Foaming 8020 PVF Nozzles
- Shut Off Valves at Each Unit
- Fully Adjustable Spray Patterns

ITEM # CTA2

\$65.39 clear or color Wind Guard
ITEM # WGD-CLEAR or WGD-COLOR



HIGH PRESSURE WHEEL BLASTER

(Not Including Roto-Jets)

- All Stainless Steel
- Flips to Track Wheels
- Adjustable Nozzle Assembly

ITEM # V-HPWB

WHEEL & TIRE CLEANERS



CTA Foaming

Chemical Tire Applicator Made with all Plastic Components

- **Double high density base**
- **Sponge or bead foam generator**
- **Lurmark tips**

ITEM # V-CTA-F-L



CTA Foaming

Chemical Tire Applicator Made with all Plastic Components

- **Double High Density Base**
- **Sponge or Bead Foam Generator**
- **Foamer Heads**

ITEM # V-CTA-F



CTA Non-Foaming

Chemical Tire Applicator Made with all Plastic Components

- **Double High Density Base**
- **Cone Nozzle Standard**

ITEM # V-CTA-NF



200-300 PSI max

Mirror Blaster

ITEM # V-MBLAST

(Shown with 3' Round Clamp)
Not Included

ITEM# V-CMB-RC

CHEMICAL EQUIPMENT



AIR PANEL	ITEM #	PRICE PER
LG BACK PLATE	AP-LG	CALL
SM BACK PLATE	AP-SM	CALL
Full function filter, regulator & lubricator all in one unit 4-Way Control Valve		
OPTIONAL PIG TAIL	D-PT	CALL



BACK PLATE SOLD SEPARATELY


570		570CW	CALL
572		572CW	CALL
Back Plate		V-DEMABP	CALL



AIR MANIFOLD

(Shown above with optional regulators)

ITEM# V-TPSAM




MINI VITON FLOJET BOARD

ITEM # V-VFJB

MINI SANTO FLOJET BOARD

ITEM # V-SFJB



DUAL CONTROL AIR PANEL

ITEM # V-DCAP

UNDERBODY BLASTERS



UNDER BODY BLASTER

23½" x 10" All Plastic Plate
 12 - ¼" Nozzles
 3/4" NPT Connections
 Angle up or down manifolds
**System Requirements: Water
 Supply Line—Minimum 40 PSI**

ITEM # V-LPUB



HIGH PRESSURE UNDER BODY BLASTER

Stainless Steel Manifolds
 23½" x 10" All Plastic Plate
 12 - ¼" Nozzles
 1/2" NPT Connections

ITEM # V-HPUB



BUMPER APPLICATOR

FRONT AND REAR
 23½" x 10" All Plastic Plate
 1½" Thick
 8 - ¼" Nozzles
 1/2" NPT Connections
 Angle up or down manifolds

STANDARD

ITEM # V-BAC

FOAMING VERSION

ITEM # V-BACF



RUST INHIBITOR APPLICATOR

23 1/2" x 6" x 1 1/2"

ITEM # V-RUSTIN-P

HP RUST INHIBITOR APPLICATOR

With Stainless Steel
 Manifolds

ITEM # V-RUSTIN-S

PUMPING STATIONS

Use With Tri-Coat,
Foamer, Bug Spray,
Wheel Brite
(Santo Flojet Included)

Upgrades

Viton Upgrade

Item # VUSFJPS

Dual Eductor Hydrominder

Item # DEHAUEJPS

Air Foamer Kit

Item # V-AIR FOAM KIT SPS

Bucket; 8 Qt. Clear


Lid

Retrofit Flojet

Disconnect Bracket



#V-PSSFJ




DOUBLE PUMP STATION

- All stainless steel frame
- Removable clear tanks
- Easy to service
- Space saving design
- 19.5" W x 27" H x 9" D

#V-PSDFJ

Optional Air Manifold


#V-DPSAM



TRIPLE PUMP STATION

- All stainless steel frame
- Removable clear tanks
- Easy to service
- Space saving design
- Great for 3 foam applications
- 28½" W x 27" H x 9" D

ITEM # V-PSTFJ



QUAD PUMP STATION

- All stainless steel frame
- Removable clear tanks
- Easy to service
- Space saving design
- Great for 4 foam applications
- 37¾" W x 27" H x 9" D

ITEM # V-PSQFJ

Optional Air Manifold

#V-TPSAM

Optional Air Manifold

#V-QPSAM

PUMPING STATIONS



PULSATRON STATION

- All Stainless Steel Frame
- Visual site mix chamber
- Use with all waxes, special services waxes, drying agents
- Great for Rain Bars
- Will Fit Many Other Metering Brands
- Air Injection Option

ITEM # V-PSP



CWB - COMPLETE SS

- Wall mounted
- On Demand Chemical Applicator

ITEM # V-CWB

Stainless Steel Wall Bracket Only

ITEM# V-CWBWB



BUG SPRAY SYSTEM

Includes:

- CWB Complete SS
- Five gallon dispenser
- Stainless steel pump frame with 2.5 gallon mix tank
- Flow jet 7GPM air pump
- 511 Hydro Minder
- Air filter and regulator
- Color coded 25' No-kink recoil hose
- Shut-off valve at bracket
- PVF spray nozzle

ITEM # V-BSSC



BUG SPRAY STAND

Stainless steel

ITEM # V-BSS



YAMADA STATION

- GREAT with harsher chemicals
- Up to 12 GPM
- Large capacity 22 quart tank

ITEM # V-PSY

PARTS & EQUIPMENT



JMV TILTING WRAP ARM

(For AVW™)

**The Ultimate in Flex Wrap Control
Complete Overlap Front & Back.
Helps with Mirror Safety Without
Sacrificing Cleaning**

**2"x10" Air Cylinder
UHMW Flex Coupling
HD Stainless Construction**

ITEM #V-JVMTWA



FLEX COUPLING UHMW

(For AVW™ OR PECO™ Wraps)

**Solid UHMW Flex Arm
Stainless Steel U Box
Adjustable Pivot Positions**

(AVW)

ITEM # V-AVW FLEX COUP

(PECO)

ITEM# V-PECO FLEX COUP



STAINLESS STEEL TAPE SWITCH PAN

ITEM # V-SSTSP



TAPE SWITCH

ITEM # TSCW532

AVW SAFTEY SHOCK KIT COMPLETE



**ITEM # V-AVWSSKC
(WELDING REQUIRED)**

AVW STYLE REPLACEMENT WRAP OR SAFTEY SHOCK

(REPLACEMENT SHOCK ONLY)

ITEM # VWA1FA (1/2" HOLE)

ITEM # VWA2FA (3/8" HOLE)

CONVEYOR ACCESSORIES



REMOVABLE PRO-TEC™ ENTRANCE YOKES

36" - 42"

Custom Sizes: Add \$10 for each
additional inch over 42"

Welds in Place / Maintenance Free

Guide Tires onto Conveyor

1" Solid Steel Removable Shaft

3" Diameter UHMW Rollers

ITEM #	DESCRIPTION	PRICE PER
V-PYC	Complete Set	CALL
V-PYL	Steel Leg	CALL
V-PYEC	UHMW End Cap	CALL
V-PYW	3" or 4" Wheel	CALL
V-PYRR	Rod	CALL



ENTRANCE TRAP DOOR

ITEM# ENTTRAPDR

PLEASE CALL FOR YOUR SPECIFIC
SIZING NEEDS. (WILL NOT WORK FOR SONNYS OR HANNA
CONVEYOR)



CORRELATOR SET

36" L x 36" W (Driver's Side)

36" L x 40" W (Passenger's Side)

Pro-Tec™ Yokes Sold Separately

Aligns tire to conveyor

Lift out rollers for easy cleaning

Grease free Design

No moving mechanical arms or
springs

High Grade Steel and Durable UHMW

*Custom Sizes Available! Call for a
Quote!

ITEM #	DESCRIPTION	PRICE PER
V-CS	Complete Set	CALL
V-CRW	Each Replacement Wheel	CALL



EXIT TRAP DOOR

ITEM# EXITTRAPDR

PLEASE CALL FOR YOUR SPECIFIC
SIZING NEEDS. (WILL NOT WORK FOR SONNYS CONVEYOR)

HYDRAULIC MOTORS

Replacement Hydraulic Motors H Series


ITEM #	Ring Size	Price Per
101-1001	1/4"	CALL
101-1002	3/8"	CALL
101-1003	1/2"	CALL
101-1004	7/8"	CALL
101-1005	1"	CALL
101-1006	1-1/4"	CALL
101-1007	1-1/2"	CALL
101-1008	2"	CALL



ITEM #	KIT SIZE	PRICE PER
60540	009 Seal Kit	CALL
60023	007 Seal Kit	CALL
HS14193	Woodruff Key	CALL

Replacement Hydraulic Motors

ITEM #	RING SIZE	PRICE PER
103-1002	3/8"	CALL
103-1003	1/2"	CALL
103-1004	7/8"	CALL
103-1005	1"	CALL
103-1006	1-1/4"	CALL
103-1007	1-5/8"	CALL
103-1008	2"	CALL



ITEM #	RING SIZE	PRICE PER
60539	010 Seal Kit	CALL
60533	008 Seal Kit	CALL

PRODUCT APPLICATORS

BLUE PENGUIN PRODUCT APPLICATOR



2-Gallon Plastic Unit

- Hand Held, On-Demand Applicator
- 10' No-Kink Recoil Hose
- Easy Flow™ Brush Head
- Swivel Fitting at Trigger
- Can Also Apply Thick/Viscous Products

ITEM #
V-2GPA

HD Brass Trigger Upgrade



ITEM #
BT6466



2-Gallon Stainless Steel Unit

- Hand Held On-Demand Applicator
- 10' No-Kink Recoil Hose
- Light Weight Design
- Easy Flow™ Brush Head
- Swivel Fitting at Trigger
- Can Also Apply Thick/Viscous Products

ITEM#
V-
SS2GPA

BLENDERS & DRUM ACCESSORIES



(DRUM NOT INCLUDED)

POWDER BLENDER

- All Stainless Steel Frame
- Mixes Powdered Chemicals
- Keeps Feed Lines Away From Blade
- 55-Gallon Mixing Capacity
- Free Standing Frame
- 1/4 HP Mixer Motor
- On/Off Switch

ITEM# V-PBS



WALL MOUNT POWDER BLENDER

- All Stainless Steel Construction
- Mounts to any Wall
- Less Floor Space Required
- 55-Gallon Mixing Capacity
- 1/4 HP Mixer Motor
- On/Off Switch

ITEM# V-WMPB



HEAVY DUTY DRUM PUMP

(Drum Not Included)
NOT FOR USE WITH TIRE SHINE

ITEM# HD-DP



DRUM STICK

(RESEALS YOUR 55GAL DRUM,
KEEPING OUT AIR & BACKFLOW
CONTAMINATES.)

ITEM # V-DS

CAR WASH ACCESSORIES



JMV GUN HOLDER (Holder Only - Prep Gun & Base Separate)

**Super Clean Style
Ergonomic Design
Easy to Use
All Stainless Steel Frame
HD Rubber Gun Cradle**

ITEM # V-JMV

**JMV GUN HOLDER BASE
ITEM # V-JMVUHMWB**



360° BOOM

- All Stainless Steel
- No Hose to Replace
- Smooth 360° Rotation
- 3/8" NPT Supply Parts on Top & Side
- Replaceable 90° Mosmatic Swivel
- Ridged Internal Supply Tube

ITEM # V-360B

PANTRON PHOTO EYE KIT STAND NOT INCLUDED

ITEM # V-PEK24 OR V-PEK115




Photo Eye Kit

(transmitter / receiver eyes and cable plus amplifier)


Vaughan Photo Eye Stand Set of 2 **V-PES**

Replacement Transmitter Cable **V-PERT**

Replacement Receiver Cable **V-PERR**

Replacement Amplifier **V-PERA24**
V-PERA115

HIGH PRESSURE EQUIPMENT




OSCILLATOR ASSEMBLY With SS Meg Nozzles

ITEM # V-HPO

+

HP OSCILLATOR FLIP OPTION **Upgrade**



Shown as a complete
Oscillator with flip option.

ITEM # V-HPFO

+



Impact Nozzle **Upgrade** ITEM # V-HPINU

FLEXIBLE HIGH PRESSURE OSCILLATOR

Vaughan's HP Oscillator Component System is designed with the operator in mind, customizable to fit individual needs.

Bolt on assembly with existing 4" Square or Round Tube or Purchase New 4" Vaughan Arches. Pumps & stands available, or use with existing pumps.

Stainless steel & composite construction.



Southland Auto Wash
Custom SS High Pressure Oscillating
Arches

**4" ROUND
STAINLESS
STEEL ARCH**
ITEM # V-ARCH SS 4"



**60" X 4" ARCH
CONNECTOR
BULK HEAD**

ITEM # V-AC4"

FOAMERS



6M FOAMER COMPLETE

- High Foam
- Non-Clogging Beads
- Used for all low pH applications
- Self Cleaning
- Ultra Ball Stop System
- Para-flex Air in 1/4"
- Dual PVF Check Valve System
- Para-flex Chemical in 3/8"
- Stainless Steel Screw
- Spring

ITEM # V6MFCA-20 (20 HOLE)
ITEM # V6MFCA-10 (10 HOLE)



3M FOAMER COMPLETE

- High Foam - Non-Clogging Beads
- Used for all Low pH applications
- Self Cleaning
- Ultra Ball Stop System
- Para-Flex Air in 1/4"
- Dual PVF Check Valve System
- Para-Flex Chemical in 3/8"
- Stainless Steel Screw
- Spring

ITEM # V3MFCA-20 (20 HOLE HEAD)
ITEM # V3MFCA-10 (10 HOLE HEAD)



SPONGE FOAMER COMPLETE

ITEM # VSFCA-20 (20 HOLE)
ITEM # VSFCA-10 (10 HOLE)

- Sponge
- High Foam
- PVF Screw

3MG BEAD FOAMER COMPLETE

ITEM # V3MFCA-G20 (20 HOLE)
ITEM # V3MFCA-G10 (10 HOLE)

6MG BEAD FOAMER COMPLETE

ITEM # V6MFCA-G20 (20 HOLE)
ITEM # V6MFCA-G10 (10 HOLE)

- Glass Beads
- High Foam
- Self cleaning



FOAMERS



X-BOND FOAMER With Sponge

ITEM # VXBDF



FLANGE NOZZLE FOAMER

WITH SPONGE
ITEM # FNGNZ1

WITH BEADS
ITEM # FNGNZ2



X-BOND FOAMER With 6M Beads

ITEM # V6MGX



K-NOZZLE FOAMER

Use with Pre-Soaks and/or
Side brush applications

WITH SPONGE
ITEM # KNOZF1

WITH BEADS
ITEM # KNOZF2



SWIVEL ASSEMBLY

Fully Adjustable
Chemical Resistant

ITEM # CRS



FOAMER HEAD

1.5" Heavy Duty
10 Hole or 20 Hole

ITEM # VSHWA-20
ITEM # VSHWA-10

BEARINGS



Two Bolt Flange Bearing

ITEM #	UCFL204-12 3/4" ID
ITEM #	UCFL205-16 1" ID
ITEM #	UCFL208-24 1-1/2" ID
ITEM #	UCFL207-20 1-1/4" ID
ITEM #	UCFL210-31 1-15/16" ID
ITEM #	UCFL210-32 2" ID
ITEM #	UCFT206-18 1-1/8" ID
ITEM #	UCFT206-20 1-1/4" ID
ITEM #	UCFT211-32 2" ID



Tap Base Pillow Block Bearing

ITEM #	UCTB204-12 3/4" ID
ITEM #	UCTB206-20 1 1/4" ID
ITEM #	UCTB207-20 1_1/4" ID



Pillow Block Bearing

ITEM #	UCPE204-12 3/4" ID
ITEM #	UCPE205-16 1" ID
ITEM #	UCPE207-20 1-1/4"ID
ITEM #	UCPE208-24 1-1/2"ID
ITEM #	UCPE209-28 1-3/4" ID
ITEM #	UCPE210-31 1-15/16"ID
ITEM #	UCPE210-32 2" ID
ITEM #	UCPE211-32 2" ID
ITEM #	UCPE212-36 2"-7/16"ID

BEARINGS

Four Bolt Flange Bearing 4 Bolt Spacing - Cast Iron

ITEM #	UCFC205-16	1" ID
ITEM #	UCFCS208-24	1 1/2" ID
ITEM #	UCF205-16	1"ID
ITEM #	UCF206-18	1-1/8" ID
ITEM #	UCF207-20	1-1/4" ID
ITEM #	UCF207-22	1-3/8" ID
ITEM #	UCF208-24	1-1/2"ID
ITEM #	UCF210-31	1-15/16"ID
ITEM #	UCF210-32	2"ID
ITEM #	UCF211-31	1-15/16 ID
ITEM #	UCF211-32	2"ID
ITEM #	UCF211-35	2-3/16"ID



SER200 Series Bearings

ITEM # SER208-24 1 1/2"ID

Set Screw Locking Three-Bolt Flange Bracket Unit

ITEM #	UCFB206-18	1 1/8" ID
ITEM #	UCFB206-20	1-1/4" ID



BEARINGS



Pillow Block Bearing STAINLESS STEEL

ITEM # SSUCP207-20 1-1/4" ID
ITEM # SSUCP208-24 1-1/2" ID
ITEM # SSUCP210-32 2" ID
ITEM # SSUCP211-32 2" ID



Tap Base Pillow Block Bearing STAINLESS STEEL

ITEM # SSUCPA206-20 1-1/4" ID



Two Bolt Flange Bearing STAINLESS STEEL

ITEM # SSUCFL210-31 1-15/16" ID



FOUR BOLT FLANGE BEARING STAINLESS STEEL

ITEM # SSUCF208-24 1-1/2" ID



SET SCREW LOCKING THREE BOLT FLANGE STAINLESS STEEL

ITEM # SSUCFB207-20 1-1/4" ID



www.vaughanind.com

Phone: 313-935-2040

Toll Free: 855-425-8071

E-Mail:

customerservice@vaughanind.com

orders@vaughanind.com



DUE TO FLUXUATIONS IN THE COST OF RAW MATERIALS AND VENDOR PRICING FOR PARTS, ALL PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE. PLEASE CALL US FOR THE MOST CURRENT PRICING.