14 Attachments

Attachment A1

EPBC Act Controlled Action Decision Notice

Attachment A2

PD additional information request

Attachment A3

Preliminary VCFMP

Attachment A4

Hayfields Estate Fauna Spotter Reports

Attachment A5

Koala – SAT Results

Attachment A6

Koala – MHQA Results

Attachment A7

Grey-headed Flying-Fox – FHA Results

Attachment A8

Natural Environment Site Strategy

Attachment A9

Offset Management Plan

Attachment A1

EPBC Act Controlled Action Decision Notice

Australian Government
Department of Agriculture, Water and the Environment

Notification of
REFERRAL DECISION AND DESIGNATED PROPONENT – controlled action
DECISION ON ASSESSMENT APPROACH

Hayfield School Site, Fischer Road, Ripley, Queensland (EPBC 2021/9070)

This decision is made under section 75 and section 87 of the *Environment Protection and Biodiversity Conservation Act 1999* (EPBC Act).

proposed action	To clear 19.1 ha of vegetation and do earthworks in preparation for the construction of a school on land located at Fischer Road, Ripley, described as Part Lot 901 on SP317868 [See EPBC Act referral 2021/9070].

decision on proposed action	The proposed action is a controlled action. The project will require assessment and approval under the EPBC Act before it can proceed.
relevant controlling provisions	Listed threatened species and communities (sections 18 & 18A)
designated proponent	Jolifields Development Pty Ltd & The Trustee for Morehampton Capital & Trustee for the Goldfields QLD Trust ABN: 60 371 946 969
assessment approach	The project will be assessed by preliminary documentation.

Decision-maker

Name and position	Andrew McNee Assistant Secretary Environment Assessments Queensland and Sea Dumping Branch
Signature	
date of decision	25 November 2021

Attachment A2

PD additional information request

Australian Government
Department of Agriculture, Water and the Environment

EPBC Ref: 2021/9070

Daniel Flanagan
Senior Development Manager
Goldfields
Office 1B Level 1
31 James Street
FORTITUDE VALLEY QLD 4006

Dear Mr Flanagan

Additional information required for preliminary documentation
Hayfield School Site, Fischer Road, Ripley, Queensland

I am writing to you in relation to your proposal to clear vegetation and earthworks in preparation for the construction of a school on land located at Fischer Road, Ripley, described as Part Lot 901 on SP317868.

On 25 November 2021, a delegate of the Minister made the referral decision and determined that the proposed action was a controlled action, under section 75 of the *Environment Protection and Biodiversity Conservation Act 1999* (EPBC Act). On the same day it was also decided that the proposed action will be assessed by preliminary documentation, under section 87 of the EPBC Act. Further information will be required to be able to assess the relevant impacts of the proposed action, in accordance with section 95A(2) of the EPBC Act.

Details outlining the further information required are at Attachment A. Details outlining the information requirements for offset proposals required under the EPBC Environmental Offsets Policy are at Attachment B. Information to assist in the assessment of potential impacts on the Koala are at Attachment C.

Details on the assessment process and the responsibilities of the proponent are set out in our fact sheet EPBC Act — Environment Assessment process. Further information is also available from the department's website at http://www.environment.gov.au/epbc.

As part of the referral process we sought comments from the Hon Ken Wyatt AM MP, Minister for Indigenous Australians. The National Indigenous Australians Agency (NIAA) responded on the Minister's behalf. I am passing these on to you for your consideration:

- The NIAA recommends you contact the Yuggera Ugarapul Native Title group through their representative body, Just Us Lawyers, to discuss the project.
- The NIAA recommends you develop a Cultural Heritage Management Plan in collaboration with Traditional Owners to identify, protect and management any tangible and intangible cultural heritage values; including culturally significant sites, flora and fauna such as the Koala, Grey-headed Flying Fox, Swift Parrot and Regent Honeyeater.
- The NIAA recommends you consult with the Native Title representative body for the region, the Queensland South Native Title Services, as soon as possible in order to identify and undertake broader engagement with all relevant Traditional Owners, including Liworaji Aboriginal Coporation, Ipswich City Council and the Queensland Department of Seniors, Disability Services and Aboriginal and Torres Strait Islander Partnerships.

If you have any questions about the assessment process or the further information required, please contact [redacted], by email to [redacted] and quote the EPBC reference number shown at the beginning of this letter.

Yours sincerely



Lucy Butterfield
A/g Director
Queensland South Assessments Section
10 February 2022

ATTACHMENT A
REQUEST FOR ADDITIONAL INFORMATION REQUIRED FOR ASSESSMENT BY PRELIMINARY DOCUMENTATION

Hayfield School Site, Fischer Road, Ripley, Queensland (EPBC 2021/9070)

Preliminary documentation for the proposal will include:

- the original referral.
- the additional information you provide on the impacts of the proposed action and the strategies you propose to avoid, mitigate and/or offset those impacts (as described below).
- any other information specified in this request.

The documentation must be written so that any conclusions reached can be independently assessed. To this end, all sources must be appropriately referenced using the Harvard standard. The reference list must include the address of any internet pages used as data sources.

Where relevant information was provided at the referral stage, incorporate, or refer to this information as necessary in the preliminary documentation.

The preliminary documentation must address the matters set out below.

1. General content, format and style

The preliminary documentation must:	
1.1	Include a reference table indicating where to find the information fulfilling this request.
1.2	Contain sufficient information to allow the Minister (or delegate) to make an informed decision on whether or not to approve, under Part 9 of the *Environmental Protection and Biodiversity Conservation Act 1999* (EPBC Act), the undertaking of the action for the purposes of each controlling provision. Contain sufficient information to enable interested stakeholders to understand the environmental consequences of the proposed development on matters of national environmental significance (MNES).
1.3	Ensure all work and conclusions: a) are presented clearly, unambiguously, succinctly and objectively; b) are evidence-based and the evidence is provided; c) are supported by peer reviewed literature, with references provided, or expert opinion; d) use scientifically robust methodologies appropriate to the purpose, and describe and reference the methodology chosen; e) detail why the methodology/s was selected, and state any limitations in the chosen approach; f) are, where appropriate, supported by maps, plans, diagrams or other descriptive detail; g) demonstrate consideration of relevant documents* including Approved Listing Advice(s), Approved Conservation Advice(s), Recovery Plan(s), Threat

	Abatement Plan(s) or comparable policy guidelines, and approved survey methods; and h) appropriately reference all sources using the Harvard standard. The reference list must include the address of any internet pages used as data sources. **Relevant documents include, but are not limited to, the resources found in Species Profile and Threats Database (SPRAT) and EPBC Act publications and resources.*
1.4	Must avoid passive language and use active, clear commitments (e.g. 'must' and 'will') where appropriate.
1.5	Be able to read as a stand-alone document and must include summaries of all relevant information. Detailed technical information, studies or investigations necessary to support the main text should be attached as appendices to the main document.
Note	*Please note that the department may require further information, in addition to the information required below, should new information come to light during the assessment stage (e.g. additional species has been identified onsite).*

2. Description of the action

If not previously provided in the referral documentation, the preliminary documentation must include:	
2.1	a) a description of all components of the proposed action (preparation, clearing and earthworks), including the anticipated start and completion dates and duration. This should include a detailed outline of the expected timing of any staged clearing. b) the location, boundaries, and size (in hectares) of the disturbance footprint, and of adjoining areas and vegetation, which may be indirectly impacted by the proposal, including from material stockpiles, vehicle access and associated activities, with accompanying maps*. c) a clear description of any material changes (e.g. total footprint, areas to be cleared) or planning changes between the referral and draft preliminary documentation submissions. d) details of any local or State Government planning scheme, or plan or policy under any local or State Government planning system that applies to the proposed action, or that the proponent reasonably believes are likely to apply, to the proposed action. e) information on a buffer zone between the construction footprint area and adjacent environment. ** The department's 'Guide to providing maps and boundary data for EPBC Act projects' provides guidance on how to prepare and provide spatial information (maps and data) for each stage of the EPBC Act assessment process.*
2.2	Further information is required as follows: a) a description with supporting figures detailing all site access roads and any other shared infrastructure to be constructed to facilitate the proposed action.

	b) mapped locations and size of any proposed fire breaks, and details of any proposed new or updated fire management plans as a result of the proposed action. c) information about proposed fencing, including: o the location of all proposed fencing; o the characteristics of the fencing, i.e. height, length, wildlife proof measures etc; o whether the proposed fencing will provide a wildlife barrier to/from/within the proposed action area; and o please support with maps, plans, diagrams whenever possible.

3. Description of the environment and Matters of National Environmental Significance

Listed threatened species and ecological communities and listed migratory species

From the information provided to date, the department considers that the matters that may or are likely to be significantly impacted by the proposed action include, but are not limited to:

- Koala (combined populations of Queensland, New South Wales and the Australian Capital Territory) (*Phascolarctos cinereus*) **–** vulnerable
- Grey-headed Flying-fox (*Pteropus policephalus*) – vulnerable.

Note that this may not be a complete list and it is your responsibility, as the proponent, to ensure that any species or ecological communities listed under the EPBC Act at the time of the controlled action decision, which will or are likely to be significantly impacted by the proposed action, are assessed for the Minister's consideration.

It is also the responsibility of the proponent to maintain awareness of any changes to species distributions. Please ensure that a recent Protected Matters Search Tool report is generated and used during the assessment before finalising the draft preliminary documentation.

Habitat assessments

Habitat assessments must be informed by desktop and field surveys in accordance with relevant departmental documents (e.g. approved Conservation Advices, Recovery Plans, draft referral guidelines and Listing Advices, and SPRAT Database), including published research and other relevant sources.

The department does not accept assessments of impacts based only on the use of Queensland Regional Ecosystem (RE) mapping to determine habitat for listed threatened species – habitat assessments must consider and align with the information in the SPRAT Database and relevant departmental documents.

The preliminary documentation must provide a description of the environment affected by and surrounding the proposed action area, over both the short and long term.

Specific matters this section must address include, but are not limited to:

If not previously provided in the referral documentation, specific matters this section must address include:	
3.1	A description of any potential Matters of National Environmental Significance (MNES) that occur in the project area and adjacent areas.
3.2	A description and map/s of the current land use, land topography, surface and ground water bodies, waterways and vegetation communities (habitat types as they relate to the above listed threatened species) on the proposed action area and adjoining areas.
3.3	For listed threatened species and ecological communities that have the potential, or are likely, to be present at and in the vicinity of the project site, this section must provide the following: a) Information on the abundance, distribution, ecology and habitat preference of the species or communities. b) Quantification of the extent of habitat (including maps identifying known or potential habitat). c) Assessment of the quality and importance of known or potential habitat for the species or communities within the proposed action area and surrounding areas. d) Information about known populations or records within at least five kilometres of the development footprint and (if known) the size of these populations. e) Information on the survey methodology used, including a map/s of survey points or transects, how the survey points or transects were selected, when surveys were conducted (e.g. dates, time of day, season, etc.) and search effort (e.g. 20 hours over eight days). f) An assessment of the adequacy of any surveys undertaken. In particular, the extent to which these surveys were appropriate for the species and undertaken in accordance with relevant survey guidelines. g) Results of any surveys undertaken. *Note: Survey data should be as recent as possible and collected in the last five years*. *If adequate surveys are not undertaken, it may be appropriate to assume that those listed species and ecological communities are present at the proposed site.*

4. Assessment of impacts

Based on the information provided in the referral, additional information provided in support of the referral, information provided in the SPRAT database, and online observation records, the department considers that:

- due to the presence of both food and auxiliary tree species of importance to the Koala, the proposed action would directly impact the Koala through the clearing of 19.1 ha of habitat considered critical to the survival of the species.

- the proposed action is also likely to have indirect impacts on the Koala in surrounding areas, such as from noise and light disturbance, increased edge effects, increased vehicle activity and introduction of domestic animals (e.g. dog attack).
- suitable winter and spring food trees for the Grey-headed Flying-fox are present on site. Winter and spring flowering food trees are considered habitat critical to the survival of the species as outlined in the National Recovery Plan for the Grey-headed Flying-fox '*Pteropus poliocephalus*'.
- although no Grey-Headed Flying Fox were observed during surveys, the presence of suitable foraging habitat, as well as the proposed action site being within proximity of a camp site suggest that the species is likely to utilise the habitat on site from time-to-time. For these reasons, the proposed action is likely to have direct and indirect impacts on the Grey-headed Flying-fox.

If not previously provided in the referral documentation, the preliminary documentation must:	
4.1	Provide a description of the intended land uses proposed as part of the completed development, including of any proposed open space and/or conservation areas and associated ongoing activities, and details of the intended party that would be responsible for future management activities.
4.2	Include current maps and coordinates/shapefile of the proposed impact area and areas of habitat for MNES proposed to be retained. Maps must clearly identify development footprints, buffer zones, and any conservation areas where impacts will be avoided, and areas of adjacent habitat that would be subject to indirect impacts, including areas that are to be retained within and adjacent to the site.
4.3	Confirm the area of habitat that will be directly and indirectly impacted by the proposed action, including but not limited to areas where: a) Connectivity to surrounding habitat will be retained, removed or functionally lost. b) Adjacent habitat will be subject to intensification of ongoing impacts (for example, through increased human and vehicle presence).
4.4	Confirm the quantity and quality of suitable habitat to be impacted within the proposed action area.
4.5	Details of any policy guidelines, relevant studies, surveys, or consultations with species experts/field specialists, which were not included in the referral or additional information provided in support of the referral.
4.6	Provide an assessment of the direct and indirect impacts that may occur during construction and post-construction phases, including: a) The nature and extent of impacts (including direct, indirect* and facilitated impacts**), including timing and whether the impact is temporary or permanent. This must include the quality of the habitat impacted, a quantification of the total individuals/populations and habitat area in hectares and analysis of the indirect impacts such as fragmentation of the habitat in the proposed action area and surrounding areas. Consideration must be given to species habitat such as hollow bearing trees, nest trees, refuge habitat, foraging and breeding habitat, sheltering

	or other microhabitat features relevant to the species within and surrounding the development footprint (if applicable). b) A local and regional scale analysis of likely impacts, with reference to the project's potential contribution to cumulative impacts in the context of development patterns in the locality and region. c) An assessment of the likely duration of impacts to MNES as a result of the proposed action. d) An assessment of whether impacts are likely to be repeated, for example as part of maintenance. e) Discussion of the risk of potential impacts as a result of the proposed action, including but not limited to the following: i. Edge effects – including the potential for the introduction of weed species and pathogens in the referral area and adjacent environment. ii. Vehicle movement – potential increase of vehicles to strike fauna in the pre-construction, clearing and earthwork phases. iii. Increased presence of dogs – pre-construction, clearing and earthwork phases have the potential to increase dog presence in the referral area and adjacent environment. iv. Earthworks – potential to generate dust emissions from the removal of vegetation and movement of soil in the pre-construction and eathwork phase of the project. v. Disturbance from increased noise, artificial light, sediment generation and other relevant stressors during clearing and earthwork phases. **Note: Please review the following policy statement, providing guidance on what impacts constitute a 'indirect consequences(s)', under paragraph 527E(1)(b) of the EPBC Act.* ***Note: Facilitated impacts may include (but are not limited to) the risk of injury or mortality to MNES as a result of the introduction of domestic dogs in a residential area, vehicle strike as a result of increased residential car use and/or the development of domestic pools.*

5. Avoidance and mitigation measures

To clarify the proposed measures to avoid and mitigate impacts, the preliminary documentation must:	
5.1	a. Provide a consolidated assessment of all proposed measures to avoid and mitigate impacts, including those provided in the referral and any additional to those described in the referral. b. Detail how all reasonable efforts have been made to avoid impacts to MNES, and that any remaining impacts are mitigated to reduce the impacts on MNES. Discussion of consideration and assessment of alternative strategies, plans and measures to avoid and mitigate impacts.

	c. Describe (including maps and imagery) the location, boundaries and size of buffer areas or proposed exclusion/retention areas, and details on how these areas will be enhanced, protected and maintained including a schedule of management actions and reporting. Also include a description of any fences or barriers which may be installed around areas where impacts will be avoided. d. Provide details of ongoing monitoring and analysis to inform adaptive management of retained habitat areas. e. Provide an assessment of the expected or predicted effectiveness of the avoidance and mitigation measures for each MNES species/community, including the scale and intensity of impacts of the proposed action and the on-ground benefits to be gained through each of these measures. Where an impact on a species/community is avoided this should be stated. f. Provide details of any ongoing mitigation and management measures during the operation of the facility. This includes management of direct and indirect impacts for the Koala and other relevant MNES, due to increased likelihood of human presence, attacks by domestic dogs, and injury caused by vehicles. g. Describe the proposed mitigation measures to be taken in accordance with requirements of the Queensland State government and local governments. h. Provide evidence of the effectiveness of each avoidance and mitigation measure discussed above, noting that the effectiveness of a particular measure is a reflection of the confidence in the ability of the measure to reduce the risk or threat. The assessment of the effectiveness should be evidence based and include examples of demonstrated success of a particular measure to achieve the desired avoidance/mitigation outcome. i. Clearly list the outcomes of the avoidance and mitigation measures, and follow the specific, measurable, achievable, relevant and timely (SMART) principle. j. Provide details about pre-clearance and clearance procedures to ensure that species are detected and managed to minimise mortality, stress, injury, or introduction of disease.
5.2	For each measure proposed; indicate the: a) Impacts to be avoided and/or mitigated b) Responsible party c) Environmental outcomes to be achieved d) Milestones / performance / completion criteria e) An evidence-based likelihood of success/ risk assessment f) Proposed monitoring and evaluation program g) Contingency measures
5.3	Any statutory or policy basis for the proposed measures, including reference to the SPRAT Database and relevant approved conservation advice, recovery plan or threat abatement plan, and a discussion on how the proposed measures are not inconsistent with relevant plans.

	For example, the Approved Conservation Advice for *Phascolarctos cinereus* (combined population of Queensland, New South Wales and the Australian Capital Territory) priority management action is to: *'Develop and implement a development planning protocol to be used in areas of koala populations to prevent loss of important habitat, koala populations or connectivity options.'* Please provide a discussion on how the proposed action is consistent with the relevant species' objectives or alternately, how the proposed avoidance, mitigation measures and offsetting will compensate for any residual significant impact, thereby ensuring consistency with the objective for relevant EPBC Act species.

6. Proposed offsets

Based on the referral information, the department considers that the proposed action is likely to have residual significant impact on 19.1 ha of Koala (*Phascolarctos cinereus*) and Grey-headed Flying-fox (*Pterpus poliocephalus*) habitat.

Where residual significant impacts remain to the MNES identified in part 3 after exhaustion of all reasonable avoidance and mitigation measures, a compensatory environmental offset in accordance with the *Environment Protection and Biodiversity Conservation Act 1999 Environmental Offsets Policy* (EPBC Environmental Offsets Policy) may be required. Offsets must be specific to the species or ecological community being impacted, be like for like, and must improve or maintain the viability of the species. Offsets are not intended to make proposed actions with unacceptable impacts, acceptable.

If a residual significant impact is identified, the preliminary documentation must include an offset proposal, which must:	
6.1	Demonstrate how the offset proposal: a) meets the principles outlined in the EPBC Environmental Offsets Policy. b) addresses the considerations and requirements outlined in the EPBC Environmental Offsets Policy, including but not limited to sections 6 and 7 of the EPBC Environmental Offsets Policy. c) directly contributes to the ongoing viability of the EPBC listed species or ecological community and will deliver an overall conservation outcome that improves or maintains the viability of the protected matter, as compared to what is likely to have occurred under the status quo, i.e. if neither the action nor the offset had taken place. d) compensates for the impact over the entire duration of the impact (i.e. should impacts be in perpetuity, the offsets must also be delivered in perpetuity).details and execution timing of the mechanism to legally secure the environmental offset/s (under Queensland legislation or equivalent) to provide enduring protection for the potential offset area/s against development incompatible with conservation. For further details regarding offset requirements, see Attachment B.

7. Habitat quality assessment

A methodology that is suitable for each listed threatened species or threatened ecological community (i.e. approved by the department or supported by literature) where there is a residual significant impact must be used to assess habitat quality, noting the same scoring mechanism must be used at both impact and offset sites.

The department currently prefers the use of the Modified Habitat Quality Assessment (MHQA) tool to provide a habitat quality score for the prescribed matters. Please consult the department if an alternative approach is proposed.

The MHQA tool derives habitat quality scores using an adaptation of the Queensland Government's 'Guide to determining terrestrial habitat quality version 1.2 (DEHP Guide). The MHQA method was developed with the intention to better reflect the requirements of the EPBC Act Environmental Offsets Policy for determining habitat quality.

A copy of the DEHP Guide, a MHQA scoring guide and a MHQA scoring spreadsheet template is attached. When calculating offsets, please refer to the department's published guidance: How to use the Offsets Assessment Guide.

If applying the MHQA tool, please note the following:

- If you propose a habitat quality gain of more than 2 points, or an achieved habitat quality score of 9 or 10, it becomes less certain that the conservation outcome can be achieved. Justification of effectiveness of your proposed management measures and associated habitat quality score improvements must be supported by substantial evidence.
- Higher habitat quality gains will generally be associated with lower 'confidence in result' scores to reflect the difficulty associated with achieving the conservation outcomes. In these cases, it is likely that outcomes-based commitments will be required in the associated management plan for the site, including specifying binding metrics to be met to demonstrate quality improvement. For further information, please contact the department to discuss the metrics that will be used to demonstrate achievement of quality standards.

If you wish to propose an alternative methodology for habitat quality assessment for any/all of the prescribed matters, the methodology used to provide the quality score for an area of habitat must:

- relate directly to habitat requirements of the species as aligned with the information in the SPRAT database and relevant departmental documents.
- be substantiated with appropriate field surveys in accordance with the relevant survey guidelines or using a scientifically robust and repeatable methodology.
- be applied per listed threatened species or threatened ecological community likely to experience a significant residual impact as a result of the proposed action.

Where there is any variation or un-substantiation of the habitat assessment approach from the information available in the SPRAT database, it should be discussed with the department prior to the submission of the assessment documentation and must be supported by scientific evidence including published research, independent expert advice and information derived from field surveys.

8. Economic and Social Matters

If not previously provided in the referral documentation, the preliminary documentation must:	
8.1	Provide details on the social and economic costs and/or benefits of undertaking the proposed action, including the basis for any estimations of costs and/or benefits. Where possible, please include the total economic capital investment and economic ongoing value of the project.
8.2	Identify if economic benefits and employment opportunities are in addition to what would have been expected if the action were not to take place.
8.3	Provide details of any public stakeholder consultation activities, including the outcomes of those consultations.
8.4	Provide details of any consultation with Indigenous stakeholders. Identify existing or potential native title rights and interests, including any areas and objects that are of particular significance to Indigenous peoples and communities, possibly impacted by the proposed action and the potential for managing those impacts. Advise if any indigenous heritage surveys or assessments of the area have been previously undertaken as part of earlier works. If surveys have been previously undertaken, please make these surveys or assessments available and provide a summary of findings to the department as part of the assessment documentation. Describe any Indigenous consultation that has been undertaken, or will be undertaken, in relation to the proposed action and their outcomes. This should include: • details regarding the specific Indigenous groups and Traditional Owners consulted and an indication of the areas, both tangible and intangible, of cultural significance across the project site. • a discussion about how impacts to areas and/or objects of Indigenous cultural significance (tangible and intangible) are avoided, mitigated or minimised. The department considers that best practice consultation, in accordance with the Guidance for proponents on best practice Indigenous engagement for environmental assessments under the EPBC Act (2016) includes: • identifying and acknowledging all relevant affected Indigenous peoples and communities; • committing to early engagement; • building trust through early and ongoing communication for the duration of the project, including approvals, implementation and future management; • setting appropriate timeframes for consultation; and • demonstrating cultural awareness. Describe any state requirements for approval or conditions that apply, or that the proponent reasonably believes are likely to apply, to the proposed action with regards to Indigenous peoples and communities.

9. Ecologically sustainable development

The preliminary documentation must:	
9.1	Provide a description of how the proposed action meets the principles of ecologically sustainable development, as defined in section 3A of the EPBC Act. More information on ESD in the Criteria for Determining ESD Relevance.

10. Environmental record of the person proposing to take the action

Include details of any adverse findings under a Commonwealth, State or Territory law for the protection of the environment or the conservation and sustainable use of natural resources against:	
10.1	The person proposing to take the action
10.2	For an action for which a person has applied for a permit, the person making the application;

11. Ecological data provision

The preliminary documentation must include an appendix of occurrence records (both sightings and evidence of presence) for all listed threatened and migratory species identified during field surveys for the proposed action. This data may be used by the department to update the relevant species distribution models that underpin the publicly available Protected Matters Search Tool (PMST).

The species occurrence records must be provided in accordance with the department's *Guidelines for biological survey and mapped data* (2018) using the species observation data template provided with this request for additional information. Sensitive ecological data must be identified and treated in accordance with the department's *Sensitive Ecological Data – Access and Management Policy V1.0* (2016) or subsequent revision.

ATTACHMENT B

INFORMATION REQUIREMENTS FOR EPBC ACT OFFSET PROPOSALS

An EPBC Act offset proposal must be prepared by a suitably qualified person and in accordance with the Department's Environmental Management Plan Guidelines (2014).

The offset proposal must include, but not be limited to, the following:

Details in relation to the draft Offset Management Plan (OMP), including:

B1	A description of the proposed offset site(s) including location, size, condition, and relevant ecological/species values present and surrounding land uses.
B2	Maps and shapefiles to clearly define the location and boundaries of the offset area/s, accompanied by the offset attributes (e.g. physical address of the offset area/s, coordinates of the boundary points in decimal degrees, the relevant MNES that the environmental offset/s compensates for, and the size of the environmental offset/s in hectares).
B3	Baseline survey information to provide evidence of relevant MNES presence and the extent and quality of the respective habitat(s) at the proposed offset site(s) in accordance with the relevant survey guidelines or using a scientifically robust and repeatable methodology.
B4	Summarised details of the nature of the conservation gain to be achieved for relevant MNES, including the creation, restoration and revegetation of habitat in the proposed offset area/s.
B5	An assessment with supporting evidence, of how the environmental offset/s meets the requirements of the department's *EPBC Act Environmental Offsets Policy* (2012) (Offsets Policy).
B6	Information about how the proposed offset area/s will provide connectivity with other habitats and biodiversity corridors and/or will contribute to a larger strategic offset for the relevant MNES. This should include information about how the proposed offset/s area contributes to any state and/or regional plan/s for the conservation of the protected matter.
B7	How the offset area/s are like-for-like, i.e. the environmental values of the offset are of the same type or equivalent to that affected by the proposed action.
B8	Current and likely future tenure of the proposed offset site and details of how the offset site will be legally secured for the full duration of the impact.
B9	The methodology, with justification and supporting evidence, used to inform the inputs of the *Offsets assessment guide* in relation to the offset site/s for each relevant MNES, including: • total area of habitat (in hectares); and • habitat quality (using a consistent methodology as agreed with the department in section 7 of the Preliminary documentation - request for further information).
B10	The methodology, with justification and supporting evidence, used to inform the inputs of the *Offsets assessment guide* in relation to each potential offset area for each relevant MNES, including:

	• time over which loss is averted (max. 20 years); • time until ecological benefit; • risk of loss (%) without offset; • risk of loss (%) with offset; • confidence in result (%).
B11	Specific, measurable, achievable, relevant and timely (SMART) offset completion criteria (i.e. environmental outcomes) to be achieved, and reasoning for these in reference to relevant statutory recovery plans, conservation advices, and threat abatement plans (e.g. within 15 years of commencement of the action, there is an average of X amount of Koala habitat trees per ha). The department notes that if an offset is deemed to provide suitable compensation for the impacts of the proposed action, the offset completion criteria provided may be used to inform outcomes-based conditions of approval.
B12	Interim milestones to demonstrate adequate progress towards achieving the environmental outcomes/completion criteria (e.g. within 10 years of commencement of the action the proponent must increase, by at least 20 per cent, the number of available Koala food trees at the offset site).
B13	Details of the environmental management and threat mitigation activities that will attain and maintain the completion criteria, including the management of threats to relevant species and the timing of actions (e.g. complete the planting, and ensure a survival rate of 90 per cent, of at least 15, 000 seed, sapling, or tube stock (or equivalent) Koala food tree species within five years following commencement of the action; reduce the invasive weed coverage on the offset site to 5 per cent within five years following commencement of the action implement an annual non-native feral pest control program over a 10 year period).
B14	Risk analysis and a risk management and mitigation strategy for all risks to the successful implementation of the OMP and timely achievement of the offset completion criteria, including a rating of all initial and post-mitigation residual risks in accordance with a risk assessment matrix.
B15	A monitoring program to measure the progress towards the interim milestones and environmental outcomes/completion criteria, which must include performance indicators, milestone outcomes, monitoring requirements, trigger values, corrective measures, and identified roles and responsibilities in accordance with the requirements in section 3 of the departments Environmental Management Plan Guidelines (2014).
B16	Proposed timing for the submission of monitoring reports which provide evidence demonstrating whether the interim milestones have been achieved.
B17	Timing for the implementation of tangible, on-ground corrective actions to be implemented if monitoring activities indicate the interim milestones have not been achieved.
Note:	*Please contact the department as early as possible prior to lodging an offset proposal if you are likely to propose an offset area/s of less than 3:1 offset to impact site ratio.*

	All proposed management actions, monitoring approach and corrective actions must be written using committed language (e.g. 'will' and 'must'). *Where increases in habitat quality of the offset site are being proposed by the proponent to meet the direct offset requirements, the department will require specific details of site condition, site context or stocking rate measures to be implemented commensurate to the expected level of habitat improvement.*

ATTACHMENT C

INFORMATION TO ASSIST IN THE ASSESSMENT OF POTENTIAL IMPACTS ON THE KOALA

Note: The information below is provided to inform the assessment process and is a based-on information available in the EPBC Koala Referral Guidelines and other statutory documentations relevant to the Koala.

- Surveys must be undertaken in accordance with departmental guidelines, State guidelines and/or best practice survey methodologies in Queensland.

  Departmental survey methodologies are generally available in a species profile on the Species Profile and Threats (SPRAT) Database.

- Provide detailed justification for any proposed deviation/s from departmental guidelines, State guidelines and/or best practice survey methodologies (e.g. seasonality, duration, repetition of survey effort, survey techniques, etc.).

- Habitat assessments must be derived from information:
  - obtained from field surveys and vegetation assessments;
  - in the SPRAT Database;
  - in relevant departmental documents (e.g. approved conservation advices, recovery plans, listing advices, draft referral guidelines, etc.); and
  - published research and other relevant sources (where relevant).

- The department highly recommends the use of the following habitat description for the Koala to inform habitat assessments:

Koala	Any forest or woodland (including remnant, regrowth and modified vegetation communities) containing species that are Koala food trees or any shrubland with emergent Koala food trees. ***Forest:*** A vegetation community which conforms to the structural form of tall or low forest (including all sub-forms) in Australia, as defined by Specht (1970) (see Attachment 1 of the Guidelines). ***Woodland:*** A vegetation community which conforms to the structural form of woodland (including all sub-forms) in Australia, as defined by Specht (1970) (Attachment 1 of the Guidelines). ***Shrubland:*** A vegetation community which conforms to the structural form of shrubland (including all sub-forms) in Australia, as defined by Specht (1970) (Attachment 1 of the Guidelines). Attachment 1 of the Guidelines provides guidance on the structural forms of vegetation in Australia. For example, areas with trees <10 m and <10% foliage cover of tallest plant layer, fall within the category of 'low open-woodland'.

- The department notes that whilst cleared areas may not provide key foraging or shelter habitat for the Koala, these areas may be traversed by Koalas moving between adjacent areas of Koala habitat. Additionally, if scattered trees are present, these areas may provide potential feed and shelter trees across very sparse tall open woodlands. For further clarity please see the draft *Guide to nationally protected species significantly impacted by paddock tree removal*,

- Further, areas of cleared land located between vegetated areas may fall within the category of low open woodland as it is part of a larger contiguous patch of habitat, and there is no barrier that is likely to prevent the movement of Koalas.
- The department notes that the Queensland Regional Ecosystem (RE) mapping may be used to inform the determination of habitat, however habitat assessments must consider and align with the information in the SPRAT Database and relevant departmental documents.
- The extent of habitat should be considered at its broadest extent.
- Where there is any variation in the habitat assessment approach from the information available in the SPRAT Database, it should be discussed with the department prior to the submission of the referral or assessment documentation, and must be supported by scientific evidence including published research, independent expert advice and information derived from field surveys.
- Provide the total amount of each type of habitat (in hectares) in the project site and the total amount of each type of habitat (in hectares) in the disturbance footprint.
- Provide detailed maps of each type of habitat for EPBC Act listed threatened species and ecological communities in the project site, with an overlay of the disturbance footprint.

Attachment A3

Preliminary VCFMP

Plan ref: 10835 E Pre VCFMP A
Date: 12 March 2025

Preliminary Vegetation Clearing & Fauna Management Plan

School Site, Ripley Road, Ripley

Jolifields Development Pty Ltd &
The Trustee for Morehampton Capital &
Trustee for the Goldfields QLD Trust

CONTENTS

10835 E 01 Pre VCFMP A -- Cover Page
10835 E 02 Pre VCFMP A -- Vegetation Clearing Notes
10835 E 03 Pre VCFMP A -- Fauna Management Notes
10835 E 04 Pre VCFMP A -- Clearing Area
10835 E 05 Pre VCFMP A -- Detail Sheet Context
10835 E 06 - 19 Pre VCFMP A -- Detail Sheets
10835 E 20 VCFMP A -- Clearing Direction
Appendix A -- Tree Schedule

SHG Contact
Dr Andrew Davies
Email: mail@saundershavill.com

1:3,100

School Site, Ripley Road, Ripley

Preliminary Vegetation Clearing and Fauna Management Plan - Vegetation Clearing Notes

Introduction

The Environmental Management Division of the **Saunders Havill Group (SHG)** was engaged by **Jolifields Development Pty Ltd & The Trustee for Morehampton Capital & Trustee for the Goldfields QLD Trust** to prepare a Preliminary Vegetation Clearing and Fauna Management Plan (VCFMP) for School Site works at Ripley Road, Ripley.

The purpose of the VCFMP is to provide a preliminary Vegetation Clearing and Fauna Management Plan for delivery of the School earthworks pad required by Education Queensland as requested by the Department of Climate Change, Energy, the Environment and Water for assessment of impacts under the EPBC Act. The clearing works will follow general principles for vegetation clearing documented on this sheet and Sheet 3.

This VCFMP has been produced by overlaying the following site datasets to determine impacts and disturbance on existing vegetation:

1. GPS tree data including specimen details & features (SHG 2024)
2. Site Inspection of Existing Vegetation (SHG 2024)
3. Site Layout Plans (Colliers 2025)
4. Arborist inspection (TBD)

Project Management

Vegetation management and processes are an integral part of the construction and operational works phases. The site supervisor is responsible for all onsite works including overseeing vegetation clearing, health and safety of fauna guidelines and Australian Standards - Protection of Trees on Development Sites AS4970-2009 and Pruning of Amenity Trees AS4373-1996.

When required, the project arborist (with minimum AQF Level 5 in Arboriculture and minimum 5 years' experience) is responsible for: undertaking all appropriate arboricultural measures prior to the commencement of any earthworks on site to ensure the survival and long-term health of existing trees to be retained. These measures may include soil decompaction, soil aeration, fertilising, mulching, watering, root or crown reduction and hazard reduction or as otherwise determined by the arborist. The site arborist is also required to direct and supervise all works within TPZs of trees to be retained, and perform arboricultural care requirements where necessary.

The roles and responsibilities of the Fauna Spotter-catcher are provided on Sheet 3.

Site Contacts

Site and consulting contacts for queries relating to vegetation clearing include:

Client Contact:
To be advised

Site Contractor:
To be advised

Site Fauna spotter-catcher:
To be advised
(Refer to Sheet 3 for responsibilities)

Environmental Contact:
Saunders Havill Group
Dr Andrew Davies
mail@saundershavill.com

Site Arborist:
To be advised

Site Bushfire Consultant:
To be advised

Clearing Phases and Process

PHASE 1 - Tree Protection Fencing to be installed

Fencing to be installed prior to the commencement of any clearing works on the site. Tree protection fencing to be located at or beyond 12 x diameter at breast height (DBH) (AS4970-2009 Protection of trees on development sites)—unless approved by the appointed arborist. Signs identifying the tree retention area as a 'no go zone' to be installed at regular intervals along tree protection fencing.

PHASE 2 - Pre-start Meeting

Fencing shall be in place at the time of the official pre-start meeting for inspection and sign off by relevant Officers.

PHASE 3 - Fauna Inspections and Management

Undertake necessary fauna management requirements prior to clearing works - as a minimum, this should include the specifications listed on sheet 03.

PHASE 4 - Undertake Bulk Clearing

Undertake wholesale removal of vegetation by a qualified fauna spotter and all necessary permits are obtained. Clearing will occur in the direction outlined in sheet 20 of this VCFMP, and will be managed by the appointed fauna spotter-catcher to allow all fauna to move unimpeded towards vegetation adjoining the clearing area.

Vegetation clearing techniques:

i. By utilising the most appropriate machinery and equipment during vegetation clearing, the probability of injury or death of wildlife during clearing can be significantly reduced or eliminated while still maintaining an efficient vegetation removal process.

ii. Suggested techniques are as follows: (a) a vertical tree grab attachment on an excavator (30 tonne) can be used to pull entire trees in size up to 30-40cm diameter at a height measured at 1.3 metres above ground level and lay them down in a steady controlled fashion, allowing inspection by a fauna spotter-catcher (b) where large trees are too large for a vertical tree grab and have been identified, an elevated work platform or where practical, cherry picker should be used in conjunction with a chainsaw operator and fauna spotter-catcher. Alternatively, careful removal of hollow section from habitat tree and gentle lowering for inspection by fauna spotter-catcher (c) the use of bulldozers to clear vegetation is limited to vegetation that has been thoroughly inspected by a fauna spotter-catcher and is found to contain no fauna or potential habitat. Bulldozers are not to be used to push over large trees that contain hollows or other habitat features.

NOTE: Dogs are not permitted onsite at any time during construction. Construction works including clearing must occur between the hours of 6.00am and 6.00pm.

Access and Stockpiling


Vegetation stockpiling locations are to be designated in easily accessible areas outside of TPZs. Indicative vegetation stockpiling locations have been allocated within the clearing area, allowing for material to be easily delivered and stored. These locations are subject to minor change according to cut/fill activities and intended location for reuse.

Cleared vegetation free of weeds is to be reused on or off the project site. Recycling techniques include mulching, tub-grinding, wood chipping and salvage (e.g. custom milling). Trees with identified hollows should have the hollow section preserved and should be suitably mounted on nearby or adjacent suitable trees.


Maintenance

After tree clearing works on site, an analysis of the vegetation's health and growth should be undertaken by the project arborist to determine specific maintenance needs. Follow up maintenance works should be carried out on retained vegetation where required. The project arborist may be required to submit a report detailing the measures undertaken during the construction period and any further work required post this period.

Tree Protection Zone - Detail (not to scale)



Tree Protection Fencing - Detail (not to scale)



saunders havill group

Client:
Jolifields Development Pty Ltd &
The Trustee for Morehampton Capital &
Trustee for the Goldfields QLD Trust

Disclaimer:
THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UP ON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.
CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.
PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON-SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

References:
AS4970-2009 Protection of trees on development sites

Amendments:

Issue	Date	Description	Checked
A	11/03/2025	Preliminary	AD

Project:
School Site,
Ripley Road, Ripley

environmental management

Plan of:
Preliminary Vegetation Clearing & Fauna Management Plan

Date:	11/03/2025	Checked:	AD
Client Ref:	10835	Drawn:	LS
Drawing No.:	10835 E 02 Pre VCFMP A		

School Site, Ripley Road, Ripley

Preliminary Vegetation Clearing and Fauna Management Plan - Fauna Management Notes

Introduction

The Fauna Management specification on this VCFMP is designed to protect native animals and control/manage impacts during the vegetation clearing works. The fauna management specifications and principles incorporated in this VCFMP apply generically to all native animals and focus on avoiding conflicts and incorporating measures to minimise disturbance. Compliance with this section of the VCFMP is compulsory and incorporates the use of expert consultants including a Fauna Spotter (holding a valid Wildlife Rehabilitation Permit issued by the Department of Environment, Science and Innovation).

Fauna Impacts

Clearing of vegetation provides an obvious source of impact to existing habitat and animal safety. More specifically the existing vegetation provides habitat, movement and protection opportunities for some fauna through both regrowth and canopy trees. These opportunities may be altered during and post vegetation clearing works. Potential impacts include:

Construction Impacts

- Direct removal of site vegetation
- Loss of habitat
- Noise, vibration and dust
- Erosion and sedimentation
- Threats associated with open cuts etc. and fauna entrapment
- Loss of food sources
- Excavation/compaction/changes in ground levels
- Altering hydrological flows
- Fragmentation of habitat

Operational Impacts

- Weed introduction (garden escapees)
- Increased hydrology with increased hardstand
- Altering of run-off chemical and nutrient components (quality)
- Barriers to fauna movement
- Vehicles and pedestrian movement and trespass
- Introduction of domestic and predatory species

Fauna Management Schedule

Ref:	Management Item	Responsibility	Timing	Reporting
	1.0 Pre - Clearing			
1.1	**Temporary Fencing** Prior to the commencement of works and to be inspected by the site Environmental Coordinator and/or Project Arborist—Delineate areas where vegetation is proposed to be retained with exclusion fencing to prevent accidental felling. Clearing is to be undertaken in accordance with AS 4970-2009 Protection of Trees on Development Sites. ▪ Fencing shall be fauna friendly ▪ No clearing, stockpiling, site access, earthworks, storage, etc. is to occur within the temporary protection fencing. ▪ Fencing to be reinstated immediately if damaged or knocked down, any damage to retained trees to be immediately reported to Project Arborist. ▪ Fencing to remain until the completion of all site works.	Site Supervisor	Prior to the commencement of clearing	Inspected by relevant officers and Project Arborist
1.2	**Contractor Education & Awareness** All site contractors and subcontractors will be made aware of their responsibilities to protect native fauna. The Fauna Management notes on this VCFMP are provided as a working document to assist on-site management and protection of native animals. This generally will form part of education and training on a broader work place health and safety but as a minimum will include: ▪ Copy of VCFMP kept on-site (Site Office). ▪ General education and awareness notification of contractors and sub-contractors involved in activities potentially impacting native animals as part of site induction – contractors must know the location of the VCFMP, key phone numbers and who to report to if they breach the VCFMP. ▪ A list of relevant contact phone numbers as listed on these drawings is kept in a visible and accessible location in the site office.	Site Supervisor / The Proponent	Prior to the commencement of clearing and as part of the site induction for new staff and sub-contractors	Site Supervisor
	2.0 Vegetation Clearing			
2.1	**Spotter / Relocator** Immediately prior to the commencement of clearing of native vegetation a daily visual inspection of the area must be carried out by a qualified fauna spotter-catcher holding a valid Rehabilitation Permit. Furthermore, the fauna spotter-catcher is to be present on site during all clearing operations to supervise and direct clearing works, and to respond to any situations that may arise in relation to fauna. In the event of an animal being located, a suitable buffer area (as determined by the fauna spotter-catcher) should be established around the animal's location that excludes machinery until it has relocated at its own accord (usually overnight). If an animal requires relocating this must be undertaken by a suitable qualified fauna expert recognized by the Department of Environment, Science and Innovation. For some fauna, specific permit requirements may apply. If vegetation is left stockpiled for more than 24 hours or overnight, the fauna spotter-catcher must inspect the vegetation prior to chipping or removal from site. The Fauna Spotter-catcher will manage the care of any injured or orphaned wildlife (e.g. veterinary attention or delivery to a wildlife carer). Any native fauna listed as a threatened species under the Nature Conservation (Animals) Regulation 2020 that are injured or orphaned by the development process, must be reported to the Department of Environment, Science and Innovation (1300 130 372). Any other injured or orphaned fauna must be reported through the Rehabilitation Permit return process by the Fauna Spotter-catcher. The Site Supervisor is responsible for the safe management of site fauna and implementation of these specific fauna requirements.	Site Supervisor	Prior to the commencement, and during clearing	Inspected by the Fauna Spotter-catcher
2.2	**Specific Koala Management Notes** A Koala/Fauna spotter-catcher is a person who holds a valid Rehabilitation Permit from the relevant State Government Agency, and has either a tertiary qualification in Biology or Zoology, or who is demonstrably experienced in the identification and location of Koalas in their natural habitat. For example, a koala keeper employed by a licensed Wildlife exhibitor (i.e. a zoo) may be capable of demonstrating competence in locating Koala's. Prior to the commencement and during felling operations, it is the responsibility of the Koala spotter to be present at the site of felling operations identify any tree at the site within which a Koala is present, as well as any tree that has a crown which is intermeshed or overlapping with such a tree; and advise the person who is authorised to conduct the felling operation, or that persons' representative, of the precise location of each such tree Management Item.	Site Supervisor	Prior to the commencement, and during clearing	Inspected by the Fauna Spotter-catcher
2.3	**Clearing Pattern / Fauna Flushing** Clearing occurs once the fauna spotter-catcher gives sign off the site is clear of all native species and all necessary permits are obtained. The intended clearing directions is north-west towards retained vegetation on-site. Clearing direction is subject to amendment by the fauna spotter-catcher. At the completion of operational works, and prior to the sealing of survey plans for the relevant stage, the fauna spotter-catcher must provide certification to relevant officers that all works were undertaken in accordance with these fauna management requirements.	Site Supervisor	Prior to the commencement, and during clearing	Inspected by the Fauna Spotter-catcher
2.4	**Specific Habitat Tree Notes** Where possible, clearing of habitat trees is to be avoided during late winter and spring (typically July – October) when many native birds are actively nesting/have young in nests and arboreal mammals have dependent and/or pouch young.	Site Supervisor	Prior to the commencement, and during clearing	Inspected by the Fauna Spotter-catcher

saunders havill group

Client:
Jolifields Development Pty Ltd &
The Trustee for Morehampton Capital &
Trustee for the Goldfields QLD Trust

Disclaimer:
THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UP ON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.
CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.
PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON-SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

References:
AS4970-2009 Protection of trees on development sites

Amendments:


Issue	Date	Description	Checked
A	11/03/2025	Preliminary	AD

Project:
School Site,
Ripley Road, Ripley

environmental management

Plan of:
Preliminary Vegetation Clearing & Fauna Management Plan

Date:	11/03/2025	Checked:	AD
Client Ref:	10835	Drawn:	LS
Drawing No.:	10835 E 03 Pre VCFMP A		



Legend

- Referral Area
- QLD DCDB
- Vegetation Clearing Area [19.12 ha]

Vegetation Management Regional Ecosystems

- Category A or B area containing endangered regional ecosystems
- Category A or B area containing of concern regional ecosystems
- Category A or B area that is a least concern regional ecosystem
- Category C area containing endangered regional ecosystems
- Category C area containing of concern regional ecosystems

DAF Waterways - Risk of Impact

- 1 - Low
- 2 - Moderate

NOTE: Clearing is to occur as per the approved VCFMP clearing extent boundaries.

Preliminary Vegetation Clearing & Fauna Management Plan - Clearing Area

saunders havill group

Client:

Jolifields Development Pty Ltd &
The Trustee for Morehampton Capital &
Trustee for the Goldfields QLD Trust

Disclaimer:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UP ON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON-SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

References:

Amendments:

Issue	Date	Description	Checked
A	11/03/2025	Preliminary	AD

0 100 200 400

1:4,000 @ A3 in m


Project:

School Site,
Ripley Road, Ripley

environmental management

Plan of:
Preliminary Vegetation Clearing & Fauna Management Plan

Date:	11/03/2025	Checked:	AD
Client Ref:	10835	Drawn:	LS
Drawing No.:	10835 E 04 Pre VCFMP A		



- Detail Sheet
- Dead Tree (stag) to Remove
- Native Tree to Remove
- Non-juvenile Koala Habitat Tree to Remove
- Weed Tree to Remove
- Non-juvenile Koala Habitat Tree to Retain with Arborist Supervision
- Native Tree to Retain with Arborist Supervision
- Dead Tree (stag) to Retain
- Native Tree to Retain
- Non-juvenile Koala Habitat Tree to Retain
- Dead Tree (stag) to Clear Under Adjoining Approval
- Non-juvenile Koala Habitat Tree to Clear Under Adjoining Approval
- Tree Protection Fencing
- Design Contours
- Referral Area
- QLD DCDB
- Future Lot Design
- Earthworks Extent

Preliminary Vegetation Clearing & Fauna Management Plan - *Detail sheet context*

saunders havill group

Client:

Jolifields Development Pty Ltd &
The Trustee for Morehampton Capital &
Trustee for the Goldfields QLD Trust

Disclaimer:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UP ON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON-SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

References:

Amendments:

Issue	Date	Description	Checked
A	12/03/2025	Preliminary	AD

0 50 100 200 300 m

1:4,100 @ A3

Project:

School Site,
Ripley Road, Ripley

environmental management

Plan of:
Preliminary Vegetation Clearing & Fauna Management Plan

Date:	12/03/2025	Checked:	AD
Client Ref:	10835	Drawn:	LS
Drawing No.:	10835 E 05 Pre VCFMP A		

Project Arborist to supervise and direct any works / removal of vegetation within TPZ of trees to be retained. Project arborist must direct realignment of tree protection fencing once works are completed.

Location of tree protection fencing subject to change following arborist assessment.

Project Arborist to supervise and direct any works / removal of vegetation within TPZ of trees to be retained. Project arborist must direct realignment of tree protection fencing once works are completed.

- Dead Tree (stag) to Remove (with TPZ)
- Native Tree to Remove (with TPZ)
- Non-juvenile Koala Habitat Tree to Remove (with TPZ)
- Weed Tree to Remove (with TPZ)
- Non-juvenile Koala Habitat Tree to Retain with Arborist Supervision (with TPZ)
- Native Tree to Retain with Arborist Supervision (with TPZ)
- Dead Tree (stag) to Retain (with TPZ)
- Native Tree to Retain (with TPZ)
- Non-juvenile Koala Habitat Tree to Retain (with TPZ)
- Dead Tree (stag) to Clear Under Adjoining Approval
- Non-juvenile Koala Habitat Tree to Clear Under Adjoining Approval
- Referral Area
- QLD DCDB
- Future Lot Design
- Design Contours
- Tree Protection Fencing
- Earthworks Extent
- Vegetation stockpile location (indicative)

Preliminary Vegetation Clearing & Fauna Management Plan - *Detail sheet 06*

saunders havill group

Client:

Jolifields Development Pty Ltd &
The Trustee for Morehampton Capital &
Trustee for the Goldfields QLD Trust

Disclaimer:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UP ON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON-SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

References:

Amendments:

Issue	Date	Description	Checked
A	12/03/2025	Preliminary	AD

0 5 10 20 30 40 m 1:500 @ A3

Project:

School Site,
Ripley Road, Ripley

environmental management

Plan of:
Preliminary Vegetation Clearing & Fauna Management Plan

Date:	12/03/2025	Checked:	AD
Client Ref:	10835	Drawn:	LS
Drawing No.:	10835 E 06 VCFMP A		

Location of tree protection fencing subject to change following arborist assessment.

- Dead Tree (stag) to Remove (with TPZ)
- Native Tree to Remove (with TPZ)
- Non-juvenile Koala Habitat Tree to Remove (with TPZ)
- Weed Tree to Remove (with TPZ)
- Non-juvenile Koala Habitat Tree to Retain with Arborist Supervision (with TPZ)
- Native Tree to Retain with Arborist Supervision (with TPZ)
- Dead Tree (stag) to Retain (with TPZ)
- Native Tree to Retain (with TPZ)
- Non-juvenile Koala Habitat Tree to Retain (with TPZ)
- Dead Tree (stag) to Clear Under Adjoining Approval
- Non-juvenile Koala Habitat Tree to Clear Under Adjoining Approval
- Referral Area
- QLD DCDB
- Future Lot Design
- Design Contours
- Tree Protection Fencing
- Earthworks Extent
- Vegetation stockpile location (indicative)

Preliminary Vegetation Clearing & Fauna Management Plan - *Detail sheet 07*

saunders havill group

Client:

Jolifields Development Pty Ltd &
The Trustee for Morehampton Capital &
Trustee for the Goldfields QLD Trust

Disclaimer:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UP ON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON-SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

References:

Amendments:

Issue	Date	Description	Checked
A	12/03/2025	Preliminary	AD

0 5 10 20 30 40 m 1:500 @ A3

Project:

School Site,
Ripley Road, Ripley

environmental management

Plan of:
Preliminary Vegetation Clearing & Fauna Management Plan

Date:	12/03/2025	Checked:	AD
Client Ref:	10835	Drawn:	LS
Drawing No.:	10835 E 07 VCFMP A		

Location of tree protection fencing subject to change following arborist assessment.

- Dead Tree (stag) to Remove (with TPZ)
- Native Tree to Remove (with TPZ)
- Non-juvenile Koala Habitat Tree to Remove (with TPZ)
- Weed Tree to Remove (with TPZ)
- Non-juvenile Koala Habitat Tree to Retain with Arborist Supervision (with TPZ)
- Native Tree to Retain with Arborist Supervision (with TPZ)
- Dead Tree (stag) to Retain (with TPZ)
- Native Tree to Retain (with TPZ)
- Non-juvenile Koala Habitat Tree to Retain (with TPZ)
- Dead Tree (stag) to Clear Under Adjoining Approval
- Non-juvenile Koala Habitat Tree to Clear Under Adjoining Approval
- Referral Area
- QLD DCDB
- Future Lot Design
- Design Contours
- Tree Protection Fencing
- Earthworks Extent
- Vegetation stockpile location (indicative)

Preliminary Vegetation Clearing & Fauna Management Plan - *Detail sheet 08*

saunders havill group

Client:

Jolifields Development Pty Ltd &
The Trustee for Morehampton Capital &
Trustee for the Goldfields QLD Trust

Disclaimer:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UP ON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON-SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

References:

Amendments:

Issue	Date	Description	Checked
A	12/03/2025	Preliminary	AD

0 5 10 20 30 40 m 1:500 @ A3


Project:

School Site,
Ripley Road, Ripley

environmental management

Plan of:
Preliminary Vegetation Clearing & Fauna Management Plan

Date:	12/03/2025	Checked:	AD
Client Ref:	10835	Drawn:	LS
Drawing No.:	10835 E 08 VCFMP A		



- Dead Tree (stag) to Remove (with TPZ)
- Native Tree to Remove (with TPZ)
- Non-juvenile Koala Habitat Tree to Remove (with TPZ)
- Weed Tree to Remove (with TPZ)
- Non-juvenile Koala Habitat Tree to Retain with Arborist Supervision (with TPZ)
- Native Tree to Retain with Arborist Supervision (with TPZ)
- Dead Tree (stag) to Retain (with TPZ)
- Native Tree to Retain (with TPZ)
- Non-juvenile Koala Habitat Tree to Retain (with TPZ)
- Dead Tree (stag) to Clear Under Adjoining Approval
- Non-juvenile Koala Habitat Tree to Clear Under Adjoining Approval
- Referral Area
- QLD DCDB
- Future Lot Design
- Design Contours
- Tree Protection Fencing
- Earthworks Extent
- Vegetation stockpile location (indicative)

Preliminary Vegetation Clearing & Fauna Management Plan - *Detail sheet 09*

saunders havill group

Client:

Jolifields Development Pty Ltd &
The Trustee for Morehampton Capital &
Trustee for the Goldfields QLD Trust

Disclaimer:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UP ON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON-SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

References:

Amendments:

Issue	Date	Description	Checked
A	12/03/2025	Preliminary	AD

0 5 10 20 30 40 m 1:500 @ A3

Project:

School Site,
Ripley Road, Ripley

environmental management

Plan of:
Preliminary Vegetation Clearing & Fauna Management Plan

Date:	12/03/2025	Checked:	AD
Client Ref:	10835	Drawn:	LS
Drawing No.:	10835 E 09 VCFMP A		

Location of tree protection fencing subject to change following arborist assessment.

- Dead Tree (stag) to Remove (with TPZ)
- Native Tree to Remove (with TPZ)
- Non-juvenile Koala Habitat Tree to Remove (with TPZ)
- Weed Tree to Remove (with TPZ)
- Non-juvenile Koala Habitat Tree to Retain with Arborist Supervision (with TPZ)
- Native Tree to Retain with Arborist Supervision (with TPZ)
- Dead Tree (stag) to Retain (with TPZ)
- Native Tree to Retain (with TPZ)
- Non-juvenile Koala Habitat Tree to Retain (with TPZ)
- Dead Tree (stag) to Clear Under Adjoining Approval
- Non-juvenile Koala Habitat Tree to Clear Under Adjoining Approval
- Referral Area
- QLD DCDB
- Future Lot Design
- Design Contours
- Tree Protection Fencing
- Earthworks Extent
- Vegetation stockpile location (indicative)

Preliminary Vegetation Clearing & Fauna Management Plan - *Detail sheet 10*

saunders havill group

Client:

Jolifields Development Pty Ltd &
The Trustee for Morehampton Capital &
Trustee for the Goldfields QLD Trust

Disclaimer:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UP ON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON-SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

References:

Amendments:

Issue	Date	Description	Checked
A	12/03/2025	Preliminary	AD

0 5 10 20 30 40 m 1:500 @ A3

Project:

School Site,
Ripley Road, Ripley

environmental management

Plan of:
Preliminary Vegetation Clearing & Fauna Management Plan

Date:	12/03/2025	Checked:	AD
Client Ref:	10835	Drawn:	LS
Drawing No.:	10835 E 10 VCFMP A		

Location of tree protection fencing subject to change following arborist assessment.

Project Arborist to supervise and direct any works / removal of vegetation within TPZ of trees to be retained. Project arborist must direct realignment of tree protection fencing once works are completed.

- Dead Tree (stag) to Remove (with TPZ)
- Native Tree to Remove (with TPZ)
- Non-juvenile Koala Habitat Tree to Remove (with TPZ)
- Weed Tree to Remove (with TPZ)
- Non-juvenile Koala Habitat Tree to Retain with Arborist Supervision (with TPZ)
- Native Tree to Retain with Arborist Supervision (with TPZ)
- Dead Tree (stag) to Retain (with TPZ)
- Native Tree to Retain (with TPZ)
- Non-juvenile Koala Habitat Tree to Retain (with TPZ)
- Dead Tree (stag) to Clear Under Adjoining Approval
- Non-juvenile Koala Habitat Tree to Clear Under Adjoining Approval
- Referral Area
- QLD DCDB
- Future Lot Design
- Design Contours
- Tree Protection Fencing
- Earthworks Extent
- Vegetation stockpile location (indicative)

Preliminary Vegetation Clearing & Fauna Management Plan - *Detail sheet 11*

saunders havill group

Client:

Jolifields Development Pty Ltd &
The Trustee for Morehampton Capital &
Trustee for the Goldfields QLD Trust

Disclaimer:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UP ON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON-SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

References:

Amendments:

Issue	Date	Description	Checked
A	12/03/2025	Preliminary	AD

0 5 10 20 30 40 m 1:500 @ A3

Project:

School Site,
Ripley Road, Ripley

environmental management

Plan of:

Preliminary Vegetation Clearing & Fauna Management Plan

Date:	12/03/2025	Checked:	AD
Client Ref:	10835	Drawn:	LS
Drawing No.:	10835 E 11 VCFMP A		

Location of tree protection fencing subject to change following arborist assessment.

- Dead Tree (stag) to Remove (with TPZ)
- Native Tree to Remove (with TPZ)
- Non-juvenile Koala Habitat Tree to Remove (with TPZ)
- Weed Tree to Remove (with TPZ)
- Non-juvenile Koala Habitat Tree to Retain with Arborist Supervision (with TPZ)
- Native Tree to Retain with Arborist Supervision (with TPZ)
- Dead Tree (stag) to Retain (with TPZ)
- Native Tree to Retain (with TPZ)
- Non-juvenile Koala Habitat Tree to Retain (with TPZ)
- Dead Tree (stag) to Clear Under Adjoining Approval
- Non-juvenile Koala Habitat Tree to Clear Under Adjoining Approval
- Referral Area
- QLD DCDB
- Future Lot Design
- Design Contours
- Tree Protection Fencing
- Earthworks Extent
- Vegetation stockpile location (indicative)

Preliminary Vegetation Clearing & Fauna Management Plan - *Detail sheet 12*

saunders havill group

Client:

Jolifields Development Pty Ltd &
The Trustee for Morehampton Capital &
Trustee for the Goldfields QLD Trust

Disclaimer:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UP ON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON-SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

References:

Amendments:

Issue	Date	Description	Checked
A	12/03/2025	Preliminary	AD

0 5 10 20 30 40 m 1:500 @ A3

Project:

School Site,
Ripley Road, Ripley

environmental management

Plan of:
Preliminary Vegetation Clearing & Fauna Management Plan

Date:	12/03/2025	Checked:	AD
Client Ref:	10835	Drawn:	LS
Drawing No.:	10835 E 12 VCFMP A		

Location of tree protection fencing subject to change following arborist assessment.

- Dead Tree (stag) to Remove (with TPZ)
- Native Tree to Remove (with TPZ)
- Non-juvenile Koala Habitat Tree to Remove (with TPZ)
- Weed Tree to Remove (with TPZ)
- Non-juvenile Koala Habitat Tree to Retain with Arborist Supervision (with TPZ)
- Native Tree to Retain with Arborist Supervision (with TPZ)
- Dead Tree (stag) to Retain (with TPZ)
- Native Tree to Retain (with TPZ)
- Non-juvenile Koala Habitat Tree to Retain (with TPZ)
- Dead Tree (stag) to Clear Under Adjoining Approval
- Non-juvenile Koala Habitat Tree to Clear Under Adjoining Approval
- Referral Area
- QLD DCDB
- Future Lot Design
- Design Contours
- Tree Protection Fencing
- Earthworks Extent
- Vegetation stockpile location (indicative)

Preliminary Vegetation Clearing & Fauna Management Plan - *Detail sheet 13*

saunders havill group

Client:

Jolifields Development Pty Ltd &
The Trustee for Morehampton Capital &
Trustee for the Goldfields QLD Trust

Disclaimer:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UP ON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON-SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

References:

Amendments:

Issue	Date	Description	Checked
A	12/03/2025	Preliminary	AD

0 5 10 20 30 40 m 1:500 @ A3

Project:

School Site,
Ripley Road, Ripley

environmental management

Plan of:
Preliminary Vegetation Clearing & Fauna Management Plan

Date:	12/03/2025	Checked:	AD
Client Ref:	10835	Drawn:	LS
Drawing No.:	10835 E 13 VCFMP A		

Location of tree protection fencing subject to change following arborist assessment.

Project Arborist to supervise and direct any works / removal of vegetation within TPZ of trees to be retained. Project arborist must direct realignment of tree protection fencing once works are completed.

- Dead Tree (stag) to Remove (with TPZ)
- Native Tree to Remove (with TPZ)
- Non-juvenile Koala Habitat Tree to Remove (with TPZ)
- Weed Tree to Remove (with TPZ)
- Non-juvenile Koala Habitat Tree to Retain with Arborist Supervision (with TPZ)
- Native Tree to Retain with Arborist Supervision (with TPZ)
- Dead Tree (stag) to Retain (with TPZ)
- Native Tree to Retain (with TPZ)
- Non-juvenile Koala Habitat Tree to Retain (with TPZ)
- Dead Tree (stag) to Clear Under Adjoining Approval
- Non-juvenile Koala Habitat Tree to Clear Under Adjoining Approval
- Referral Area
- QLD DCDB
- Future Lot Design
- Design Contours
- Tree Protection Fencing
- Earthworks Extent
- Vegetation stockpile location (indicative)

Preliminary Vegetation Clearing & Fauna Management Plan - *Detail sheet 14*

saunders havill group

Client:

Jolifields Development Pty Ltd &
The Trustee for Morehampton Capital &
Trustee for the Goldfields QLD Trust

Disclaimer:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UP ON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON-SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

References:

Amendments:

Issue	Date	Description	Checked
A	12/03/2025	Preliminary	AD

0 5 10 20 30 40 m 1:500 @ A3


Project:

School Site,
Ripley Road, Ripley

environmental management

Plan of:
Preliminary Vegetation Clearing & Fauna Management Plan

Date:	12/03/2025	Checked:	AD
Client Ref:	10835	Drawn:	LS
Drawing No.:	10835 E 14 VCFMP A		



- Dead Tree (stag) to Remove (with TPZ)
- Native Tree to Remove (with TPZ)
- Non-juvenile Koala Habitat Tree to Remove (with TPZ)
- Weed Tree to Remove (with TPZ)
- Non-juvenile Koala Habitat Tree to Retain with Arborist Supervision (with TPZ)
- Native Tree to Retain with Arborist Supervision (with TPZ)
- Dead Tree (stag) to Retain (with TPZ)
- Native Tree to Retain (with TPZ)
- Non-juvenile Koala Habitat Tree to Retain (with TPZ)
- Dead Tree (stag) to Clear Under Adjoining Approval
- Non-juvenile Koala Habitat Tree to Clear Under Adjoining Approval
- Referral Area
- QLD DCDB
- Future Lot Design
- Design Contours
- Tree Protection Fencing
- Earthworks Extent
- Vegetation stockpile location (indicative)

Preliminary Vegetation Clearing & Fauna Management Plan - *Detail sheet 15*

saunders havill group

Client:

Jolifields Development Pty Ltd &
The Trustee for Morehampton Capital &
Trustee for the Goldfields QLD Trust

Disclaimer:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UP ON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON-SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

References:

Amendments:

Issue	Date	Description	Checked
A	12/03/2025	Preliminary	AD

0 5 10 20 30 40 m 1:500 @ A3


Project:

School Site,
Ripley Road, Ripley

environmental management

Plan of:
Preliminary Vegetation Clearing & Fauna Management Plan

Date:	12/03/2025	Checked:	AD
Client Ref:	10835	Drawn:	LS
Drawing No.:	10835 E 15 VCFMP A		



- Dead Tree (stag) to Remove (with TPZ)
- Native Tree to Remove (with TPZ)
- Non-juvenile Koala Habitat Tree to Remove (with TPZ)
- Weed Tree to Remove (with TPZ)
- Non-juvenile Koala Habitat Tree to Retain with Arborist Supervision (with TPZ)
- Native Tree to Retain with Arborist Supervision (with TPZ)
- Dead Tree (stag) to Retain (with TPZ)
- Native Tree to Retain (with TPZ)
- Non-juvenile Koala Habitat Tree to Retain (with TPZ)
- Dead Tree (stag) to Clear Under Adjoining Approval
- Non-juvenile Koala Habitat Tree to Clear Under Adjoining Approval
- Referral Area
- QLD DCDB
- Future Lot Design
- Design Contours
- Tree Protection Fencing
- Earthworks Extent
- Vegetation stockpile location (indicative)

Preliminary Vegetation Clearing & Fauna Management Plan - *Detail sheet 16*

saunders havill group

Client:

Jolifields Development Pty Ltd &
The Trustee for Morehampton Capital &
Trustee for the Goldfields QLD Trust

Disclaimer:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UP ON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON-SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

References:

Amendments:

Issue	Date	Description	Checked
A	12/03/2025	Preliminary	AD

0 5 10 20 30 40 m 1:500 @ A3

Project:

School Site,
Ripley Road, Ripley

environmental management

Plan of:
Preliminary Vegetation Clearing & Fauna Management Plan

Date:	12/03/2025	Checked:	AD
Client Ref:	10835	Drawn:	LS
Drawing No.:	10835 E 16 VCFMP A		

- Dead Tree (stag) to Remove (with TPZ)
- Native Tree to Remove (with TPZ)
- Non-juvenile Koala Habitat Tree to Remove (with TPZ)
- Weed Tree to Remove (with TPZ)
- Non-juvenile Koala Habitat Tree to Retain with Arborist Supervision (with TPZ)
- Native Tree to Retain with Arborist Supervision (with TPZ)
- Dead Tree (stag) to Retain (with TPZ)
- Native Tree to Retain (with TPZ)
- Non-juvenile Koala Habitat Tree to Retain (with TPZ)
- Dead Tree (stag) to Clear Under Adjoining Approval
- Non-juvenile Koala Habitat Tree to Clear Under Adjoining Approval
- Referral Area
- QLD DCDB
- Future Lot Design
- Design Contours
- Tree Protection Fencing
- Earthworks Extent
- Vegetation stockpile location (indicative)

Preliminary Vegetation Clearing & Fauna Management Plan - *Detail sheet 17*

saunders havill group

Client:

Jolifields Development Pty Ltd &
The Trustee for Morehampton Capital &
Trustee for the Goldfields QLD Trust

Disclaimer:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UP ON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON-SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

References:

Amendments:

Issue	Date	Description	Checked
A	12/03/2025	Preliminary	AD

0 5 10 20 30 40 m 1:500 @ A3

Project:

School Site,
Ripley Road, Ripley

environmental management

Plan of:
Preliminary Vegetation Clearing & Fauna Management Plan

Date:	12/03/2025	Checked:	AD
Client Ref:	10835	Drawn:	LS
Drawing No.:	10835 E 17 VCFMP A		

Location of tree protection fencing subject to change following arborist assessment.

- Dead Tree (stag) to Remove (with TPZ)
- Native Tree to Remove (with TPZ)
- Non-juvenile Koala Habitat Tree to Remove (with TPZ)
- Weed Tree to Remove (with TPZ)
- Non-juvenile Koala Habitat Tree to Retain with Arborist Supervision (with TPZ)
- Native Tree to Retain with Arborist Supervision (with TPZ)
- Dead Tree (stag) to Retain (with TPZ)
- Native Tree to Retain (with TPZ)
- Non-juvenile Koala Habitat Tree to Retain (with TPZ)
- Dead Tree (stag) to Clear Under Adjoining Approval
- Non-juvenile Koala Habitat Tree to Clear Under Adjoining Approval
- Referral Area
- QLD DCDB
- Future Lot Design
- Design Contours
- Tree Protection Fencing
- Earthworks Extent
- Vegetation stockpile location (indicative)

Preliminary Vegetation Clearing & Fauna Management Plan - *Detail sheet 18*

saunders havill group

Client:

Jolifields Development Pty Ltd &
The Trustee for Morehampton Capital &
Trustee for the Goldfields QLD Trust

Disclaimer:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UP ON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON-SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

References:

Amendments:

Issue	Date	Description	Checked
A	12/03/2025	Preliminary	AD

0 5 10 20 30 40 m 1:500 @ A3


Project:

School Site,
Ripley Road, Ripley

environmental management

Plan of:
Preliminary Vegetation Clearing & Fauna Management Plan

Date:	12/03/2025	Checked:	AD
Client Ref:	10835	Drawn:	LS
Drawing No.:	10835 E 18 VCFMP A		



- Dead Tree (stag) to Remove (with TPZ)
- Native Tree to Remove (with TPZ)
- Non-juvenile Koala Habitat Tree to Remove (with TPZ)
- Weed Tree to Remove (with TPZ)
- Non-juvenile Koala Habitat Tree to Retain with Arborist Supervision (with TPZ)
- Native Tree to Retain with Arborist Supervision (with TPZ)
- Dead Tree (stag) to Retain (with TPZ)
- Native Tree to Retain (with TPZ)
- Non-juvenile Koala Habitat Tree to Retain (with TPZ)
- Dead Tree (stag) to Clear Under Adjoining Approval
- Non-juvenile Koala Habitat Tree to Clear Under Adjoining Approval
- Referral Area
- QLD DCDB
- Future Lot Design
- Design Contours
- Tree Protection Fencing
- Earthworks Extent
- Vegetation stockpile location (indicative)

Preliminary Vegetation Clearing & Fauna Management Plan - *Detail sheet 19*

saunders havill group

Client:

Jolifields Development Pty Ltd &
The Trustee for Morehampton Capital &
Trustee for the Goldfields QLD Trust

Disclaimer:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UP ON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON-SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

References:

Amendments:

Issue	Date	Description	Checked
A	12/03/2025	Preliminary	AD

0 5 10 20 30 40 m 1:500 @ A3


Project:

School Site,
Ripley Road, Ripley

environmental management

Plan of:
Preliminary Vegetation Clearing & Fauna Management Plan

Date:	12/03/2025	Checked:	AD
Client Ref:	10835	Drawn:	LS
Drawing No.:	10835 E 19 VCFMP A		



- Dead Tree (stag) to Remove
- Native Tree to Remove
- Non-juvenile Koala Habitat Tree to Remove
- Weed Tree to Remove
- Non-juvenile Koala Habitat Tree to Retain with Arborist Supervision
- Native Tree to Retain with Arborist Supervision
- Dead Tree (stag) to Retain
- Native Tree to Retain
- Non-juvenile Koala Habitat Tree to Retain
- Dead Tree (stag) to Clear Under Adjoining Approval
- Non-juvenile Koala Habitat Tree to Clear Under Adjoining Approval
- Tree Protection Fencing
- QLD DCDB
- Clearing Direction
- Referral Area

Preliminary Vegetation Clearing & Fauna Management Plan - *Clearing Direction*

saunders havill group

Client:

Jolifields Development Pty Ltd &
The Trustee for Morehampton Capital &
Trustee for the Goldfields QLD Trust

Disclaimer:

THESE PLANS HAVE BEEN PREPARED FOR THE EXCLUSIVE USE OF THE CLIENT. SAUNDERS HAVILL GROUP CANNOT ACCEPT RESPONSIBILITY FOR ANY USE OF OR RELIANCE UP ON THE CONTENTS OF THESE DRAWINGS BY ANY THIRD PARTY.

CONFIRM ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION AND DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE IN MILLIMETRES. ANY DISCREPANCIES SHOULD BE CLARIFIED IN WRITING WITH SAUNDERS HAVILL GROUP PRIOR TO THE COMMENCEMENT OF WORK.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON-SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

References:

Amendments:

Issue	Date	Description	Checked
A	12/03/2025	Preliminary	AD

0 50 100 200 300 m 1:4,000 @ A3

Project:

School Site,
Ripley Road, Ripley

environmental management

Plan of:
Preliminary Vegetation Clearing & Fauna Management Plan

Date:	12/03/2025	Checked:	AD
Client Ref:	10835	Drawn:	LS
Drawing No.:	10835 E 20 Pre VCFMP A		

APPENDIX A - Tree Schedule - 10835
Ripley Road, Ripley (Ripley Projects Pty Ltd ATF Jolifields Developments Pty Ltd)
Date: 2025/03/12

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
1	*Corymbia intermedia*	Pink Bloodwood	110		110	35	10.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2	*Corymbia tessellaris*	Moreton Bay Ash	160		160	50	12.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
3	*Corymbia intermedia*	Pink Bloodwood	120		120	38	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4	*Corymbia intermedia*	Pink Bloodwood	250		250	79	14.0	10.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5	*Corymbia intermedia*	Pink Bloodwood	130		130	41	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6	*Corymbia citriodora*	Spotted Gum	170	160	233	73	11.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7	*Corymbia tessellaris*	Moreton Bay Ash	150		150	47	13.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
8	*Corymbia intermedia*	Pink Bloodwood	140	120	184	58	13.0	7.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
9	*Eucalyptus tereticornis*	Forest Red Gum	250		250	79	13.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
10	*Eucalyptus tereticornis*	Forest Red Gum	210		210	66	14.0	8.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
11	*Corymbia intermedia*	Pink Bloodwood	240		240	75	11.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
12	*Corymbia intermedia*	Pink Bloodwood	340		340	107	13.0	6.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
13	*Lophostemon suaveolens*	Swamp Box	110		110	35	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
14	*Corymbia intermedia*	Pink Bloodwood	290	200	352	111	12.0	7.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
15	*Lophostemon suaveolens*	Swamp Box	130		130	41	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
16	*Lophostemon suaveolens*	Swamp Box	170		170	53	7.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
17	*Corymbia intermedia*	Pink Bloodwood	170		170	53	8.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
18	*Eucalyptus tereticornis*	Forest Red Gum	220		220	69	11.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
19	*Lophostemon suaveolens*	Swamp Box	190		190	60	8.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
20	*Corymbia intermedia*	Pink Bloodwood	150		150	47	6.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
21	*Corymbia tessellaris*	Moreton Bay Ash	230		230	72	12.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
22	*Corymbia intermedia*	Pink Bloodwood	280		280	88	11.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
23	*Corymbia intermedia*	Pink Bloodwood	120		120	38	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
24	*Acacia disparrima*	Hickory Wattle	130		130	41	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
25	*Acacia disparrima*	Hickory Wattle	110		110	35	5.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
26	*Angophora leiocarpa*	Smooth-barked Apple	150		150	47	10.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
27	*Corymbia intermedia*	Pink Bloodwood	150		150	47	11.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
28	*Corymbia intermedia*	Pink Bloodwood	160		160	50	11.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
29	*Corymbia tessellaris*	Moreton Bay Ash	110		110	35	7.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
30	*Eucalyptus tereticornis*	Forest Red Gum	280		280	88	11.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
31	*Corymbia intermedia*	Pink Bloodwood	140		140	44	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
32	*Corymbia intermedia*	Pink Bloodwood	220		220	69	6.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
33	*Lophostemon suaveolens*	Swamp Box	120		120	38	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
34	*Corymbia intermedia*	Pink Bloodwood	100		100	31	11.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
35	*Corymbia citriodora*	Spotted Gum	210		210	66	8.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
36	*Corymbia intermedia*	Pink Bloodwood	160		160	50	12.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
37	*Lophostemon suaveolens*	Swamp Box	130		130	41	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
38	*Lophostemon suaveolens*	Swamp Box	110		110	35	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
39	*Lophostemon suaveolens*	Swamp Box	130		130	41	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
40	*Eucalyptus tereticornis*	Forest Red Gum	140		140	44	11.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
41	*Corymbia intermedia*	Pink Bloodwood	240		240	75	13.0	10.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
42	*Lophostemon suaveolens*	Swamp Box	120		120	38	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
43	*Lophostemon suaveolens*	Swamp Box	120		120	38	6.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
44	*Lophostemon suaveolens*	Swamp Box	140		140	44	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
45	*Lophostemon suaveolens*	Swamp Box	130		130	41	6.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
46	*Lophostemon suaveolens*	Swamp Box	120		120	38	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
47	*Corymbia intermedia*	Pink Bloodwood	230		230	72	11.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
48	*Eucalyptus tereticornis*	Forest Red Gum	770		770	242	14.0	10.0	9.2	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
49	*Lophostemon suaveolens*	Swamp Box	110		110	35	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
50	*Lophostemon suaveolens*	Swamp Box	100		100	31	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
51	*Lophostemon suaveolens*	Swamp Box	110		110	35	5.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
52	*Lophostemon suaveolens*	Swamp Box	110		110	35	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
53	*Corymbia intermedia*	Pink Bloodwood	120		120	38	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
54	*Lophostemon suaveolens*	Swamp Box	100		100	31	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
55	*Eucalyptus tereticornis*	Forest Red Gum	100		100	31	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
56	*Corymbia intermedia*	Pink Bloodwood	320		320	101	11.0	4.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
57	*Acacia disparrima*	Hickory Wattle	110		110	35	6.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
58	*Lophostemon suaveolens*	Swamp Box	110		110	35	9.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
59	*Lophostemon suaveolens*	Swamp Box	110		110	35	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
60	*Angophora leiocarpa*	Smooth-barked Apple	300		300	94	13.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
61	*Corymbia intermedia*	Pink Bloodwood	120		120	38	11.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
62	*Lophostemon suaveolens*	Swamp Box	100		100	31	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
63	*Angophora leiocarpa*	Smooth-barked Apple	120		120	38	10.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
64	*Eucalyptus tereticornis*	Forest Red Gum	140		140	44	12.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
65	*Acacia disparrima*	Hickory Wattle	110		110	35	7.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
66	*Alphitonia excelsa*	Soap Tree	110		110	35	8.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
67	*Corymbia intermedia*	Pink Bloodwood	280		280	88	13.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
68	*Eucalyptus tereticornis*	Forest Red Gum	350		350	110	13.0	9.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
69	*Lophostemon suaveolens*	Swamp Box	190		190	60	9.0	7.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
70	*Eucalyptus tereticornis*	Forest Red Gum	260	240	354	111	12.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
71	*Corymbia intermedia*	Pink Bloodwood	100		100	31	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
72	*Lophostemon suaveolens*	Swamp Box	300		300	94	10.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
73	*Lophostemon suaveolens*	Swamp Box	110		110	35	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
74	*Angophora leiocarpa*	Smooth-barked Apple	100		100	31	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
75	*Eucalyptus tereticornis*	Forest Red Gum	220		220	69	13.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
76	*Lophostemon suaveolens*	Swamp Box	210		210	66	9.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
77	*Corymbia intermedia*	Pink Bloodwood	320		320	101	11.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
78	*Lophostemon suaveolens*	Swamp Box	100		100	31	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
79	*Eucalyptus tereticornis*	Forest Red Gum	130		130	41	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
80	*Lophostemon suaveolens*	Swamp Box	130		130	41	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
81	*Eucalyptus tereticornis*	Forest Red Gum	350		350	110	12.0	6.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
82	*Corymbia intermedia*	Pink Bloodwood	110		110	35	10.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
83	*Eucalyptus tereticornis*	Forest Red Gum	140		140	44	11.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
84	*Corymbia tessellaris*	Moreton Bay Ash	200		200	63	11.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
85	*Corymbia tessellaris*	Moreton Bay Ash	170		170	53	11.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
86	*Lophostemon suaveolens*	Swamp Box	170		170	53	7.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
87	*Eucalyptus tereticornis*	Forest Red Gum	130		130	41	11.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
88	*Corymbia intermedia*	Pink Bloodwood	340		340	107	11.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
89	*Lophostemon suaveolens*	Swamp Box	120		120	38	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
90	*Eucalyptus tereticornis*	Forest Red Gum	180		180	57	12.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
91	*Lophostemon suaveolens*	Swamp Box	120		120	38	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
92	*Lophostemon suaveolens*	Swamp Box	210		210	66	7.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
93	*Lophostemon suaveolens*	Swamp Box	130		130	41	8.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
94	*Corymbia intermedia*	Pink Bloodwood	240		240	75	11.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
95	*Lophostemon suaveolens*	Swamp Box	140		140	44	10.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
96	*Corymbia intermedia*	Pink Bloodwood	150	120	192	60	7.0	2.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
97	*Lophostemon suaveolens*	Swamp Box	190		190	60	6.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
98	*Eucalyptus tereticornis*	Forest Red Gum	500		500	157	11.0	8.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
99	*Corymbia intermedia*	Pink Bloodwood	240		240	75	11.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
100	*Lophostemon suaveolens*	Swamp Box	160		160	50	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
101	*Lophostemon suaveolens*	Swamp Box	100		100	31	5.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
102	*Lophostemon suaveolens*	Swamp Box	160		160	50	8.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
103	*Eucalyptus tereticornis*	Forest Red Gum	210		210	66	11.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
104	*Corymbia intermedia*	Pink Bloodwood	170		170	53	12.0	1.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
105	*Eucalyptus tereticornis*	Forest Red Gum	120		120	38	11.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
106	*Acacia disparrima*	Hickory Wattle	140		140	44	6.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
107	*Lophostemon suaveolens*	Swamp Box	140		140	44	5.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
108	*Lophostemon suaveolens*	Swamp Box	130	120	177	56	8.0	4.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
109	*Acacia leiocalyx*	Early-flowering Black Wattle	100		100	31	5.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
110	*Lophostemon suaveolens*	Swamp Box	120		120	38	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
111	*Lophostemon suaveolens*	Swamp Box	140		140	44	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
112	*Acacia leiocalyx*	Early-flowering Black Wattle	100		100	31	6.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
113	*Lophostemon suaveolens*	Swamp Box	270		270	85	10.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
114	*Lophostemon suaveolens*	Swamp Box	110		110	35	9.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
115	*Eucalyptus tereticornis*	Forest Red Gum	210		210	66	11.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
116	*Angophora leiocarpa*	Smooth-barked Apple	250	200	320	101	12.0	9.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
117	*Eucalyptus tereticornis*	Forest Red Gum	310		310	97	12.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
118	*Lophostemon confertus*	Brush Box	170		170	53	7.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
119	*Eucalyptus tereticornis*	Forest Red Gum	230		230	72	11.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
120	*Lophostemon suaveolens*	Swamp Box	140		140	44	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
121	*Corymbia intermedia*	Pink Bloodwood	170		170	53	8.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
122	*Lophostemon suaveolens*	Swamp Box	170	120150	257	81	11.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
123	*Lophostemon suaveolens*	Swamp Box	138		138	43	6.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
124	*Eucalyptus tereticornis*	Forest Red Gum	280		280	88	13.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
125	*Corymbia intermedia*	Pink Bloodwood	300		300	94	13.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
126	*Corymbia intermedia*	Pink Bloodwood	130		130	41	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
127	*Corymbia intermedia*	Pink Bloodwood	100		100	31	11.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
128	*Acacia disparrima*	Hickory Wattle	100		100	31	6.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
129	*Eucalyptus tereticornis*	Forest Red Gum	450		450	141	13.0	5.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
130	*Corymbia intermedia*	Pink Bloodwood	120		120	38	8.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
131	*Corymbia intermedia*	Pink Bloodwood	120		120	38	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
132	*Corymbia intermedia*	Pink Bloodwood	130		130	41	7.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
133	*Corymbia intermedia*	Pink Bloodwood	230		230	72	11.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
134	*Eucalyptus tereticornis*	Forest Red Gum	440		440	138	12.0	6.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
135	*Corymbia intermedia*	Pink Bloodwood	360		360	113	12.0	9.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
136	*Eucalyptus tereticornis*	Forest Red Gum	340		340	107	12.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
137	*Lophostemon suaveolens*	Swamp Box	160		160	50	6.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
138	*Eucalyptus tereticornis*	Forest Red Gum	200		200	63	12.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
139	*Lophostemon suaveolens*	Swamp Box	180		180	57	8.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
140	*Lophostemon suaveolens*	Swamp Box	180		180	57	7.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
141	*Lophostemon suaveolens*	Swamp Box	130		130	41	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
142	*Eucalyptus tereticornis*	Forest Red Gum	250		250	79	12.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
143	*Lophostemon suaveolens*	Swamp Box	160		160	50	8.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
144	*Eucalyptus tereticornis*	Forest Red Gum	260		260	82	12.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
145	*Corymbia intermedia*	Pink Bloodwood	220		220	69	11.0	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
146	*Corymbia intermedia*	Pink Bloodwood	240	180	300	94	11.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
147	*Lophostemon suaveolens*	Swamp Box	170		170	53	9.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
148	*Corymbia intermedia*	Pink Bloodwood	140		140	44	11.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
149	*Angophora leiocarpa*	Smooth-barked Apple	160		160	50	11.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
150	*Corymbia intermedia*	Pink Bloodwood	180		180	57	11.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
151	*Lophostemon suaveolens*	Swamp Box	130		130	41	10.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
152	*Lophostemon suaveolens*	Swamp Box	190		190	60	9.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
153	*Lophostemon suaveolens*	Swamp Box	170		170	53	7.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
154	*Eucalyptus tereticornis*	Forest Red Gum	110		110	35	8.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
155	*Corymbia intermedia*	Pink Bloodwood	250		250	79	12.0	10.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
156	*Lophostemon suaveolens*	Swamp Box	100		100	31	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
157	*Eucalyptus tereticornis*	Forest Red Gum	200		200	63	10.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
158	*Lophostemon suaveolens*	Swamp Box	120	100	156	49	7.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
159	*Eucalyptus tereticornis*	Forest Red Gum	240		240	75	13.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
160	*Lophostemon suaveolens*	Swamp Box	170		170	53	9.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
161	*Lophostemon suaveolens*	Swamp Box	130		130	41	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
162	*Lophostemon suaveolens*	Swamp Box	120		120	38	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
163	*Lophostemon suaveolens*	Swamp Box	120		120	38	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
164	*Angophora leiocarpa*	Smooth-barked Apple	160		160	50	12.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
165	*Corymbia intermedia*	Pink Bloodwood	110		110	35	12.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
166	*Eucalyptus tereticornis*	Forest Red Gum	180		180	57	11.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
167	*Lophostemon suaveolens*	Swamp Box	110		110	35	9.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
168	*Lophostemon suaveolens*	Swamp Box	190		190	60	11.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
169	*Lophostemon suaveolens*	Swamp Box	150		150	47	8.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
170	*Eucalyptus tereticornis*	Forest Red Gum	210		210	66	12.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
171	*Lophostemon suaveolens*	Swamp Box	140		140	44	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
172	*Corymbia intermedia*	Pink Bloodwood	270		270	85	11.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
173	*Eucalyptus tereticornis*	Forest Red Gum	280		280	88	11.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
174	*Corymbia intermedia*	Pink Bloodwood	230		230	72	11.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
175	*Lophostemon suaveolens*	Swamp Box	180		180	57	6.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
176	*Lophostemon suaveolens*	Swamp Box	130		130	41	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
177	*Lophostemon suaveolens*	Swamp Box	280		280	88	8.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
178	*Eucalyptus tereticornis*	Forest Red Gum	160		160	50	10.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
179	*Angophora leiocarpa*	Smooth-barked Apple	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
180	*Eucalyptus tereticornis*	Forest Red Gum	140		140	44	11.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
181	*Angophora leiocarpa*	Smooth-barked Apple	280		280	88	11.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
182	*Lophostemon suaveolens*	Swamp Box	130		130	41	7.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
183	*Lophostemon suaveolens*	Swamp Box	200	170	262	82	7.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
184	*Angophora leiocarpa*	Smooth-barked Apple	220		220	69	12.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
185	*Angophora leiocarpa*	Smooth-barked Apple	170		170	53	10.0	8.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
186	*Dead/Stag*		150		150	47	11.0	1.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
187	*Angophora leiocarpa*	Smooth-barked Apple	110		110	35	11.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
188	*Corymbia citriodora*	Spotted Gum	130		130	41	12.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
189	*Corymbia citriodora*	Spotted Gum	200		200	63	12.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
190	*Corymbia citriodora*	Spotted Gum	260		260	82	13.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
191	*Petalostigma pubescens*	Quinine Bush	100		100	31	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
192	*Eucalyptus tereticornis*	Forest Red Gum	230		230	72	13.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
193	*Eucalyptus tereticornis*	Forest Red Gum	100		100	31	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
194	*Angophora leiocarpa*	Smooth-barked Apple	110		110	35	8.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
195	*Corymbia tessellaris*	Moreton Bay Ash	230		230	72	12.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
196	*Eucalyptus tereticornis*	Forest Red Gum	220		220	69	12.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
197	*Corymbia intermedia*	Pink Bloodwood	140		140	44	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
198	*Eucalyptus tereticornis*	Forest Red Gum	160		160	50	12.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
199	*Eucalyptus tereticornis*	Forest Red Gum	230		230	72	12.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
200	*Corymbia citriodora*	Spotted Gum	210		210	66	12.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
201	*Corymbia intermedia*	Pink Bloodwood	210		210	66	7.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
202	*Petalostigma pubescens*	Quinine Bush	160		160	50	6.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
203	*Eucalyptus crebra*	Narrow-leaved Ironbark	140		140	44	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
204	*Lophostemon suaveolens*	Swamp Box	190	130170	286	90	6.0	3.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
205	*Lophostemon suaveolens*	Swamp Box	120		120	38	5.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
206	*Petalostigma pubescens*	Quinine Bush	230	190	298	94	6.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
207	*Eucalyptus crebra*	Narrow-leaved Ironbark	140		140	44	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
208	*Corymbia citriodora*	Spotted Gum	150		150	47	9.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
209	*Corymbia citriodora*	Spotted Gum	160		160	50	11.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
210	*Corymbia intermedia*	Pink Bloodwood	250		250	79	10.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
211	*Dead/Stag*		120		120	38	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
212	*Dead/Stag*		200		200	63	10.0	1.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
213	*Corymbia citriodora*	Spotted Gum	120		120	38	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
214	*Eucalyptus crebra*	Narrow-leaved Ironbark	250		250	79	11.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
215	*Eucalyptus tereticornis*	Forest Red Gum	140		140	44	11.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
216	*Eucalyptus crebra*	Narrow-leaved Ironbark	330		330	104	11.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
217	*Corymbia intermedia*	Pink Bloodwood	180		180	57	9.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
218	*Eucalyptus crebra*	Narrow-leaved Ironbark	430		430	135	12.0	7.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
219	*Corymbia citriodora*	Spotted Gum	110		110	35	7.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
220	*Corymbia intermedia*	Pink Bloodwood	150		150	47	9.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
221	*Eucalyptus crebra*	Narrow-leaved Ironbark	210		210	66	10.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
222	*Corymbia citriodora*	Spotted Gum	280		280	88	13.0	9.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
223	*Acacia disparrima*	Hickory Wattle	110		110	35	7.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
224	*Acacia disparrima*	Hickory Wattle	120		120	38	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
225	*Acacia disparrima*	Hickory Wattle	120		120	38	6.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
226	*Eucalyptus crebra*	Narrow-leaved Ironbark	170		170	53	11.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
227	*Eucalyptus tereticornis*	Forest Red Gum	170		170	53	11.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
228	*Corymbia intermedia*	Pink Bloodwood	140		140	44	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
229	*Corymbia citriodora*	Spotted Gum	200	130	239	75	12.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
230	*Corymbia intermedia*	Pink Bloodwood	110		110	35	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
231	*Corymbia intermedia*	Pink Bloodwood	200		200	63	7.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
232	*Corymbia citriodora*	Spotted Gum	310		310	97	12.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
233	*Corymbia citriodora*	Spotted Gum	150	110	186	58	11.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
234	*Corymbia citriodora*	Spotted Gum	110		110	35	7.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
235	*Corymbia citriodora*	Spotted Gum	110		110	35	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
236	*Corymbia citriodora*	Spotted Gum	110		110	35	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
237	*Corymbia citriodora*	Spotted Gum	160		160	50	12.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
238	*Eucalyptus tereticornis*	Forest Red Gum	160		160	50	10.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
239	*Corymbia citriodora*	Spotted Gum	170		170	53	12.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
240	*Corymbia citriodora*	Spotted Gum	110		110	35	12.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
241	*Corymbia citriodora*	Spotted Gum	100		100	31	10.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
242	*Corymbia citriodora*	Spotted Gum	130		130	41	11.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
243	*Corymbia citriodora*	Spotted Gum	120		120	38	12.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
244	*Corymbia citriodora*	Spotted Gum	120		120	38	11.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
245	*Corymbia intermedia*	Pink Bloodwood	240		240	75	12.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
246	*Corymbia intermedia*	Pink Bloodwood	180		180	57	10.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
247	*Acacia disparrima*	Hickory Wattle	100		100	31	7.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
248	*Corymbia citriodora*	Spotted Gum	110		110	35	9.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
249	*Corymbia citriodora*	Spotted Gum	130		130	41	12.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
250	*Corymbia citriodora*	Spotted Gum	300		300	94	12.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
251	*Corymbia citriodora*	Spotted Gum	100		100	31	12.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
252	*Corymbia citriodora*	Spotted Gum	190		190	60	12.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
253	*Corymbia citriodora*	Spotted Gum	190		190	60	12.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
254	*Corymbia intermedia*	Pink Bloodwood	270		270	85	12.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
255	*Corymbia citriodora*	Spotted Gum	150		150	47	11.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
256	*Corymbia intermedia*	Pink Bloodwood	170		170	53	12.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
257	*Corymbia citriodora*	Spotted Gum	130		130	41	11.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
258	*Corymbia citriodora*	Spotted Gum	110		110	35	10.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
259	*Corymbia citriodora*	Spotted Gum	130	100	164	52	11.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
260	*Dead/Stag*		270		270	85	9.0	2.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
261	*Corymbia citriodora*	Spotted Gum	170		170	53	11.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
262	*Corymbia citriodora*	Spotted Gum	160		160	50	10.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
263	*Acacia disparrima*	Hickory Wattle	110		110	35	6.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
264	*Corymbia citriodora*	Spotted Gum	140		140	44	11.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
265	*Petalostigma pubescens*	Quinine Bush	110		110	35	6.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
266	*Corymbia citriodora*	Spotted Gum	110		110	35	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
267	*Eucalyptus tereticornis*	Forest Red Gum	220		220	69	11.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
268	*Corymbia intermedia*	Pink Bloodwood	220		220	69	12.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
269	*Corymbia citriodora*	Spotted Gum	280	130	309	97	13.0	12.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
270	*Eucalyptus tereticornis*	Forest Red Gum	410		410	129	13.0	10.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
271	*Petalostigma pubescens*	Quinine Bush	170		170	53	6.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
272	*Corymbia intermedia*	Pink Bloodwood	150		150	47	12.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
273	*Petalostigma pubescens*	Quinine Bush	100		100	31	5.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
274	*Lophostemon suaveolens*	Swamp Box	140	140	198	62	8.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
275	*Corymbia intermedia*	Pink Bloodwood	340		340	107	12.0	10.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
276	*Corymbia citriodora*	Spotted Gum	140		140	44	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
277	*Corymbia tessellaris*	Moreton Bay Ash	130		130	41	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
278	*Acacia disparrima*	Hickory Wattle	110		110	35	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
279	*Acacia disparrima*	Hickory Wattle	120		120	38	6.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
280	*Corymbia intermedia*	Pink Bloodwood	220		220	69	10.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
281	*Petalostigma pubescens*	Quinine Bush	170		170	53	7.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
282	*Eucalyptus tereticornis*	Forest Red Gum	160		160	50	12.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
283	*Eucalyptus tereticornis*	Forest Red Gum	360		360	113	13.0	6.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
284	*Corymbia tessellaris*	Moreton Bay Ash	100		100	31	11.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
285	*Eucalyptus crebra*	Narrow-leaved Ironbark	160		160	50	11.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
286	*Allocasuarina littoralis*	Black She-oak	100		100	31	7.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
287	*Petalostigma pubescens*	Quinine Bush	170	110	202	64	9.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
288	*Allocasuarina littoralis*	Black She-oak	150		150	47	11.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
289	*Allocasuarina littoralis*	Black She-oak	150		150	47	11.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
290	*Corymbia intermedia*	Pink Bloodwood	210		210	66	11.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
291	*Eucalyptus crebra*	Narrow-leaved Ironbark	110		110	35	10.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
292	*Corymbia intermedia*	Pink Bloodwood	200		200	63	11.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
293	*Eucalyptus tereticornis*	Forest Red Gum	430		430	135	12.0	9.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
294	*Corymbia intermedia*	Pink Bloodwood	170		170	53	11.0	7.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
295	*Eucalyptus crebra*	Narrow-leaved Ironbark	130		130	41	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
296	*Alphitonia excelsa*	Soap Tree	110		110	35	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
297	*Petalostigma pubescens*	Quinine Bush	100		100	31	6.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
298	*Alphitonia excelsa*	Soap Tree	100		100	31	6.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
299	*Eucalyptus crebra*	Narrow-leaved Ironbark	120		120	38	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
300	*Allocasuarina littoralis*	Black She-oak	110		110	35	8.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
301	*Lophostemon suaveolens*	Swamp Box	110		110	35	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
302	*Eucalyptus crebra*	Narrow-leaved Ironbark	270		270	85	12.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
303	*Lophostemon suaveolens*	Swamp Box	120		120	38	6.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
304	*Lophostemon suaveolens*	Swamp Box	110		110	35	7.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
305	*Lophostemon suaveolens*	Swamp Box	110		110	35	7.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
306	*Alphitonia excelsa*	Soap Tree	110		110	35	5.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
307	*Dead/Stag*		110		110	35	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
308	*Eucalyptus crebra*	Narrow-leaved Ironbark	250		250	79	12.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
309	*Corymbia tessellaris*	Moreton Bay Ash	130		130	41	10.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
310	*Eucalyptus crebra*	Narrow-leaved Ironbark	120	100	156	49	8.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
311	*Corymbia citriodora*	Spotted Gum	100		100	31	11.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
312	*Eucalyptus crebra*	Narrow-leaved Ironbark	180		180	57	8.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
313	*Eucalyptus crebra*	Narrow-leaved Ironbark	130		130	41	10.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
314	*Eucalyptus crebra*	Narrow-leaved Ironbark	140		140	44	10.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
315	*Lophostemon suaveolens*	Swamp Box	110		110	35	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
316	*Eucalyptus crebra*	Narrow-leaved Ironbark	110		110	35	10.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
317	*Lophostemon suaveolens*	Swamp Box	250		250	79	10.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
318	*Lophostemon suaveolens*	Swamp Box	130		130	41	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
319	*Lophostemon suaveolens*	Swamp Box	100		100	31	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
320	*Corymbia intermedia*	Pink Bloodwood	100		100	31	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
321	*Lophostemon suaveolens*	Swamp Box	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
322	*Acacia disparrima*	Hickory Wattle	120		120	38	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
323	*Lophostemon suaveolens*	Swamp Box	110		110	35	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
324	*Eucalyptus crebra*	Narrow-leaved Ironbark	160		160	50	10.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
325	*Eucalyptus crebra*	Narrow-leaved Ironbark	110		110	35	11.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
326	*Eucalyptus crebra*	Narrow-leaved Ironbark	120		120	38	11.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
327	*Lophostemon suaveolens*	Swamp Box	100		100	31	10.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
328	*Lophostemon suaveolens*	Swamp Box	110		110	35	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
329	*Eucalyptus crebra*	Narrow-leaved Ironbark	170		170	53	12.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
330	*Eucalyptus crebra*	Narrow-leaved Ironbark	120		120	38	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
331	*Corymbia intermedia*	Pink Bloodwood	130		130	41	11.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
332	*Lophostemon suaveolens*	Swamp Box	120		120	38	6.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
333	*Eucalyptus tereticornis*	Forest Red Gum	200		200	63	12.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
334	*Corymbia intermedia*	Pink Bloodwood	230		230	72	10.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
335	*Eucalyptus crebra*	Narrow-leaved Ironbark	280		280	88	12.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
336	*Petalostigma pubescens*	Quinine Bush	150	130130	237	75	6.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
337	*Eucalyptus crebra*	Narrow-leaved Ironbark	410		410	129	11.0	7.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
338	*Eucalyptus crebra*	Narrow-leaved Ironbark	230		230	72	11.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
339	*Eucalyptus tereticornis*	Forest Red Gum	330		330	104	12.0	5.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
340	*Lophostemon confertus*	Brush Box	200		200	63	12.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
341	*Corymbia intermedia*	Pink Bloodwood	140		140	44	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
342	*Corymbia intermedia*	Pink Bloodwood	170		170	53	10.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
343	*Corymbia intermedia*	Pink Bloodwood	250		250	79	13.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
344	*Eucalyptus tereticornis*	Forest Red Gum	230		230	72	13.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
345	*Corymbia intermedia*	Pink Bloodwood	220		220	69	13.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
346	*Corymbia intermedia*	Pink Bloodwood	220		220	69	12.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
347	*Eucalyptus crebra*	Narrow-leaved Ironbark	250		250	79	11.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
348	*Eucalyptus crebra*	Narrow-leaved Ironbark	260		260	82	13.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
349	*Eucalyptus crebra*	Narrow-leaved Ironbark	240		240	75	12.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
350	*Petalostigma pubescens*	Quinine Bush	190		190	60	6.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
351	*Corymbia intermedia*	Pink Bloodwood	250		250	79	12.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
352	*Eucalyptus tereticornis*	Forest Red Gum	190		190	60	12.0	2.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
353	*Alphitonia excelsa*	Soap Tree	130		130	41	5.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
354	*Eucalyptus tereticornis*	Forest Red Gum	130		130	41	10.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
355	*Eucalyptus crebra*	Narrow-leaved Ironbark	170		170	53	10.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
356	*Petalostigma pubescens*	Quinine Bush	190		190	60	7.0	7.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
357	*Petalostigma pubescens*	Quinine Bush	240		240	75	9.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
358	*Corymbia intermedia*	Pink Bloodwood	230		230	72	12.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
359	*Eucalyptus tereticornis*	Forest Red Gum	170		170	53	12.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
360	*Eucalyptus crebra*	Narrow-leaved Ironbark	160		160	50	18.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
361	*Corymbia intermedia*	Pink Bloodwood	150		150	47	7.0	7.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
362	*Eucalyptus tereticornis*	Forest Red Gum	190		190	60	11.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
363	*Corymbia intermedia*	Pink Bloodwood	140		140	44	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
364	*Corymbia intermedia*	Pink Bloodwood	200		200	63	8.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
365	*Corymbia intermedia*	Pink Bloodwood	250		250	79	12.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
366	*Corymbia intermedia*	Pink Bloodwood	290		290	91	13.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
367	*Corymbia intermedia*	Pink Bloodwood	140		140	44	12.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
368	*Eucalyptus tereticornis*	Forest Red Gum	190		190	60	11.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
369	*Corymbia intermedia*	Pink Bloodwood	170		170	53	10.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
370	*Eucalyptus tereticornis*	Forest Red Gum	220		220	69	13.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
371	*Corymbia intermedia*	Pink Bloodwood	240		240	75	11.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
372	*Corymbia intermedia*	Pink Bloodwood	260		260	82	12.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
373	*Corymbia intermedia*	Pink Bloodwood	230	210	311	98	12.0	4.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
374	*Corymbia intermedia*	Pink Bloodwood	160		160	50	11.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
375	*Eucalyptus tereticornis*	Forest Red Gum	180		180	57	11.0	2.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
376	*Corymbia intermedia*	Pink Bloodwood	250		250	79	10.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
377	*Angophora leiocarpa*	Smooth-barked Apple	260		260	82	11.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
378	*Eucalyptus tereticornis*	Forest Red Gum	170		170	53	13.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
379	*Corymbia intermedia*	Pink Bloodwood	140		140	44	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
380	*Corymbia intermedia*	Pink Bloodwood	190		190	60	8.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
381	*Corymbia intermedia*	Pink Bloodwood	370		370	116	12.0	8.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
382	*Corymbia intermedia*	Pink Bloodwood	210		210	66	12.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
383	*Angophora leiocarpa*	Smooth-barked Apple	200		200	63	11.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
384	*Eucalyptus crebra*	Narrow-leaved Ironbark	170		170	53	11.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
385	*Corymbia intermedia*	Pink Bloodwood	180		180	57	11.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
386	*Eucalyptus tereticornis*	Forest Red Gum	150		150	47	13.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
387	*Corymbia intermedia*	Pink Bloodwood	520		520	163	12.0	6.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
388	*Angophora leiocarpa*	Smooth-barked Apple	100		100	31	7.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
389	*Eucalyptus crebra*	Narrow-leaved Ironbark	130		130	41	11.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
390	*Eucalyptus tereticornis*	Forest Red Gum	190		190	60	14.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
391	*Corymbia intermedia*	Pink Bloodwood	160		160	50	13.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
392	*Corymbia intermedia*	Pink Bloodwood	120		120	38	10.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
393	*Corymbia intermedia*	Pink Bloodwood	220		220	69	13.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
394	*Eucalyptus acmenoides*	White Mahogany	150		150	47	13.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
395	*Corymbia intermedia*	Pink Bloodwood	330		330	104	13.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
396	*Dead/Stag*		140		140	44	10.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
397	*Corymbia intermedia*	Pink Bloodwood	190		190	60	12.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
398	*Angophora leiocarpa*	Smooth-barked Apple	130		130	41	11.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
399	*Eucalyptus acmenoides*	White Mahogany	190		190	60	13.0	7.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
400	*Angophora leiocarpa*	Smooth-barked Apple	230		230	72	14.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
401	*Corymbia intermedia*	Pink Bloodwood	150		150	47	11.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
402	*Eucalyptus crebra*	Narrow-leaved Ironbark	620		620	195	12.0	10.0	7.4	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
403	*Eucalyptus tereticornis*	Forest Red Gum	390		390	123	14.0	6.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
404	*Corymbia intermedia*	Pink Bloodwood	170		170	53	11.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
405	*Corymbia intermedia*	Pink Bloodwood	150		150	47	13.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
406	*Corymbia intermedia*	Pink Bloodwood	130		130	41	6.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
407	*Corymbia citriodora*	Spotted Gum	300		300	94	14.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
408	*Corymbia intermedia*	Pink Bloodwood	250		250	79	13.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
409	*Corymbia intermedia*	Pink Bloodwood	160		160	50	11.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
410	*Corymbia intermedia*	Pink Bloodwood	150		150	47	7.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
411	*Eucalyptus tereticornis*	Forest Red Gum	170		170	53	13.0	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
412	*Corymbia intermedia*	Pink Bloodwood	260		260	82	13.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
413	*Corymbia intermedia*	Pink Bloodwood	190	150	242	76	12.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
414	*Corymbia intermedia*	Pink Bloodwood	400		400	126	12.0	7.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
415	*Angophora subvelutina*	Broad-leaved Apple	210		210	66	12.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
416	*Corymbia intermedia*	Pink Bloodwood	120	100	156	49	8.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
417	*Corymbia intermedia*	Pink Bloodwood	230		230	72	13.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
418	*Acacia disparrima*	Hickory Wattle	140		140	44	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
419	*Dead/Stag*		140		140	44	10.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
420	*Angophora leiocarpa*	Smooth-barked Apple	180		180	57	12.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
421	*Eucalyptus crebra*	Narrow-leaved Ironbark	200		200	63	11.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
422	*Corymbia intermedia*	Pink Bloodwood	240		240	75	14.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
423	*Angophora leiocarpa*	Smooth-barked Apple	100		100	31	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
424	*Corymbia intermedia*	Pink Bloodwood	180		180	57	12.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
425	*Eucalyptus tereticornis*	Forest Red Gum	200		200	63	13.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
426	*Angophora leiocarpa*	Smooth-barked Apple	120		120	38	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
427	*Corymbia intermedia*	Pink Bloodwood	190		190	60	7.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
428	*Corymbia intermedia*	Pink Bloodwood	300	260	397	125	12.0	8.0	4.8	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
429	*Lophostemon suaveolens*	Swamp Box	160		160	50	6.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
430	*Angophora leiocarpa*	Smooth-barked Apple	170		170	53	10.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
431	*Corymbia intermedia*	Pink Bloodwood	170		170	53	12.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
432	*Corymbia intermedia*	Pink Bloodwood	210		210	66	12.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
433	*Eucalyptus tereticornis*	Forest Red Gum	310		310	97	12.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
434	*Eucalyptus tereticornis*	Forest Red Gum	410		410	129	13.0	7.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
435	*Corymbia intermedia*	Pink Bloodwood	220	160	272	85	11.0	7.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
436	*Angophora leiocarpa*	Smooth-barked Apple	300	170	345	108	13.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
437	*Corymbia intermedia*	Pink Bloodwood	130		130	41	12.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
438	*Lophostemon confertus*	Brush Box	160		160	50	8.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
439	*Eucalyptus tereticornis*	Forest Red Gum	190		190	60	14.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
440	*Corymbia intermedia*	Pink Bloodwood	140		140	44	13.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
441	*Corymbia intermedia*	Pink Bloodwood	120		120	38	5.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
442	*Eucalyptus crebra*	Narrow-leaved Ironbark	100		100	31	6.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
443	*Corymbia intermedia*	Pink Bloodwood	250		250	79	12.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
444	*Corymbia intermedia*	Pink Bloodwood	110		110	35	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
445	*Corymbia intermedia*	Pink Bloodwood	150		150	47	8.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
446	*Eucalyptus tereticornis*	Forest Red Gum	320		320	101	14.0	10.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
447	*Corymbia intermedia*	Pink Bloodwood	240		240	75	13.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
448	*Corymbia citriodora*	Spotted Gum	410		410	129	13.0	18.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
449	*Corymbia intermedia*	Pink Bloodwood	260		260	82	13.0	10.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
450	*Eucalyptus tereticornis*	Forest Red Gum	140		140	44	13.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
451	*Corymbia intermedia*	Pink Bloodwood	280		280	88	14.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
452	*Eucalyptus tereticornis*	Forest Red Gum	170	170	240	76	14.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
453	*Dead/Stag*		150	140	205	64	5.0	1.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
454	*Corymbia tessellaris*	Moreton Bay Ash	150		150	47	12.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
455	*Corymbia intermedia*	Pink Bloodwood	340		340	107	13.0	7.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
456	*Corymbia intermedia*	Pink Bloodwood	120		120	38	12.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
457	*Corymbia tessellaris*	Moreton Bay Ash	150		150	47	12.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
458	*Corymbia intermedia*	Pink Bloodwood	200		200	63	12.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
459	*Corymbia intermedia*	Pink Bloodwood	180		180	57	14.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
460	*Lophostemon suaveolens*	Swamp Box	190		190	60	9.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
461	*Corymbia intermedia*	Pink Bloodwood	260		260	82	13.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
462	*Corymbia intermedia*	Pink Bloodwood	260		260	82	13.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
463	*Corymbia intermedia*	Pink Bloodwood	300		300	94	14.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
465	*Corymbia intermedia*	Pink Bloodwood	300		300	94	14.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
466	*Corymbia intermedia*	Pink Bloodwood	280	200	344	108	10.0	7.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
467	*Corymbia intermedia*	Pink Bloodwood	180		180	57	12.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
468	*Eucalyptus tereticornis*	Forest Red Gum	190		190	60	13.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
469	*Eucalyptus tereticornis*	Forest Red Gum	110		110	35	12.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
470	*Eucalyptus crebra*	Narrow-leaved Ironbark	250		250	79	13.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
471	*Corymbia intermedia*	Pink Bloodwood	280		280	88	14.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
472	*Corymbia intermedia*	Pink Bloodwood	140		140	44	13.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
473	*Lophostemon suaveolens*	Swamp Box	150		150	47	13.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
474	*Corymbia intermedia*	Pink Bloodwood	400	210	452	142	13.0	5.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
475	*Corymbia intermedia*	Pink Bloodwood	240		240	75	13.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
476	*Lophostemon suaveolens*	Swamp Box	200		200	63	8.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
477	*Corymbia intermedia*	Pink Bloodwood	280		280	88	14.0	4.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
478	*Eucalyptus tereticornis*	Forest Red Gum	110		110	35	13.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
479	*Corymbia tessellaris*	Moreton Bay Ash	150		150	47	14.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
480	*Corymbia intermedia*	Pink Bloodwood	240		240	75	10.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
481	*Corymbia intermedia*	Pink Bloodwood	210		210	66	11.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
482	*Lophostemon suaveolens*	Swamp Box	130		130	41	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
483	*Eucalyptus tereticornis*	Forest Red Gum	250		250	79	13.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
484	*Corymbia intermedia*	Pink Bloodwood	210		210	66	13.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
485	*Corymbia intermedia*	Pink Bloodwood	160		160	50	10.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
486	*Corymbia intermedia*	Pink Bloodwood	170	160	233	73	11.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
487	*Eucalyptus tereticornis*	Forest Red Gum	190		190	60	14.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
488	*Eucalyptus tereticornis*	Forest Red Gum	190		190	60	13.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
489	*Corymbia intermedia*	Pink Bloodwood	130	100	164	52	13.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
490	*Eucalyptus tereticornis*	Forest Red Gum	120		120	38	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
491	*Corymbia intermedia*	Pink Bloodwood	280		280	88	13.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
492	*Corymbia intermedia*	Pink Bloodwood	270		270	85	12.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
493	*Corymbia intermedia*	Pink Bloodwood	110		110	35	7.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
494	*Corymbia intermedia*	Pink Bloodwood	220		220	69	13.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
495	*Corymbia intermedia*	Pink Bloodwood	190		190	60	14.0	1.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
496	*Eucalyptus tereticornis*	Forest Red Gum	120	110	163	51	12.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
497	*Corymbia intermedia*	Pink Bloodwood	290		290	91	12.0	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
498	*Eucalyptus tereticornis*	Forest Red Gum	130		130	41	11.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
499	*Eucalyptus tereticornis*	Forest Red Gum	130		130	41	13.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
500	*Corymbia intermedia*	Pink Bloodwood	220		220	69	13.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
501	*Corymbia intermedia*	Pink Bloodwood	330		330	104	13.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
502	*Lophostemon confertus*	Brush Box	140	120	184	58	13.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
503	*Corymbia intermedia*	Pink Bloodwood	200		200	63	14.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
504	*Corymbia intermedia*	Pink Bloodwood	210	120	242	76	10.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
505	*Corymbia intermedia*	Pink Bloodwood	150		150	47	12.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
506	*Corymbia intermedia*	Pink Bloodwood	170		170	53	14.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
507	*Eucalyptus tereticornis*	Forest Red Gum	230		230	72	14.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
508	*Corymbia tessellaris*	Moreton Bay Ash	170		170	53	14.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
509	*Corymbia intermedia*	Pink Bloodwood	290		290	91	13.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
510	*Corymbia intermedia*	Pink Bloodwood	290		290	91	14.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
511	*Corymbia intermedia*	Pink Bloodwood	150		150	47	7.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
512	*Corymbia intermedia*	Pink Bloodwood	220		220	69	12.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
513	*Corymbia intermedia*	Pink Bloodwood	140		140	44	7.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
514	*Corymbia intermedia*	Pink Bloodwood	200	170	262	82	13.0	9.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
515	*Corymbia intermedia*	Pink Bloodwood	210		210	66	12.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
516	*Lophostemon suaveolens*	Swamp Box	150		150	47	8.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
517	*Corymbia intermedia*	Pink Bloodwood	180		180	57	8.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
518	*Corymbia intermedia*	Pink Bloodwood	130		130	41	12.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
519	*Corymbia intermedia*	Pink Bloodwood	200		200	63	12.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
520	*Corymbia intermedia*	Pink Bloodwood	170		170	53	13.0	7.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
521	*Eucalyptus tereticornis*	Forest Red Gum	150		150	47	11.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
522	*Eucalyptus tereticornis*	Forest Red Gum	250		250	79	13.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
523	*Corymbia intermedia*	Pink Bloodwood	170		170	53	12.0	7.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
524	*Angophora leiocarpa*	Smooth-barked Apple	100		100	31	5.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
525	*Eucalyptus tereticornis*	Forest Red Gum	250		250	79	14.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
526	*Corymbia intermedia*	Pink Bloodwood	190		190	60	8.0	7.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
527	*Eucalyptus tereticornis*	Forest Red Gum	120		120	38	12.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
528	*Corymbia intermedia*	Pink Bloodwood	270		270	85	14.0	9.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
529	*Lophostemon suaveolens*	Swamp Box	140		140	44	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
530	*Eucalyptus tereticornis*	Forest Red Gum	170		170	53	12.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
531	*Corymbia intermedia*	Pink Bloodwood	240		240	75	12.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
532	*Corymbia intermedia*	Pink Bloodwood	130		130	41	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
533	*Corymbia tessellaris*	Moreton Bay Ash	120		120	38	6.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
534	*Petalostigma pubescens*	Quinine Bush	110		110	35	5.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
535	*Corymbia intermedia*	Pink Bloodwood	180		180	57	13.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
536	*Corymbia citriodora*	Spotted Gum	300		300	94	14.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
537	*Petalostigma pubescens*	Quinine Bush	170		170	53	5.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
538	*Corymbia citriodora*	Spotted Gum	340		340	107	13.0	7.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
539	*Corymbia citriodora*	Spotted Gum	240		240	75	13.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
540	*Corymbia citriodora*	Spotted Gum	110		110	35	12.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
541	*Corymbia citriodora*	Spotted Gum	240		240	75	12.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
542	*Corymbia citriodora*	Spotted Gum	160		160	50	13.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
543	*Corymbia intermedia*	Pink Bloodwood	210		210	66	12.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
544	*Corymbia citriodora*	Spotted Gum	290		290	91	13.0	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
545	*Eucalyptus crebra*	Narrow-leaved Ironbark	410		410	129	13.0	10.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
546	*Eucalyptus crebra*	Narrow-leaved Ironbark	200		200	63	13.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
547	*Eucalyptus tereticornis*	Forest Red Gum	190		190	60	13.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
548	*Eucalyptus tereticornis*	Forest Red Gum	280		280	88	13.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
549	*Corymbia citriodora*	Spotted Gum	320		320	101	13.0	11.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
550	*Corymbia intermedia*	Pink Bloodwood	210		210	66	8.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
551	*Corymbia tessellaris*	Moreton Bay Ash	180		180	57	14.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
552	*Eucalyptus tereticornis*	Forest Red Gum	190		190	60	13.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
553	*Corymbia intermedia*	Pink Bloodwood	160		160	50	12.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
554	*Corymbia intermedia*	Pink Bloodwood	230		230	72	12.0	10.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
555	*Corymbia intermedia*	Pink Bloodwood	220		220	69	11.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
556	*Corymbia citriodora*	Spotted Gum	340		340	107	13.0	7.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
557	*Corymbia citriodora*	Spotted Gum	190		190	60	13.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
558	*Corymbia citriodora*	Spotted Gum	120		120	38	11.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
559	*Corymbia tessellaris*	Moreton Bay Ash	100		100	31	10.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
560	*Angophora leiocarpa*	Smooth-barked Apple	220		220	69	12.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
561	*Eucalyptus crebra*	Narrow-leaved Ironbark	220		220	69	13.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
562	*Corymbia intermedia*	Pink Bloodwood	190		190	60	12.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
563	*Corymbia citriodora*	Spotted Gum	170		170	53	14.0	7.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
564	*Corymbia intermedia*	Pink Bloodwood	240		240	75	12.0	9.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
565	*Corymbia citriodora*	Spotted Gum	110		110	35	12.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
566	*Corymbia citriodora*	Spotted Gum	100		100	31	8.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
567	*Corymbia intermedia*	Pink Bloodwood	190		190	60	14.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
568	*Eucalyptus crebra*	Narrow-leaved Ironbark	100		100	31	11.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
569	*Corymbia intermedia*	Pink Bloodwood	170		170	53	7.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
570	*Acacia disparrima*	Hickory Wattle	110		110	35	11.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
571	*Corymbia intermedia*	Pink Bloodwood	120		120	38	10.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
572	*Eucalyptus crebra*	Narrow-leaved Ironbark	100		100	31	6.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
573	*Alphitonia excelsa*	Soap Tree	100		100	31	7.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
574	*Angophora leiocarpa*	Smooth-barked Apple	110		110	35	8.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
575	*Eucalyptus tereticornis*	Forest Red Gum	200		200	63	12.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
576	*Allocasuarina littoralis*	Black She-oak	120		120	38	9.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
577	*Allocasuarina littoralis*	Black She-oak	100		100	31	9.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
578	*Allocasuarina littoralis*	Black She-oak	100		100	31	8.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
579	*Allocasuarina littoralis*	Black She-oak	100		100	31	8.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
580	*Eucalyptus tereticornis*	Forest Red Gum	130		130	41	12.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
581	*Eucalyptus crebra*	Narrow-leaved Ironbark	140		140	44	12.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
582	*Eucalyptus crebra*	Narrow-leaved Ironbark	240		240	75	13.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
583	*Corymbia citriodora*	Spotted Gum	140		140	44	12.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
584	*Corymbia citriodora*	Spotted Gum	170		170	53	12.0	8.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
585	*Corymbia citriodora*	Spotted Gum	260		260	82	14.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
586	*Eucalyptus crebra*	Narrow-leaved Ironbark	110		110	35	12.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
587	*Corymbia citriodora*	Spotted Gum	100		100	31	12.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
588	*Corymbia citriodora*	Spotted Gum	110		110	35	12.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
589	*Corymbia citriodora*	Spotted Gum	120		120	38	13.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
590	*Dead/Stag*		140		140	44	6.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
591	*Eucalyptus crebra*	Narrow-leaved Ironbark	230		230	72	14.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
592	*Eucalyptus tereticornis*	Forest Red Gum	130		130	41	12.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
593	*Petalostigma pubescens*	Quinine Bush	310		310	97	8.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
594	*Corymbia citriodora*	Spotted Gum	100		100	31	10.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
595	*Corymbia citriodora*	Spotted Gum	270		270	85	14.0	12.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
596	*Corymbia citriodora*	Spotted Gum	110		110	35	11.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
597	*Eucalyptus tereticornis*	Forest Red Gum	160		160	50	14.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
598	*Corymbia citriodora*	Spotted Gum	120		120	38	13.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
599	*Corymbia citriodora*	Spotted Gum	200	180	269	85	13.0	12.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
600	*Corymbia citriodora*	Spotted Gum	290		290	91	13.0	10.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
601	*Corymbia citriodora*	Spotted Gum	310		310	97	13.0	5.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
602	*Corymbia citriodora*	Spotted Gum	120		120	38	11.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
603	*Corymbia intermedia*	Pink Bloodwood	110		110	35	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
604	*Corymbia citriodora*	Spotted Gum	230		230	72	14.0	11.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
605	*Eucalyptus crebra*	Narrow-leaved Ironbark	130		130	41	9.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
606	*Corymbia citriodora*	Spotted Gum	100		100	31	12.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
607	*Corymbia citriodora*	Spotted Gum	390		390	123	14.0	11.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
608	*Eucalyptus crebra*	Narrow-leaved Ironbark	100		100	31	9.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
609	*Corymbia intermedia*	Pink Bloodwood	120		120	38	8.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
610	*Acacia disparrima*	Hickory Wattle	100		100	31	7.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
611	*Corymbia citriodora*	Spotted Gum	320		320	101	14.0	11.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
612	*Eucalyptus crebra*	Narrow-leaved Ironbark	180		180	57	8.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
613	*Corymbia intermedia*	Pink Bloodwood	130		130	41	13.0	7.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
614	*Corymbia citriodora*	Spotted Gum	140		140	44	10.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
615	*Corymbia intermedia*	Pink Bloodwood	120		120	38	8.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
616	*Corymbia citriodora*	Spotted Gum	200		200	63	11.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
617	*Corymbia citriodora*	Spotted Gum	230		230	72	11.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
618	*Corymbia citriodora*	Spotted Gum	110		110	35	13.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
619	*Eucalyptus crebra*	Narrow-leaved Ironbark	110		110	35	13.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
620	*Corymbia citriodora*	Spotted Gum	120		120	38	13.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
621	*Corymbia citriodora*	Spotted Gum	190		190	60	13.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
622	*Eucalyptus crebra*	Narrow-leaved Ironbark	130		130	41	11.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
623	*Corymbia intermedia*	Pink Bloodwood	110		110	35	7.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
624	*Angophora leiocarpa*	Smooth-barked Apple	160		160	50	8.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
625	*Eucalyptus crebra*	Narrow-leaved Ironbark	120		120	38	6.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
626	*Eucalyptus crebra*	Narrow-leaved Ironbark	140		140	44	7.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
627	*Eucalyptus crebra*	Narrow-leaved Ironbark	140		140	44	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
628	*Eucalyptus tereticornis*	Forest Red Gum	150		150	47	9.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
629	*Eucalyptus crebra*	Narrow-leaved Ironbark	150		150	47	9.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
630	*Eucalyptus tereticornis*	Forest Red Gum	280		280	88	12.0	4.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
631	*Angophora leiocarpa*	Smooth-barked Apple	240		240	75	12.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
632	*Angophora leiocarpa*	Smooth-barked Apple	120		120	38	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
633	*Lophostemon suaveolens*	Swamp Box	150	130 100	222	70	11.0	6.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
634	*Eucalyptus tereticornis*	Forest Red Gum	170		170	53	13.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
635	*Eucalyptus tereticornis*	Forest Red Gum	310		310	97	13.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
636	*Lophostemon suaveolens*	Swamp Box	120		120	38	5.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
637	*Corymbia intermedia*	Pink Bloodwood	190		190	60	8.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
638	*Eucalyptus crebra*	Narrow-leaved Ironbark	370		370	116	13.0	9.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
639	*Angophora leiocarpa*	Smooth-barked Apple	230		230	72	13.0	9.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
640	*Eucalyptus tereticornis*	Forest Red Gum	180		180	57	9.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
641	*Corymbia intermedia*	Pink Bloodwood	150		150	47	14.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
642	*Eucalyptus tereticornis*	Forest Red Gum	120		120	38	11.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
643	*Angophora leiocarpa*	Smooth-barked Apple	160		160	50	11.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
644	*Eucalyptus tereticornis*	Forest Red Gum	230		230	72	13.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
645	*Lophostemon suaveolens*	Swamp Box	170		170	53	10.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
646	*Corymbia citriodora*	Spotted Gum	130		130	41	13.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
647	*Corymbia citriodora*	Spotted Gum	200		200	63	13.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
648	*Corymbia citriodora*	Spotted Gum	270		270	85	13.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
649	*Corymbia citriodora*	Spotted Gum	120		120	38	11.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
650	*Angophora leiocarpa*	Smooth-barked Apple	110		110	35	6.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
651	*Eucalyptus crebra*	Narrow-leaved Ironbark	150		150	47	9.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
652	*Corymbia citriodora*	Spotted Gum	170		170	53	14.0	10.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
653	*Eucalyptus tereticornis*	Forest Red Gum	250	160	297	93	9.0	3.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
654	*Corymbia tessellaris*	Moreton Bay Ash	240		240	75	13.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
655	*Dead/Stag*		200		200	63	5.0	1.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
656	*Eucalyptus tereticornis*	Forest Red Gum	210		210	66	13.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
657	*Eucalyptus tereticornis*	Forest Red Gum	260		260	82	13.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
658	*Eucalyptus crebra*	Narrow-leaved Ironbark	210		210	66	7.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
659	*Corymbia citriodora*	Spotted Gum	190		190	60	13.0	7.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
660	*Eucalyptus tereticornis*	Forest Red Gum	270		270	85	14.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
661	*Eucalyptus tereticornis*	Forest Red Gum	170		170	53	13.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
662	*Corymbia citriodora*	Spotted Gum	100		100	31	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
663	*Corymbia intermedia*	Pink Bloodwood	190		190	60	13.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
664	*Eucalyptus tereticornis*	Forest Red Gum	240		240	75	13.0	9.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
665	*Corymbia citriodora*	Spotted Gum	300		300	94	13.0	11.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
666	*Lophostemon suaveolens*	Swamp Box	100		100	31	8.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
667	*Corymbia intermedia*	Pink Bloodwood	140		140	44	7.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
668	*Eucalyptus crebra*	Narrow-leaved Ironbark	220		220	69	12.0	9.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
669	*Lophostemon suaveolens*	Swamp Box	130		130	41	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
670	*Lophostemon suaveolens*	Swamp Box	140		140	44	8.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
671	*Corymbia citriodora*	Spotted Gum	180		180	57	13.0	7.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
672	*Corymbia citriodora*	Spotted Gum	120		120	38	12.0	7.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
673	*Eucalyptus tereticornis*	Forest Red Gum	180	170	248	78	12.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
674	*Corymbia citriodora*	Spotted Gum	120	100	156	49	11.0	7.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
675	*Eucalyptus crebra*	Narrow-leaved Ironbark	310		310	97	12.0	9.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
676	*Corymbia citriodora*	Spotted Gum	290		290	91	13.0	9.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
677	*Eucalyptus tereticornis*	Forest Red Gum	150		150	47	13.0	7.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
678	*Corymbia citriodora*	Spotted Gum	120		120	38	11.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
679	*Corymbia citriodora*	Spotted Gum	100		100	31	12.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
680	*Eucalyptus crebra*	Narrow-leaved Ironbark	390		390	123	14.0	11.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
681	*Corymbia citriodora*	Spotted Gum	100		100	31	11.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
682	*Corymbia citriodora*	Spotted Gum	100		100	31	13.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
683	*Eucalyptus tereticornis*	Forest Red Gum	210		210	66	13.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
684	*Eucalyptus tereticornis*	Forest Red Gum	110		110	35	10.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
685	*Corymbia citriodora*	Spotted Gum	160		160	50	13.0	8.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
686	*Corymbia citriodora*	Spotted Gum	100		100	31	13.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
687	*Corymbia citriodora*	Spotted Gum	100		100	31	13.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
688	*Eucalyptus crebra*	Narrow-leaved Ironbark	130		130	41	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
689	*Corymbia citriodora*	Spotted Gum	260		260	82	14.0	9.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
690	*Corymbia citriodora*	Spotted Gum	100		100	31	10.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
691	*Corymbia citriodora*	Spotted Gum	160		160	50	14.0	7.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
692	*Corymbia citriodora*	Spotted Gum	140		140	44	14.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
693	*Eucalyptus crebra*	Narrow-leaved Ironbark	100		100	31	10.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
694	*Corymbia citriodora*	Spotted Gum	210		210	66	14.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
695	*Eucalyptus crebra*	Narrow-leaved Ironbark	110		110	35	6.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
696	*Corymbia citriodora*	Spotted Gum	240		240	75	14.0	10.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
697	*Corymbia citriodora*	Spotted Gum	290		290	91	14.0	11.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
698	*Eucalyptus crebra*	Narrow-leaved Ironbark	150		150	47	7.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
699	*Eucalyptus crebra*	Narrow-leaved Ironbark	130		130	41	4.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
700	*Eucalyptus crebra*	Narrow-leaved Ironbark	120		120	38	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
701	*Corymbia citriodora*	Spotted Gum	120		120	38	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
702	*Corymbia citriodora*	Spotted Gum	130		130	41	12.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
703	*Corymbia citriodora*	Spotted Gum	100		100	31	11.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
704	*Lophostemon suaveolens*	Swamp Box	130		130	41	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
705	*Lophostemon suaveolens*	Swamp Box	180		180	57	10.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
706	*Lophostemon suaveolens*	Swamp Box	130		130	41	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
707	*Corymbia intermedia*	Pink Bloodwood	120		120	38	7.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
708	*Corymbia intermedia*	Pink Bloodwood	130		130	41	7.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
709	*Lophostemon suaveolens*	Swamp Box	150		150	47	10.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
710	*Angophora leiocarpa*	Smooth-barked Apple	160		160	50	13.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
711	*Angophora leiocarpa*	Smooth-barked Apple	270		270	85	13.0	10.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
712	*Angophora leiocarpa*	Smooth-barked Apple	190		190	60	12.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
713	*Corymbia intermedia*	Pink Bloodwood	220		220	69	12.0	10.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
714	*Angophora leiocarpa*	Smooth-barked Apple	180		180	57	12.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
715	*Lophostemon suaveolens*	Swamp Box	110		110	35	7.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
716	*Corymbia intermedia*	Pink Bloodwood	130		130	41	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
717	*Eucalyptus tereticornis*	Forest Red Gum	110		110	35	7.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
718	*Lophostemon suaveolens*	Swamp Box	130	120	177	56	8.0	6.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
719	*Lophostemon suaveolens*	Swamp Box	210		210	66	10.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
720	*Corymbia tessellaris*	Moreton Bay Ash	210		210	66	13.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
721	*Corymbia intermedia*	Pink Bloodwood	280		280	88	11.0	10.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
722	*Corymbia intermedia*	Pink Bloodwood	310		310	97	11.0	9.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
723	*Angophora leiocarpa*	Smooth-barked Apple	170		170	53	12.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
724	*Corymbia intermedia*	Pink Bloodwood	100		100	31	7.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
725	*Lophostemon suaveolens*	Swamp Box	160		160	50	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
726	*Lophostemon suaveolens*	Swamp Box	130		130	41	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
727	*Corymbia tessellaris*	Moreton Bay Ash	150		150	47	13.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
728	*Lophostemon suaveolens*	Swamp Box	120		120	38	6.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
729	*Corymbia intermedia*	Pink Bloodwood	160		160	50	13.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
730	*Lophostemon suaveolens*	Swamp Box	200		200	63	10.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
731	*Corymbia intermedia*	Pink Bloodwood	150		150	47	11.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
732	*Corymbia intermedia*	Pink Bloodwood	250		250	79	14.0	10.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
733	*Corymbia intermedia*	Pink Bloodwood	160		160	50	11.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
734	*Angophora leiocarpa*	Smooth-barked Apple	330		330	104	14.0	9.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
735	*Lophostemon suaveolens*	Swamp Box	110		110	35	7.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
736	*Corymbia intermedia*	Pink Bloodwood	130		130	41	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
737	*Lophostemon suaveolens*	Swamp Box	160		160	50	11.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
738	*Eucalyptus tereticornis*	Forest Red Gum	110		110	35	9.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
739	*Lophostemon suaveolens*	Swamp Box	100		100	31	10.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
740	*Lophostemon suaveolens*	Swamp Box	150		150	47	10.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
741	*Lophostemon suaveolens*	Swamp Box	150		150	47	7.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
742	*Lophostemon suaveolens*	Swamp Box	110		110	35	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
743	*Lophostemon suaveolens*	Swamp Box	160		160	50	7.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
744	*Eucalyptus tereticornis*	Forest Red Gum	210		210	66	12.0	8.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
745	*Eucalyptus tereticornis*	Forest Red Gum	110		110	35	10.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
746	*Lophostemon suaveolens*	Swamp Box	140		140	44	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
747	*Lophostemon suaveolens*	Swamp Box	130		130	41	10.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
748	*Eucalyptus tereticornis*	Forest Red Gum	150		150	47	12.0	7.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
749	*Lophostemon suaveolens*	Swamp Box	140		140	44	9.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
750	*Corymbia tessellaris*	Moreton Bay Ash	180		180	57	13.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
751	*Eucalyptus tereticornis*	Forest Red Gum	170	130	214	67	12.0	8.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
752	*Lophostemon suaveolens*	Swamp Box	190		190	60	11.0	8.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
753	*Lophostemon suaveolens*	Swamp Box	130		130	41	10.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
754	*Lophostemon suaveolens*	Swamp Box	210		210	66	10.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
755	*Lophostemon suaveolens*	Swamp Box	130		130	41	7.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
756	*Lophostemon suaveolens*	Swamp Box	140		140	44	11.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
757	*Lophostemon suaveolens*	Swamp Box	200		200	63	11.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
758	*Lophostemon suaveolens*	Swamp Box	230		230	72	11.0	9.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
759	*Eucalyptus tereticornis*	Forest Red Gum	290		290	91	13.0	9.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
760	*Lophostemon suaveolens*	Swamp Box	180	170	248	78	10.0	9.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
761	*Lophostemon suaveolens*	Swamp Box	190		190	60	12.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
762	*Eucalyptus tereticornis*	Forest Red Gum	310	200	369	116	12.0	10.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
763	*Lophostemon suaveolens*	Swamp Box	190		190	60	10.0	7.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
764	*Lophostemon suaveolens*	Swamp Box	160		160	50	7.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
765	*Eucalyptus tereticornis*	Forest Red Gum	220		220	69	13.0	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
766	*Lophostemon suaveolens*	Swamp Box	110		110	35	9.0	7.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
767	*Lophostemon suaveolens*	Swamp Box	140		140	44	12.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
768	*Lophostemon suaveolens*	Swamp Box	290		290	91	12.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
769	*Lophostemon suaveolens*	Swamp Box	110		110	35	6.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
770	*Corymbia intermedia*	Pink Bloodwood	260		260	82	12.0	10.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
771	*Lophostemon suaveolens*	Swamp Box	140		140	44	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
772	*Lophostemon suaveolens*	Swamp Box	100		100	31	7.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
773	*Lophostemon suaveolens*	Swamp Box	100		100	31	10.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
774	*Lophostemon suaveolens*	Swamp Box	100		100	31	7.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
775	*Lophostemon suaveolens*	Swamp Box	110		110	35	11.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
776	*Corymbia intermedia*	Pink Bloodwood	220		220	69	12.0	9.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
777	*Lophostemon suaveolens*	Swamp Box	160		160	50	7.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
778	*Eucalyptus tereticornis*	Forest Red Gum	240		240	75	12.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
779	*Lophostemon suaveolens*	Swamp Box	110		110	35	9.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
780	*Lophostemon suaveolens*	Swamp Box	130		130	41	10.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
781	*Lophostemon suaveolens*	Swamp Box	100		100	31	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
782	*Angophora leiocarpa*	Smooth-barked Apple	110		110	35	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
783	*Lophostemon suaveolens*	Swamp Box	180		180	57	11.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
784	*Lophostemon suaveolens*	Swamp Box	180		180	57	7.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
785	*Corymbia intermedia*	Pink Bloodwood	130	120	177	56	7.0	5.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
786	*Lophostemon suaveolens*	Swamp Box	140		140	44	11.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
787	*Lophostemon suaveolens*	Swamp Box	130		130	41	4.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
788	*Corymbia intermedia*	Pink Bloodwood	238	180 110	318	100	10.0	9.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
789	*Corymbia intermedia*	Pink Bloodwood	290		290	91	12.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
790	*Corymbia intermedia*	Pink Bloodwood	190		190	60	11.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
791	*Angophora leiocarpa*	Smooth-barked Apple	230	160	280	88	12.0	10.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
792	*Lophostemon suaveolens*	Swamp Box	150		150	47	10.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
793	*Angophora leiocarpa*	Smooth-barked Apple	100		100	31	9.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
794	*Eucalyptus tereticornis*	Forest Red Gum	110		110	35	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
795	*Corymbia intermedia*	Pink Bloodwood	110		110	35	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
796	*Corymbia intermedia*	Pink Bloodwood	170		170	53	8.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
797	*Corymbia intermedia*	Pink Bloodwood	160		160	50	11.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
798	*Corymbia intermedia*	Pink Bloodwood	130		130	41	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
799	*Corymbia intermedia*	Pink Bloodwood	140		140	44	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
800	*Corymbia intermedia*	Pink Bloodwood	140		140	44	8.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
801	*Corymbia intermedia*	Pink Bloodwood	120		120	38	8.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
802	*Eucalyptus crebra*	Narrow-leaved Ironbark	180		180	57	10.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
803	*Eucalyptus crebra*	Narrow-leaved Ironbark	140		140	44	9.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
804	*Corymbia citriodora*	Spotted Gum	300		300	94	13.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
805	*Eucalyptus crebra*	Narrow-leaved Ironbark	200		200	63	7.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
806	*Corymbia intermedia*	Pink Bloodwood	210	160130	294	92	12.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
807	*Corymbia citriodora*	Spotted Gum	130		130	41	10.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
808	*Corymbia citriodora*	Spotted Gum	300		300	94	14.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
809	*Corymbia citriodora*	Spotted Gum	320		320	101	14.0	10.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
810	*Corymbia intermedia*	Pink Bloodwood	130		130	41	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
811	*Corymbia citriodora*	Spotted Gum	300		300	94	14.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
812	*Eucalyptus crebra*	Narrow-leaved Ironbark	100		100	31	6.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
813	*Eucalyptus tereticornis*	Forest Red Gum	150		150	47	5.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
814	*Eucalyptus crebra*	Narrow-leaved Ironbark	120		120	38	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
815	*Corymbia citriodora*	Spotted Gum	290		290	91	12.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
816	*Eucalyptus crebra*	Narrow-leaved Ironbark	130		130	41	12.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
817	*Eucalyptus tereticornis*	Forest Red Gum	220		220	69	12.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
818	*Eucalyptus crebra*	Narrow-leaved Ironbark	110		110	35	8.0	6.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
819	*Corymbia intermedia*	Pink Bloodwood	100		100	31	7.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
820	*Eucalyptus crebra*	Narrow-leaved Ironbark	240		240	75	12.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
821	*Corymbia citriodora*	Spotted Gum	120		120	38	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
822	*Eucalyptus crebra*	Narrow-leaved Ironbark	120		120	38	7.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
823	*Corymbia citriodora*	Spotted Gum	170		170	53	13.0	9.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
824	*Corymbia citriodora*	Spotted Gum	230		230	72	13.0	9.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
825	*Corymbia citriodora*	Spotted Gum	150		150	47	10.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
826	*Eucalyptus crebra*	Narrow-leaved Ironbark	120		120	38	11.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
827	*Eucalyptus crebra*	Narrow-leaved Ironbark	140		140	44	11.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
828	*Eucalyptus crebra*	Narrow-leaved Ironbark	230		230	72	12.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
829	*Eucalyptus tereticornis*	Forest Red Gum	170		170	53	11.0	7.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
830	*Eucalyptus crebra*	Narrow-leaved Ironbark	150		150	47	10.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
831	*Eucalyptus crebra*	Narrow-leaved Ironbark	310		310	97	12.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
832	*Eucalyptus tereticornis*	Forest Red Gum	140		140	44	11.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
833	*Angophora leiocarpa*	Smooth-barked Apple	130		130	41	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
834	*Eucalyptus tereticornis*	Forest Red Gum	160	140	213	67	7.0	6.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
835	*Eucalyptus tereticornis*	Forest Red Gum	170		170	53	11.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
836	*Corymbia tessellaris*	Moreton Bay Ash	140		140	44	7.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
837	*Corymbia citriodora*	Spotted Gum	180		180	57	12.0	7.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
838	*Angophora leiocarpa*	Smooth-barked Apple	110		110	35	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
839	*Corymbia intermedia*	Pink Bloodwood	180		180	57	12.0	9.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
840	*Eucalyptus crebra*	Narrow-leaved Ironbark	170		170	53	13.0	7.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
841	*Corymbia citriodora*	Spotted Gum	270		270	85	13.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
842	*Eucalyptus tereticornis*	Forest Red Gum	160		160	50	12.0	8.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
843	*Eucalyptus tereticornis*	Forest Red Gum	130		130	41	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
844	*Corymbia citriodora*	Spotted Gum	120		120	38	12.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
845	*Corymbia citriodora*	Spotted Gum	170		170	53	12.0	7.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
846	*Corymbia tessellaris*	Moreton Bay Ash	170		170	53	12.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
847	*Corymbia citriodora*	Spotted Gum	240		240	75	13.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
848	*Corymbia tessellaris*	Moreton Bay Ash	130	110	170	53	13.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
849	*Eucalyptus crebra*	Narrow-leaved Ironbark	220		220	69	14.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
850	*Eucalyptus crebra*	Narrow-leaved Ironbark	140		140	44	11.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
851	*Eucalyptus crebra*	Narrow-leaved Ironbark	140		140	44	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
852	*Eucalyptus tereticornis*	Forest Red Gum	150		150	47	12.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
853	*Corymbia intermedia*	Pink Bloodwood	150		150	47	9.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
854	*Eucalyptus crebra*	Narrow-leaved Ironbark	170		170	53	12.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
855	*Eucalyptus tereticornis*	Forest Red Gum	180		180	57	8.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
856	*Corymbia citriodora*	Spotted Gum	330		330	104	14.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
857	*Corymbia citriodora*	Spotted Gum	440		440	138	15.0	12.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
858	*Corymbia intermedia*	Pink Bloodwood	120	110	163	51	11.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
859	*Corymbia citriodora*	Spotted Gum	260		260	82	14.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
860	*Corymbia citriodora*	Spotted Gum	100		100	31	9.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
861	*Corymbia citriodora*	Spotted Gum	150		150	47	13.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
862	*Corymbia citriodora*	Spotted Gum	220		220	69	13.0	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
863	*Corymbia citriodora*	Spotted Gum	110		110	35	11.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
864	*Corymbia citriodora*	Spotted Gum	420		420	132	15.0	11.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
865	*Corymbia citriodora*	Spotted Gum	170		170	53	11.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
866	*Eucalyptus crebra*	Narrow-leaved Ironbark	180		180	57	11.0	7.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
867	*Corymbia citriodora*	Spotted Gum	140		140	44	10.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
868	*Corymbia citriodora*	Spotted Gum	190		190	60	12.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
869	*Corymbia intermedia*	Pink Bloodwood	120		120	38	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
870	*Corymbia citriodora*	Spotted Gum	230		230	72	13.0	11.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
871	*Corymbia intermedia*	Pink Bloodwood	150		150	47	7.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
872	*Corymbia intermedia*	Pink Bloodwood	160		160	50	8.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
873	*Corymbia intermedia*	Pink Bloodwood	110		110	35	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
874	*Corymbia citriodora*	Spotted Gum	210		210	66	13.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
875	*Corymbia intermedia*	Pink Bloodwood	140		140	44	13.0	7.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
876	*Corymbia intermedia*	Pink Bloodwood	210	170	270	85	13.0	10.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
877	*Corymbia intermedia*	Pink Bloodwood	280		280	88	11.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
878	*Corymbia intermedia*	Pink Bloodwood	140		140	44	8.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
879	*Eucalyptus crebra*	Narrow-leaved Ironbark	110		110	35	11.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
880	*Corymbia intermedia*	Pink Bloodwood	110		110	35	12.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
881	*Angophora leiocarpa*	Smooth-barked Apple	170		170	53	12.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
882	*Eucalyptus tereticornis*	Forest Red Gum	180		180	57	13.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
883	*Corymbia citriodora*	Spotted Gum	120		120	38	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
884	*Corymbia intermedia*	Pink Bloodwood	130	120	177	56	8.0	6.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
885	*Corymbia intermedia*	Pink Bloodwood	230		230	72	12.0	10.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
886	*Corymbia intermedia*	Pink Bloodwood	120		120	38	7.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
887	*Corymbia intermedia*	Pink Bloodwood	120		120	38	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
888	*Corymbia intermedia*	Pink Bloodwood	190		190	60	12.0	10.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
889	*Corymbia intermedia*	Pink Bloodwood	260	230	347	109	11.0	10.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
890	*Lophostemon suaveolens*	Swamp Box	130		130	41	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
891	*Corymbia citriodora*	Spotted Gum	160		160	50	13.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
892	*Corymbia intermedia*	Pink Bloodwood	210		210	66	14.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
893	*Corymbia intermedia*	Pink Bloodwood	100		100	31	6.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
894	*Eucalyptus tereticornis*	Forest Red Gum	260		260	82	13.0	10.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
895	*Corymbia intermedia*	Pink Bloodwood	120		120	38	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
896	*Corymbia intermedia*	Pink Bloodwood	120		120	38	7.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
897	*Eucalyptus crebra*	Narrow-leaved Ironbark	250		250	79	13.0	11.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
898	*Corymbia citriodora*	Spotted Gum	110		110	35	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
899	*Dead/Stag*		670		670	210	12.0	5.0	8.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Remove	
900	*Corymbia intermedia*	Pink Bloodwood	160		160	50	12.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
901	*Corymbia intermedia*	Pink Bloodwood	230		230	72	12.0	11.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
902	*Lophostemon suaveolens*	Swamp Box	120		120	38	8.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
903	*Corymbia intermedia*	Pink Bloodwood	190	180	262	82	12.0	10.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
904	*Corymbia intermedia*	Pink Bloodwood	130		130	41	9.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
905	*Lophostemon suaveolens*	Swamp Box	170		170	53	8.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
906	*Lophostemon suaveolens*	Swamp Box	170		170	53	9.0	7.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
907	*Corymbia intermedia*	Pink Bloodwood	320		320	101	13.0	11.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
908	*Corymbia intermedia*	Pink Bloodwood	150		150	47	8.0	7.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
909	*Lophostemon suaveolens*	Swamp Box	100		100	31	8.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
910	*Lophostemon suaveolens*	Swamp Box	110		110	35	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
911	*Lophostemon suaveolens*	Swamp Box	170	160	233	73	11.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
912	*Eucalyptus tereticornis*	Forest Red Gum	160		160	50	9.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
913	*Lophostemon suaveolens*	Swamp Box	290		290	91	12.0	9.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
914	*Lophostemon suaveolens*	Swamp Box	120		120	38	7.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
915	*Lophostemon suaveolens*	Swamp Box	130		130	41	11.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
916	*Lophostemon suaveolens*	Swamp Box	120		120	38	10.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
917	*Lophostemon suaveolens*	Swamp Box	180		180	57	11.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
918	*Lophostemon suaveolens*	Swamp Box	250		250	79	9.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
919	*Corymbia citriodora*	Spotted Gum	320		320	101	15.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
920	*Eucalyptus crebra*	Narrow-leaved Ironbark	150		150	47	12.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
921	*Eucalyptus crebra*	Narrow-leaved Ironbark	170		170	53	12.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
922	*Corymbia citriodora*	Spotted Gum	240		240	75	16.0	9.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
923	*Eucalyptus crebra*	Narrow-leaved Ironbark	120		120	38	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
924	*Eucalyptus crebra*	Narrow-leaved Ironbark	160		160	50	12.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
925	*Corymbia citriodora*	Spotted Gum	220		220	69	16.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
926	*Eucalyptus tereticornis*	Forest Red Gum	240		240	75	16.0	9.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
927	*Eucalyptus crebra*	Narrow-leaved Ironbark	150		150	47	14.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
928	*Corymbia intermedia*	Pink Bloodwood	230		230	72	16.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
929	*Eucalyptus tereticornis*	Forest Red Gum	130		130	41	12.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
930	*Eucalyptus crebra*	Narrow-leaved Ironbark	120		120	38	8.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
931	*Eucalyptus crebra*	Narrow-leaved Ironbark	200		200	63	9.0	2.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
932	*Eucalyptus crebra*	Narrow-leaved Ironbark	200		200	63	16.0	9.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
933	*Eucalyptus crebra*	Narrow-leaved Ironbark	230		230	72	16.0	9.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
934	*Eucalyptus crebra*	Narrow-leaved Ironbark	140		140	44	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
935	*Eucalyptus crebra*	Narrow-leaved Ironbark	150		150	47	15.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
936	*Eucalyptus crebra*	Narrow-leaved Ironbark	190		190	60	10.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
937	*Corymbia intermedia*	Pink Bloodwood	130		130	41	13.0	9.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
938	*Corymbia intermedia*	Pink Bloodwood	100		100	31	11.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
939	*Corymbia intermedia*	Pink Bloodwood	180		180	57	8.0	2.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
940	*Corymbia intermedia*	Pink Bloodwood	180		180	57	8.0	2.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
941	*Eucalyptus tereticornis*	Forest Red Gum	100		100	31	9.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
942	*Eucalyptus crebra*	Narrow-leaved Ironbark	120		120	38	12.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
943	*Eucalyptus crebra*	Narrow-leaved Ironbark	320		320	101	17.0	10.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
944	*Corymbia intermedia*	Pink Bloodwood	130		130	41	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
945	*Corymbia intermedia*	Pink Bloodwood	250		250	79	15.0	9.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
946	*Eucalyptus tereticornis*	Forest Red Gum	130		130	41	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
947	*Corymbia intermedia*	Pink Bloodwood	230		230	72	16.0	9.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
948	*Corymbia intermedia*	Pink Bloodwood	250		250	79	15.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
949	*Corymbia intermedia*	Pink Bloodwood	410		410	129	18.0	15.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
950	*Lophostemon suaveolens*	Swamp Box	120		120	38	12.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
951	*Corymbia intermedia*	Pink Bloodwood	100		100	31	8.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
952	*Corymbia intermedia*	Pink Bloodwood	200		200	63	14.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
953	*Lophostemon confertus*	Brush Box	210		210	66	16.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
954	*Corymbia intermedia*	Pink Bloodwood	160		160	50	12.0	1.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
955	*Corymbia intermedia*	Pink Bloodwood	160		160	50	10.0	1.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
956	*Corymbia intermedia*	Pink Bloodwood	120		120	38	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
957	*Corymbia intermedia*	Pink Bloodwood	120		120	38	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
958	*Corymbia intermedia*	Pink Bloodwood	340		340	107	17.0	9.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
959	*Corymbia intermedia*	Pink Bloodwood	210		210	66	16.0	9.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
960	*Corymbia citriodora*	Spotted Gum	120		120	38	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
961	*Corymbia intermedia*	Pink Bloodwood	160		160	50	14.0	9.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
962	*Corymbia intermedia*	Pink Bloodwood	270		270	85	15.0	12.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
963	*Corymbia intermedia*	Pink Bloodwood	120		120	38	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
964	*Corymbia intermedia*	Pink Bloodwood	120		120	38	14.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
965	*Corymbia intermedia*	Pink Bloodwood	100		100	31	12.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
966	*Lophostemon suaveolens*	Swamp Box	150		150	47	14.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
967	*Lophostemon suaveolens*	Swamp Box	120		120	38	12.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
968	*Lophostemon suaveolens*	Swamp Box	100		100	31	12.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
969	*Lophostemon suaveolens*	Swamp Box	100	100	141	44	8.0	1.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
970	*Lophostemon suaveolens*	Swamp Box	150		150	47	10.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
971	*Lophostemon suaveolens*	Swamp Box	190		190	60	13.0	7.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
972	*Lophostemon suaveolens*	Swamp Box	200		200	63	12.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
973	*Corymbia intermedia*	Pink Bloodwood	220		220	69	15.0	9.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
974	*Angophora leiocarpa*	Smooth-barked Apple	200		200	63	14.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
975	*Corymbia intermedia*	Pink Bloodwood	340		340	107	17.0	9.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
976	*Corymbia intermedia*	Pink Bloodwood	130		130	41	10.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
977	*Corymbia intermedia*	Pink Bloodwood	230		230	72	14.0	9.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
978	*Eucalyptus tereticornis*	Forest Red Gum	350		350	110	18.0	15.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
979	*Lophostemon suaveolens*	Swamp Box	120		120	38	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
980	*Eucalyptus crebra*	Narrow-leaved Ironbark	100		100	31	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
981	*Corymbia intermedia*	Pink Bloodwood	160		160	50	12.0	1.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
982	*Corymbia intermedia*	Pink Bloodwood	360		360	113	18.0	13.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
983	*Angophora leiocarpa*	Smooth-barked Apple	470		470	148	18.0	15.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
984	*Lophostemon suaveolens*	Swamp Box	160		160	50	14.0	8.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
985	*Lophostemon suaveolens*	Swamp Box	220		220	69	15.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
986	*Corymbia intermedia*	Pink Bloodwood	130		130	41	12.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
987	*Eucalyptus crebra*	Narrow-leaved Ironbark	120		120	38	12.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
988	*Corymbia intermedia*	Pink Bloodwood	300		300	94	15.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
989	*Corymbia intermedia*	Pink Bloodwood	250		250	79	16.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
990	*Corymbia intermedia*	Pink Bloodwood	260		260	82	15.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
991	*Corymbia intermedia*	Pink Bloodwood	190		190	60	15.0	14.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
992	*Corymbia intermedia*	Pink Bloodwood	230		230	72	15.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
993	*Corymbia intermedia*	Pink Bloodwood	180		180	57	12.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
994	*Corymbia intermedia*	Pink Bloodwood	250		250	79	15.0	10.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
995	*Corymbia intermedia*	Pink Bloodwood	120		120	38	13.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
996	*Corymbia intermedia*	Pink Bloodwood	160		160	50	12.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
997	*Angophora leiocarpa*	Smooth-barked Apple	360		360	113	18.0	14.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
998	*Corymbia intermedia*	Pink Bloodwood	420		420	132	16.0	8.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
999	*Eucalyptus crebra*	Narrow-leaved Ironbark	300		300	94	18.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1000	*Corymbia intermedia*	Pink Bloodwood	320		320	101	18.0	9.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1001	*Corymbia intermedia*	Pink Bloodwood	110		110	35	8.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1002	*Corymbia intermedia*	Pink Bloodwood	100		100	31	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1003	*Corymbia intermedia*	Pink Bloodwood	100		100	31	8.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1004	*Corymbia intermedia*	Pink Bloodwood	140		140	44	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1005	*Angophora leiocarpa*	Smooth-barked Apple	120		120	38	12.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1006	*Corymbia intermedia*	Pink Bloodwood	120		120	38	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1007	*Corymbia intermedia*	Pink Bloodwood	160		160	50	13.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1008	*Corymbia intermedia*	Pink Bloodwood	200		200	63	14.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1009	*Corymbia intermedia*	Pink Bloodwood	180		180	57	12.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1010	*Corymbia intermedia*	Pink Bloodwood	120		120	38	10.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1011	*Eucalyptus crebra*	Narrow-leaved Ironbark	220		220	69	13.0	2.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1012	*Corymbia citriodora*	Spotted Gum	360		360	113	18.0	16.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1013	*Corymbia intermedia*	Pink Bloodwood	300		300	94	17.0	12.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1014	*Corymbia intermedia*	Pink Bloodwood	140		140	44	8.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1015	*Corymbia intermedia*	Pink Bloodwood	370		370	116	17.0	9.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1016	*Corymbia citriodora*	Spotted Gum	540		540	170	19.0	15.0	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1017	*Acacia leiocalyx*	Early-flowering Black Wattle	100		100	31	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1018	*Corymbia citriodora*	Spotted Gum	230		230	72	16.0	9.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1019	*Corymbia intermedia*	Pink Bloodwood	190		190	60	14.0	8.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1020	*Corymbia intermedia*	Pink Bloodwood	120		120	38	17.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1021	*Corymbia intermedia*	Pink Bloodwood	330		330	104	17.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1022	*Acacia concurrens*	Black Wattle	100		100	31	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1023	*Angophora leiocarpa*	Smooth-barked Apple	490		490	154	19.0	15.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1024	*Angophora leiocarpa*	Smooth-barked Apple	200		200	63	12.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1025	*Angophora leiocarpa*	Smooth-barked Apple	220		220	69	17.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1026	*Eucalyptus tereticornis*	Forest Red Gum	240		240	75	15.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1027	*Corymbia intermedia*	Pink Bloodwood	120		120	38	5.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1028	*Angophora leiocarpa*	Smooth-barked Apple	110		110	35	12.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1029	*Angophora leiocarpa*	Smooth-barked Apple	260		260	82	18.0	15.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1030	*Corymbia intermedia*	Pink Bloodwood	150	100	180	57	17.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1031	*Corymbia intermedia*	Pink Bloodwood	100		100	31	15.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1032	*Corymbia intermedia*	Pink Bloodwood	140		140	44	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1033	*Corymbia intermedia*	Pink Bloodwood	160		160	50	15.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1034	*Eucalyptus crebra*	Narrow-leaved Ironbark	440		440	138	18.0	15.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1035	*Corymbia intermedia*	Pink Bloodwood	150		150	47	16.0	8.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1036	*Eucalyptus crebra*	Narrow-leaved Ironbark	130		130	41	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1037	*Angophora leiocarpa*	Smooth-barked Apple	150		150	47	9.0	1.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1038	*Corymbia intermedia*	Pink Bloodwood	320		320	101	17.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1039	*Eucalyptus tereticornis*	Forest Red Gum	360		360	113	18.0	12.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1040	*Corymbia intermedia*	Pink Bloodwood	350		350	110	17.0	14.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1041	*Corymbia intermedia*	Pink Bloodwood	220		220	69	15.0	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1042	*Corymbia intermedia*	Pink Bloodwood	260		260	82	17.0	9.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1043	*Eucalyptus crebra*	Narrow-leaved Ironbark	100		100	31	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1044	*Corymbia intermedia*	Pink Bloodwood	200		200	63	17.0	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1045	*Corymbia intermedia*	Pink Bloodwood	120		120	38	12.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1046	*Corymbia intermedia*	Pink Bloodwood	140		140	44	13.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1047	*Eucalyptus crebra*	Narrow-leaved Ironbark	190		190	60	9.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1048	*Corymbia intermedia*	Pink Bloodwood	320		320	101	17.0	9.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1049	*Corymbia intermedia*	Pink Bloodwood	170		170	53	15.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1050	*Corymbia intermedia*	Pink Bloodwood	210		210	66	17.0	9.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
1051	*Corymbia intermedia*	Pink Bloodwood	100		100	31	12.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1052	*Corymbia intermedia*	Pink Bloodwood	120		120	38	12.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1053	*Corymbia intermedia*	Pink Bloodwood	270		270	85	17.0	9.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1054	*Lophostemon suaveolens*	Swamp Box	170		170	53	15.0	10.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1055	*Corymbia intermedia*	Pink Bloodwood	140		140	44	8.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1056	*Corymbia intermedia*	Pink Bloodwood	210		210	66	12.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1057	*Lophostemon suaveolens*	Swamp Box	200		200	63	15.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1058	*Lophostemon confertus*	Brush Box	150		150	47	9.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1059	*Lophostemon suaveolens*	Swamp Box	140		140	44	8.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1060	*Lophostemon suaveolens*	Swamp Box	180		180	57	10.0	1.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1061	*Lophostemon suaveolens*	Swamp Box	200		200	63	13.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1062	*Lophostemon suaveolens*	Swamp Box	200		200	63	12.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1063	*Lophostemon suaveolens*	Swamp Box	150		150	47	8.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1064	*Lophostemon suaveolens*	Swamp Box	200		200	63	15.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1065	*Lophostemon suaveolens*	Swamp Box	230		230	72	12.0	2.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1066	*Lophostemon suaveolens*	Swamp Box	110		110	35	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1067	*Angophora leiocarpa*	Smooth-barked Apple	410		410	129	18.0	16.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1068	*Corymbia intermedia*	Pink Bloodwood	100		100	31	12.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1069	*Corymbia intermedia*	Pink Bloodwood	120		120	38	10.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1070	*Corymbia intermedia*	Pink Bloodwood	120		120	38	12.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1071	*Corymbia intermedia*	Pink Bloodwood	120		120	38	11.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1072	*Corymbia intermedia*	Pink Bloodwood	100		100	31	12.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1073	*Corymbia intermedia*	Pink Bloodwood	120		120	38	12.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1074	*Corymbia intermedia*	Pink Bloodwood	160		160	50	12.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1075	*Lophostemon suaveolens*	Swamp Box	180		180	57	12.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1076	*Lophostemon suaveolens*	Swamp Box	140		140	44	10.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1077	*Corymbia intermedia*	Pink Bloodwood	220		220	69	12.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1078	*Corymbia intermedia*	Pink Bloodwood	310		310	97	18.0	15.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1079	*Corymbia intermedia*	Pink Bloodwood	200		200	63	18.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1080	*Eucalyptus tereticornis*	Forest Red Gum	180		180	57	16.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1081	*Corymbia intermedia*	Pink Bloodwood	110		110	35	11.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1082	*Corymbia intermedia*	Pink Bloodwood	130		130	41	8.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1083	*Corymbia intermedia*	Pink Bloodwood	300		300	94	17.0	15.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1084	*Corymbia intermedia*	Pink Bloodwood	200		200	63	12.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
1085	*Eucalyptus tereticornis*	Forest Red Gum	300		300	94	18.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1086	*Corymbia intermedia*	Pink Bloodwood	800		800	251	12.0	2.0	9.6	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1087	*Corymbia intermedia*	Pink Bloodwood	100		100	31	10.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1088	*Corymbia intermedia*	Pink Bloodwood	140		140	44	8.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1089	*Lophostemon suaveolens*	Swamp Box	270		270	85	15.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1090	*Lophostemon suaveolens*	Swamp Box	230		230	72	17.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1091	*Corymbia intermedia*	Pink Bloodwood	330		330	104	17.0	14.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1092	*Corymbia intermedia*	Pink Bloodwood	170		170	53	8.0	1.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1093	*Lophostemon suaveolens*	Swamp Box	100		100	31	6.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1094	*Lophostemon suaveolens*	Swamp Box	160		160	50	6.0	1.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1095	*Lophostemon suaveolens*	Swamp Box	230		230	72	9.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1096	*Lophostemon suaveolens*	Swamp Box	140		140	44	8.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1097	*Lophostemon suaveolens*	Swamp Box	220		220	69	15.0	9.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1098	*Lophostemon suaveolens*	Swamp Box	190		190	60	10.0	2.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1099	*Corymbia intermedia*	Pink Bloodwood	100		100	31	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1100	*Corymbia intermedia*	Pink Bloodwood	140		140	44	12.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1101	*Corymbia intermedia*	Pink Bloodwood	100		100	31	8.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1102	*Corymbia intermedia*	Pink Bloodwood	230		230	72	16.0	12.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1103	*Corymbia intermedia*	Pink Bloodwood	290	150	326	103	18.0	15.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1104	*Corymbia intermedia*	Pink Bloodwood	220		220	69	12.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1105	*Corymbia intermedia*	Pink Bloodwood	370		370	116	18.0	15.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1106	*Corymbia intermedia*	Pink Bloodwood	330	220	397	125	18.0	15.0	4.8	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1107	*Corymbia intermedia*	Pink Bloodwood	440		440	138	9.0	4.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1108	*Lophostemon suaveolens*	Swamp Box	210		210	66	12.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1109	*Lophostemon suaveolens*	Swamp Box	160		160	50	12.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1110	*Eucalyptus tereticornis*	Forest Red Gum	420		420	132	19.0	15.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1111	*Lophostemon suaveolens*	Swamp Box	200		200	63	12.0	2.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1112	*Angophora leiocarpa*	Smooth-barked Apple	120		120	38	14.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1113	*Lophostemon suaveolens*	Swamp Box	220	120	251	79	15.0	9.0	3.0	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1114	*Lophostemon suaveolens*	Swamp Box	100		100	31	9.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1115	*Angophora leiocarpa*	Smooth-barked Apple	110		110	35	8.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1116	*Corymbia intermedia*	Pink Bloodwood	220		220	69	16.0	9.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1117	*Corymbia intermedia*	Pink Bloodwood	240		240	75	17.0	12.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1118	*Corymbia intermedia*	Pink Bloodwood	260		260	82	17.0	12.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1119	*Corymbia intermedia*	Pink Bloodwood	100	80	128	40	8.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1120	*Eucalyptus tereticornis*	Forest Red Gum	280		280	88	8.0	1.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1121	*Angophora leiocarpa*	Smooth-barked Apple	290		290	91	18.0	15.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1122	*Angophora leiocarpa*	Smooth-barked Apple	120		120	38	15.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1123	*Corymbia intermedia*	Pink Bloodwood	220		220	69	17.0	9.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1124	*Angophora leiocarpa*	Smooth-barked Apple	280		280	88	18.0	9.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1125	*Eucalyptus tereticornis*	Forest Red Gum	300		300	94	17.0	14.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1126	*Corymbia intermedia*	Pink Bloodwood	200		200	63	10.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1127	*Corymbia citriodora*	Spotted Gum	490		490	154	19.0	17.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1128	*Lophostemon suaveolens*	Swamp Box	230	220	318	100	12.0	4.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1129	*Lophostemon suaveolens*	Swamp Box	230	200	305	96	10.0	2.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1130	*Lophostemon suaveolens*	Swamp Box	230		230	72	10.0	2.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1131	*Eucalyptus tereticornis*	Forest Red Gum	120		120	38	14.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
1132	*Eucalyptus tereticornis*	Forest Red Gum	130		130	41	15.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1133	*Corymbia intermedia*	Pink Bloodwood	130		130	41	14.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1134	*Angophora leiocarpa*	Smooth-barked Apple	110		110	35	14.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1135	*Corymbia intermedia*	Pink Bloodwood	140		140	44	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1136	*Corymbia intermedia*	Pink Bloodwood	120		120	38	15.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1137	*Corymbia intermedia*	Pink Bloodwood	130		130	41	12.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1138	*Angophora leiocarpa*	Smooth-barked Apple	120		120	38	12.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1139	*Lophostemon suaveolens*	Swamp Box	210	230 220	381	120	14.0	9.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1140	*Lophostemon suaveolens*	Swamp Box	150		150	47	13.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1141	*Lophostemon suaveolens*	Swamp Box	230		230	72	12.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1142	*Corymbia intermedia*	Pink Bloodwood	230		230	72	15.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1143	*Lophostemon suaveolens*	Swamp Box	200	160	256	80	12.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1144	*Lophostemon suaveolens*	Swamp Box	210	130	247	78	13.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1145	*Lophostemon suaveolens*	Swamp Box	230	180	292	92	15.0	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1146	*Lophostemon suaveolens*	Swamp Box	230	120	259	81	12.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1147	*Corymbia intermedia*	Pink Bloodwood	380		380	119	18.0	15.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1148	*Lophostemon suaveolens*	Swamp Box	200		200	63	16.0	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1149	*Lophostemon suaveolens*	Swamp Box	110		110	35	6.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1150	*Corymbia intermedia*	Pink Bloodwood	330		330	104	16.0	9.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1151	*Corymbia intermedia*	Pink Bloodwood	320		320	101	17.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1152	*Eucalyptus tereticornis*	Forest Red Gum	290	270	396	124	18.0	15.0	4.8	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1153	*Lophostemon suaveolens*	Swamp Box	150		150	47	12.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1154	*Lophostemon suaveolens*	Swamp Box	120		120	38	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1155	*Corymbia citriodora*	Spotted Gum	140		140	44	14.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1156	*Lophostemon suaveolens*	Swamp Box	120		120	38	12.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1157	*Eucalyptus tereticornis*	Forest Red Gum	130		130	41	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1158	*Corymbia intermedia*	Pink Bloodwood	200		200	63	12.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1159	*Corymbia intermedia*	Pink Bloodwood	420		420	132	19.0	15.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1160	*Lophostemon suaveolens*	Swamp Box	190	150	242	76	15.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1161	*Lophostemon suaveolens*	Swamp Box	120		120	38	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1162	*Lophostemon suaveolens*	Swamp Box	190		190	60	10.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1163	*Lophostemon suaveolens*	Swamp Box	160		160	50	8.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1164	*Lophostemon suaveolens*	Swamp Box	100		100	31	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1165	*Lophostemon suaveolens*	Swamp Box	210		210	66	12.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1166	*Lophostemon suaveolens*	Swamp Box	130		130	41	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1167	*Lophostemon suaveolens*	Swamp Box	230		230	72	12.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1168	*Lophostemon suaveolens*	Swamp Box	190		190	60	12.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1169	*Lophostemon suaveolens*	Swamp Box	130		130	41	12.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1170	*Lophostemon suaveolens*	Swamp Box	200		200	63	12.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1171	*Lophostemon suaveolens*	Swamp Box	220		220	69	18.0	15.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1172	*Lophostemon suaveolens*	Swamp Box	120	50	130	41	10.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1173	*Lophostemon suaveolens*	Swamp Box	130	60	143	45	12.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1174	*Angophora leiocarpa*	Smooth-barked Apple	250		250	79	17.0	9.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1175	*Angophora leiocarpa*	Smooth-barked Apple	690		690	217	20.0	18.0	8.3	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1176	*Eucalyptus tereticornis*	Forest Red Gum	270		270	85	17.0	12.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1177	*Corymbia intermedia*	Pink Bloodwood	100		100	31	12.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1178	*Angophora leiocarpa*	Smooth-barked Apple	160		160	50	15.0	8.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1179	*Angophora leiocarpa*	Smooth-barked Apple	140		140	44	16.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1180	*Corymbia intermedia*	Pink Bloodwood	120		120	38	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1181	*Angophora leiocarpa*	Smooth-barked Apple	180		180	57	17.0	9.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1182	*Corymbia intermedia*	Pink Bloodwood	140		140	44	12.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1183	*Corymbia intermedia*	Pink Bloodwood	100		100	31	8.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1184	*Corymbia intermedia*	Pink Bloodwood	120		120	38	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1185	*Corymbia intermedia*	Pink Bloodwood	160		160	50	12.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1186	*Corymbia intermedia*	Pink Bloodwood	180		180	57	12.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1187	*Eucalyptus tereticornis*	Forest Red Gum	260		260	82	17.0	14.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1188	*Acacia concurrens*	Black Wattle	110		110	35	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1189	*Eucalyptus tereticornis*	Forest Red Gum	350		350	110	18.0	16.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1190	*Corymbia intermedia*	Pink Bloodwood	170		170	53	17.0	9.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1191	*Corymbia intermedia*	Pink Bloodwood	170		170	53	16.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1192	*Corymbia intermedia*	Pink Bloodwood	160		160	50	9.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1193	*Lophostemon suaveolens*	Swamp Box	100		100	31	9.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1194	*Corymbia intermedia*	Pink Bloodwood	150		150	47	10.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1195	*Corymbia intermedia*	Pink Bloodwood	120		120	38	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
1196	*Lophostemon suaveolens*	Swamp Box	130		130	41	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1197	*Corymbia intermedia*	Pink Bloodwood	370		370	116	18.0	15.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1198	*Corymbia intermedia*	Pink Bloodwood	100		100	31	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1199	*Angophora leiocarpa*	Smooth-barked Apple	230		230	72	17.0	14.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1200	*Corymbia intermedia*	Pink Bloodwood	230		230	72	14.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1201	*Corymbia intermedia*	Pink Bloodwood	150		150	47	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1202	*Eucalyptus tereticornis*	Forest Red Gum	200		200	63	16.0	9.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1203	*Corymbia intermedia*	Pink Bloodwood	170		170	53	12.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1204	*Lophostemon suaveolens*	Swamp Box	150		150	47	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1205	*Lophostemon suaveolens*	Swamp Box	100		100	31	12.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1206	*Angophora leiocarpa*	Smooth-barked Apple	210		210	66	15.0	8.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1207	*Lophostemon suaveolens*	Swamp Box	160		160	50	8.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1208	*Lophostemon suaveolens*	Swamp Box	100		100	31	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1209	*Corymbia intermedia*	Pink Bloodwood	250		250	79	16.0	9.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1210	*Lophostemon suaveolens*	Swamp Box	160		160	50	12.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1211	*Lophostemon suaveolens*	Swamp Box	240		240	75	12.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1212	*Lophostemon suaveolens*	Swamp Box	220		220	69	13.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
1213	*Lophostemon suaveolens*	Swamp Box	170	150	227	71	10.0	8.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1214	*Corymbia intermedia*	Pink Bloodwood	160		160	50	8.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1215	*Banksia integrifolia*	Coastal Banksia	180	80	197	62	9.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1216	*Corymbia intermedia*	Pink Bloodwood	108	80	134	42	8.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1217	*Corymbia citriodora*	Spotted Gum	290		290	91	11.0	9.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1218	*Corymbia citriodora*	Spotted Gum	210		210	66	12.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1219	*Corymbia citriodora*	Spotted Gum	110		110	35	6.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1220	*Lophostemon suaveolens*	Swamp Box	150		150	47	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1221	*Lophostemon suaveolens*	Swamp Box	150		150	47	5.0	3.0	2.0	1.5	Regular	-	-	-	-	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1222	*Eucalyptus tereticornis*	Forest Red Gum	170		170	53	9.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1223	*Lophostemon suaveolens*	Swamp Box	160	190	248	78	8.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1224	*Lophostemon suaveolens*	Swamp Box	160		160	50	8.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1225	*Corymbia intermedia*	Pink Bloodwood	180		180	57	12.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1226	*Corymbia intermedia*	Pink Bloodwood	310	220	380	119	14.0	7.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1227	*Lophostemon suaveolens*	Swamp Box	180		180	57	8.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1228	*Lophostemon suaveolens*	Swamp Box	250	160	297	93	13.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1229	*Angophora leiocarpa*	Smooth-barked Apple	250		250	79	15.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1230	*Dead/Stag*		140		140	44	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1231	*Corymbia intermedia*	Pink Bloodwood	200		200	63	14.0	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1232	*Angophora leiocarpa*	Smooth-barked Apple	300		300	94	15.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1233	*Angophora leiocarpa*	Smooth-barked Apple	100		100	31	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1234	*Lophostemon suaveolens*	Swamp Box	210		210	66	8.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1235	*Lophostemon suaveolens*	Swamp Box	180		180	57	6.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1236	*Lophostemon suaveolens*	Swamp Box	160		160	50	7.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1237	*Lophostemon suaveolens*	Swamp Box	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1238	*Lophostemon suaveolens*	Swamp Box	150	150	212	67	11.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1239	*Lophostemon suaveolens*	Swamp Box	240	150	283	89	11.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1240	*Lophostemon suaveolens*	Swamp Box	140		140	44	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1241	*Corymbia intermedia*	Pink Bloodwood	130		130	41	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1242	*Corymbia intermedia*	Pink Bloodwood	220		220	69	13.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1243	*Lophostemon suaveolens*	Swamp Box	110		110	35	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1244	*Eucalyptus tereticornis*	Forest Red Gum	130		130	41	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1245	*Lophostemon confertus*	Brush Box	210		210	66	14.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1246	*Lophostemon suaveolens*	Swamp Box	140		140	44	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1247	*Corymbia intermedia*	Pink Bloodwood	328	220	395	124	19.0	12.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1248	*Corymbia intermedia*	Pink Bloodwood	140		140	44	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1249	*Lophostemon suaveolens*	Swamp Box	130	100	164	52	8.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1250	*Corymbia intermedia*	Pink Bloodwood	100		100	31	9.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1251	*Eucalyptus tereticornis*	Forest Red Gum	120		120	38	6.0	4.0	2.0	1.4	Regular	-	-	-	-	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1252	*Lophostemon suaveolens*	Swamp Box	120		120	38	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1253	*Lophostemon suaveolens*	Swamp Box	120		120	38	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
1254	*Lophostemon suaveolens*	Swamp Box	150		150	47	11.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1255	*Lophostemon suaveolens*	Swamp Box	110		110	35	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1256	*Lophostemon suaveolens*	Swamp Box	150		150	47	7.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1257	*Lophostemon suaveolens*	Swamp Box	130		130	41	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1258	*Lophostemon suaveolens*	Swamp Box	140		140	44	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1259	*Eucalyptus tereticornis*	Forest Red Gum	130		130	41	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1260	*Lophostemon suaveolens*	Swamp Box	150		150	47	9.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1261	*Angophora leiocarpa*	Smooth-barked Apple	160		160	50	8.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1262	*Corymbia intermedia*	Pink Bloodwood	210		210	66	9.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1263	*Lophostemon suaveolens*	Swamp Box	150		150	47	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1264	*Corymbia intermedia*	Pink Bloodwood	180		180	57	9.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1265	*Angophora leiocarpa*	Smooth-barked Apple	260		260	82	15.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1266	*Eucalyptus tereticornis*	Forest Red Gum	470		470	148	18.0	13.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1267	*Corymbia intermedia*	Pink Bloodwood	160		160	50	7.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1268	*Lophostemon suaveolens*	Swamp Box	130		130	41	5.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1269	*Lophostemon suaveolens*	Swamp Box	120		120	38	4.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1270	*Corymbia intermedia*	Pink Bloodwood	100		100	31	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1271	*Corymbia intermedia*	Pink Bloodwood	140		140	44	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1272	*Corymbia intermedia*	Pink Bloodwood	120		120	38	12.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1273	*Angophora leiocarpa*	Smooth-barked Apple	160		160	50	13.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
1274	*Lophostemon suaveolens*	Swamp Box	110		110	35	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1275	*Lophostemon suaveolens*	Swamp Box	190		190	60	13.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1276	*Lophostemon suaveolens*	Swamp Box	130		130	41	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1277	*Corymbia intermedia*	Pink Bloodwood	120		120	38	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1278	*Lophostemon suaveolens*	Swamp Box	180		180	57	7.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1279	*Lophostemon suaveolens*	Swamp Box	200		200	63	9.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1280	*Lophostemon suaveolens*	Swamp Box	130		130	41	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1281	*Lophostemon suaveolens*	Swamp Box	130		130	41	4.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1282	*Angophora leiocarpa*	Smooth-barked Apple	160		160	50	9.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1283	*Corymbia intermedia*	Pink Bloodwood	160		160	50	11.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1284	*Corymbia intermedia*	Pink Bloodwood	160		160	50	8.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1285	*Lophostemon suaveolens*	Swamp Box	110		110	35	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1286	*Lophostemon suaveolens*	Swamp Box	120		120	38	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1287	*Corymbia intermedia*	Pink Bloodwood	230		230	72	13.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1288	*Corymbia intermedia*	Pink Bloodwood	260		260	82	8.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1289	*Corymbia intermedia*	Pink Bloodwood	150		150	47	8.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1290	*Lophostemon suaveolens*	Swamp Box	140		140	44	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1291	*Corymbia intermedia*	Pink Bloodwood	110		110	35	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1292	*Corymbia intermedia*	Pink Bloodwood	110		110	35	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
1293	*Corymbia intermedia*	Pink Bloodwood	100		100	31	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
1294	*Corymbia intermedia*	Pink Bloodwood	130	100	164	52	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
1295	*Corymbia intermedia*	Pink Bloodwood	200		200	63	9.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
1296	*Corymbia intermedia*	Pink Bloodwood	120		120	38	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
1297	*Corymbia intermedia*	Pink Bloodwood	170		170	53	11.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
1298	*Lophostemon suaveolens*	Swamp Box	100		100	31	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
1299	*Lophostemon suaveolens*	Swamp Box	190		190	60	11.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
1300	*Corymbia intermedia*	Pink Bloodwood	130		130	41	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
1301	*Corymbia intermedia*	Pink Bloodwood	130		130	41	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
1302	*Corymbia intermedia*	Pink Bloodwood	180		180	57	8.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
1303	*Lophostemon suaveolens*	Swamp Box	130		130	41	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
1304	*Lophostemon suaveolens*	Swamp Box	230	230	325	102	8.0	5.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
1305	*Dead/Stag*		200		200	63	6.0	1.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
1306	*Lophostemon suaveolens*	Swamp Box	130		130	41	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
1307	*Lophostemon suaveolens*	Swamp Box	150		150	47	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
1308	*Lophostemon suaveolens*	Swamp Box	150		150	47	7.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
1309	*Lophostemon suaveolens*	Swamp Box	130		130	41	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
1310	*Lophostemon suaveolens*	Swamp Box	130		130	41	4.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
1311	*Lophostemon suaveolens*	Swamp Box	240	160	288	91	9.0	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
1312	*Lophostemon suaveolens*	Swamp Box	200		200	63	9.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	Tag A145
1313	*Lophostemon suaveolens*	Swamp Box	120		120	38	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
1314	*Lophostemon suaveolens*	Swamp Box	200		200	63	11.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
1315	*Lophostemon suaveolens*	Swamp Box	120		120	38	5.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
1316	*Lophostemon suaveolens*	Swamp Box	140		140	44	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
1317	*Lophostemon suaveolens*	Swamp Box	180		180	57	6.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
1318	*Lophostemon suaveolens*	Swamp Box	130		130	41	5.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
1319	*Lophostemon suaveolens*	Swamp Box	100		100	31	5.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
1320	*Lophostemon suaveolens*	Swamp Box	150		150	47	7.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
1321	*Lophostemon suaveolens*	Swamp Box	100		100	31	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
1322	*Lophostemon suaveolens*	Swamp Box	140		140	44	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
1323	*Eucalyptus tereticornis*	Forest Red Gum	120		120	38	12.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
1324	*Lophostemon suaveolens*	Swamp Box	110		110	35	9.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
1325	*Lophostemon suaveolens*	Swamp Box	100		100	31	6.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
1326	*Lophostemon suaveolens*	Swamp Box	120		120	38	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
1327	*Lophostemon suaveolens*	Swamp Box	120		120	38	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
1328	*Corymbia intermedia*	Pink Bloodwood	120		120	38	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
1329	*Lophostemon suaveolens*	Swamp Box	140		140	44	8.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
1330	*Lophostemon suaveolens*	Swamp Box	140		140	44	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
1331	*Lophostemon suaveolens*	Swamp Box	150		150	47	8.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
1332	*Lophostemon suaveolens*	Swamp Box	150		150	47	7.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
1333	*Lophostemon suaveolens*	Swamp Box	130		130	41	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
1334	*Lophostemon suaveolens*	Swamp Box	180		180	57	6.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
1335	*Eucalyptus tereticornis*	Forest Red Gum	110		110	35	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
1336	*Lophostemon suaveolens*	Swamp Box	120		120	38	5.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
1337	*Lophostemon suaveolens*	Swamp Box	170	150	227	71	10.0	5.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
1338	*Lophostemon suaveolens*	Swamp Box	160		160	50	12.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	Tag A154
1339	*Lophostemon suaveolens*	Swamp Box	140		140	44	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
1340	*Lophostemon suaveolens*	Swamp Box	120		120	38	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
1341	*Lophostemon suaveolens*	Swamp Box	150		150	47	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	Tag A109
1342	*Lophostemon suaveolens*	Swamp Box	160	150	219	69	9.0	5.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	Tag A010
1343	*Lophostemon suaveolens*	Swamp Box	200		200	63	8.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	Tag A121
1344	*Lophostemon suaveolens*	Swamp Box	140		140	44	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1345	*Lophostemon suaveolens*	Swamp Box	120		120	38	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
1346	*Lophostemon suaveolens*	Swamp Box	130		130	41	5.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
1347	*Corymbia intermedia*	Pink Bloodwood	120		120	38	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
1348	*Corymbia intermedia*	Pink Bloodwood	160		160	50	12.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
1349	*Lophostemon suaveolens*	Swamp Box	180		180	57	6.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
1350	*Lophostemon suaveolens*	Swamp Box	130		130	41	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
1351	*Lophostemon suaveolens*	Swamp Box	140	130	191	60	7.0	5.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
1352	*Lophostemon suaveolens*	Swamp Box	140		140	44	6.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
1353	*Lophostemon suaveolens*	Swamp Box	150	140 130	243	76	14.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
1354	*Lophostemon suaveolens*	Swamp Box	150		150	47	7.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
1355	*Lophostemon suaveolens*	Swamp Box	170	130 150	261	82	8.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
1356	*Lophostemon suaveolens*	Swamp Box	140	100 120	210	66	8.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
1357	*Lophostemon suaveolens*	Swamp Box	170		170	53	11.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	A116
1358	*Lophostemon suaveolens*	Swamp Box	150	169	226	71	12.0	6.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1359	*Lophostemon suaveolens*	Swamp Box	180		180	57	7.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	Tag A180
1360	*Lophostemon suaveolens*	Swamp Box	200	150	250	79	13.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1361	*Lophostemon suaveolens*	Swamp Box	180		180	57	11.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1362	*Lophostemon suaveolens*	Swamp Box	190		190	60	8.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1363	*Angophora leiocarpa*	Smooth-barked Apple	270		270	85	16.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
1364	*Angophora leiocarpa*	Smooth-barked Apple	140		140	44	12.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
1365	*Eucalyptus tereticornis*	Forest Red Gum	310		310	97	21.0	10.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1366	*Angophora leiocarpa*	Smooth-barked Apple	170		170	53	14.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1367	*Corymbia intermedia*	Pink Bloodwood	270		270	85	14.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1368	*Corymbia citriodora*	Spotted Gum	210		210	66	18.0	8.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1369	*Angophora leiocarpa*	Smooth-barked Apple	100		100	31	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1370	*Corymbia intermedia*	Pink Bloodwood	120		120	38	17.0	7.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1371	*Corymbia citriodora*	Spotted Gum	170		170	53	18.0	8.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1372	*Corymbia intermedia*	Pink Bloodwood	150		150	47	13.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1373	*Corymbia tessellaris*	Moreton Bay Ash	130	80 80	172	54	14.0	4.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1374	*Dead/Stag*		150		150	47	15.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
1375	*Corymbia intermedia*	Pink Bloodwood	120		120	38	13.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1376	*Corymbia intermedia*	Pink Bloodwood	190		190	60	16.0	7.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1377	*Corymbia intermedia*	Pink Bloodwood	220		220	69	15.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
1378	*Lophostemon suaveolens*	Swamp Box	180		180	57	16.0	7.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
1379	*Corymbia intermedia*	Pink Bloodwood	210		210	66	15.0	8.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1380	*Corymbia intermedia*	Pink Bloodwood	150		150	47	13.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1381	*Corymbia intermedia*	Pink Bloodwood	180		180	57	17.0	8.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1382	*Acacia disparrima*	Hickory Wattle	130	120	177	56	13.0	6.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1383	*Corymbia intermedia*	Pink Bloodwood	170		170	53	15.0	7.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1384	*Corymbia intermedia*	Pink Bloodwood	410		410	129	18.0	9.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
1385	*Eucalyptus tereticornis*	Forest Red Gum	260		260	82	22.0	11.0	3.1	1.9	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1386	*Lophostemon suaveolens*	Swamp Box	120		120	38	11.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
1387	*Corymbia intermedia*	Pink Bloodwood	160		160	50	14.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
1388	*Corymbia intermedia*	Pink Bloodwood	130	70	148	46	14.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
1389	*Eucalyptus tereticornis*	Forest Red Gum	260		260	82	20.0	9.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
1390	*Eucalyptus tereticornis*	Forest Red Gum	220		220	69	18.0	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1391	*Eucalyptus tereticornis*	Forest Red Gum	210		210	66	22.0	12.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1392	*Acacia disparrima*	Hickory Wattle	100		100	31	6.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1393	*Corymbia intermedia*	Pink Bloodwood	190		190	60	18.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1394	*Corymbia intermedia*	Pink Bloodwood	190		190	60	15.0	7.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1395	*Eucalyptus tereticornis*	Forest Red Gum	200		200	63	18.0	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
1396	*Corymbia intermedia*	Pink Bloodwood	190		190	60	16.0	8.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1397	*Lophostemon suaveolens*	Swamp Box	100		100	31	9.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1398	*Corymbia intermedia*	Pink Bloodwood	300		300	94	20.0	11.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1399	*Corymbia intermedia*	Pink Bloodwood	120		120	38	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1400	*Eucalyptus tereticornis*	Forest Red Gum	170		170	53	18.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1401	*Eucalyptus tereticornis*	Forest Red Gum	200		200	63	15.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1402	*Allocasuarina littoralis*	Black She-oak	110		110	35	8.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1403	*Eucalyptus tereticornis*	Forest Red Gum	160		160	50	16.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1404	*Lophostemon suaveolens*	Swamp Box	120		120	38	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1405	*Corymbia intermedia*	Pink Bloodwood	240		240	75	19.0	9.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1406	*Eucalyptus tereticornis*	Forest Red Gum	230		230	72	16.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1407	*Allocasuarina littoralis*	Black She-oak	150		150	47	10.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1408	*Corymbia intermedia*	Pink Bloodwood	310		310	97	16.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1409	*Eucalyptus tereticornis*	Forest Red Gum	290		290	91	18.0	9.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1410	*Allocasuarina littoralis*	Black She-oak	150		150	47	10.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1411	*Corymbia citriodora*	Spotted Gum	170		170	53	12.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1412	*Acacia disparrima*	Hickory Wattle	100		100	31	8.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1413	*Acacia disparrima*	Hickory Wattle	110		110	35	8.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1414	*Corymbia intermedia*	Pink Bloodwood	190		190	60	18.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1415	*Allocasuarina littoralis*	Black She-oak	110		110	35	10.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1416	*Angophora subvelutina*	Broad-leaved Apple	140	120 90	205	64	9.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1417	*Eucalyptus tereticornis*	Forest Red Gum	420		420	132	18.0	10.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1418	*Corymbia citriodora*	Spotted Gum	110		110	35	5.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1419	*Corymbia intermedia*	Pink Bloodwood	320		320	101	14.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1420	*Acacia disparrima*	Hickory Wattle	160	130	206	65	10.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1421	*Corymbia intermedia*	Pink Bloodwood	100		100	31	9.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1422	*Acacia disparrima*	Hickory Wattle	120		120	38	5.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1423	*Dead/Stag*		140		140	44	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1424	*Corymbia tessellaris*	Moreton Bay Ash	160		160	50	11.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1425	*Acacia disparrima*	Hickory Wattle	130	60	143	45	9.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1426	*Corymbia intermedia*	Pink Bloodwood	450		450	141	22.0	11.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1427	*Lophostemon suaveolens*	Swamp Box	140		140	44	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1428	*Lophostemon suaveolens*	Swamp Box	210		210	66	16.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
1429	*Corymbia citriodora*	Spotted Gum	330		330	104	22.0	9.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1430	*Acacia disparrima*	Hickory Wattle	170		170	53	10.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1431	*Lophostemon suaveolens*	Swamp Box	230		230	72	9.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1432	*Lophostemon suaveolens*	Swamp Box	130		130	41	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
1433	*Eucalyptus tereticornis*	Forest Red Gum	330		330	104	20.0	11.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1434	*Corymbia intermedia*	Pink Bloodwood	280		280	88	18.0	8.0	3.4	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1435	*Acacia disparrima*	Hickory Wattle	130		130	41	6.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1436	*Corymbia citriodora*	Spotted Gum	200		200	63	18.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1437	*Petalostigma pubescens*	Quinine Bush	100	70	122	38	5.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1438	*Corymbia intermedia*	Pink Bloodwood	250	230 150	371	117	20.0	12.0	4.5	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1439	*Corymbia citriodora*	Spotted Gum	150		150	47	18.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1440	*Corymbia intermedia*	Pink Bloodwood	180		180	57	9.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1441	*Eucalyptus tereticornis*	Forest Red Gum	630		630	198	23.0	13.0	7.6	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1442	*Petalostigma pubescens*	Quinine Bush	100	50 40	119	37	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1443	*Lophostemon suaveolens*	Swamp Box	180		180	57	8.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1444	*Corymbia intermedia*	Pink Bloodwood	108		108	34	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1445	*Corymbia intermedia*	Pink Bloodwood	110		110	35	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1446	*Lophostemon suaveolens*	Swamp Box	150		150	47	9.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1447	*Lophostemon suaveolens*	Swamp Box	160		160	50	9.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1448	*Lophostemon suaveolens*	Swamp Box	210		210	66	10.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1449	*Lophostemon suaveolens*	Swamp Box	160		160	50	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1450	*Lophostemon suaveolens*	Swamp Box	170		170	53	15.0	7.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1451	*Lophostemon suaveolens*	Swamp Box	100		100	31	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1452	*Corymbia intermedia*	Pink Bloodwood	280		280	88	19.0	11.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1453	*Corymbia intermedia*	Pink Bloodwood	230	210	311	98	20.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1454	*Lophostemon suaveolens*	Swamp Box	170		170	53	14.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1455	*Corymbia intermedia*	Pink Bloodwood	110		110	35	12.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
1456	*Corymbia intermedia*	Pink Bloodwood	260		260	82	16.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1457	*Lophostemon suaveolens*	Swamp Box	160		160	50	7.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1458	*Lophostemon suaveolens*	Swamp Box	160		160	50	12.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1459	*Corymbia intermedia*	Pink Bloodwood	320		320	101	18.0	13.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1460	*Eucalyptus tereticornis*	Forest Red Gum	430		430	135	19.0	7.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1461	*Eucalyptus tereticornis*	Forest Red Gum	400	250	472	148	20.0	13.0	5.7	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1462	*Corymbia intermedia*	Pink Bloodwood	260		260	82	15.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1463	*Eucalyptus tereticornis*	Forest Red Gum	430		430	135	23.0	10.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1464	*Lophostemon suaveolens*	Swamp Box	150		150	47	10.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1465	*Corymbia intermedia*	Pink Bloodwood	110		110	35	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1466	*Acacia disparrima*	Hickory Wattle	100	60	117	37	8.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1467	*Corymbia intermedia*	Pink Bloodwood	200		200	63	18.0	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1468	*Corymbia intermedia*	Pink Bloodwood	190		190	60	14.0	8.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1469	*Eucalyptus tereticornis*	Forest Red Gum	240		240	75	17.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1470	*Eucalyptus tereticornis*	Forest Red Gum	250		250	79	18.0	7.0	3.0	1.8	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1471	*Lophostemon suaveolens*	Swamp Box	130		130	41	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
1472	*Eucalyptus tereticornis*	Forest Red Gum	260		260	82	17.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
1473	*Eucalyptus tereticornis*	Forest Red Gum	250		250	79	18.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
1474	*Lophostemon suaveolens*	Swamp Box	100		100	31	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
1475	*Corymbia intermedia*	Pink Bloodwood	240	140	278	87	19.0	8.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1476	*Eucalyptus tereticornis*	Forest Red Gum	330		330	104	18.0	9.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1477	*Lophostemon suaveolens*	Swamp Box	110		110	35	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1478	*Corymbia intermedia*	Pink Bloodwood	100		100	31	8.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1479	*Corymbia intermedia*	Pink Bloodwood	430		430	135	19.0	12.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1480	*Lophostemon suaveolens*	Swamp Box	130		130	41	13.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1481	*Eucalyptus tereticornis*	Forest Red Gum	370		370	116	21.0	10.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1482	*Corymbia intermedia*	Pink Bloodwood	190		190	60	18.0	7.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1483	*Corymbia intermedia*	Pink Bloodwood	200		200	63	16.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1484	*Corymbia tessellaris*	Moreton Bay Ash	140		140	44	11.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1485	*Corymbia intermedia*	Pink Bloodwood	370		370	116	20.0	11.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1486	*Eucalyptus tereticornis*	Forest Red Gum	380		380	119	22.0	9.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1487	*Corymbia intermedia*	Pink Bloodwood	240		240	75	16.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1488	*Corymbia intermedia*	Pink Bloodwood	168		168	53	14.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1489	*Corymbia intermedia*	Pink Bloodwood	240		240	75	17.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1490	*Lophostemon suaveolens*	Swamp Box	230		230	72	16.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1491	*Eucalyptus tereticornis*	Forest Red Gum	120		120	38	14.0	7.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1492	*Eucalyptus tereticornis*	Forest Red Gum	100		100	31	15.0	4.0	2.0	1.3	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1493	*Corymbia intermedia*	Pink Bloodwood	130		130	41	15.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1494	*Corymbia intermedia*	Pink Bloodwood	110		110	35	12.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1495	*Eucalyptus tereticornis*	Forest Red Gum	100		100	31	11.0	2.0	2.0	1.3	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1496	*Corymbia intermedia*	Pink Bloodwood	180		180	57	16.0	8.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1497	*Eucalyptus tereticornis*	Forest Red Gum	140		140	44	11.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1498	*Corymbia intermedia*	Pink Bloodwood	400		400	126	19.0	9.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1499	*Eucalyptus tereticornis*	Forest Red Gum	460		460	145	22.0	10.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1500	*Corymbia intermedia*	Pink Bloodwood	500		500	157	20.0	14.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1501	*Corymbia citriodora*	Spotted Gum	180		180	57	14.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1502	*Corymbia intermedia*	Pink Bloodwood	210		210	66	14.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1503	*Corymbia tessellaris*	Moreton Bay Ash	340	140	368	116	19.0	8.0	4.4	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1504	*Corymbia intermedia*	Pink Bloodwood	360		360	113	20.0	12.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1505	*Corymbia intermedia*	Pink Bloodwood	200		200	63	13.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1506	*Corymbia intermedia*	Pink Bloodwood	230		230	72	14.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1507	*Corymbia intermedia*	Pink Bloodwood	110		110	35	10.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1508	*Lophostemon suaveolens*	Swamp Box	170		170	53	8.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1509	*Eucalyptus tereticornis*	Forest Red Gum	180		180	57	18.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1510	*Lophostemon suaveolens*	Swamp Box	230		230	72	14.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1511	*Eucalyptus crebra*	Narrow-leaved Ironbark	380		380	119	22.0	11.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1512	*Corymbia intermedia*	Pink Bloodwood	320	230 210	447	140	21.0	11.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1513	*Corymbia intermedia*	Pink Bloodwood	200		200	63	8.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1514	*Corymbia intermedia*	Pink Bloodwood	330		330	104	19.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1515	*Eucalyptus tereticornis*	Forest Red Gum	250		250	79	16.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1516	*Corymbia intermedia*	Pink Bloodwood	230		230	72	12.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1517	*Corymbia intermedia*	Pink Bloodwood	330		330	104	19.0	10.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1518	*Eucalyptus tereticornis*	Forest Red Gum	270		270	85	12.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Remove	
1519	*Corymbia intermedia*	Pink Bloodwood	130		130	41	12.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1520	*Corymbia intermedia*	Pink Bloodwood	410		410	129	15.0	10.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1521	*Eucalyptus tereticornis*	Forest Red Gum	350		350	110	18.0	9.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1522	*Corymbia citriodora*	Spotted Gum	170		170	53	15.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1523	*Corymbia intermedia*	Pink Bloodwood	190		190	60	14.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1524	*Corymbia intermedia*	Pink Bloodwood	210		210	66	16.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1525	*Eucalyptus tereticornis*	Forest Red Gum	230		230	72	16.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1526	*Corymbia intermedia*	Pink Bloodwood	200		200	63	13.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1527	*Corymbia intermedia*	Pink Bloodwood	160		160	50	11.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1528	*Dead/Stag*		180		180	57	11.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1529	*Corymbia intermedia*	Pink Bloodwood	190		190	60	14.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1530	*Lophostemon suaveolens*	Swamp Box	240		240	75	15.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1531	*Lophostemon suaveolens*	Swamp Box	120		120	38	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1532	*Lophostemon suaveolens*	Swamp Box	200		200	63	13.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1533	*Eucalyptus tereticornis*	Forest Red Gum	220		220	69	14.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1534	*Corymbia citriodora*	Spotted Gum	130		130	41	11.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1535	*Corymbia intermedia*	Pink Bloodwood	130		130	41	13.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1536	*Lophostemon suaveolens*	Swamp Box	200		200	63	10.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
1537	*Lophostemon suaveolens*	Swamp Box	160		160	50	9.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1538	*Lophostemon suaveolens*	Swamp Box	140		140	44	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1539	*Lophostemon suaveolens*	Swamp Box	130		130	41	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1540	*Lophostemon suaveolens*	Swamp Box	110		110	35	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1541	*Lophostemon suaveolens*	Swamp Box	250		250	79	14.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1542	*Corymbia citriodora*	Spotted Gum	210		210	66	14.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1543	*Eucalyptus tereticornis*	Forest Red Gum	370		370	116	20.0	11.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1544	*Corymbia intermedia*	Pink Bloodwood	430		430	135	20.0	10.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1545	*Corymbia citriodora*	Spotted Gum	100		100	31	12.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1546	*Eucalyptus tereticornis*	Forest Red Gum	280		280	88	20.0	8.0	3.4	1.9	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1547	*Lophostemon suaveolens*	Swamp Box	310		310	97	18.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1548	*Lophostemon suaveolens*	Swamp Box	240		240	75	15.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1549	*Lophostemon suaveolens*	Swamp Box	200		200	63	12.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1550	*Corymbia citriodora*	Spotted Gum	180		180	57	8.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1551	*Corymbia citriodora*	Spotted Gum	340		340	107	18.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1552	*Lophostemon suaveolens*	Swamp Box	150		150	47	12.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1553	*Eucalyptus tereticornis*	Forest Red Gum	280		280	88	20.0	9.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
1554	*Eucalyptus tereticornis*	Forest Red Gum	250		250	79	20.0	9.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1555	*Lophostemon suaveolens*	Swamp Box	140		140	44	11.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1556	*Corymbia intermedia*	Pink Bloodwood	320		320	101	21.0	9.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1557	*Corymbia intermedia*	Pink Bloodwood	170		170	53	14.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1558	*Lophostemon suaveolens*	Swamp Box	180		180	57	15.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1559	*Eucalyptus tereticornis*	Forest Red Gum	170		170	53	12.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1560	*Lophostemon suaveolens*	Swamp Box	190		190	60	13.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1561	*Eucalyptus tereticornis*	Forest Red Gum	170		170	53	14.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1562	*Lophostemon suaveolens*	Swamp Box	150		150	47	12.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1563	*Corymbia citriodora*	Spotted Gum	260		260	82	15.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1564	*Lophostemon suaveolens*	Swamp Box	130		130	41	5.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1565	*Eucalyptus tereticornis*	Forest Red Gum	210		210	66	15.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1566	*Lophostemon suaveolens*	Swamp Box	170		170	53	13.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1567	*Eucalyptus tereticornis*	Forest Red Gum	290		290	91	18.0	9.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1568	*Eucalyptus tereticornis*	Forest Red Gum	340		340	107	21.0	9.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1569	*Corymbia citriodora*	Spotted Gum	250	90	266	83	18.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1570	*Corymbia citriodora*	Spotted Gum	138		138	43	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1571	*Corymbia citriodora*	Spotted Gum	230		230	72	16.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1572	*Corymbia citriodora*	Spotted Gum	150	90	175	55	14.0	5.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1573	*Corymbia intermedia*	Pink Bloodwood	230		230	72	15.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1574	*Corymbia citriodora*	Spotted Gum	640		640	201	22.0	12.0	7.7	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1575	*Eucalyptus tereticornis*	Forest Red Gum	120		120	38	14.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1576	*Eucalyptus crebra*	Narrow-leaved Ironbark	230		230	72	14.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1577	*Eucalyptus tereticornis*	Forest Red Gum	340		340	107	18.0	7.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove	
1578	*Corymbia citriodora*	Spotted Gum	390	90	400	126	18.0	9.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1579	*Eucalyptus crebra*	Narrow-leaved Ironbark	140		140	44	13.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1580	*Corymbia citriodora*	Spotted Gum	100	40	108	34	12.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1581	*Corymbia citriodora*	Spotted Gum	290	50	294	92	19.0	10.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1582	*Eucalyptus tereticornis*	Forest Red Gum	230		230	72	16.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1583	*Acacia disparrima*	Hickory Wattle	130		130	41	7.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1584	*Corymbia citriodora*	Spotted Gum	110		110	35	12.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1585	*Eucalyptus crebra*	Narrow-leaved Ironbark	130		130	41	13.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1586	*Eucalyptus crebra*	Narrow-leaved Ironbark	140		140	44	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1587	*Eucalyptus crebra*	Narrow-leaved Ironbark	150		150	47	15.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1588	*Eucalyptus crebra*	Narrow-leaved Ironbark	200		200	63	15.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1589	*Eucalyptus crebra*	Narrow-leaved Ironbark	600		600	188	22.0	12.0	7.2	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1590	*Corymbia citriodora*	Spotted Gum	190		190	60	15.0	7.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1591	*Corymbia intermedia*	Pink Bloodwood	280		280	88	13.0	9.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1592	*Corymbia citriodora*	Spotted Gum	130		130	41	14.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1593	*Eucalyptus crebra*	Narrow-leaved Ironbark	460		460	145	20.0	10.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1594	*Corymbia citriodora*	Spotted Gum	160		160	50	13.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1595	*Corymbia citriodora*	Spotted Gum	110		110	35	14.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1596	*Corymbia citriodora*	Spotted Gum	220		220	69	12.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1597	*Corymbia citriodora*	Spotted Gum	150		150	47	14.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1598	*Corymbia intermedia*	Pink Bloodwood	190		190	60	12.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1599	*Corymbia intermedia*	Pink Bloodwood	150		150	47	12.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1600	*Eucalyptus crebra*	Narrow-leaved Ironbark	380		380	119	19.0	11.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1601	*Corymbia citriodora*	Spotted Gum	200		200	63	15.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1602	*Corymbia citriodora*	Spotted Gum	100		100	31	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1603	*Corymbia citriodora*	Spotted Gum	200		200	63	20.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1604	*Eucalyptus tereticornis*	Forest Red Gum	230		230	72	20.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1605	*Acacia disparrima*	Hickory Wattle	110	80	136	43	6.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1606	*Eucalyptus tereticornis*	Forest Red Gum	100		100	31	11.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1607	*Corymbia intermedia*	Pink Bloodwood	250		250	79	17.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1608	*Eucalyptus tereticornis*	Forest Red Gum	300		300	94	15.0	8.0	3.6	2.0	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1609	*Corymbia citriodora*	Spotted Gum	150	140	205	64	14.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1610	*Eucalyptus crebra*	Narrow-leaved Ironbark	200		200	63	12.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1611	*Corymbia citriodora*	Spotted Gum	130		130	41	14.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1612	*Eucalyptus tereticornis*	Forest Red Gum	220		220	69	15.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1613	*Eucalyptus crebra*	Narrow-leaved Ironbark	510		510	160	22.0	12.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1614	*Eucalyptus tereticornis*	Forest Red Gum	220	160	272	85	17.0	8.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1615	*Corymbia intermedia*	Pink Bloodwood	170		170	53	11.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1616	*Corymbia intermedia*	Pink Bloodwood	310		310	97	17.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1617	*Corymbia intermedia*	Pink Bloodwood	200		200	63	14.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
1618	*Eucalyptus tereticornis*	Forest Red Gum	350		350	110	17.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1619	*Corymbia intermedia*	Pink Bloodwood	130		130	41	13.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1620	*Corymbia citriodora*	Spotted Gum	140		140	44	14.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1621	*Corymbia intermedia*	Pink Bloodwood	200		200	63	16.0	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1622	*Corymbia citriodora*	Spotted Gum	280		280	88	18.0	9.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1623	*Corymbia tessellaris*	Moreton Bay Ash	150	60 50	169	53	15.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1624	*Corymbia citriodora*	Spotted Gum	340		340	107	20.0	10.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1625	*Corymbia intermedia*	Pink Bloodwood	380		380	119	14.0	8.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1626	*Eucalyptus crebra*	Narrow-leaved Ironbark	340		340	107	21.0	9.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1627	*Corymbia citriodora*	Spotted Gum	210		210	66	17.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1628	*Corymbia citriodora*	Spotted Gum	120		120	38	14.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1629	*Corymbia citriodora*	Spotted Gum	110		110	35	12.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1630	*Lophostemon suaveolens*	Swamp Box	140		140	44	12.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1631	*Lophostemon suaveolens*	Swamp Box	100		100	31	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1632	*Corymbia intermedia*	Pink Bloodwood	280		280	88	18.0	10.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1633	*Corymbia citriodora*	Spotted Gum	370		370	116	22.0	12.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1634	*Corymbia citriodora*	Spotted Gum	140		140	44	15.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1635	*Corymbia citriodora*	Spotted Gum	100		100	31	12.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1636	*Corymbia citriodora*	Spotted Gum	130		130	41	14.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1637	*Corymbia citriodora*	Spotted Gum	140		140	44	13.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1638	*Corymbia citriodora*	Spotted Gum	100		100	31	13.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1639	*Corymbia tessellaris*	Moreton Bay Ash	140		140	44	14.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1640	*Corymbia citriodora*	Spotted Gum	110	110	156	49	13.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1641	*Corymbia citriodora*	Spotted Gum	170		170	53	16.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1642	*Corymbia citriodora*	Spotted Gum	130		130	41	14.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1643	*Eucalyptus tereticornis*	Forest Red Gum	320		320	101	19.0	9.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1644	*Corymbia intermedia*	Pink Bloodwood	230	220	318	100	17.0	9.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1645	*Eucalyptus tereticornis*	Forest Red Gum	250		250	79	18.0	9.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1646	*Corymbia citriodora*	Spotted Gum	130		130	41	15.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1647	*Corymbia intermedia*	Pink Bloodwood	190		190	60	12.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1648	*Corymbia citriodora*	Spotted Gum	110		110	35	12.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1649	*Corymbia trachyphloia*	Brown Bloodwood	160		160	50	12.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1650	*Eucalyptus tereticornis*	Forest Red Gum	150		150	47	13.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1651	*Corymbia citriodora*	Spotted Gum	170		170	53	19.0	7.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1652	*Corymbia citriodora*	Spotted Gum	140		140	44	12.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1653	*Corymbia citriodora*	Spotted Gum	110		110	35	13.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1654	*Corymbia citriodora*	Spotted Gum	260		260	82	18.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1655	*Corymbia citriodora*	Spotted Gum	170		170	53	14.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1656	*Corymbia citriodora*	Spotted Gum	400		400	126	20.0	10.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1657	*Corymbia intermedia*	Pink Bloodwood	170		170	53	13.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1658	*Corymbia citriodora*	Spotted Gum	160		160	50	15.0	7.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1659	*Corymbia citriodora*	Spotted Gum	160		160	50	16.0	7.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1660	*Corymbia citriodora*	Spotted Gum	100		100	31	14.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1661	*Corymbia citriodora*	Spotted Gum	100		100	31	11.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1662	*Corymbia citriodora*	Spotted Gum	110		110	35	12.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1663	*Corymbia citriodora*	Spotted Gum	140		140	44	14.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1664	*Corymbia citriodora*	Spotted Gum	140		140	44	12.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1665	*Corymbia citriodora*	Spotted Gum	170		170	53	15.0	7.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1666	*Corymbia citriodora*	Spotted Gum	110		110	35	11.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1667	*Eucalyptus crebra*	Narrow-leaved Ironbark	390		390	123	20.0	11.0	4.7	2.2	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1668	*Corymbia citriodora*	Spotted Gum	150		150	47	13.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1669	*Eucalyptus tereticornis*	Forest Red Gum	180		180	57	15.0	8.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1670	*Petalostigma pubescens*	Quinine Bush	130		130	41	5.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1671	*Corymbia tessellaris*	Moreton Bay Ash	120		120	38	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1672	*Acacia disparrima*	Hickory Wattle	130		130	41	8.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1673	*Corymbia citriodora*	Spotted Gum	420		420	132	22.0	12.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1674	*Corymbia citriodora*	Spotted Gum	140		140	44	12.0	7.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1675	*Eucalyptus tereticornis*	Forest Red Gum	280		280	88	20.0	11.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1676	*Alphitonia excelsa*	Soap Tree	130		130	41	8.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1677	*Corymbia citriodora*	Spotted Gum	150		150	47	13.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1678	*Corymbia citriodora*	Spotted Gum	140	100	172	54	15.0	5.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1679	*Corymbia tessellaris*	Moreton Bay Ash	110	80	136	43	12.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1680	*Corymbia citriodora*	Spotted Gum	120	100	156	49	12.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1681	*Corymbia citriodora*	Spotted Gum	150		150	47	15.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1682	*Corymbia citriodora*	Spotted Gum	370		370	116	21.0	11.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1683	*Eucalyptus tereticornis*	Forest Red Gum	390		390	123	22.0	11.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1684	*Corymbia citriodora*	Spotted Gum	160		160	50	14.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1685	*Eucalyptus crebra*	Narrow-leaved Ironbark	340		340	107	22.0	10.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1686	*Alphitonia excelsa*	Soap Tree	130		130	41	12.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1687	*Corymbia intermedia*	Pink Bloodwood	100		100	31	10.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1688	*Corymbia citriodora*	Spotted Gum	170		170	53	15.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1689	*Corymbia citriodora*	Spotted Gum	120		120	38	12.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1690	*Corymbia citriodora*	Spotted Gum	110		110	35	13.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1691	*Corymbia citriodora*	Spotted Gum	190		190	60	17.0	7.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1692	*Corymbia citriodora*	Spotted Gum	210	110	237	74	18.0	9.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1693	*Petalostigma pubescens*	Quinine Bush	240		240	75	8.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1694	*Corymbia intermedia*	Pink Bloodwood	230		230	72	15.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1695	*Corymbia citriodora*	Spotted Gum	480		480	151	24.0	13.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1696	*Eucalyptus crebra*	Narrow-leaved Ironbark	280		280	88	16.0	10.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1697	*Corymbia intermedia*	Pink Bloodwood	140		140	44	13.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1698	*Eucalyptus tereticornis*	Forest Red Gum	180		180	57	14.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
1699	*Allocasuarina littoralis*	Black She-oak	170		170	53	13.0	7.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1700	*Corymbia citriodora*	Spotted Gum	120		120	38	15.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1701	*Allocasuarina littoralis*	Black She-oak	150		150	47	12.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1702	*Eucalyptus tereticornis*	Forest Red Gum	330		330	104	19.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1703	*Allocasuarina littoralis*	Black She-oak	170		170	53	11.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1704	*Corymbia citriodora*	Spotted Gum	160		160	50	13.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1705	*Corymbia citriodora*	Spotted Gum	130		130	41	12.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1706	*Corymbia citriodora*	Spotted Gum	120		120	38	15.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1707	*Corymbia citriodora*	Spotted Gum	130		130	41	14.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1708	*Corymbia citriodora*	Spotted Gum	120		120	38	15.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1709	*Corymbia citriodora*	Spotted Gum	180		180	57	15.0	7.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1710	*Eucalyptus crebra*	Narrow-leaved Ironbark	170		170	53	16.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1711	*Corymbia citriodora*	Spotted Gum	120		120	38	15.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1712	*Corymbia citriodora*	Spotted Gum	290		290	91	17.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1713	*Allocasuarina littoralis*	Black She-oak	110		110	35	13.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1714	*Corymbia citriodora*	Spotted Gum	110		110	35	13.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1715	*Allocasuarina littoralis*	Black She-oak	100		100	31	8.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1716	*Allocasuarina littoralis*	Black She-oak	160		160	50	12.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1717	*Allocasuarina littoralis*	Black She-oak	130		130	41	12.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1718	*Allocasuarina littoralis*	Black She-oak	120		120	38	10.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1719	*Allocasuarina littoralis*	Black She-oak	100		100	31	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1720	*Eucalyptus crebra*	Narrow-leaved Ironbark	170		170	53	14.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1721	*Acacia disparrima*	Hickory Wattle	100		100	31	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1722	*Acacia disparrima*	Hickory Wattle	110	60	125	39	11.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1723	*Allocasuarina littoralis*	Black She-oak	120		120	38	12.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1724	*Acacia disparrima*	Hickory Wattle	140		140	44	10.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1725	*Petalostigma pubescens*	Quinine Bush	100	80 70 70 60	173	54	7.0	5.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1726	*Eucalyptus crebra*	Narrow-leaved Ironbark	270		270	85	18.0	9.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove	
1727	*Eucalyptus crebra*	Narrow-leaved Ironbark	200		200	63	14.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1728	*Corymbia citriodora*	Spotted Gum	100		100	31	14.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1729	*Eucalyptus crebra*	Narrow-leaved Ironbark	170		170	53	15.0	7.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1730	*Eucalyptus tereticornis*	Forest Red Gum	290		290	91	20.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1731	*Corymbia intermedia*	Pink Bloodwood	220		220	69	18.0	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1732	*Corymbia intermedia*	Pink Bloodwood	170		170	53	15.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1733	*Eucalyptus crebra*	Narrow-leaved Ironbark	280		280	88	17.0	9.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1734	*Eucalyptus crebra*	Narrow-leaved Ironbark	170		170	53	12.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1735	*Acacia concurrens*	Black Wattle	140		140	44	8.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1736	*Petalostigma pubescens*	Quinine Bush	100		100	31	4.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1737	*Acacia concurrens*	Black Wattle	100		100	31	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1738	*Casuarina species*		110		110	35	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1739	*Eucalyptus crebra*	Narrow-leaved Ironbark	310		310	97	21.0	12.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1740	*Corymbia citriodora*	Spotted Gum	180		180	57	15.0	9.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1741	*Eucalyptus crebra*	Narrow-leaved Ironbark	100		100	31	12.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1742	*Eucalyptus crebra*	Narrow-leaved Ironbark	250		250	79	17.0	9.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1743	*Eucalyptus tereticornis*	Forest Red Gum	320		320	101	17.0	8.0	3.8	2.1	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1744	*Lophostemon suaveolens*	Swamp Box	130		130	41	11.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1745	*Eucalyptus crebra*	Narrow-leaved Ironbark	410		410	129	17.0	10.0	4.9	2.3	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Remove	
1746	*Corymbia intermedia*	Pink Bloodwood	120		120	38	12.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1747	*Eucalyptus crebra*	Narrow-leaved Ironbark	200		200	63	11.0	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Remove	
1748	*Lophostemon suaveolens*	Swamp Box	100		100	31	12.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1749	*Eucalyptus crebra*	Narrow-leaved Ironbark	130		130	41	12.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1750	*Corymbia citriodora*	Spotted Gum	110		110	35	13.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1751	*Corymbia intermedia*	Pink Bloodwood	110	90	142	45	10.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1752	*Corymbia intermedia*	Pink Bloodwood	100		100	31	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1753	*Eucalyptus crebra*	Narrow-leaved Ironbark	140		140	44	12.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1754	*Eucalyptus crebra*	Narrow-leaved Ironbark	110		110	35	12.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1755	*Eucalyptus tereticornis*	Forest Red Gum	200		200	63	15.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1756	*Corymbia tessellaris*	Moreton Bay Ash	250		250	79	16.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1757	*Eucalyptus crebra*	Narrow-leaved Ironbark	140		140	44	11.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1758	*Eucalyptus tereticornis*	Forest Red Gum	260	160	305	96	18.0	7.0	3.7	2.0	Regular	-	Thinning	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1759	*Eucalyptus tereticornis*	Forest Red Gum	250		250	79	18.0	9.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1760	*Eucalyptus tereticornis*	Forest Red Gum	100		100	31	8.0	4.0	2.0	1.3	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1761	*Lophostemon suaveolens*	Swamp Box	100		100	31	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1762	*Corymbia intermedia*	Pink Bloodwood	130		130	41	11.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1763	*Eucalyptus crebra*	Narrow-leaved Ironbark	150		150	47	15.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1764	*Lophostemon suaveolens*	Swamp Box	100		100	31	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1765	*Eucalyptus crebra*	Narrow-leaved Ironbark	350		350	110	20.0	11.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1766	*Acacia disparrima*	Hickory Wattle	150		150	47	10.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1767	*Eucalyptus tereticornis*	Forest Red Gum	190		190	60	14.0	6.0	2.3	1.6	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1768	*Petalostigma pubescens*	Quinine Bush	160	100	189	59	5.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1769	*Petalostigma pubescens*	Quinine Bush	140	50	149	47	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1770	*Petalostigma pubescens*	Quinine Bush	200	100	224	70	8.0	8.0	2.7	1.8	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1771	*Petalostigma pubescens*	Quinine Bush	220		220	69	9.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1772	*Petalostigma pubescens*	Quinine Bush	260		260	82	4.0	3.0	3.1	1.9	Regular	-	-	-	Epicormic	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	Lopped @ 1.5M, Epicormic At Stump
1773	*Eucalyptus tereticornis*	Forest Red Gum	270		270	85	20.0	9.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1774	*Corymbia intermedia*	Pink Bloodwood	150		150	47	14.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1775	*Eucalyptus tereticornis*	Forest Red Gum	150		150	47	17.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1776	*Eucalyptus crebra*	Narrow-leaved Ironbark	230		230	72	19.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1777	*Eucalyptus tereticornis*	Forest Red Gum	190		190	60	17.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1778	*Petalostigma pubescens*	Quinine Bush	180	140	228	72	5.0	5.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1779	*Allocasuarina littoralis*	Black She-oak	120		120	38	14.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
1780	*Corymbia citriodora*	Spotted Gum	190		190	60	20.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1781	*Petalostigma pubescens*	Quinine Bush	230	100	251	79	5.0	4.0	3.0	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1782	*Eucalyptus crebra*	Narrow-leaved Ironbark	140		140	44	16.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1783	*Eucalyptus crebra*	Narrow-leaved Ironbark	440		440	138	22.0	11.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1784	*Corymbia citriodora*	Spotted Gum	250		250	79	21.0	9.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1785	*Corymbia citriodora*	Spotted Gum	310		310	97	21.0	10.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1786	*Petalostigma pubescens*	Quinine Bush	230	110 110	278	87	6.0	4.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1787	*Acacia disparrima*	Hickory Wattle	100		100	31	8.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1788	*Eucalyptus tereticornis*	Forest Red Gum	140		140	44	14.0	5.0	2.0	1.4	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1789	*Eucalyptus crebra*	Narrow-leaved Ironbark	140		140	44	14.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1790	*Eucalyptus crebra*	Narrow-leaved Ironbark	160		160	50	13.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1791	*Alphitonia excelsa*	Soap Tree	170		170	53	9.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1792	*Corymbia intermedia*	Pink Bloodwood	190		190	60	12.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1793	*Petalostigma pubescens*	Quinine Bush	140		140	44	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1794	*Petalostigma pubescens*	Quinine Bush	120		120	38	5.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1795	*Corymbia intermedia*	Pink Bloodwood	330		330	104	21.0	12.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1796	*Eucalyptus tereticornis*	Forest Red Gum	120		120	38	13.0	3.0	2.0	1.4	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1797	*Corymbia intermedia*	Pink Bloodwood	170		170	53	13.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1798	*Petalostigma pubescens*	Quinine Bush	310	160 110	366	115	11.0	8.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1799	*Corymbia intermedia*	Pink Bloodwood	190		190	60	15.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1800	*Corymbia intermedia*	Pink Bloodwood	140		140	44	12.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1801	*Eucalyptus tereticornis*	Forest Red Gum	280	190	338	106	22.0	12.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1802	*Corymbia intermedia*	Pink Bloodwood	140		140	44	13.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1803	*Corymbia intermedia*	Pink Bloodwood	190		190	60	15.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1804	*Corymbia citriodora*	Spotted Gum	180		180	57	17.0	7.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1805	*Corymbia tessellaris*	Moreton Bay Ash	230		230	72	17.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1806	*Corymbia intermedia*	Pink Bloodwood	270		270	85	16.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1807	*Corymbia citriodora*	Spotted Gum	330		330	104	18.0	9.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1808	*Corymbia citriodora*	Spotted Gum	280		280	88	19.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1809	*Corymbia intermedia*	Pink Bloodwood	180		180	57	14.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1810	*Corymbia intermedia*	Pink Bloodwood	120		120	38	8.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1811	*Eucalyptus tereticornis*	Forest Red Gum	230		230	72	14.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1812	*Corymbia citriodora*	Spotted Gum	380		380	119	22.0	10.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1813	*Corymbia citriodora*	Spotted Gum	400		400	126	22.0	11.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1814	*Eucalyptus crebra*	Narrow-leaved Ironbark	160		160	50	14.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1815	*Eucalyptus crebra*	Narrow-leaved Ironbark	130		130	41	13.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1816	*Corymbia citriodora*	Spotted Gum	170		170	53	15.0	7.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1817	*Acacia disparrima*	Hickory Wattle	100		100	31	5.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1818	*Eucalyptus tereticornis*	Forest Red Gum	260		260	82	15.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1819	*Corymbia intermedia*	Pink Bloodwood	260		260	82	15.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1820	*Corymbia intermedia*	Pink Bloodwood	220		220	69	16.0	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1821	*Corymbia intermedia*	Pink Bloodwood	100		100	31	10.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1822	*Alphitonia excelsa*	Soap Tree	140		140	44	11.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1823	*Corymbia intermedia*	Pink Bloodwood	220	150	266	84	15.0	5.0	3.2	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove	
1824	*Angophora leiocarpa*	Smooth-barked Apple	170		170	53	14.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1825	*Eucalyptus tereticornis*	Forest Red Gum	360		360	113	22.0	11.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1826	*Corymbia intermedia*	Pink Bloodwood	160		160	50	14.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1827	*Corymbia intermedia*	Pink Bloodwood	150		150	47	14.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1828	*Eucalyptus crebra*	Narrow-leaved Ironbark	360		360	113	21.0	11.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1829	*Corymbia intermedia*	Pink Bloodwood	100		100	31	10.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1830	*Corymbia intermedia*	Pink Bloodwood	100		100	31	12.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1831	*Corymbia intermedia*	Pink Bloodwood	120		120	38	12.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1832	*Corymbia citriodora*	Spotted Gum	170		170	53	15.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1833	*Eucalyptus tereticornis*	Forest Red Gum	150		150	47	15.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove	
1834	*Corymbia intermedia*	Pink Bloodwood	280	190	338	106	16.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1835	*Acacia disparrima*	Hickory Wattle	100		100	31	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1836	*Corymbia intermedia*	Pink Bloodwood	210		210	66	16.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1837	*Corymbia intermedia*	Pink Bloodwood	160		160	50	12.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1838	*Corymbia intermedia*	Pink Bloodwood	180		180	57	15.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1839	*Eucalyptus tereticornis*	Forest Red Gum	320		320	101	18.0	9.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1840	*Corymbia intermedia*	Pink Bloodwood	300		300	94	22.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1841	*Corymbia intermedia*	Pink Bloodwood	290	220	364	114	20.0	9.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1842	*Corymbia intermedia*	Pink Bloodwood	220		220	69	18.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1843	*Corymbia intermedia*	Pink Bloodwood	290		290	91	20.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1844	*Corymbia intermedia*	Pink Bloodwood	140		140	44	11.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1845	*Corymbia intermedia*	Pink Bloodwood	340		340	107	21.0	10.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1846	*Corymbia tessellaris*	Moreton Bay Ash	270		270	85	20.0	9.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1847	*Eucalyptus crebra*	Narrow-leaved Ironbark	260		260	82	21.0	12.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1848	*Eucalyptus tereticornis*	Forest Red Gum	360		360	113	21.0	9.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1849	*Corymbia intermedia*	Pink Bloodwood	190		190	60	12.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1850	*Eucalyptus crebra*	Narrow-leaved Ironbark	180	110	211	66	18.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1851	*Eucalyptus tereticornis*	Forest Red Gum	280		280	88	19.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1852	*Corymbia intermedia*	Pink Bloodwood	120		120	38	13.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1853	*Corymbia intermedia*	Pink Bloodwood	150		150	47	15.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1854	*Corymbia citriodora*	Spotted Gum	100		100	31	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1855	*Corymbia intermedia*	Pink Bloodwood	230		230	72	17.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1856	*Corymbia intermedia*	Pink Bloodwood	320	260 160	442	139	18.0	12.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1857	*Eucalyptus crebra*	Narrow-leaved Ironbark	170		170	53	13.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1858	*Eucalyptus crebra*	Narrow-leaved Ironbark	330		330	104	22.0	10.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1859	*Acacia disparrima*	Hickory Wattle	140	70	157	49	10.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1860	*Corymbia intermedia*	Pink Bloodwood	300		300	94	18.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
1861	*Eucalyptus crebra*	Narrow-leaved Ironbark	220		220	69	19.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1862	*Corymbia intermedia*	Pink Bloodwood	210		210	66	19.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1863	*Eucalyptus tereticornis*	Forest Red Gum	330		330	104	22.0	11.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1864	*Eucalyptus crebra*	Narrow-leaved Ironbark	260		260	82	14.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1865	*Corymbia intermedia*	Pink Bloodwood	230	80	244	77	17.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1866	*Eucalyptus tereticornis*	Forest Red Gum	340		340	107	18.0	10.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1867	*Corymbia tessellaris*	Moreton Bay Ash	160		160	50	15.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1868	*Acacia disparrima*	Hickory Wattle	120		120	38	10.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1869	*Acacia disparrima*	Hickory Wattle	140		140	44	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1870	*Acacia disparrima*	Hickory Wattle	120		120	38	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1871	*Eucalyptus tereticornis*	Forest Red Gum	290		290	91	22.0	9.0	3.5	2.0	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1872	*Corymbia tessellaris*	Moreton Bay Ash	120		120	38	11.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1873	*Corymbia intermedia*	Pink Bloodwood	390		390	123	21.0	11.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1874	*Corymbia intermedia*	Pink Bloodwood	220		220	69	16.0	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1875	*Eucalyptus crebra*	Narrow-leaved Ironbark	100		100	31	13.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1876	*Corymbia tessellaris*	Moreton Bay Ash	110		110	35	12.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1877	*Eucalyptus crebra*	Narrow-leaved Ironbark	190		190	60	13.0	4.0	2.3	1.6	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove	
1878	*Corymbia intermedia*	Pink Bloodwood	320		320	101	18.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1879	*Corymbia intermedia*	Pink Bloodwood	150		150	47	12.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1880	*Eucalyptus crebra*	Narrow-leaved Ironbark	180		180	57	15.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1881	*Corymbia intermedia*	Pink Bloodwood	100		100	31	11.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1882	*Petalostigma pubescens*	Quinine Bush	110		110	35	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1883	*Corymbia intermedia*	Pink Bloodwood	140		140	44	12.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1884	*Eucalyptus tereticornis*	Forest Red Gum	150		150	47	13.0	4.0	2.0	1.5	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1885	*Corymbia intermedia*	Pink Bloodwood	220		220	69	15.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1886	*Eucalyptus tereticornis*	Forest Red Gum	150		150	47	14.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1887	*Acacia disparrima*	Hickory Wattle	130		130	41	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1888	*Corymbia intermedia*	Pink Bloodwood	220		220	69	14.0	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1889	*Corymbia intermedia*	Pink Bloodwood	270	170	319	100	15.0	7.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1890	*Eucalyptus tereticornis*	Forest Red Gum	320		320	101	18.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1891	*Corymbia intermedia*	Pink Bloodwood	250		250	79	18.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1892	*Corymbia intermedia*	Pink Bloodwood	310		310	97	18.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1893	*Eucalyptus tereticornis*	Forest Red Gum	320		320	101	19.0	9.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1894	*Corymbia intermedia*	Pink Bloodwood	270		270	85	16.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1895	*Lophostemon suaveolens*	Swamp Box	160		160	50	12.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1896	*Acacia disparrima*	Hickory Wattle	140		140	44	5.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1897	*Lophostemon suaveolens*	Swamp Box	170		170	53	12.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1898	*Corymbia intermedia*	Pink Bloodwood	330		330	104	22.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1899	*Corymbia intermedia*	Pink Bloodwood	260	180	316	99	20.0	10.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1900	*Corymbia intermedia*	Pink Bloodwood	210		210	66	15.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1901	*Corymbia intermedia*	Pink Bloodwood	250		250	79	18.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1902	*Corymbia intermedia*	Pink Bloodwood	340		340	107	21.0	10.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1903	*Corymbia intermedia*	Pink Bloodwood	330		330	104	19.0	9.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1904	*Lophostemon suaveolens*	Swamp Box	120		120	38	5.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1905	*Corymbia tessellaris*	Moreton Bay Ash	160		160	50	17.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1906	*Lophostemon suaveolens*	Swamp Box	110		110	35	7.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1907	*Corymbia intermedia*	Pink Bloodwood	220		220	69	18.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1908	*Eucalyptus tereticornis*	Forest Red Gum	220		220	69	17.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1909	*Corymbia intermedia*	Pink Bloodwood	100		100	31	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1910	*Corymbia intermedia*	Pink Bloodwood	200		200	63	15.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1911	*Alphitonia excelsa*	Soap Tree	100		100	31	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1912	*Eucalyptus tereticornis*	Forest Red Gum	220		220	69	16.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1913	*Eucalyptus tereticornis*	Forest Red Gum	310		310	97	17.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1914	*Eucalyptus tereticornis*	Forest Red Gum	140		140	44	14.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1915	*Corymbia intermedia*	Pink Bloodwood	230		230	72	15.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1916	*Corymbia intermedia*	Pink Bloodwood	270		270	85	18.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1917	*Corymbia intermedia*	Pink Bloodwood	240		240	75	16.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1918	*Corymbia intermedia*	Pink Bloodwood	210	70	221	70	17.0	6.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1919	*Corymbia intermedia*	Pink Bloodwood	140		140	44	13.0	3.0	2.0	1.4	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1920	*Corymbia intermedia*	Pink Bloodwood	340		340	107	21.0	10.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1921	*Corymbia intermedia*	Pink Bloodwood	240		240	75	15.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1922	*Eucalyptus tereticornis*	Forest Red Gum	370		370	116	22.0	10.0	4.4	2.2	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1923	*Corymbia intermedia*	Pink Bloodwood	300	260	397	125	18.0	10.0	4.8	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1924	*Corymbia intermedia*	Pink Bloodwood	340		340	107	22.0	11.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1925	*Corymbia intermedia*	Pink Bloodwood	150		150	47	12.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1926	*Eucalyptus tereticornis*	Forest Red Gum	300		300	94	22.0	11.0	3.6	2.0	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1927	*Lophostemon suaveolens*	Swamp Box	200	160	256	80	15.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
1928	*Lophostemon suaveolens*	Swamp Box	170		170	53	15.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1929	*Lophostemon suaveolens*	Swamp Box	120		120	38	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1930	*Lophostemon suaveolens*	Swamp Box	190		190	60	14.0	7.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1931	*Lophostemon suaveolens*	Swamp Box	170		170	53	13.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1932	*Corymbia intermedia*	Pink Bloodwood	100		100	31	11.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1933	*Corymbia citriodora*	Spotted Gum	190		190	60	15.0	7.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1934	*Corymbia tessellaris*	Moreton Bay Ash	250		250	79	18.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1935	*Corymbia intermedia*	Pink Bloodwood	140	170	220	69	13.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1936	*Lophostemon suaveolens*	Swamp Box	140	100	172	54	13.0	5.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1937	*Eucalyptus tereticornis*	Forest Red Gum	140		140	44	12.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1938	*Corymbia intermedia*	Pink Bloodwood	260		260	82	19.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1939	*Eucalyptus crebra*	Narrow-leaved Ironbark	140		140	44	15.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1940	*Corymbia intermedia*	Pink Bloodwood	130		130	41	12.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1941	*Corymbia intermedia*	Pink Bloodwood	330	170	371	117	21.0	11.0	4.5	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
1942	*Corymbia intermedia*	Pink Bloodwood	140		140	44	11.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1943	*Eucalyptus tereticornis*	Forest Red Gum	260		260	82	20.0	10.0	3.1	1.9	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1944	*Corymbia intermedia*	Pink Bloodwood	130		130	41	13.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1945	*Lophostemon suaveolens*	Swamp Box	190	170 150	296	93	14.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1946	*Corymbia intermedia*	Pink Bloodwood	240		240	75	16.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1947	*Lophostemon suaveolens*	Swamp Box	180		180	57	14.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1948	*Eucalyptus tereticornis*	Forest Red Gum	270		270	85	19.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1949	*Lophostemon suaveolens*	Swamp Box	270		270	85	15.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1950	*Corymbia citriodora*	Spotted Gum	130		130	41	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1951	*Corymbia intermedia*	Pink Bloodwood	380		380	119	21.0	9.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1952	*Lophostemon suaveolens*	Swamp Box	140		140	44	12.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1953	*Corymbia intermedia*	Pink Bloodwood	180		180	57	18.0	7.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1954	*Eucalyptus tereticornis*	Forest Red Gum	140		140	44	17.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1955	*Lophostemon suaveolens*	Swamp Box	170		170	53	14.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1956	*Eucalyptus tereticornis*	Forest Red Gum	330		330	104	16.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1957	*Corymbia intermedia*	Pink Bloodwood	260		260	82	16.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1958	*Lophostemon suaveolens*	Swamp Box	160		160	50	14.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1959	*Lophostemon suaveolens*	Swamp Box	150		150	47	14.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1960	*Corymbia intermedia*	Pink Bloodwood	120		120	38	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1961	*Eucalyptus tereticornis*	Forest Red Gum	130		130	41	14.0	6.0	2.0	1.4	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1962	*Lophostemon suaveolens*	Swamp Box	130		130	41	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1963	*Lophostemon suaveolens*	Swamp Box	120		120	38	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1964	*Eucalyptus tereticornis*	Forest Red Gum	150		150	47	16.0	8.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1965	*Lophostemon suaveolens*	Swamp Box	110		110	35	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1966	*Lophostemon suaveolens*	Swamp Box	140		140	44	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1967	*Eucalyptus tereticornis*	Forest Red Gum	300		300	94	20.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1968	*Eucalyptus tereticornis*	Forest Red Gum	170		170	53	14.0	7.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1969	*Lophostemon suaveolens*	Swamp Box	150		150	47	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1970	*Eucalyptus tereticornis*	Forest Red Gum	200		200	63	16.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1971	*Corymbia intermedia*	Pink Bloodwood	190		190	60	14.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1972	*Corymbia intermedia*	Pink Bloodwood	160		160	50	12.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1973	*Alphitonia excelsa*	Soap Tree	110		110	35	8.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1974	*Eucalyptus tereticornis*	Forest Red Gum	100		100	31	8.0	6.0	2.0	1.3	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1975	*Corymbia intermedia*	Pink Bloodwood	300		300	94	18.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1976	*Eucalyptus tereticornis*	Forest Red Gum	150		150	47	13.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1977	*Eucalyptus tereticornis*	Forest Red Gum	110		110	35	11.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1978	*Lophostemon suaveolens*	Swamp Box	130		130	41	10.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1979	*Eucalyptus tereticornis*	Forest Red Gum	120		120	38	11.0	4.0	2.0	1.4	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1980	*Lophostemon suaveolens*	Swamp Box	130		130	41	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1981	*Eucalyptus tereticornis*	Forest Red Gum	200		200	63	18.0	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1982	*Lophostemon suaveolens*	Swamp Box	100		100	31	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1983	*Lophostemon suaveolens*	Swamp Box	210		210	66	16.0	8.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1984	*Eucalyptus tereticornis*	Forest Red Gum	280		280	88	19.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1985	*Corymbia intermedia*	Pink Bloodwood	130		130	41	15.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1986	*Corymbia intermedia*	Pink Bloodwood	130		130	41	14.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1987	*Corymbia intermedia*	Pink Bloodwood	200		200	63	15.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1988	*Eucalyptus tereticornis*	Forest Red Gum	170		170	53	16.0	7.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1989	*Allocasuarina littoralis*	Black She-oak	190		190	60	12.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1990	*Eucalyptus tereticornis*	Forest Red Gum	150		150	47	15.0	7.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1991	*Eucalyptus tereticornis*	Forest Red Gum	670		670	210	23.0	12.0	8.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1992	*Corymbia intermedia*	Pink Bloodwood	310		310	97	17.0	10.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1993	*Lophostemon suaveolens*	Swamp Box	130		130	41	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1994	*Lophostemon suaveolens*	Swamp Box	120		120	38	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1995	*Lophostemon suaveolens*	Swamp Box	170		170	53	13.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1996	*Lophostemon suaveolens*	Swamp Box	140		140	44	12.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1997	*Lophostemon suaveolens*	Swamp Box	190		190	60	17.0	8.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1998	*Lophostemon suaveolens*	Swamp Box	190		190	60	15.0	7.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1999	*Lophostemon suaveolens*	Swamp Box	150		150	47	14.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2000	*Lophostemon suaveolens*	Swamp Box	210		210	66	17.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2001	*Eucalyptus tereticornis*	Forest Red Gum	270		270	85	18.0	9.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2002	*Lophostemon suaveolens*	Swamp Box	120		120	38	13.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2003	*Lophostemon suaveolens*	Swamp Box	190		190	60	15.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2004	*Lophostemon suaveolens*	Swamp Box	110		110	35	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2005	*Lophostemon suaveolens*	Swamp Box	150		150	47	12.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2006	*Eucalyptus tereticornis*	Forest Red Gum	400		400	126	24.0	11.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2007	*Lophostemon suaveolens*	Swamp Box	100		100	31	11.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2008	*Eucalyptus tereticornis*	Forest Red Gum	150		150	47	15.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2009	*Corymbia intermedia*	Pink Bloodwood	160		160	50	14.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2010	*Lophostemon suaveolens*	Swamp Box	200		200	63	14.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2011	*Eucalyptus tereticornis*	Forest Red Gum	210		210	66	20.0	8.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2012	*Lophostemon suaveolens*	Swamp Box	110		110	35	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2013	*Lophostemon suaveolens*	Swamp Box	100		100	31	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2014	*Corymbia intermedia*	Pink Bloodwood	220		220	69	15.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2015	*Corymbia tessellaris*	Moreton Bay Ash	220		220	69	20.0	10.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2016	*Eucalyptus tereticornis*	Forest Red Gum	140		140	44	15.0	4.0	2.0	1.4	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2017	*Petalostigma pubescens*	Quinine Bush	100		100	31	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2018	*Eucalyptus tereticornis*	Forest Red Gum	220		220	69	15.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2019	*Corymbia citriodora*	Spotted Gum	300	240	384	121	18.0	7.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2020	*Eucalyptus crebra*	Narrow-leaved Ironbark	200		200	63	14.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2021	*Corymbia citriodora*	Spotted Gum	420		420	132	20.0	9.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2022	*Corymbia tessellaris*	Moreton Bay Ash	110		110	35	12.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
2023	*Corymbia citriodora*	Spotted Gum	290		290	91	19.0	9.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2024	*Corymbia citriodora*	Spotted Gum	100		100	31	11.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2025	*Eucalyptus tereticornis*	Forest Red Gum	290		290	91	18.0	9.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2026	*Corymbia citriodora*	Spotted Gum	270	170	319	100	16.0	10.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2027	*Eucalyptus crebra*	Narrow-leaved Ironbark	150		150	47	12.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2028	*Eucalyptus tereticornis*	Forest Red Gum	260		260	82	19.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2029	*Corymbia tessellaris*	Moreton Bay Ash	110		110	35	11.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2030	*Eucalyptus tereticornis*	Forest Red Gum	120		120	38	8.0	4.0	2.0	1.4	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2031	*Corymbia intermedia*	Pink Bloodwood	230		230	72	14.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2032	*Corymbia citriodora*	Spotted Gum	160		160	50	12.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2033	*Corymbia citriodora*	Spotted Gum	310	300	431	136	18.0	9.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2034	*Corymbia citriodora*	Spotted Gum	200		200	63	17.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2035	*Eucalyptus tereticornis*	Forest Red Gum	190	160	248	78	16.0	9.0	3.0	1.8	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2036	*Corymbia intermedia*	Pink Bloodwood	110		110	35	12.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2037	*Acacia disparrima*	Hickory Wattle	140		140	44	9.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2038	*Eucalyptus tereticornis*	Forest Red Gum	210		210	66	18.0	8.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2039	*Corymbia intermedia*	Pink Bloodwood	460		460	145	17.0	9.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2040	*Eucalyptus tereticornis*	Forest Red Gum	200		200	63	16.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2041	*Eucalyptus tereticornis*	Forest Red Gum	130		130	41	13.0	4.0	2.0	1.4	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2042	*Corymbia citriodora*	Spotted Gum	190		190	60	17.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2043	*Eucalyptus tereticornis*	Forest Red Gum	190		190	60	16.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2044	*Corymbia citriodora*	Spotted Gum	110		110	35	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2045	*Corymbia citriodora*	Spotted Gum	120		120	38	15.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2046	*Petalostigma pubescens*	Quinine Bush	110	90 80	163	51	6.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2047	*Corymbia tessellaris*	Moreton Bay Ash	160		160	50	14.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2048	*Corymbia tessellaris*	Moreton Bay Ash	130		130	41	11.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2049	*Corymbia citriodora*	Spotted Gum	160		160	50	16.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2050	*Acacia disparrima*	Hickory Wattle	100		100	31	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2051	*Corymbia citriodora*	Spotted Gum	140		140	44	13.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2052	*Corymbia citriodora*	Spotted Gum	140		140	44	15.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2053	*Corymbia citriodora*	Spotted Gum	130	60	143	45	14.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2054	*Eucalyptus tereticornis*	Forest Red Gum	190		190	60	16.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2055	*Corymbia citriodora*	Spotted Gum	350		350	110	22.0	9.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2056	*Corymbia citriodora*	Spotted Gum	170		170	53	12.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2057	*Corymbia citriodora*	Spotted Gum	200	130	239	75	15.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2058	*Petalostigma pubescens*	Quinine Bush	110		110	35	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2059	*Corymbia citriodora*	Spotted Gum	360		360	113	20.0	11.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2060	*Corymbia citriodora*	Spotted Gum	130		130	41	14.0	7.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2061	*Corymbia citriodora*	Spotted Gum	130	80	153	48	11.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2062	*Eucalyptus tereticornis*	Forest Red Gum	450		450	141	19.0	9.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Remove	
2063	*Corymbia citriodora*	Spotted Gum	280		280	88	18.0	9.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2064	*Eucalyptus crebra*	Narrow-leaved Ironbark	150		150	47	14.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2065	*Eucalyptus tereticornis*	Forest Red Gum	220		220	69	18.0	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2066	*Allocasuarina littoralis*	Black She-oak	110		110	35	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2067	*Allocasuarina littoralis*	Black She-oak	100		100	31	10.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2068	*Allocasuarina littoralis*	Black She-oak	140		140	44	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2069	*Eucalyptus crebra*	Narrow-leaved Ironbark	130		130	41	13.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2070	*Corymbia citriodora*	Spotted Gum	110		110	35	15.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2071	*Eucalyptus crebra*	Narrow-leaved Ironbark	130		130	41	15.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2072	*Eucalyptus crebra*	Narrow-leaved Ironbark	250		250	79	20.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2073	*Corymbia citriodora*	Spotted Gum	110		110	35	15.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2074	*Eucalyptus tereticornis*	Forest Red Gum	300		300	94	20.0	11.0	3.6	2.0	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2075	*Corymbia citriodora*	Spotted Gum	100		100	31	12.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2076	*Corymbia tessellaris*	Moreton Bay Ash	220	60	228	72	19.0	7.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2077	*Corymbia citriodora*	Spotted Gum	100		100	31	13.0	2.0	2.0	1.3	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2078	*Corymbia tessellaris*	Moreton Bay Ash	100		100	31	13.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2079	*Eucalyptus crebra*	Narrow-leaved Ironbark	110		110	35	13.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2080	*Corymbia citriodora*	Spotted Gum	370		370	116	22.0	12.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2081	*Corymbia citriodora*	Spotted Gum	300		300	94	20.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2082	*Eucalyptus crebra*	Narrow-leaved Ironbark	130		130	41	15.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2083	*Corymbia citriodora*	Spotted Gum	130		130	41	17.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2084	*Corymbia citriodora*	Spotted Gum	270		270	85	18.0	9.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2085	*Corymbia citriodora*	Spotted Gum	130		130	41	12.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2086	*Corymbia citriodora*	Spotted Gum	110		110	35	12.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2087	*Eucalyptus crebra*	Narrow-leaved Ironbark	350		350	110	17.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2088	*Eucalyptus tereticornis*	Forest Red Gum	170		170	53	15.0	7.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2089	*Corymbia citriodora*	Spotted Gum	130		130	41	14.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2090	*Corymbia citriodora*	Spotted Gum	100		100	31	14.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2091	*Corymbia citriodora*	Spotted Gum	130		130	41	16.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2092	*Corymbia citriodora*	Spotted Gum	120		120	38	14.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2093	*Dead/Stag*		260		260	82	17.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2094	*Corymbia citriodora*	Spotted Gum	140		140	44	14.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2095	*Corymbia citriodora*	Spotted Gum	170		170	53	16.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2096	*Corymbia citriodora*	Spotted Gum	120		120	38	13.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2097	*Eucalyptus crebra*	Narrow-leaved Ironbark	110		110	35	13.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2098	*Corymbia citriodora*	Spotted Gum	150		150	47	14.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2099	*Eucalyptus crebra*	Narrow-leaved Ironbark	230		230	72	17.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2100	*Corymbia citriodora*	Spotted Gum	150		150	47	15.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2101	*Corymbia citriodora*	Spotted Gum	180	110	211	66	15.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2102	*Eucalyptus crebra*	Narrow-leaved Ironbark	270		270	85	17.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2103	*Eucalyptus crebra*	Narrow-leaved Ironbark	170		170	53	16.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
2104	*Eucalyptus crebra*	Narrow-leaved Ironbark	210		210	66	15.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2105	*Corymbia citriodora*	Spotted Gum	140		140	44	12.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2106	*Corymbia citriodora*	Spotted Gum	230		230	72	18.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2107	*Corymbia citriodora*	Spotted Gum	430		430	135	22.0	10.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2108	*Corymbia citriodora*	Spotted Gum	220		220	69	13.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2109	*Corymbia citriodora*	Spotted Gum	230	200	305	96	17.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2110	*Corymbia intermedia*	Pink Bloodwood	150		150	47	13.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2111	*Corymbia intermedia*	Pink Bloodwood	100		100	31	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2112	*Corymbia citriodora*	Spotted Gum	130		130	41	12.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2113	*Eucalyptus crebra*	Narrow-leaved Ironbark	210		210	66	13.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2114	*Eucalyptus crebra*	Narrow-leaved Ironbark	130		130	41	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2115	*Eucalyptus crebra*	Narrow-leaved Ironbark	140	120	184	58	12.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2116	*Corymbia citriodora*	Spotted Gum	320		320	101	18.0	9.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2117	*Eucalyptus crebra*	Narrow-leaved Ironbark	230		230	72	16.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2118	*Petalostigma pubescens*	Quinine Bush	150		150	47	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2119	*Corymbia citriodora*	Spotted Gum	220	200	297	93	17.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2120	*Eucalyptus crebra*	Narrow-leaved Ironbark	180		180	57	13.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2121	*Eucalyptus tereticornis*	Forest Red Gum	370		370	116	20.0	10.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2122	*Corymbia intermedia*	Pink Bloodwood	250		250	79	17.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2123	*Eucalyptus crebra*	Narrow-leaved Ironbark	110		110	35	10.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2124	*Corymbia citriodora*	Spotted Gum	110		110	35	12.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2125	*Angophora leiocarpa*	Smooth-barked Apple	150		150	47	14.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2126	*Corymbia intermedia*	Pink Bloodwood	130		130	41	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2127	*Corymbia intermedia*	Pink Bloodwood	280		280	88	16.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2128	*Corymbia intermedia*	Pink Bloodwood	290	130	318	100	17.0	8.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2129	*Corymbia intermedia*	Pink Bloodwood	120		120	38	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2130	*Corymbia citriodora*	Spotted Gum	170		170	53	15.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2131	*Corymbia intermedia*	Pink Bloodwood	240	220	326	102	18.0	8.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2132	*Corymbia intermedia*	Pink Bloodwood	100		100	31	10.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2133	*Corymbia intermedia*	Pink Bloodwood	140		140	44	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2134	*Eucalyptus tereticornis*	Forest Red Gum	430		430	135	21.0	12.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2135	*Corymbia citriodora*	Spotted Gum	200		200	63	17.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2136	*Eucalyptus crebra*	Narrow-leaved Ironbark	190		190	60	17.0	7.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2137	*Eucalyptus crebra*	Narrow-leaved Ironbark	220		220	69	16.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2138	*Eucalyptus tereticornis*	Forest Red Gum	240		240	75	12.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2139	*Corymbia citriodora*	Spotted Gum	260		260	82	18.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2140	*Corymbia citriodora*	Spotted Gum	100		100	31	11.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2141	*Eucalyptus tereticornis*	Forest Red Gum	180	120	216	68	12.0	6.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2142	*Corymbia citriodora*	Spotted Gum	130		130	41	10.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2143	*Eucalyptus tereticornis*	Forest Red Gum	160		160	50	14.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2144	*Eucalyptus crebra*	Narrow-leaved Ironbark	650		650	204	22.0	11.0	7.8	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2145	*Alphitonia excelsa*	Soap Tree	100		100	31	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2146	*Corymbia intermedia*	Pink Bloodwood	300		300	94	17.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2147	*Corymbia citriodora*	Spotted Gum	140		140	44	14.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2148	*Eucalyptus tereticornis*	Forest Red Gum	220		220	69	14.0	3.0	2.6	1.8	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2149	*Corymbia citriodora*	Spotted Gum	110	80 40	142	45	12.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2150	*Corymbia citriodora*	Spotted Gum	320		320	101	18.0	9.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2151	*Corymbia citriodora*	Spotted Gum	330		330	104	20.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2152	*Corymbia intermedia*	Pink Bloodwood	180		180	57	14.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2153	*Eucalyptus tereticornis*	Forest Red Gum	230		230	72	15.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2154	*Eucalyptus tereticornis*	Forest Red Gum	500		500	157	22.0	10.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2155	*Eucalyptus tereticornis*	Forest Red Gum	300		300	94	15.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2156	*Corymbia citriodora*	Spotted Gum	100		100	31	12.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2157	*Corymbia intermedia*	Pink Bloodwood	240		240	75	14.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2158	*Corymbia citriodora*	Spotted Gum	170	130	214	67	14.0	7.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2159	*Corymbia citriodora*	Spotted Gum	100		100	31	11.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2160	*Corymbia citriodora*	Spotted Gum	200		200	63	18.0	9.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2161	*Corymbia citriodora*	Spotted Gum	160		160	50	17.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2162	*Eucalyptus tereticornis*	Forest Red Gum	100		100	31	10.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2163	*Corymbia citriodora*	Spotted Gum	150		150	47	16.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2164	*Corymbia citriodora*	Spotted Gum	140		140	44	13.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2165	*Eucalyptus tereticornis*	Forest Red Gum	180		180	57	17.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2166	*Corymbia citriodora*	Spotted Gum	110	80	136	43	11.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2167	*Corymbia citriodora*	Spotted Gum	140		140	44	14.0	7.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2168	*Eucalyptus crebra*	Narrow-leaved Ironbark	190		190	60	16.0	7.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2169	*Corymbia citriodora*	Spotted Gum	100		100	31	13.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2170	*Corymbia tessellaris*	Moreton Bay Ash	150		150	47	12.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2171	*Corymbia citriodora*	Spotted Gum	230	120	259	81	18.0	9.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2172	*Corymbia tessellaris*	Moreton Bay Ash	220		220	69	17.0	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2173	*Corymbia citriodora*	Spotted Gum	320		320	101	20.0	10.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2174	*Corymbia citriodora*	Spotted Gum	100		100	31	13.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2175	*Corymbia citriodora*	Spotted Gum	270		270	85	18.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2176	*Corymbia citriodora*	Spotted Gum	160		160	50	16.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2177	*Corymbia citriodora*	Spotted Gum	100		100	31	13.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2178	*Corymbia citriodora*	Spotted Gum	120		120	38	11.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2179	*Corymbia citriodora*	Spotted Gum	110		110	35	15.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2180	*Corymbia citriodora*	Spotted Gum	130		130	41	14.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2181	*Corymbia citriodora*	Spotted Gum	180		180	57	20.0	8.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2182	*Corymbia citriodora*	Spotted Gum	250		250	79	22.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2183	*Corymbia citriodora*	Spotted Gum	140		140	44	12.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2184	*Corymbia citriodora*	Spotted Gum	220		220	69	18.0	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
2185	*Corymbia citriodora*	Spotted Gum	290		290	91	20.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2186	*Corymbia citriodora*	Spotted Gum	120		120	38	12.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2187	*Corymbia citriodora*	Spotted Gum	130		130	41	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2188	*Corymbia citriodora*	Spotted Gum	140		140	44	16.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2189	*Corymbia citriodora*	Spotted Gum	140		140	44	11.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2190	*Corymbia citriodora*	Spotted Gum	410		410	129	22.0	10.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2191	*Eucalyptus crebra*	Narrow-leaved Ironbark	220		220	69	16.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2192	*Corymbia citriodora*	Spotted Gum	140		140	44	15.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2193	*Corymbia citriodora*	Spotted Gum	160		160	50	13.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2194	*Corymbia citriodora*	Spotted Gum	160		160	50	14.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2195	*Eucalyptus crebra*	Narrow-leaved Ironbark	120		120	38	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
2196	*Corymbia citriodora*	Spotted Gum	180		180	57	18.0	7.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2197	*Corymbia citriodora*	Spotted Gum	140		140	44	14.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2198	*Corymbia citriodora*	Spotted Gum	100		100	31	11.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2199	*Eucalyptus crebra*	Narrow-leaved Ironbark	120		120	38	12.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2200	*Eucalyptus crebra*	Narrow-leaved Ironbark	100	70	122	38	12.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2201	*Corymbia citriodora*	Spotted Gum	390		390	123	18.0	9.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2202	*Corymbia citriodora*	Spotted Gum	240		240	75	15.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2203	*Corymbia citriodora*	Spotted Gum	540		540	170	21.0	11.0	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2204	*Corymbia citriodora*	Spotted Gum	320		320	101	20.0	9.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2205	*Corymbia citriodora*	Spotted Gum	130		130	41	14.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2206	*Corymbia intermedia*	Pink Bloodwood	150		150	47	11.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2207	*Corymbia intermedia*	Pink Bloodwood	210	190	283	89	13.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2208	*Eucalyptus tereticornis*	Forest Red Gum	150		150	47	14.0	3.0	2.0	1.5	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2209	*Corymbia intermedia*	Pink Bloodwood	230		230	72	13.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2210	*Eucalyptus crebra*	Narrow-leaved Ironbark	240		240	75	14.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2211	*Eucalyptus crebra*	Narrow-leaved Ironbark	130		130	41	13.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2212	*Corymbia citriodora*	Spotted Gum	100		100	31	11.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2213	*Eucalyptus crebra*	Narrow-leaved Ironbark	190		190	60	15.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2214	*Eucalyptus crebra*	Narrow-leaved Ironbark	300		300	94	18.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2215	*Corymbia intermedia*	Pink Bloodwood	110	80	136	43	12.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2216	*Eucalyptus crebra*	Narrow-leaved Ironbark	240		240	75	15.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2217	*Eucalyptus crebra*	Narrow-leaved Ironbark	310		310	97	17.0	9.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2218	*Eucalyptus crebra*	Narrow-leaved Ironbark	120		120	38	13.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2219	*Eucalyptus tereticornis*	Forest Red Gum	220		220	69	16.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2220	*Angophora leiocarpa*	Smooth-barked Apple	350		350	110	18.0	9.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2221	*Eucalyptus crebra*	Narrow-leaved Ironbark	510		510	160	20.0	12.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2222	*Corymbia intermedia*	Pink Bloodwood	200	150	250	79	12.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2223	*Eucalyptus tereticornis*	Forest Red Gum	190		190	60	17.0	4.0	2.3	1.6	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2224	*Lophostemon suaveolens*	Swamp Box	180		180	57	11.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2225	*Corymbia intermedia*	Pink Bloodwood	130		130	41	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2226	*Corymbia intermedia*	Pink Bloodwood	160	150	219	69	12.0	5.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2227	*Corymbia intermedia*	Pink Bloodwood	200	90	219	69	14.0	6.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2228	*Corymbia intermedia*	Pink Bloodwood	130		130	41	11.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2229	*Eucalyptus crebra*	Narrow-leaved Ironbark	110		110	35	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2230	*Eucalyptus crebra*	Narrow-leaved Ironbark	110		110	35	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2231	*Corymbia intermedia*	Pink Bloodwood	120		120	38	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2232	*Eucalyptus crebra*	Narrow-leaved Ironbark	110		110	35	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2233	*Corymbia intermedia*	Pink Bloodwood	120		120	38	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2234	*Eucalyptus crebra*	Narrow-leaved Ironbark	240		240	75	17.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2235	*Corymbia intermedia*	Pink Bloodwood	110		110	35	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2236	*Corymbia intermedia*	Pink Bloodwood	100		100	31	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2237	*Corymbia intermedia*	Pink Bloodwood	100		100	31	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2238	*Corymbia intermedia*	Pink Bloodwood	120		120	38	5.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2239	*Corymbia intermedia*	Pink Bloodwood	130		130	41	5.0	2.0	2.0	1.4	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2240	*Corymbia citriodora*	Spotted Gum	150		150	47	12.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2241	*Corymbia citriodora*	Spotted Gum	250		250	79	16.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2242	*Corymbia intermedia*	Pink Bloodwood	300	190	355	112	15.0	9.0	4.3	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2243	*Corymbia citriodora*	Spotted Gum	250	180	308	97	16.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2244	*Lophostemon suaveolens*	Swamp Box	200	200 190	341	107	14.0	6.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2245	*Corymbia citriodora*	Spotted Gum	130		130	41	14.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2246	*Lophostemon suaveolens*	Swamp Box	220		220	69	13.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2247	*Eucalyptus tereticornis*	Forest Red Gum	100		100	31	8.0	2.0	2.0	1.3	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2248	*Eucalyptus tereticornis*	Forest Red Gum	120		120	38	8.0	2.0	2.0	1.4	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2249	*Corymbia intermedia*	Pink Bloodwood	120		120	38	5.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2250	*Dead/Stag*		210		210	66	10.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2251	*Eucalyptus tereticornis*	Forest Red Gum	100		100	31	9.0	2.0	2.0	1.3	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2252	*Lophostemon suaveolens*	Swamp Box	160		160	50	11.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2253	*Eucalyptus tereticornis*	Forest Red Gum	150		150	47	10.0	2.0	2.0	1.5	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2254	*Corymbia citriodora*	Spotted Gum	140		140	44	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2255	*Eucalyptus tereticornis*	Forest Red Gum	410		410	129	21.0	8.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2256	*Corymbia intermedia*	Pink Bloodwood	120		120	38	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2257	*Corymbia intermedia*	Pink Bloodwood	220		220	69	13.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2258	*Corymbia citriodora*	Spotted Gum	300		300	94	18.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2259	*Eucalyptus tereticornis*	Forest Red Gum	330		330	104	17.0	9.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2260	*Lophostemon suaveolens*	Swamp Box	160		160	50	12.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2261	*Corymbia intermedia*	Pink Bloodwood	210		210	66	14.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2262	*Eucalyptus tereticornis*	Forest Red Gum	250		250	79	16.0	5.0	3.0	1.8	Regular	-	Thinning	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove	
2263	*Lophostemon suaveolens*	Swamp Box	200		200	63	12.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2264	*Eucalyptus crebra*	Narrow-leaved Ironbark	110		110	35	12.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2265	*Corymbia citriodora*	Spotted Gum	110		110	35	12.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
2266	*Eucalyptus crebra*	Narrow-leaved Ironbark	210		210	66	15.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2267	*Lophostemon suaveolens*	Swamp Box	220	90	238	75	13.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2268	*Corymbia intermedia*	Pink Bloodwood	130		130	41	11.0	4.0	2.0	1.4	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2269	*Eucalyptus tereticornis*	Forest Red Gum	210		210	66	14.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2270	*Corymbia intermedia*	Pink Bloodwood	190		190	60	14.0	7.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2271	*Lophostemon suaveolens*	Swamp Box	170		170	53	11.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2272	*Lophostemon suaveolens*	Swamp Box	170		170	53	14.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2273	*Lophostemon suaveolens*	Swamp Box	110	100	149	47	8.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2274	*Corymbia intermedia*	Pink Bloodwood	340		340	107	20.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2275	*Lophostemon suaveolens*	Swamp Box	130		130	41	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2276	*Corymbia intermedia*	Pink Bloodwood	160		160	50	13.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2277	*Lophostemon suaveolens*	Swamp Box	170		170	53	11.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2278	*Lophostemon suaveolens*	Swamp Box	130		130	41	11.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2279	*Lophostemon suaveolens*	Swamp Box	140		140	44	11.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2280	*Lophostemon suaveolens*	Swamp Box	140		140	44	11.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2281	*Eucalyptus tereticornis*	Forest Red Gum	120		120	38	11.0	4.0	2.0	1.4	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2282	*Lophostemon suaveolens*	Swamp Box	110		110	35	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2283	*Eucalyptus tereticornis*	Forest Red Gum	170		170	53	16.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2284	*Corymbia intermedia*	Pink Bloodwood	100		100	31	10.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2285	*Lophostemon suaveolens*	Swamp Box	170		170	53	11.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2286	*Lophostemon suaveolens*	Swamp Box	140		140	44	10.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2287	*Eucalyptus tereticornis*	Forest Red Gum	140		140	44	12.0	3.0	2.0	1.4	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2288	*Eucalyptus tereticornis*	Forest Red Gum	140		140	44	11.0	4.0	2.0	1.4	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2289	*Corymbia intermedia*	Pink Bloodwood	240		240	75	12.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2290	*Corymbia intermedia*	Pink Bloodwood	530		530	167	22.0	11.0	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2291	*Lophostemon suaveolens*	Swamp Box	110		110	35	12.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2292	*Lophostemon suaveolens*	Swamp Box	210		210	66	15.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2293	*Corymbia intermedia*	Pink Bloodwood	150		150	47	13.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2294	*Corymbia intermedia*	Pink Bloodwood	150		150	47	14.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2295	*Corymbia intermedia*	Pink Bloodwood	140		140	44	12.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2296	*Corymbia intermedia*	Pink Bloodwood	130		130	41	12.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2297	*Corymbia intermedia*	Pink Bloodwood	140		140	44	12.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2298	*Corymbia citriodora*	Spotted Gum	250		250	79	15.0	7.0	3.0	1.8	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2299	*Lophostemon suaveolens*	Swamp Box	100		100	31	9.0	1.0	2.0	1.3	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2300	*Lophostemon suaveolens*	Swamp Box	190		190	60	12.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2301	*Lophostemon suaveolens*	Swamp Box	120		120	38	5.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Remove	
2302	*Lophostemon suaveolens*	Swamp Box	250		250	79	16.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2303	*Corymbia intermedia*	Pink Bloodwood	280		280	88	18.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2304	*Lophostemon suaveolens*	Swamp Box	100		100	31	9.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2305	*Lophostemon suaveolens*	Swamp Box	140		140	44	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2306	*Lophostemon suaveolens*	Swamp Box	140		140	44	12.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2307	*Lophostemon suaveolens*	Swamp Box	150		150	47	13.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2308	*Lophostemon suaveolens*	Swamp Box	130		130	41	13.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2309	*Eucalyptus tereticornis*	Forest Red Gum	160		160	50	16.0	6.0	2.0	1.5	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2310	*Corymbia intermedia*	Pink Bloodwood	130		130	41	11.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2311	*Lophostemon suaveolens*	Swamp Box	160		160	50	13.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2312	*Lophostemon suaveolens*	Swamp Box	170		170	53	13.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2313	*Lophostemon suaveolens*	Swamp Box	100		100	31	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2314	*Lophostemon suaveolens*	Swamp Box	140		140	44	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2315	*Lophostemon suaveolens*	Swamp Box	220		220	69	16.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2316	*Lophostemon suaveolens*	Swamp Box	220		220	69	16.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2317	*Lophostemon suaveolens*	Swamp Box	280		280	88	16.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2318	*Eucalyptus tereticornis*	Forest Red Gum	270		270	85	14.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2319	*Lophostemon suaveolens*	Swamp Box	290		290	91	16.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2320	*Lophostemon suaveolens*	Swamp Box	150		150	47	9.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2321	*Lophostemon suaveolens*	Swamp Box	220		220	69	15.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2322	*Eucalyptus tereticornis*	Forest Red Gum	160		160	50	14.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2323	*Lophostemon suaveolens*	Swamp Box	210		210	66	15.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2324	*Lophostemon suaveolens*	Swamp Box	150		150	47	10.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2325	*Lophostemon suaveolens*	Swamp Box	130		130	41	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2326	*Lophostemon suaveolens*	Swamp Box	180		180	57	11.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2327	*Lophostemon suaveolens*	Swamp Box	120		120	38	5.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2328	*Lophostemon suaveolens*	Swamp Box	180		180	57	12.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2329	*Lophostemon suaveolens*	Swamp Box	260		260	82	14.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2330	*Lophostemon suaveolens*	Swamp Box	180		180	57	15.0	7.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2331	*Eucalyptus tereticornis*	Forest Red Gum	290		290	91	18.0	9.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2332	*Lophostemon suaveolens*	Swamp Box	210		210	66	16.0	8.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2333	*Lophostemon suaveolens*	Swamp Box	250		250	79	14.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2334	*Lophostemon suaveolens*	Swamp Box	110		110	35	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2335	*Lophostemon suaveolens*	Swamp Box	240		240	75	14.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2336	*Eucalyptus tereticornis*	Forest Red Gum	730		730	229	22.0	12.0	8.8	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2337	*Lophostemon suaveolens*	Swamp Box	100		100	31	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2338	*Lophostemon suaveolens*	Swamp Box	100		100	31	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2339	*Lophostemon suaveolens*	Swamp Box	150		150	47	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2340	*Lophostemon suaveolens*	Swamp Box	130		130	41	11.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2341	*Lophostemon suaveolens*	Swamp Box	270		270	85	15.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2342	*Lophostemon suaveolens*	Swamp Box	170		170	53	14.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2343	*Eucalyptus tereticornis*	Forest Red Gum	260		260	82	19.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2344	*Lophostemon suaveolens*	Swamp Box	280		280	88	15.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2345	*Lophostemon suaveolens*	Swamp Box	180		180	57	16.0	7.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2346	*Lophostemon suaveolens*	Swamp Box	120		120	38	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
2347	*Lophostemon suaveolens*	Swamp Box	110		110	35	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
2348	*Corymbia citriodora*	Spotted Gum	310		310	97	17.0	9.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
2349	*Corymbia tessellaris*	Moreton Bay Ash	140		140	44	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2350	*Lophostemon suaveolens*	Swamp Box	150		150	47	15.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2351	*Eucalyptus tereticornis*	Forest Red Gum	440		440	138	20.0	11.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2352	*Corymbia intermedia*	Pink Bloodwood	140		140	44	14.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2353	*Lophostemon suaveolens*	Swamp Box	180		180	57	15.0	7.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2354	*Lophostemon suaveolens*	Swamp Box	200		200	63	12.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2355	*Lophostemon suaveolens*	Swamp Box	120		120	38	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2356	*Lophostemon suaveolens*	Swamp Box	110		110	35	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2357	*Corymbia intermedia*	Pink Bloodwood	210		210	66	15.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2358	*Lophostemon suaveolens*	Swamp Box	180		180	57	12.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2359	*Lophostemon suaveolens*	Swamp Box	120		120	38	13.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2360	*Lophostemon suaveolens*	Swamp Box	200		200	63	13.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2361	*Lophostemon suaveolens*	Swamp Box	110		110	35	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2362	*Lophostemon suaveolens*	Swamp Box	110		110	35	9.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2363	*Eucalyptus tereticornis*	Forest Red Gum	140		140	44	12.0	2.0	2.0	1.4	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2364	*Corymbia intermedia*	Pink Bloodwood	170		170	53	14.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2365	*Lophostemon suaveolens*	Swamp Box	160		160	50	12.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2366	*Eucalyptus crebra*	Narrow-leaved Ironbark	200		200	63	16.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2367	*Lophostemon suaveolens*	Swamp Box	120		120	38	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2368	*Lophostemon suaveolens*	Swamp Box	120		120	38	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2369	*Lophostemon suaveolens*	Swamp Box	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2370	*Corymbia intermedia*	Pink Bloodwood	210		210	66	16.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2371	*Lophostemon suaveolens*	Swamp Box	120		120	38	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2372	*Lophostemon suaveolens*	Swamp Box	320		320	101	16.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2373	*Corymbia intermedia*	Pink Bloodwood	290		290	91	15.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2374	*Eucalyptus crebra*	Narrow-leaved Ironbark	140	110	178	56	12.0	5.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2375	*Corymbia intermedia*	Pink Bloodwood	100		100	31	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2376	*Eucalyptus crebra*	Narrow-leaved Ironbark	240		240	75	15.0	6.0	2.9	1.8	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2377	*Eucalyptus tereticornis*	Forest Red Gum	190		190	60	16.0	7.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2378	*Lophostemon suaveolens*	Swamp Box	100		100	31	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2379	*Lophostemon suaveolens*	Swamp Box	190		190	60	14.0	7.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2380	*Corymbia intermedia*	Pink Bloodwood	140		140	44	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2381	*Lophostemon suaveolens*	Swamp Box	190		190	60	13.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2382	*Corymbia intermedia*	Pink Bloodwood	260		260	82	14.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2383	*Lophostemon suaveolens*	Swamp Box	130		130	41	11.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2384	*Lophostemon suaveolens*	Swamp Box	140		140	44	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2385	*Lophostemon suaveolens*	Swamp Box	130		130	41	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2386	*Corymbia intermedia*	Pink Bloodwood	170		170	53	12.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2387	*Eucalyptus tereticornis*	Forest Red Gum	200		200	63	14.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2388	*Corymbia intermedia*	Pink Bloodwood	290	200 170 140	415	131	15.0	9.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2389	*Lophostemon suaveolens*	Swamp Box	180	180 150	295	93	15.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2390	*Dead/Stag*		210		210	66	16.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2391	*Corymbia intermedia*	Pink Bloodwood	200	120	233	73	15.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2392	*Corymbia citriodora*	Spotted Gum	160		160	50	14.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2393	*Eucalyptus tereticornis*	Forest Red Gum	210	160	264	83	16.0	7.0	3.2	1.9	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2394	*Corymbia citriodora*	Spotted Gum	110		110	35	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2395	*Eucalyptus tereticornis*	Forest Red Gum	110		110	35	13.0	4.0	2.0	1.3	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2396	*Corymbia intermedia*	Pink Bloodwood	100		100	31	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2397	*Eucalyptus tereticornis*	Forest Red Gum	120		120	38	10.0	3.0	2.0	1.4	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2398	*Eucalyptus crebra*	Narrow-leaved Ironbark	100		100	31	11.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2399	*Corymbia intermedia*	Pink Bloodwood	240	210 180	366	115	15.0	10.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2400	*Corymbia intermedia*	Pink Bloodwood	260		260	82	16.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2401	*Eucalyptus crebra*	Narrow-leaved Ironbark	170		170	53	13.0	3.0	2.0	1.6	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2402	*Corymbia intermedia*	Pink Bloodwood	180		180	57	17.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2403	*Eucalyptus crebra*	Narrow-leaved Ironbark	110		110	35	12.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2404	*Corymbia intermedia*	Pink Bloodwood	150		150	47	13.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2405	*Eucalyptus crebra*	Narrow-leaved Ironbark	160		160	50	13.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2406	*Corymbia intermedia*	Pink Bloodwood	310		310	97	18.0	9.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2407	*Corymbia intermedia*	Pink Bloodwood	180	140 120	258	81	15.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2408	*Eucalyptus crebra*	Narrow-leaved Ironbark	240		240	75	18.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2409	*Corymbia intermedia*	Pink Bloodwood	120		120	38	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2410	*Eucalyptus crebra*	Narrow-leaved Ironbark	180		180	57	13.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2411	*Corymbia intermedia*	Pink Bloodwood	240	190 190	360	113	18.0	8.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2412	*Corymbia trachyphloia*	Brown Bloodwood	170		170	53	14.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2413	*Eucalyptus crebra*	Narrow-leaved Ironbark	190		190	60	14.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2414	*Corymbia citriodora*	Spotted Gum	460		460	145	20.0	9.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2415	*Eucalyptus crebra*	Narrow-leaved Ironbark	130		130	41	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2416	*Corymbia citriodora*	Spotted Gum	140		140	44	14.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2417	*Corymbia citriodora*	Spotted Gum	120		120	38	14.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2418	*Corymbia citriodora*	Spotted Gum	130		130	41	15.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2419	*Eucalyptus tereticornis*	Forest Red Gum	160		160	50	15.0	4.0	2.0	1.5	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2420	*Corymbia citriodora*	Spotted Gum	100		100	31	11.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2421	*Corymbia intermedia*	Pink Bloodwood	160	110	194	61	8.0	4.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2422	*Eucalyptus crebra*	Narrow-leaved Ironbark	110		110	35	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2423	*Corymbia intermedia*	Pink Bloodwood	120		120	38	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2424	*Corymbia intermedia*	Pink Bloodwood	120		120	38	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2425	*Corymbia citriodora*	Spotted Gum	290	190 180	391	123	16.0	8.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2426	*Eucalyptus crebra*	Narrow-leaved Ironbark	110		110	35	10.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2427	*Corymbia citriodora*	Spotted Gum	110		110	35	10.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
2428	*Eucalyptus crebra*	Narrow-leaved Ironbark	100		100	31	9.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2429	*Corymbia intermedia*	Pink Bloodwood	110		110	35	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2430	*Corymbia citriodora*	Spotted Gum	150		150	47	17.0	8.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2431	*Corymbia citriodora*	Spotted Gum	130		130	41	13.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2432	*Corymbia citriodora*	Spotted Gum	310		310	97	20.0	9.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2433	*Eucalyptus crebra*	Narrow-leaved Ironbark	240		240	75	15.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2434	*Corymbia citriodora*	Spotted Gum	280		280	88	19.0	9.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2435	*Corymbia tessellaris*	Moreton Bay Ash	120		120	38	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2436	*Corymbia citriodora*	Spotted Gum	210		210	66	15.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2437	*Corymbia citriodora*	Spotted Gum	550		550	173	19.0	12.0	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2438	*Eucalyptus crebra*	Narrow-leaved Ironbark	100		100	31	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2439	*Corymbia citriodora*	Spotted Gum	300		300	94	18.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2440	*Corymbia citriodora*	Spotted Gum	400		400	126	19.0	8.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2441	*Eucalyptus crebra*	Narrow-leaved Ironbark	190		190	60	20.0	7.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2442	*Eucalyptus crebra*	Narrow-leaved Ironbark	240		240	75	17.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2443	*Corymbia intermedia*	Pink Bloodwood	270		270	85	16.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2444	*Eucalyptus crebra*	Narrow-leaved Ironbark	230		230	72	16.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2445	*Eucalyptus tereticornis*	Forest Red Gum	150		150	47	15.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2446	*Eucalyptus tereticornis*	Forest Red Gum	140		140	44	14.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2447	*Corymbia citriodora*	Spotted Gum	140		140	44	14.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2448	*Eucalyptus tereticornis*	Forest Red Gum	310		310	97	20.0	10.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2449	*Corymbia tessellaris*	Moreton Bay Ash	200		200	63	18.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2450	*Corymbia tessellaris*	Moreton Bay Ash	150		150	47	15.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2451	*Corymbia tessellaris*	Moreton Bay Ash	120		120	38	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2452	*Eucalyptus tereticornis*	Forest Red Gum	140		140	44	16.0	5.0	2.0	1.4	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2453	*Corymbia citriodora*	Spotted Gum	170		170	53	16.0	7.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2454	*Corymbia tessellaris*	Moreton Bay Ash	190		190	60	19.0	6.0	2.3	1.6	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2455	*Corymbia tessellaris*	Moreton Bay Ash	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2456	*Corymbia citriodora*	Spotted Gum	140		140	44	14.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2457	*Corymbia citriodora*	Spotted Gum	200		200	63	13.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2458	*Eucalyptus crebra*	Narrow-leaved Ironbark	320		320	101	17.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2459	*Corymbia citriodora*	Spotted Gum	440	140	462	145	18.0	11.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2460	*Eucalyptus crebra*	Narrow-leaved Ironbark	440		440	138	18.0	10.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2461	*Corymbia intermedia*	Pink Bloodwood	210		210	66	15.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2462	*Corymbia tessellaris*	Moreton Bay Ash	220		220	69	18.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2463	*Corymbia citriodora*	Spotted Gum	180		180	57	15.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2464	*Corymbia tessellaris*	Moreton Bay Ash	140	90	166	52	14.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2465	*Eucalyptus crebra*	Narrow-leaved Ironbark	150	110	186	58	12.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2466	*Corymbia intermedia*	Pink Bloodwood	140		140	44	14.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2467	*Corymbia intermedia*	Pink Bloodwood	100		100	31	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2468	*Corymbia citriodora*	Spotted Gum	200		200	63	14.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2469	*Corymbia citriodora*	Spotted Gum	140		140	44	12.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2470	*Eucalyptus crebra*	Narrow-leaved Ironbark	150		150	47	12.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2471	*Eucalyptus crebra*	Narrow-leaved Ironbark	100		100	31	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2472	*Corymbia tessellaris*	Moreton Bay Ash	160		160	50	15.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2473	*Eucalyptus crebra*	Narrow-leaved Ironbark	140		140	44	12.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2474	*Eucalyptus crebra*	Narrow-leaved Ironbark	140		140	44	11.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2475	*Corymbia citriodora*	Spotted Gum	130		130	41	14.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2476	*Corymbia citriodora*	Spotted Gum	130		130	41	11.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2477	*Corymbia citriodora*	Spotted Gum	420		420	132	20.0	9.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2478	*Corymbia citriodora*	Spotted Gum	290	200	352	111	19.0	11.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2479	*Corymbia citriodora*	Spotted Gum	290		290	91	18.0	9.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2480	*Corymbia citriodora*	Spotted Gum	170		170	53	10.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2481	*Corymbia citriodora*	Spotted Gum	400		400	126	20.0	8.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2482	*Corymbia citriodora*	Spotted Gum	120	90	150	47	12.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2483	*Eucalyptus tereticornis*	Forest Red Gum	170		170	53	15.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2484	*Corymbia citriodora*	Spotted Gum	280		280	88	16.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2485	*Corymbia citriodora*	Spotted Gum	250		250	79	18.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2486	*Corymbia citriodora*	Spotted Gum	410	160	440	138	20.0	11.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2487	*Corymbia intermedia*	Pink Bloodwood	220		220	69	14.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2488	*Eucalyptus crebra*	Narrow-leaved Ironbark	130		130	41	11.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2489	*Corymbia citriodora*	Spotted Gum	140		140	44	15.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2490	*Corymbia citriodora*	Spotted Gum	120		120	38	15.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2491	*Corymbia intermedia*	Pink Bloodwood	170		170	53	13.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2492	*Corymbia citriodora*	Spotted Gum	660		660	207	20.0	12.0	7.9	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2493	*Corymbia intermedia*	Pink Bloodwood	200	120	233	73	14.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2494	*Corymbia citriodora*	Spotted Gum	190		190	60	16.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2495	*Corymbia citriodora*	Spotted Gum	260		260	82	15.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2496	*Corymbia intermedia*	Pink Bloodwood	140		140	44	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2497	*Corymbia citriodora*	Spotted Gum	370		370	116	20.0	8.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2498	*Corymbia intermedia*	Pink Bloodwood	120		120	38	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2499	*Eucalyptus crebra*	Narrow-leaved Ironbark	140		140	44	12.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2500	*Corymbia intermedia*	Pink Bloodwood	130		130	41	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2501	*Corymbia intermedia*	Pink Bloodwood	150		150	47	11.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2502	*Corymbia intermedia*	Pink Bloodwood	200		200	63	13.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2503	*Corymbia citriodora*	Spotted Gum	290		290	91	17.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2504	*Corymbia intermedia*	Pink Bloodwood	170		170	53	12.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2505	*Corymbia citriodora*	Spotted Gum	410		410	129	18.0	9.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2506	*Eucalyptus tereticornis*	Forest Red Gum	160		160	50	16.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2507	*Corymbia intermedia*	Pink Bloodwood	170	160	233	73	14.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2508	*Eucalyptus crebra*	Narrow-leaved Ironbark	110		110	35	11.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
2509	*Corymbia intermedia*	Pink Bloodwood	160	120	200	63	12.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2510	*Corymbia intermedia*	Pink Bloodwood	140		140	44	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2511	*Corymbia intermedia*	Pink Bloodwood	240		240	75	14.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2512	*Corymbia citriodora*	Spotted Gum	470		470	148	22.0	12.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2513	*Eucalyptus crebra*	Narrow-leaved Ironbark	140		140	44	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2514	*Eucalyptus crebra*	Narrow-leaved Ironbark	300		300	94	16.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2515	*Corymbia intermedia*	Pink Bloodwood	300		300	94	16.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2516	*Corymbia intermedia*	Pink Bloodwood	120		120	38	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2517	*Corymbia intermedia*	Pink Bloodwood	120		120	38	5.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2518	*Corymbia citriodora*	Spotted Gum	220		220	69	13.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2519	*Eucalyptus tereticornis*	Forest Red Gum	720		720	226	24.0	12.0	8.6	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2520	*Eucalyptus crebra*	Narrow-leaved Ironbark	190		190	60	12.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Present	-	Remove	
2521	*Lophostemon suaveolens*	Swamp Box	160	130	206	65	13.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2522	*Corymbia citriodora*	Spotted Gum	250		250	79	14.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2523	*Corymbia intermedia*	Pink Bloodwood	130		130	41	11.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2524	*Corymbia intermedia*	Pink Bloodwood	110		110	35	6.0	2.0	2.0	1.3	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2525	*Corymbia intermedia*	Pink Bloodwood	130		130	41	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2526	*Corymbia intermedia*	Pink Bloodwood	160		160	50	12.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2527	*Corymbia intermedia*	Pink Bloodwood	110		110	35	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2528	*Corymbia citriodora*	Spotted Gum	100		100	31	5.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2529	*Corymbia intermedia*	Pink Bloodwood	230		230	72	14.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2530	*Corymbia intermedia*	Pink Bloodwood	130		130	41	10.0	2.0	2.0	1.4	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2531	*Corymbia intermedia*	Pink Bloodwood	160		160	50	14.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2532	*Corymbia intermedia*	Pink Bloodwood	210		210	66	15.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2533	*Corymbia intermedia*	Pink Bloodwood	180		180	57	12.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2534	*Corymbia intermedia*	Pink Bloodwood	180		180	57	14.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2535	*Corymbia citriodora*	Spotted Gum	170		170	53	17.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2536	*Eucalyptus tereticornis*	Forest Red Gum	280		280	88	18.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2537	*Corymbia citriodora*	Spotted Gum	150	100	180	57	14.0	6.0	2.2	1.6	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2538	*Corymbia intermedia*	Pink Bloodwood	220		220	69	15.0	7.0	2.6	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2539	*Lophostemon suaveolens*	Swamp Box	170		170	53	13.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2540	*Eucalyptus tereticornis*	Forest Red Gum	330		330	104	18.0	9.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2541	*Corymbia intermedia*	Pink Bloodwood	240		240	75	16.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2542	*Lophostemon suaveolens*	Swamp Box	150		150	47	8.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2543	*Corymbia intermedia*	Pink Bloodwood	140		140	44	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2544	*Corymbia citriodora*	Spotted Gum	170		170	53	14.0	7.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2545	*Corymbia citriodora*	Spotted Gum	310		310	97	17.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2546	*Corymbia intermedia*	Pink Bloodwood	150		150	47	11.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2547	*Corymbia intermedia*	Pink Bloodwood	140		140	44	13.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2548	*Lophostemon suaveolens*	Swamp Box	110		110	35	11.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2549	*Corymbia citriodora*	Spotted Gum	140		140	44	16.0	7.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2550	*Corymbia intermedia*	Pink Bloodwood	100		100	31	11.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2551	*Corymbia citriodora*	Spotted Gum	130		130	41	12.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2552	*Eucalyptus tereticornis*	Forest Red Gum	240		240	75	16.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2553	*Eucalyptus crebra*	Narrow-leaved Ironbark	290		290	91	16.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2554	*Eucalyptus crebra*	Narrow-leaved Ironbark	290		290	91	18.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2555	*Corymbia citriodora*	Spotted Gum	110		110	35	11.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2556	*Corymbia intermedia*	Pink Bloodwood	120		120	38	11.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2557	*Lophostemon suaveolens*	Swamp Box	160		160	50	14.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2558	*Lophostemon suaveolens*	Swamp Box	190	150	242	76	15.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2559	*Corymbia intermedia*	Pink Bloodwood	250		250	79	16.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2560	*Corymbia intermedia*	Pink Bloodwood	160		160	50	15.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2561	*Lophostemon suaveolens*	Swamp Box	170		170	53	15.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2562	*Lophostemon suaveolens*	Swamp Box	150		150	47	16.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2563	*Lophostemon suaveolens*	Swamp Box	130		130	41	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2564	*Corymbia intermedia*	Pink Bloodwood	120		120	38	11.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2565	*Eucalyptus tereticornis*	Forest Red Gum	250		250	79	17.0	9.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2566	*Lophostemon suaveolens*	Swamp Box	110		110	35	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2567	*Lophostemon suaveolens*	Swamp Box	190		190	60	15.0	7.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2568	*Lophostemon suaveolens*	Swamp Box	130		130	41	12.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2569	*Lophostemon suaveolens*	Swamp Box	180		180	57	15.0	8.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2570	*Eucalyptus tereticornis*	Forest Red Gum	410		410	129	20.0	12.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2571	*Lophostemon suaveolens*	Swamp Box	190		190	60	16.0	7.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2572	*Lophostemon suaveolens*	Swamp Box	130		130	41	14.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2573	*Lophostemon suaveolens*	Swamp Box	280		280	88	18.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2574	*Lophostemon suaveolens*	Swamp Box	300	220	372	117	15.0	8.0	4.5	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2575	*Lophostemon suaveolens*	Swamp Box	230		230	72	16.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2576	*Eucalyptus tereticornis*	Forest Red Gum	260		260	82	18.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2577	*Lophostemon suaveolens*	Swamp Box	330		330	104	19.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2578	*Eucalyptus tereticornis*	Forest Red Gum	360		360	113	12.0	5.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2579	*Eucalyptus crebra*	Narrow-leaved Ironbark	150	120 120	226	71	12.0	5.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2580	*Eucalyptus tereticornis*	Forest Red Gum	150		150	47	12.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2581	*Eucalyptus tereticornis*	Forest Red Gum	120		120	38	13.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2582	*Eucalyptus tereticornis*	Forest Red Gum	110		110	35	12.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2583	*Eucalyptus tereticornis*	Forest Red Gum	150		150	47	12.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2584	*Angophora leiocarpa*	Smooth-barked Apple	150		150	47	12.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2585	*Corymbia citriodora*	Spotted Gum	190		190	60	12.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2586	*Corymbia citriodora*	Spotted Gum	380		380	119	17.0	15.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2587	*Corymbia citriodora*	Spotted Gum	300		300	94	17.0	15.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2588	*Corymbia citriodora*	Spotted Gum	180		180	57	15.0	8.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2589	*Corymbia citriodora*	Spotted Gum	120		120	38	10.0	7.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
2590	*Corymbia citriodora*	Spotted Gum	200		200	63	15.0	9.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2591	*Petalostigma pubescens*	Quinine Bush	290		290	91	12.0	9.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2592	*Corymbia citriodora*	Spotted Gum	230		230	72	15.0	9.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2593	*Eucalyptus crebra*	Narrow-leaved Ironbark	160		160	50	12.0	8.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2594	*Eucalyptus tereticornis*	Forest Red Gum	220		220	69	13.0	9.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2595	*Eucalyptus tereticornis*	Forest Red Gum	140		140	44	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2596	*Eucalyptus tereticornis*	Forest Red Gum	100		100	31	10.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2597	*Corymbia citriodora*	Spotted Gum	200		200	63	15.0	9.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2598	*Corymbia citriodora*	Spotted Gum	250		250	79	15.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2599	*Corymbia citriodora*	Spotted Gum	120		120	38	10.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2600	*Corymbia citriodora*	Spotted Gum	350		350	110	18.0	12.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2601	*Corymbia citriodora*	Spotted Gum	270		270	85	17.0	12.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2602	*Corymbia citriodora*	Spotted Gum	260		260	82	16.0	9.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2603	*Corymbia citriodora*	Spotted Gum	220	140	261	82	15.0	9.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2604	*Corymbia citriodora*	Spotted Gum	380		380	119	17.0	13.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2605	*Corymbia citriodora*	Spotted Gum	320		320	101	18.0	14.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2606	*Angophora leiocarpa*	Smooth-barked Apple	200		200	63	15.0	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2607	*Corymbia citriodora*	Spotted Gum	360		360	113	18.0	15.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2608	*Corymbia intermedia*	Pink Bloodwood	150		150	47	10.0	1.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2609	*Eucalyptus crebra*	Narrow-leaved Ironbark	540		540	170	19.0	18.0	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2610	*Corymbia citriodora*	Spotted Gum	390		390	123	18.0	12.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2611	*Corymbia citriodora*	Spotted Gum	130		130	41	14.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2612	*Lophostemon suaveolens*	Swamp Box	150		150	47	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2613	*Corymbia intermedia*	Pink Bloodwood	150		150	47	10.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2614	*Eucalyptus tereticornis*	Forest Red Gum	440		440	138	18.0	9.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2615	*Corymbia intermedia*	Pink Bloodwood	230		230	72	15.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2616	*Corymbia intermedia*	Pink Bloodwood	130		130	41	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2617	*Corymbia intermedia*	Pink Bloodwood	220		220	69	16.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2618	*Corymbia intermedia*	Pink Bloodwood	180		180	57	12.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2619	*Eucalyptus crebra*	Narrow-leaved Ironbark	190		190	60	8.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2620	*Corymbia intermedia*	Pink Bloodwood	180		180	57	8.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2621	*Corymbia citriodora*	Spotted Gum	390		390	123	18.0	9.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2622	*Corymbia intermedia*	Pink Bloodwood	200		200	63	15.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2623	*Lophostemon suaveolens*	Swamp Box	240		240	75	10.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2624	*Corymbia intermedia*	Pink Bloodwood	120		120	38	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2625	*Angophora leiocarpa*	Smooth-barked Apple	190		190	60	12.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2626	*Corymbia citriodora*	Spotted Gum	320		320	101	17.0	9.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2627	*Corymbia intermedia*	Pink Bloodwood	130		130	41	13.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2628	*Corymbia intermedia*	Pink Bloodwood	140		140	44	12.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2629	*Corymbia citriodora*	Spotted Gum	110		110	35	14.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2630	*Corymbia citriodora*	Spotted Gum	150		150	47	14.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2631	*Corymbia citriodora*	Spotted Gum	200		200	63	15.0	9.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2632	*Eucalyptus tereticornis*	Forest Red Gum	250		250	79	9.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2633	*Corymbia citriodora*	Spotted Gum	250		250	79	18.0	12.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2634	*Corymbia intermedia*	Pink Bloodwood	200		200	63	12.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2635	*Eucalyptus tereticornis*	Forest Red Gum	300		300	94	15.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2636	*Corymbia intermedia*	Pink Bloodwood	260		260	82	12.0	9.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2637	*Lophostemon suaveolens*	Swamp Box	230	180	292	92	12.0	9.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2638	*Corymbia citriodora*	Spotted Gum	400		400	126	18.0	15.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2639	*Corymbia intermedia*	Pink Bloodwood	220		220	69	14.0	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2640	*Lophostemon suaveolens*	Swamp Box	160		160	50	12.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2641	*Lophostemon suaveolens*	Swamp Box	150		150	47	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2642	*Lophostemon suaveolens*	Swamp Box	100		100	31	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2643	*Corymbia intermedia*	Pink Bloodwood	230		230	72	12.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2644	*Lophostemon suaveolens*	Swamp Box	130		130	41	12.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2645	*Lophostemon suaveolens*	Swamp Box	170		170	53	15.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2646	*Lophostemon suaveolens*	Swamp Box	200	230 200	365	115	18.0	10.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2647	*Lophostemon suaveolens*	Swamp Box	180		180	57	16.0	9.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2648	*Lophostemon suaveolens*	Swamp Box	230		230	72	15.0	2.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2649	*Eucalyptus tereticornis*	Forest Red Gum	260		260	82	16.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2650	*Eucalyptus tereticornis*	Forest Red Gum	280		280	88	16.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2651	*Angophora leiocarpa*	Smooth-barked Apple	180		180	57	13.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2652	*Lophostemon suaveolens*	Swamp Box	170		170	53	13.0	9.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2653	*Corymbia intermedia*	Pink Bloodwood	380		380	119	17.0	9.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2654	*Eucalyptus tereticornis*	Forest Red Gum	230		230	72	16.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2655	*Corymbia intermedia*	Pink Bloodwood	140		140	44	12.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2656	*Corymbia intermedia*	Pink Bloodwood	230		230	72	16.0	9.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2657	*Corymbia intermedia*	Pink Bloodwood	210		210	66	16.0	10.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2658	*Lophostemon suaveolens*	Swamp Box	190		190	60	12.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2659	*Corymbia intermedia*	Pink Bloodwood	120		120	38	12.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2660	*Lophostemon suaveolens*	Swamp Box	130		130	41	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2661	*Corymbia intermedia*	Pink Bloodwood	100		100	31	9.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2662	*Corymbia intermedia*	Pink Bloodwood	220	200 180 150	379	119	18.0	12.0	4.5	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2663	*Angophora leiocarpa*	Smooth-barked Apple	220		220	69	18.0	9.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2664	*Lophostemon suaveolens*	Swamp Box	120		120	38	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2665	*Corymbia intermedia*	Pink Bloodwood	350		350	110	18.0	9.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2666	*Lophostemon suaveolens*	Swamp Box	200		200	63	10.0	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2667	*Eucalyptus tereticornis*	Forest Red Gum	370		370	116	18.0	12.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2668	*Lophostemon suaveolens*	Swamp Box	120		120	38	12.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2669	*Lophostemon suaveolens*	Swamp Box	250		250	79	18.0	18.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2670	*Lophostemon suaveolens*	Swamp Box	260		260	82	17.0	3.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
2671	*Lophostemon suaveolens*	Swamp Box	100		100	31	12.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2672	*Lophostemon suaveolens*	Swamp Box	220		220	69	15.0	9.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2673	*Corymbia intermedia*	Pink Bloodwood	200		200	63	16.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2674	*Lophostemon suaveolens*	Swamp Box	230		230	72	11.0	9.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2675	*Lophostemon suaveolens*	Swamp Box	180		180	57	9.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2676	*Lophostemon suaveolens*	Swamp Box	210		210	66	9.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2677	*Lophostemon suaveolens*	Swamp Box	210		210	66	11.0	2.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2678	*Lophostemon suaveolens*	Swamp Box	100		100	31	9.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2679	*Corymbia intermedia*	Pink Bloodwood	220		220	69	15.0	9.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2680	*Lophostemon suaveolens*	Swamp Box	120		120	38	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2681	*Corymbia intermedia*	Pink Bloodwood	250		250	79	16.0	9.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2682	*Eucalyptus tereticornis*	Forest Red Gum	350		350	110	18.0	15.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2683	*Lophostemon suaveolens*	Swamp Box	120		120	38	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2684	*Corymbia intermedia*	Pink Bloodwood	130		130	41	15.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2685	*Lophostemon suaveolens*	Swamp Box	120		120	38	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2686	*Lophostemon suaveolens*	Swamp Box	130		130	41	14.0	8.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2687	*Lophostemon suaveolens*	Swamp Box	130		130	41	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2688	*Lophostemon suaveolens*	Swamp Box	220		220	69	12.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2689	*Lophostemon suaveolens*	Swamp Box	130		130	41	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2690	*Lophostemon suaveolens*	Swamp Box	130		130	41	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2691	*Angophora leiocarpa*	Smooth-barked Apple	190		190	60	15.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2692	*Corymbia intermedia*	Pink Bloodwood	130		130	41	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2693	*Lophostemon suaveolens*	Swamp Box	180		180	57	15.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2694	*Lophostemon suaveolens*	Swamp Box	120		120	38	12.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2695	*Lophostemon suaveolens*	Swamp Box	110		110	35	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2696	*Lophostemon suaveolens*	Swamp Box	170		170	53	12.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2697	*Lophostemon suaveolens*	Swamp Box	190		190	60	13.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2698	*Lophostemon suaveolens*	Swamp Box	140		140	44	12.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2699	*Lophostemon suaveolens*	Swamp Box	140		140	44	12.0	8.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2700	*Lophostemon suaveolens*	Swamp Box	120		120	38	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2701	*Lophostemon suaveolens*	Swamp Box	120		120	38	12.0	8.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2702	*Lophostemon suaveolens*	Swamp Box	120		120	38	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2703	*Lophostemon suaveolens*	Swamp Box	180		180	57	12.0	9.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2704	*Eucalyptus tereticornis*	Forest Red Gum	350		350	110	19.0	9.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2705	*Lophostemon suaveolens*	Swamp Box	160		160	50	15.0	8.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2706	*Lophostemon suaveolens*	Swamp Box	120		120	38	12.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2707	*Lophostemon suaveolens*	Swamp Box	130		130	41	12.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2708	*Lophostemon suaveolens*	Swamp Box	150		150	47	12.0	8.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2709	*Lophostemon suaveolens*	Swamp Box	100		100	31	9.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2710	*Lophostemon suaveolens*	Swamp Box	180		180	57	11.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2711	*Lophostemon suaveolens*	Swamp Box	120		120	38	13.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2712	*Lophostemon suaveolens*	Swamp Box	120		120	38	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2713	*Lophostemon suaveolens*	Swamp Box	120		120	38	10.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2714	*Lophostemon suaveolens*	Swamp Box	160		160	50	12.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2715	*Lophostemon suaveolens*	Swamp Box	320		320	101	15.0	9.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2716	*Lophostemon suaveolens*	Swamp Box	270		270	85	18.0	12.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2717	*Eucalyptus tereticornis*	Forest Red Gum	190		190	60	15.0	9.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2718	*Lophostemon suaveolens*	Swamp Box	180		180	57	12.0	8.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2719	*Lophostemon suaveolens*	Swamp Box	150		150	47	12.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2720	*Lophostemon suaveolens*	Swamp Box	150		150	47	9.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2721	*Lophostemon suaveolens*	Swamp Box	330		330	104	17.0	12.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2722	*Corymbia intermedia*	Pink Bloodwood	120		120	38	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
2723	*Lophostemon suaveolens*	Swamp Box	120		120	38	12.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2724	*Lophostemon suaveolens*	Swamp Box	220		220	69	12.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2725	*Lophostemon suaveolens*	Swamp Box	160		160	50	10.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2726	*Lophostemon suaveolens*	Swamp Box	170		170	53	12.0	8.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2727	*Lophostemon suaveolens*	Swamp Box	100		100	31	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2728	*Lophostemon suaveolens*	Swamp Box	150		150	47	15.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2729	*Lophostemon suaveolens*	Swamp Box	150		150	47	10.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2730	*Lophostemon suaveolens*	Swamp Box	300		300	94	16.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2731	*Lophostemon suaveolens*	Swamp Box	180		180	57	12.0	9.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2732	*Lophostemon suaveolens*	Swamp Box	120		120	38	12.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2733	*Lophostemon suaveolens*	Swamp Box	110		110	35	11.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2734	*Angophora leiocarpa*	Smooth-barked Apple	420		420	132	18.0	14.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2735	*Lophostemon suaveolens*	Swamp Box	130		130	41	12.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2736	*Corymbia intermedia*	Pink Bloodwood	360		360	113	15.0	9.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2737	*Corymbia intermedia*	Pink Bloodwood	370		370	116	18.0	15.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2738	*Lophostemon suaveolens*	Swamp Box	130		130	41	15.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2739	*Lophostemon suaveolens*	Swamp Box	150		150	47	10.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2740	*Lophostemon suaveolens*	Swamp Box	120		120	38	10.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2741	*Lophostemon suaveolens*	Swamp Box	120		120	38	12.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2742	*Lophostemon suaveolens*	Swamp Box	280		280	88	15.0	9.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2743	*Corymbia citriodora*	Spotted Gum	150		150	47	15.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2744	*Lophostemon suaveolens*	Swamp Box	120		120	38	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2745	*Lophostemon suaveolens*	Swamp Box	130		130	41	10.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2746	*Lophostemon suaveolens*	Swamp Box	130		130	41	12.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2747	*Lophostemon suaveolens*	Swamp Box	130		130	41	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2748	*Lophostemon suaveolens*	Swamp Box	170		170	53	9.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2749	*Lophostemon suaveolens*	Swamp Box	210	150	258	81	15.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2750	*Angophora leiocarpa*	Smooth-barked Apple	380		380	119	18.0	12.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2751	*Lophostemon suaveolens*	Swamp Box	190		190	60	12.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
2752	*Lophostemon suaveolens*	Swamp Box	280		280	88	15.0	9.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2753	*Eucalyptus tereticornis*	Forest Red Gum	200		200	63	12.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2754	*Eucalyptus tereticornis*	Forest Red Gum	280		280	88	15.0	9.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2755	*Lophostemon suaveolens*	Swamp Box	130		130	41	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2756	*Lophostemon suaveolens*	Swamp Box	120		120	38	12.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2757	*Lophostemon suaveolens*	Swamp Box	150		150	47	10.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2758	*Lophostemon suaveolens*	Swamp Box	100		100	31	12.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2759	*Lophostemon suaveolens*	Swamp Box	130		130	41	12.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2760	*Lophostemon suaveolens*	Swamp Box	130		130	41	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2761	*Corymbia intermedia*	Pink Bloodwood	300		300	94	16.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2762	*Angophora leiocarpa*	Smooth-barked Apple	120		120	38	12.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2763	*Corymbia intermedia*	Pink Bloodwood	210		210	66	15.0	9.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2764	*Corymbia intermedia*	Pink Bloodwood	200		200	63	12.0	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2765	*Eucalyptus tereticornis*	Forest Red Gum	220		220	69	18.0	12.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2766	*Corymbia intermedia*	Pink Bloodwood	190	140	236	74	15.0	9.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2767	*Corymbia intermedia*	Pink Bloodwood	170		170	53	12.0	8.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2768	*Lophostemon suaveolens*	Swamp Box	280	180	333	105	15.0	9.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2769	*Corymbia intermedia*	Pink Bloodwood	210		210	66	15.0	9.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2770	*Corymbia intermedia*	Pink Bloodwood	200		200	63	15.0	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2771	*Lophostemon suaveolens*	Swamp Box	220		220	69	16.0	9.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2772	*Corymbia intermedia*	Pink Bloodwood	490		490	154	17.0	9.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2773	*Corymbia citriodora*	Spotted Gum	450		450	141	17.0	12.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2774	*Corymbia citriodora*	Spotted Gum	480		480	151	18.0	12.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2775	*Corymbia citriodora*	Spotted Gum	230		230	72	15.0	9.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2776	*Corymbia citriodora*	Spotted Gum	190		190	60	16.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2777	*Corymbia intermedia*	Pink Bloodwood	110		110	35	12.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2778	*Eucalyptus crebra*	Narrow-leaved Ironbark	150		150	47	16.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2779	*Corymbia intermedia*	Pink Bloodwood	170		170	53	15.0	8.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2780	*Corymbia citriodora*	Spotted Gum	140		140	44	15.0	7.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2781	*Corymbia citriodora*	Spotted Gum	100		100	31	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2782	*Eucalyptus crebra*	Narrow-leaved Ironbark	120		120	38	13.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2783	*Eucalyptus crebra*	Narrow-leaved Ironbark	160		160	50	12.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2784	*Corymbia citriodora*	Spotted Gum	430		430	135	19.0	15.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2785	*Corymbia intermedia*	Pink Bloodwood	180		180	57	13.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2786	*Corymbia citriodora*	Spotted Gum	250		250	79	16.0	12.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2787	*Corymbia citriodora*	Spotted Gum	400		400	126	18.0	15.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2788	*Corymbia citriodora*	Spotted Gum	230		230	72	15.0	9.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2789	*Corymbia citriodora*	Spotted Gum	240		240	75	16.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2790	*Eucalyptus crebra*	Narrow-leaved Ironbark	240		240	75	16.0	10.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2791	*Corymbia citriodora*	Spotted Gum	360		360	113	18.0	12.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2792	*Corymbia citriodora*	Spotted Gum	320		320	101	15.0	12.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2793	*Corymbia citriodora*	Spotted Gum	180		180	57	14.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2794	*Corymbia citriodora*	Spotted Gum	290		290	91	15.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2795	*Corymbia citriodora*	Spotted Gum	160		160	50	12.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2796	*Corymbia citriodora*	Spotted Gum	210		210	66	15.0	2.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2797	*Eucalyptus crebra*	Narrow-leaved Ironbark	180		180	57	16.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2798	*Eucalyptus crebra*	Narrow-leaved Ironbark	220		220	69	12.0	2.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2799	*Corymbia citriodora*	Spotted Gum	370		370	116	18.0	12.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2800	*Corymbia intermedia*	Pink Bloodwood	100		100	31	12.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2801	*Corymbia citriodora*	Spotted Gum	170		170	53	12.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2802	*Eucalyptus crebra*	Narrow-leaved Ironbark	150		150	47	12.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2803	*Corymbia citriodora*	Spotted Gum	360		360	113	18.0	12.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2804	*Eucalyptus tereticornis*	Forest Red Gum	240		240	75	15.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2805	*Eucalyptus crebra*	Narrow-leaved Ironbark	120		120	38	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2806	*Eucalyptus tereticornis*	Forest Red Gum	360		360	113	18.0	12.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2807	*Corymbia intermedia*	Pink Bloodwood	120		120	38	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2808	*Corymbia citriodora*	Spotted Gum	250		250	79	16.0	9.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2809	*Corymbia intermedia*	Pink Bloodwood	340		340	107	15.0	9.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2810	*Eucalyptus tereticornis*	Forest Red Gum	200		200	63	15.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2811	*Corymbia citriodora*	Spotted Gum	520		520	163	18.0	17.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2812	*Corymbia intermedia*	Pink Bloodwood	120		120	38	12.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2813	*Corymbia citriodora*	Spotted Gum	290		290	91	15.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2814	*Eucalyptus tereticornis*	Forest Red Gum	140		140	44	12.0	7.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2815	*Corymbia citriodora*	Spotted Gum	260		260	82	14.0	3.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2816	*Corymbia citriodora*	Spotted Gum	200		200	63	13.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2817	*Corymbia intermedia*	Pink Bloodwood	140		140	44	12.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2818	*Corymbia intermedia*	Pink Bloodwood	160		160	50	12.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2819	*Corymbia citriodora*	Spotted Gum	100		100	31	12.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2820	*Lophostemon suaveolens*	Swamp Box	140		140	44	13.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2821	*Corymbia citriodora*	Spotted Gum	130		130	41	13.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2822	*Corymbia intermedia*	Pink Bloodwood	230		230	72	16.0	10.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2823	*Lophostemon suaveolens*	Swamp Box	240		240	75	15.0	9.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2824	*Corymbia intermedia*	Pink Bloodwood	220		220	69	15.0	9.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2825	*Lophostemon suaveolens*	Swamp Box	210	200 150	326	103	15.0	9.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2826	*Lophostemon suaveolens*	Swamp Box	180		180	57	15.0	8.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2827	*Lophostemon suaveolens*	Swamp Box	120		120	38	12.0	8.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2828	*Corymbia intermedia*	Pink Bloodwood	200	200 170	330	104	14.0	9.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2829	*Lophostemon suaveolens*	Swamp Box	190	150 150	285	89	15.0	10.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2830	*Corymbia intermedia*	Pink Bloodwood	240	200	312	98	15.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2831	*Corymbia intermedia*	Pink Bloodwood	580		580	182	16.0	12.0	7.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2832	*Corymbia intermedia*	Pink Bloodwood	160		160	50	9.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
2833	*Lophostemon suaveolens*	Swamp Box	160		160	50	14.0	8.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2834	*Corymbia intermedia*	Pink Bloodwood	140		140	44	12.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2835	*Lophostemon suaveolens*	Swamp Box	160		160	50	15.0	8.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2836	*Corymbia intermedia*	Pink Bloodwood	560		560	176	19.0	14.0	6.7	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2837	*Corymbia citriodora*	Spotted Gum	220		220	69	14.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2838	*Corymbia intermedia*	Pink Bloodwood	160		160	50	12.0	8.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2839	*Corymbia intermedia*	Pink Bloodwood	220		220	69	12.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2840	*Corymbia citriodora*	Spotted Gum	250		250	79	16.0	12.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2841	*Corymbia intermedia*	Pink Bloodwood	280		280	88	16.0	9.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2842	*Lophostemon suaveolens*	Swamp Box	150		150	47	15.0	9.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2843	*Corymbia intermedia*	Pink Bloodwood	410		410	129	18.0	12.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2844	*Corymbia intermedia*	Pink Bloodwood	250	210	326	103	15.0	9.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2845	*Corymbia citriodora*	Spotted Gum	120		120	38	12.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2846	*Corymbia citriodora*	Spotted Gum	280		280	88	14.0	9.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2847	*Lophostemon suaveolens*	Swamp Box	120		120	38	13.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2848	*Corymbia intermedia*	Pink Bloodwood	150	120	192	60	15.0	8.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2849	*Lophostemon suaveolens*	Swamp Box	330		330	104	14.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2850	*Angophora leiocarpa*	Smooth-barked Apple	120		120	38	11.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2851	*Angophora leiocarpa*	Smooth-barked Apple	120		120	38	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2852	*Angophora leiocarpa*	Smooth-barked Apple	180		180	57	8.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2853	*Corymbia intermedia*	Pink Bloodwood	140		140	44	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2854	*Corymbia citriodora*	Spotted Gum	110		110	35	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2855	*Angophora leiocarpa*	Smooth-barked Apple	140		140	44	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2856	*Corymbia intermedia*	Pink Bloodwood	170		170	53	7.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2857	*Eucalyptus tereticornis*	Forest Red Gum	230		230	72	12.0	3.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2858	*Corymbia citriodora*	Spotted Gum	120		120	38	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2859	*Angophora leiocarpa*	Smooth-barked Apple	140		140	44	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2860	*Eucalyptus tereticornis*	Forest Red Gum	340	310	460	145	12.0	5.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2861	*Eucalyptus tereticornis*	Forest Red Gum	500		500	157	8.0	5.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2862	*Corymbia intermedia*	Pink Bloodwood	160		160	50	6.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2863	*Eucalyptus tereticornis*	Forest Red Gum	510		510	160	13.0	7.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2864	*Corymbia intermedia*	Pink Bloodwood	260		260	82	8.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2865	*Corymbia intermedia*	Pink Bloodwood	270	280	389	122	8.0	4.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2866	*Eucalyptus tereticornis*	Forest Red Gum	190		190	60	8.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2867	*Corymbia intermedia*	Pink Bloodwood	180		180	57	7.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2868	*Eucalyptus tereticornis*	Forest Red Gum	150		150	47	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2869	*Eucalyptus tereticornis*	Forest Red Gum	110		110	35	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2870	*Lophostemon suaveolens*	Swamp Box	240	220	326	102	8.0	4.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2871	*Corymbia intermedia*	Pink Bloodwood	190	100	215	67	7.0	2.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2872	*Eucalyptus tereticornis*	Forest Red Gum	210		210	66	11.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2873	*Eucalyptus tereticornis*	Forest Red Gum	190		190	60	11.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2874	*Eucalyptus tereticornis*	Forest Red Gum	230		230	72	11.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2875	*Corymbia intermedia*	Pink Bloodwood	310		310	97	12.0	2.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2876	*Petalostigma pubescens*	Quinine Bush	230		230	72	4.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2877	*Lophostemon suaveolens*	Swamp Box	220		220	69	8.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2878	*Eucalyptus tereticornis*	Forest Red Gum	130		130	41	11.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2879	*Corymbia intermedia*	Pink Bloodwood	230		230	72	8.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2880	*Corymbia intermedia*	Pink Bloodwood	190	150	242	76	7.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2881	*Corymbia intermedia*	Pink Bloodwood	320		320	101	8.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2882	*Corymbia intermedia*	Pink Bloodwood	160		160	50	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2883	*Acacia disparrima*	Hickory Wattle	140		140	44	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2884	*Acacia disparrima*	Hickory Wattle	140		140	44	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2885	*Eucalyptus tereticornis*	Forest Red Gum	370		370	116	22.0	7.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2886	*Corymbia intermedia*	Pink Bloodwood	450		450	141	8.0	6.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2887	*Eucalyptus tereticornis*	Forest Red Gum	310		310	97	15.0	3.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2888	*Corymbia intermedia*	Pink Bloodwood	150		150	47	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2889	*Allocasuarina littoralis*	Black She-oak	140		140	44	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2890	*Corymbia intermedia*	Pink Bloodwood	290	140	322	101	15.0	4.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2891	*Eucalyptus tereticornis*	Forest Red Gum	120		120	38	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2892	*Corymbia intermedia*	Pink Bloodwood	360		360	113	12.0	5.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2893	*Corymbia citriodora*	Spotted Gum	160		160	50	8.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2894	*Corymbia citriodora*	Spotted Gum	160		160	50	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2895	*Angophora leiocarpa*	Smooth-barked Apple	470		470	148	20.0	8.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2896	*Lophostemon suaveolens*	Swamp Box	170		170	53	6.0	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2897	*Angophora leiocarpa*	Smooth-barked Apple	120		120	38	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2898	*Angophora leiocarpa*	Smooth-barked Apple	150		150	47	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2899	*Eucalyptus tereticornis*	Forest Red Gum	670		670	210	18.0	5.0	8.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2900	*Corymbia citriodora*	Spotted Gum	110		110	35	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2901	*Corymbia citriodora*	Spotted Gum	180		180	57	9.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2902	*Corymbia intermedia*	Pink Bloodwood	220		220	69	9.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2903	*Eucalyptus crebra*	Narrow-leaved Ironbark	180	170 150	289	91	9.0	4.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2904	*Corymbia intermedia*	Pink Bloodwood	120		120	38	5.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2905	*Corymbia intermedia*	Pink Bloodwood	130		130	41	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2906	*Corymbia intermedia*	Pink Bloodwood	190	80	206	65	8.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2907	*Corymbia intermedia*	Pink Bloodwood	140		140	44	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2908	*Corymbia citriodora*	Spotted Gum	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2909	*Eucalyptus tereticornis*	Forest Red Gum	210		210	66	11.0	2.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2910	*Corymbia citriodora*	Spotted Gum	160		160	50	11.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2911	*Eucalyptus tereticornis*	Forest Red Gum	230		230	72	12.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2912	*Corymbia intermedia*	Pink Bloodwood	150		150	47	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2913	*Corymbia intermedia*	Pink Bloodwood	120		120	38	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
2914	*Corymbia intermedia*	Pink Bloodwood	110		110	35	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2915	*Corymbia citriodora*	Spotted Gum	170		170	53	8.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2916	*Corymbia intermedia*	Pink Bloodwood	240		240	75	9.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2917	*Eucalyptus tereticornis*	Forest Red Gum	300		300	94	8.0	3.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2918	*Eucalyptus tereticornis*	Forest Red Gum	240		240	75	11.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2919	*Corymbia citriodora*	Spotted Gum	140		140	44	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2920	*Corymbia citriodora*	Spotted Gum	170		170	53	9.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2921	*Corymbia trachyphloia*	Brown Bloodwood	140		140	44	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2922	*Lophostemon suaveolens*	Swamp Box	110		110	35	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2923	*Corymbia intermedia*	Pink Bloodwood	300		300	94	14.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2924	*Eucalyptus tereticornis*	Forest Red Gum	460		460	145	14.0	6.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2925	*Corymbia intermedia*	Pink Bloodwood	210		210	66	7.0	2.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2926	*Eucalyptus tereticornis*	Forest Red Gum	150		150	47	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2927	*Eucalyptus crebra*	Narrow-leaved Ironbark	250		250	79	8.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2928	*Corymbia trachyphloia*	Brown Bloodwood	140		140	44	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2929	*Corymbia intermedia*	Pink Bloodwood	240		240	75	12.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2930	*Corymbia intermedia*	Pink Bloodwood	150		150	47	8.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2931	*Lophostemon suaveolens*	Swamp Box	170		170	53	5.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2932	*Eucalyptus tereticornis*	Forest Red Gum	290		290	91	13.0	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2933	*Eucalyptus tereticornis*	Forest Red Gum	150		150	47	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2934	*Corymbia intermedia*	Pink Bloodwood	210		210	66	8.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2935	*Acacia disparrima*	Hickory Wattle	160		160	50	6.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2936	*Angophora leiocarpa*	Smooth-barked Apple	290		290	91	12.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2937	*Eucalyptus tereticornis*	Forest Red Gum	260		260	82	11.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2938	*Eucalyptus tereticornis*	Forest Red Gum	210		210	66	9.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2939	*Eucalyptus tereticornis*	Forest Red Gum	190		190	60	9.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2940	*Corymbia intermedia*	Pink Bloodwood	130		130	41	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2941	*Eucalyptus tereticornis*	Forest Red Gum	170		170	53	8.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2942	*Corymbia intermedia*	Pink Bloodwood	100		100	31	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2943	*Eucalyptus crebra*	Narrow-leaved Ironbark	160		160	50	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2944	*Corymbia intermedia*	Pink Bloodwood	250		250	79	11.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2945	*Lophostemon suaveolens*	Swamp Box	110		110	35	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2946	*Eucalyptus tereticornis*	Forest Red Gum	130		130	41	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2947	*Lophostemon suaveolens*	Swamp Box	100		100	31	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2948	*Corymbia intermedia*	Pink Bloodwood	130		130	41	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2949	*Eucalyptus crebra*	Narrow-leaved Ironbark	130		130	41	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2950	*Corymbia intermedia*	Pink Bloodwood	210		210	66	10.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2951	*Corymbia intermedia*	Pink Bloodwood	120		120	38	6.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2952	*Corymbia intermedia*	Pink Bloodwood	130		130	41	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2953	*Corymbia intermedia*	Pink Bloodwood	310		310	97	9.0	5.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2954	*Corymbia intermedia*	Pink Bloodwood	130		130	41	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2955	*Corymbia intermedia*	Pink Bloodwood	190		190	60	8.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2956	*Eucalyptus tereticornis*	Forest Red Gum	250		250	79	12.0	3.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2957	*Eucalyptus crebra*	Narrow-leaved Ironbark	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2958	*Eucalyptus crebra*	Narrow-leaved Ironbark	120		120	38	12.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2959	*Acacia disparrima*	Hickory Wattle	120		120	38	5.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2960	*Corymbia intermedia*	Pink Bloodwood	110		110	35	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2961	*Eucalyptus crebra*	Narrow-leaved Ironbark	190		190	60	8.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2962	*Corymbia intermedia*	Pink Bloodwood	320	300	439	138	13.0	10.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2963	*Corymbia citriodora*	Spotted Gum	120		120	38	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2964	*Corymbia citriodora*	Spotted Gum	300		300	94	12.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2965	*Eucalyptus crebra*	Narrow-leaved Ironbark	140		140	44	10.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2966	*Corymbia intermedia*	Pink Bloodwood	110		110	35	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2967	*Corymbia citriodora*	Spotted Gum	210		210	66	10.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Remove	
2968	*Eucalyptus tereticornis*	Forest Red Gum	210		210	66	12.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2969	*Eucalyptus tereticornis*	Forest Red Gum	230		230	72	14.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2970	*Corymbia intermedia*	Pink Bloodwood	120		120	38	11.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2971	*Corymbia intermedia*	Pink Bloodwood	130		130	41	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2972	*Eucalyptus tereticornis*	Forest Red Gum	160		160	50	13.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2973	*Corymbia intermedia*	Pink Bloodwood	260		260	82	13.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2974	*Eucalyptus tereticornis*	Forest Red Gum	120		120	38	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2975	*Eucalyptus tereticornis*	Forest Red Gum	190		190	60	12.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2976	*Corymbia citriodora*	Spotted Gum	130		130	41	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2977	*Corymbia intermedia*	Pink Bloodwood	320		320	101	14.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Present	-	Remove	
2978	*Eucalyptus tereticornis*	Forest Red Gum	220		220	69	11.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2979	*Corymbia intermedia*	Pink Bloodwood	130		130	41	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2980	*Corymbia intermedia*	Pink Bloodwood	140		140	44	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2981	*Corymbia intermedia*	Pink Bloodwood	310		310	97	12.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2982	*Corymbia intermedia*	Pink Bloodwood	120		120	38	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2983	*Corymbia intermedia*	Pink Bloodwood	160		160	50	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2984	*Eucalyptus tereticornis*	Forest Red Gum	170		170	53	9.0	1.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2985	*Corymbia intermedia*	Pink Bloodwood	110		110	35	7.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2986	*Corymbia intermedia*	Pink Bloodwood	110		110	35	9.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2987	*Corymbia intermedia*	Pink Bloodwood	210		210	66	8.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2988	*Eucalyptus tereticornis*	Forest Red Gum	110		110	35	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2989	*Corymbia intermedia*	Pink Bloodwood	110		110	35	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2990	*Eucalyptus tereticornis*	Forest Red Gum	250		250	79	14.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2991	*Corymbia intermedia*	Pink Bloodwood	290		290	91	28.0	12.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2992	*Corymbia intermedia*	Pink Bloodwood	190		190	60	11.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2993	*Corymbia intermedia*	Pink Bloodwood	110		110	35	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2994	*Eucalyptus tereticornis*	Forest Red Gum	300		300	94	13.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
2995	*Corymbia intermedia*	Pink Bloodwood	110		110	35	5.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2996	*Eucalyptus tereticornis*	Forest Red Gum	270		270	85	18.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2997	*Corymbia intermedia*	Pink Bloodwood	110		110	35	9.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2998	*Eucalyptus tereticornis*	Forest Red Gum	460		460	145	22.0	8.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
2999	*Corymbia intermedia*	Pink Bloodwood	160		160	50	11.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3000	*Corymbia intermedia*	Pink Bloodwood	330		330	104	16.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3001	*Corymbia intermedia*	Pink Bloodwood	250		250	79	13.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3002	*Angophora leiocarpa*	Smooth-barked Apple	170		170	53	9.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3003	*Corymbia intermedia*	Pink Bloodwood	130		130	41	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3004	*Corymbia intermedia*	Pink Bloodwood	410		410	129	15.0	8.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3005	*Lophostemon suaveolens*	Swamp Box	160		160	50	5.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3006	*Lophostemon suaveolens*	Swamp Box	160		160	50	5.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3007	*Lophostemon suaveolens*	Swamp Box	180		180	57	8.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3008	*Corymbia intermedia*	Pink Bloodwood	280		280	88	13.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3009	*Eucalyptus tereticornis*	Forest Red Gum	180		180	57	12.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3010	*Eucalyptus tereticornis*	Forest Red Gum	180		180	57	9.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Remove	
3011	*Eucalyptus tereticornis*	Forest Red Gum	180		180	57	9.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3012	*Lophostemon suaveolens*	Swamp Box	180		180	57	7.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3013	*Angophora leiocarpa*	Smooth-barked Apple	330		330	104	17.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3014	*Corymbia intermedia*	Pink Bloodwood	250	150	292	92	9.0	3.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3015	*Lophostemon suaveolens*	Swamp Box	160		160	50	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3016	*Lophostemon suaveolens*	Swamp Box	230		230	72	8.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3017	*Lophostemon suaveolens*	Swamp Box	130		130	41	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3018	*Lophostemon suaveolens*	Swamp Box	110		110	35	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3019	*Lophostemon suaveolens*	Swamp Box	120		120	38	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3020	*Angophora leiocarpa*	Smooth-barked Apple	120		120	38	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3021	*Lophostemon suaveolens*	Swamp Box	120		120	38	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3022	*Lophostemon suaveolens*	Swamp Box	110		110	35	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3023	*Lophostemon suaveolens*	Swamp Box	130		130	41	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3024	*Eucalyptus tereticornis*	Forest Red Gum	260		260	82	13.0	4.0	3.1	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3025	*Corymbia citriodora*	Spotted Gum	240		240	75	13.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3026	*Corymbia intermedia*	Pink Bloodwood	410		410	129	12.0	6.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3027	*Corymbia intermedia*	Pink Bloodwood	250	140	287	90	9.0	5.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3028	*Lophostemon suaveolens*	Swamp Box	150		150	47	7.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3029	*Angophora leiocarpa*	Smooth-barked Apple	180		180	57	11.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3030	*Corymbia intermedia*	Pink Bloodwood	240		240	75	12.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3031	*Angophora leiocarpa*	Smooth-barked Apple	320		320	101	16.0	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3032	*Angophora leiocarpa*	Smooth-barked Apple	300		300	94	16.0	4.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3033	*Eucalyptus tereticornis*	Forest Red Gum	130		130	41	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3034	*Eucalyptus tereticornis*	Forest Red Gum	100		100	31	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3035	*Lophostemon suaveolens*	Swamp Box	130		130	41	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3036	*Lophostemon suaveolens*	Swamp Box	120		120	38	5.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3037	*Angophora leiocarpa*	Smooth-barked Apple	300		300	94	16.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3038	*Angophora leiocarpa*	Smooth-barked Apple	310		310	97	18.0	10.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3039	*Angophora leiocarpa*	Smooth-barked Apple	180		180	57	12.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3040	*Corymbia intermedia*	Pink Bloodwood	270		270	85	12.0	4.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3041	*Lophostemon suaveolens*	Swamp Box	180		180	57	7.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3042	*Eucalyptus tereticornis*	Forest Red Gum	140		140	44	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3043	*Corymbia intermedia*	Pink Bloodwood	220		220	69	9.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3044	*Lophostemon suaveolens*	Swamp Box	140		140	44	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3045	*Angophora leiocarpa*	Smooth-barked Apple	380		380	119	17.0	8.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3046	*Corymbia intermedia*	Pink Bloodwood	190		190	60	9.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3047	*Eucalyptus tereticornis*	Forest Red Gum	140		140	44	7.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3048	*Eucalyptus tereticornis*	Forest Red Gum	200		200	63	13.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3049	*Angophora leiocarpa*	Smooth-barked Apple	370		370	116	18.0	8.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3050	*Eucalyptus tereticornis*	Forest Red Gum	280		280	88	12.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3051	*Lophostemon suaveolens*	Swamp Box	100		100	31	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3052	*Lophostemon suaveolens*	Swamp Box	180		180	57	8.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3053	*Eucalyptus tereticornis*	Forest Red Gum	160		160	50	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3054	*Petalostigma pubescens*	Quinine Bush	170		170	53	5.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3055	*Eucalyptus tereticornis*	Forest Red Gum	180		180	57	13.0	2.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
3056	*Corymbia citriodora*	Spotted Gum	160		160	50	9.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3057	*Petalostigma pubescens*	Quinine Bush	140	130	191	60	30.0	3.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
3058	*Eucalyptus tereticornis*	Forest Red Gum	240		240	75	13.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3059	*Eucalyptus tereticornis*	Forest Red Gum	150		150	47	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3060	*Lophostemon suaveolens*	Swamp Box	140		140	44	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3061	*Eucalyptus tereticornis*	Forest Red Gum	120		120	38	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
3062	*Lophostemon suaveolens*	Swamp Box	120		120	38	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3063	*Lophostemon suaveolens*	Swamp Box	150		150	47	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3064	*Lophostemon suaveolens*	Swamp Box	130		130	41	6.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3065	*Lophostemon suaveolens*	Swamp Box	120		120	38	6.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3066	*Eucalyptus tereticornis*	Forest Red Gum	130		130	41	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3067	*Lophostemon suaveolens*	Swamp Box	130		130	41	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3068	*Eucalyptus tereticornis*	Forest Red Gum	140		140	44	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3069	*Angophora leiocarpa*	Smooth-barked Apple	210		210	66	11.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3070	*Corymbia citriodora*	Spotted Gum	230		230	72	9.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3071	*Eucalyptus tereticornis*	Forest Red Gum	310		310	97	16.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3072	*Angophora leiocarpa*	Smooth-barked Apple	410		410	129	18.0	9.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3073	*Angophora leiocarpa*	Smooth-barked Apple	280		280	88	13.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3074	*Angophora leiocarpa*	Smooth-barked Apple	280	130	309	97	13.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3075	*Angophora leiocarpa*	Smooth-barked Apple	360		360	113	16.0	9.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
3076	*Corymbia intermedia*	Pink Bloodwood	260		260	82	12.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3077	*Angophora leiocarpa*	Smooth-barked Apple	460		460	145	14.0	7.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3078	*Corymbia intermedia*	Pink Bloodwood	130		130	41	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3079	*Corymbia intermedia*	Pink Bloodwood	120		120	38	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3080	*Eucalyptus tereticornis*	Forest Red Gum	210		210	66	12.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3081	*Corymbia citriodora*	Spotted Gum	140		140	44	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3082	*Eucalyptus tereticornis*	Forest Red Gum	110		110	35	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3083	*Corymbia intermedia*	Pink Bloodwood	130	110 120	208	65	7.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3084	*Corymbia intermedia*	Pink Bloodwood	120		120	38	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3085	*Corymbia intermedia*	Pink Bloodwood	250		250	79	14.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3086	*Corymbia intermedia*	Pink Bloodwood	120		120	38	5.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3087	*Eucalyptus crebra*	Narrow-leaved Ironbark	220		220	69	12.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3088	*Eucalyptus tereticornis*	Forest Red Gum	250		250	79	10.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3089	*Corymbia intermedia*	Pink Bloodwood	120		120	38	4.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3090	*Corymbia citriodora*	Spotted Gum	380		380	119	13.0	6.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3091	*Eucalyptus tereticornis*	Forest Red Gum	460		460	145	13.0	4.0	5.5	2.4	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Remove	
3092	*Corymbia intermedia*	Pink Bloodwood	180		180	57	8.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3093	*Eucalyptus crebra*	Narrow-leaved Ironbark	350		350	110	13.0	5.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3094	*Corymbia trachyphloia*	Brown Bloodwood	200	130 120	267	84	8.0	4.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3095	*Corymbia trachyphloia*	Brown Bloodwood	120		120	38	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3096	*Corymbia intermedia*	Pink Bloodwood	120		120	38	5.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3097	*Eucalyptus tereticornis*	Forest Red Gum	230		230	72	7.0	3.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3098	*Eucalyptus tereticornis*	Forest Red Gum	220		220	69	13.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3099	*Eucalyptus tereticornis*	Forest Red Gum	510		510	160	13.0	6.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3100	*Corymbia intermedia*	Pink Bloodwood	240		240	75	9.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3101	*Corymbia intermedia*	Pink Bloodwood	240		240	75	11.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3102	*Eucalyptus crebra*	Narrow-leaved Ironbark	120		120	38	11.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3103	*Acacia disparrima*	Hickory Wattle	130		130	41	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3104	*Acacia disparrima*	Hickory Wattle	110	110	156	49	6.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3105	*Eucalyptus crebra*	Narrow-leaved Ironbark	270		270	85	13.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3106	*Corymbia intermedia*	Pink Bloodwood	260		260	82	13.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3107	*Corymbia intermedia*	Pink Bloodwood	400		400	126	12.0	6.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3108	*Corymbia intermedia*	Pink Bloodwood	110		110	35	4.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3109	*Eucalyptus tereticornis*	Forest Red Gum	290		290	91	14.0	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3110	*Eucalyptus tereticornis*	Forest Red Gum	310		310	97	15.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3111	*Corymbia intermedia*	Pink Bloodwood	210		210	66	9.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3112	*Eucalyptus tereticornis*	Forest Red Gum	130		130	41	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3113	*Angophora leiocarpa*	Smooth-barked Apple	270		270	85	17.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3114	*Angophora leiocarpa*	Smooth-barked Apple	360		360	113	17.0	9.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3115	*Corymbia citriodora*	Spotted Gum	240		240	75	16.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3116	*Corymbia citriodora*	Spotted Gum	370		370	116	16.0	9.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3117	*Corymbia intermedia*	Pink Bloodwood	180		180	57	12.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Present	-	Remove	
3118	*Corymbia citriodora*	Spotted Gum	140		140	44	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3119	*Angophora subvelutina*	Broad-leaved Apple	170		170	53	7.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3120	*Eucalyptus tereticornis*	Forest Red Gum	180		180	57	8.0	2.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3121	*Corymbia intermedia*	Pink Bloodwood	240		240	75	8.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3122	*Corymbia intermedia*	Pink Bloodwood	190		190	60	9.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3123	*Corymbia intermedia*	Pink Bloodwood	180	160 110 100	283	89	8.0	3.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3124	*Corymbia trachyphloia*	Brown Bloodwood	160		160	50	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3125	*Corymbia trachyphloia*	Brown Bloodwood	130		130	41	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3126	*Corymbia trachyphloia*	Brown Bloodwood	140		140	44	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3127	*Acacia disparrima*	Hickory Wattle	140		140	44	8.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3128	*Eucalyptus tereticornis*	Forest Red Gum	540		540	170	16.0	5.0	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3129	*Corymbia trachyphloia*	Brown Bloodwood	120		120	38	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3130	*Lophostemon suaveolens*	Swamp Box	190	160	248	78	7.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3131	*Lophostemon suaveolens*	Swamp Box	220		220	69	8.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3132	*Corymbia tessellaris*	Moreton Bay Ash	230		230	72	14.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3133	*Eucalyptus tereticornis*	Forest Red Gum	230		230	72	11.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3134	*Eucalyptus tereticornis*	Forest Red Gum	130		130	41	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3135	*Corymbia trachyphloia*	Brown Bloodwood	110		110	35	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3136	*Corymbia trachyphloia*	Brown Bloodwood	100		100	31	6.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3137	*Petalostigma pubescens*	Quinine Bush	190		190	60	6.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3138	*Eucalyptus tereticornis*	Forest Red Gum	130		130	41	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3139	*Lophostemon suaveolens*	Swamp Box	160		160	50	6.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3140	*Eucalyptus tereticornis*	Forest Red Gum	230		230	72	12.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3141	*Lophostemon suaveolens*	Swamp Box	140		140	44	6.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3142	*Corymbia intermedia*	Pink Bloodwood	330		330	104	17.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3143	*Corymbia intermedia*	Pink Bloodwood	150		150	47	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3144	*Corymbia intermedia*	Pink Bloodwood	250	220	333	105	9.0	5.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3145	*Acacia disparrima*	Hickory Wattle	140	100	172	54	5.0	4.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3146	*Eucalyptus tereticornis*	Forest Red Gum	230		230	72	12.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3147	*Corymbia intermedia*	Pink Bloodwood	170		170	53	8.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3148	*Corymbia trachyphloia*	Brown Bloodwood	130		130	41	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3149	*Eucalyptus tereticornis*	Forest Red Gum	530		530	167	12.0	4.0	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3150	*Corymbia intermedia*	Pink Bloodwood	200		200	63	9.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3151	*Corymbia intermedia*	Pink Bloodwood	110		110	35	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3152	*Lophostemon suaveolens*	Swamp Box	220	80	234	74	7.0	3.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3153	*Lophostemon suaveolens*	Swamp Box	130		130	41	4.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3154	*Corymbia trachyphloia*	Brown Bloodwood	180		180	57	12.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3155	*Eucalyptus tereticornis*	Forest Red Gum	170		170	53	11.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3156	*Eucalyptus tereticornis*	Forest Red Gum	150		150	47	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
3157	*Corymbia intermedia*	Pink Bloodwood	210		210	66	9.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3158	*Eucalyptus tereticornis*	Forest Red Gum	200		200	63	13.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3159	*Corymbia intermedia*	Pink Bloodwood	180		180	57	12.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3160	*Corymbia intermedia*	Pink Bloodwood	170		170	53	11.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3161	*Lophostemon suaveolens*	Swamp Box	170		170	53	6.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3162	*Acacia disparrima*	Hickory Wattle	130		130	41	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3163	*Corymbia intermedia*	Pink Bloodwood	280		280	88	13.0	4.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3164	*Corymbia tessellaris*	Moreton Bay Ash	180		180	57	9.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3165	*Eucalyptus tereticornis*	Forest Red Gum	130		130	41	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3166	*Lophostemon suaveolens*	Swamp Box	150		150	47	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3167	*Eucalyptus tereticornis*	Forest Red Gum	300		300	94	17.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3168	*Corymbia intermedia*	Pink Bloodwood	260		260	82	13.0	3.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3169	*Corymbia intermedia*	Pink Bloodwood	120		120	38	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3170	*Eucalyptus crebra*	Narrow-leaved Ironbark	110		110	35	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3171	*Alphitonia excelsa*	Soap Tree	110		110	35	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3172	*Eucalyptus crebra*	Narrow-leaved Ironbark	140		140	44	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3173	*Corymbia trachyphloia*	Brown Bloodwood	140		140	44	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3174	*Corymbia trachyphloia*	Brown Bloodwood	140		140	44	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3175	*Eucalyptus tereticornis*	Forest Red Gum	380		380	119	9.0	5.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3176	*Corymbia intermedia*	Pink Bloodwood	150		150	47	12.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3177	*Corymbia intermedia*	Pink Bloodwood	280		280	88	13.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3178	*Corymbia intermedia*	Pink Bloodwood	220		220	69	8.0	3.0	2.6	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3179	*Corymbia intermedia*	Pink Bloodwood	150		150	47	9.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3180	*Corymbia trachyphloia*	Brown Bloodwood	120		120	38	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3181	*Eucalyptus crebra*	Narrow-leaved Ironbark	130		130	41	11.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3182	*Corymbia intermedia*	Pink Bloodwood	260		260	82	18.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3183	*Eucalyptus tereticornis*	Forest Red Gum	250		250	79	13.0	4.0	3.0	1.8	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3184	*Eucalyptus tereticornis*	Forest Red Gum	210		210	66	13.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3185	*Corymbia citriodora*	Spotted Gum	200		200	63	12.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3186	*Eucalyptus tereticornis*	Forest Red Gum	150		150	47	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3187	*Corymbia intermedia*	Pink Bloodwood	210		210	66	14.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3188	*Eucalyptus tereticornis*	Forest Red Gum	210		210	66	12.0	2.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3189	*Corymbia intermedia*	Pink Bloodwood	280		280	88	16.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3190	*Corymbia intermedia*	Pink Bloodwood	400		400	126	15.0	6.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3191	*Corymbia intermedia*	Pink Bloodwood	250		250	79	13.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3192	*Corymbia intermedia*	Pink Bloodwood	180		180	57	11.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3193	*Eucalyptus crebra*	Narrow-leaved Ironbark	250		250	79	13.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3194	*Corymbia intermedia*	Pink Bloodwood	290		290	91	14.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3195	*Eucalyptus tereticornis*	Forest Red Gum	200		200	63	12.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3196	*Corymbia intermedia*	Pink Bloodwood	160		160	50	11.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3197	*Angophora leiocarpa*	Smooth-barked Apple	500		500	157	16.0	5.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3198	*Corymbia intermedia*	Pink Bloodwood	210		210	66	13.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3199	*Corymbia intermedia*	Pink Bloodwood	240		240	75	16.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3200	*Corymbia intermedia*	Pink Bloodwood	220		220	69	13.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3201	*Corymbia intermedia*	Pink Bloodwood	140		140	44	12.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3202	*Corymbia intermedia*	Pink Bloodwood	230		230	72	14.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3203	*Corymbia intermedia*	Pink Bloodwood	180		180	57	15.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3204	*Corymbia intermedia*	Pink Bloodwood	310		310	97	16.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3205	*Corymbia intermedia*	Pink Bloodwood	250		250	79	16.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3206	*Corymbia intermedia*	Pink Bloodwood	310		310	97	16.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3207	*Corymbia intermedia*	Pink Bloodwood	340		340	107	16.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3208	*Corymbia intermedia*	Pink Bloodwood	320		320	101	17.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3209	*Corymbia intermedia*	Pink Bloodwood	210		210	66	13.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3210	*Eucalyptus tereticornis*	Forest Red Gum	210		210	66	11.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3211	*Corymbia citriodora*	Spotted Gum	290	190	347	109	16.0	7.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3212	*Corymbia citriodora*	Spotted Gum	230		230	72	8.0	3.0	2.8	1.8	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3213	*Angophora leiocarpa*	Smooth-barked Apple	240		240	75	16.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3214	*Angophora leiocarpa*	Smooth-barked Apple	330		330	104	13.0	5.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3215	*Angophora leiocarpa*	Smooth-barked Apple	220		220	69	12.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3216	*Eucalyptus tereticornis*	Forest Red Gum	190	170	255	80	8.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3217	*Corymbia intermedia*	Pink Bloodwood	180		180	57	8.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3218	*Lophostemon suaveolens*	Swamp Box	190		190	60	8.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3219	*Corymbia intermedia*	Pink Bloodwood	140		140	44	5.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3220	*Lophostemon suaveolens*	Swamp Box	160		160	50	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3221	*Lophostemon suaveolens*	Swamp Box	140		140	44	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3222	*Lophostemon suaveolens*	Swamp Box	170		170	53	8.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3223	*Lophostemon suaveolens*	Swamp Box	180		180	57	6.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3224	*Lophostemon suaveolens*	Swamp Box	170		170	53	6.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3225	*Eucalyptus tereticornis*	Forest Red Gum	260		260	82	13.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
3226	*Corymbia intermedia*	Pink Bloodwood	320		320	101	13.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
3227	*Corymbia tessellaris*	Moreton Bay Ash	240		240	75	13.0	3.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3228	*Eucalyptus tereticornis*	Forest Red Gum	120		120	38	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3229	*Eucalyptus tereticornis*	Forest Red Gum	250		250	79	17.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3230	*Eucalyptus tereticornis*	Forest Red Gum	140		140	44	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3231	*Eucalyptus tereticornis*	Forest Red Gum	130		130	41	11.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3232	*Eucalyptus tereticornis*	Forest Red Gum	160		160	50	11.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3233	*Eucalyptus tereticornis*	Forest Red Gum	120		120	38	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3234	*Lophostemon suaveolens*	Swamp Box	160		160	50	6.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3235	*Lophostemon suaveolens*	Swamp Box	120		120	38	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3236	*Eucalyptus tereticornis*	Forest Red Gum	240		240	75	13.0	3.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3237	*Lophostemon suaveolens*	Swamp Box	150		150	47	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
3238	*Eucalyptus tereticornis*	Forest Red Gum	140		140	44	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3239	*Eucalyptus tereticornis*	Forest Red Gum	180		180	57	13.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3240	*Corymbia citriodora*	Spotted Gum	190		190	60	12.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3241	*Eucalyptus tereticornis*	Forest Red Gum	260		260	82	13.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3242	*Corymbia intermedia*	Pink Bloodwood	320		320	101	11.0	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3243	*Corymbia intermedia*	Pink Bloodwood	280		280	88	12.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3244	*Corymbia intermedia*	Pink Bloodwood	190		190	60	11.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3245	*Eucalyptus tereticornis*	Forest Red Gum	350		350	110	22.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3246	*Corymbia intermedia*	Pink Bloodwood	150		150	47	8.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3247	*Lophostemon suaveolens*	Swamp Box	130		130	41	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3248	*Corymbia citriodora*	Spotted Gum	270		270	85	13.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3249	*Corymbia intermedia*	Pink Bloodwood	150		150	47	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3250	*Eucalyptus tereticornis*	Forest Red Gum	150		150	47	9.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3251	*Eucalyptus tereticornis*	Forest Red Gum	140		140	44	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3252	*Lophostemon suaveolens*	Swamp Box	200		200	63	8.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3253	*Lophostemon suaveolens*	Swamp Box	140		140	44	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3254	*Lophostemon suaveolens*	Swamp Box	260		260	82	13.0	3.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3255	*Lophostemon suaveolens*	Swamp Box	120		120	38	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3256	*Lophostemon suaveolens*	Swamp Box	160		160	50	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3257	*Lophostemon suaveolens*	Swamp Box	160		160	50	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3258	*Eucalyptus crebra*	Narrow-leaved Ironbark	150		150	47	14.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3259	*Corymbia citriodora*	Spotted Gum	300	110	320	100	15.0	8.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3260	*Corymbia citriodora*	Spotted Gum	100		100	31	8.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3261	*Eucalyptus crebra*	Narrow-leaved Ironbark	170		170	53	12.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3262	*Corymbia citriodora*	Spotted Gum	160		160	50	15.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3263	*Eucalyptus crebra*	Narrow-leaved Ironbark	210		210	66	16.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3264	*Corymbia citriodora*	Spotted Gum	210	110	237	74	15.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3265	*Eucalyptus crebra*	Narrow-leaved Ironbark	140		140	44	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3266	*Eucalyptus crebra*	Narrow-leaved Ironbark	340		340	107	17.0	3.0	4.1	2.1	Regular	-	-	Die-back	Epicormic	Lopped	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3267	*Corymbia citriodora*	Spotted Gum	110		110	35	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3268	*Eucalyptus crebra*	Narrow-leaved Ironbark	110		110	35	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3269	*Eucalyptus crebra*	Narrow-leaved Ironbark	120		120	38	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3270	*Eucalyptus crebra*	Narrow-leaved Ironbark	250		250	79	15.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3271	*Petalostigma pubescens*	Quinine Bush	170		170	53	8.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3272	*Eucalyptus crebra*	Narrow-leaved Ironbark	110		110	35	10.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3273	*Corymbia citriodora*	Spotted Gum	220		220	69	14.0	4.0	2.6	1.8	Regular	-	-	Die-back	-	Lopped	Poor	-	-	Trunk Dmg.	-	Poor	-	-	-	-	-	-	Remove	
3274	*Eucalyptus crebra*	Narrow-leaved Ironbark	310		310	97	18.0	9.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3275	*Corymbia citriodora*	Spotted Gum	140		140	44	15.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3276	*Eucalyptus crebra*	Narrow-leaved Ironbark	200		200	63	17.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3277	*Corymbia citriodora*	Spotted Gum	100		100	31	11.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3278	*Eucalyptus tereticornis*	Forest Red Gum	180		180	57	18.0	7.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3279	*Eucalyptus tereticornis*	Forest Red Gum	160		160	50	16.0	7.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3280	*Acacia concurrens*	Black Wattle	100	110 80	169	53	14.0	7.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3281	*Corymbia citriodora*	Spotted Gum	250		250	79	19.0	10.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3282	*Corymbia citriodora*	Spotted Gum	210		210	66	19.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3283	*Eucalyptus crebra*	Narrow-leaved Ironbark	130		130	41	14.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3284	*Eucalyptus crebra*	Narrow-leaved Ironbark	180		180	57	16.0	6.0	2.2	1.6	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3285	*Corymbia citriodora*	Spotted Gum	180		180	57	21.0	9.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3286	*Corymbia citriodora*	Spotted Gum	160		160	50	17.0	7.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3287	*Corymbia citriodora*	Spotted Gum	150		150	47	18.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3288	*Lophostemon suaveolens*	Swamp Box	100	60	117	37	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3289	*Eucalyptus crebra*	Narrow-leaved Ironbark	120		120	38	10.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3290	*Eucalyptus crebra*	Narrow-leaved Ironbark	230		230	72	19.0	5.0	2.8	1.8	One-sided	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3291	*Eucalyptus crebra*	Narrow-leaved Ironbark	150		150	47	12.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3292	*Corymbia citriodora*	Spotted Gum	170		170	53	16.0	8.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3293	*Eucalyptus crebra*	Narrow-leaved Ironbark	210		210	66	18.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3294	*Corymbia citriodora*	Spotted Gum	380		380	119	22.0	11.0	4.6	2.2	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Remove	
3295	*Corymbia citriodora*	Spotted Gum	610		610	192	21.0	12.0	7.3	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3296	*Eucalyptus tereticornis*	Forest Red Gum	250		250	79	18.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3297	*Corymbia citriodora*	Spotted Gum	180		180	57	18.0	7.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3298	*Corymbia citriodora*	Spotted Gum	310		310	97	23.0	10.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3299	*Corymbia citriodora*	Spotted Gum	100		100	31	4.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3300	*Corymbia citriodora*	Spotted Gum	330		330	104	24.0	14.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3301	*Eucalyptus crebra*	Narrow-leaved Ironbark	160		160	50	15.0	7.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3302	*Corymbia citriodora*	Spotted Gum	300		300	94	22.0	11.0	3.6	2.0	Regular	-	-	-	-	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3303	*Corymbia intermedia*	Pink Bloodwood	140		140	44	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3304	*Corymbia intermedia*	Pink Bloodwood	260		260	82	16.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3305	*Corymbia intermedia*	Pink Bloodwood	290		290	91	18.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3306	*Acacia concurrens*	Black Wattle	100		100	31	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3307	*Acacia concurrens*	Black Wattle	100		100	31	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3308	*Corymbia citriodora*	Spotted Gum	310		310	97	21.0	12.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3309	*Eucalyptus tereticornis*	Forest Red Gum	310		310	97	20.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove	
3310	*Corymbia intermedia*	Pink Bloodwood	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3311	*Alphitonia excelsa*	Soap Tree	120		120	38	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3312	*Corymbia citriodora*	Spotted Gum	100		100	31	9.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3313	*Petalostigma pubescens*	Quinine Bush	120	80 40 50	158	50	5.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3314	*Corymbia citriodora*	Spotted Gum	100		100	31	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3315	*Corymbia citriodora*	Spotted Gum	180		180	57	19.0	8.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3316	*Lophostemon suaveolens*	Swamp Box	100	80	128	40	10.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3317	*Corymbia tessellaris*	Moreton Bay Ash	150	80 70	184	58	11.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3318	*Corymbia tessellaris*	Moreton Bay Ash	160		160	50	10.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
3319	*Corymbia intermedia*	Pink Bloodwood	270	180	324	102	17.0	8.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3320	*Petalostigma pubescens*	Quinine Bush	100	90	135	42	4.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3321	*Petalostigma pubescens*	Quinine Bush	120		120	38	5.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3322	*Eucalyptus tereticornis*	Forest Red Gum	220		220	69	17.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3323	*Acacia concurrens*	Black Wattle	100		100	31	9.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3324	*Eucalyptus crebra*	Narrow-leaved Ironbark	140		140	44	13.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3325	*Corymbia citriodora*	Spotted Gum	170		170	53	15.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove	
3326	*Eucalyptus tereticornis*	Forest Red Gum	310		310	97	20.0	10.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3327	*Acacia disparrima*	Hickory Wattle	120		120	38	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3328	*Eucalyptus tereticornis*	Forest Red Gum	200		200	63	15.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove	
3329	*Alphitonia excelsa*	Soap Tree	140		140	44	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3330	*Allocasuarina littoralis*	Black She-oak	120		120	38	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3331	*Eucalyptus tereticornis*	Forest Red Gum	330		330	104	16.0	9.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3332	*Allocasuarina littoralis*	Black She-oak	100		100	31	12.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3333	*Eucalyptus tereticornis*	Forest Red Gum	130		130	41	14.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3334	*Corymbia citriodora*	Spotted Gum	100	80	128	40	13.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3335	*Allocasuarina littoralis*	Black She-oak	160		160	50	14.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3336	*Allocasuarina littoralis*	Black She-oak	140		140	44	12.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3337	*Allocasuarina littoralis*	Black She-oak	100		100	31	12.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3338	*Allocasuarina littoralis*	Black She-oak	160		160	50	10.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3339	*Corymbia intermedia*	Pink Bloodwood	110		110	35	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3340	*Eucalyptus crebra*	Narrow-leaved Ironbark	100		100	31	10.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3341	*Allocasuarina littoralis*	Black She-oak	120		120	38	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3342	*Allocasuarina littoralis*	Black She-oak	100		100	31	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3343	*Allocasuarina littoralis*	Black She-oak	100		100	31	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3344	*Corymbia tessellaris*	Moreton Bay Ash	140		140	44	12.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3345	*Eucalyptus siderophloia*	Northern Grey Ironbark	130		130	41	15.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Present	-	Remove	
3346	*Allocasuarina littoralis*	Black She-oak	140		140	44	10.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3347	*Allocasuarina littoralis*	Black She-oak	100		100	31	14.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3348	*Corymbia citriodora*	Spotted Gum	180		180	57	19.0	8.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3349	*Corymbia citriodora*	Spotted Gum	110		110	35	14.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3350	*Allocasuarina littoralis*	Black She-oak	140		140	44	11.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3351	*Corymbia tessellaris*	Moreton Bay Ash	100		100	31	10.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3352	*Allocasuarina littoralis*	Black She-oak	110		110	35	11.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3353	*Allocasuarina littoralis*	Black She-oak	110		110	35	11.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3354	*Eucalyptus siderophloia*	Northern Grey Ironbark	120		120	38	12.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3355	*Allocasuarina littoralis*	Black She-oak	100		100	31	10.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3356	*Allocasuarina littoralis*	Black She-oak	110		110	35	10.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3357	*Allocasuarina littoralis*	Black She-oak	100		100	31	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3358	*Corymbia citriodora*	Spotted Gum	100		100	31	16.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3359	*Allocasuarina littoralis*	Black She-oak	140		140	44	10.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3360	*Corymbia citriodora*	Spotted Gum	100		100	31	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3361	*Corymbia citriodora*	Spotted Gum	110		110	35	12.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3362	*Eucalyptus siderophloia*	Northern Grey Ironbark	100		100	31	11.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3363	*Corymbia citriodora*	Spotted Gum	200		200	63	20.0	9.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3364	*Corymbia citriodora*	Spotted Gum	290		290	91	21.0	8.0	3.5	2.0	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3365	*Petalostigma pubescens*	Quinine Bush	180		180	57	6.0	9.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3366	*Corymbia citriodora*	Spotted Gum	170		170	53	18.0	7.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3367	*Corymbia intermedia*	Pink Bloodwood	250		250	79	17.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
3368	*Eucalyptus crebra*	Narrow-leaved Ironbark	270		270	85	18.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3369	*Eucalyptus crebra*	Narrow-leaved Ironbark	190		190	60	19.0	10.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3370	*Eucalyptus crebra*	Narrow-leaved Ironbark	150		150	47	16.0	8.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3371	*Eucalyptus crebra*	Narrow-leaved Ironbark	130		130	41	14.0	7.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3372	*Corymbia tessellaris*	Moreton Bay Ash	190		190	60	16.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3373	*Corymbia tessellaris*	Moreton Bay Ash	130		130	41	15.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3374	*Eucalyptus tereticornis*	Forest Red Gum	170		170	53	15.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3375	*Eucalyptus tereticornis*	Forest Red Gum	320		320	101	18.0	12.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3376	*Corymbia intermedia*	Pink Bloodwood	210		210	66	20.0	8.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3377	*Corymbia intermedia*	Pink Bloodwood	220		220	69	19.0	9.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3378	*Petalostigma pubescens*	Quinine Bush	120		120	38	4.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3379	*Corymbia intermedia*	Pink Bloodwood	500	210	542	170	19.0	12.0	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3380	*Eucalyptus crebra*	Narrow-leaved Ironbark	180		180	57	19.0	7.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3381	*Petalostigma pubescens*	Quinine Bush	100	80 40	134	42	4.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3382	*Corymbia citriodora*	Spotted Gum	190		190	60	19.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3383	*Corymbia tessellaris*	Moreton Bay Ash	410		410	129	21.0	10.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3384	*Corymbia citriodora*	Spotted Gum	150		150	47	18.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3385	*Eucalyptus crebra*	Narrow-leaved Ironbark	120		120	38	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3386	*Corymbia intermedia*	Pink Bloodwood	170		170	53	15.0	7.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3387	*Eucalyptus tereticornis*	Forest Red Gum	120		120	38	16.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3388	*Eucalyptus tereticornis*	Forest Red Gum	180		180	57	18.0	8.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3389	*Corymbia tessellaris*	Moreton Bay Ash	100		100	31	14.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3390	*Corymbia citriodora*	Spotted Gum	200		200	63	18.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3391	*Eucalyptus crebra*	Narrow-leaved Ironbark	200		200	63	18.0	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3392	*Corymbia citriodora*	Spotted Gum	160		160	50	17.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3393	*Corymbia citriodora*	Spotted Gum	280		280	88	22.0	10.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3394	*Eucalyptus crebra*	Narrow-leaved Ironbark	390		390	123	19.0	10.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3395	*Acacia disparrima*	Hickory Wattle	110		110	35	7.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3396	*Corymbia citriodora*	Spotted Gum	120		120	38	14.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3397	*Corymbia citriodora*	Spotted Gum	150		150	47	18.0	7.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3398	*Eucalyptus crebra*	Narrow-leaved Ironbark	140		140	44	17.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3399	*Corymbia citriodora*	Spotted Gum	110		110	35	14.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
3400	*Corymbia citriodora*	Spotted Gum	340		340	107	20.0	10.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3401	*Eucalyptus crebra*	Narrow-leaved Ironbark	180		180	57	17.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3402	*Corymbia intermedia*	Pink Bloodwood	140		140	44	15.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3403	*Corymbia citriodora*	Spotted Gum	290		290	91	19.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3404	*Eucalyptus crebra*	Narrow-leaved Ironbark	120		120	38	14.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3405	*Corymbia tessellaris*	Moreton Bay Ash	120	130	177	56	8.0	4.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove	
3406	*Eucalyptus crebra*	Narrow-leaved Ironbark	120		120	38	13.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3407	*Corymbia citriodora*	Spotted Gum	120		120	38	12.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3408	*Corymbia intermedia*	Pink Bloodwood	180		180	57	17.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3409	*Eucalyptus crebra*	Narrow-leaved Ironbark	100		100	31	14.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3410	*Corymbia intermedia*	Pink Bloodwood	170		170	53	17.0	7.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3411	*Corymbia tessellaris*	Moreton Bay Ash	100		100	31	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3412	*Corymbia intermedia*	Pink Bloodwood	110		110	35	9.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3413	*Corymbia intermedia*	Pink Bloodwood	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3414	*Eucalyptus tereticornis*	Forest Red Gum	140		140	44	14.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3415	*Corymbia tessellaris*	Moreton Bay Ash	240		240	75	19.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3416	*Corymbia citriodora*	Spotted Gum	130		130	41	17.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3417	*Corymbia intermedia*	Pink Bloodwood	280		280	88	19.0	10.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	-	-	-	Remove	
3418	*Alphitonia excelsa*	Soap Tree	120		120	38	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3419	*Acacia disparrima*	Hickory Wattle	150	110	186	58	6.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3420	*Corymbia intermedia*	Pink Bloodwood	180		180	57	15.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3421	*Corymbia intermedia*	Pink Bloodwood	160		160	50	10.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3422	*Eucalyptus tereticornis*	Forest Red Gum	150		150	47	14.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3423	*Corymbia intermedia*	Pink Bloodwood	180		180	57	17.0	9.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3424	*Eucalyptus tereticornis*	Forest Red Gum	100		100	31	14.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3425	*Corymbia intermedia*	Pink Bloodwood	510		510	160	21.0	14.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3426	*Corymbia intermedia*	Pink Bloodwood	170		170	53	16.0	7.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3427	*Corymbia tessellaris*	Moreton Bay Ash	150	90	175	55	10.0	3.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3428	*Alphitonia excelsa*	Soap Tree	100		100	31	10.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3429	*Corymbia intermedia*	Pink Bloodwood	250		250	79	17.0	9.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3430	*Corymbia intermedia*	Pink Bloodwood	300		300	94	20.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3431	*Eucalyptus tereticornis*	Forest Red Gum	100		100	31	11.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3432	*Eucalyptus tereticornis*	Forest Red Gum	250		250	79	18.0	11.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove	
3433	*Lophostemon suaveolens*	Swamp Box	180		180	57	8.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3434	*Eucalyptus tereticornis*	Forest Red Gum	130		130	41	17.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3435	*Corymbia intermedia*	Pink Bloodwood	140		140	44	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3436	*Eucalyptus tereticornis*	Forest Red Gum	110		110	35	11.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3437	*Corymbia intermedia*	Pink Bloodwood	230		230	72	18.0	10.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3438	*Corymbia intermedia*	Pink Bloodwood	230		230	72	19.0	10.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3439	*Dead/Stag*		230		230	72	18.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3440	*Corymbia intermedia*	Pink Bloodwood	200		200	63	21.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3441	*Corymbia intermedia*	Pink Bloodwood	330		330	104	22.0	10.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3442	*Eucalyptus tereticornis*	Forest Red Gum	240		240	75	18.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3443	*Eucalyptus tereticornis*	Forest Red Gum	110		110	35	16.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3444	*Lophostemon suaveolens*	Swamp Box	160		160	50	14.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3445	*Lophostemon suaveolens*	Swamp Box	140		140	44	12.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3446	*Eucalyptus tereticornis*	Forest Red Gum	150		150	47	16.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3447	*Corymbia intermedia*	Pink Bloodwood	210		210	66	18.0	8.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3448	*Eucalyptus tereticornis*	Forest Red Gum	130		130	41	14.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3449	*Corymbia intermedia*	Pink Bloodwood	230		230	72	15.0	9.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3450	*Corymbia intermedia*	Pink Bloodwood	130		130	41	11.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3451	*Corymbia citriodora*	Spotted Gum	130		130	41	16.0	7.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3452	*Eucalyptus tereticornis*	Forest Red Gum	140		140	44	15.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3453	*Corymbia intermedia*	Pink Bloodwood	160		160	50	17.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3454	*Eucalyptus tereticornis*	Forest Red Gum	240		240	75	20.0	11.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3455	*Eucalyptus tereticornis*	Forest Red Gum	310		310	97	21.0	10.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	Retain	
3456	*Corymbia intermedia*	Pink Bloodwood	240		240	75	17.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3457	*Eucalyptus tereticornis*	Forest Red Gum	140		140	44	16.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3458	*Corymbia tessellaris*	Moreton Bay Ash	110		110	35	8.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	Major	-	-	-	Typical	-	-	-	-	-	-	Retain	
3459	*Corymbia intermedia*	Pink Bloodwood	140		140	44	14.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3460	*Corymbia intermedia*	Pink Bloodwood	190		190	60	16.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3461	*Eucalyptus tereticornis*	Forest Red Gum	190		190	60	15.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain	
3462	*Eucalyptus tereticornis*	Forest Red Gum	188		188	59	14.0	2.0	2.3	1.6	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3463	*Corymbia tessellaris*	Moreton Bay Ash	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3464	*Corymbia intermedia*	Pink Bloodwood	330		330	104	17.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3465	*Eucalyptus tereticornis*	Forest Red Gum	210		210	66	18.0	8.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3466	*Corymbia intermedia*	Pink Bloodwood	160		160	50	17.0	7.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3467	*Eucalyptus tereticornis*	Forest Red Gum	280		280	88	19.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3468	*Corymbia intermedia*	Pink Bloodwood	180	160	241	76	17.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3469	*Lophostemon suaveolens*	Swamp Box	180		180	57	16.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3470	*Corymbia intermedia*	Pink Bloodwood	210		210	66	20.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3471	*Eucalyptus tereticornis*	Forest Red Gum	170		170	53	18.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3472	*Lophostemon suaveolens*	Swamp Box	150		150	47	12.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3473	*Corymbia intermedia*	Pink Bloodwood	170		170	53	17.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3474	*Corymbia intermedia*	Pink Bloodwood	280		280	88	19.0	10.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3475	*Eucalyptus tereticornis*	Forest Red Gum	300		300	94	20.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	-	-	-	Retain	
3476	*Corymbia intermedia*	Pink Bloodwood	210		210	66	19.0	10.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3477	*Corymbia intermedia*	Pink Bloodwood	110		110	35	15.0	4.0	2.0	1.3	Regular	-	-	Die-back	-	-	Poor	-	-	Trunk Dmg.	-	Poor	-	-	-	-	-	-	Retain	
3478	*Corymbia intermedia*	Pink Bloodwood	280		280	88	21.0	11.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3479	*Corymbia intermedia*	Pink Bloodwood	170		170	53	17.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3480	*Corymbia intermedia*	Pink Bloodwood	250		250	79	20.0	9.0	3.0	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
3481	*Eucalyptus tereticornis*	Forest Red Gum	150		150	47	14.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3482	*Corymbia intermedia*	Pink Bloodwood	190		190	60	20.0	7.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3483	*Eucalyptus tereticornis*	Forest Red Gum	150		150	47	15.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3484	*Corymbia intermedia*	Pink Bloodwood	120		120	38	14.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3485	*Eucalyptus tereticornis*	Forest Red Gum	250		250	79	19.0	11.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3486	*Corymbia intermedia*	Pink Bloodwood	140		140	44	15.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3487	*Eucalyptus tereticornis*	Forest Red Gum	170		170	53	16.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retain	
3488	*Corymbia intermedia*	Pink Bloodwood	180		180	57	18.0	8.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3489	*Corymbia citriodora*	Spotted Gum	240		240	75	20.0	10.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3490	*Corymbia tessellaris*	Moreton Bay Ash	130		130	41	15.0	7.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3491	*Eucalyptus tereticornis*	Forest Red Gum	230		230	72	21.0	12.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	Introduced	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain	
3492	*Corymbia intermedia*	Pink Bloodwood	140	120	184	58	15.0	7.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3493	*Corymbia intermedia*	Pink Bloodwood	240		240	75	20.0	10.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3494	*Eucalyptus tereticornis*	Forest Red Gum	150		150	47	18.0	5.0	2.0	1.5	Regular	-	-	Die-back	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retain	
3495	*Corymbia intermedia*	Pink Bloodwood	100		100	31	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3496	*Corymbia intermedia*	Pink Bloodwood	180		180	57	19.0	8.0	2.2	1.6	Irregular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3497	*Eucalyptus tereticornis*	Forest Red Gum	150		150	47	18.0	7.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3498	*Corymbia intermedia*	Pink Bloodwood	140		140	44	16.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3499	*Eucalyptus tereticornis*	Forest Red Gum	300		300	94	17.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3500	*Eucalyptus tereticornis*	Forest Red Gum	260		260	82	18.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	-	-	-	Retain	
3501	*Corymbia intermedia*	Pink Bloodwood	160		160	50	16.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3502	*Corymbia intermedia*	Pink Bloodwood	290		290	91	22.0	8.0	3.5	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3503	*Corymbia intermedia*	Pink Bloodwood	250		250	79	19.0	9.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3504	*Corymbia intermedia*	Pink Bloodwood	210		210	66	18.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3505	*Corymbia intermedia*	Pink Bloodwood	340		340	107	20.0	9.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3506	*Corymbia intermedia*	Pink Bloodwood	230	180	292	92	21.0	10.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3507	*Corymbia intermedia*	Pink Bloodwood	230		230	72	16.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3508	*Corymbia intermedia*	Pink Bloodwood	170		170	53	15.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3509	*Eucalyptus tereticornis*	Forest Red Gum	260	140	295	93	19.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3510	*Corymbia intermedia*	Pink Bloodwood	250		250	79	17.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3511	*Lophostemon suaveolens*	Swamp Box	140		140	44	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
3512	*Eucalyptus tereticornis*	Forest Red Gum	180		180	57	14.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3513	*Lophostemon suaveolens*	Swamp Box	160		160	50	7.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3514	*Lophostemon suaveolens*	Swamp Box	120		120	38	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
3515	*Lophostemon suaveolens*	Swamp Box	170		170	53	14.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3516	*Lophostemon suaveolens*	Swamp Box	100		100	31	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
3517	*Lophostemon suaveolens*	Swamp Box	150		150	47	15.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3518	*Lophostemon suaveolens*	Swamp Box	110		110	35	7.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3519	*Lophostemon suaveolens*	Swamp Box	140		140	44	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3520	*Corymbia intermedia*	Pink Bloodwood	260		260	82	18.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3521	*Corymbia intermedia*	Pink Bloodwood	100		100	31	9.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3522	*Eucalyptus tereticornis*	Forest Red Gum	320		320	101	21.0	12.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	-	-	-	Remove	
3523	*Corymbia intermedia*	Pink Bloodwood	200		200	63	18.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3524	*Lophostemon suaveolens*	Swamp Box	190	110	220	69	16.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3525	*Corymbia intermedia*	Pink Bloodwood	260		260	82	19.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3526	*Corymbia intermedia*	Pink Bloodwood	130		130	41	8.0	2.0	2.0	1.4	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3527	*Lophostemon suaveolens*	Swamp Box	100		100	31	4.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3528	*Eucalyptus tereticornis*	Forest Red Gum	370		370	116	20.0	11.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3529	*Lophostemon suaveolens*	Swamp Box	180		180	57	15.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3530	*Eucalyptus tereticornis*	Forest Red Gum	270		270	85	19.0	10.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	-	-	-	Remove	
3531	*Corymbia intermedia*	Pink Bloodwood	100		100	31	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3532	*Corymbia intermedia*	Pink Bloodwood	100		100	31	10.0	2.0	2.0	1.3	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3533	*Corymbia intermedia*	Pink Bloodwood	180		180	57	17.0	8.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3534	*Corymbia citriodora*	Spotted Gum	230		230	72	17.0	9.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3535	*Lophostemon suaveolens*	Swamp Box	170		170	53	14.0	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3536	*Corymbia intermedia*	Pink Bloodwood	200		200	63	18.0	3.0	2.4	1.7	Regular	-	-	Die-back	-	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3537	*Corymbia intermedia*	Pink Bloodwood	180	130	222	70	17.0	6.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3538	*Corymbia intermedia*	Pink Bloodwood	200		200	63	18.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3539	*Corymbia intermedia*	Pink Bloodwood	230	180	292	92	21.0	13.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3540	*Corymbia intermedia*	Pink Bloodwood	190		190	60	19.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3541	*Corymbia intermedia*	Pink Bloodwood	120		120	38	15.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3542	*Corymbia intermedia*	Pink Bloodwood	200		200	63	18.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	-	-	-	Remove	
3543	*Corymbia intermedia*	Pink Bloodwood	270		270	85	19.0	9.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3544	*Corymbia intermedia*	Pink Bloodwood	150		150	47	16.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3545	*Corymbia intermedia*	Pink Bloodwood	260		260	82	19.0	9.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3546	*Eucalyptus tereticornis*	Forest Red Gum	100		100	31	13.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3547	*Corymbia intermedia*	Pink Bloodwood	180		180	57	18.0	7.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3548	*Corymbia intermedia*	Pink Bloodwood	240		240	75	21.0	9.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3549	*Alphitonia excelsa*	Soap Tree	100		100	31	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3550	*Corymbia intermedia*	Pink Bloodwood	180		180	57	17.0	3.0	2.2	1.6	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3551	*Corymbia intermedia*	Pink Bloodwood	230		230	72	18.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3552	*Corymbia tessellaris*	Moreton Bay Ash	140		140	44	15.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3553	*Corymbia intermedia*	Pink Bloodwood	230		230	72	18.0	9.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3554	*Eucalyptus tereticornis*	Forest Red Gum	210		210	66	17.0	2.0	2.5	1.7	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3555	*Corymbia tessellaris*	Moreton Bay Ash	270		270	85	20.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3556	*Eucalyptus tereticornis*	Forest Red Gum	140		140	44	16.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3557	*Corymbia intermedia*	Pink Bloodwood	220		220	69	20.0	9.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3558	*Eucalyptus tereticornis*	Forest Red Gum	140		140	44	18.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3559	*Corymbia intermedia*	Pink Bloodwood	160		160	50	17.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3560	*Corymbia intermedia*	Pink Bloodwood	130		130	41	14.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3561	*Corymbia intermedia*	Pink Bloodwood	200		200	63	19.0	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
3562	*Eucalyptus tereticornis*	Forest Red Gum	260		260	82	21.0	12.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	-	-	-	Retain	
3563	*Corymbia intermedia*	Pink Bloodwood	140		140	44	15.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3564	*Eucalyptus tereticornis*	Forest Red Gum	190		190	60	19.0	9.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3565	*Corymbia tessellaris*	Moreton Bay Ash	200		200	63	18.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3566	*Eucalyptus tereticornis*	Forest Red Gum	100		100	31	16.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3567	*Corymbia intermedia*	Pink Bloodwood	220	90	238	75	19.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3568	*Eucalyptus tereticornis*	Forest Red Gum	230		230	72	19.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3569	*Eucalyptus tereticornis*	Forest Red Gum	390		390	123	22.0	14.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3570	*Corymbia tessellaris*	Moreton Bay Ash	140		140	44	13.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retain	
3571	*Corymbia intermedia*	Pink Bloodwood	150		150	47	15.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3572	*Corymbia citriodora*	Spotted Gum	330		330	104	23.0	11.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3573	*Corymbia citriodora*	Spotted Gum	310		310	97	22.0	10.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3574	*Lophostemon suaveolens*	Swamp Box	120		120	38	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3575	*Corymbia intermedia*	Pink Bloodwood	100		100	31	12.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3576	*Lophostemon suaveolens*	Swamp Box	140		140	44	12.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3577	*Eucalyptus tereticornis*	Forest Red Gum	170		170	53	13.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retain	
3578	*Eucalyptus tereticornis*	Forest Red Gum	220		220	69	19.0	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3579	*Lophostemon suaveolens*	Swamp Box	120		120	38	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3580	*Eucalyptus tereticornis*	Forest Red Gum	180	110	211	66	17.0	8.0	2.5	1.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3581	*Corymbia intermedia*	Pink Bloodwood	150		150	47	17.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3582	*Lophostemon suaveolens*	Swamp Box	220		220	69	16.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3583	*Eucalyptus tereticornis*	Forest Red Gum	210		210	66	18.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3584	*Eucalyptus tereticornis*	Forest Red Gum	180		180	57	17.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3585	*Eucalyptus tereticornis*	Forest Red Gum	110		110	35	15.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3586	*Lophostemon suaveolens*	Swamp Box	180		180	57	19.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3587	*Lophostemon suaveolens*	Swamp Box	210	160	264	83	15.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3588	*Lophostemon suaveolens*	Swamp Box	150		150	47	15.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3589	*Corymbia citriodora*	Spotted Gum	300		300	94	19.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3590	*Corymbia citriodora*	Spotted Gum	160		160	50	15.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3591	*Eucalyptus crebra*	Narrow-leaved Ironbark	210		210	66	17.0	8.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3592	*Eucalyptus tereticornis*	Forest Red Gum	220		220	69	18.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3593	*Eucalyptus crebra*	Narrow-leaved Ironbark	170		170	53	10.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3594	*Corymbia citriodora*	Spotted Gum	170		170	53	18.0	7.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3595	*Corymbia citriodora*	Spotted Gum	150	80	170	53	14.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3596	*Eucalyptus tereticornis*	Forest Red Gum	110		110	35	10.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Remove	
3597	*Corymbia citriodora*	Spotted Gum	180		180	57	17.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3598	*Corymbia intermedia*	Pink Bloodwood	210	140	252	79	16.0	8.0	3.0	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3599	*Eucalyptus crebra*	Narrow-leaved Ironbark	100		100	31	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3600	*Eucalyptus tereticornis*	Forest Red Gum	180		180	57	16.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3601	*Eucalyptus tereticornis*	Forest Red Gum	230		230	72	19.0	9.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3602	*Eucalyptus tereticornis*	Forest Red Gum	120		120	38	15.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3603	*Corymbia citriodora*	Spotted Gum	290		290	91	19.0	12.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3604	*Corymbia citriodora*	Spotted Gum	140		140	44	15.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3605	*Corymbia citriodora*	Spotted Gum	140		140	44	17.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3606	*Eucalyptus tereticornis*	Forest Red Gum	170		170	53	18.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3607	*Corymbia tessellaris*	Moreton Bay Ash	180		180	57	18.0	9.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3608	*Corymbia citriodora*	Spotted Gum	150		150	47	16.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3609	*Corymbia citriodora*	Spotted Gum	220		220	69	20.0	9.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3610	*Corymbia tessellaris*	Moreton Bay Ash	200		200	63	17.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3611	*Eucalyptus tereticornis*	Forest Red Gum	180	90	201	63	17.0	10.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3612	*Corymbia citriodora*	Spotted Gum	160	80	179	56	17.0	6.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3613	*Corymbia citriodora*	Spotted Gum	180	130	222	70	16.0	7.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3614	*Eucalyptus tereticornis*	Forest Red Gum	690		690	217	25.0	16.0	8.3	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Remove	
3615	*Corymbia citriodora*	Spotted Gum	130		130	41	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3616	*Eucalyptus crebra*	Narrow-leaved Ironbark	260		260	82	15.0	3.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3617	*Corymbia citriodora*	Spotted Gum	260		260	82	19.0	9.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3618	*Corymbia citriodora*	Spotted Gum	110		110	35	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3619	*Eucalyptus crebra*	Narrow-leaved Ironbark	140		140	44	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3620	*Corymbia citriodora*	Spotted Gum	350		350	110	23.0	12.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3621	*Corymbia citriodora*	Spotted Gum	120		120	38	10.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3622	*Eucalyptus crebra*	Narrow-leaved Ironbark	190		190	60	16.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3623	*Corymbia tessellaris*	Moreton Bay Ash	230		230	72	19.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3624	*Acacia disparrima*	Hickory Wattle	150		150	47	12.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3625	*Acacia disparrima*	Hickory Wattle	120		120	38	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3626	*Acacia disparrima*	Hickory Wattle	110		110	35	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3627	*Acacia disparrima*	Hickory Wattle	100		100	31	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3628	*Acacia disparrima*	Hickory Wattle	110		110	35	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3629	*Acacia disparrima*	Hickory Wattle	120		120	38	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3630	*Acacia disparrima*	Hickory Wattle	110		110	35	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3631	*Acacia disparrima*	Hickory Wattle	140		140	44	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3632	*Eucalyptus crebra*	Narrow-leaved Ironbark	300		300	94	19.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3633	*Corymbia citriodora*	Spotted Gum	180		180	57	17.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3634	*Corymbia citriodora*	Spotted Gum	110		110	35	10.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3635	*Corymbia citriodora*	Spotted Gum	130	40	136	43	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3636	*Corymbia citriodora*	Spotted Gum	100	40	108	34	9.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3637	*Corymbia citriodora*	Spotted Gum	110		110	35	12.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3638	*Corymbia citriodora*	Spotted Gum	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3639	*Eucalyptus crebra*	Narrow-leaved Ironbark	180		180	57	18.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3640	*Eucalyptus crebra*	Narrow-leaved Ironbark	160		160	50	14.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3641	*Eucalyptus crebra*	Narrow-leaved Ironbark	120		120	38	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove	
3642	*Corymbia citriodora*	Spotted Gum	280		280	88	19.0	9.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
3643	*Corymbia citriodora*	Spotted Gum	330		330	104	19.0	12.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3644	*Eucalyptus tereticornis*	Forest Red Gum	150		150	47	10.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3645	*Corymbia citriodora*	Spotted Gum	120		120	38	14.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3646	*Corymbia citriodora*	Spotted Gum	130		130	41	11.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3647	*Eucalyptus crebra*	Narrow-leaved Ironbark	350		350	110	18.0	10.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove	
3648	*Eucalyptus crebra*	Narrow-leaved Ironbark	140		140	44	14.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3649	*Corymbia intermedia*	Pink Bloodwood	100		100	31	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Remove	
3650	*Eucalyptus crebra*	Narrow-leaved Ironbark	120		120	38	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3651	*Corymbia citriodora*	Spotted Gum	290		290	91	20.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3652	*Corymbia intermedia*	Pink Bloodwood	100		100	31	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3653	*Corymbia citriodora*	Spotted Gum	180		180	57	17.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3654	*Corymbia citriodora*	Spotted Gum	130		130	41	14.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3655	*Corymbia intermedia*	Pink Bloodwood	160	100	189	59	14.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3656	*Alphitonia excelsa*	Soap Tree	110		110	35	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove	
3657	*Corymbia intermedia*	Pink Bloodwood	170	160 150	277	87	16.0	7.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3658	*Acacia disparrima*	Hickory Wattle	120		120	38	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3659	*Corymbia citriodora*	Spotted Gum	190		190	60	16.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3660	*Corymbia citriodora*	Spotted Gum	100		100	31	11.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3661	*Eucalyptus crebra*	Narrow-leaved Ironbark	170		170	53	14.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3662	*Corymbia intermedia*	Pink Bloodwood	480		480	151	19.0	9.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3663	*Petalostigma pubescens*	Quinine Bush	170		170	53	8.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove	
3664	*Corymbia citriodora*	Spotted Gum	250		250	79	18.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3665	*Eucalyptus crebra*	Narrow-leaved Ironbark	150		150	47	12.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3666	*Eucalyptus crebra*	Narrow-leaved Ironbark	420		420	132	21.0	11.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3667	*Corymbia citriodora*	Spotted Gum	140		140	44	15.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3668	*Corymbia citriodora*	Spotted Gum	220		220	69	17.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3669	*Corymbia intermedia*	Pink Bloodwood	140	100	172	54	11.0	5.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3670	*Eucalyptus crebra*	Narrow-leaved Ironbark	190		190	60	17.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3671	*Corymbia tessellaris*	Moreton Bay Ash	210		210	66	17.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3672	*Corymbia tessellaris*	Moreton Bay Ash	100	100	141	44	10.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3673	*Corymbia intermedia*	Pink Bloodwood	140		140	44	14.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3674	*Eucalyptus crebra*	Narrow-leaved Ironbark	100		100	31	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3675	*Corymbia citriodora*	Spotted Gum	190		190	60	17.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3676	*Eucalyptus crebra*	Narrow-leaved Ironbark	160		160	50	18.0	8.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3677	*Eucalyptus crebra*	Narrow-leaved Ironbark	160		160	50	15.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3678	*Corymbia intermedia*	Pink Bloodwood	130		130	41	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3679	*Corymbia intermedia*	Pink Bloodwood	410		410	129	16.0	6.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3680	*Eucalyptus tereticornis*	Forest Red Gum	600		600	188	18.0	10.0	7.2	2.7	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove	
3681	*Lophostemon suaveolens*	Swamp Box	170		170	53	10.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3682	*Eucalyptus crebra*	Narrow-leaved Ironbark	130		130	41	17.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3683	*Eucalyptus crebra*	Narrow-leaved Ironbark	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	Minor	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove	
3684	*Corymbia intermedia*	Pink Bloodwood	100	60	117	37	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3685	*Eucalyptus siderophloia*	Northern Grey Ironbark	160		160	50	16.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3686	*Eucalyptus siderophloia*	Northern Grey Ironbark	170		170	53	18.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3687	*Eucalyptus tereticornis*	Forest Red Gum	140		140	44	15.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	Minor	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove	
3688	*Corymbia intermedia*	Pink Bloodwood	100		100	31	13.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove	
3689	*Eucalyptus siderophloia*	Northern Grey Ironbark	380		380	119	21.0	13.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3690	*Eucalyptus siderophloia*	Northern Grey Ironbark	100		100	31	11.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3691	*Eucalyptus siderophloia*	Northern Grey Ironbark	100		100	31	11.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove	
3692	*Corymbia citriodora*	Spotted Gum	230		230	72	16.0	9.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3693	*Lophostemon suaveolens*	Swamp Box	120		120	38	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3694	*Eucalyptus tereticornis*	Forest Red Gum	210		210	66	18.0	9.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3695	*Lophostemon suaveolens*	Swamp Box	110		110	35	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3696	*Corymbia citriodora*	Spotted Gum	380		380	119	21.0	12.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3697	*Lophostemon suaveolens*	Swamp Box	120		120	38	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3698	*Eucalyptus tereticornis*	Forest Red Gum	140		140	44	17.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3699	*Lophostemon suaveolens*	Swamp Box	180		180	57	19.0	7.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3700	*Corymbia intermedia*	Pink Bloodwood	120		120	38	15.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3701	*Eucalyptus tereticornis*	Forest Red Gum	160		160	50	16.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3702	*Corymbia intermedia*	Pink Bloodwood	120		120	38	11.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3703	*Lophostemon suaveolens*	Swamp Box	170		170	53	15.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3704	*Corymbia intermedia*	Pink Bloodwood	100		100	31	9.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3705	*Corymbia intermedia*	Pink Bloodwood	430		430	135	18.0	9.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3706	*Eucalyptus tereticornis*	Forest Red Gum	520		520	163	19.0	10.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove	
3707	*Lophostemon suaveolens*	Swamp Box	110		110	35	9.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3708	*Lophostemon suaveolens*	Swamp Box	100	90	135	42	6.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3709	*Eucalyptus tereticornis*	Forest Red Gum	180		180	57	18.0	7.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3710	*Eucalyptus tereticornis*	Forest Red Gum	150		150	47	16.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3711	*Lophostemon suaveolens*	Swamp Box	120		120	38	10.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3712	*Lophostemon suaveolens*	Swamp Box	160		160	50	16.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3713	*Lophostemon suaveolens*	Swamp Box	180		180	57	17.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3714	*Lophostemon suaveolens*	Swamp Box	200	100	224	70	17.0	6.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3715	*Eucalyptus tereticornis*	Forest Red Gum	160		160	50	18.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3716	*Lophostemon suaveolens*	Swamp Box	160		160	50	15.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3717	*Corymbia tessellaris*	Moreton Bay Ash	210		210	66	17.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3718	*Eucalyptus tereticornis*	Forest Red Gum	180		180	57	18.0	5.0	2.2	1.6	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3719	*Lophostemon suaveolens*	Swamp Box	110		110	35	11.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3720	*Lophostemon suaveolens*	Swamp Box	180		180	57	15.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
3721	*Eucalyptus tereticornis*	Forest Red Gum	180		180	57	18.0	7.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3722	*Lophostemon suaveolens*	Swamp Box	130		130	41	13.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
3723	*Lophostemon suaveolens*	Swamp Box	100		100	31	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
3724	*Corymbia citriodora*	Spotted Gum	210		210	66	18.0	8.0	2.5	1.7	Regular	-	-	Die-back	-	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove	
3725	*Lophostemon suaveolens*	Swamp Box	110		110	35	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3726	*Lophostemon suaveolens*	Swamp Box	100		100	31	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3727	*Lophostemon suaveolens*	Swamp Box	100		100	31	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3728	*Eucalyptus tereticornis*	Forest Red Gum	150		150	47	16.0	5.0	2.0	1.5	Regular	-	-	Die-back	-	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove	
3729	*Corymbia intermedia*	Pink Bloodwood	160		160	50	17.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3730	*Corymbia intermedia*	Pink Bloodwood	160		160	50	15.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3731	*Eucalyptus tereticornis*	Forest Red Gum	360		360	113	19.0	10.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3732	*Corymbia intermedia*	Pink Bloodwood	160		160	50	10.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3733	*Corymbia intermedia*	Pink Bloodwood	220		220	69	19.0	9.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3734	*Eucalyptus tereticornis*	Forest Red Gum	180		180	57	19.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3735	*Lophostemon suaveolens*	Swamp Box	110		110	35	10.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3736	*Eucalyptus tereticornis*	Forest Red Gum	230		230	72	18.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3737	*Lophostemon suaveolens*	Swamp Box	110		110	35	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3738	*Lophostemon suaveolens*	Swamp Box	110		110	35	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3739	*Eucalyptus tereticornis*	Forest Red Gum	320		320	101	18.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3740	*Corymbia intermedia*	Pink Bloodwood	330		330	104	19.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3741	*Lophostemon suaveolens*	Swamp Box	280		280	88	17.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3742	*Eucalyptus tereticornis*	Forest Red Gum	150		150	47	17.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3743	*Eucalyptus tereticornis*	Forest Red Gum	110		110	35	9.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3744	*Lophostemon suaveolens*	Swamp Box	180		180	57	15.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3745	*Lophostemon suaveolens*	Swamp Box	500		500	157	17.0	7.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3746	*Eucalyptus tereticornis*	Forest Red Gum	180		180	57	18.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3747	*Corymbia tessellaris*	Moreton Bay Ash	240		240	75	18.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3748	*Corymbia citriodora*	Spotted Gum	280		280	88	20.0	9.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3749	*Lophostemon suaveolens*	Swamp Box	110		110	35	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3750	*Corymbia citriodora*	Spotted Gum	110		110	35	9.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3751	*Eucalyptus siderophloia*	Northern Grey Ironbark	140		140	44	11.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3752	*Eucalyptus crebra*	Narrow-leaved Ironbark	140		140	44	12.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3753	*Lophostemon confertus*	Brush Box	150		150	47	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3754	*Eucalyptus crebra*	Narrow-leaved Ironbark	680		680	214	12.0	8.0	8.2	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3755	*Corymbia tessellaris*	Moreton Bay Ash	280	170	328	103	16.0	10.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3756	*Eucalyptus tereticornis*	Forest Red Gum	240	150	283	89	15.0	9.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3757	*Eucalyptus crebra*	Narrow-leaved Ironbark	390		390	123	10.0	8.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3758	*Corymbia citriodora*	Spotted Gum	250		250	79	12.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3759	*Corymbia citriodora*	Spotted Gum	380		380	119	18.0	9.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3760	*Corymbia intermedia*	Pink Bloodwood	180		180	57	9.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3761	*Corymbia citriodora*	Spotted Gum	300		300	94	15.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3762	*Corymbia citriodora*	Spotted Gum	230		230	72	17.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3763	*Eucalyptus tereticornis*	Forest Red Gum	220		220	69	16.0	9.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3764	*Corymbia intermedia*	Pink Bloodwood	150		150	47	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3765	*Angophora leiocarpa*	Smooth-barked Apple	120		120	38	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3766	*Angophora leiocarpa*	Smooth-barked Apple	100		100	31	10.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3767	*Corymbia citriodora*	Spotted Gum	260		260	82	18.0	9.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3768	*Corymbia citriodora*	Spotted Gum	270		270	85	18.0	12.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3769	*Corymbia intermedia*	Pink Bloodwood	160		160	50	17.0	8.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3770	*Corymbia citriodora*	Spotted Gum	300		300	94	18.0	12.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3771	*Eucalyptus tereticornis*	Forest Red Gum	260		260	82	15.0	9.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3772	*Eucalyptus crebra*	Narrow-leaved Ironbark	130		130	41	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3773	*Eucalyptus crebra*	Narrow-leaved Ironbark	220		220	69	18.0	9.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3774	*Eucalyptus crebra*	Narrow-leaved Ironbark	160		160	50	9.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3775	*Corymbia citriodora*	Spotted Gum	440		440	138	19.0	15.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3776	*Corymbia citriodora*	Spotted Gum	120		120	38	12.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3777	*Corymbia citriodora*	Spotted Gum	160	120	200	63	9.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3778	*Corymbia citriodora*	Spotted Gum	120		120	38	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3779	*Corymbia citriodora*	Spotted Gum	180		180	57	12.0	8.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3780	*Eucalyptus crebra*	Narrow-leaved Ironbark	220		220	69	18.0	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3781	*Corymbia citriodora*	Spotted Gum	310		310	97	15.0	9.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3782	*Eucalyptus crebra*	Narrow-leaved Ironbark	160		160	50	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3783	*Corymbia citriodora*	Spotted Gum	310		310	97	17.0	9.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3784	*Eucalyptus crebra*	Narrow-leaved Ironbark	190		190	60	9.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3785	*Corymbia citriodora*	Spotted Gum	150	100	180	57	10.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3786	*Eucalyptus crebra*	Narrow-leaved Ironbark	100		100	31	12.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3787	*Corymbia intermedia*	Pink Bloodwood	160		160	50	8.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3788	*Eucalyptus crebra*	Narrow-leaved Ironbark	130		130	41	12.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3789	*Petalostigma pubescens*	Quinine Bush	130	100	164	52	8.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3790	*Corymbia citriodora*	Spotted Gum	130		130	41	12.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3791	*Corymbia intermedia*	Pink Bloodwood	150		150	47	9.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3792	*Eucalyptus crebra*	Narrow-leaved Ironbark	150		150	47	12.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3793	*Corymbia citriodora*	Spotted Gum	450		450	141	20.0	15.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3794	*Corymbia citriodora*	Spotted Gum	190	130	230	72	16.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3795	*Eucalyptus crebra*	Narrow-leaved Ironbark	100		100	31	12.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3796	*Corymbia tessellaris*	Moreton Bay Ash	160		160	50	12.0	9.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3797	*Corymbia citriodora*	Spotted Gum	150		150	47	12.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3798	*Corymbia intermedia*	Pink Bloodwood	150		150	47	12.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3799	*Corymbia citriodora*	Spotted Gum	150		150	47	12.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3800	*Corymbia citriodora*	Spotted Gum	260		260	82	18.0	9.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3801	*Corymbia citriodora*	Spotted Gum	160		160	50	9.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3802	*Eucalyptus crebra*	Narrow-leaved Ironbark	210		210	66	8.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3803	*Corymbia citriodora*	Spotted Gum	310		310	97	18.0	9.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3804	*Eucalyptus crebra*	Narrow-leaved Ironbark	220		220	69	10.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
3805	*Corymbia citriodora*	Spotted Gum	200		200	63	15.0	9.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3806	*Corymbia citriodora*	Spotted Gum	160		160	50	14.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3807	*Corymbia citriodora*	Spotted Gum	310		310	97	18.0	9.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3808	*Corymbia citriodora*	Spotted Gum	250		250	79	9.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3809	*Corymbia citriodora*	Spotted Gum	150		150	47	8.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3810	*Corymbia citriodora*	Spotted Gum	400		400	126	18.0	12.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3811	*Eucalyptus tereticornis*	Forest Red Gum	150		150	47	9.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3812	*Corymbia intermedia*	Pink Bloodwood	260		260	82	12.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3813	*Corymbia citriodora*	Spotted Gum	140	110	178	56	9.0	5.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3814	*Corymbia citriodora*	Spotted Gum	380		380	119	17.0	9.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3815	*Corymbia citriodora*	Spotted Gum	370		370	116	18.0	9.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3816	*Corymbia citriodora*	Spotted Gum	320		320	101	18.0	12.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3817	*Corymbia citriodora*	Spotted Gum	130		130	41	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3818	*Corymbia citriodora*	Spotted Gum	110		110	35	12.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3819	*Corymbia citriodora*	Spotted Gum	150		150	47	12.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3820	*Corymbia citriodora*	Spotted Gum	170		170	53	15.0	8.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3821	*Corymbia citriodora*	Spotted Gum	210		210	66	12.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3822	*Corymbia citriodora*	Spotted Gum	160		160	50	12.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3823	*Corymbia citriodora*	Spotted Gum	210		210	66	15.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3824	*Eucalyptus crebra*	Narrow-leaved Ironbark	150		150	47	12.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3825	*Dead/Stag*		460		460	145	15.0	1.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Remove	
3826	*Eucalyptus crebra*	Narrow-leaved Ironbark	200		200	63	9.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3827	*Eucalyptus crebra*	Narrow-leaved Ironbark	140		140	44	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3828	*Corymbia citriodora*	Spotted Gum	280		280	88	16.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3829	*Corymbia citriodora*	Spotted Gum	130		130	41	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3830	*Corymbia citriodora*	Spotted Gum	120		120	38	8.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3831	*Eucalyptus crebra*	Narrow-leaved Ironbark	190		190	60	9.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3832	*Corymbia citriodora*	Spotted Gum	150		150	47	8.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3833	*Eucalyptus crebra*	Narrow-leaved Ironbark	610		610	192	18.0	12.0	7.3	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3834	*Eucalyptus crebra*	Narrow-leaved Ironbark	170		170	53	12.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3835	*Eucalyptus crebra*	Narrow-leaved Ironbark	120		120	38	16.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3836	*Eucalyptus crebra*	Narrow-leaved Ironbark	200		200	63	15.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3837	*Eucalyptus crebra*	Narrow-leaved Ironbark	190		190	60	12.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3838	*Eucalyptus crebra*	Narrow-leaved Ironbark	180		180	57	15.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3839	*Corymbia intermedia*	Pink Bloodwood	300		300	94	9.0	4.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3840	*Eucalyptus tereticornis*	Forest Red Gum	170		170	53	12.0	9.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3841	*Eucalyptus crebra*	Narrow-leaved Ironbark	320		320	101	18.0	9.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3842	*Eucalyptus crebra*	Narrow-leaved Ironbark	120		120	38	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3843	*Corymbia intermedia*	Pink Bloodwood	200		200	63	17.0	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3844	*Corymbia intermedia*	Pink Bloodwood	230		230	72	15.0	9.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3845	*Corymbia intermedia*	Pink Bloodwood	290	180	341	107	17.0	9.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3846	*Corymbia intermedia*	Pink Bloodwood	420		420	132	15.0	12.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3847	*Eucalyptus tereticornis*	Forest Red Gum	510		510	160	18.0	12.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3848	*Lophostemon suaveolens*	Swamp Box	130		130	41	9.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3849	*Corymbia intermedia*	Pink Bloodwood	130		130	41	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3850	*Lophostemon suaveolens*	Swamp Box	220		220	69	14.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3851	*Lophostemon suaveolens*	Swamp Box	150		150	47	9.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3852	*Lophostemon suaveolens*	Swamp Box	120		120	38	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3853	*Lophostemon suaveolens*	Swamp Box	120		120	38	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3854	*Lophostemon suaveolens*	Swamp Box	100		100	31	12.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3855	*Angophora leiocarpa*	Smooth-barked Apple	360		360	113	15.0	7.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3856	*Lophostemon suaveolens*	Swamp Box	300		300	94	9.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3857	*Corymbia intermedia*	Pink Bloodwood	130		130	41	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3858	*Eucalyptus crebra*	Narrow-leaved Ironbark	260		260	82	12.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3859	*Eucalyptus tereticornis*	Forest Red Gum	380		380	119	17.0	12.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3860	*Corymbia intermedia*	Pink Bloodwood	470		470	148	18.0	14.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3861	*Angophora leiocarpa*	Smooth-barked Apple	140		140	44	12.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3862	*Corymbia intermedia*	Pink Bloodwood	360		360	113	17.0	15.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3863	*Corymbia intermedia*	Pink Bloodwood	290		290	91	18.0	9.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3864	*Eucalyptus crebra*	Narrow-leaved Ironbark	220		220	69	17.0	12.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3865	*Lophostemon suaveolens*	Swamp Box	110		110	35	9.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3866	*Eucalyptus tereticornis*	Forest Red Gum	120		120	38	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3867	*Angophora leiocarpa*	Smooth-barked Apple	130		130	41	14.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3868	*Lophostemon suaveolens*	Swamp Box	150		150	47	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3869	*Lophostemon suaveolens*	Swamp Box	140		140	44	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3870	*Corymbia tessellaris*	Moreton Bay Ash	100		100	31	9.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3871	*Corymbia intermedia*	Pink Bloodwood	160		160	50	16.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3872	*Eucalyptus tereticornis*	Forest Red Gum	300		300	94	17.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3873	*Corymbia intermedia*	Pink Bloodwood	140		140	44	14.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3874	*Corymbia intermedia*	Pink Bloodwood	250	200	320	101	18.0	14.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3875	*Lophostemon suaveolens*	Swamp Box	190		190	60	18.0	15.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3876	*Corymbia intermedia*	Pink Bloodwood	300		300	94	17.0	14.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3877	*Lophostemon suaveolens*	Swamp Box	360		360	113	9.0	3.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3878	*Lophostemon suaveolens*	Swamp Box	130		130	41	12.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3879	*Corymbia intermedia*	Pink Bloodwood	200		200	63	12.0	2.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3880	*Corymbia intermedia*	Pink Bloodwood	120		120	38	9.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3881	*Lophostemon suaveolens*	Swamp Box	200		200	63	10.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3882	*Eucalyptus tereticornis*	Forest Red Gum	240		240	75	12.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3883	*Eucalyptus tereticornis*	Forest Red Gum	640		640	201	20.0	16.0	7.7	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3884	*Eucalyptus tereticornis*	Forest Red Gum	540		540	170	18.0	15.0	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3885	*Angophora leiocarpa*	Smooth-barked Apple	1010		1010	317	20.0	16.0	12.1	3.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
3886	*Corymbia intermedia*	Pink Bloodwood	220		220	69	16.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3887	*Lophostemon suaveolens*	Swamp Box	130		130	41	12.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3888	*Angophora leiocarpa*	Smooth-barked Apple	280	120	305	96	14.0	9.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3889	*Corymbia intermedia*	Pink Bloodwood	190		190	60	15.0	9.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3890	*Lophostemon suaveolens*	Swamp Box	140		140	44	15.0	9.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
3891	*Lophostemon suaveolens*	Swamp Box	130		130	41	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3892	*Lophostemon suaveolens*	Swamp Box	210		210	66	11.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3893	*Lophostemon suaveolens*	Swamp Box	180		180	57	12.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3894	*Lophostemon suaveolens*	Swamp Box	150		150	47	14.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3895	*Eucalyptus tereticornis*	Forest Red Gum	430		430	135	18.0	9.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3896	*Lophostemon suaveolens*	Swamp Box	190		190	60	9.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3897	*Corymbia intermedia*	Pink Bloodwood	230		230	72	15.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3898	*Lophostemon suaveolens*	Swamp Box	180		180	57	10.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3899	*Lophostemon suaveolens*	Swamp Box	220		220	69	9.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3900	*Lophostemon suaveolens*	Swamp Box	120		120	38	12.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3901	*Lophostemon suaveolens*	Swamp Box	260		260	82	12.0	3.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3902	*Lophostemon suaveolens*	Swamp Box	200		200	63	12.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3903	*Lophostemon suaveolens*	Swamp Box	100		100	31	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3904	*Lophostemon suaveolens*	Swamp Box	120		120	38	12.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3905	*Lophostemon suaveolens*	Swamp Box	300		300	94	20.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3906	*Eucalyptus tereticornis*	Forest Red Gum	450		450	141	20.0	9.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3907	*Eucalyptus tereticornis*	Forest Red Gum	320		320	101	18.0	9.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3908	*Lophostemon suaveolens*	Swamp Box	120		120	38	12.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3909	*Lophostemon suaveolens*	Swamp Box	150		150	47	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3910	*Lophostemon suaveolens*	Swamp Box	100		100	31	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3911	*Lophostemon suaveolens*	Swamp Box	170		170	53	10.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3912	*Lophostemon suaveolens*	Swamp Box	210		210	66	16.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3913	*Lophostemon suaveolens*	Swamp Box	280		280	88	12.0	4.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3914	*Lophostemon suaveolens*	Swamp Box	260	170	311	98	16.0	10.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3915	*Lophostemon suaveolens*	Swamp Box	150		150	47	9.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3916	*Lophostemon suaveolens*	Swamp Box	150		150	47	15.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
3917	*Lophostemon suaveolens*	Swamp Box	150		150	47	10.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3918	*Eucalyptus tereticornis*	Forest Red Gum	250		250	79	16.0	9.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
3919	*Lophostemon suaveolens*	Swamp Box	100		100	31	14.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
3920	*Corymbia intermedia*	Pink Bloodwood	100		100	31	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3921	*Lophostemon suaveolens*	Swamp Box	120		120	38	15.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3922	*Corymbia intermedia*	Pink Bloodwood	250		250	79	17.0	9.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3923	*Lophostemon suaveolens*	Swamp Box	180		180	57	12.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3924	*Corymbia intermedia*	Pink Bloodwood	200		200	63	16.0	12.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3925	*Lophostemon suaveolens*	Swamp Box	180		180	57	12.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3926	*Lophostemon suaveolens*	Swamp Box	100		100	31	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3927	*Lophostemon suaveolens*	Swamp Box	170		170	53	9.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3928	*Lophostemon suaveolens*	Swamp Box	240		240	75	12.0	9.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3929	*Corymbia intermedia*	Pink Bloodwood	270		270	85	15.0	9.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3930	*Lophostemon suaveolens*	Swamp Box	160		160	50	9.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3931	*Angophora leiocarpa*	Smooth-barked Apple	400		400	126	20.0	17.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3932	*Lophostemon suaveolens*	Swamp Box	150		150	47	8.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3933	*Lophostemon suaveolens*	Swamp Box	180		180	57	8.0	2.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3934	*Angophora leiocarpa*	Smooth-barked Apple	200		200	63	15.0	9.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3935	*Corymbia intermedia*	Pink Bloodwood	230		230	72	12.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3936	*Eucalyptus tereticornis*	Forest Red Gum	360		360	113	15.0	12.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3937	*Lophostemon suaveolens*	Swamp Box	170		170	53	12.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3938	*Angophora leiocarpa*	Smooth-barked Apple	360		360	113	17.0	9.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3939	*Lophostemon suaveolens*	Swamp Box	150		150	47	15.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3940	*Corymbia intermedia*	Pink Bloodwood	420		420	132	18.0	12.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3941	*Lophostemon suaveolens*	Swamp Box	120		120	38	12.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3942	*Eucalyptus tereticornis*	Forest Red Gum	180		180	57	14.0	2.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3943	*Corymbia intermedia*	Pink Bloodwood	180		180	57	14.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3944	*Corymbia intermedia*	Pink Bloodwood	130		130	41	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3945	*Corymbia intermedia*	Pink Bloodwood	120		120	38	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3946	*Corymbia citriodora*	Spotted Gum	130		130	41	12.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3947	*Corymbia intermedia*	Pink Bloodwood	360		360	113	12.0	7.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3948	*Corymbia intermedia*	Pink Bloodwood	120		120	38	12.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3949	*Lophostemon suaveolens*	Swamp Box	130		130	41	10.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3950	*Corymbia citriodora*	Spotted Gum	230		230	72	15.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3951	*Corymbia intermedia*	Pink Bloodwood	490		490	154	20.0	14.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3952	*Corymbia intermedia*	Pink Bloodwood	170		170	53	14.0	8.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3953	*Corymbia intermedia*	Pink Bloodwood	300		300	94	16.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3954	*Eucalyptus tereticornis*	Forest Red Gum	100		100	31	12.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3955	*Corymbia intermedia*	Pink Bloodwood	130		130	41	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3956	*Eucalyptus crebra*	Narrow-leaved Ironbark	300		300	94	16.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3957	*Eucalyptus tereticornis*	Forest Red Gum	280		280	88	16.0	9.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3958	*Corymbia citriodora*	Spotted Gum	260		260	82	15.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3959	*Corymbia intermedia*	Pink Bloodwood	270		270	85	16.0	9.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3960	*Corymbia intermedia*	Pink Bloodwood	370	200	421	132	17.0	15.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3961	*Lophostemon suaveolens*	Swamp Box	130		130	41	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3962	*Corymbia intermedia*	Pink Bloodwood	180	80	197	62	8.0	1.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3963	*Corymbia intermedia*	Pink Bloodwood	160		160	50	12.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3964	*Acacia concurrens*	Black Wattle	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3965	*Eucalyptus crebra*	Narrow-leaved Ironbark	100		100	31	9.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3966	*Corymbia intermedia*	Pink Bloodwood	280		280	88	14.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
3967	*Corymbia intermedia*	Pink Bloodwood	100		100	31	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3968	*Eucalyptus crebra*	Narrow-leaved Ironbark	250		250	79	15.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3969	*Corymbia citriodora*	Spotted Gum	140		140	44	15.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3970	*Corymbia citriodora*	Spotted Gum	190		190	60	16.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3971	*Corymbia citriodora*	Spotted Gum	150		150	47	12.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3972	*Corymbia citriodora*	Spotted Gum	480		480	151	18.0	16.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3973	*Corymbia citriodora*	Spotted Gum	180		180	57	13.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3974	*Corymbia citriodora*	Spotted Gum	320		320	101	14.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3975	*Corymbia citriodora*	Spotted Gum	150		150	47	12.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3976	*Eucalyptus crebra*	Narrow-leaved Ironbark	230		230	72	15.0	9.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3977	*Eucalyptus crebra*	Narrow-leaved Ironbark	180		180	57	14.0	9.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3978	*Eucalyptus tereticornis*	Forest Red Gum	150		150	47	15.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3979	*Corymbia citriodora*	Spotted Gum	570		570	179	20.0	16.0	6.8	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3980	*Corymbia citriodora*	Spotted Gum	270		270	85	15.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3981	*Corymbia citriodora*	Spotted Gum	210		210	66	14.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3982	*Eucalyptus tereticornis*	Forest Red Gum	200		200	63	16.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3983	*Eucalyptus tereticornis*	Forest Red Gum	240		240	75	14.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3984	*Corymbia citriodora*	Spotted Gum	380		380	119	18.0	12.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3985	*Corymbia intermedia*	Pink Bloodwood	170		170	53	12.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3986	*Corymbia citriodora*	Spotted Gum	200		200	63	16.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3987	*Corymbia intermedia*	Pink Bloodwood	180		180	57	12.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3988	*Eucalyptus crebra*	Narrow-leaved Ironbark	530		530	167	20.0	16.0	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3989	*Corymbia intermedia*	Pink Bloodwood	200		200	63	13.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3990	*Corymbia citriodora*	Spotted Gum	140		140	44	14.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3991	*Corymbia citriodora*	Spotted Gum	220		220	69	14.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3992	*Corymbia citriodora*	Spotted Gum	260		260	82	15.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3993	*Corymbia citriodora*	Spotted Gum	140		140	44	12.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3994	*Eucalyptus tereticornis*	Forest Red Gum	380		380	119	15.0	9.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3995	*Corymbia citriodora*	Spotted Gum	360		360	113	18.0	12.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3996	*Corymbia intermedia*	Pink Bloodwood	280	200	344	108	15.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3997	*Corymbia citriodora*	Spotted Gum	450		450	141	18.0	15.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3998	*Eucalyptus crebra*	Narrow-leaved Ironbark	280		280	88	15.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
3999	*Corymbia citriodora*	Spotted Gum	270		270	85	15.0	9.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4000	*Corymbia citriodora*	Spotted Gum	310		310	97	17.0	15.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4001	*Corymbia citriodora*	Spotted Gum	350		350	110	16.0	9.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4002	*Eucalyptus crebra*	Narrow-leaved Ironbark	130		130	41	12.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4003	*Eucalyptus crebra*	Narrow-leaved Ironbark	180		180	57	15.0	9.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4004	*Corymbia citriodora*	Spotted Gum	290	170	336	106	16.0	10.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4005	*Corymbia citriodora*	Spotted Gum	150		150	47	15.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4006	*Corymbia citriodora*	Spotted Gum	240		240	75	15.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4007	*Corymbia citriodora*	Spotted Gum	220		220	69	15.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4008	*Corymbia citriodora*	Spotted Gum	330		330	104	15.0	9.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4009	*Acacia concurrens*	Black Wattle	120		120	38	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4010	*Corymbia tessellaris*	Moreton Bay Ash	150	120 90	212	67	12.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4011	*Corymbia intermedia*	Pink Bloodwood	170	90	192	60	12.0	5.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4012	*Eucalyptus tereticornis*	Forest Red Gum	200		200	63	15.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4013	*Corymbia intermedia*	Pink Bloodwood	430		430	135	14.0	6.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4014	*Eucalyptus tereticornis*	Forest Red Gum	300		300	94	15.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4015	*Corymbia citriodora*	Spotted Gum	420		420	132	15.0	9.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4016	*Eucalyptus crebra*	Narrow-leaved Ironbark	130		130	41	12.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4017	*Corymbia citriodora*	Spotted Gum	390	350	524	165	18.0	15.0	6.3	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4018	*Corymbia citriodora*	Spotted Gum	100		100	31	9.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4019	*Eucalyptus crebra*	Narrow-leaved Ironbark	330		330	104	16.0	9.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4020	*Corymbia citriodora*	Spotted Gum	430		430	135	17.0	13.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4021	*Corymbia citriodora*	Spotted Gum	140		140	44	12.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4022	*Corymbia citriodora*	Spotted Gum	320		320	101	16.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4023	*Eucalyptus crebra*	Narrow-leaved Ironbark	180		180	57	15.0	9.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4024	*Corymbia citriodora*	Spotted Gum	200		200	63	15.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4025	*Corymbia citriodora*	Spotted Gum	220		220	69	15.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4026	*Corymbia citriodora*	Spotted Gum	270	200	336	106	15.0	9.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4027	*Eucalyptus crebra*	Narrow-leaved Ironbark	200		200	63	15.0	9.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4028	*Corymbia citriodora*	Spotted Gum	260		260	82	17.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4029	*Corymbia citriodora*	Spotted Gum	120		120	38	12.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4030	*Corymbia tessellaris*	Moreton Bay Ash	190		190	60	15.0	8.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4031	*Corymbia tessellaris*	Moreton Bay Ash	210		210	66	15.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4032	*Eucalyptus crebra*	Narrow-leaved Ironbark	150		150	47	10.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4033	*Corymbia citriodora*	Spotted Gum	210		210	66	15.0	12.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4034	*Corymbia citriodora*	Spotted Gum	390		390	123	16.0	9.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4035	*Eucalyptus tereticornis*	Forest Red Gum	350		350	110	14.0	9.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4036	*Eucalyptus crebra*	Narrow-leaved Ironbark	150		150	47	14.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4037	*Corymbia citriodora*	Spotted Gum	440		440	138	16.0	9.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4038	*Corymbia citriodora*	Spotted Gum	790		790	248	17.0	15.0	9.5	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4039	*Eucalyptus crebra*	Narrow-leaved Ironbark	270		270	85	15.0	9.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4040	*Corymbia citriodora*	Spotted Gum	130		130	41	12.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4041	*Corymbia intermedia*	Pink Bloodwood	120		120	38	13.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4042	*Corymbia intermedia*	Pink Bloodwood	180		180	57	12.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4043	*Corymbia intermedia*	Pink Bloodwood	470		470	148	16.0	9.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4044	*Eucalyptus tereticornis*	Forest Red Gum	200		200	63	15.0	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4045	*Corymbia citriodora*	Spotted Gum	410		410	129	20.0	10.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4046	*Corymbia citriodora*	Spotted Gum	110		110	35	12.0	8.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4047	*Eucalyptus crebra*	Narrow-leaved Ironbark	250		250	79	12.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
4048	*Corymbia citriodora*	Spotted Gum	340		340	107	16.0	9.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4049	*Corymbia citriodora*	Spotted Gum	280		280	88	17.0	10.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4050	*Eucalyptus tereticornis*	Forest Red Gum	120		120	38	15.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4051	*Corymbia intermedia*	Pink Bloodwood	440		440	138	15.0	12.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4052	*Corymbia intermedia*	Pink Bloodwood	150		150	47	12.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4053	*Corymbia intermedia*	Pink Bloodwood	160		160	50	12.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4054	*Corymbia intermedia*	Pink Bloodwood	110		110	35	12.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4055	*Lophostemon suaveolens*	Swamp Box	170	140	220	69	16.0	9.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4056	*Corymbia intermedia*	Pink Bloodwood	430		430	135	18.0	14.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4057	*Corymbia intermedia*	Pink Bloodwood	200		200	63	15.0	9.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4058	*Corymbia intermedia*	Pink Bloodwood	170		170	53	14.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4059	*Corymbia intermedia*	Pink Bloodwood	230		230	72	16.0	9.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4060	*Eucalyptus crebra*	Narrow-leaved Ironbark	120		120	38	15.0	9.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4061	*Eucalyptus crebra*	Narrow-leaved Ironbark	150		150	47	12.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4062	*Corymbia intermedia*	Pink Bloodwood	150		150	47	15.0	8.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4063	*Eucalyptus crebra*	Narrow-leaved Ironbark	130		130	41	14.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4064	*Corymbia intermedia*	Pink Bloodwood	100		100	31	12.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4065	*Corymbia intermedia*	Pink Bloodwood	120		120	38	12.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4066	*Corymbia intermedia*	Pink Bloodwood	200	200 180	335	105	15.0	11.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4067	*Corymbia intermedia*	Pink Bloodwood	560		560	176	16.0	12.0	6.7	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4068	*Corymbia intermedia*	Pink Bloodwood	340		340	107	16.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4069	*Corymbia intermedia*	Pink Bloodwood	360		360	113	13.0	9.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4070	*Corymbia citriodora*	Spotted Gum	190		190	60	12.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4071	*Corymbia intermedia*	Pink Bloodwood	250		250	79	12.0	9.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4072	*Corymbia intermedia*	Pink Bloodwood	160		160	50	13.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4073	*Corymbia intermedia*	Pink Bloodwood	240		240	75	15.0	9.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4074	*Corymbia intermedia*	Pink Bloodwood	220		220	69	16.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4075	*Corymbia intermedia*	Pink Bloodwood	310	250	398	125	17.0	5.0	4.8	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4076	*Corymbia intermedia*	Pink Bloodwood	180		180	57	12.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4077	*Corymbia citriodora*	Spotted Gum	200		200	63	12.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4078	*Corymbia intermedia*	Pink Bloodwood	230		230	72	13.0	9.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4079	*Corymbia intermedia*	Pink Bloodwood	240		240	75	12.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4080	*Lophostemon suaveolens*	Swamp Box	300	200 200 190	454	143	17.0	12.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4081	*Lophostemon suaveolens*	Swamp Box	180		180	57	12.0	8.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4082	*Corymbia intermedia*	Pink Bloodwood	100		100	31	12.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4083	*Corymbia intermedia*	Pink Bloodwood	180		180	57	15.0	7.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4084	*Lophostemon suaveolens*	Swamp Box	130		130	41	12.0	9.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4085	*Lophostemon suaveolens*	Swamp Box	180		180	57	14.0	9.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4086	*Lophostemon suaveolens*	Swamp Box	100		100	31	12.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4087	*Lophostemon suaveolens*	Swamp Box	170		170	53	10.0	15.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4088	*Lophostemon suaveolens*	Swamp Box	150		150	47	12.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4089	*Eucalyptus tereticornis*	Forest Red Gum	210		210	66	15.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4090	*Lophostemon suaveolens*	Swamp Box	180		180	57	14.0	9.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4091	*Corymbia intermedia*	Pink Bloodwood	130		130	41	12.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4092	*Corymbia intermedia*	Pink Bloodwood	290		290	91	15.0	9.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4093	*Lophostemon suaveolens*	Swamp Box	170		170	53	12.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4094	*Lophostemon suaveolens*	Swamp Box	180		180	57	15.0	9.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4095	*Lophostemon suaveolens*	Swamp Box	160	150	219	69	15.0	9.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4096	*Lophostemon suaveolens*	Swamp Box	100		100	31	12.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4097	*Corymbia intermedia*	Pink Bloodwood	180		180	57	12.0	9.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4098	*Eucalyptus tereticornis*	Forest Red Gum	250	200	320	101	15.0	10.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4099	*Lophostemon suaveolens*	Swamp Box	140		140	44	10.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4100	*Lophostemon suaveolens*	Swamp Box	120		120	38	12.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4101	*Corymbia citriodora*	Spotted Gum	130		130	41	12.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4102	*Angophora leiocarpa*	Smooth-barked Apple	150		150	47	15.0	8.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4103	*Lophostemon suaveolens*	Swamp Box	110		110	35	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4104	*Lophostemon suaveolens*	Swamp Box	170		170	53	12.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4105	*Lophostemon suaveolens*	Swamp Box	180		180	57	12.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4106	*Lophostemon suaveolens*	Swamp Box	150		150	47	12.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4107	*Lophostemon suaveolens*	Swamp Box	190		190	60	9.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4108	*Lophostemon suaveolens*	Swamp Box	120		120	38	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4109	*Lophostemon suaveolens*	Swamp Box	170		170	53	12.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4110	*Lophostemon suaveolens*	Swamp Box	230		230	72	15.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4111	*Lophostemon suaveolens*	Swamp Box	200		200	63	12.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4112	*Lophostemon suaveolens*	Swamp Box	150		150	47	12.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4113	*Lophostemon suaveolens*	Swamp Box	230		230	72	120.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4114	*Lophostemon suaveolens*	Swamp Box	110		110	35	13.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4115	*Lophostemon suaveolens*	Swamp Box	130		130	41	12.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4116	*Eucalyptus tereticornis*	Forest Red Gum	320		320	101	15.0	9.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4117	*Corymbia intermedia*	Pink Bloodwood	150		150	47	15.0	9.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4118	*Lophostemon suaveolens*	Swamp Box	170		170	53	12.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4119	*Corymbia tessellaris*	Moreton Bay Ash	120		120	38	10.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4120	*Corymbia citriodora*	Spotted Gum	120		120	38	11.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4121	*Eucalyptus tereticornis*	Forest Red Gum	110		110	35	11.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4122	*Eucalyptus tereticornis*	Forest Red Gum	110		110	35	10.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Remove	
4123	*Corymbia citriodora*	Spotted Gum	100		100	31	11.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4124	*Eucalyptus crebra*	Narrow-leaved Ironbark	100		100	31	9.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4125	*Eucalyptus tereticornis*	Forest Red Gum	140		140	44	13.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4126	*Corymbia tessellaris*	Moreton Bay Ash	100		100	31	9.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4127	*Corymbia tessellaris*	Moreton Bay Ash	170		170	53	14.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4128	*Eucalyptus crebra*	Narrow-leaved Ironbark	100		100	31	9.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
4129	*Corymbia citriodora*	Spotted Gum	275		275	86	15.0	9.0	3.3	1.9	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Remove	
4130	*Angophora leiocarpa*	Smooth-barked Apple	375		375	118	16.0	9.0	4.5	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4131	*Corymbia citriodora*	Spotted Gum	210		210	66	15.0	9.0	2.5	1.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4132	*Corymbia citriodora*	Spotted Gum	130	120	177	56	13.0	6.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4133	*Corymbia citriodora*	Spotted Gum	200		200	63	15.0	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4134	*Corymbia citriodora*	Spotted Gum	280		280	88	16.0	9.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4135	*Eucalyptus crebra*	Narrow-leaved Ironbark	125		125	39	13.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4136	*Eucalyptus tereticornis*	Forest Red Gum	175		175	55	12.0	6.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4137	*Eucalyptus crebra*	Narrow-leaved Ironbark	145		145	46	12.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4138	*Dead/Stag*		170		170	53	14.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4139	*Corymbia citriodora*	Spotted Gum	375		375	118	17.0	12.0	4.5	2.2	Regular	-	-	Die-back	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Remove	
4140	*Eucalyptus crebra*	Narrow-leaved Ironbark	160		160	50	14.0	7.0	2.0	1.5	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Remove	
4141	*Corymbia tessellaris*	Moreton Bay Ash	130		130	41	12.0	4.0	2.0	1.4	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4142	*Eucalyptus crebra*	Narrow-leaved Ironbark	200		200	63	15.0	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4143	*Eucalyptus tereticornis*	Forest Red Gum	145		145	46	14.0	7.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4144	*Corymbia citriodora*	Spotted Gum	220		220	69	16.0	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4145	*Eucalyptus siderophloia*	Northern Grey Ironbark	250		250	79	16.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4146	*Corymbia citriodora*	Spotted Gum	200		200	63	14.0	7.0	2.4	1.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4147	*Corymbia citriodora*	Spotted Gum	370	240	441	139	17.0	11.0	5.3	2.3	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4148	*Eucalyptus crebra*	Narrow-leaved Ironbark	110		110	35	13.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4149	*Angophora leiocarpa*	Smooth-barked Apple	240		240	75	16.0	9.0	2.9	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4150	*Angophora leiocarpa*	Smooth-barked Apple	340		340	107	17.0	13.0	4.1	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Remove	
4151	*Angophora leiocarpa*	Smooth-barked Apple	250	220	333	105	16.0	9.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4152	*Angophora leiocarpa*	Smooth-barked Apple	230		230	72	16.0	7.0	2.8	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4153	*Corymbia citriodora*	Spotted Gum	110		110	35	14.0	7.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4154	*Corymbia citriodora*	Spotted Gum	175		175	55	14.0	7.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4155	*Corymbia citriodora*	Spotted Gum	205		205	64	15.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove	
4156	*Corymbia citriodora*	Spotted Gum	420		420	132	16.0	11.0	5.0	2.3	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove	
4157	*Corymbia citriodora*	Spotted Gum	375		375	118	15.0	8.0	4.5	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4158	*Corymbia citriodora*	Spotted Gum	265		265	83	17.0	9.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4159	*Corymbia citriodora*	Spotted Gum	180		180	57	15.0	8.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4160	*Corymbia citriodora*	Spotted Gum	255		255	80	17.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4161	*Corymbia citriodora*	Spotted Gum	110		110	35	14.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4162	*Corymbia citriodora*	Spotted Gum	100		100	31	10.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4163	*Corymbia intermedia*	Pink Bloodwood	140		140	44	14.0	5.0	2.0	1.4	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
4164	*Corymbia intermedia*	Pink Bloodwood	160		160	50	15.0	8.0	2.0	1.5	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4165	*Eucalyptus tereticornis*	Forest Red Gum	200		200	63	16.0	8.0	2.4	1.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4166	*Corymbia intermedia*	Pink Bloodwood	150		150	47	14.0	6.0	2.0	1.5	Regular	-	-	Die-back	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
4167	*Eucalyptus tereticornis*	Forest Red Gum	120		120	38	13.0	5.0	2.0	1.4	Regular	-	-	-	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4168	*Corymbia citriodora*	Spotted Gum	340		340	107	17.0	13.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4169	*Lophostemon suaveolens*	Swamp Box	110		110	35	10.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4170	*Eucalyptus tereticornis*	Forest Red Gum	215		215	68	17.0	10.0	2.6	1.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4171	*Corymbia intermedia*	Pink Bloodwood	170	140	220	69	15.0	8.0	2.6	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
4172	*Corymbia intermedia*	Pink Bloodwood	220		220	69	15.0	9.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
4173	*Eucalyptus crebra*	Narrow-leaved Ironbark	140		140	44	15.0	8.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
4174	*Corymbia citriodora*	Spotted Gum	200		200	63	17.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4175	*Eucalyptus crebra*	Narrow-leaved Ironbark	165		165	52	16.0	7.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4176	*Corymbia intermedia*	Pink Bloodwood	110		110	35	9.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4177	*Corymbia citriodora*	Spotted Gum	310		310	97	18.0	13.0	3.7	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4178	*Corymbia citriodora*	Spotted Gum	310		310	97	17.0	11.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4179	*Corymbia citriodora*	Spotted Gum	490		490	154	18.0	14.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	Large	-	-	Remove	
4180	*Corymbia citriodora*	Spotted Gum	175		175	55	17.0	8.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4181	*Eucalyptus crebra*	Narrow-leaved Ironbark	100		100	31	10.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4182	*Lophostemon suaveolens*	Swamp Box	125		125	39	13.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4183	*Lophostemon suaveolens*	Swamp Box	175		175	55	14.0	6.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4184	*Corymbia intermedia*	Pink Bloodwood	140		140	44	14.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4185	*Eucalyptus tereticornis*	Forest Red Gum	110		110	35	8.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4186	*Lophostemon suaveolens*	Swamp Box	180		180	57	14.0	8.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4187	*Corymbia intermedia*	Pink Bloodwood	160		160	50	14.0	6.0	2.0	1.5	One-sided	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4188	*Lophostemon suaveolens*	Swamp Box	200	125 110 110	283	89	15.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4189	*Corymbia intermedia*	Pink Bloodwood	280		280	88	17.0	12.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4190	*Lophostemon suaveolens*	Swamp Box	210	150	258	81	15.0	10.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4191	*Corymbia intermedia*	Pink Bloodwood	130		130	41	13.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4192	*Corymbia intermedia*	Pink Bloodwood	260	120	286	90	16.0	10.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4193	*Eucalyptus tereticornis*	Forest Red Gum	120		120	38	14.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4194	*Eucalyptus tereticornis*	Forest Red Gum	110		110	35	14.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4195	*Corymbia intermedia*	Pink Bloodwood	240		240	75	17.0	10.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4196	*Corymbia intermedia*	Pink Bloodwood	160		160	50	13.0	5.0	2.0	1.5	Regular	-	-	Die-back	-	-	Typical	Minor	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove	
4197	*Corymbia intermedia*	Pink Bloodwood	110		110	35	12.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4198	*Corymbia intermedia*	Pink Bloodwood	160		160	50	15.0	8.0	2.0	1.5	Regular	-	-	Die-back	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
4199	*Corymbia citriodora*	Spotted Gum	185		185	58	16.0	8.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
4200	*Corymbia intermedia*	Pink Bloodwood	140		140	44	12.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
4201	*Corymbia intermedia*	Pink Bloodwood	175		175	55	14.0	6.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
4202	*Corymbia intermedia*	Pink Bloodwood	100		100	31	13.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4203	*Lophostemon suaveolens*	Swamp Box	145		145	46	9.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4204	*Corymbia intermedia*	Pink Bloodwood	150		150	47	14.0	7.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4205	*Corymbia intermedia*	Pink Bloodwood	100		100	31	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4206	*Corymbia intermedia*	Pink Bloodwood	120		120	38	13.0	3.0	2.0	1.4	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4207	*Corymbia intermedia*	Pink Bloodwood	110		110	35	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4208	*Corymbia intermedia*	Pink Bloodwood	105		105	33	9.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4209	*Eucalyptus tereticornis*	Forest Red Gum	175		175	55	15.0	6.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
4210	*Corymbia intermedia*	Pink Bloodwood	120		120	38	14.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4211	*Lophostemon suaveolens*	Swamp Box	220	150	266	84	15.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove	
4212	*Eucalyptus crebra*	Narrow-leaved Ironbark	160		160	50	16.0	7.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove	
4213	*Angophora leiocarpa*	Smooth-barked Apple	220		220	69	16.0	10.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4214	*Angophora leiocarpa*	Smooth-barked Apple	230		230	72	17.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4215	*Lophostemon suaveolens*	Swamp Box	130		130	41	11.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4216	*Lophostemon suaveolens*	Swamp Box	110		110	35	10.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4217	*Lophostemon suaveolens*	Swamp Box	110		110	35	11.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4218	*Lophostemon suaveolens*	Swamp Box	110		110	35	10.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4219	*Corymbia intermedia*	Pink Bloodwood	180		180	57	15.0	9.0	2.2	1.6	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4220	*Lophostemon suaveolens*	Swamp Box	230		230	72	15.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4221	*Corymbia intermedia*	Pink Bloodwood	210		210	66	16.0	9.0	2.5	1.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4222	*Lophostemon suaveolens*	Swamp Box	110		110	35	10.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4223	*Lophostemon suaveolens*	Swamp Box	180	100 120	238	75	13.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4224	*Corymbia intermedia*	Pink Bloodwood	200		200	63	16.0	8.0	2.4	1.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4225	*Eucalyptus tereticornis*	Forest Red Gum	480		480	151	17.0	11.0	5.8	2.4	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Remove	
4226	*Lophostemon suaveolens*	Swamp Box	200		200	63	13.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove	
4227	*Corymbia intermedia*	Pink Bloodwood	260	235	350	110	16.0	9.0	4.2	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
4228	*Lophostemon suaveolens*	Swamp Box	140		140	44	13.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4229	*Corymbia intermedia*	Pink Bloodwood	110		110	35	13.0	4.0	2.0	1.3	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4230	*Corymbia intermedia*	Pink Bloodwood	260		260	82	15.0	9.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4231	*Corymbia intermedia*	Pink Bloodwood	230	110	255	80	16.0	9.0	3.1	1.9	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
4232	*Lophostemon suaveolens*	Swamp Box	260	250	361	113	16.0	10.0	4.3	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove	
4233	*Lophostemon suaveolens*	Swamp Box	200		200	63	14.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4234	*Corymbia intermedia*	Pink Bloodwood	160		160	50	15.0	8.0	2.0	1.5	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4235	*Lophostemon suaveolens*	Swamp Box	135		135	42	14.0	7.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4236	*Corymbia intermedia*	Pink Bloodwood	225		225	71	16.0	10.0	2.7	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
4237	*Corymbia intermedia*	Pink Bloodwood	295		295	93	16.0	10.0	3.5	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4238	*Corymbia intermedia*	Pink Bloodwood	130		130	41	14.0	6.0	2.0	1.4	Regular	-	-	Die-back	-	-	Poor	Minor	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
4239	*Eucalyptus tereticornis*	Forest Red Gum	440		440	138	15.0	10.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4240	*Corymbia intermedia*	Pink Bloodwood	150		150	47	15.0	7.0	2.0	1.5	Regular	-	-	-	-	-	Poor	-	-	Trunk Dmg.	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
4241	*Corymbia intermedia*	Pink Bloodwood	335		335	105	16.0	9.0	4.0	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
4242	*Lophostemon suaveolens*	Swamp Box	140		140	44	13.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4243	*Corymbia intermedia*	Pink Bloodwood	170		170	53	15.0	7.0	2.0	1.6	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4244	*Corymbia intermedia*	Pink Bloodwood	270	110	292	92	16.0	10.0	3.5	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4245	*Lophostemon suaveolens*	Swamp Box	130		130	41	14.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4246	*Angophora leiocarpa*	Smooth-barked Apple	220		220	69	14.0	9.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4247	*Lophostemon suaveolens*	Swamp Box	120		120	38	14.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4248	*Lophostemon suaveolens*	Swamp Box	200		200	63	17.0	9.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4249	*Lophostemon suaveolens*	Swamp Box	145		145	46	13.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4250	*Lophostemon suaveolens*	Swamp Box	200		200	63	14.0	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4251	*Lophostemon suaveolens*	Swamp Box	130		130	41	14.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4252	*Lophostemon suaveolens*	Swamp Box	130		130	41	14.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4253	*Lophostemon suaveolens*	Swamp Box	160		160	50	14.0	7.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4254	*Eucalyptus tereticornis*	Forest Red Gum	510		510	160	16.0	9.0	6.1	2.5	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Remove	
4255	*Lophostemon suaveolens*	Swamp Box	190		190	60	13.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
4256	*Corymbia intermedia*	Pink Bloodwood	350		350	110	17.0	13.0	4.2	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4257	*Eucalyptus tereticornis*	Forest Red Gum	390		390	123	17.0	12.0	4.7	2.2	Regular	-	-	Die-back	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	-	-	-	Remove	
4258	*Angophora leiocarpa*	Smooth-barked Apple	210	180 140	310	97	17.0	10.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4259	*Lophostemon suaveolens*	Swamp Box	200		200	63	16.0	10.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4260	*Lophostemon suaveolens*	Swamp Box	130		130	41	9.0	2.0	2.0	1.4	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4261	*Corymbia intermedia*	Pink Bloodwood	300		300	94	17.0	11.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
4262	*Lophostemon suaveolens*	Swamp Box	120		120	38	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
4263	*Lophostemon suaveolens*	Swamp Box	120		120	38	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
4264	*Lophostemon suaveolens*	Swamp Box	120		120	38	10.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
4265	*Corymbia intermedia*	Pink Bloodwood	220	160	272	85	16.0	8.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
4266	*Angophora leiocarpa*	Smooth-barked Apple	330		330	104	18.0	15.0	4.0	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4267	*Corymbia intermedia*	Pink Bloodwood	160		160	50	16.0	8.0	2.0	1.5	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4268	*Lophostemon suaveolens*	Swamp Box	150		150	47	14.0	7.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4269	*Corymbia intermedia*	Pink Bloodwood	140		140	44	15.0	7.0	2.0	1.4	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4270	*Lophostemon suaveolens*	Swamp Box	130		130	41	10.0	1.0	2.0	1.4	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4271	*Eucalyptus tereticornis*	Forest Red Gum	275		275	86	17.0	10.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4272	*Lophostemon suaveolens*	Swamp Box	200		200	63	15.0	9.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4273	*Lophostemon suaveolens*	Swamp Box	150		150	47	13.0	7.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4274	*Corymbia intermedia*	Pink Bloodwood	370		370	116	17.0	13.0	4.4	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4275	*Lophostemon suaveolens*	Swamp Box	145		145	46	14.0	9.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4276	*Lophostemon suaveolens*	Swamp Box	140		140	44	14.0	7.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4277	*Lophostemon suaveolens*	Swamp Box	150		150	47	15.0	8.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4278	*Lophostemon suaveolens*	Swamp Box	140		140	44	14.0	8.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4279	*Lophostemon suaveolens*	Swamp Box	160		160	50	14.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4280	*Lophostemon suaveolens*	Swamp Box	145		145	46	14.0	7.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4281	*Lophostemon suaveolens*	Swamp Box	170		170	53	15.0	7.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4282	*Lophostemon suaveolens*	Swamp Box	205		205	64	15.0	8.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4283	*Eucalyptus tereticornis*	Forest Red Gum	190		190	60	16.0	7.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4284	*Lophostemon suaveolens*	Swamp Box	215		215	68	15.0	9.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4285	*Lophostemon suaveolens*	Swamp Box	130		130	41	14.0	7.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4286	*Lophostemon suaveolens*	Swamp Box	150	80	170	53	15.0	7.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4287	*Lophostemon suaveolens*	Swamp Box	220		220	69	15.0	9.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4288	*Lophostemon suaveolens*	Swamp Box	180		180	57	16.0	9.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4289	*Lophostemon suaveolens*	Swamp Box	155		155	49	16.0	8.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4290	*Lophostemon suaveolens*	Swamp Box	180		180	57	16.0	8.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
4291	*Lophostemon suaveolens*	Swamp Box	120		120	38	15.0	7.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4292	*Lophostemon suaveolens*	Swamp Box	230		230	72	16.0	9.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4293	*Lophostemon suaveolens*	Swamp Box	250		250	79	17.0	9.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4294	*Lophostemon suaveolens*	Swamp Box	220		220	69	17.0	9.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4295	*Lophostemon suaveolens*	Swamp Box	210		210	66	17.0	9.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4296	*Lophostemon suaveolens*	Swamp Box	270		270	85	17.0	10.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4297	*Lophostemon suaveolens*	Swamp Box	130		130	41	16.0	8.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4298	*Lophostemon suaveolens*	Swamp Box	250		250	79	17.0	9.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4299	*Lophostemon suaveolens*	Swamp Box	100		100	31	10.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4300	*Lophostemon suaveolens*	Swamp Box	170		170	53	16.0	8.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4301	*Lophostemon suaveolens*	Swamp Box	130		130	41	16.0	8.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4302	*Lophostemon suaveolens*	Swamp Box	230		230	72	17.0	9.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4303	*Lophostemon suaveolens*	Swamp Box	180		180	57	16.0	9.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4304	*Eucalyptus tereticornis*	Forest Red Gum	260		260	82	18.0	10.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4305	*Lophostemon suaveolens*	Swamp Box	190		190	60	16.0	7.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4306	*Lophostemon suaveolens*	Swamp Box	220		220	69	16.0	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4307	*Lophostemon suaveolens*	Swamp Box	110		110	35	12.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4308	*Lophostemon suaveolens*	Swamp Box	270		270	85	16.0	9.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
4309	*Lophostemon suaveolens*	Swamp Box	130		130	41	14.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4310	*Lophostemon suaveolens*	Swamp Box	165	140	216	68	15.0	8.0	2.6	1.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4311	*Lophostemon suaveolens*	Swamp Box	250		250	79	16.0	9.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4312	*Lophostemon suaveolens*	Swamp Box	160		160	50	15.0	8.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4313	*Lophostemon suaveolens*	Swamp Box	160		160	50	13.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4314	*Corymbia intermedia*	Pink Bloodwood	165		165	52	15.0	7.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4315	*Lophostemon suaveolens*	Swamp Box	150		150	47	14.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4316	*Corymbia intermedia*	Pink Bloodwood	135		135	42	14.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4317	*Lophostemon suaveolens*	Swamp Box	120		120	38	10.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4318	*Lophostemon suaveolens*	Swamp Box	120		120	38	12.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4319	*Lophostemon suaveolens*	Swamp Box	220		220	69	14.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4320	*Corymbia intermedia*	Pink Bloodwood	110		110	35	11.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4321	*Lophostemon suaveolens*	Swamp Box	120		120	38	13.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4322	*Lophostemon suaveolens*	Swamp Box	110		110	35	14.0	6.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4323	*Lophostemon suaveolens*	Swamp Box	110		110	35	14.0	6.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4324	*Corymbia tessellaris*	Moreton Bay Ash	220		220	69	16.0	8.0	2.6	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4325	*Lophostemon suaveolens*	Swamp Box	140		140	44	15.0	7.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4326	*Lophostemon suaveolens*	Swamp Box	110		110	35	13.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4327	*Lophostemon suaveolens*	Swamp Box	160		160	50	15.0	8.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4328	*Lophostemon suaveolens*	Swamp Box	150		150	47	15.0	7.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Present	-	Remove	
4329	*Lophostemon suaveolens*	Swamp Box	185		185	58	14.0	8.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4330	*Lophostemon suaveolens*	Swamp Box	140		140	44	13.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4331	*Lophostemon suaveolens*	Swamp Box	120		120	38	14.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4332	*Lophostemon suaveolens*	Swamp Box	130		130	41	14.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4333	*Corymbia intermedia*	Pink Bloodwood	110		110	35	14.0	7.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4334	*Corymbia intermedia*	Pink Bloodwood	240	200	312	98	16.0	10.0	3.7	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
4335	*Corymbia intermedia*	Pink Bloodwood	120		120	38	14.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4336	*Lophostemon suaveolens*	Swamp Box	110		110	35	12.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4337	*Corymbia tessellaris*	Moreton Bay Ash	100		100	31	11.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4338	*Lophostemon suaveolens*	Swamp Box	160		160	50	15.0	7.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4339	*Corymbia intermedia*	Pink Bloodwood	230	200	305	96	17.0	10.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
4340	*Corymbia intermedia*	Pink Bloodwood	125		125	39	15.0	7.0	2.0	1.4	Regular	-	-	Die-back	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	Present	-	Remove	
4341	*Lophostemon suaveolens*	Swamp Box	180	170	248	78	15.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4342	*Lophostemon suaveolens*	Swamp Box	105		105	33	14.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4343	*Lophostemon suaveolens*	Swamp Box	150		150	47	15.0	7.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4344	*Corymbia citriodora*	Spotted Gum	110		110	35	13.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4345	*Lophostemon suaveolens*	Swamp Box	110		110	35	14.0	6.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4346	*Corymbia intermedia*	Pink Bloodwood	130		130	41	12.0	3.0	2.0	1.4	Regular	-	-	Die-back	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
4347	*Corymbia intermedia*	Pink Bloodwood	280		280	88	18.0	12.0	3.4	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
4348	*Corymbia citriodora*	Spotted Gum	120		120	38	15.0	7.0	2.0	1.4	Regular	-	-	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4349	*Corymbia intermedia*	Pink Bloodwood	260	250	361	113	17.0	14.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
4350	*Lophostemon suaveolens*	Swamp Box	180		180	57	16.0	8.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4351	*Lophostemon suaveolens*	Swamp Box	200		200	63	16.0	9.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4352	*Lophostemon suaveolens*	Swamp Box	170	140	220	69	16.0	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4353	*Lophostemon suaveolens*	Swamp Box	170	70	184	58	16.0	7.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
4354	*Corymbia intermedia*	Pink Bloodwood	170		170	53	15.0	9.0	2.0	1.6	One-sided	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4355	*Corymbia intermedia*	Pink Bloodwood	185		185	58	17.0	8.0	2.2	1.6	Regular	-	-	-	-	-	Poor	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
4356	*Lophostemon suaveolens*	Swamp Box	180		180	57	16.0	8.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4357	*Corymbia intermedia*	Pink Bloodwood	300	140	331	104	17.0	10.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
4358	*Corymbia citriodora*	Spotted Gum	470		470	148	18.0	12.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove	
4359	*Eucalyptus crebra*	Narrow-leaved Ironbark	130		130	41	15.0	7.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
4360	*Eucalyptus crebra*	Narrow-leaved Ironbark	155		155	49	15.0	6.0	2.0	1.5	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
4361	*Lophostemon suaveolens*	Swamp Box	120		120	38	11.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4362	*Corymbia citriodora*	Spotted Gum	360		360	113	18.0	12.0	4.3	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4363	*Corymbia citriodora*	Spotted Gum	310		310	97	17.0	10.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4364	*Eucalyptus crebra*	Narrow-leaved Ironbark	150		150	47	15.0	8.0	2.0	1.5	Regular	-	-	-	-	-	Typical	Minor	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
4365	*Eucalyptus crebra*	Narrow-leaved Ironbark	130	70	148	46	15.0	7.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
4366	*Corymbia citriodora*	Spotted Gum	190		190	60	16.0	8.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4367	*Corymbia intermedia*	Pink Bloodwood	140	90	166	52	15.0	8.0	2.0	1.6	Regular	-	-	Die-back	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
4368	*Corymbia intermedia*	Pink Bloodwood	140		140	44	14.0	7.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
4369	*Corymbia intermedia*	Pink Bloodwood	110		110	35	14.0	6.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4370	*Eucalyptus crebra*	Narrow-leaved Ironbark	200		200	63	16.0	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	Present	-	Remove	
4371	*Eucalyptus tereticornis*	Forest Red Gum	200		200	63	16.0	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
4372	*Corymbia citriodora*	Spotted Gum	120		120	38	15.0	8.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4373	*Corymbia citriodora*	Spotted Gum	370		370	116	18.0	14.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4374	*Corymbia citriodora*	Spotted Gum	100		100	31	15.0	7.0	2.0	1.3	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4375	*Corymbia citriodora*	Spotted Gum	110		110	35	15.0	7.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4376	*Corymbia citriodora*	Spotted Gum	240	180	300	94	17.0	12.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4377	*Corymbia citriodora*	Spotted Gum	200	90	219	69	16.0	9.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4378	*Corymbia citriodora*	Spotted Gum	155		155	49	15.0	8.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4379	*Corymbia citriodora*	Spotted Gum	265	180	320	101	17.0	10.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4380	*Eucalyptus crebra*	Narrow-leaved Ironbark	190		190	60	15.0	7.0	2.3	1.6	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4381	*Corymbia citriodora*	Spotted Gum	180		180	57	15.0	8.0	2.2	1.6	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Remove	
4382	*Corymbia citriodora*	Spotted Gum	100		100	31	15.0	7.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4383	*Corymbia citriodora*	Spotted Gum	210		210	66	16.0	9.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4384	*Corymbia citriodora*	Spotted Gum	240		240	75	16.0	9.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4385	*Corymbia citriodora*	Spotted Gum	195		195	61	17.0	9.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4386	*Corymbia citriodora*	Spotted Gum	105		105	33	16.0	6.0	2.0	1.3	Regular	-	Thinning	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4387	*Corymbia citriodora*	Spotted Gum	180		180	57	16.0	8.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4388	*Eucalyptus crebra*	Narrow-leaved Ironbark	100		100	31	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4389	*Corymbia citriodora*	Spotted Gum	215		215	68	16.0	9.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4390	*Eucalyptus crebra*	Narrow-leaved Ironbark	180		180	57	15.0	8.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4391	*Corymbia citriodora*	Spotted Gum	240		240	75	16.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4392	*Corymbia citriodora*	Spotted Gum	230		230	72	16.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4393	*Corymbia citriodora*	Spotted Gum	255		255	80	16.0	9.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4394	*Corymbia citriodora*	Spotted Gum	125		125	39	14.0	7.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4395	*Corymbia citriodora*	Spotted Gum	170		170	53	16.0	7.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4396	*Corymbia citriodora*	Spotted Gum	300		300	94	17.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4397	*Eucalyptus crebra*	Narrow-leaved Ironbark	220		220	69	15.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
4398	*Corymbia intermedia*	Pink Bloodwood	120	70	139	44	12.0	4.0	2.0	1.4	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
4399	*Corymbia intermedia*	Pink Bloodwood	160	120 110	228	72	14.0	8.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4400	*Eucalyptus crebra*	Narrow-leaved Ironbark	220		220	69	16.0	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
4401	*Corymbia citriodora*	Spotted Gum	105		105	33	14.0	7.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4402	*Angophora leiocarpa*	Smooth-barked Apple	455		455	143	16.0	10.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4403	*Corymbia citriodora*	Spotted Gum	110		110	35	15.0	7.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4404	*Eucalyptus crebra*	Narrow-leaved Ironbark	110		110	35	14.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4405	*Corymbia citriodora*	Spotted Gum	185	100	210	66	17.0	8.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4406	*Eucalyptus tereticornis*	Forest Red Gum	320		320	101	19.0	10.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4407	*Corymbia citriodora*	Spotted Gum	135		135	42	16.0	8.0	2.0	1.4	Regular	-	-	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4408	*Corymbia intermedia*	Pink Bloodwood	205		205	64	16.0	9.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4409	*Corymbia intermedia*	Pink Bloodwood	260	250	361	113	17.0	14.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
4410	*Corymbia intermedia*	Pink Bloodwood	100		100	31	12.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4411	*Corymbia citriodora*	Spotted Gum	105		105	33	15.0	7.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4412	*Corymbia intermedia*	Pink Bloodwood	270		270	85	16.0	10.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove	
4413	*Corymbia intermedia*	Pink Bloodwood	120		120	38	14.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4414	*Eucalyptus crebra*	Narrow-leaved Ironbark	150		150	47	15.0	8.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4415	*Eucalyptus crebra*	Narrow-leaved Ironbark	155		155	49	16.0	7.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
4416	*Eucalyptus crebra*	Narrow-leaved Ironbark	135		135	42	16.0	7.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4417	*Corymbia citriodora*	Spotted Gum	130		130	41	16.0	8.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4418	*Corymbia citriodora*	Spotted Gum	120		120	38	16.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4419	*Corymbia citriodora*	Spotted Gum	120		120	38	15.0	7.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4420	*Corymbia citriodora*	Spotted Gum	130		130	41	15.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4421	*Corymbia intermedia*	Pink Bloodwood	140		140	44	15.0	7.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4422	*Corymbia intermedia*	Pink Bloodwood	110		110	35	14.0	7.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4423	*Corymbia intermedia*	Pink Bloodwood	200		200	63	16.0	8.0	2.4	1.7	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4424	*Lophostemon suaveolens*	Swamp Box	120	60	134	42	15.0	8.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4425	*Corymbia intermedia*	Pink Bloodwood	245	240	343	108	16.0	10.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4426	*Lophostemon suaveolens*	Swamp Box	180		180	57	16.0	8.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4427	*Corymbia intermedia*	Pink Bloodwood	155		155	49	16.0	7.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4428	*Corymbia intermedia*	Pink Bloodwood	240		240	75	17.0	10.0	2.9	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4429	*Lophostemon suaveolens*	Swamp Box	155		155	49	15.0	8.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4430	*Corymbia intermedia*	Pink Bloodwood	180		180	57	16.0	10.0	2.2	1.6	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4431	*Eucalyptus tereticornis*	Forest Red Gum	180		180	57	16.0	8.0	2.2	1.6	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4432	*Lophostemon suaveolens*	Swamp Box	145		145	46	15.0	8.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove	
4433	*Corymbia intermedia*	Pink Bloodwood	220		220	69	17.0	11.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
4434	*Corymbia intermedia*	Pink Bloodwood	120	100	156	49	15.0	8.0	2.0	1.5	Regular	-	-	Die-back	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
4435	*Lophostemon suaveolens*	Swamp Box	175	135 130	256	81	16.0	9.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
4436	*Lophostemon suaveolens*	Swamp Box	110		110	35	15.0	6.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
4437	*Corymbia intermedia*	Pink Bloodwood	360		360	113	17.0	10.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
4438	*Lophostemon suaveolens*	Swamp Box	205	180	273	86	15.0	9.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
4439	*Corymbia intermedia*	Pink Bloodwood	110	80 70	153	48	15.0	7.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
4440	*Eucalyptus tereticornis*	Forest Red Gum	340		340	107	16.0	10.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove	
4441	*Lophostemon suaveolens*	Swamp Box	240		240	75	16.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4442	*Corymbia intermedia*	Pink Bloodwood	180		180	57	16.0	9.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
4443	*Angophora leiocarpa*	Smooth-barked Apple	145		145	46	17.0	8.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4444	*Angophora leiocarpa*	Smooth-barked Apple	110		110	35	16.0	7.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4445	*Corymbia intermedia*	Pink Bloodwood	185		185	58	16.0	8.0	2.2	1.6	Regular	-	-	-	-	-	Poor	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
4446	*Lophostemon suaveolens*	Swamp Box	175		175	55	15.0	8.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
4447	*Lophostemon suaveolens*	Swamp Box	120		120	38	14.0	7.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
4448	*Corymbia intermedia*	Pink Bloodwood	135		135	42	15.0	7.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
4449	*Corymbia intermedia*	Pink Bloodwood	100		100	31	14.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
4450	*Eucalyptus tereticornis*	Forest Red Gum	340		340	107	16.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove	
4451	*Corymbia intermedia*	Pink Bloodwood	415		415	130	17.0	12.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
4452	*Eucalyptus tereticornis*	Forest Red Gum	205		205	64	16.0	8.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
4453	*Corymbia intermedia*	Pink Bloodwood	100		100	31	13.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4454	*Eucalyptus tereticornis*	Forest Red Gum	260		260	82	17.0	10.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove	
4455	*Lophostemon suaveolens*	Swamp Box	105		105	33	13.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4456	*Lophostemon suaveolens*	Swamp Box	120		120	38	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4457	*Lophostemon suaveolens*	Swamp Box	250		250	79	15.0	9.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4458	*Corymbia intermedia*	Pink Bloodwood	160		160	50	15.0	7.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
4459	*Corymbia intermedia*	Pink Bloodwood	145		145	46	15.0	8.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
4460	*Lophostemon suaveolens*	Swamp Box	280		280	88	16.0	9.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
4461	*Lophostemon suaveolens*	Swamp Box	180	110	211	66	16.0	8.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
4462	*Lophostemon suaveolens*	Swamp Box	360		360	113	16.0	8.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
4463	*Lophostemon suaveolens*	Swamp Box	215		215	68	15.0	9.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
4464	*Corymbia intermedia*	Pink Bloodwood	195		195	61	16.0	8.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
4465	*Lophostemon suaveolens*	Swamp Box	150		150	47	15.0	8.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
4466	*Lophostemon suaveolens*	Swamp Box	105		105	33	13.0	6.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
4467	*Eucalyptus tereticornis*	Forest Red Gum	180		180	57	16.0	7.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
4468	*Lophostemon suaveolens*	Swamp Box	210	200 130	318	100	16.0	8.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
4469	*Lophostemon suaveolens*	Swamp Box	115		115	36	15.0	4.0	2.0	1.3	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
4470	*Lophostemon suaveolens*	Swamp Box	105		105	33	14.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
4471	*Angophora leiocarpa*	Smooth-barked Apple	105		105	33	14.0	4.0	2.0	1.3	Regular	-	Thinning	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4472	*Lophostemon suaveolens*	Swamp Box	100		100	31	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4473	*Corymbia intermedia*	Pink Bloodwood	155		155	49	16.0	8.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
4474	*Lophostemon suaveolens*	Swamp Box	180		180	57	15.0	8.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
4475	*Eucalyptus tereticornis*	Forest Red Gum	295		295	93	17.0	11.0	3.5	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
4476	*Lophostemon suaveolens*	Swamp Box	145		145	46	15.0	7.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
4477	*Corymbia citriodora*	Spotted Gum	290		290	91	14.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4478	*Corymbia citriodora*	Spotted Gum	160		160	50	8.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4479	*Corymbia citriodora*	Spotted Gum	190		190	60	12.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4480	*Corymbia citriodora*	Spotted Gum	280		280	88	16.0	10.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4481	*Dead/Stag*		290		290	91	17.0	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4482	*Corymbia intermedia*	Pink Bloodwood	120		120	38	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4483	*Eucalyptus crebra*	Narrow-leaved Ironbark	130		130	41	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4484	*Eucalyptus crebra*	Narrow-leaved Ironbark	130		130	41	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4485	*Corymbia tessellaris*	Moreton Bay Ash	140		140	44	11.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4486	*Corymbia citriodora*	Spotted Gum	220		220	69	13.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4487	*Eucalyptus crebra*	Narrow-leaved Ironbark	190		190	60	13.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4488	*Corymbia intermedia*	Pink Bloodwood	120	90	150	47	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4489	*Corymbia citriodora*	Spotted Gum	190		190	60	13.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4490	*Corymbia citriodora*	Spotted Gum	230		230	72	14.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4491	*Corymbia citriodora*	Spotted Gum	360		360	113	18.0	10.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4492	*Corymbia citriodora*	Spotted Gum	120	200	233	73	11.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4493	*Corymbia citriodora*	Spotted Gum	110		110	35	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4494	*Corymbia citriodora*	Spotted Gum	150		150	47	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4495	*Corymbia citriodora*	Spotted Gum	270		270	85	14.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4496	*Eucalyptus crebra*	Narrow-leaved Ironbark	270		270	85	13.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4497	*Eucalyptus crebra*	Narrow-leaved Ironbark	160		160	50	8.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4498	*Eucalyptus crebra*	Narrow-leaved Ironbark	320	230	394	124	14.0	9.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4499	*Eucalyptus crebra*	Narrow-leaved Ironbark	150		150	47	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4500	*Corymbia citriodora*	Spotted Gum	170		170	53	9.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4501	*Corymbia citriodora*	Spotted Gum	110		110	35	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4502	*Corymbia intermedia*	Pink Bloodwood	180		180	57	7.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4503	*Corymbia intermedia*	Pink Bloodwood	180		180	57	10.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4504	*Corymbia intermedia*	Pink Bloodwood	230		230	72	14.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4505	*Eucalyptus crebra*	Narrow-leaved Ironbark	370		370	116	14.0	7.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4506	*Corymbia intermedia*	Pink Bloodwood	150		150	47	13.0	8.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4507	*Corymbia intermedia*	Pink Bloodwood	130		130	41	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4508	*Corymbia intermedia*	Pink Bloodwood	200		200	63	13.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4509	*Corymbia intermedia*	Pink Bloodwood	200		200	63	9.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4510	*Corymbia intermedia*	Pink Bloodwood	170	130	214	67	15.0	10.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4511	*Corymbia intermedia*	Pink Bloodwood	170	120	208	65	15.0	10.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4512	*Corymbia intermedia*	Pink Bloodwood	180		180	57	8.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4513	*Corymbia intermedia*	Pink Bloodwood	210		210	66	12.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4514	*Corymbia intermedia*	Pink Bloodwood	240		240	75	16.0	11.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4515	*Corymbia intermedia*	Pink Bloodwood	210		210	66	13.0	8.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4516	*Corymbia intermedia*	Pink Bloodwood	190		190	60	13.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4517	*Lophostemon suaveolens*	Swamp Box	140	140	198	62	8.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4518	*Corymbia citriodora*	Spotted Gum	190		190	60	9.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4519	*Eucalyptus tereticornis*	Forest Red Gum	180		180	57	11.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4520	*Corymbia intermedia*	Pink Bloodwood	190	200	276	87	14.0	8.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4521	*Lophostemon suaveolens*	Swamp Box	200	150	250	79	11.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4522	*Lophostemon confertus*	Brush Box	160	110	194	61	7.0	5.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4523	*Eucalyptus fibrosa*	Broad-leaved Red Ironbark	210		210	66	15.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4524	*Eucalyptus fibrosa*	Broad-leaved Red Ironbark	150	180	234	74	8.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4525	*Dead/Stag*		110		110	35	6.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4526	*Lophostemon suaveolens*	Swamp Box	100		100	31	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4527	*Lophostemon suaveolens*	Swamp Box	100		100	31	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4528	*Lophostemon suaveolens*	Swamp Box	120		120	38	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4529	*Lophostemon suaveolens*	Swamp Box	180		180	57	8.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4530	*Lophostemon suaveolens*	Swamp Box	140		140	44	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4531	*Lophostemon suaveolens*	Swamp Box	150		150	47	7.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4532	*Lophostemon suaveolens*	Swamp Box	150		150	47	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4533	*Lophostemon suaveolens*	Swamp Box	140		140	44	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
4534	*Lophostemon suaveolens*	Swamp Box	120		120	38	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4535	*Lophostemon suaveolens*	Swamp Box	120		120	38	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4536	*Lophostemon suaveolens*	Swamp Box	160		160	50	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4537	*Lophostemon suaveolens*	Swamp Box	160		160	50	8.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4538	*Corymbia intermedia*	Pink Bloodwood	270	150 150	343	108	13.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4539	*Corymbia intermedia*	Pink Bloodwood	150		150	47	7.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4540	*Eucalyptus tereticornis*	Forest Red Gum	140		140	44	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4541	*Eucalyptus tereticornis*	Forest Red Gum	220		220	69	15.0	9.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4542	*Corymbia intermedia*	Pink Bloodwood	140		140	44	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4543	*Corymbia intermedia*	Pink Bloodwood	280		280	88	18.0	12.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4544	*Corymbia intermedia*	Pink Bloodwood	210		210	66	15.0	9.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4545	*Corymbia intermedia*	Pink Bloodwood	210		210	66	13.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4546	*Corymbia intermedia*	Pink Bloodwood	320		320	101	16.0	12.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4547	*Eucalyptus tereticornis*	Forest Red Gum	190		190	60	15.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4548	*Lophostemon suaveolens*	Swamp Box	150	130	198	62	9.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4549	*Lophostemon suaveolens*	Swamp Box	160	160 160	277	87	14.0	6.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4550	*Corymbia intermedia*	Pink Bloodwood	110		110	35	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4551	*Corymbia citriodora*	Spotted Gum	120		120	38	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4552	*Lophostemon suaveolens*	Swamp Box	180		180	57	8.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4553	*Corymbia intermedia*	Pink Bloodwood	320		320	101	14.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4554	*Corymbia intermedia*	Pink Bloodwood	150		150	47	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4555	*Corymbia intermedia*	Pink Bloodwood	130		130	41	7.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4556	*Corymbia intermedia*	Pink Bloodwood	150		150	47	8.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4557	*Lophostemon suaveolens*	Swamp Box	230	140	269	85	9.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4558	*Lophostemon suaveolens*	Swamp Box	170		170	53	9.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4559	*Lophostemon suaveolens*	Swamp Box	170		170	53	8.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4560	*Lophostemon suaveolens*	Swamp Box	120		120	38	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4561	*Corymbia intermedia*	Pink Bloodwood	100		100	31	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4562	*Lophostemon suaveolens*	Swamp Box	170		170	53	11.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4563	*Corymbia intermedia*	Pink Bloodwood	120		120	38	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4564	*Corymbia intermedia*	Pink Bloodwood	160		160	50	8.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4565	*Lophostemon suaveolens*	Swamp Box	130		130	41	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4566	*Corymbia intermedia*	Pink Bloodwood	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4567	*Eucalyptus tereticornis*	Forest Red Gum	300		300	94	16.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4568	*Lophostemon suaveolens*	Swamp Box	180		180	57	8.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4569	*Lophostemon suaveolens*	Swamp Box	180		180	57	9.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4570	*Eucalyptus tereticornis*	Forest Red Gum	260		260	82	15.0	10.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4571	*Eucalyptus tereticornis*	Forest Red Gum	270		270	85	16.0	11.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4572	*Corymbia intermedia*	Pink Bloodwood	230		230	72	13.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4573	*Corymbia intermedia*	Pink Bloodwood	190	170	255	80	13.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4574	*Lophostemon suaveolens*	Swamp Box	120		120	38	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4575	*Lophostemon suaveolens*	Swamp Box	130		130	41	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4576	*Lophostemon suaveolens*	Swamp Box	130		130	41	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4577	*Lophostemon suaveolens*	Swamp Box	200		200	63	9.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4578	*Lophostemon suaveolens*	Swamp Box	130	180	222	70	9.0	4.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4579	*Lophostemon suaveolens*	Swamp Box	200		200	63	9.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4580	*Lophostemon suaveolens*	Swamp Box	250	210	326	103	15.0	10.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4581	*Corymbia intermedia*	Pink Bloodwood	160		160	50	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4582	*Corymbia intermedia*	Pink Bloodwood	120		120	38	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4583	*Corymbia intermedia*	Pink Bloodwood	120		120	38	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4584	*Lophostemon suaveolens*	Swamp Box	140		140	44	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4585	*Lophostemon suaveolens*	Swamp Box	230		230	72	9.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4586	*Corymbia intermedia*	Pink Bloodwood	110		110	35	9.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4587	*Eucalyptus tereticornis*	Forest Red Gum	210		210	66	9.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4588	*Lophostemon suaveolens*	Swamp Box	130		130	41	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4589	*Lophostemon suaveolens*	Swamp Box	150		150	47	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4590	*Lophostemon suaveolens*	Swamp Box	130	130	184	58	8.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4591	*Lophostemon suaveolens*	Swamp Box	240		240	75	16.0	12.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4592	*Lophostemon suaveolens*	Swamp Box	130		130	41	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4593	*Lophostemon suaveolens*	Swamp Box	250		250	79	9.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4594	*Lophostemon suaveolens*	Swamp Box	160		160	50	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4595	*Corymbia intermedia*	Pink Bloodwood	130	120	177	56	9.0	4.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4596	*Lophostemon suaveolens*	Swamp Box	130		130	41	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4597	*Corymbia intermedia*	Pink Bloodwood	130		130	41	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4598	*Lophostemon suaveolens*	Swamp Box	180		180	57	12.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4599	*Lophostemon suaveolens*	Swamp Box	130		130	41	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4600	*Lophostemon suaveolens*	Swamp Box	160		160	50	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4601	*Corymbia intermedia*	Pink Bloodwood	210		210	66	13.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4602	*Lophostemon suaveolens*	Swamp Box	130		130	41	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4603	*Lophostemon suaveolens*	Swamp Box	120		120	38	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4604	*Lophostemon suaveolens*	Swamp Box	140		140	44	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4605	*Lophostemon suaveolens*	Swamp Box	120		120	38	5.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4606	*Lophostemon suaveolens*	Swamp Box	230		230	72	10.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4607	*Lophostemon suaveolens*	Swamp Box	120		120	38	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4608	*Eucalyptus tereticornis*	Forest Red Gum	200		200	63	13.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4609	*Lophostemon suaveolens*	Swamp Box	210		210	66	13.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4610	*Lophostemon suaveolens*	Swamp Box	210	140	252	79	11.0	6.0	3.0	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4611	*Lophostemon suaveolens*	Swamp Box	190		190	60	11.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4612	*Dead/Stag*		200		200	63	13.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4613	*Lophostemon suaveolens*	Swamp Box	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4614	*Lophostemon suaveolens*	Swamp Box	210		210	66	11.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
4615	*Lophostemon suaveolens*	Swamp Box	110		110	35	8.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4616	*Lophostemon suaveolens*	Swamp Box	150		150	47	9.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4617	*Lophostemon suaveolens*	Swamp Box	150		150	47	8.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4618	*Lophostemon suaveolens*	Swamp Box	180		180	57	9.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4619	*Lophostemon suaveolens*	Swamp Box	140		140	44	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4620	*Eucalyptus tereticornis*	Forest Red Gum	260		260	82	15.0	10.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4621	*Lophostemon suaveolens*	Swamp Box	120		120	38	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4622	*Lophostemon suaveolens*	Swamp Box	190		190	60	15.0	10.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4623	*Lophostemon suaveolens*	Swamp Box	190	110	220	69	12.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4624	*Lophostemon suaveolens*	Swamp Box	130		130	41	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4625	*Lophostemon suaveolens*	Swamp Box	110		110	35	7.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4626	*Lophostemon suaveolens*	Swamp Box	110		110	35	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4627	*Lophostemon suaveolens*	Swamp Box	150		150	47	9.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4628	*Lophostemon suaveolens*	Swamp Box	180		180	57	13.0	7.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4629	*Corymbia citriodora*	Spotted Gum	100		100	31	8.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4630	*Corymbia citriodora*	Spotted Gum	130		130	41	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4631	*Corymbia citriodora*	Spotted Gum	140		140	44	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4632	*Corymbia citriodora*	Spotted Gum	150		150	47	10.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4633	*Corymbia citriodora*	Spotted Gum	140		140	44	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4634	*Corymbia intermedia*	Pink Bloodwood	150		150	47	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4635	*Lophostemon suaveolens*	Swamp Box	130		130	41	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4636	*Lophostemon suaveolens*	Swamp Box	130		130	41	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4637	*Eucalyptus tereticornis*	Forest Red Gum	250		250	79	9.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4638	*Lophostemon suaveolens*	Swamp Box	210		210	66	13.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4639	*Lophostemon suaveolens*	Swamp Box	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4640	*Lophostemon suaveolens*	Swamp Box	120		120	38	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4641	*Lophostemon suaveolens*	Swamp Box	140		140	44	13.0	7.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4642	*Eucalyptus tereticornis*	Forest Red Gum	170		170	53	9.0	10.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4643	*Lophostemon suaveolens*	Swamp Box	110		110	35	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4644	*Corymbia intermedia*	Pink Bloodwood	170		170	53	14.0	10.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4645	*Lophostemon suaveolens*	Swamp Box	180		180	57	10.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4646	*Lophostemon suaveolens*	Swamp Box	140		140	44	12.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4647	*Eucalyptus tereticornis*	Forest Red Gum	340		340	107	15.0	10.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4648	*Lophostemon suaveolens*	Swamp Box	130		130	41	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4649	*Lophostemon suaveolens*	Swamp Box	130		130	41	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4650	*Lophostemon suaveolens*	Swamp Box	240		240	75	14.0	9.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4651	*Lophostemon suaveolens*	Swamp Box	170		170	53	13.0	7.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4652	*Lophostemon suaveolens*	Swamp Box	180		180	57	11.0	7.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4653	*Lophostemon suaveolens*	Swamp Box	140		140	44	12.0	7.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4654	*Lophostemon suaveolens*	Swamp Box	140		140	44	13.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4655	*Lophostemon suaveolens*	Swamp Box	160		160	50	11.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4656	*Lophostemon suaveolens*	Swamp Box	130		130	41	10.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4657	*Lophostemon suaveolens*	Swamp Box	170		170	53	9.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4658	*Lophostemon suaveolens*	Swamp Box	180		180	57	13.0	7.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4659	*Lophostemon suaveolens*	Swamp Box	190		190	60	11.0	8.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4660	*Lophostemon suaveolens*	Swamp Box	150		150	47	13.0	7.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4661	*Eucalyptus tereticornis*	Forest Red Gum	210		210	66	8.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4662	*Eucalyptus tereticornis*	Forest Red Gum	150		150	47	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
4663	*Eucalyptus tereticornis*	Forest Red Gum	160		160	50	7.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
4664	*Eucalyptus tereticornis*	Forest Red Gum	180		180	57	11.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4665	*Eucalyptus tereticornis*	Forest Red Gum	220		220	69	14.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4666	*Lophostemon suaveolens*	Swamp Box	220		220	69	11.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4667	*Lophostemon suaveolens*	Swamp Box	200		200	63	10.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4668	*Lophostemon suaveolens*	Swamp Box	230		230	72	14.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4669	*Eucalyptus tereticornis*	Forest Red Gum	310		310	97	16.0	12.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
4670	*Lophostemon suaveolens*	Swamp Box	160		160	50	11.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4671	*Lophostemon suaveolens*	Swamp Box	240		240	75	16.0	12.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4672	*Lophostemon suaveolens*	Swamp Box	330		330	104	15.0	10.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4673	*Eucalyptus tereticornis*	Forest Red Gum	230		230	72	13.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4674	*Lophostemon suaveolens*	Swamp Box	220		220	69	11.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4675	*Lophostemon suaveolens*	Swamp Box	240		240	75	11.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4676	*Lophostemon suaveolens*	Swamp Box	140		140	44	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4677	*Lophostemon suaveolens*	Swamp Box	200		200	63	13.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4678	*Lophostemon suaveolens*	Swamp Box	260		260	82	11.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4679	*Lophostemon suaveolens*	Swamp Box	180		180	57	8.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4680	*Lophostemon suaveolens*	Swamp Box	220		220	69	14.0	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4681	*Lophostemon suaveolens*	Swamp Box	230		230	72	15.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4682	*Lophostemon suaveolens*	Swamp Box	190		190	60	12.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4683	*Melaleuca quinquenervia*	Broad-leaved Paperbark	370		370	116	16.0	11.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4684	*Melaleuca quinquenervia*	Broad-leaved Paperbark	150		150	47	12.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4685	*Melaleuca quinquenervia*	Broad-leaved Paperbark	220		220	69	11.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4686	*Melaleuca quinquenervia*	Broad-leaved Paperbark	130		130	41	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4687	*Lophostemon suaveolens*	Swamp Box	180		180	57	12.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4688	*Melaleuca quinquenervia*	Broad-leaved Paperbark	240		240	75	11.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4689	*Melaleuca quinquenervia*	Broad-leaved Paperbark	200		200	63	10.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4690	*Lophostemon suaveolens*	Swamp Box	170		170	53	12.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4691	*Lophostemon suaveolens*	Swamp Box	150		150	47	9.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4692	*Corymbia citriodora*	Spotted Gum	160		160	50	11.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
4693	*Corymbia citriodora*	Spotted Gum	100		100	31	9.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4694	*Corymbia citriodora*	Spotted Gum	150		150	47	8.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4695	*Lophostemon suaveolens*	Swamp Box	110		110	35	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
4696	*Lophostemon suaveolens*	Swamp Box	120		120	38	8.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4697	*Lophostemon suaveolens*	Swamp Box	130		130	41	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4698	*Lophostemon suaveolens*	Swamp Box	160		160	50	12.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4699	*Corymbia citriodora*	Spotted Gum	200		200	63	13.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4700	*Lophostemon suaveolens*	Swamp Box	110		110	35	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4701	*Lophostemon suaveolens*	Swamp Box	120		120	38	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4702	*Lophostemon suaveolens*	Swamp Box	110		110	35	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4703	*Corymbia citriodora*	Spotted Gum	100		100	31	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4704	*Lophostemon suaveolens*	Swamp Box	120		120	38	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4705	*Corymbia citriodora*	Spotted Gum	140		140	44	12.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4706	*Lophostemon suaveolens*	Swamp Box	150		150	47	8.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4707	*Lophostemon suaveolens*	Swamp Box	240		240	75	15.0	10.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4708	*Eucalyptus tereticornis*	Forest Red Gum	230		230	72	15.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4709	*Eucalyptus tereticornis*	Forest Red Gum	290		290	91	15.0	9.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4710	*Lophostemon suaveolens*	Swamp Box	170	190	255	80	9.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4711	*Lophostemon suaveolens*	Swamp Box	130		130	41	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4712	*Corymbia tessellaris*	Moreton Bay Ash	110		110	35	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4713	*Lophostemon suaveolens*	Swamp Box	120		120	38	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4714	*Lophostemon suaveolens*	Swamp Box	130		130	41	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4715	*Corymbia citriodora*	Spotted Gum	168		168	53	9.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4716	*Corymbia citriodora*	Spotted Gum	100		100	31	9.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4717	*Corymbia citriodora*	Spotted Gum	180		180	57	13.0	8.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4718	*Lophostemon suaveolens*	Swamp Box	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4719	*Lophostemon suaveolens*	Swamp Box	120		120	38	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4720	*Lophostemon suaveolens*	Swamp Box	110		110	35	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4721	*Lophostemon suaveolens*	Swamp Box	120		120	38	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4722	*Corymbia intermedia*	Pink Bloodwood	260		260	82	15.0	9.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4723	*Lophostemon suaveolens*	Swamp Box	140		140	44	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4724	*Lophostemon suaveolens*	Swamp Box	130		130	41	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4725	*Lophostemon suaveolens*	Swamp Box	120		120	38	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4726	*Lophostemon suaveolens*	Swamp Box	100		100	31	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4727	*Lophostemon suaveolens*	Swamp Box	120		120	38	8.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4728	*Lophostemon suaveolens*	Swamp Box	120		120	38	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4729	*Lophostemon suaveolens*	Swamp Box	120		120	38	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4730	*Corymbia intermedia*	Pink Bloodwood	220		220	69	7.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4731	*Lophostemon suaveolens*	Swamp Box	160		160	50	11.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4732	*Lophostemon suaveolens*	Swamp Box	140		140	44	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4733	*Corymbia intermedia*	Pink Bloodwood	300		300	94	20.0	15.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4734	*Corymbia citriodora*	Spotted Gum	300		300	94	16.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4735	*Lophostemon suaveolens*	Swamp Box	170		170	53	8.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4736	*Corymbia intermedia*	Pink Bloodwood	210		210	66	14.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4737	*Lophostemon suaveolens*	Swamp Box	210		210	66	9.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4738	*Lophostemon suaveolens*	Swamp Box	100		100	31	10.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4739	*Lophostemon suaveolens*	Swamp Box	140		140	44	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4740	*Corymbia intermedia*	Pink Bloodwood	120		120	38	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4741	*Corymbia citriodora*	Spotted Gum	100		100	31	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4742	*Corymbia intermedia*	Pink Bloodwood	160	130	206	65	14.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4743	*Corymbia intermedia*	Pink Bloodwood	140	90	166	52	12.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4744	*Corymbia intermedia*	Pink Bloodwood	120		120	38	12.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4745	*Corymbia intermedia*	Pink Bloodwood	180		180	57	12.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4746	*Corymbia intermedia*	Pink Bloodwood	150		150	47	7.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4747	*Corymbia citriodora*	Spotted Gum	120		120	38	11.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4748	*Corymbia citriodora*	Spotted Gum	170		170	53	14.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4749	*Corymbia intermedia*	Pink Bloodwood	110		110	35	9.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4750	*Corymbia citriodora*	Spotted Gum	120		120	38	14.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4751	*Corymbia intermedia*	Pink Bloodwood	210		210	66	13.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4752	*Eucalyptus tereticornis*	Forest Red Gum	200		200	63	15.0	10.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4753	*Corymbia intermedia*	Pink Bloodwood	130		130	41	11.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4754	*Corymbia intermedia*	Pink Bloodwood	190		190	60	13.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4755	*Lophostemon suaveolens*	Swamp Box	140		140	44	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4756	*Corymbia intermedia*	Pink Bloodwood	170		170	53	11.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4757	*Lophostemon suaveolens*	Swamp Box	210		210	66	9.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4758	*Corymbia intermedia*	Pink Bloodwood	200		200	63	14.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4759	*Eucalyptus tereticornis*	Forest Red Gum	200		200	63	13.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4760	*Corymbia intermedia*	Pink Bloodwood	230		230	72	13.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4761	*Corymbia intermedia*	Pink Bloodwood	260		260	82	15.0	12.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4762	*Corymbia intermedia*	Pink Bloodwood	320		320	101	14.0	9.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4763	*Corymbia intermedia*	Pink Bloodwood	260		260	82	15.0	9.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4764	*Dead/Stag*		150		150	47	7.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4765	*Eucalyptus tereticornis*	Forest Red Gum	250		250	79	14.0	9.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4766	*Corymbia intermedia*	Pink Bloodwood	170		170	53	11.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4767	*Corymbia intermedia*	Pink Bloodwood	170	120	208	65	11.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4768	*Corymbia intermedia*	Pink Bloodwood	190		190	60	12.0	7.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4769	*Corymbia intermedia*	Pink Bloodwood	210		210	66	15.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4770	*Eucalyptus crebra*	Narrow-leaved Ironbark	380		380	119	18.0	15.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4771	*Corymbia intermedia*	Pink Bloodwood	120		120	38	12.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4772	*Eucalyptus crebra*	Narrow-leaved Ironbark	350		350	110	16.0	12.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4773	*Corymbia intermedia*	Pink Bloodwood	160		160	50	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4774	*Corymbia intermedia*	Pink Bloodwood	120		120	38	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4775	*Corymbia intermedia*	Pink Bloodwood	130		130	41	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4776	*Eucalyptus tereticornis*	Forest Red Gum	180		180	57	9.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
4777	*Eucalyptus crebra*	Narrow-leaved Ironbark	190		190	60	13.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4778	*Lophostemon suaveolens*	Swamp Box	160	120	200	63	7.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4779	*Lophostemon suaveolens*	Swamp Box	340		340	107	16.0	12.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4780	*Eucalyptus crebra*	Narrow-leaved Ironbark	440		440	138	16.0	11.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4781	*Corymbia citriodora*	Spotted Gum	370		370	116	15.0	7.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4782	*Eucalyptus crebra*	Narrow-leaved Ironbark	300		300	94	14.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4783	*Eucalyptus crebra*	Narrow-leaved Ironbark	230		230	72	12.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4784	*Eucalyptus crebra*	Narrow-leaved Ironbark	300		300	94	13.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4785	*Corymbia intermedia*	Pink Bloodwood	200		200	63	13.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4786	*Corymbia citriodora*	Spotted Gum	150		150	47	12.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4787	*Corymbia intermedia*	Pink Bloodwood	130		130	41	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4788	*Eucalyptus tereticornis*	Forest Red Gum	250		250	79	14.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4789	*Corymbia intermedia*	Pink Bloodwood	360		360	113	13.0	7.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4790	*Corymbia intermedia*	Pink Bloodwood	150		150	47	12.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4791	*Corymbia intermedia*	Pink Bloodwood	400		400	126	14.0	7.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4792	*Corymbia citriodora*	Spotted Gum	240		240	75	14.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4793	*Corymbia citriodora*	Spotted Gum	140		140	44	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4794	*Eucalyptus crebra*	Narrow-leaved Ironbark	200		200	63	13.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4795	*Eucalyptus crebra*	Narrow-leaved Ironbark	130	130	184	58	12.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4796	*Eucalyptus crebra*	Narrow-leaved Ironbark	200		200	63	15.0	10.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4797	*Eucalyptus crebra*	Narrow-leaved Ironbark	140		140	44	7.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4798	*Eucalyptus crebra*	Narrow-leaved Ironbark	130		130	41	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4799	*Corymbia tessellaris*	Moreton Bay Ash	270		270	85	15.0	9.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4800	*Corymbia tessellaris*	Moreton Bay Ash	130	170 150	261	82	8.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4801	*Eucalyptus crebra*	Narrow-leaved Ironbark	140		140	44	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4802	*Corymbia intermedia*	Pink Bloodwood	200		200	63	7.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4803	*Corymbia intermedia*	Pink Bloodwood	320	310	446	140	13.0	6.0	5.3	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4804	*Eucalyptus crebra*	Narrow-leaved Ironbark	310		310	97	11.0	4.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4805	*Corymbia intermedia*	Pink Bloodwood	180	160	241	76	13.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4806	*Lophostemon suaveolens*	Swamp Box	150		150	47	7.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4807	*Corymbia intermedia*	Pink Bloodwood	260		260	82	14.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4808	*Corymbia intermedia*	Pink Bloodwood	200		200	63	9.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4809	*Corymbia intermedia*	Pink Bloodwood	200		200	63	13.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4810	*Corymbia intermedia*	Pink Bloodwood	170	120 130	245	77	9.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4811	*Corymbia intermedia*	Pink Bloodwood	210		210	66	11.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4812	*Lophostemon suaveolens*	Swamp Box	140		140	44	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4813	*Eucalyptus tereticornis*	Forest Red Gum	240		240	75	13.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4814	*Cinnamomum camphora*	Camphor Laurel	130		130	41	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4815	*Corymbia intermedia*	Pink Bloodwood	260		260	82	9.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4816	*Lophostemon suaveolens*	Swamp Box	120		120	38	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4817	*Lophostemon suaveolens*	Swamp Box	140		140	44	7.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4818	*Lophostemon suaveolens*	Swamp Box	160	160	226	71	8.0	6.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4819	*Lophostemon suaveolens*	Swamp Box	250		250	79	9.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4820	*Lophostemon suaveolens*	Swamp Box	130		130	41	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4821	*Corymbia intermedia*	Pink Bloodwood	120		120	38	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4822	*Lophostemon suaveolens*	Swamp Box	120	120	170	53	8.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4823	*Lophostemon suaveolens*	Swamp Box	190		190	60	8.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4824	*Corymbia intermedia*	Pink Bloodwood	190		190	60	12.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4825	*Eucalyptus tereticornis*	Forest Red Gum	340		340	107	15.0	10.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4826	*Eucalyptus tereticornis*	Forest Red Gum	290		290	91	16.0	9.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4827	*Corymbia intermedia*	Pink Bloodwood	100		100	31	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4828	*Angophora leiocarpa*	Smooth-barked Apple	230		230	72	11.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4829	*Corymbia intermedia*	Pink Bloodwood	230	270	355	111	14.0	7.0	4.3	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4830	*Corymbia intermedia*	Pink Bloodwood	370		370	116	14.0	8.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4831	*Lophostemon suaveolens*	Swamp Box	150		150	47	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4832	*Corymbia intermedia*	Pink Bloodwood	140		140	44	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4833	*Corymbia intermedia*	Pink Bloodwood	330		330	104	16.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4834	*Corymbia intermedia*	Pink Bloodwood	260		260	82	15.0	12.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4835	*Lophostemon suaveolens*	Swamp Box	140		140	44	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4836	*Corymbia intermedia*	Pink Bloodwood	200		200	63	9.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4837	*Corymbia intermedia*	Pink Bloodwood	130	110	170	53	9.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4838	*Corymbia intermedia*	Pink Bloodwood	260		260	82	14.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4839	*Lophostemon suaveolens*	Swamp Box	150	150	212	67	9.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4840	*Corymbia intermedia*	Pink Bloodwood	220	180	284	89	15.0	10.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4841	*Corymbia intermedia*	Pink Bloodwood	180	130	222	70	15.0	9.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4842	*Angophora leiocarpa*	Smooth-barked Apple	100		100	31	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4843	*Corymbia intermedia*	Pink Bloodwood	210	220	304	96	15.0	11.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4844	*Corymbia intermedia*	Pink Bloodwood	160	150	219	69	9.0	7.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4845	*Lophostemon suaveolens*	Swamp Box	140		140	44	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4846	*Lophostemon suaveolens*	Swamp Box	140		140	44	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4847	*Corymbia intermedia*	Pink Bloodwood	140		140	44	12.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4848	*Corymbia intermedia*	Pink Bloodwood	180		180	57	13.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4849	*Angophora leiocarpa*	Smooth-barked Apple	130		130	41	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4850	*Corymbia intermedia*	Pink Bloodwood	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4851	*Corymbia intermedia*	Pink Bloodwood	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4852	*Corymbia intermedia*	Pink Bloodwood	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4853	*Lophostemon suaveolens*	Swamp Box	130		130	41	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4854	*Eucalyptus tereticornis*	Forest Red Gum	280		280	88	13.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4855	*Corymbia intermedia*	Pink Bloodwood	110		110	35	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4856	*Eucalyptus tereticornis*	Forest Red Gum	340		340	107	17.0	11.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4857	*Corymbia intermedia*	Pink Bloodwood	120		120	38	10.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
4858	*Corymbia intermedia*	Pink Bloodwood	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4859	*Corymbia intermedia*	Pink Bloodwood	160		160	50	11.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4860	*Lophostemon suaveolens*	Swamp Box	130		130	41	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4861	*Lophostemon suaveolens*	Swamp Box	170		170	53	14.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4862	*Lophostemon suaveolens*	Swamp Box	160		160	50	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4863	*Lophostemon suaveolens*	Swamp Box	150		150	47	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4864	*Lophostemon suaveolens*	Swamp Box	240		240	75	14.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4865	*Lophostemon suaveolens*	Swamp Box	130		130	41	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4866	*Lophostemon suaveolens*	Swamp Box	130		130	41	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4867	*Lophostemon suaveolens*	Swamp Box	180		180	57	9.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4868	*Dead/Stag*		110		110	35	4.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4869	*Eucalyptus tereticornis*	Forest Red Gum	200		200	63	14.0	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4870	*Corymbia intermedia*	Pink Bloodwood	280		280	88	16.0	9.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4871	*Angophora leiocarpa*	Smooth-barked Apple	120		120	38	11.0	7.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4872	*Corymbia intermedia*	Pink Bloodwood	120		120	38	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4873	*Corymbia intermedia*	Pink Bloodwood	200	150	250	79	13.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4874	*Angophora leiocarpa*	Smooth-barked Apple	240		240	75	17.0	12.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4875	*Corymbia intermedia*	Pink Bloodwood	120		120	38	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4876	*Lophostemon suaveolens*	Swamp Box	240		240	75	13.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4877	*Lophostemon suaveolens*	Swamp Box	140	100	172	54	12.0	5.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4878	*Corymbia intermedia*	Pink Bloodwood	130		130	41	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4879	*Corymbia intermedia*	Pink Bloodwood	230		230	72	15.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4880	*Corymbia intermedia*	Pink Bloodwood	140		140	44	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4881	*Lophostemon suaveolens*	Swamp Box	160		160	50	7.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4882	*Lophostemon suaveolens*	Swamp Box	160		160	50	7.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4883	*Lophostemon suaveolens*	Swamp Box	130		130	41	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4884	*Lophostemon suaveolens*	Swamp Box	140		140	44	6.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4885	*Lophostemon suaveolens*	Swamp Box	210		210	66	9.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4886	*Corymbia intermedia*	Pink Bloodwood	200		200	63	9.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4887	*Lophostemon suaveolens*	Swamp Box	160		160	50	9.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4888	*Corymbia intermedia*	Pink Bloodwood	130		130	41	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4889	*Lophostemon suaveolens*	Swamp Box	160		160	50	8.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4890	*Lophostemon suaveolens*	Swamp Box	110	100	149	47	10.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4891	*Lophostemon suaveolens*	Swamp Box	110		110	35	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4892	*Lophostemon suaveolens*	Swamp Box	170		170	53	7.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4893	*Lophostemon suaveolens*	Swamp Box	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4894	*Lophostemon suaveolens*	Swamp Box	110		110	35	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4895	*Angophora leiocarpa*	Smooth-barked Apple	230		230	72	14.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4896	*Lophostemon suaveolens*	Swamp Box	170		170	53	7.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4897	*Corymbia citriodora*	Spotted Gum	110		110	35	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4898	*Eucalyptus tereticornis*	Forest Red Gum	210		210	66	15.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4899	*Lophostemon suaveolens*	Swamp Box	140		140	44	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4900	*Lophostemon suaveolens*	Swamp Box	190		190	60	13.0	7.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4901	*Lophostemon suaveolens*	Swamp Box	220	210	304	96	13.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4902	*Corymbia citriodora*	Spotted Gum	240		240	75	14.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4903	*Corymbia citriodora*	Spotted Gum	150		150	47	11.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4904	*Corymbia citriodora*	Spotted Gum	150		150	47	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4905	*Corymbia intermedia*	Pink Bloodwood	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4906	*Lophostemon suaveolens*	Swamp Box	170		170	53	20.0	15.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4907	*Lophostemon suaveolens*	Swamp Box	170		170	53	8.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4908	*Corymbia intermedia*	Pink Bloodwood	120		120	38	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4909	*Lophostemon suaveolens*	Swamp Box	150		150	47	11.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4910	*Lophostemon suaveolens*	Swamp Box	120		120	38	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4911	*Lophostemon suaveolens*	Swamp Box	140		140	44	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4912	*Lophostemon suaveolens*	Swamp Box	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4913	*Lophostemon suaveolens*	Swamp Box	130		130	41	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4914	*Lophostemon suaveolens*	Swamp Box	130		130	41	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4915	*Lophostemon suaveolens*	Swamp Box	210		210	66	6.0	2.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4916	*Lophostemon suaveolens*	Swamp Box	270		270	85	15.0	10.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4917	*Lophostemon suaveolens*	Swamp Box	210		210	66	13.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4918	*Lophostemon suaveolens*	Swamp Box	130		130	41	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4919	*Lophostemon suaveolens*	Swamp Box	150		150	47	10.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4920	*Lophostemon suaveolens*	Swamp Box	130		130	41	10.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4921	*Lophostemon suaveolens*	Swamp Box	120		120	38	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4922	*Lophostemon suaveolens*	Swamp Box	120		120	38	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4923	*Lophostemon suaveolens*	Swamp Box	120		120	38	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4924	*Lophostemon suaveolens*	Swamp Box	190		190	60	14.0	8.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4925	*Lophostemon suaveolens*	Swamp Box	170		170	53	14.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4926	*Lophostemon suaveolens*	Swamp Box	170		170	53	7.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4927	*Lophostemon suaveolens*	Swamp Box	150		150	47	7.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4928	*Lophostemon suaveolens*	Swamp Box	120		120	38	8.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4929	*Lophostemon suaveolens*	Swamp Box	150	140 50	211	66	14.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4930	*Corymbia intermedia*	Pink Bloodwood	170		170	53	14.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4931	*Angophora leiocarpa*	Smooth-barked Apple	120		120	38	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4932	*Lophostemon suaveolens*	Swamp Box	190		190	60	12.0	7.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4933	*Angophora leiocarpa*	Smooth-barked Apple	280		280	88	20.0	15.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4934	*Angophora leiocarpa*	Smooth-barked Apple	200		200	63	13.0	9.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4935	*Lophostemon suaveolens*	Swamp Box	130		130	41	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4936	*Corymbia intermedia*	Pink Bloodwood	190		190	60	14.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4937	*Lophostemon suaveolens*	Swamp Box	110		110	35	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4938	*Lophostemon suaveolens*	Swamp Box	120		120	38	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
4939	*Lophostemon suaveolens*	Swamp Box	110		110	35	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4940	*Lophostemon suaveolens*	Swamp Box	130		130	41	12.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4941	*Lophostemon suaveolens*	Swamp Box	120	100	156	49	7.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4942	*Lophostemon suaveolens*	Swamp Box	130		130	41	9.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4943	*Corymbia intermedia*	Pink Bloodwood	220		220	69	15.0	10.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4944	*Angophora leiocarpa*	Smooth-barked Apple	300		300	94	18.0	13.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4945	*Lophostemon suaveolens*	Swamp Box	120		120	38	10.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4946	*Lophostemon suaveolens*	Swamp Box	160		160	50	12.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4947	*Corymbia intermedia*	Pink Bloodwood	220		220	69	17.0	13.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4948	*Corymbia intermedia*	Pink Bloodwood	130		130	41	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4949	*Lophostemon suaveolens*	Swamp Box	160		160	50	12.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4950	*Lophostemon suaveolens*	Swamp Box	200		200	63	13.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4951	*Angophora leiocarpa*	Smooth-barked Apple	110		110	35	10.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4952	*Angophora leiocarpa*	Smooth-barked Apple	110		110	35	8.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4953	*Melaleuca quinquenervia*	Broad-leaved Paperbark	130		130	41	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4954	*Corymbia intermedia*	Pink Bloodwood	120		120	38	10.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4955	*Lophostemon suaveolens*	Swamp Box	160		160	50	12.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4956	*Lophostemon suaveolens*	Swamp Box	200	150 150	292	92	12.0	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4957	*Lophostemon suaveolens*	Swamp Box	110		110	35	8.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4958	*Lophostemon suaveolens*	Swamp Box	130		130	41	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4959	*Corymbia intermedia*	Pink Bloodwood	120		120	38	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4960	*Corymbia intermedia*	Pink Bloodwood	120		120	38	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4961	*Corymbia intermedia*	Pink Bloodwood	100		100	31	7.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4962	*Corymbia intermedia*	Pink Bloodwood	180		180	57	16.0	10.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4963	*Corymbia intermedia*	Pink Bloodwood	280		280	88	15.0	10.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4964	*Lophostemon suaveolens*	Swamp Box	110		110	35	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4965	*Lophostemon suaveolens*	Swamp Box	150		150	47	8.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4966	*Lophostemon suaveolens*	Swamp Box	100		100	31	5.0	4.0	2.0	1.3	Regular	-	-	-	Epicormic	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4967	*Lophostemon suaveolens*	Swamp Box	130		130	41	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4968	*Lophostemon suaveolens*	Swamp Box	140		140	44	6.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4969	*Lophostemon suaveolens*	Swamp Box	130		130	41	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4970	*Lophostemon suaveolens*	Swamp Box	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4971	*Lophostemon suaveolens*	Swamp Box	120		120	38	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4972	*Lophostemon suaveolens*	Swamp Box	110		110	35	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4973	*Corymbia intermedia*	Pink Bloodwood	150		150	47	14.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4974	*Corymbia intermedia*	Pink Bloodwood	180		180	57	13.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4975	*Lophostemon suaveolens*	Swamp Box	130		130	41	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4976	*Lophostemon suaveolens*	Swamp Box	100		100	31	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4977	*Lophostemon suaveolens*	Swamp Box	110		110	35	12.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4978	*Lophostemon suaveolens*	Swamp Box	190	200	276	87	14.0	7.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4979	*Corymbia intermedia*	Pink Bloodwood	200		200	63	14.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4980	*Eucalyptus tereticornis*	Forest Red Gum	280	160	322	101	14.0	10.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4981	*Lophostemon suaveolens*	Swamp Box	130	140	191	60	8.0	5.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4982	*Eucalyptus tereticornis*	Forest Red Gum	230		230	72	12.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4983	*Eucalyptus tereticornis*	Forest Red Gum	210		210	66	14.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4984	*Corymbia intermedia*	Pink Bloodwood	180		180	57	8.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4985	*Lophostemon suaveolens*	Swamp Box	150		150	47	8.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4986	*Lophostemon suaveolens*	Swamp Box	120		120	38	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4987	*Lophostemon suaveolens*	Swamp Box	120		120	38	10.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4988	*Corymbia intermedia*	Pink Bloodwood	180		180	57	14.0	7.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4989	*Corymbia intermedia*	Pink Bloodwood	120		120	38	10.0	7.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
4990	*Corymbia intermedia*	Pink Bloodwood	220		220	69	15.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4991	*Corymbia intermedia*	Pink Bloodwood	150		150	47	8.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
4992	*Corymbia intermedia*	Pink Bloodwood	280		280	88	17.0	15.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4993	*Corymbia intermedia*	Pink Bloodwood	150		150	47	14.0	7.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4994	*Corymbia intermedia*	Pink Bloodwood	170		170	53	15.0	7.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4995	*Lophostemon suaveolens*	Swamp Box	230		230	72	15.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
4996	*Lophostemon suaveolens*	Swamp Box	160		160	50	8.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4997	*Lophostemon suaveolens*	Swamp Box	140		140	44	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
4998	*Lophostemon suaveolens*	Swamp Box	160		160	50	9.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
4999	*Lophostemon suaveolens*	Swamp Box	130		130	41	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5000	*Lophostemon suaveolens*	Swamp Box	130		130	41	11.0	7.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5001	*Lophostemon suaveolens*	Swamp Box	130		130	41	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5002	*Melaleuca quinquenervia*	Broad-leaved Paperbark	160		160	50	9.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5003	*Lophostemon suaveolens*	Swamp Box	250		250	79	12.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5004	*Lophostemon suaveolens*	Swamp Box	160		160	50	10.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5005	*Lophostemon suaveolens*	Swamp Box	170		170	53	10.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5006	*Melaleuca quinquenervia*	Broad-leaved Paperbark	120	100	156	49	11.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5007	*Lophostemon suaveolens*	Swamp Box	120		120	38	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5008	*Corymbia intermedia*	Pink Bloodwood	160		160	50	13.0	7.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5009	*Corymbia intermedia*	Pink Bloodwood	150		150	47	9.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5010	*Eucalyptus tereticornis*	Forest Red Gum	140		140	44	12.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5011	*Corymbia intermedia*	Pink Bloodwood	160		160	50	14.0	7.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5012	*Corymbia intermedia*	Pink Bloodwood	130		130	41	12.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5013	*Melaleuca quinquenervia*	Broad-leaved Paperbark	140		140	44	14.0	10.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5014	*Lophostemon suaveolens*	Swamp Box	100		100	31	8.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5015	*Corymbia intermedia*	Pink Bloodwood	170		170	53	13.0	7.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5016	*Corymbia intermedia*	Pink Bloodwood	120		120	38	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5017	*Lophostemon suaveolens*	Swamp Box	150		150	47	9.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5018	*Lophostemon suaveolens*	Swamp Box	100		100	31	10.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5019	*Lophostemon suaveolens*	Swamp Box	120		120	38	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
5020	*Melaleuca quinquenervia*	Broad-leaved Paperbark	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5021	*Corymbia citriodora*	Spotted Gum	150		150	47	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5022	*Corymbia citriodora*	Spotted Gum	140		140	44	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5023	*Corymbia intermedia*	Pink Bloodwood	130		130	41	5.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5024	*Eucalyptus tereticornis*	Forest Red Gum	240		240	75	9.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5025	*Eucalyptus tereticornis*	Forest Red Gum	180		180	57	7.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5026	*Angophora leiocarpa*	Smooth-barked Apple	150		150	47	9.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5027	*Corymbia intermedia*	Pink Bloodwood	240		240	75	7.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5028	*Eucalyptus fibrosa*	Broad-leaved Red Ironbark	190		190	60	9.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5029	*Angophora leiocarpa*	Smooth-barked Apple	180		180	57	9.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5030	*Eucalyptus tereticornis*	Forest Red Gum	260		260	82	14.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5031	*Corymbia intermedia*	Pink Bloodwood	120		120	38	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5032	*Corymbia intermedia*	Pink Bloodwood	140		140	44	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5033	*Eucalyptus tereticornis*	Forest Red Gum	280		280	88	15.0	9.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5034	*Angophora leiocarpa*	Smooth-barked Apple	210		210	66	7.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5035	*Corymbia intermedia*	Pink Bloodwood	100		100	31	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5036	*Corymbia intermedia*	Pink Bloodwood	200		200	63	8.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5037	*Angophora leiocarpa*	Smooth-barked Apple	100		100	31	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5038	*Eucalyptus tereticornis*	Forest Red Gum	300	240	384	121	13.0	7.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5039	*Lophostemon suaveolens*	Swamp Box	140		140	44	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5040	*Corymbia intermedia*	Pink Bloodwood	160	160	226	71	8.0	5.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5041	*Angophora leiocarpa*	Smooth-barked Apple	340		340	107	16.0	12.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5042	*Angophora leiocarpa*	Smooth-barked Apple	200		200	63	12.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5043	*Corymbia intermedia*	Pink Bloodwood	170	130	214	67	11.0	4.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5044	*Angophora leiocarpa*	Smooth-barked Apple	180		180	57	14.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5045	*Corymbia intermedia*	Pink Bloodwood	120	100	156	49	8.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5046	*Corymbia intermedia*	Pink Bloodwood	140		140	44	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5047	*Corymbia intermedia*	Pink Bloodwood	120		120	38	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5048	*Corymbia intermedia*	Pink Bloodwood	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5049	*Corymbia intermedia*	Pink Bloodwood	150		150	47	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5050	*Corymbia intermedia*	Pink Bloodwood	240	240	339	107	16.0	12.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5051	*Angophora leiocarpa*	Smooth-barked Apple	110		110	35	7.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5052	*Corymbia intermedia*	Pink Bloodwood	100		100	31	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5053	*Lophostemon suaveolens*	Swamp Box	160	150 140	260	82	9.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5054	*Corymbia intermedia*	Pink Bloodwood	220		220	69	16.0	11.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5055	*Angophora leiocarpa*	Smooth-barked Apple	270	120	295	93	17.0	10.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5056	*Eucalyptus tereticornis*	Forest Red Gum	250		250	79	15.0	9.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5057	*Corymbia intermedia*	Pink Bloodwood	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5058	*Corymbia intermedia*	Pink Bloodwood	120	100	156	49	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5059	*Lophostemon suaveolens*	Swamp Box	190	150	242	76	9.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5060	*Angophora leiocarpa*	Smooth-barked Apple	260		260	82	15.0	9.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5061	*Corymbia intermedia*	Pink Bloodwood	200	100	224	70	9.0	4.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5062	*Corymbia intermedia*	Pink Bloodwood	130		130	41	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5063	*Corymbia intermedia*	Pink Bloodwood	180	100	206	65	9.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5064	*Corymbia intermedia*	Pink Bloodwood	140		140	44	13.0	8.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5065	*Corymbia intermedia*	Pink Bloodwood	160		160	50	14.0	8.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5066	*Corymbia intermedia*	Pink Bloodwood	180		180	57	9.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5067	*Corymbia intermedia*	Pink Bloodwood	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5068	*Angophora leiocarpa*	Smooth-barked Apple	180		180	57	9.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5069	*Lophostemon suaveolens*	Swamp Box	180	210	277	87	8.0	5.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5070	*Lophostemon suaveolens*	Swamp Box	180	130	222	70	7.0	4.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5071	*Angophora leiocarpa*	Smooth-barked Apple	310		310	97	15.0	10.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5072	*Angophora leiocarpa*	Smooth-barked Apple	230	160	280	88	15.0	9.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5073	*Lophostemon suaveolens*	Swamp Box	160		160	50	6.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5074	*Lophostemon suaveolens*	Swamp Box	160		160	50	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5075	*Corymbia intermedia*	Pink Bloodwood	310		310	97	15.0	10.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5076	*Lophostemon suaveolens*	Swamp Box	180		180	57	8.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5077	*Lophostemon suaveolens*	Swamp Box	150		150	47	9.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5078	*Corymbia intermedia*	Pink Bloodwood	410		410	129	16.0	11.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5079	*Angophora leiocarpa*	Smooth-barked Apple	280	290	403	127	17.0	12.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5080	*Corymbia intermedia*	Pink Bloodwood	350		350	110	15.0	9.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5081	*Corymbia intermedia*	Pink Bloodwood	350		350	110	15.0	10.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5082	*Corymbia intermedia*	Pink Bloodwood	130		130	41	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5083	*Lophostemon suaveolens*	Swamp Box	190	140 100	256	81	12.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5084	*Lophostemon suaveolens*	Swamp Box	310		310	97	9.0	4.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5085	*Lophostemon suaveolens*	Swamp Box	170	150	227	71	8.0	5.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5086	*Lophostemon suaveolens*	Swamp Box	110		110	35	7.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5087	*Lophostemon suaveolens*	Swamp Box	120		120	38	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5088	*Lophostemon suaveolens*	Swamp Box	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5089	*Lophostemon suaveolens*	Swamp Box	190		190	60	12.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5090	*Lophostemon suaveolens*	Swamp Box	140		140	44	8.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5091	*Lophostemon suaveolens*	Swamp Box	150		150	47	7.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5092	*Corymbia tessellaris*	Moreton Bay Ash	130		130	41	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5093	*Corymbia intermedia*	Pink Bloodwood	390		390	123	17.0	12.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5094	*Lophostemon suaveolens*	Swamp Box	108		108	34	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5095	*Lophostemon suaveolens*	Swamp Box	210		210	66	13.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5096	*Lophostemon suaveolens*	Swamp Box	120	120	170	53	7.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5097	*Lophostemon suaveolens*	Swamp Box	130		130	41	9.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5098	*Lophostemon suaveolens*	Swamp Box	170		170	53	9.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5099	*Lophostemon suaveolens*	Swamp Box	190		190	60	7.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5100	*Angophora leiocarpa*	Smooth-barked Apple	100		100	31	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
5101	*Angophora leiocarpa*	Smooth-barked Apple	100		100	31	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5102	*Angophora leiocarpa*	Smooth-barked Apple	150		150	47	8.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5103	*Corymbia intermedia*	Pink Bloodwood	350		350	110	12.0	6.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5104	*Corymbia intermedia*	Pink Bloodwood	150		150	47	13.0	7.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5105	*Melaleuca quinquenervia*	Broad-leaved Paperbark	120		120	38	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5106	*Melaleuca quinquenervia*	Broad-leaved Paperbark	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5107	*Melaleuca quinquenervia*	Broad-leaved Paperbark	170		170	53	13.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5108	*Angophora leiocarpa*	Smooth-barked Apple	130		130	41	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5109	*Melaleuca quinquenervia*	Broad-leaved Paperbark	130		130	41	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5110	*Angophora leiocarpa*	Smooth-barked Apple	250	250	354	111	13.0	6.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5111	*Corymbia intermedia*	Pink Bloodwood	190		190	60	7.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5112	*Melaleuca quinquenervia*	Broad-leaved Paperbark	150		150	47	8.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5113	*Corymbia intermedia*	Pink Bloodwood	130		130	41	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5114	*Melaleuca quinquenervia*	Broad-leaved Paperbark	130		130	41	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5115	*Melaleuca quinquenervia*	Broad-leaved Paperbark	130		130	41	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5116	*Melaleuca quinquenervia*	Broad-leaved Paperbark	120		120	38	5.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5117	*Corymbia intermedia*	Pink Bloodwood	140		140	44	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5118	*Melaleuca quinquenervia*	Broad-leaved Paperbark	120	120	170	53	7.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5119	*Melaleuca quinquenervia*	Broad-leaved Paperbark	130		130	41	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5120	*Lophostemon suaveolens*	Swamp Box	200		200	63	12.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5121	*Melaleuca quinquenervia*	Broad-leaved Paperbark	170	200	262	82	13.0	9.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5122	*Lophostemon suaveolens*	Swamp Box	120		120	38	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5123	*Melaleuca quinquenervia*	Broad-leaved Paperbark	140		140	44	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5124	*Corymbia intermedia*	Pink Bloodwood	200		200	63	12.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5125	*Corymbia intermedia*	Pink Bloodwood	170		170	53	10.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5126	*Lophostemon suaveolens*	Swamp Box	140		140	44	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5127	*Melaleuca quinquenervia*	Broad-leaved Paperbark	170		170	53	12.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5128	*Melaleuca quinquenervia*	Broad-leaved Paperbark	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5129	*Lophostemon suaveolens*	Swamp Box	180		180	57	13.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5130	*Eucalyptus tereticornis*	Forest Red Gum	200		200	63	15.0	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5131	*Corymbia intermedia*	Pink Bloodwood	300		300	94	15.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5132	*Corymbia intermedia*	Pink Bloodwood	150		150	47	12.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5133	*Corymbia intermedia*	Pink Bloodwood	160		160	50	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5134	*Corymbia intermedia*	Pink Bloodwood	120		120	38	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5135	*Lophostemon suaveolens*	Swamp Box	140		140	44	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5136	*Melaleuca quinquenervia*	Broad-leaved Paperbark	140		140	44	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5137	*Melaleuca quinquenervia*	Broad-leaved Paperbark	100		100	31	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5138	*Lophostemon suaveolens*	Swamp Box	140		140	44	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5139	*Corymbia intermedia*	Pink Bloodwood	110		110	35	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5140	*Melaleuca quinquenervia*	Broad-leaved Paperbark	160		160	50	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5141	*Corymbia intermedia*	Pink Bloodwood	160		160	50	8.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5142	*Eucalyptus tereticornis*	Forest Red Gum	230		230	72	11.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5143	*Lophostemon suaveolens*	Swamp Box	170		170	53	8.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5144	*Melaleuca quinquenervia*	Broad-leaved Paperbark	120		120	38	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5145	*Melaleuca quinquenervia*	Broad-leaved Paperbark	120		120	38	6.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5146	*Corymbia intermedia*	Pink Bloodwood	120		120	38	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5147	*Corymbia intermedia*	Pink Bloodwood	120		120	38	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5148	*Corymbia intermedia*	Pink Bloodwood	170	140	220	69	13.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5149	*Melaleuca quinquenervia*	Broad-leaved Paperbark	180		180	57	9.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5150	*Melaleuca quinquenervia*	Broad-leaved Paperbark	150		150	47	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5151	*Melaleuca quinquenervia*	Broad-leaved Paperbark	120		120	38	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5152	*Melaleuca quinquenervia*	Broad-leaved Paperbark	130		130	41	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5153	*Corymbia intermedia*	Pink Bloodwood	130		130	41	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5154	*Corymbia intermedia*	Pink Bloodwood	100		100	31	7.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5155	*Corymbia intermedia*	Pink Bloodwood	160		160	50	7.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5156	*Lophostemon suaveolens*	Swamp Box	120		120	38	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5157	*Lophostemon suaveolens*	Swamp Box	130		130	41	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5158	*Lophostemon suaveolens*	Swamp Box	110		110	35	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5159	*Lophostemon suaveolens*	Swamp Box	140		140	44	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5160	*Corymbia intermedia*	Pink Bloodwood	160		160	50	8.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
5161	*Melaleuca quinquenervia*	Broad-leaved Paperbark	160		160	50	8.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
5162	*Melaleuca quinquenervia*	Broad-leaved Paperbark	150		150	47	12.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5163	*Lophostemon suaveolens*	Swamp Box	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5164	*Melaleuca quinquenervia*	Broad-leaved Paperbark	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5165	*Lophostemon suaveolens*	Swamp Box	110		110	35	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5166	*Corymbia intermedia*	Pink Bloodwood	210		210	66	8.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5167	*Angophora leiocarpa*	Smooth-barked Apple	160		160	50	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5168	*Melaleuca quinquenervia*	Broad-leaved Paperbark	200		200	63	10.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5169	*Corymbia intermedia*	Pink Bloodwood	140		140	44	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5170	*Angophora leiocarpa*	Smooth-barked Apple	160		160	50	13.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5171	*Lophostemon suaveolens*	Swamp Box	150		150	47	8.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5172	*Melaleuca quinquenervia*	Broad-leaved Paperbark	160		160	50	9.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5173	*Melaleuca quinquenervia*	Broad-leaved Paperbark	140		140	44	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
5174	*Corymbia intermedia*	Pink Bloodwood	330	260	420	132	16.0	12.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5175	*Corymbia intermedia*	Pink Bloodwood	460	240	519	163	13.0	6.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5176	*Corymbia intermedia*	Pink Bloodwood	150	240 200	347	109	14.0	9.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5177	*Corymbia intermedia*	Pink Bloodwood	120		120	38	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5178	*Corymbia intermedia*	Pink Bloodwood	200		200	63	13.0	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5179	*Corymbia intermedia*	Pink Bloodwood	320		320	101	17.0	10.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5180	*Eucalyptus tereticornis*	Forest Red Gum	280		280	88	19.0	12.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5181	*Lophostemon suaveolens*	Swamp Box	140		140	44	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
5182	*Lophostemon suaveolens*	Swamp Box	120		120	38	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5183	*Lophostemon suaveolens*	Swamp Box	120		120	38	6.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5184	*Lophostemon suaveolens*	Swamp Box	180	160	241	76	9.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5185	*Lophostemon suaveolens*	Swamp Box	120	100	156	49	10.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5186	*Angophora leiocarpa*	Smooth-barked Apple	120		120	38	9.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5187	*Lophostemon suaveolens*	Swamp Box	150		150	47	7.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5188	*Lophostemon suaveolens*	Swamp Box	150		150	47	9.0	10.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5189	*Lophostemon suaveolens*	Swamp Box	190	190 230	354	111	15.0	9.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5190	*Lophostemon suaveolens*	Swamp Box	190	180	262	82	9.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5191	*Lophostemon suaveolens*	Swamp Box	240	240	339	107	16.0	10.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5192	*Corymbia intermedia*	Pink Bloodwood	180		180	57	9.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5193	*Corymbia intermedia*	Pink Bloodwood	200		200	63	14.0	9.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5194	*Lophostemon suaveolens*	Swamp Box	110		110	35	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5195	*Lophostemon suaveolens*	Swamp Box	130		130	41	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5196	*Lophostemon suaveolens*	Swamp Box	170		170	53	12.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5197	*Angophora leiocarpa*	Smooth-barked Apple	110		110	35	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5198	*Corymbia intermedia*	Pink Bloodwood	290		290	91	16.0	10.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5199	*Angophora leiocarpa*	Smooth-barked Apple	130		130	41	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5200	*Corymbia intermedia*	Pink Bloodwood	290		290	91	15.0	9.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5201	*Corymbia intermedia*	Pink Bloodwood	220		220	69	12.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5202	*Corymbia intermedia*	Pink Bloodwood	180	130	222	70	14.0	6.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5203	*Corymbia intermedia*	Pink Bloodwood	220		220	69	15.0	10.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5204	*Eucalyptus tereticornis*	Forest Red Gum	460		460	145	17.0	12.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5205	*Angophora leiocarpa*	Smooth-barked Apple	110		110	35	8.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5206	*Angophora leiocarpa*	Smooth-barked Apple	140		140	44	16.0	12.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5207	*Corymbia intermedia*	Pink Bloodwood	220		220	69	15.0	9.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5208	*Corymbia intermedia*	Pink Bloodwood	310		310	97	16.0	9.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5209	*Eucalyptus fibrosa*	Broad-leaved Red Ironbark	120		120	38	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5210	*Corymbia intermedia*	Pink Bloodwood	240		240	75	13.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5211	*Corymbia intermedia*	Pink Bloodwood	140		140	44	12.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5212	*Angophora leiocarpa*	Smooth-barked Apple	150		150	47	6.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5213	*Angophora leiocarpa*	Smooth-barked Apple	140		140	44	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5214	*Angophora leiocarpa*	Smooth-barked Apple	150		150	47	7.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5215	*Lophostemon suaveolens*	Swamp Box	170		170	53	7.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5216	*Eucalyptus tereticornis*	Forest Red Gum	170		170	53	12.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5217	*Eucalyptus crebra*	Narrow-leaved Ironbark	150		150	47	7.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5218	*Corymbia intermedia*	Pink Bloodwood	330		330	104	16.0	9.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5219	*Corymbia intermedia*	Pink Bloodwood	120		120	38	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5220	*Corymbia intermedia*	Pink Bloodwood	140		140	44	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5221	*Lophostemon suaveolens*	Swamp Box	170	170 150	283	89	12.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5222	*Corymbia intermedia*	Pink Bloodwood	200		200	63	14.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5223	*Angophora leiocarpa*	Smooth-barked Apple	210		210	66	16.0	10.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5224	*Corymbia intermedia*	Pink Bloodwood	310	240	392	123	17.0	12.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5225	*Corymbia intermedia*	Pink Bloodwood	120		120	38	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5226	*Eucalyptus fibrosa*	Broad-leaved Red Ironbark	240		240	75	16.0	10.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5227	*Corymbia intermedia*	Pink Bloodwood	150		150	47	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5228	*Lophostemon suaveolens*	Swamp Box	190		190	60	11.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5229	*Corymbia intermedia*	Pink Bloodwood	170		170	53	14.0	7.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5230	*Eucalyptus tereticornis*	Forest Red Gum	250		250	79	13.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5231	*Lophostemon suaveolens*	Swamp Box	200		200	63	13.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5232	*Lophostemon suaveolens*	Swamp Box	190		190	60	12.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5233	*Lophostemon suaveolens*	Swamp Box	150		150	47	12.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5234	*Corymbia intermedia*	Pink Bloodwood	170		170	53	7.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5235	*Eucalyptus tereticornis*	Forest Red Gum	130		130	41	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5236	*Lophostemon suaveolens*	Swamp Box	210		210	66	9.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5237	*Lophostemon suaveolens*	Swamp Box	460	230	514	162	18.0	13.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5238	*Lophostemon suaveolens*	Swamp Box	150		150	47	9.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5239	*Lophostemon suaveolens*	Swamp Box	280		280	88	15.0	10.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5240	*Corymbia intermedia*	Pink Bloodwood	110		110	35	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5241	*Corymbia intermedia*	Pink Bloodwood	170		170	53	13.0	9.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5242	*Corymbia intermedia*	Pink Bloodwood	170		170	53	16.0	12.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5243	*Corymbia intermedia*	Pink Bloodwood	170		170	53	13.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5244	*Eucalyptus crebra*	Narrow-leaved Ironbark	140		140	44	10.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5245	*Lophostemon suaveolens*	Swamp Box	110		110	35	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5246	*Angophora leiocarpa*	Smooth-barked Apple	160		160	50	12.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5247	*Lophostemon suaveolens*	Swamp Box	140		140	44	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5248	*Angophora leiocarpa*	Smooth-barked Apple	170	320	362	114	160.0	12.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5249	*Corymbia intermedia*	Pink Bloodwood	140		140	44	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5250	*Lophostemon suaveolens*	Swamp Box	220		220	69	12.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5251	*Corymbia intermedia*	Pink Bloodwood	230		230	72	13.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5252	*Lophostemon suaveolens*	Swamp Box	180	200	269	85	12.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5253	*Corymbia intermedia*	Pink Bloodwood	300		300	94	17.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5254	*Corymbia intermedia*	Pink Bloodwood	390		390	123	15.0	9.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5255	*Corymbia intermedia*	Pink Bloodwood	130		130	41	6.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5256	*Corymbia intermedia*	Pink Bloodwood	220		220	69	14.0	9.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5257	*Angophora leiocarpa*	Smooth-barked Apple	280		280	88	17.0	9.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5258	*Corymbia intermedia*	Pink Bloodwood	230		230	72	14.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5259	*Angophora leiocarpa*	Smooth-barked Apple	140		140	44	10.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5260	*Angophora leiocarpa*	Smooth-barked Apple	410		410	129	18.0	12.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5261	*Eucalyptus crebra*	Narrow-leaved Ironbark	170		170	53	13.0	7.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5262	*Eucalyptus crebra*	Narrow-leaved Ironbark	190		190	60	13.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
5263	*Eucalyptus crebra*	Narrow-leaved Ironbark	170		170	53	13.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5264	*Eucalyptus crebra*	Narrow-leaved Ironbark	190		190	60	16.0	12.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5265	*Corymbia intermedia*	Pink Bloodwood	200		200	63	14.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5266	*Corymbia tessellaris*	Moreton Bay Ash	230		230	72	13.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5267	*Corymbia intermedia*	Pink Bloodwood	170		170	53	8.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5268	*Eucalyptus tereticornis*	Forest Red Gum	130		130	41	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5269	*Eucalyptus tereticornis*	Forest Red Gum	230		230	72	13.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5270	*Angophora leiocarpa*	Smooth-barked Apple	220		220	69	15.0	9.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5271	*Angophora leiocarpa*	Smooth-barked Apple	180		180	57	7.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5272	*Angophora leiocarpa*	Smooth-barked Apple	160		160	50	9.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5273	*Eucalyptus tereticornis*	Forest Red Gum	160		160	50	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5274	*Eucalyptus tereticornis*	Forest Red Gum	280		280	88	14.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5275	*Corymbia intermedia*	Pink Bloodwood	220		220	69	15.0	11.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5276	*Corymbia intermedia*	Pink Bloodwood	120		120	38	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5277	*Eucalyptus tereticornis*	Forest Red Gum	160		160	50	11.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5278	*Eucalyptus crebra*	Narrow-leaved Ironbark	170		170	53	13.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5279	*Angophora leiocarpa*	Smooth-barked Apple	220		220	69	11.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5280	*Corymbia intermedia*	Pink Bloodwood	140		140	44	9.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5281	*Eucalyptus crebra*	Narrow-leaved Ironbark	220		220	69	13.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5282	*Eucalyptus tereticornis*	Forest Red Gum	180		180	57	9.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5283	*Corymbia intermedia*	Pink Bloodwood	280	140	313	98	13.0	6.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5284	*Corymbia intermedia*	Pink Bloodwood	180		180	57	9.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5285	*Corymbia intermedia*	Pink Bloodwood	400		400	126	13.0	7.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5286	*Eucalyptus tereticornis*	Forest Red Gum	300		300	94	14.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5287	*Eucalyptus tereticornis*	Forest Red Gum	300		300	94	15.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5288	*Corymbia intermedia*	Pink Bloodwood	200		200	63	11.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5289	*Corymbia intermedia*	Pink Bloodwood	190		190	60	13.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5290	*Eucalyptus tereticornis*	Forest Red Gum	270		270	85	18.0	12.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5291	*Angophora leiocarpa*	Smooth-barked Apple	160		160	50	15.0	7.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5292	*Angophora leiocarpa*	Smooth-barked Apple	180		180	57	7.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5293	*Corymbia intermedia*	Pink Bloodwood	410		410	129	15.0	11.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5294	*Corymbia intermedia*	Pink Bloodwood	240		240	75	13.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5295	*Corymbia intermedia*	Pink Bloodwood	260	230	347	109	14.0	7.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5296	*Corymbia intermedia*	Pink Bloodwood	240		240	75	15.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5297	*Corymbia intermedia*	Pink Bloodwood	150		150	47	10.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5298	*Corymbia intermedia*	Pink Bloodwood	170		170	53	14.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5299	*Angophora leiocarpa*	Smooth-barked Apple	260		260	82	18.0	11.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5300	*Corymbia intermedia*	Pink Bloodwood	210		210	66	14.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5301	*Corymbia intermedia*	Pink Bloodwood	220	140	261	82	15.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5302	*Eucalyptus tereticornis*	Forest Red Gum	170	150	227	71	13.0	5.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5303	*Corymbia intermedia*	Pink Bloodwood	240		240	75	16.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5304	*Corymbia intermedia*	Pink Bloodwood	150	120	192	60	9.0	5.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5305	*Corymbia intermedia*	Pink Bloodwood	210		210	66	15.0	12.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5306	*Corymbia intermedia*	Pink Bloodwood	180	170	248	78	15.0	12.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5307	*Eucalyptus tereticornis*	Forest Red Gum	450		450	141	20.0	16.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5308	*Corymbia intermedia*	Pink Bloodwood	260		260	82	14.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5309	*Corymbia intermedia*	Pink Bloodwood	210		210	66	13.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5310	*Corymbia intermedia*	Pink Bloodwood	170		170	53	14.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5311	*Corymbia intermedia*	Pink Bloodwood	200		200	63	8.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5312	*Corymbia intermedia*	Pink Bloodwood	250		250	79	16.0	12.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5313	*Angophora leiocarpa*	Smooth-barked Apple	190		190	60	14.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5314	*Corymbia intermedia*	Pink Bloodwood	170		170	53	13.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5315	*Corymbia intermedia*	Pink Bloodwood	180		180	57	12.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5316	*Corymbia intermedia*	Pink Bloodwood	160		160	50	14.0	7.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5317	*Corymbia intermedia*	Pink Bloodwood	130		130	41	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5318	*Corymbia intermedia*	Pink Bloodwood	240		240	75	15.0	10.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5319	*Corymbia intermedia*	Pink Bloodwood	200		200	63	16.0	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5320	*Corymbia intermedia*	Pink Bloodwood	180		180	57	14.0	7.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5321	*Lophostemon suaveolens*	Swamp Box	230		230	72	14.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5322	*Corymbia intermedia*	Pink Bloodwood	200		200	63	14.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5323	*Corymbia intermedia*	Pink Bloodwood	140	100	172	54	7.0	2.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5324	*Corymbia intermedia*	Pink Bloodwood	160		160	50	13.0	7.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5325	*Lophostemon suaveolens*	Swamp Box	180		180	57	9.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5326	*Corymbia intermedia*	Pink Bloodwood	190		190	60	14.0	7.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5327	*Angophora leiocarpa*	Smooth-barked Apple	320	170	362	114	20.0	15.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5328	*Angophora leiocarpa*	Smooth-barked Apple	160		160	50	9.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5329	*Lophostemon suaveolens*	Swamp Box	120		120	38	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5330	*Lophostemon suaveolens*	Swamp Box	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5331	*Corymbia intermedia*	Pink Bloodwood	230		230	72	14.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5332	*Corymbia intermedia*	Pink Bloodwood	270	290	396	124	22.0	16.0	4.8	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5333	*Eucalyptus tereticornis*	Forest Red Gum	190		190	60	12.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5334	*Lophostemon suaveolens*	Swamp Box	150		150	47	11.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5335	*Corymbia intermedia*	Pink Bloodwood	220		220	69	14.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5336	*Corymbia intermedia*	Pink Bloodwood	140		140	44	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5337	*Corymbia intermedia*	Pink Bloodwood	250		250	79	13.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5338	*Corymbia intermedia*	Pink Bloodwood	190		190	60	12.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5339	*Corymbia intermedia*	Pink Bloodwood	250		250	79	14.0	10.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5340	*Corymbia intermedia*	Pink Bloodwood	340		340	107	15.0	9.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5341	*Corymbia intermedia*	Pink Bloodwood	120		120	38	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5342	*Corymbia intermedia*	Pink Bloodwood	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5343	*Corymbia intermedia*	Pink Bloodwood	260		260	82	15.0	9.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
5344	*Lophostemon suaveolens*	Swamp Box	120		120	38	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5345	*Corymbia intermedia*	Pink Bloodwood	220		220	69	14.0	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5346	*Corymbia intermedia*	Pink Bloodwood	130		130	41	7.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5347	*Corymbia intermedia*	Pink Bloodwood	220		220	69	13.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5348	*Lophostemon confertus*	Brush Box	310		310	97	15.0	12.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5349	*Dead/Stag*		230		230	72	8.0	1.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5350	*Eucalyptus tereticornis*	Forest Red Gum	270		270	85	13.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5351	*Corymbia intermedia*	Pink Bloodwood	300		300	94	18.0	12.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5352	*Angophora leiocarpa*	Smooth-barked Apple	100		100	31	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5353	*Lophostemon suaveolens*	Swamp Box	110		110	35	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5354	*Corymbia intermedia*	Pink Bloodwood	160		160	50	9.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5355	*Corymbia intermedia*	Pink Bloodwood	390		390	123	14.0	10.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5356	*Corymbia intermedia*	Pink Bloodwood	230		230	72	9.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5357	*Corymbia intermedia*	Pink Bloodwood	170		170	53	12.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5358	*Corymbia intermedia*	Pink Bloodwood	170	170 180	300	94	16.0	11.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5359	*Corymbia intermedia*	Pink Bloodwood	430		430	135	16.0	10.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5360	*Corymbia intermedia*	Pink Bloodwood	170		170	53	14.0	7.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5361	*Angophora leiocarpa*	Smooth-barked Apple	110		110	35	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5362	*Angophora leiocarpa*	Smooth-barked Apple	110		110	35	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5363	*Melaleuca quinquenervia*	Broad-leaved Paperbark	330		330	104	14.0	10.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5364	*Angophora leiocarpa*	Smooth-barked Apple	110		110	35	11.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5365	*Corymbia intermedia*	Pink Bloodwood	240		240	75	13.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
5366	*Eucalyptus crebra*	Narrow-leaved Ironbark	110		110	35	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5367	*Lophostemon suaveolens*	Swamp Box	220		220	69	13.0	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5368	*Angophora leiocarpa*	Smooth-barked Apple	190		190	60	13.0	7.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5369	*Lophostemon suaveolens*	Swamp Box	110		110	35	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5370	*Angophora leiocarpa*	Smooth-barked Apple	270		270	85	16.0	10.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5371	*Corymbia intermedia*	Pink Bloodwood	250		250	79	14.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5372	*Lophostemon suaveolens*	Swamp Box	120		120	38	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5373	*Eucalyptus tereticornis*	Forest Red Gum	280		280	88	13.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5374	*Corymbia intermedia*	Pink Bloodwood	230		230	72	16.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5375	*Angophora leiocarpa*	Smooth-barked Apple	120		120	38	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5376	*Corymbia intermedia*	Pink Bloodwood	300		300	94	16.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5377	*Corymbia intermedia*	Pink Bloodwood	240		240	75	17.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5378	*Eucalyptus tereticornis*	Forest Red Gum	390		390	123	19.0	13.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5379	*Corymbia intermedia*	Pink Bloodwood	170		170	53	11.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5380	*Angophora leiocarpa*	Smooth-barked Apple	170		170	53	12.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5381	*Melaleuca quinquenervia*	Broad-leaved Paperbark	170	150	227	71	12.0	5.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5382	*Lophostemon suaveolens*	Swamp Box	170		170	53	13.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5383	*Eucalyptus tereticornis*	Forest Red Gum	200		200	63	12.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5384	*Melaleuca quinquenervia*	Broad-leaved Paperbark	130		130	41	10.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5385	*Melaleuca quinquenervia*	Broad-leaved Paperbark	140	130	191	60	13.0	6.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5386	*Melaleuca quinquenervia*	Broad-leaved Paperbark	170		170	53	9.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5387	*Lophostemon suaveolens*	Swamp Box	140		140	44	9.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5388	*Corymbia intermedia*	Pink Bloodwood	150		150	47	12.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5389	*Corymbia intermedia*	Pink Bloodwood	150		150	47	9.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5390	*Melaleuca quinquenervia*	Broad-leaved Paperbark	140		140	44	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5391	*Melaleuca quinquenervia*	Broad-leaved Paperbark	150		150	47	12.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5392	*Melaleuca quinquenervia*	Broad-leaved Paperbark	140		140	44	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5393	*Melaleuca quinquenervia*	Broad-leaved Paperbark	140		140	44	11.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5394	*Eucalyptus tereticornis*	Forest Red Gum	160		160	50	13.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5395	*Melaleuca quinquenervia*	Broad-leaved Paperbark	128		128	40	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5396	*Melaleuca quinquenervia*	Broad-leaved Paperbark	130		130	41	11.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5397	*Melaleuca quinquenervia*	Broad-leaved Paperbark	160		160	50	13.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5398	*Melaleuca quinquenervia*	Broad-leaved Paperbark	140		140	44	12.0	7.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5399	*Melaleuca quinquenervia*	Broad-leaved Paperbark	150		150	47	13.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5400	*Melaleuca quinquenervia*	Broad-leaved Paperbark	210		210	66	9.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
5401	*Melaleuca quinquenervia*	Broad-leaved Paperbark	160		160	50	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5402	*Lophostemon suaveolens*	Swamp Box	160		160	50	15.0	9.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5403	*Melaleuca quinquenervia*	Broad-leaved Paperbark	200		200	63	9.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5404	*Lophostemon suaveolens*	Swamp Box	130		130	41	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5405	*Lophostemon suaveolens*	Swamp Box	190		190	60	14.0	7.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5406	*Lophostemon suaveolens*	Swamp Box	100		100	31	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5407	*Lophostemon suaveolens*	Swamp Box	110		110	35	8.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5408	*Lophostemon suaveolens*	Swamp Box	130		130	41	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5409	*Lophostemon suaveolens*	Swamp Box	120		120	38	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5410	*Lophostemon suaveolens*	Swamp Box	100		100	31	5.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5411	*Lophostemon suaveolens*	Swamp Box	150		150	47	9.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5412	*Lophostemon suaveolens*	Swamp Box	140		140	44	9.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5413	*Corymbia intermedia*	Pink Bloodwood	190		190	60	13.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5414	*Lophostemon suaveolens*	Swamp Box	110		110	35	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5415	*Lophostemon suaveolens*	Swamp Box	170		170	53	8.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5416	*Lophostemon suaveolens*	Swamp Box	180		180	57	7.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5417	*Lophostemon suaveolens*	Swamp Box	110		110	35	8.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5418	*Lophostemon suaveolens*	Swamp Box	150		150	47	13.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5419	*Lophostemon suaveolens*	Swamp Box	110		110	35	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5420	*Corymbia intermedia*	Pink Bloodwood	160		160	50	12.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5421	*Corymbia intermedia*	Pink Bloodwood	140		140	44	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5422	*Corymbia intermedia*	Pink Bloodwood	110		110	35	8.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5423	*Corymbia intermedia*	Pink Bloodwood	140		140	44	10.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5424	*Lophostemon suaveolens*	Swamp Box	140		140	44	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
5425	*Lophostemon suaveolens*	Swamp Box	150		150	47	8.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5426	*Lophostemon suaveolens*	Swamp Box	120		120	38	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5427	*Lophostemon suaveolens*	Swamp Box	180		180	57	9.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5428	*Melaleuca quinquenervia*	Broad-leaved Paperbark	210		210	66	10.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5429	*Melaleuca quinquenervia*	Broad-leaved Paperbark	130		130	41	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5430	*Melaleuca quinquenervia*	Broad-leaved Paperbark	160		160	50	7.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5431	*Melaleuca quinquenervia*	Broad-leaved Paperbark	160		160	50	9.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5432	*Lophostemon suaveolens*	Swamp Box	130		130	41	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5433	*Lophostemon suaveolens*	Swamp Box	120		120	38	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5434	*Lophostemon suaveolens*	Swamp Box	140		140	44	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5435	*Lophostemon suaveolens*	Swamp Box	140		140	44	7.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5436	*Lophostemon suaveolens*	Swamp Box	120		120	38	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5437	*Corymbia intermedia*	Pink Bloodwood	170		170	53	14.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5438	*Lophostemon suaveolens*	Swamp Box	110		110	35	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5439	*Corymbia intermedia*	Pink Bloodwood	140		140	44	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5440	*Lophostemon suaveolens*	Swamp Box	140		140	44	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5441	*Lophostemon suaveolens*	Swamp Box	100		100	31	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5442	*Eucalyptus tereticornis*	Forest Red Gum	130		130	41	12.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5443	*Corymbia intermedia*	Pink Bloodwood	220		220	69	13.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5444	*Corymbia intermedia*	Pink Bloodwood	130		130	41	11.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5445	*Eucalyptus tereticornis*	Forest Red Gum	190		190	60	9.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5446	*Corymbia intermedia*	Pink Bloodwood	220		220	69	14.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5447	*Corymbia intermedia*	Pink Bloodwood	310		310	97	16.0	12.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5448	*Corymbia intermedia*	Pink Bloodwood	130		130	41	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5449	*Corymbia intermedia*	Pink Bloodwood	230		230	72	15.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5450	*Corymbia intermedia*	Pink Bloodwood	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5451	*Lophostemon suaveolens*	Swamp Box	130		130	41	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5452	*Lophostemon suaveolens*	Swamp Box	180		180	57	14.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5453	*Corymbia intermedia*	Pink Bloodwood	240		240	75	14.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5454	*Corymbia intermedia*	Pink Bloodwood	140		140	44	11.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5455	*Corymbia intermedia*	Pink Bloodwood	150		150	47	13.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5456	*Corymbia intermedia*	Pink Bloodwood	110		110	35	9.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5457	*Corymbia intermedia*	Pink Bloodwood	140		140	44	13.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5458	*Eucalyptus tereticornis*	Forest Red Gum	140		140	44	10.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5459	*Corymbia intermedia*	Pink Bloodwood	200		200	63	13.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5460	*Lophostemon suaveolens*	Swamp Box	120	100	156	49	12.0	7.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5461	*Lophostemon suaveolens*	Swamp Box	120		120	38	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5462	*Lophostemon suaveolens*	Swamp Box	190		190	60	8.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5463	*Lophostemon suaveolens*	Swamp Box	120		120	38	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5464	*Lophostemon suaveolens*	Swamp Box	190		190	60	11.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5465	*Corymbia intermedia*	Pink Bloodwood	200		200	63	14.0	9.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5466	*Corymbia intermedia*	Pink Bloodwood	150		150	47	11.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5467	*Lophostemon suaveolens*	Swamp Box	110		110	35	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5468	*Corymbia intermedia*	Pink Bloodwood	140		140	44	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5469	*Eucalyptus tereticornis*	Forest Red Gum	270		270	85	14.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5470	*Eucalyptus crebra*	Narrow-leaved Ironbark	230		230	72	14.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5471	*Lophostemon suaveolens*	Swamp Box	150		150	47	8.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5472	*Eucalyptus tereticornis*	Forest Red Gum	220		220	69	14.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5473	*Eucalyptus tereticornis*	Forest Red Gum	150		150	47	8.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5474	*Corymbia intermedia*	Pink Bloodwood	130		130	41	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5475	*Corymbia intermedia*	Pink Bloodwood	150		150	47	11.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5476	*Corymbia intermedia*	Pink Bloodwood	140		140	44	11.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5477	*Corymbia intermedia*	Pink Bloodwood	170		170	53	11.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5478	*Corymbia intermedia*	Pink Bloodwood	140		140	44	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5479	*Eucalyptus tereticornis*	Forest Red Gum	140		140	44	12.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5480	*Corymbia intermedia*	Pink Bloodwood	140		140	44	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5481	*Angophora leiocarpa*	Smooth-barked Apple	160		160	50	13.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5482	*Angophora leiocarpa*	Smooth-barked Apple	170		170	53	13.0	9.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5483	*Angophora leiocarpa*	Smooth-barked Apple	340	290	447	140	19.0	15.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5484	*Eucalyptus tereticornis*	Forest Red Gum	320		320	101	18.0	12.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5485	*Eucalyptus tereticornis*	Forest Red Gum	230		230	72	14.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5486	*Corymbia intermedia*	Pink Bloodwood	170		170	53	13.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5487	*Corymbia tessellaris*	Moreton Bay Ash	190		190	60	13.0	7.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5488	*Corymbia tessellaris*	Moreton Bay Ash	110		110	35	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5489	*Corymbia tessellaris*	Moreton Bay Ash	260		260	82	15.0	9.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5490	*Corymbia tessellaris*	Moreton Bay Ash	170		170	53	13.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5491	*Corymbia intermedia*	Pink Bloodwood	250		250	79	10.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5492	*Eucalyptus tereticornis*	Forest Red Gum	560		560	176	18.0	15.0	6.7	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5493	*Corymbia intermedia*	Pink Bloodwood	180		180	57	9.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5494	*Eucalyptus tereticornis*	Forest Red Gum	180		180	57	9.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5495	*Eucalyptus tereticornis*	Forest Red Gum	170		170	53	13.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5496	*Eucalyptus tereticornis*	Forest Red Gum	140		140	44	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5497	*Eucalyptus tereticornis*	Forest Red Gum	110		110	35	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5498	*Eucalyptus crebra*	Narrow-leaved Ironbark	140		140	44	12.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5499	*Corymbia intermedia*	Pink Bloodwood	160		160	50	13.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5500	*Corymbia intermedia*	Pink Bloodwood	150		150	47	13.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5501	*Corymbia intermedia*	Pink Bloodwood	110		110	35	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5502	*Eucalyptus tereticornis*	Forest Red Gum	120		120	38	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5503	*Eucalyptus crebra*	Narrow-leaved Ironbark	120		120	38	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5504	*Corymbia intermedia*	Pink Bloodwood	230		230	72	15.0	10.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5505	*Lophostemon suaveolens*	Swamp Box	160		160	50	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
5506	*Lophostemon suaveolens*	Swamp Box	110		110	35	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5507	*Corymbia intermedia*	Pink Bloodwood	280		280	88	16.0	9.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5508	*Lophostemon suaveolens*	Swamp Box	160		160	50	7.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5509	*Lophostemon suaveolens*	Swamp Box	100		100	31	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5510	*Corymbia intermedia*	Pink Bloodwood	160		160	50	13.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5511	*Lophostemon suaveolens*	Swamp Box	130		130	41	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5512	*Lophostemon suaveolens*	Swamp Box	140		140	44	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5513	*Eucalyptus crebra*	Narrow-leaved Ironbark	160		160	50	7.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5514	*Corymbia intermedia*	Pink Bloodwood	160		160	50	9.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5515	*Corymbia intermedia*	Pink Bloodwood	140		140	44	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5516	*Lophostemon suaveolens*	Swamp Box	130		130	41	11.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5517	*Eucalyptus crebra*	Narrow-leaved Ironbark	150		150	47	9.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5518	*Eucalyptus tereticornis*	Forest Red Gum	130		130	41	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5519	*Eucalyptus tereticornis*	Forest Red Gum	120		120	38	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5520	*Allocasuarina littoralis*	Black She-oak	120		120	38	8.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5521	*Corymbia intermedia*	Pink Bloodwood	280		280	88	13.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5522	*Lophostemon suaveolens*	Swamp Box	130		130	41	12.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5523	*Lophostemon suaveolens*	Swamp Box	160		160	50	11.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5524	*Lophostemon suaveolens*	Swamp Box	140		140	44	9.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5525	*Lophostemon suaveolens*	Swamp Box	140		140	44	13.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5526	*Lophostemon suaveolens*	Swamp Box	130		130	41	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5527	*Lophostemon suaveolens*	Swamp Box	150		150	47	13.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5528	*Lophostemon suaveolens*	Swamp Box	120		120	38	7.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5529	*Lophostemon suaveolens*	Swamp Box	150		150	47	9.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5530	*Lophostemon suaveolens*	Swamp Box	130		130	41	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5531	*Melaleuca quinquenervia*	Broad-leaved Paperbark	300		300	94	15.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5532	*Melaleuca quinquenervia*	Broad-leaved Paperbark	130		130	41	13.0	8.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5533	*Melaleuca quinquenervia*	Broad-leaved Paperbark	180		180	57	9.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5534	*Melaleuca quinquenervia*	Broad-leaved Paperbark	130		130	41	12.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5535	*Melaleuca quinquenervia*	Broad-leaved Paperbark	130		130	41	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5536	*Melaleuca quinquenervia*	Broad-leaved Paperbark	200		200	63	13.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5537	*Melaleuca quinquenervia*	Broad-leaved Paperbark	120		120	38	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5538	*Melaleuca quinquenervia*	Broad-leaved Paperbark	180		180	57	13.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5539	*Melaleuca quinquenervia*	Broad-leaved Paperbark	160		160	50	14.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5540	*Melaleuca quinquenervia*	Broad-leaved Paperbark	180	240	300	94	14.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5541	*Melaleuca quinquenervia*	Broad-leaved Paperbark	120		120	38	13.0	7.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5542	*Melaleuca quinquenervia*	Broad-leaved Paperbark	210		210	66	13.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5543	*Melaleuca quinquenervia*	Broad-leaved Paperbark	170		170	53	14.0	7.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5544	*Melaleuca quinquenervia*	Broad-leaved Paperbark	150		150	47	8.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5545	*Corymbia intermedia*	Pink Bloodwood	310		310	97	15.0	9.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5546	*Melaleuca quinquenervia*	Broad-leaved Paperbark	100	100	141	44	8.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5547	*Melaleuca quinquenervia*	Broad-leaved Paperbark	220		220	69	11.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5548	*Corymbia intermedia*	Pink Bloodwood	160		160	50	11.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
5549	*Corymbia intermedia*	Pink Bloodwood	130		130	41	12.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5550	*Lophostemon suaveolens*	Swamp Box	130	140	191	60	9.0	6.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5551	*Lophostemon suaveolens*	Swamp Box	140		140	44	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5552	*Lophostemon suaveolens*	Swamp Box	150		150	47	12.0	7.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5553	*Lophostemon suaveolens*	Swamp Box	180		180	57	12.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5554	*Lophostemon suaveolens*	Swamp Box	130		130	41	12.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5555	*Lophostemon suaveolens*	Swamp Box	120		120	38	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5556	*Lophostemon suaveolens*	Swamp Box	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5557	*Corymbia intermedia*	Pink Bloodwood	120		120	38	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5558	*Corymbia intermedia*	Pink Bloodwood	210		210	66	13.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5559	*Corymbia intermedia*	Pink Bloodwood	170		170	53	11.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5560	*Eucalyptus tereticornis*	Forest Red Gum	230		230	72	15.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5561	*Lophostemon suaveolens*	Swamp Box	190		190	60	8.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5562	*Lophostemon suaveolens*	Swamp Box	160		160	50	9.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5563	*Lophostemon suaveolens*	Swamp Box	190		190	60	9.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5564	*Lophostemon suaveolens*	Swamp Box	200		200	63	12.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5565	*Lophostemon suaveolens*	Swamp Box	200		200	63	11.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5566	*Lophostemon suaveolens*	Swamp Box	270		270	85	16.0	12.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5567	*Corymbia intermedia*	Pink Bloodwood	220		220	69	11.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5568	*Corymbia intermedia*	Pink Bloodwood	210		210	66	14.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5569	*Eucalyptus tereticornis*	Forest Red Gum	170		170	53	14.0	7.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5570	*Eucalyptus tereticornis*	Forest Red Gum	210		210	66	14.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5571	*Corymbia tessellaris*	Moreton Bay Ash	160		160	50	14.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5572	*Angophora leiocarpa*	Smooth-barked Apple	230		230	72	16.0	9.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5573	*Corymbia tessellaris*	Moreton Bay Ash	150		150	47	13.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5574	*Eucalyptus tereticornis*	Forest Red Gum	200		200	63	13.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5575	*Eucalyptus tereticornis*	Forest Red Gum	140		140	44	16.0	8.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5576	*Corymbia tessellaris*	Moreton Bay Ash	260		260	82	17.0	12.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5577	*Eucalyptus tereticornis*	Forest Red Gum	270		270	85	14.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5578	*Corymbia tessellaris*	Moreton Bay Ash	120		120	38	13.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5579	*Eucalyptus crebra*	Narrow-leaved Ironbark	230		230	72	16.0	12.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5580	*Corymbia tessellaris*	Moreton Bay Ash	140		140	44	11.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5581	*Corymbia intermedia*	Pink Bloodwood	220		220	69	16.0	12.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5582	*Corymbia citriodora*	Spotted Gum	180		180	57	13.0	7.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5583	*Corymbia intermedia*	Pink Bloodwood	110		110	35	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5584	*Eucalyptus crebra*	Narrow-leaved Ironbark	150		150	47	11.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5585	*Corymbia intermedia*	Pink Bloodwood	180	120	216	68	9.0	6.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5586	*Corymbia intermedia*	Pink Bloodwood	140		140	44	9.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
5587	*Corymbia intermedia*	Pink Bloodwood	110		110	35	7.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5588	*Corymbia intermedia*	Pink Bloodwood	180		180	57	9.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5589	*Eucalyptus crebra*	Narrow-leaved Ironbark	120		120	38	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5590	*Corymbia intermedia*	Pink Bloodwood	190		190	60	13.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5591	*Corymbia intermedia*	Pink Bloodwood	120		120	38	6.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5592	*Corymbia intermedia*	Pink Bloodwood	150		150	47	6.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5593	*Eucalyptus crebra*	Narrow-leaved Ironbark	180	120	216	68	11.0	6.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5594	*Corymbia intermedia*	Pink Bloodwood	190		190	60	12.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5595	*Corymbia intermedia*	Pink Bloodwood	120		120	38	6.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5596	*Eucalyptus crebra*	Narrow-leaved Ironbark	110		110	35	11.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5597	*Corymbia intermedia*	Pink Bloodwood	140		140	44	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5598	*Eucalyptus crebra*	Narrow-leaved Ironbark	150		150	47	10.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5599	*Corymbia intermedia*	Pink Bloodwood	160		160	50	9.0	7.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5600	*Eucalyptus crebra*	Narrow-leaved Ironbark	210		210	66	11.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5601	*Angophora leiocarpa*	Smooth-barked Apple	100		100	31	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5602	*Corymbia intermedia*	Pink Bloodwood	130		130	41	12.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5603	*Corymbia citriodora*	Spotted Gum	210		210	66	11.0	8.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5604	*Corymbia intermedia*	Pink Bloodwood	110		110	35	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5605	*Corymbia intermedia*	Pink Bloodwood	130		130	41	10.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5606	*Corymbia intermedia*	Pink Bloodwood	170		170	53	12.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5607	*Corymbia intermedia*	Pink Bloodwood	190		190	60	7.0	7.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5608	*Corymbia intermedia*	Pink Bloodwood	130		130	41	6.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5609	*Corymbia intermedia*	Pink Bloodwood	190		190	60	12.0	8.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5610	*Corymbia intermedia*	Pink Bloodwood	200		200	63	14.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5611	*Corymbia intermedia*	Pink Bloodwood	140		140	44	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5612	*Corymbia citriodora*	Spotted Gum	330		330	104	14.0	9.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5613	*Corymbia intermedia*	Pink Bloodwood	170		170	53	12.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5614	*Corymbia intermedia*	Pink Bloodwood	290		290	91	13.0	10.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5615	*Corymbia intermedia*	Pink Bloodwood	130		130	41	13.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5616	*Corymbia intermedia*	Pink Bloodwood	190		190	60	11.0	7.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5617	*Corymbia intermedia*	Pink Bloodwood	150	140	205	64	13.0	8.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5618	*Corymbia intermedia*	Pink Bloodwood	140		140	44	12.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5619	*Corymbia intermedia*	Pink Bloodwood	160		160	50	10.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5620	*Corymbia intermedia*	Pink Bloodwood	180		180	57	12.0	10.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5621	*Lophostemon suaveolens*	Swamp Box	180		180	57	10.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5622	*Melaleuca quinquenervia*	Broad-leaved Paperbark	200		200	63	14.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5623	*Melaleuca quinquenervia*	Broad-leaved Paperbark	170		170	53	8.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5624	*Eucalyptus tereticornis*	Forest Red Gum	200		200	63	11.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5625	*Angophora leiocarpa*	Smooth-barked Apple	480		480	151	13.0	11.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5626	*Angophora leiocarpa*	Smooth-barked Apple	130		130	41	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5627	*Melaleuca quinquenervia*	Broad-leaved Paperbark	180		180	57	13.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5628	*Angophora leiocarpa*	Smooth-barked Apple	190		190	60	12.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5629	*Lophostemon suaveolens*	Swamp Box	120		120	38	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5630	*Corymbia intermedia*	Pink Bloodwood	240		240	75	13.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
5631	*Corymbia intermedia*	Pink Bloodwood	280		280	88	14.0	11.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5632	*Eucalyptus tereticornis*	Forest Red Gum	370		370	116	13.0	9.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5633	*Corymbia intermedia*	Pink Bloodwood	110		110	35	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5634	*Melaleuca quinquenervia*	Broad-leaved Paperbark	130	120	177	56	12.0	5.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5635	*Corymbia intermedia*	Pink Bloodwood	100		100	31	9.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5636	*Corymbia intermedia*	Pink Bloodwood	150		150	47	12.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5637	*Lophostemon suaveolens*	Swamp Box	120		120	38	5.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5638	*Corymbia intermedia*	Pink Bloodwood	110		110	35	7.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5639	*Corymbia intermedia*	Pink Bloodwood	130		130	41	11.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5640	*Corymbia intermedia*	Pink Bloodwood	200		200	63	14.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5641	*Corymbia intermedia*	Pink Bloodwood	160		160	50	12.0	7.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5642	*Corymbia intermedia*	Pink Bloodwood	490		490	154	14.0	12.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5643	*Corymbia intermedia*	Pink Bloodwood	240		240	75	13.0	10.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5644	*Lophostemon suaveolens*	Swamp Box	200		200	63	10.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5645	*Corymbia intermedia*	Pink Bloodwood	140		140	44	4.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5646	*Corymbia intermedia*	Pink Bloodwood	130		130	41	11.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5647	*Corymbia intermedia*	Pink Bloodwood	190		190	60	12.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5648	*Corymbia intermedia*	Pink Bloodwood	280		280	88	14.0	9.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5649	*Corymbia intermedia*	Pink Bloodwood	180		180	57	11.0	8.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5650	*Corymbia intermedia*	Pink Bloodwood	140		140	44	6.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5651	*Corymbia intermedia*	Pink Bloodwood	160		160	50	10.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5652	*Eucalyptus tereticornis*	Forest Red Gum	170		170	53	13.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5653	*Corymbia intermedia*	Pink Bloodwood	160		160	50	11.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5654	*Corymbia intermedia*	Pink Bloodwood	170		170	53	12.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5655	*Corymbia intermedia*	Pink Bloodwood	110		110	35	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5656	*Corymbia intermedia*	Pink Bloodwood	200		200	63	12.0	10.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5657	*Corymbia intermedia*	Pink Bloodwood	170		170	53	13.0	7.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5658	*Corymbia intermedia*	Pink Bloodwood	140		140	44	12.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5659	*Eucalyptus tereticornis*	Forest Red Gum	120		120	38	13.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5660	*Corymbia citriodora*	Spotted Gum	180		180	57	14.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5661	*Corymbia intermedia*	Pink Bloodwood	100		100	31	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5662	*Angophora leiocarpa*	Smooth-barked Apple	150		150	47	12.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5663	*Eucalyptus tereticornis*	Forest Red Gum	170		170	53	14.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5664	*Corymbia intermedia*	Pink Bloodwood	160		160	50	14.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5665	*Eucalyptus crebra*	Narrow-leaved Ironbark	170		170	53	14.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5666	*Corymbia intermedia*	Pink Bloodwood	110		110	35	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5667	*Eucalyptus crebra*	Narrow-leaved Ironbark	100		100	31	7.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
5668	*Eucalyptus crebra*	Narrow-leaved Ironbark	150		150	47	13.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5669	*Corymbia intermedia*	Pink Bloodwood	120		120	38	12.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5670	*Corymbia intermedia*	Pink Bloodwood	120		120	38	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5671	*Corymbia citriodora*	Spotted Gum	110		110	35	10.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5672	*Eucalyptus crebra*	Narrow-leaved Ironbark	160		160	50	12.0	7.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5673	*Eucalyptus crebra*	Narrow-leaved Ironbark	130		130	41	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5674	*Lophostemon suaveolens*	Swamp Box	100		100	31	3.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5675	*Eucalyptus tereticornis*	Forest Red Gum	100		100	31	10.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5676	*Corymbia citriodora*	Spotted Gum	260		260	82	14.0	9.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5677	*Eucalyptus tereticornis*	Forest Red Gum	200		200	63	13.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5678	*Corymbia intermedia*	Pink Bloodwood	250		250	79	13.0	9.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5679	*Corymbia intermedia*	Pink Bloodwood	160		160	50	12.0	6.0	2.0	1.5	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5680	*Corymbia citriodora*	Spotted Gum	110		110	35	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5681	*Corymbia intermedia*	Pink Bloodwood	100		100	31	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5682	*Corymbia intermedia*	Pink Bloodwood	190		190	60	7.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5683	*Angophora leiocarpa*	Smooth-barked Apple	100		100	31	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5684	*Eucalyptus crebra*	Narrow-leaved Ironbark	130		130	41	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5685	*Angophora leiocarpa*	Smooth-barked Apple	140		140	44	11.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5686	*Eucalyptus tereticornis*	Forest Red Gum	270		270	85	14.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5687	*Eucalyptus crebra*	Narrow-leaved Ironbark	270		270	85	14.0	10.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5688	*Corymbia intermedia*	Pink Bloodwood	460		460	145	13.0	11.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5689	*Angophora leiocarpa*	Smooth-barked Apple	220		220	69	10.0	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5690	*Corymbia intermedia*	Pink Bloodwood	140		140	44	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5691	*Corymbia intermedia*	Pink Bloodwood	130		130	41	7.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5692	*Angophora leiocarpa*	Smooth-barked Apple	140		140	44	13.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5693	*Corymbia intermedia*	Pink Bloodwood	110		110	35	5.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5694	*Eucalyptus crebra*	Narrow-leaved Ironbark	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5695	*Corymbia intermedia*	Pink Bloodwood	240		240	75	13.0	9.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5696	*Corymbia intermedia*	Pink Bloodwood	140		140	44	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5697	*Corymbia intermedia*	Pink Bloodwood	160		160	50	12.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5698	*Corymbia intermedia*	Pink Bloodwood	110		110	35	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5699	*Corymbia intermedia*	Pink Bloodwood	110		110	35	9.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5700	*Eucalyptus crebra*	Narrow-leaved Ironbark	190		190	60	12.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5701	*Eucalyptus crebra*	Narrow-leaved Ironbark	360		360	113	13.0	10.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5702	*Corymbia intermedia*	Pink Bloodwood	110		110	35	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5703	*Corymbia intermedia*	Pink Bloodwood	100		100	31	8.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5704	*Corymbia intermedia*	Pink Bloodwood	480		480	151	14.0	12.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5705	*Corymbia intermedia*	Pink Bloodwood	320		320	101	14.0	9.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5706	*Corymbia intermedia*	Pink Bloodwood	230		230	72	12.0	11.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5707	*Corymbia intermedia*	Pink Bloodwood	120		120	38	12.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5708	*Corymbia intermedia*	Pink Bloodwood	170		170	53	13.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5709	*Corymbia intermedia*	Pink Bloodwood	190		190	60	12.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5710	*Corymbia intermedia*	Pink Bloodwood	200		200	63	14.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5711	*Corymbia intermedia*	Pink Bloodwood	180		180	57	13.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5712	*Corymbia intermedia*	Pink Bloodwood	190		190	60	12.0	7.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5713	*Lophostemon suaveolens*	Swamp Box	100		100	31	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5714	*Lophostemon suaveolens*	Swamp Box	140		140	44	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5715	*Corymbia intermedia*	Pink Bloodwood	280		280	88	12.0	10.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5716	*Corymbia intermedia*	Pink Bloodwood	120		120	38	10.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5717	*Lophostemon suaveolens*	Swamp Box	190		190	60	8.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5718	*Corymbia intermedia*	Pink Bloodwood	270	140	304	96	13.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5719	*Lophostemon suaveolens*	Swamp Box	100		100	31	6.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5720	*Corymbia intermedia*	Pink Bloodwood	230		230	72	14.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5721	*Corymbia intermedia*	Pink Bloodwood	120		120	38	10.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5722	*Corymbia intermedia*	Pink Bloodwood	110		110	35	9.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5723	*Corymbia intermedia*	Pink Bloodwood	250		250	79	14.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5724	*Corymbia intermedia*	Pink Bloodwood	170		170	53	12.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5725	*Corymbia intermedia*	Pink Bloodwood	110		110	35	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
5726	*Corymbia intermedia*	Pink Bloodwood	110		110	35	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
5727	*Lophostemon suaveolens*	Swamp Box	130		130	41	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5728	*Lophostemon suaveolens*	Swamp Box	110		110	35	6.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5729	*Lophostemon suaveolens*	Swamp Box	100		100	31	4.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5730	*Lophostemon suaveolens*	Swamp Box	100		100	31	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5731	*Corymbia intermedia*	Pink Bloodwood	150		150	47	8.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5732	*Corymbia intermedia*	Pink Bloodwood	220		220	69	14.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5733	*Melaleuca quinquenervia*	Broad-leaved Paperbark	110		110	35	6.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5734	*Lophostemon suaveolens*	Swamp Box	120		120	38	6.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5735	*Lophostemon suaveolens*	Swamp Box	230		230	72	9.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5736	*Corymbia intermedia*	Pink Bloodwood	250		250	79	13.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5737	*Corymbia intermedia*	Pink Bloodwood	100		100	31	7.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5738	*Angophora leiocarpa*	Smooth-barked Apple	130		130	41	11.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5739	*Corymbia intermedia*	Pink Bloodwood	100		100	31	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5740	*Corymbia intermedia*	Pink Bloodwood	140		140	44	10.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5741	*Lophostemon suaveolens*	Swamp Box	100		100	31	7.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5742	*Lophostemon suaveolens*	Swamp Box	110		110	35	7.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5743	*Lophostemon suaveolens*	Swamp Box	110		110	35	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5744	*Lophostemon suaveolens*	Swamp Box	180		180	57	10.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5745	*Corymbia intermedia*	Pink Bloodwood	920		920	289	14.0	12.0	11.0	3.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Remove	
5746	*Corymbia intermedia*	Pink Bloodwood	120		120	38	11.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5747	*Corymbia intermedia*	Pink Bloodwood	150		150	47	9.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5748	*Lophostemon suaveolens*	Swamp Box	100		100	31	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
5749	*Corymbia intermedia*	Pink Bloodwood	210		210	66	13.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5750	*Corymbia intermedia*	Pink Bloodwood	170		170	53	8.0	7.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5751	*Corymbia intermedia*	Pink Bloodwood	210		210	66	13.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5752	*Dead/Stag*		500		500	157	14.0	6.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Remove	
5753	*Corymbia intermedia*	Pink Bloodwood	240		240	75	13.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5754	*Eucalyptus tereticornis*	Forest Red Gum	300		300	94	14.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5755	*Angophora leiocarpa*	Smooth-barked Apple	560		560	176	14.0	11.0	6.7	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5756	*Angophora leiocarpa*	Smooth-barked Apple	160		160	50	13.0	7.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5757	*Eucalyptus tereticornis*	Forest Red Gum	220		220	69	13.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5758	*Corymbia intermedia*	Pink Bloodwood	110		110	35	11.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5759	*Angophora leiocarpa*	Smooth-barked Apple	520		520	163	14.0	13.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5760	*Angophora leiocarpa*	Smooth-barked Apple	100		100	31	7.0	6.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5761	*Lophostemon suaveolens*	Swamp Box	100		100	31	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5762	*Angophora leiocarpa*	Smooth-barked Apple	110		110	35	8.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5763	*Angophora leiocarpa*	Smooth-barked Apple	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5764	*Corymbia intermedia*	Pink Bloodwood	250		250	79	8.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5765	*Corymbia intermedia*	Pink Bloodwood	130		130	41	8.0	7.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5766	*Corymbia intermedia*	Pink Bloodwood	180		180	57	12.0	7.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5767	*Corymbia citriodora*	Spotted Gum	410		410	129	15.0	12.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5768	*Corymbia intermedia*	Pink Bloodwood	180		180	57	7.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5769	*Corymbia intermedia*	Pink Bloodwood	180		180	57	9.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5770	*Angophora leiocarpa*	Smooth-barked Apple	390		390	123	15.0	9.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5771	*Angophora leiocarpa*	Smooth-barked Apple	210		210	66	12.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5772	*Corymbia intermedia*	Pink Bloodwood	240		240	75	12.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5773	*Angophora leiocarpa*	Smooth-barked Apple	110		110	35	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5774	*Angophora leiocarpa*	Smooth-barked Apple	110		110	35	9.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5775	*Corymbia intermedia*	Pink Bloodwood	180		180	57	13.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5776	*Corymbia intermedia*	Pink Bloodwood	140		140	44	13.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5777	*Corymbia intermedia*	Pink Bloodwood	100		100	31	8.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5778	*Angophora leiocarpa*	Smooth-barked Apple	140		140	44	13.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5779	*Angophora leiocarpa*	Smooth-barked Apple	100		100	31	7.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5780	*Lophostemon suaveolens*	Swamp Box	150		150	47	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5781	*Lophostemon suaveolens*	Swamp Box	180	150	234	74	11.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5782	*Lophostemon suaveolens*	Swamp Box	190		190	60	8.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5783	*Lophostemon suaveolens*	Swamp Box	160		160	50	7.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5784	*Lophostemon suaveolens*	Swamp Box	210	160	264	83	11.0	4.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5785	*Lophostemon suaveolens*	Swamp Box	240		240	75	11.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5786	*Lophostemon suaveolens*	Swamp Box	150		150	47	10.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5787	*Lophostemon suaveolens*	Swamp Box	120		120	38	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5788	*Lophostemon suaveolens*	Swamp Box	160		160	50	11.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5789	*Lophostemon suaveolens*	Swamp Box	160		160	50	11.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5790	*Lophostemon suaveolens*	Swamp Box	210		210	66	9.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5791	*Lophostemon suaveolens*	Swamp Box	320		320	101	12.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5792	*Lophostemon suaveolens*	Swamp Box	110		110	35	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5793	*Corymbia intermedia*	Pink Bloodwood	160		160	50	12.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5794	*Corymbia intermedia*	Pink Bloodwood	130		130	41	11.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5795	*Corymbia intermedia*	Pink Bloodwood	120		120	38	11.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5796	*Eucalyptus tereticornis*	Forest Red Gum	180		180	57	14.0	7.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5797	*Corymbia intermedia*	Pink Bloodwood	190		190	60	12.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5798	*Angophora leiocarpa*	Smooth-barked Apple	180		180	57	12.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5799	*Corymbia intermedia*	Pink Bloodwood	140		140	44	12.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5800	*Lophostemon suaveolens*	Swamp Box	180		180	57	11.0	1.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5801	*Corymbia intermedia*	Pink Bloodwood	130		130	41	11.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5802	*Corymbia intermedia*	Pink Bloodwood	200		200	63	13.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5803	*Corymbia intermedia*	Pink Bloodwood	100		100	31	10.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5804	*Corymbia intermedia*	Pink Bloodwood	110		110	35	9.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5805	*Lophostemon suaveolens*	Swamp Box	180		180	57	6.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5806	*Corymbia intermedia*	Pink Bloodwood	450		450	141	15.0	13.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5807	*Corymbia intermedia*	Pink Bloodwood	310		310	97	13.0	10.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5808	*Lophostemon suaveolens*	Swamp Box	170		170	53	8.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5809	*Lophostemon suaveolens*	Swamp Box	160		160	50	5.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5810	*Lophostemon suaveolens*	Swamp Box	130		130	41	10.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5811	*Lophostemon suaveolens*	Swamp Box	200		200	63	12.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5812	*Lophostemon suaveolens*	Swamp Box	160		160	50	11.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5813	*Lophostemon suaveolens*	Swamp Box	130		130	41	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5814	*Lophostemon suaveolens*	Swamp Box	140		140	44	12.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5815	*Lophostemon suaveolens*	Swamp Box	110		110	35	12.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5816	*Lophostemon suaveolens*	Swamp Box	120		120	38	11.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5817	*Corymbia intermedia*	Pink Bloodwood	110		110	35	11.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5818	*Corymbia intermedia*	Pink Bloodwood	180		180	57	12.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5819	*Corymbia intermedia*	Pink Bloodwood	160		160	50	8.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5820	*Corymbia intermedia*	Pink Bloodwood	220		220	69	13.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5821	*Corymbia intermedia*	Pink Bloodwood	260		260	82	13.0	9.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5822	*Corymbia intermedia*	Pink Bloodwood	160		160	50	11.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5823	*Corymbia intermedia*	Pink Bloodwood	200		200	63	13.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5824	*Corymbia intermedia*	Pink Bloodwood	200		200	63	13.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5825	*Corymbia intermedia*	Pink Bloodwood	280	200	344	108	13.0	9.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5826	*Corymbia intermedia*	Pink Bloodwood	210		210	66	13.0	11.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5827	*Corymbia intermedia*	Pink Bloodwood	480	240	537	169	14.0	11.0	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5828	*Corymbia intermedia*	Pink Bloodwood	140		140	44	12.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5829	*Corymbia intermedia*	Pink Bloodwood	130		130	41	12.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
5830	*Eucalyptus tereticornis*	Forest Red Gum	200		200	63	14.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5831	*Corymbia intermedia*	Pink Bloodwood	170		170	53	8.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5832	*Corymbia intermedia*	Pink Bloodwood	140		140	44	12.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5833	*Corymbia intermedia*	Pink Bloodwood	190		190	60	13.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5834	*Corymbia intermedia*	Pink Bloodwood	160		160	50	12.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
5835	*Corymbia intermedia*	Pink Bloodwood	130		130	41	13.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5836	*Eucalyptus tereticornis*	Forest Red Gum	130		130	41	11.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5837	*Angophora leiocarpa*	Smooth-barked Apple	140		140	44	12.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5838	*Eucalyptus tereticornis*	Forest Red Gum	250		250	79	14.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5839	*Lophostemon suaveolens*	Swamp Box	150	130	198	62	8.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5840	*Corymbia intermedia*	Pink Bloodwood	140		140	44	10.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5841	*Corymbia intermedia*	Pink Bloodwood	170		170	53	11.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5842	*Corymbia intermedia*	Pink Bloodwood	110		110	35	10.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5843	*Lophostemon suaveolens*	Swamp Box	130		130	41	8.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5844	*Lophostemon suaveolens*	Swamp Box	190		190	60	13.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5845	*Lophostemon suaveolens*	Swamp Box	110		110	35	9.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5846	*Corymbia intermedia*	Pink Bloodwood	100		100	31	10.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5847	*Corymbia intermedia*	Pink Bloodwood	110		110	35	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5848	*Corymbia intermedia*	Pink Bloodwood	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5849	*Corymbia intermedia*	Pink Bloodwood	230		230	72	14.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5850	*Lophostemon suaveolens*	Swamp Box	150		150	47	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5851	*Lophostemon suaveolens*	Swamp Box	130		130	41	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5852	*Lophostemon suaveolens*	Swamp Box	160		160	50	12.0	7.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5853	*Lophostemon suaveolens*	Swamp Box	100		100	31	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5854	*Lophostemon suaveolens*	Swamp Box	120		120	38	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5855	*Lophostemon suaveolens*	Swamp Box	140		140	44	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5856	*Eucalyptus tereticornis*	Forest Red Gum	150		150	47	12.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5857	*Lophostemon suaveolens*	Swamp Box	160		160	50	12.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5858	*Lophostemon suaveolens*	Swamp Box	100		100	31	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5859	*Lophostemon suaveolens*	Swamp Box	180		180	57	9.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5860	*Corymbia intermedia*	Pink Bloodwood	200		200	63	13.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5861	*Lophostemon suaveolens*	Swamp Box	120		120	38	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5862	*Corymbia intermedia*	Pink Bloodwood	140		140	44	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5863	*Lophostemon suaveolens*	Swamp Box	120		120	38	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5864	*Lophostemon suaveolens*	Swamp Box	120		120	38	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5865	*Lophostemon suaveolens*	Swamp Box	120		120	38	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5866	*Lophostemon suaveolens*	Swamp Box	150		150	47	6.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5867	*Lophostemon suaveolens*	Swamp Box	130		130	41	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5868	*Lophostemon suaveolens*	Swamp Box	130		130	41	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5869	*Lophostemon suaveolens*	Swamp Box	160		160	50	8.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5870	*Corymbia intermedia*	Pink Bloodwood	190		190	60	13.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5871	*Corymbia intermedia*	Pink Bloodwood	140		140	44	12.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5872	*Corymbia intermedia*	Pink Bloodwood	120		120	38	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5873	*Corymbia intermedia*	Pink Bloodwood	160		160	50	12.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5874	*Lophostemon suaveolens*	Swamp Box	160		160	50	8.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5875	*Eucalyptus tereticornis*	Forest Red Gum	240		240	75	12.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5876	*Lophostemon suaveolens*	Swamp Box	110		110	35	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5877	*Lophostemon suaveolens*	Swamp Box	110		110	35	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5878	*Corymbia intermedia*	Pink Bloodwood	190		190	60	13.0	7.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5879	*Corymbia intermedia*	Pink Bloodwood	100		100	31	11.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5880	*Corymbia intermedia*	Pink Bloodwood	120		120	38	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5881	*Corymbia intermedia*	Pink Bloodwood	200		200	63	13.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5882	*Eucalyptus tereticornis*	Forest Red Gum	160		160	50	12.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5883	*Corymbia intermedia*	Pink Bloodwood	110		110	35	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5884	*Acacia melanoxylon*	Australian Blackwood	130		130	41	6.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
5885	*Corymbia intermedia*	Pink Bloodwood	580		580	182	16.0	12.0	7.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5886	*Lophostemon suaveolens*	Swamp Box	140		140	44	9.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
5887	*Corymbia intermedia*	Pink Bloodwood	100		100	31	7.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5888	*Lophostemon suaveolens*	Swamp Box	100		100	31	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
5889	*Lophostemon suaveolens*	Swamp Box	150		150	47	8.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5890	*Corymbia intermedia*	Pink Bloodwood	100		100	31	6.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5891	*Lophostemon suaveolens*	Swamp Box	110		110	35	5.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5892	*Lophostemon suaveolens*	Swamp Box	180		180	57	13.0	7.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5893	*Lophostemon suaveolens*	Swamp Box	130		130	41	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5894	*Lophostemon suaveolens*	Swamp Box	200	150	250	79	9.0	3.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5895	*Corymbia citriodora*	Spotted Gum	200	110	228	72	14.0	6.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5896	*Lophostemon suaveolens*	Swamp Box	230	180	292	92	14.0	7.0	3.5	2.0	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5897	*Corymbia citriodora*	Spotted Gum	170		170	53	17.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5898	*Lophostemon suaveolens*	Swamp Box	180		180	57	8.0	5.0	2.2	1.6	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5899	*Corymbia citriodora*	Spotted Gum	100		100	31	14.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5900	*Lophostemon suaveolens*	Swamp Box	150	60	162	51	9.0	5.0	2.0	1.5	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5901	*Lophostemon suaveolens*	Swamp Box	180	150	234	74	15.0	8.0	2.8	1.8	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5902	*Dead/Stag*		100		100	31	6.0	1.0	2.0	1.3	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5903	*Lophostemon suaveolens*	Swamp Box	180		180	57	11.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5904	*Lophostemon suaveolens*	Swamp Box	240		240	75	14.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5905	*Lophostemon suaveolens*	Swamp Box	210	140	252	79	14.0	7.0	3.0	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5906	*Lophostemon suaveolens*	Swamp Box	200		200	63	13.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5907	*Lophostemon suaveolens*	Swamp Box	170	100	197	62	15.0	6.0	2.4	1.7	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5908	*Dead/Stag*		160		160	50	12.0	1.0	2.0	1.5	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5909	*Eucalyptus tereticornis*	Forest Red Gum	440		440	138	22.0	10.0	5.3	2.3	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5910	*Acacia concurrens*	Black Wattle	100		100	31	8.0	6.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
5911	*Lophostemon suaveolens*	Swamp Box	100		100	31	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5912	*Corymbia intermedia*	Pink Bloodwood	720		720	226	22.0	13.0	8.6	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5913	*Lophostemon suaveolens*	Swamp Box	290		290	91	15.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5914	*Lophostemon suaveolens*	Swamp Box	240		240	75	15.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5915	*Corymbia intermedia*	Pink Bloodwood	210		210	66	16.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5916	*Lophostemon suaveolens*	Swamp Box	210		210	66	12.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5917	*Corymbia intermedia*	Pink Bloodwood	290	220	364	114	20.0	9.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5918	*Corymbia citriodora*	Spotted Gum	130		130	41	15.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5919	*Corymbia intermedia*	Pink Bloodwood	170		170	53	14.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5920	*Corymbia citriodora*	Spotted Gum	160		160	50	17.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5921	*Lophostemon suaveolens*	Swamp Box	120		120	38	12.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5922	*Corymbia intermedia*	Pink Bloodwood	400	330 140	537	169	21.0	11.0	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5923	*Corymbia intermedia*	Pink Bloodwood	190		190	60	15.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5924	*Lophostemon suaveolens*	Swamp Box	130		130	41	11.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5925	*Corymbia intermedia*	Pink Bloodwood	160		160	50	13.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5926	*Lophostemon suaveolens*	Swamp Box	140		140	44	5.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5927	*Corymbia intermedia*	Pink Bloodwood	170		170	53	14.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5928	*Corymbia intermedia*	Pink Bloodwood	220		220	69	13.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5929	*Eucalyptus tereticornis*	Forest Red Gum	310		310	97	22.0	10.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5930	*Lophostemon suaveolens*	Swamp Box	170		170	53	11.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5931	*Lophostemon suaveolens*	Swamp Box	180		180	57	11.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5932	*Corymbia citriodora*	Spotted Gum	300		300	94	19.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5933	*Lophostemon suaveolens*	Swamp Box	140	120	184	58	9.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5934	*Corymbia citriodora*	Spotted Gum	340		340	107	18.0	9.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5935	*Corymbia citriodora*	Spotted Gum	120		120	38	12.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5936	*Corymbia intermedia*	Pink Bloodwood	250		250	79	20.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5937	*Lophostemon suaveolens*	Swamp Box	180		180	57	13.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5938	*Corymbia intermedia*	Pink Bloodwood	180		180	57	14.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5939	*Corymbia intermedia*	Pink Bloodwood	150		150	47	16.0	7.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5940	*Corymbia intermedia*	Pink Bloodwood	190		190	60	8.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5941	*Corymbia intermedia*	Pink Bloodwood	240	230	332	104	18.0	9.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	A168
5942	*Corymbia intermedia*	Pink Bloodwood	350		350	110	18.0	9.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	A169
5943	*Corymbia intermedia*	Pink Bloodwood	320		320	101	18.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	A170
5944	*Corymbia intermedia*	Pink Bloodwood	110		110	35	9.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5945	*Corymbia intermedia*	Pink Bloodwood	100		100	31	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5946	*Corymbia intermedia*	Pink Bloodwood	100		100	31	9.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5947	*Corymbia intermedia*	Pink Bloodwood	310	270	411	129	16.0	10.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
5948	*Corymbia intermedia*	Pink Bloodwood	100		100	31	11.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
5949	*Corymbia intermedia*	Pink Bloodwood	110		110	35	9.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
5950	*Corymbia intermedia*	Pink Bloodwood	270		270	85	19.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	A103
5951	*Corymbia intermedia*	Pink Bloodwood	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
5952	*Corymbia intermedia*	Pink Bloodwood	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
5953	*Lophostemon suaveolens*	Swamp Box	370	80	379	119	15.0	8.0	4.5	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
5954	*Corymbia citriodora*	Spotted Gum	160		160	50	15.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
5955	*Lophostemon suaveolens*	Swamp Box	130		130	41	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
5956	*Lophostemon suaveolens*	Swamp Box	120		120	38	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
5957	*Dead/Stag*		110		110	35	7.0	1.0	2.0	1.3	Regular	-	-	-	-	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
5958	*Corymbia intermedia*	Pink Bloodwood	290		290	91	20.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	A108
5959	*Lophostemon suaveolens*	Swamp Box	110	80	136	43	5.0	2.0	2.0	1.4	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
5960	*Lophostemon suaveolens*	Swamp Box	160	160	226	71	12.0	7.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	A107
5961	*Corymbia intermedia*	Pink Bloodwood	180	130	222	70	16.0	5.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5962	*Lophostemon suaveolens*	Swamp Box	180		180	57	7.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
5963	*Corymbia citriodora*	Spotted Gum	120		120	38	14.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5964	*Corymbia intermedia*	Pink Bloodwood	270		270	85	20.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	A106
5965	*Lophostemon suaveolens*	Swamp Box	200		200	63	14.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	A105
5966	*Lophostemon suaveolens*	Swamp Box	190		190	60	14.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	A104
5967	*Lophostemon suaveolens*	Swamp Box	150		150	47	14.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5968	*Eucalyptus tereticornis*	Forest Red Gum	130		130	41	5.0	2.0	2.0	1.4	Regular	-	Thinning	Die-back	Epicormic	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5969	*Lophostemon suaveolens*	Swamp Box	220		220	69	14.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5970	*Lophostemon suaveolens*	Swamp Box	250		250	79	14.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5971	*Eucalyptus tereticornis*	Forest Red Gum	300		300	94	20.0	10.0	3.6	2.0	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5972	*Eucalyptus tereticornis*	Forest Red Gum	300		300	94	19.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	A173
5973	*Lophostemon suaveolens*	Swamp Box	200		200	63	13.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	A172
5974	*Lophostemon suaveolens*	Swamp Box	190		190	60	13.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	A171
5975	*Lophostemon suaveolens*	Swamp Box	130	80	153	48	9.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5976	*Lophostemon suaveolens*	Swamp Box	110		110	35	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5977	*Lophostemon suaveolens*	Swamp Box	180		180	57	9.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5978	*Lophostemon suaveolens*	Swamp Box	140	130	191	60	14.0	6.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5979	*Corymbia intermedia*	Pink Bloodwood	140		140	44	14.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
5980	*Lophostemon suaveolens*	Swamp Box	150		150	47	11.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	A020
5981	*Lophostemon suaveolens*	Swamp Box	150		150	47	11.0	3.0	2.0	1.5	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	A119
5982	*Lophostemon suaveolens*	Swamp Box	170		170	53	12.0	3.0	2.0	1.6	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
5983	*Corymbia intermedia*	Pink Bloodwood	660		660	207	18.0	12.0	7.9	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	A111
5984	*Lophostemon suaveolens*	Swamp Box	210		210	66	13.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	A116
5985	*Lophostemon suaveolens*	Swamp Box	130		130	41	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5986	*Lophostemon suaveolens*	Swamp Box	130		130	41	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5987	*Lophostemon suaveolens*	Swamp Box	190		190	60	8.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	A115
5988	*Eucalyptus tereticornis*	Forest Red Gum	200		200	63	19.0	6.0	2.4	1.7	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	A112
5989	*Lophostemon suaveolens*	Swamp Box	150		150	47	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	A113
5990	*Lophostemon suaveolens*	Swamp Box	170		170	53	13.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	A114
5991	*Lophostemon suaveolens*	Swamp Box	160		160	50	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
5992	*Lophostemon suaveolens*	Swamp Box	210		210	66	13.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	A175
5993	*Corymbia intermedia*	Pink Bloodwood	260	220	341	107	20.0	9.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	A174
5994	*Lophostemon suaveolens*	Swamp Box	130		130	41	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5995	*Lophostemon suaveolens*	Swamp Box	100		100	31	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5996	*Lophostemon suaveolens*	Swamp Box	210		210	66	15.0	8.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5997	*Lophostemon suaveolens*	Swamp Box	170		170	53	6.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5998	*Lophostemon suaveolens*	Swamp Box	140		140	44	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5999	*Lophostemon suaveolens*	Swamp Box	150		150	47	9.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6000	*Lophostemon suaveolens*	Swamp Box	150		150	47	9.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6001	*Eucalyptus tereticornis*	Forest Red Gum	340		340	107	22.0	12.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6002	*Lophostemon suaveolens*	Swamp Box	170		170	53	10.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6003	*Lophostemon suaveolens*	Swamp Box	130		130	41	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6004	*Eucalyptus crebra*	Narrow-leaved Ironbark	580		580	182	16.0	12.0	7.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6005	*Corymbia citriodora*	Spotted Gum	270		270	85	10.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6006	*Corymbia citriodora*	Spotted Gum	120		120	38	12.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6007	*Corymbia citriodora*	Spotted Gum	190		190	60	13.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6008	*Corymbia citriodora*	Spotted Gum	350		350	110	15.0	7.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6009	*Corymbia citriodora*	Spotted Gum	250		250	79	16.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6010	*Corymbia citriodora*	Spotted Gum	170		170	53	8.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6011	*Eucalyptus tereticornis*	Forest Red Gum	180		180	57	13.0	8.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6012	*Corymbia citriodora*	Spotted Gum	320		320	101	17.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6013	*Corymbia citriodora*	Spotted Gum	160		160	50	15.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6014	*Corymbia citriodora*	Spotted Gum	150		150	47	10.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6015	*Eucalyptus crebra*	Narrow-leaved Ironbark	140		140	44	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6016	*Corymbia citriodora*	Spotted Gum	130		130	41	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6017	*Corymbia citriodora*	Spotted Gum	140		140	44	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6018	*Eucalyptus crebra*	Narrow-leaved Ironbark	120		120	38	5.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6019	*Corymbia intermedia*	Pink Bloodwood	140	110	178	56	9.0	5.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6020	*Corymbia citriodora*	Spotted Gum	260	90	275	86	18.0	8.0	3.3	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6021	*Eucalyptus crebra*	Narrow-leaved Ironbark	210		210	66	13.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6022	*Eucalyptus tereticornis*	Forest Red Gum	270	250	368	116	18.0	10.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove	
6023	*Corymbia citriodora*	Spotted Gum	130		130	41	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6024	*Eucalyptus tereticornis*	Forest Red Gum	330		330	104	20.0	9.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6025	*Eucalyptus tereticornis*	Forest Red Gum	320		320	101	21.0	11.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6026	*Corymbia citriodora*	Spotted Gum	110	160	194	61	10.0	4.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6027	*Corymbia intermedia*	Pink Bloodwood	100	90	135	42	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6028	*Lophostemon suaveolens*	Swamp Box	170		170	53	8.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6029	*Corymbia intermedia*	Pink Bloodwood	100		100	31	10.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6030	*Corymbia intermedia*	Pink Bloodwood	370		370	116	14.0	8.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
6031	*Lophostemon suaveolens*	Swamp Box	130		130	41	5.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6032	*Corymbia intermedia*	Pink Bloodwood	180		180	57	16.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
6033	*Eucalyptus crebra*	Narrow-leaved Ironbark	100		100	31	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6034	*Corymbia citriodora*	Spotted Gum	100		100	31	10.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6035	*Lophostemon suaveolens*	Swamp Box	120	100	156	49	9.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6036	*Corymbia citriodora*	Spotted Gum	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6037	*Lophostemon suaveolens*	Swamp Box	100		100	31	4.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6038	*Eucalyptus crebra*	Narrow-leaved Ironbark	120		120	38	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6039	*Lophostemon suaveolens*	Swamp Box	100		100	31	5.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6040	*Corymbia citriodora*	Spotted Gum	150		150	47	15.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6041	*Eucalyptus crebra*	Narrow-leaved Ironbark	160		160	50	10.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6042	*Eucalyptus crebra*	Narrow-leaved Ironbark	100		100	31	4.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6043	*Corymbia intermedia*	Pink Bloodwood	110		110	35	10.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6044	*Lophostemon suaveolens*	Swamp Box	110		110	35	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6045	*Lophostemon suaveolens*	Swamp Box	160		160	50	11.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6046	*Lophostemon suaveolens*	Swamp Box	170		170	53	10.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6047	*Lophostemon suaveolens*	Swamp Box	110		110	35	5.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6048	*Corymbia intermedia*	Pink Bloodwood	160	100	189	59	13.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6049	*Lophostemon suaveolens*	Swamp Box	120		120	38	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6050	*Lophostemon suaveolens*	Swamp Box	150		150	47	7.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6051	*Corymbia intermedia*	Pink Bloodwood	130		130	41	8.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
6052	*Corymbia intermedia*	Pink Bloodwood	110		110	35	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6053	*Eucalyptus crebra*	Narrow-leaved Ironbark	300		300	94	17.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6054	*Angophora leiocarpa*	Smooth-barked Apple	320		320	101	19.0	7.0	3.8	2.1	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6055	*Corymbia intermedia*	Pink Bloodwood	160		160	50	15.0	7.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6056	*Corymbia intermedia*	Pink Bloodwood	100		100	31	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6057	*Corymbia intermedia*	Pink Bloodwood	170		170	53	11.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
6058	*Corymbia intermedia*	Pink Bloodwood	100		100	31	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6059	*Corymbia intermedia*	Pink Bloodwood	140		140	44	11.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
6060	*Lophostemon suaveolens*	Swamp Box	130		130	41	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6061	*Eucalyptus tereticornis*	Forest Red Gum	210		210	66	19.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6062	*Lophostemon suaveolens*	Swamp Box	150		150	47	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6063	*Lophostemon suaveolens*	Swamp Box	150		150	47	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6064	*Corymbia intermedia*	Pink Bloodwood	170	200	262	82	15.0	10.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	Fire Dmg.	Poor	-	-	-	-	-	-	Remove	
6065	*Lophostemon suaveolens*	Swamp Box	100		100	31	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6066	*Lophostemon suaveolens*	Swamp Box	150		150	47	10.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6067	*Lophostemon suaveolens*	Swamp Box	150		150	47	8.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6068	*Lophostemon suaveolens*	Swamp Box	140		140	44	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove	
6069	*Lophostemon suaveolens*	Swamp Box	200	70	212	67	15.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6070	*Dead/Stag*		600		600	188	20.0	8.0	7.2	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6071	*Corymbia intermedia*	Pink Bloodwood	200		200	63	18.0	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6072	*Lophostemon suaveolens*	Swamp Box	180	170	248	78	16.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
6073	*Lophostemon suaveolens*	Swamp Box	100		100	31	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6074	*Lophostemon suaveolens*	Swamp Box	210		210	66	17.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove	
6075	*Lophostemon suaveolens*	Swamp Box	100		100	31	10.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6076	*Lophostemon suaveolens*	Swamp Box	180		180	57	14.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6077	*Eucalyptus tereticornis*	Forest Red Gum	160		160	50	16.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6078	*Lophostemon suaveolens*	Swamp Box	280		280	88	17.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6079	*Lophostemon suaveolens*	Swamp Box	120		120	38	5.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6080	*Lophostemon suaveolens*	Swamp Box	120		120	38	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6081	*Lophostemon suaveolens*	Swamp Box	130		130	41	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6082	*Lophostemon suaveolens*	Swamp Box	130	70	148	46	10.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6083	*Lophostemon suaveolens*	Swamp Box	100		100	31	9.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6084	*Lophostemon suaveolens*	Swamp Box	120		120	38	10.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6085	*Lophostemon suaveolens*	Swamp Box	120		120	38	10.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6086	*Lophostemon suaveolens*	Swamp Box	160		160	50	6.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove	
6087	*Corymbia intermedia*	Pink Bloodwood	300	280	410	129	19.0	9.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
6088	*Corymbia intermedia*	Pink Bloodwood	340		340	107	20.0	11.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6089	*Corymbia intermedia*	Pink Bloodwood	550		550	173	16.0	14.0	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
6090	*Lophostemon suaveolens*	Swamp Box	130	100	164	52	15.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6091	*Lophostemon suaveolens*	Swamp Box	120	90	150	47	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6092	*Lophostemon suaveolens*	Swamp Box	100		100	31	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6093	*Eucalyptus tereticornis*	Forest Red Gum	280	210 150	381	120	20.0	9.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
6094	*Lophostemon suaveolens*	Swamp Box	170		170	53	14.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6095	*Lophostemon suaveolens*	Swamp Box	150		150	47	11.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6096	*Lophostemon suaveolens*	Swamp Box	140		140	44	11.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6097	*Lophostemon suaveolens*	Swamp Box	100		100	31	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6098	*Lophostemon suaveolens*	Swamp Box	210		210	66	14.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
6099	*Lophostemon suaveolens*	Swamp Box	190		190	60	16.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6100	*Lophostemon suaveolens*	Swamp Box	100		100	31	9.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6101	*Lophostemon suaveolens*	Swamp Box	220		220	69	13.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6102	*Lophostemon suaveolens*	Swamp Box	190		190	60	16.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6103	*Lophostemon suaveolens*	Swamp Box	250		250	79	18.0	9.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove	
6104	*Lophostemon suaveolens*	Swamp Box	120		120	38	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6105	*Lophostemon suaveolens*	Swamp Box	120		120	38	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6106	*Lophostemon suaveolens*	Swamp Box	160		160	50	13.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6107	*Lophostemon suaveolens*	Swamp Box	180		180	57	17.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6108	*Lophostemon suaveolens*	Swamp Box	130		130	41	13.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6109	*Lophostemon suaveolens*	Swamp Box	110		110	35	4.0	2.0	2.0	1.3	Regular	-	-	-	Epicormic	Lopped	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove	
6110	*Lophostemon suaveolens*	Swamp Box	110		110	35	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove	
6111	*Lophostemon suaveolens*	Swamp Box	140		140	44	10.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6112	*Lophostemon suaveolens*	Swamp Box	100		100	31	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6113	*Lophostemon suaveolens*	Swamp Box	210		210	66	11.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6114	*Lophostemon suaveolens*	Swamp Box	110		110	35	4.0	2.0	2.0	1.3	Regular	-	-	-	Epicormic	Lopped	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove	
6115	*Corymbia intermedia*	Pink Bloodwood	230	120	259	81	19.0	9.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6116	*Lophostemon suaveolens*	Swamp Box	150		150	47	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove	
6117	*Lophostemon suaveolens*	Swamp Box	110		110	35	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6118	*Lophostemon suaveolens*	Swamp Box	220		220	69	18.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6119	*Lophostemon suaveolens*	Swamp Box	190		190	60	17.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6120	*Lophostemon suaveolens*	Swamp Box	180		180	57	17.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6121	*Lophostemon suaveolens*	Swamp Box	100		100	31	4.0	1.0	2.0	1.3	Regular	-	-	-	-	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6122	*Lophostemon suaveolens*	Swamp Box	110		110	35	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6123	*Lophostemon suaveolens*	Swamp Box	120		120	38	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6124	*Lophostemon suaveolens*	Swamp Box	110		110	35	7.0	2.0	2.0	1.3	Regular	-	-	-	-	Lopped	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove	
6125	*Lophostemon suaveolens*	Swamp Box	210		210	66	15.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6126	*Lophostemon suaveolens*	Swamp Box	230		230	72	18.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6127	*Eucalyptus tereticornis*	Forest Red Gum	300		300	94	17.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	Minor	-	Trunk Dmg.	-	Poor	-	-	-	-	-	-	Retain	
6128	*Lophostemon suaveolens*	Swamp Box	270		270	85	18.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6129	*Lophostemon suaveolens*	Swamp Box	150		150	47	10.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain	
6130	*Lophostemon suaveolens*	Swamp Box	150		150	47	11.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6131	*Eucalyptus tereticornis*	Forest Red Gum	320		320	101	18.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6132	*Lophostemon suaveolens*	Swamp Box	290		290	91	17.0	9.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6133	*Lophostemon suaveolens*	Swamp Box	170		170	53	10.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6134	*Lophostemon suaveolens*	Swamp Box	270		270	85	19.0	9.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6135	*Lophostemon suaveolens*	Swamp Box	190		190	60	18.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6136	*Lophostemon suaveolens*	Swamp Box	170		170	53	17.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6137	*Lophostemon suaveolens*	Swamp Box	200		200	63	18.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6138	*Lophostemon suaveolens*	Swamp Box	250		250	79	18.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6139	*Lophostemon suaveolens*	Swamp Box	140		140	44	4.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6140	*Lophostemon suaveolens*	Swamp Box	220		220	69	18.0	10.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6141	*Eucalyptus tereticornis*	Forest Red Gum	240		240	75	18.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6142	*Lophostemon suaveolens*	Swamp Box	170		170	53	15.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6143	*Lophostemon suaveolens*	Swamp Box	200		200	63	14.0	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6144	*Lophostemon suaveolens*	Swamp Box	210		210	66	14.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6145	*Lophostemon suaveolens*	Swamp Box	200	110	228	72	18.0	6.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6146	*Lophostemon suaveolens*	Swamp Box	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6147	*Lophostemon suaveolens*	Swamp Box	190		190	60	15.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6148	*Lophostemon suaveolens*	Swamp Box	170		170	53	9.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6149	*Lophostemon suaveolens*	Swamp Box	200		200	63	16.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6150	*Lophostemon suaveolens*	Swamp Box	210		210	66	15.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6151	*Lophostemon suaveolens*	Swamp Box	240		240	75	16.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6152	*Lophostemon suaveolens*	Swamp Box	160		160	50	12.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6153	*Lophostemon suaveolens*	Swamp Box	160		160	50	14.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
6154	*Lophostemon suaveolens*	Swamp Box	150		150	47	12.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6155	*Lophostemon suaveolens*	Swamp Box	230		230	72	13.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6156	*Lophostemon suaveolens*	Swamp Box	210		210	66	15.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6157	*Lophostemon suaveolens*	Swamp Box	120		120	38	10.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6158	*Lophostemon suaveolens*	Swamp Box	150		150	47	11.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6159	*Lophostemon suaveolens*	Swamp Box	120		120	38	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6160	*Lophostemon suaveolens*	Swamp Box	140		140	44	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6161	*Lophostemon suaveolens*	Swamp Box	160		160	50	14.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6162	*Lophostemon suaveolens*	Swamp Box	200		200	63	10.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retain	
6163	*Lophostemon suaveolens*	Swamp Box	210		210	66	16.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6164	*Lophostemon suaveolens*	Swamp Box	140		140	44	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6165	*Lophostemon suaveolens*	Swamp Box	180		180	57	13.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6166	*Eucalyptus tereticornis*	Forest Red Gum	500		500	157	20.0	9.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain	
6167	*Lophostemon suaveolens*	Swamp Box	160		160	50	13.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6168	*Lophostemon suaveolens*	Swamp Box	170		170	53	16.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6169	*Angophora leiocarpa*	Smooth-barked Apple	110		110	35	8.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retain	
6170	*Corymbia intermedia*	Pink Bloodwood	140		140	44	12.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6171	*Corymbia intermedia*	Pink Bloodwood	160		160	50	13.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6172	*Melaleuca quinquenervia*	Broad-leaved Paperbark	200		200	63	16.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6173	*Lophostemon suaveolens*	Swamp Box	120		120	38	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6174	*Lophostemon suaveolens*	Swamp Box	150		150	47	14.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6175	*Lophostemon suaveolens*	Swamp Box	160		160	50	10.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6176	*Lophostemon suaveolens*	Swamp Box	190		190	60	10.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6177	*Corymbia intermedia*	Pink Bloodwood	110		110	35	10.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6178	*Lophostemon suaveolens*	Swamp Box	120		120	38	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6179	*Lophostemon suaveolens*	Swamp Box	140		140	44	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6180	*Lophostemon suaveolens*	Swamp Box	140		140	44	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6181	*Lophostemon suaveolens*	Swamp Box	180		180	57	13.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6182	*Lophostemon suaveolens*	Swamp Box	130		130	41	10.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6183	*Lophostemon suaveolens*	Swamp Box	100		100	31	11.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6184	*Melaleuca quinquenervia*	Broad-leaved Paperbark	180		180	57	8.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6185	*Lophostemon suaveolens*	Swamp Box	100		100	31	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6186	*Eucalyptus tereticornis*	Forest Red Gum	300		300	94	17.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove	
6187	*Eucalyptus tereticornis*	Forest Red Gum	250		250	79	17.0	6.0	3.0	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6188	*Eucalyptus tereticornis*	Forest Red Gum	310		310	97	19.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6189	*Lophostemon suaveolens*	Swamp Box	110		110	35	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6190	*Lophostemon suaveolens*	Swamp Box	170		170	53	15.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6191	*Lophostemon suaveolens*	Swamp Box	120		120	38	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6192	*Lophostemon suaveolens*	Swamp Box	100		100	31	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6193	*Lophostemon suaveolens*	Swamp Box	130		130	41	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6194	*Eucalyptus tereticornis*	Forest Red Gum	160		160	50	16.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6195	*Lophostemon suaveolens*	Swamp Box	130		130	41	10.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6196	*Corymbia citriodora*	Spotted Gum	260		260	82	16.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6197	*Lophostemon suaveolens*	Swamp Box	190		190	60	13.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6198	*Lophostemon suaveolens*	Swamp Box	240		240	75	13.0	3.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove	
6199	*Lophostemon suaveolens*	Swamp Box	100		100	31	10.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6200	*Lophostemon suaveolens*	Swamp Box	100		100	31	9.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6201	*Lophostemon suaveolens*	Swamp Box	110		110	35	10.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6202	*Lophostemon suaveolens*	Swamp Box	100		100	31	3.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6203	*Lophostemon suaveolens*	Swamp Box	160	100 90	209	66	9.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6204	*Corymbia intermedia*	Pink Bloodwood	120		120	38	10.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6205	*Lophostemon suaveolens*	Swamp Box	120		120	38	11.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6206	*Lophostemon suaveolens*	Swamp Box	130		130	41	10.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6207	*Lophostemon suaveolens*	Swamp Box	100		100	31	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6208	*Lophostemon suaveolens*	Swamp Box	130		130	41	10.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6209	*Lophostemon suaveolens*	Swamp Box	220	110	246	77	16.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6210	*Corymbia intermedia*	Pink Bloodwood	180		180	57	17.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6211	*Lophostemon suaveolens*	Swamp Box	100		100	31	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6212	*Lophostemon suaveolens*	Swamp Box	120		120	38	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6213	*Lophostemon suaveolens*	Swamp Box	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6214	*Lophostemon suaveolens*	Swamp Box	100		100	31	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6215	*Lophostemon suaveolens*	Swamp Box	100		100	31	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6216	*Lophostemon suaveolens*	Swamp Box	200	170	262	82	16.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6217	*Lophostemon suaveolens*	Swamp Box	180		180	57	16.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6218	*Lophostemon suaveolens*	Swamp Box	150		150	47	10.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6219	*Lophostemon suaveolens*	Swamp Box	190		190	60	15.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6220	*Lophostemon suaveolens*	Swamp Box	170		170	53	5.0	3.0	2.0	1.6	Regular	-	-	-	Epicormic	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6221	*Lophostemon suaveolens*	Swamp Box	130		130	41	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6222	*Lophostemon suaveolens*	Swamp Box	120		120	38	5.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6223	*Lophostemon suaveolens*	Swamp Box	150		150	47	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6224	*Corymbia intermedia*	Pink Bloodwood	130		130	41	10.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6225	*Corymbia intermedia*	Pink Bloodwood	150		150	47	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6226	*Lophostemon suaveolens*	Swamp Box	170		170	53	9.0	2.0	2.0	1.6	Regular	-	-	-	-	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6227	*Lophostemon suaveolens*	Swamp Box	180		180	57	11.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6228	*Lophostemon suaveolens*	Swamp Box	140	90	166	52	10.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6229	*Lophostemon suaveolens*	Swamp Box	110		110	35	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6230	*Lophostemon suaveolens*	Swamp Box	200		200	63	9.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6231	*Lophostemon suaveolens*	Swamp Box	120		120	38	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6232	*Lophostemon suaveolens*	Swamp Box	340		340	107	10.0	5.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6233	*Dead/Stag*		640		640	201	20.0	4.0	7.7	2.7	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	Yes	-	-	-	Remove	
6234	*Corymbia intermedia*	Pink Bloodwood	270	160 210 220	437	137	16.0	7.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
6235	*Corymbia intermedia*	Pink Bloodwood	130	120	177	56	8.0	3.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6236	*Corymbia intermedia*	Pink Bloodwood	110		110	35	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6237	*Corymbia intermedia*	Pink Bloodwood	220	250 170	374	117	14.0	7.0	4.5	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6238	*Corymbia intermedia*	Pink Bloodwood	200		200	63	9.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove	
6239	*Corymbia intermedia*	Pink Bloodwood	180		180	57	10.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6240	*Corymbia intermedia*	Pink Bloodwood	340		340	107	17.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6241	*Corymbia intermedia*	Pink Bloodwood	240		240	75	19.0	10.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6242	*Corymbia intermedia*	Pink Bloodwood	180		180	57	16.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove	
6243	*Lophostemon suaveolens*	Swamp Box	120		120	38	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6244	*Angophora leiocarpa*	Smooth-barked Apple	260		260	82	5.0	1.0	3.1	1.9	Regular	-	-	-	Epicormic	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6245	*Eucalyptus tereticornis*	Forest Red Gum	230		230	72	8.0	2.0	2.8	1.8	Regular	-	-	-	Epicormic	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6246	*Lophostemon suaveolens*	Swamp Box	250		250	79	10.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6247	*Corymbia tessellaris*	Moreton Bay Ash	110		110	35	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6248	*Corymbia intermedia*	Pink Bloodwood	130		130	41	10.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6249	*Eucalyptus tereticornis*	Forest Red Gum	220		220	69	16.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove	
6250	*Eucalyptus tereticornis*	Forest Red Gum	200		200	63	16.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove	
6251	*Eucalyptus tereticornis*	Forest Red Gum	170		170	53	14.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6252	*Corymbia intermedia*	Pink Bloodwood	160	150	219	69	12.0	7.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove	
6253	*Corymbia intermedia*	Pink Bloodwood	150	160	219	69	15.0	4.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6254	*Corymbia intermedia*	Pink Bloodwood	180		180	57	16.0	7.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6255	*Corymbia intermedia*	Pink Bloodwood	160	110 120	228	72	14.0	8.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove	
6256	*Corymbia intermedia*	Pink Bloodwood	170		170	53	14.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6257	*Corymbia intermedia*	Pink Bloodwood	240		240	75	17.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6258	*Corymbia tessellaris*	Moreton Bay Ash	100		100	31	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6259	*Corymbia tessellaris*	Moreton Bay Ash	110		110	35	10.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6260	*Corymbia tessellaris*	Moreton Bay Ash	100		100	31	12.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6261	*Corymbia intermedia*	Pink Bloodwood	330		330	104	15.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6262	*Eucalyptus tereticornis*	Forest Red Gum	310		310	97	18.0	9.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6263	*Corymbia intermedia*	Pink Bloodwood	210		210	66	16.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove	
6264	*Corymbia citriodora*	Spotted Gum	240		240	75	18.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6265	*Eucalyptus crebra*	Narrow-leaved Ironbark	160		160	50	15.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6266	*Angophora leiocarpa*	Smooth-barked Apple	200		200	63	16.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6267	*Angophora leiocarpa*	Smooth-barked Apple	280		280	88	18.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6268	*Eucalyptus tereticornis*	Forest Red Gum	310		310	97	17.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove	
6269	*Eucalyptus crebra*	Narrow-leaved Ironbark	340		340	107	15.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6270	*Corymbia citriodora*	Spotted Gum	200		200	63	14.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6271	*Eucalyptus tereticornis*	Forest Red Gum	150		150	47	11.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6272	*Corymbia intermedia*	Pink Bloodwood	320		320	101	15.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove	
6273	*Corymbia citriodora*	Spotted Gum	340		340	107	22.0	12.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6274	*Corymbia intermedia*	Pink Bloodwood	100		100	31	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6275	*Corymbia citriodora*	Spotted Gum	280		280	88	20.0	10.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6276	*Corymbia intermedia*	Pink Bloodwood	570	150	589	185	17.0	10.0	7.1	2.7	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove	
6277	*Lophostemon suaveolens*	Swamp Box	100		100	31	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6278	*Corymbia intermedia*	Pink Bloodwood	150	150	212	67	14.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6279	*Corymbia intermedia*	Pink Bloodwood	110		110	35	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6280	*Corymbia intermedia*	Pink Bloodwood	110		110	35	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6281	*Angophora leiocarpa*	Smooth-barked Apple	100		100	31	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6282	*Corymbia intermedia*	Pink Bloodwood	180	170	248	78	14.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
6283	*Corymbia intermedia*	Pink Bloodwood	180		180	57	10.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6284	*Lophostemon suaveolens*	Swamp Box	140		140	44	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6285	*Eucalyptus tereticornis*	Forest Red Gum	340		340	107	17.0	7.0	4.1	2.1	Regular	-	-	Die-back	-	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove	
6286	*Corymbia intermedia*	Pink Bloodwood	110	110	156	49	7.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove	
6287	*Corymbia intermedia*	Pink Bloodwood	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove	
6288	*Corymbia intermedia*	Pink Bloodwood	140		140	44	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6289	*Eucalyptus crebra*	Narrow-leaved Ironbark	300		300	94	17.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove	
6290	*Corymbia citriodora*	Spotted Gum	270		270	85	16.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6291	*Corymbia intermedia*	Pink Bloodwood	180		180	57	16.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6292	*Lophostemon suaveolens*	Swamp Box	180	100	206	65	13.0	3.0	2.5	1.7	Regular	-	-	-	-	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6293	*Corymbia citriodora*	Spotted Gum	100		100	31	10.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6294	*Corymbia intermedia*	Pink Bloodwood	230		230	72	16.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6295	*Corymbia intermedia*	Pink Bloodwood	140		140	44	4.0	1.0	2.0	1.4	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	Trunk Dmg.	Fire Dmg.	Poor	-	-	-	-	-	-	Remove	
6296	*Corymbia citriodora*	Spotted Gum	160		160	50	15.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6297	*Corymbia intermedia*	Pink Bloodwood	330		330	104	20.0	9.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6298	*Angophora leiocarpa*	Smooth-barked Apple	200	150	250	79	14.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6299	*Corymbia intermedia*	Pink Bloodwood	160		160	50	15.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove	
6300	*Corymbia intermedia*	Pink Bloodwood	240	200	312	98	18.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6301	*Lophostemon suaveolens*	Swamp Box	150		150	47	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6302	*Lophostemon suaveolens*	Swamp Box	160	160 170	283	89	12.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove	
6303	*Eucalyptus tereticornis*	Forest Red Gum	160		160	50	14.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove	
6304	*Lophostemon suaveolens*	Swamp Box	140		140	44	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6305	*Corymbia citriodora*	Spotted Gum	140		140	44	10.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6306	*Angophora leiocarpa*	Smooth-barked Apple	250		250	79	16.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6307	*Corymbia intermedia*	Pink Bloodwood	160		160	50	12.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6308	*Corymbia intermedia*	Pink Bloodwood	140		140	44	14.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6309	*Corymbia intermedia*	Pink Bloodwood	220	190 150	327	103	15.0	7.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6310	*Lophostemon suaveolens*	Swamp Box	180		180	57	14.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6311	*Eucalyptus tereticornis*	Forest Red Gum	210		210	66	17.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6312	*Angophora leiocarpa*	Smooth-barked Apple	150		150	47	16.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6313	*Corymbia intermedia*	Pink Bloodwood	250		250	79	15.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6314	*Lophostemon suaveolens*	Swamp Box	240	150 160	325	102	12.0	6.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove	
6315	*Lophostemon suaveolens*	Swamp Box	150		150	47	9.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
6316	*Lophostemon suaveolens*	Swamp Box	150		150	47	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6317	*Angophora leiocarpa*	Smooth-barked Apple	150		150	47	11.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6318	*Lophostemon suaveolens*	Swamp Box	140		140	44	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6319	*Corymbia intermedia*	Pink Bloodwood	170	90	192	60	14.0	5.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6320	*Corymbia intermedia*	Pink Bloodwood	260		260	82	18.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove	
6321	*Corymbia citriodora*	Spotted Gum	320		320	101	16.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6322	*Corymbia intermedia*	Pink Bloodwood	180		180	57	14.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove	
6323	*Dead/Stag*		450		450	141	18.0	10.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Remove	Large Cut Out Hollow In Trunk
6324	*Corymbia intermedia*	Pink Bloodwood	160		160	50	15.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6325	*Corymbia intermedia*	Pink Bloodwood	230		230	72	15.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6326	*Corymbia intermedia*	Pink Bloodwood	100		100	31	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6327	*Corymbia intermedia*	Pink Bloodwood	220		220	69	15.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6328	*Corymbia intermedia*	Pink Bloodwood	140		140	44	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6329	*Lophostemon suaveolens*	Swamp Box	240		240	75	10.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6330	*Lophostemon suaveolens*	Swamp Box	160	120 100 100	245	77	12.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6331	*Lophostemon suaveolens*	Swamp Box	200	130 170	293	92	11.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6332	*Corymbia intermedia*	Pink Bloodwood	250	130 120 160	346	109	14.0	7.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6333	*Corymbia intermedia*	Pink Bloodwood	120		120	38	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6334	*Corymbia intermedia*	Pink Bloodwood	120		120	38	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6335	*Corymbia intermedia*	Pink Bloodwood	140		140	44	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6336	*Lophostemon suaveolens*	Swamp Box	180	70	193	61	6.0	3.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6337	*Lophostemon suaveolens*	Swamp Box	100		100	31	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6338	*Lophostemon suaveolens*	Swamp Box	200	120	233	73	12.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6339	*Lophostemon suaveolens*	Swamp Box	160		160	50	12.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6340	*Corymbia intermedia*	Pink Bloodwood	100		100	31	4.0	2.0	2.0	1.3	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6341	*Corymbia intermedia*	Pink Bloodwood	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6342	*Corymbia intermedia*	Pink Bloodwood	120	160	200	63	14.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove	
6343	*Corymbia intermedia*	Pink Bloodwood	210	190 190	341	107	18.0	9.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6344	*Corymbia intermedia*	Pink Bloodwood	250		250	79	18.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6345	*Lophostemon suaveolens*	Swamp Box	100		100	31	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6346	*Lophostemon suaveolens*	Swamp Box	100		100	31	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6347	*Corymbia citriodora*	Spotted Gum	120		120	38	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6348	*Corymbia intermedia*	Pink Bloodwood	100		100	31	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6349	*Lophostemon suaveolens*	Swamp Box	100		100	31	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6350	*Angophora leiocarpa*	Smooth-barked Apple	380		380	119	19.0	10.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6351	*Angophora leiocarpa*	Smooth-barked Apple	100		100	31	10.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6352	*Corymbia intermedia*	Pink Bloodwood	160		160	50	10.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6353	*Corymbia intermedia*	Pink Bloodwood	140		140	44	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6354	*Corymbia citriodora*	Spotted Gum	250		250	79	19.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6355	*Corymbia citriodora*	Spotted Gum	190		190	60	18.0	7.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6356	*Lophostemon suaveolens*	Swamp Box	170	150	227	71	10.0	3.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6357	*Angophora leiocarpa*	Smooth-barked Apple	130		130	41	11.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6358	*Angophora leiocarpa*	Smooth-barked Apple	200		200	63	18.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6359	*Eucalyptus tereticornis*	Forest Red Gum	190		190	60	14.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6360	*Corymbia intermedia*	Pink Bloodwood	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6361	*Corymbia intermedia*	Pink Bloodwood	220		220	69	16.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove	
6362	*Eucalyptus tereticornis*	Forest Red Gum	270		270	85	17.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove	
6363	*Angophora leiocarpa*	Smooth-barked Apple	230		230	72	16.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6364	*Angophora leiocarpa*	Smooth-barked Apple	100		100	31	15.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6365	*Corymbia intermedia*	Pink Bloodwood	150		150	47	9.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6366	*Lophostemon suaveolens*	Swamp Box	160		160	50	10.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6367	*Lophostemon suaveolens*	Swamp Box	150		150	47	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6368	*Lophostemon suaveolens*	Swamp Box	130		130	41	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6369	*Corymbia intermedia*	Pink Bloodwood	150		150	47	9.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6370	*Corymbia intermedia*	Pink Bloodwood	140		140	44	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6371	*Lophostemon suaveolens*	Swamp Box	150		150	47	10.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6372	*Lophostemon suaveolens*	Swamp Box	140		140	44	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6373	*Lophostemon suaveolens*	Swamp Box	120		120	38	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6374	*Lophostemon suaveolens*	Swamp Box	220		220	69	14.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6375	*Lophostemon suaveolens*	Swamp Box	200		200	63	8.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6376	*Lophostemon suaveolens*	Swamp Box	130		130	41	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6377	*Lophostemon suaveolens*	Swamp Box	140		140	44	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6378	*Lophostemon suaveolens*	Swamp Box	150		150	47	10.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6379	*Lophostemon suaveolens*	Swamp Box	140	100	172	54	11.0	5.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6380	*Corymbia intermedia*	Pink Bloodwood	140		140	44	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6381	*Lophostemon suaveolens*	Swamp Box	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6382	*Lophostemon suaveolens*	Swamp Box	170	90 140	238	75	10.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6383	*Lophostemon suaveolens*	Swamp Box	170		170	53	9.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6384	*Lophostemon suaveolens*	Swamp Box	170		170	53	9.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6385	*Lophostemon suaveolens*	Swamp Box	170		170	53	9.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove	
6386	*Lophostemon suaveolens*	Swamp Box	200		200	63	10.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6387	*Corymbia intermedia*	Pink Bloodwood	140		140	44	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6388	*Lophostemon suaveolens*	Swamp Box	130		130	41	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6389	*Corymbia intermedia*	Pink Bloodwood	410		410	129	16.0	8.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6390	*Lophostemon suaveolens*	Swamp Box	130		130	41	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6391	*Lophostemon suaveolens*	Swamp Box	170	100	197	62	10.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6392	*Lophostemon suaveolens*	Swamp Box	160		160	50	10.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove	
6393	*Lophostemon suaveolens*	Swamp Box	280	130	309	97	11.0	5.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove	
6394	*Corymbia citriodora*	Spotted Gum	100		100	31	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6395	*Eucalyptus tereticornis*	Forest Red Gum	240		240	75	16.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6396	*Corymbia intermedia*	Pink Bloodwood	150		150	47	10.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
6397	*Lophostemon suaveolens*	Swamp Box	100		100	31	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6398	*Lophostemon suaveolens*	Swamp Box	130		130	41	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6399	*Lophostemon suaveolens*	Swamp Box	190	170	255	80	10.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6400	*Corymbia intermedia*	Pink Bloodwood	140		140	44	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6401	*Corymbia intermedia*	Pink Bloodwood	140	70	157	49	9.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6402	*Lophostemon suaveolens*	Swamp Box	130	130	184	58	8.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6403	*Lophostemon suaveolens*	Swamp Box	150		150	47	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove	
6404	*Lophostemon suaveolens*	Swamp Box	100		100	31	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6405	*Corymbia intermedia*	Pink Bloodwood	150		150	47	10.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6406	*Lophostemon suaveolens*	Swamp Box	230		230	72	12.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6407	*Lophostemon suaveolens*	Swamp Box	190		190	60	11.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6408	*Eucalyptus tereticornis*	Forest Red Gum	210		210	66	17.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6409	*Lophostemon suaveolens*	Swamp Box	100		100	31	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6410	*Lophostemon suaveolens*	Swamp Box	120	40	126	40	10.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6411	*Lophostemon suaveolens*	Swamp Box	130		130	41	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove	
6412	*Corymbia intermedia*	Pink Bloodwood	160		160	50	10.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6413	*Corymbia intermedia*	Pink Bloodwood	140		140	44	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove	
6414	*Lophostemon suaveolens*	Swamp Box	110		110	35	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove	
6415	*Corymbia intermedia*	Pink Bloodwood	130		130	41	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6416	*Corymbia intermedia*	Pink Bloodwood	160		160	50	10.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6417	*Lophostemon suaveolens*	Swamp Box	140		140	44	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6418	*Corymbia intermedia*	Pink Bloodwood	100		100	31	9.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6419	*Corymbia intermedia*	Pink Bloodwood	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove	
6420	*Corymbia intermedia*	Pink Bloodwood	100		100	31	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove	
6421	*Corymbia intermedia*	Pink Bloodwood	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6422	*Corymbia intermedia*	Pink Bloodwood	100		100	31	9.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6423	*Lophostemon suaveolens*	Swamp Box	170		170	53	10.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6424	*Corymbia intermedia*	Pink Bloodwood	100		100	31	9.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6425	*Corymbia intermedia*	Pink Bloodwood	120		120	38	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove	
6426	*Lophostemon suaveolens*	Swamp Box	220		220	69	14.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove	
6427	*Corymbia citriodora*	Spotted Gum	290		290	91	17.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6428	*Lophostemon suaveolens*	Swamp Box	190		190	60	13.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6429	*Corymbia intermedia*	Pink Bloodwood	130		130	41	13.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6430	*Lophostemon suaveolens*	Swamp Box	200	150 80	262	82	14.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6431	*Corymbia intermedia*	Pink Bloodwood	140		140	44	10.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6432	*Lophostemon suaveolens*	Swamp Box	230	150 140	308	97	11.0	5.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6433	*Corymbia intermedia*	Pink Bloodwood	140		140	44	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6434	*Lophostemon suaveolens*	Swamp Box	160	120	200	63	10.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6435	*Lophostemon suaveolens*	Swamp Box	140	110	178	56	9.0	3.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6436	*Corymbia intermedia*	Pink Bloodwood	100		100	31	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6437	*Lophostemon suaveolens*	Swamp Box	120	100	156	49	5.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6438	*Corymbia intermedia*	Pink Bloodwood	150		150	47	10.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6439	*Corymbia intermedia*	Pink Bloodwood	530		530	167	23.0	15.0	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6440	*Lophostemon suaveolens*	Swamp Box	200	160	256	80	13.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6441	*Lophostemon suaveolens*	Swamp Box	110		110	35	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6442	*Corymbia intermedia*	Pink Bloodwood	100		100	31	9.0	1.0	2.0	1.3	Regular	-	-	-	Epicormic	Lopped	Poor	-	-	Trunk Dmg.	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
6443	*Corymbia intermedia*	Pink Bloodwood	310		310	97	18.0	10.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6444	*Corymbia intermedia*	Pink Bloodwood	410		410	129	16.0	8.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6445	*Corymbia intermedia*	Pink Bloodwood	280		280	88	17.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6446	*Lophostemon suaveolens*	Swamp Box	140		140	44	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6447	*Lophostemon suaveolens*	Swamp Box	120		120	38	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6448	*Corymbia citriodora*	Spotted Gum	240		240	75	17.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6449	*Lophostemon suaveolens*	Swamp Box	150		150	47	10.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6450	*Lophostemon suaveolens*	Swamp Box	100		100	31	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6451	*Lophostemon suaveolens*	Swamp Box	130		130	41	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6452	*Corymbia citriodora*	Spotted Gum	220		220	69	12.0	3.0	2.6	1.8	Regular	-	-	Die-back	-	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove	
6453	*Lophostemon suaveolens*	Swamp Box	240	190 140	337	106	16.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6454	*Lophostemon suaveolens*	Swamp Box	180		180	57	13.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6455	*Lophostemon suaveolens*	Swamp Box	200		200	63	15.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6456	*Lophostemon suaveolens*	Swamp Box	130		130	41	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6457	*Corymbia intermedia*	Pink Bloodwood	180		180	57	18.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6458	*Corymbia intermedia*	Pink Bloodwood	130		130	41	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6459	*Lophostemon suaveolens*	Swamp Box	110		110	35	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6460	*Corymbia intermedia*	Pink Bloodwood	150		150	47	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove	
6461	*Corymbia intermedia*	Pink Bloodwood	500		500	157	23.0	13.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6462	*Corymbia intermedia*	Pink Bloodwood	120		120	38	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6463	*Corymbia intermedia*	Pink Bloodwood	120		120	38	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6464	*Corymbia intermedia*	Pink Bloodwood	100		100	31	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6465	*Corymbia intermedia*	Pink Bloodwood	130		130	41	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6466	*Corymbia intermedia*	Pink Bloodwood	130		130	41	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6467	*Lophostemon suaveolens*	Swamp Box	120		120	38	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6468	*Corymbia intermedia*	Pink Bloodwood	100		100	31	10.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6469	*Corymbia intermedia*	Pink Bloodwood	100		100	31	10.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6470	*Melaleuca quinquenervia*	Broad-leaved Paperbark	100	130	164	52	8.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6471	*Melaleuca quinquenervia*	Broad-leaved Paperbark	100		100	31	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
6472	*Corymbia intermedia*	Pink Bloodwood	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
6473	*Melaleuca quinquenervia*	Broad-leaved Paperbark	100		100	31	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6474	*Melaleuca quinquenervia*	Broad-leaved Paperbark	100	100	141	44	10.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6475	*Melaleuca quinquenervia*	Broad-leaved Paperbark	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6476	*Melaleuca quinquenervia*	Broad-leaved Paperbark	100		100	31	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6477	*Corymbia intermedia*	Pink Bloodwood	100		100	31	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
6478	*Lophostemon suaveolens*	Swamp Box	110		110	35	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6479	*Corymbia intermedia*	Pink Bloodwood	130		130	41	11.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6480	*Melaleuca quinquenervia*	Broad-leaved Paperbark	110		110	35	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6481	*Corymbia intermedia*	Pink Bloodwood	130		130	41	14.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6482	*Lophostemon suaveolens*	Swamp Box	300		300	94	11.0	4.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6483	*Eucalyptus tereticornis*	Forest Red Gum	130		130	41	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6484	*Lophostemon suaveolens*	Swamp Box	200		200	63	10.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6485	*Lophostemon suaveolens*	Swamp Box	140	130	191	60	10.0	5.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6486	*Melaleuca quinquenervia*	Broad-leaved Paperbark	140		140	44	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6487	*Melaleuca quinquenervia*	Broad-leaved Paperbark	100		100	31	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6488	*Melaleuca quinquenervia*	Broad-leaved Paperbark	100	50	112	35	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6489	*Lophostemon suaveolens*	Swamp Box	150		150	47	13.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6490	*Lophostemon suaveolens*	Swamp Box	120		120	38	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6491	*Lophostemon suaveolens*	Swamp Box	170		170	53	10.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6492	*Melaleuca quinquenervia*	Broad-leaved Paperbark	130	120 100	203	64	10.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6493	*Eucalyptus tereticornis*	Forest Red Gum	150		150	47	12.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6494	*Corymbia intermedia*	Pink Bloodwood	180		180	57	12.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6495	*Corymbia intermedia*	Pink Bloodwood	120		120	38	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6496	*Eucalyptus tereticornis*	Forest Red Gum	280		280	88	18.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6497	*Lophostemon suaveolens*	Swamp Box	150		150	47	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6498	*Corymbia citriodora*	Spotted Gum	160		160	50	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6499	*Eucalyptus crebra*	Narrow-leaved Ironbark	120		120	38	5.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6500	*Corymbia tessellaris*	Moreton Bay Ash	150		150	47	6.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6501	*Corymbia tessellaris*	Moreton Bay Ash	250	190 130	340	107	12.0	4.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6502	*Corymbia intermedia*	Pink Bloodwood	180		180	57	7.0	2.0	2.2	1.6	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6503	*Corymbia citriodora*	Spotted Gum	300		300	94	13.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6504	*Corymbia intermedia*	Pink Bloodwood	100		100	31	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6505	*Corymbia intermedia*	Pink Bloodwood	120		120	38	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6506	*Corymbia intermedia*	Pink Bloodwood	160		160	50	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6507	*Corymbia citriodora*	Spotted Gum	150		150	47	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6508	*Corymbia citriodora*	Spotted Gum	170		170	53	8.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6509	*Corymbia intermedia*	Pink Bloodwood	110		110	35	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6510	*Dead/Stag*		310		310	97	9.0	3.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Remove	
6511	*Angophora leiocarpa*	Smooth-barked Apple	240		240	75	9.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6512	*Corymbia intermedia*	Pink Bloodwood	130		130	41	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6513	*Corymbia intermedia*	Pink Bloodwood	300	140	331	104	12.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6514	*Lophostemon suaveolens*	Swamp Box	250	160 130	324	102	8.0	3.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6515	*Lophostemon suaveolens*	Swamp Box	180	160	241	76	8.0	3.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6516	*Corymbia intermedia*	Pink Bloodwood	100		100	31	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6517	*Eucalyptus crebra*	Narrow-leaved Ironbark	190		190	60	9.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6518	*Angophora leiocarpa*	Smooth-barked Apple	190		190	60	9.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6519	*Corymbia intermedia*	Pink Bloodwood	150		150	47	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6520	*Eucalyptus tereticornis*	Forest Red Gum	210		210	66	8.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6521	*Corymbia intermedia*	Pink Bloodwood	270		270	85	11.0	4.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6522	*Corymbia intermedia*	Pink Bloodwood	270		270	85	11.0	4.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6523	*Lophostemon suaveolens*	Swamp Box	130	130	184	58	5.0	2.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6524	*Lophostemon suaveolens*	Swamp Box	130		130	41	5.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6525	*Lophostemon suaveolens*	Swamp Box	180	170 150	289	91	6.0	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6526	*Lophostemon suaveolens*	Swamp Box	170	120	208	65	6.0	1.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6527	*Lophostemon suaveolens*	Swamp Box	170		170	53	6.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6528	*Corymbia intermedia*	Pink Bloodwood	110		110	35	5.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6529	*Angophora leiocarpa*	Smooth-barked Apple	220		220	69	13.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6530	*Corymbia intermedia*	Pink Bloodwood	330		330	104	13.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6531	*Lophostemon suaveolens*	Swamp Box	130		130	41	5.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6532	*Corymbia intermedia*	Pink Bloodwood	140		140	44	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6533	*Lophostemon suaveolens*	Swamp Box	120		120	38	5.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6534	*Lophostemon suaveolens*	Swamp Box	160	120	200	63	8.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6535	*Eucalyptus tereticornis*	Forest Red Gum	240		240	75	9.0	3.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6536	*Lophostemon suaveolens*	Swamp Box	140	130	191	60	6.0	4.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6537	*Lophostemon suaveolens*	Swamp Box	150		150	47	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6538	*Lophostemon suaveolens*	Swamp Box	120		120	38	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6539	*Lophostemon suaveolens*	Swamp Box	170		170	53	8.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6540	*Lophostemon suaveolens*	Swamp Box	120		120	38	5.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6541	*Lophostemon suaveolens*	Swamp Box	150		150	47	7.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6542	*Lophostemon suaveolens*	Swamp Box	200		200	63	11.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6543	*Lophostemon suaveolens*	Swamp Box	160		160	50	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6544	*Eucalyptus tereticornis*	Forest Red Gum	310	240	392	123	12.0	5.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6545	*Lophostemon suaveolens*	Swamp Box	180	70	193	61	8.0	4.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6546	*Lophostemon suaveolens*	Swamp Box	140		140	44	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6547	*Lophostemon suaveolens*	Swamp Box	170		170	53	9.0	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6548	*Lophostemon suaveolens*	Swamp Box	120		120	38	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6549	*Lophostemon suaveolens*	Swamp Box	180		180	57	7.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6550	*Lophostemon suaveolens*	Swamp Box	160		160	50	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6551	*Lophostemon suaveolens*	Swamp Box	130		130	41	4.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6552	*Lophostemon suaveolens*	Swamp Box	130		130	41	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6553	*Lophostemon suaveolens*	Swamp Box	140	140	198	62	6.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6554	*Angophora leiocarpa*	Smooth-barked Apple	140		140	44	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6555	*Lophostemon suaveolens*	Swamp Box	170		170	53	8.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6556	*Lophostemon suaveolens*	Swamp Box	130		130	41	5.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6557	*Lophostemon suaveolens*	Swamp Box	180		180	57	7.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6558	*Lophostemon suaveolens*	Swamp Box	140		140	44	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
6559	*Lophostemon suaveolens*	Swamp Box	150		150	47	6.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6560	*Lophostemon suaveolens*	Swamp Box	170		170	53	6.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6561	*Lophostemon suaveolens*	Swamp Box	140		140	44	5.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6562	*Lophostemon suaveolens*	Swamp Box	130		130	41	4.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6563	*Corymbia intermedia*	Pink Bloodwood	120		120	38	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6564	*Corymbia intermedia*	Pink Bloodwood	190		190	60	6.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6565	*Corymbia intermedia*	Pink Bloodwood	140		140	44	5.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6566	*Lophostemon suaveolens*	Swamp Box	140		140	44	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6567	*Lophostemon suaveolens*	Swamp Box	190		190	60	8.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6568	*Angophora leiocarpa*	Smooth-barked Apple	190		190	60	9.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6569	*Lophostemon suaveolens*	Swamp Box	140		140	44	5.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6570	*Lophostemon suaveolens*	Swamp Box	140		140	44	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6571	*Lophostemon suaveolens*	Swamp Box	160		160	50	6.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6572	*Lophostemon suaveolens*	Swamp Box	130		130	41	5.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6573	*Corymbia citriodora*	Spotted Gum	230		230	72	8.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6574	*Lophostemon suaveolens*	Swamp Box	150		150	47	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6575	*Lophostemon suaveolens*	Swamp Box	140		140	44	5.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6576	*Lophostemon suaveolens*	Swamp Box	140		140	44	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6577	*Lophostemon suaveolens*	Swamp Box	190		190	60	7.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6578	*Lophostemon suaveolens*	Swamp Box	140		140	44	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6579	*Dead/Stag*		360		360	113	8.0	2.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Remove	
6580	*Lophostemon suaveolens*	Swamp Box	230	120	259	81	8.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6581	*Lophostemon suaveolens*	Swamp Box	170		170	53	8.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6582	*Angophora leiocarpa*	Smooth-barked Apple	300		300	94	12.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6583	*Lophostemon suaveolens*	Swamp Box	110		110	35	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6584	*Corymbia intermedia*	Pink Bloodwood	150		150	47	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6585	*Corymbia intermedia*	Pink Bloodwood	210		210	66	8.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6586	*Corymbia intermedia*	Pink Bloodwood	130		130	41	7.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6587	*Corymbia intermedia*	Pink Bloodwood	140		140	44	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6588	*Corymbia intermedia*	Pink Bloodwood	140		140	44	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6589	*Corymbia citriodora*	Spotted Gum	110		110	35	5.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6590	*Eucalyptus tereticornis*	Forest Red Gum	310		310	97	12.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6591	*Eucalyptus tereticornis*	Forest Red Gum	280	280	396	124	13.0	6.0	4.8	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6592	*Melaleuca quinquenervia*	Broad-leaved Paperbark	110		110	35	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6593	*Corymbia intermedia*	Pink Bloodwood	150		150	47	7.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6594	*Lophostemon suaveolens*	Swamp Box	140		140	44	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6595	*Corymbia intermedia*	Pink Bloodwood	120		120	38	6.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6596	*Corymbia intermedia*	Pink Bloodwood	130		130	41	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6597	*Corymbia intermedia*	Pink Bloodwood	240		240	75	12.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6598	*Corymbia intermedia*	Pink Bloodwood	110		110	35	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6599	*Corymbia intermedia*	Pink Bloodwood	130		130	41	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6600	*Corymbia intermedia*	Pink Bloodwood	160		160	50	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6601	*Corymbia intermedia*	Pink Bloodwood	120		120	38	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6602	*Corymbia intermedia*	Pink Bloodwood	120		120	38	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6603	*Lophostemon suaveolens*	Swamp Box	120		120	38	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6604	*Lophostemon suaveolens*	Swamp Box	110	80	136	43	4.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6605	*Eucalyptus tereticornis*	Forest Red Gum	130		130	41	5.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6606	*Corymbia intermedia*	Pink Bloodwood	130		130	41	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6607	*Corymbia intermedia*	Pink Bloodwood	130		130	41	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6608	*Melaleuca quinquenervia*	Broad-leaved Paperbark	130		130	41	5.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6609	*Eucalyptus tereticornis*	Forest Red Gum	250		250	79	12.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6610	*Corymbia intermedia*	Pink Bloodwood	160		160	50	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6611	*Melaleuca quinquenervia*	Broad-leaved Paperbark	160		160	50	5.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6612	*Melaleuca quinquenervia*	Broad-leaved Paperbark	230	150	275	86	7.0	4.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6613	*Melaleuca quinquenervia*	Broad-leaved Paperbark	160		160	50	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6614	*Melaleuca quinquenervia*	Broad-leaved Paperbark	140		140	44	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6615	*Lophostemon suaveolens*	Swamp Box	140		140	44	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6616	*Melaleuca quinquenervia*	Broad-leaved Paperbark	110		110	35	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6617	*Melaleuca quinquenervia*	Broad-leaved Paperbark	170		170	53	6.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6618	*Angophora leiocarpa*	Smooth-barked Apple	150		150	47	7.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6619	*Lophostemon suaveolens*	Swamp Box	130		130	41	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6620	*Melaleuca quinquenervia*	Broad-leaved Paperbark	140		140	44	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6621	*Lophostemon suaveolens*	Swamp Box	130		130	41	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6622	*Melaleuca quinquenervia*	Broad-leaved Paperbark	120		120	38	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6623	*Corymbia intermedia*	Pink Bloodwood	180		180	57	7.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6624	*Lophostemon suaveolens*	Swamp Box	130		130	41	4.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6625	*Corymbia intermedia*	Pink Bloodwood	280		280	88	16.0	4.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6626	*Lophostemon suaveolens*	Swamp Box	170	150	227	71	7.0	4.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6627	*Eucalyptus tereticornis*	Forest Red Gum	230		230	72	9.0	3.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6628	*Lophostemon suaveolens*	Swamp Box	140		140	44	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6629	*Lophostemon suaveolens*	Swamp Box	170		170	53	8.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6630	*Angophora leiocarpa*	Smooth-barked Apple	290		290	91	13.0	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6631	*Lophostemon suaveolens*	Swamp Box	140	140 140	242	76	8.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6632	*Corymbia intermedia*	Pink Bloodwood	230		230	72	12.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6633	*Angophora leiocarpa*	Smooth-barked Apple	210		210	66	13.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6634	*Lophostemon suaveolens*	Swamp Box	130		130	41	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6635	*Angophora leiocarpa*	Smooth-barked Apple	120		120	38	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6636	*Eucalyptus tereticornis*	Forest Red Gum	150		150	47	7.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6637	*Lophostemon suaveolens*	Swamp Box	150	50	158	50	5.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6638	*Angophora leiocarpa*	Smooth-barked Apple	220		220	69	12.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6639	*Eucalyptus tereticornis*	Forest Red Gum	180		180	57	11.0	3.0	2.2	1.6	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
6640	*Corymbia intermedia*	Pink Bloodwood	130		130	41	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6641	*Corymbia intermedia*	Pink Bloodwood	250	220	333	105	11.0	5.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6642	*Corymbia intermedia*	Pink Bloodwood	320	240	400	126	11.0	4.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6643	*Angophora leiocarpa*	Smooth-barked Apple	170		170	53	8.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6644	*Angophora leiocarpa*	Smooth-barked Apple	150		150	47	11.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6645	*Angophora leiocarpa*	Smooth-barked Apple	120		120	38	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6646	*Lophostemon suaveolens*	Swamp Box	140		140	44	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6647	*Corymbia intermedia*	Pink Bloodwood	180		180	57	8.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6648	*Angophora leiocarpa*	Smooth-barked Apple	220		220	69	8.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6649	*Corymbia intermedia*	Pink Bloodwood	130		130	41	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6650	*Eucalyptus tereticornis*	Forest Red Gum	250		250	79	7.0	3.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6651	*Eucalyptus tereticornis*	Forest Red Gum	230	220	318	100	9.0	6.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6652	*Corymbia intermedia*	Pink Bloodwood	220	210	304	96	11.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6653	*Corymbia intermedia*	Pink Bloodwood	180		180	57	9.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6654	*Eucalyptus tereticornis*	Forest Red Gum	260		260	82	13.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6655	*Angophora leiocarpa*	Smooth-barked Apple	140		140	44	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6656	*Corymbia intermedia*	Pink Bloodwood	170		170	53	12.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6657	*Lophostemon suaveolens*	Swamp Box	170		170	53	7.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6658	*Lophostemon suaveolens*	Swamp Box	120		120	38	5.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6659	*Corymbia intermedia*	Pink Bloodwood	210		210	66	8.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6660	*Corymbia intermedia*	Pink Bloodwood	200		200	63	8.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6661	*Lophostemon suaveolens*	Swamp Box	200		200	63	7.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6662	*Angophora leiocarpa*	Smooth-barked Apple	250		250	79	8.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6663	*Corymbia trachyphloia*	Brown Bloodwood	150	140	205	64	6.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6664	*Lophostemon suaveolens*	Swamp Box	150		150	47	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6665	*Lophostemon suaveolens*	Swamp Box	140		140	44	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6666	*Corymbia intermedia*	Pink Bloodwood	250	170 230	380	119	9.0	7.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6667	*Angophora leiocarpa*	Smooth-barked Apple	160		160	50	6.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6668	*Corymbia intermedia*	Pink Bloodwood	270		270	85	9.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6669	*Corymbia intermedia*	Pink Bloodwood	120		120	38	5.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6670	*Corymbia intermedia*	Pink Bloodwood	130	60	143	45	6.0	1.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6671	*Corymbia citriodora*	Spotted Gum	370		370	116	12.0	9.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6672	*Corymbia intermedia*	Pink Bloodwood	120		120	38	6.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6673	*Corymbia intermedia*	Pink Bloodwood	110		110	35	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6674	*Angophora leiocarpa*	Smooth-barked Apple	150		150	47	6.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6675	*Corymbia intermedia*	Pink Bloodwood	170		170	53	7.0	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6676	*Eucalyptus tereticornis*	Forest Red Gum	140		140	44	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6677	*Eucalyptus tereticornis*	Forest Red Gum	150	150	212	67	8.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6678	*Corymbia intermedia*	Pink Bloodwood	250	210 220 190	437	137	8.0	6.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6679	*Corymbia intermedia*	Pink Bloodwood	160		160	50	8.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6680	*Lophostemon suaveolens*	Swamp Box	160		160	50	6.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6681	*Eucalyptus crebra*	Narrow-leaved Ironbark	250		250	79	13.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6682	*Eucalyptus crebra*	Narrow-leaved Ironbark	190		190	60	11.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6683	*Eucalyptus crebra*	Narrow-leaved Ironbark	210	190 170	330	104	7.0	4.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6684	*Corymbia intermedia*	Pink Bloodwood	170		170	53	6.0	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6685	*Eucalyptus tereticornis*	Forest Red Gum	190		190	60	11.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6686	*Angophora leiocarpa*	Smooth-barked Apple	120		120	38	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6687	*Corymbia intermedia*	Pink Bloodwood	190		190	60	11.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6688	*Eucalyptus crebra*	Narrow-leaved Ironbark	130		130	41	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6689	*Eucalyptus crebra*	Narrow-leaved Ironbark	130		130	41	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6690	*Eucalyptus crebra*	Narrow-leaved Ironbark	180		180	57	9.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6691	*Petalostigma pubescens*	Quinine Bush	210		210	66	8.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6692	*Eucalyptus crebra*	Narrow-leaved Ironbark	140		140	44	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6693	*Corymbia intermedia*	Pink Bloodwood	220		220	69	11.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6694	*Corymbia intermedia*	Pink Bloodwood	220	170	278	87	9.0	4.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6695	*Angophora leiocarpa*	Smooth-barked Apple	120		120	38	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6696	*Corymbia intermedia*	Pink Bloodwood	280	190	338	106	9.0	7.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6697	*Corymbia intermedia*	Pink Bloodwood	120		120	38	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6698	*Lophostemon suaveolens*	Swamp Box	100		100	31	4.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6699	*Eucalyptus crebra*	Narrow-leaved Ironbark	290		290	91	9.0	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6700	*Corymbia citriodora*	Spotted Gum	240		240	75	12.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6701	*Corymbia citriodora*	Spotted Gum	140		140	44	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6702	*Corymbia intermedia*	Pink Bloodwood	240		240	75	8.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6703	*Corymbia citriodora*	Spotted Gum	260	240	354	111	8.0	7.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6704	*Eucalyptus crebra*	Narrow-leaved Ironbark	150		150	47	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6705	*Eucalyptus tereticornis*	Forest Red Gum	200		200	63	8.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6706	*Eucalyptus tereticornis*	Forest Red Gum	190		190	60	8.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6707	*Corymbia intermedia*	Pink Bloodwood	280	260	382	120	9.0	4.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6708	*Corymbia citriodora*	Spotted Gum	250		250	79	8.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6709	*Corymbia intermedia*	Pink Bloodwood	210		210	66	9.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6710	*Corymbia intermedia*	Pink Bloodwood	230		230	72	9.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6711	*Eucalyptus crebra*	Narrow-leaved Ironbark	250		250	79	8.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6712	*Corymbia intermedia*	Pink Bloodwood	190		190	60	8.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Present	-	Remove	
6713	*Corymbia citriodora*	Spotted Gum	230		230	72	8.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6714	*Eucalyptus crebra*	Narrow-leaved Ironbark	130		130	41	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6715	*Corymbia tessellaris*	Moreton Bay Ash	120		120	38	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6716	*Eucalyptus tereticornis*	Forest Red Gum	150		150	47	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6717	*Eucalyptus crebra*	Narrow-leaved Ironbark	240	210	319	100	9.0	6.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6718	*Corymbia intermedia*	Pink Bloodwood	120		120	38	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6719	*Corymbia intermedia*	Pink Bloodwood	320	240	400	126	9.0	6.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6720	*Corymbia intermedia*	Pink Bloodwood	220	190	291	91	9.0	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
6721	*Corymbia intermedia*	Pink Bloodwood	160		160	50	8.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6722	*Corymbia intermedia*	Pink Bloodwood	220		220	69	9.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6723	*Lophostemon suaveolens*	Swamp Box	170		170	53	7.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6724	*Eucalyptus tereticornis*	Forest Red Gum	240	170	294	92	9.0	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6725	*Eucalyptus tereticornis*	Forest Red Gum	240		240	75	13.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6726	*Corymbia intermedia*	Pink Bloodwood	220		220	69	7.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6727	*Dead/Stag*		190		190	60	8.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Present	-	Remove	
6728	*Corymbia intermedia*	Pink Bloodwood	200		200	63	9.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6729	*Corymbia intermedia*	Pink Bloodwood	240		240	75	9.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6730	*Eucalyptus crebra*	Narrow-leaved Ironbark	290		290	91	12.0	4.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6731	*Corymbia intermedia*	Pink Bloodwood	190		190	60	9.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6732	*Corymbia intermedia*	Pink Bloodwood	170		170	53	8.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6733	*Eucalyptus tereticornis*	Forest Red Gum	210		210	66	8.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6734	*Corymbia intermedia*	Pink Bloodwood	210		210	66	9.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6735	*Corymbia citriodora*	Spotted Gum	210		210	66	13.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6736	*Eucalyptus tereticornis*	Forest Red Gum	500		500	157	14.0	6.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6737	*Corymbia intermedia*	Pink Bloodwood	290	100	307	96	8.0	4.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6738	*Corymbia intermedia*	Pink Bloodwood	230		230	72	8.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6739	*Corymbia intermedia*	Pink Bloodwood	170		170	53	8.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6740	*Corymbia intermedia*	Pink Bloodwood	340		340	107	11.0	5.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6741	*Angophora leiocarpa*	Smooth-barked Apple	120		120	38	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6742	*Corymbia intermedia*	Pink Bloodwood	120		120	38	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6743	*Corymbia intermedia*	Pink Bloodwood	180		180	57	11.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6744	*Corymbia intermedia*	Pink Bloodwood	120		120	38	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6745	*Corymbia intermedia*	Pink Bloodwood	200		200	63	9.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6746	*Corymbia intermedia*	Pink Bloodwood	240		240	75	11.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6747	*Corymbia intermedia*	Pink Bloodwood	130		130	41	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6748	*Corymbia intermedia*	Pink Bloodwood	210		210	66	8.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6749	*Corymbia intermedia*	Pink Bloodwood	210		210	66	9.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6750	*Corymbia intermedia*	Pink Bloodwood	210		210	66	8.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6751	*Corymbia intermedia*	Pink Bloodwood	250		250	79	8.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6752	*Corymbia intermedia*	Pink Bloodwood	150		150	47	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6753	*Corymbia intermedia*	Pink Bloodwood	290		290	91	11.0	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6754	*Corymbia citriodora*	Spotted Gum	170		170	53	9.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6755	*Corymbia intermedia*	Pink Bloodwood	220	160	272	85	8.0	3.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6756	*Corymbia intermedia*	Pink Bloodwood	210		210	66	9.0	2.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6757	*Corymbia torelliana*	Cadaghi	240		240	75	11.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6758	*Eucalyptus tereticornis*	Forest Red Gum	240		240	75	11.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6759	*Corymbia intermedia*	Pink Bloodwood	120		120	38	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6760	*Corymbia intermedia*	Pink Bloodwood	140		140	44	10.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6761	*Corymbia intermedia*	Pink Bloodwood	160		160	50	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6762	*Corymbia intermedia*	Pink Bloodwood	220	170	278	87	9.0	3.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6763	*Angophora leiocarpa*	Smooth-barked Apple	340		340	107	9.0	4.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6764	*Corymbia intermedia*	Pink Bloodwood	220		220	69	9.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6765	*Angophora leiocarpa*	Smooth-barked Apple	310		310	97	11.0	4.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6766	*Angophora leiocarpa*	Smooth-barked Apple	330		330	104	11.0	4.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6767	*Angophora leiocarpa*	Smooth-barked Apple	240		240	75	12.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6768	*Corymbia intermedia*	Pink Bloodwood	130		130	41	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6769	*Corymbia intermedia*	Pink Bloodwood	140		140	44	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6770	*Corymbia intermedia*	Pink Bloodwood	220		220	69	9.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6771	*Corymbia intermedia*	Pink Bloodwood	160		160	50	9.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6772	*Angophora leiocarpa*	Smooth-barked Apple	440		440	138	14.0	7.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6773	*Corymbia intermedia*	Pink Bloodwood	110		110	35	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6774	*Angophora leiocarpa*	Smooth-barked Apple	140		140	44	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6775	*Lophostemon suaveolens*	Swamp Box	140		140	44	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6776	*Eucalyptus tereticornis*	Forest Red Gum	200		200	63	9.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6777	*Lophostemon suaveolens*	Swamp Box	160		160	50	6.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6778	*Corymbia intermedia*	Pink Bloodwood	220		220	69	8.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6779	*Lophostemon suaveolens*	Swamp Box	180		180	57	8.0	2.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6780	*Lophostemon suaveolens*	Swamp Box	120		120	38	5.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6781	*Lophostemon suaveolens*	Swamp Box	120		120	38	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6782	*Lophostemon suaveolens*	Swamp Box	120		120	38	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6783	*Lophostemon suaveolens*	Swamp Box	120		120	38	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6784	*Angophora leiocarpa*	Smooth-barked Apple	120		120	38	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6785	*Lophostemon suaveolens*	Swamp Box	120		120	38	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6786	*Lophostemon suaveolens*	Swamp Box	130		130	41	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6787	*Corymbia trachyphloia*	Brown Bloodwood	130		130	41	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6788	*Eucalyptus tereticornis*	Forest Red Gum	130		130	41	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6789	*Melaleuca quinquenervia*	Broad-leaved Paperbark	150		150	47	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6790	*Melaleuca quinquenervia*	Broad-leaved Paperbark	190		190	60	7.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
6791	*Corymbia trachyphloia*	Brown Bloodwood	200		200	63	9.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6792	*Melaleuca quinquenervia*	Broad-leaved Paperbark	180		180	57	8.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6793	*Melaleuca quinquenervia*	Broad-leaved Paperbark	180		180	57	9.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6794	*Corymbia trachyphloia*	Brown Bloodwood	160		160	50	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6795	*Corymbia trachyphloia*	Brown Bloodwood	370		370	116	13.0	7.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6796	*Corymbia intermedia*	Pink Bloodwood	260		260	82	12.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6797	*Melaleuca quinquenervia*	Broad-leaved Paperbark	190		190	60	11.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6798	*Melaleuca quinquenervia*	Broad-leaved Paperbark	110		110	35	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6799	*Melaleuca quinquenervia*	Broad-leaved Paperbark	220		220	69	9.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6800	*Melaleuca quinquenervia*	Broad-leaved Paperbark	280		280	88	9.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6801	*Melaleuca quinquenervia*	Broad-leaved Paperbark	110		110	35	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
6802	*Melaleuca quinquenervia*	Broad-leaved Paperbark	250		250	79	9.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6803	*Melaleuca quinquenervia*	Broad-leaved Paperbark	180	140 110	253	80	8.0	5.0	3.0	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6804	*Melaleuca quinquenervia*	Broad-leaved Paperbark	140		140	44	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6805	*Melaleuca quinquenervia*	Broad-leaved Paperbark	150		150	47	8.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6806	*Melaleuca quinquenervia*	Broad-leaved Paperbark	140		140	44	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6807	*Melaleuca quinquenervia*	Broad-leaved Paperbark	110		110	35	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6808	*Melaleuca quinquenervia*	Broad-leaved Paperbark	130		130	41	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6809	*Melaleuca quinquenervia*	Broad-leaved Paperbark	130	70	148	46	6.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6810	*Corymbia intermedia*	Pink Bloodwood	200		200	63	9.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6811	*Corymbia intermedia*	Pink Bloodwood	110		110	35	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6812	*Angophora leiocarpa*	Smooth-barked Apple	360		360	113	9.0	6.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6813	*Lophostemon suaveolens*	Swamp Box	110		110	35	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6814	*Lophostemon suaveolens*	Swamp Box	130		130	41	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6815	*Lophostemon suaveolens*	Swamp Box	130		130	41	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6816	*Lophostemon suaveolens*	Swamp Box	110		110	35	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6817	*Eucalyptus tereticornis*	Forest Red Gum	140		140	44	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6818	*Corymbia intermedia*	Pink Bloodwood	140		140	44	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6819	*Corymbia tessellaris*	Moreton Bay Ash	290		290	91	12.0	4.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6820	*Lophostemon suaveolens*	Swamp Box	120		120	38	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6821	*Lophostemon suaveolens*	Swamp Box	110		110	35	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6822	*Lophostemon suaveolens*	Swamp Box	130		130	41	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6823	*Lophostemon suaveolens*	Swamp Box	130		130	41	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6824	*Corymbia intermedia*	Pink Bloodwood	200		200	63	7.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6825	*Lophostemon suaveolens*	Swamp Box	100		100	31	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6826	*Lophostemon suaveolens*	Swamp Box	170		170	53	7.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6827	*Lophostemon suaveolens*	Swamp Box	120		120	38	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6828	*Lophostemon suaveolens*	Swamp Box	140		140	44	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6829	*Corymbia trachyphloia*	Brown Bloodwood	110		110	35	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6830	*Corymbia trachyphloia*	Brown Bloodwood	220		220	69	8.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6831	*Lophostemon suaveolens*	Swamp Box	130		130	41	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6832	*Lophostemon suaveolens*	Swamp Box	120		120	38	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6833	*Corymbia trachyphloia*	Brown Bloodwood	130		130	41	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6834	*Corymbia trachyphloia*	Brown Bloodwood	130		130	41	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6835	*Corymbia trachyphloia*	Brown Bloodwood	160		160	50	7.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6836	*Eucalyptus tereticornis*	Forest Red Gum	150		150	47	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6837	*Corymbia intermedia*	Pink Bloodwood	150		150	47	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6838	*Lophostemon suaveolens*	Swamp Box	130		130	41	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6839	*Corymbia trachyphloia*	Brown Bloodwood	160		160	50	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6840	*Corymbia intermedia*	Pink Bloodwood	230		230	72	9.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6841	*Corymbia intermedia*	Pink Bloodwood	190		190	60	7.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6842	*Corymbia intermedia*	Pink Bloodwood	190		190	60	12.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6843	*Corymbia intermedia*	Pink Bloodwood	100		100	31	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6844	*Corymbia intermedia*	Pink Bloodwood	120		120	38	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6845	*Corymbia trachyphloia*	Brown Bloodwood	140		140	44	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6846	*Corymbia trachyphloia*	Brown Bloodwood	110		110	35	6.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6847	*Corymbia trachyphloia*	Brown Bloodwood	110		110	35	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6848	*Angophora leiocarpa*	Smooth-barked Apple	140		140	44	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6849	*Angophora leiocarpa*	Smooth-barked Apple	120		120	38	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6850	*Corymbia intermedia*	Pink Bloodwood	170		170	53	9.0	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6851	*Lophostemon suaveolens*	Swamp Box	170		170	53	7.0	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6852	*Lophostemon suaveolens*	Swamp Box	120		120	38	5.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6853	*Lophostemon suaveolens*	Swamp Box	110		110	35	5.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6854	*Corymbia intermedia*	Pink Bloodwood	110		110	35	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6855	*Lophostemon suaveolens*	Swamp Box	150		150	47	7.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6856	*Corymbia intermedia*	Pink Bloodwood	240		240	75	6.0	2.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6857	*Corymbia intermedia*	Pink Bloodwood	160		160	50	7.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6858	*Eucalyptus crebra*	Narrow-leaved Ironbark	280		280	88	12.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6859	*Eucalyptus crebra*	Narrow-leaved Ironbark	260		260	82	9.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6860	*Corymbia intermedia*	Pink Bloodwood	370		370	116	13.0	8.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6861	*Corymbia intermedia*	Pink Bloodwood	130		130	41	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6862	*Corymbia intermedia*	Pink Bloodwood	270	190	330	104	13.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6863	*Corymbia intermedia*	Pink Bloodwood	180		180	57	8.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6864	*Corymbia intermedia*	Pink Bloodwood	450		450	141	13.0	7.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6865	*Corymbia intermedia*	Pink Bloodwood	490		490	154	15.0	6.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6866	*Corymbia intermedia*	Pink Bloodwood	170		170	53	9.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6867	*Corymbia intermedia*	Pink Bloodwood	130		130	41	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6868	*Corymbia intermedia*	Pink Bloodwood	130		130	41	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6869	*Corymbia citriodora*	Spotted Gum	140		140	44	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6870	*Eucalyptus tereticornis*	Forest Red Gum	270	190	330	104	9.0	5.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6871	*Corymbia intermedia*	Pink Bloodwood	240	240	339	107	9.0	6.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6872	*Corymbia intermedia*	Pink Bloodwood	200		200	63	9.0	2.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6873	*Eucalyptus crebra*	Narrow-leaved Ironbark	140		140	44	6.0	1.0	2.0	1.4	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6874	*Eucalyptus crebra*	Narrow-leaved Ironbark	300		300	94	9.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6875	*Corymbia citriodora*	Spotted Gum	300		300	94	12.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6876	*Corymbia citriodora*	Spotted Gum	300		300	94	13.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
6877	*Corymbia intermedia*	Pink Bloodwood	110		110	35	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6878	*Corymbia intermedia*	Pink Bloodwood	230		230	72	9.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6879	*Corymbia tessellaris*	Moreton Bay Ash	190		190	60	9.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6880	*Corymbia tessellaris*	Moreton Bay Ash	100		100	31	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6881	*Eucalyptus tereticornis*	Forest Red Gum	210		210	66	8.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6882	*Corymbia intermedia*	Pink Bloodwood	170		170	53	8.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
6883	*Corymbia trachyphloia*	Brown Bloodwood	150		150	47	9.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6884	*Corymbia citriodora*	Spotted Gum	200		200	63	9.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6885	*Corymbia intermedia*	Pink Bloodwood	210		210	66	7.0	2.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6886	*Corymbia intermedia*	Pink Bloodwood	140		140	44	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6887	*Eucalyptus crebra*	Narrow-leaved Ironbark	120		120	38	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6888	*Corymbia intermedia*	Pink Bloodwood	160		160	50	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6889	*Corymbia intermedia*	Pink Bloodwood	180		180	57	12.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6890	*Corymbia intermedia*	Pink Bloodwood	120		120	38	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6891	*Eucalyptus crebra*	Narrow-leaved Ironbark	150		150	47	11.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6892	*Corymbia intermedia*	Pink Bloodwood	110		110	35	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6893	*Corymbia intermedia*	Pink Bloodwood	210		210	66	9.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6894	*Corymbia intermedia*	Pink Bloodwood	120		120	38	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6895	*Corymbia intermedia*	Pink Bloodwood	120		120	38	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6896	*Corymbia intermedia*	Pink Bloodwood	140		140	44	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6897	*Eucalyptus tereticornis*	Forest Red Gum	240		240	75	9.0	3.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6898	*Corymbia intermedia*	Pink Bloodwood	140		140	44	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6899	*Corymbia intermedia*	Pink Bloodwood	160		160	50	12.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6900	*Corymbia intermedia*	Pink Bloodwood	240		240	75	9.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6901	*Corymbia intermedia*	Pink Bloodwood	160		160	50	9.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6902	*Corymbia intermedia*	Pink Bloodwood	210		210	66	12.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6903	*Lophostemon suaveolens*	Swamp Box	130		130	41	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6904	*Lophostemon suaveolens*	Swamp Box	130		130	41	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6905	*Lophostemon suaveolens*	Swamp Box	130		130	41	6.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6906	*Corymbia intermedia*	Pink Bloodwood	160		160	50	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6907	*Lophostemon suaveolens*	Swamp Box	140		140	44	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6908	*Lophostemon suaveolens*	Swamp Box	120		120	38	5.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6909	*Lophostemon suaveolens*	Swamp Box	140		140	44	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6910	*Lophostemon suaveolens*	Swamp Box	130		130	41	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6911	*Lophostemon suaveolens*	Swamp Box	150		150	47	4.0	2.0	2.0	1.5	Regular	-	-	-	-	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6912	*Eucalyptus tereticornis*	Forest Red Gum	140		140	44	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6913	*Lophostemon suaveolens*	Swamp Box	130		130	41	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6914	*Lophostemon suaveolens*	Swamp Box	160		160	50	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6915	*Lophostemon suaveolens*	Swamp Box	100		100	31	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6916	*Lophostemon suaveolens*	Swamp Box	170		170	53	8.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6917	*Lophostemon suaveolens*	Swamp Box	110		110	35	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6918	*Corymbia trachyphloia*	Brown Bloodwood	320		320	101	12.0	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6919	*Corymbia intermedia*	Pink Bloodwood	140		140	44	10.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6920	*Lophostemon suaveolens*	Swamp Box	120		120	38	5.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6921	*Lophostemon suaveolens*	Swamp Box	160		160	50	8.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6922	*Lophostemon suaveolens*	Swamp Box	170		170	53	9.0	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6923	*Eucalyptus tereticornis*	Forest Red Gum	120		120	38	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6924	*Lophostemon suaveolens*	Swamp Box	110		110	35	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6925	*Corymbia intermedia*	Pink Bloodwood	180		180	57	11.0	2.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6926	*Eucalyptus tereticornis*	Forest Red Gum	190		190	60	12.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6927	*Corymbia intermedia*	Pink Bloodwood	260		260	82	12.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6928	*Lophostemon suaveolens*	Swamp Box	110		110	35	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6929	*Lophostemon suaveolens*	Swamp Box	170		170	53	7.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6930	*Corymbia intermedia*	Pink Bloodwood	190		190	60	8.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6931	*Corymbia citriodora*	Spotted Gum	170		170	53	11.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6932	*Eucalyptus tereticornis*	Forest Red Gum	120		120	38	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6933	*Corymbia intermedia*	Pink Bloodwood	270		270	85	12.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6934	*Lophostemon suaveolens*	Swamp Box	120		120	38	5.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6935	*Lophostemon suaveolens*	Swamp Box	120		120	38	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6936	*Angophora leiocarpa*	Smooth-barked Apple	120		120	38	6.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6937	*Corymbia intermedia*	Pink Bloodwood	200		200	63	9.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6938	*Lophostemon suaveolens*	Swamp Box	140		140	44	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6939	*Lophostemon suaveolens*	Swamp Box	120		120	38	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6940	*Lophostemon suaveolens*	Swamp Box	150		150	47	5.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6941	*Corymbia intermedia*	Pink Bloodwood	180		180	57	11.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6942	*Lophostemon suaveolens*	Swamp Box	140		140	44	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6943	*Lophostemon suaveolens*	Swamp Box	150		150	47	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6944	*Lophostemon suaveolens*	Swamp Box	220		220	69	8.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6945	*Corymbia trachyphloia*	Brown Bloodwood	160		160	50	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6946	*Corymbia trachyphloia*	Brown Bloodwood	190		190	60	8.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6947	*Melaleuca quinquenervia*	Broad-leaved Paperbark	250	140	287	90	7.0	3.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6948	*Melaleuca quinquenervia*	Broad-leaved Paperbark	150		150	47	8.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6949	*Melaleuca quinquenervia*	Broad-leaved Paperbark	110		110	35	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6950	*Melaleuca quinquenervia*	Broad-leaved Paperbark	170		170	53	8.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
6951	*Corymbia citriodora*	Spotted Gum	310		310	97	14.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6952	*Corymbia citriodora*	Spotted Gum	260		260	82	13.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6953	*Corymbia citriodora*	Spotted Gum	280		280	88	12.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6954	*Corymbia citriodora*	Spotted Gum	180		180	57	11.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6955	*Corymbia citriodora*	Spotted Gum	200		200	63	14.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6956	*Corymbia citriodora*	Spotted Gum	300		300	94	15.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6957	*Corymbia citriodora*	Spotted Gum	370		370	116	16.0	10.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6958	*Eucalyptus crebra*	Narrow-leaved Ironbark	250		250	79	13.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6959	*Corymbia citriodora*	Spotted Gum	220		220	69	13.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6960	*Corymbia intermedia*	Pink Bloodwood	175		175	55	7.0	3.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6961	*Corymbia citriodora*	Spotted Gum	120		120	38	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6962	*Corymbia tessellaris*	Moreton Bay Ash	260		260	82	11.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6963	*Corymbia intermedia*	Pink Bloodwood	180		180	57	6.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
6964	*Eucalyptus crebra*	Narrow-leaved Ironbark	220		220	69	8.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6965	*Eucalyptus tereticornis*	Forest Red Gum	110		110	35	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6966	*Eucalyptus crebra*	Narrow-leaved Ironbark	120		120	38	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6967	*Corymbia intermedia*	Pink Bloodwood	270		270	85	16.0	10.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6968	*Corymbia intermedia*	Pink Bloodwood	230		230	72	14.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6969	*Corymbia intermedia*	Pink Bloodwood	230		230	72	13.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6970	*Corymbia intermedia*	Pink Bloodwood	270		270	85	15.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6971	*Eucalyptus tereticornis*	Forest Red Gum	270		270	85	15.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6972	*Lophostemon suaveolens*	Swamp Box	185		185	58	13.0	7.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6973	*Corymbia intermedia*	Pink Bloodwood	370		370	116	15.0	12.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6974	*Lophostemon suaveolens*	Swamp Box	130		130	41	8.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6975	*Corymbia intermedia*	Pink Bloodwood	100		100	31	6.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6976	*Eucalyptus tereticornis*	Forest Red Gum	180		180	57	8.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6977	*Eucalyptus tereticornis*	Forest Red Gum	230		230	72	10.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6978	*Eucalyptus crebra*	Narrow-leaved Ironbark	180		180	57	12.0	7.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6979	*Lophostemon suaveolens*	Swamp Box	130		130	41	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6980	*Lophostemon suaveolens*	Swamp Box	110		110	35	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6981	*Corymbia intermedia*	Pink Bloodwood	160		160	50	8.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6982	*Corymbia intermedia*	Pink Bloodwood	190		190	60	8.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6983	*Eucalyptus tereticornis*	Forest Red Gum	300		300	94	16.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6984	*Corymbia intermedia*	Pink Bloodwood	250		250	79	13.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6985	*Corymbia intermedia*	Pink Bloodwood	120		120	38	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6986	*Corymbia intermedia*	Pink Bloodwood	110		110	35	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6987	*Corymbia intermedia*	Pink Bloodwood	190	170	255	80	14.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6988	*Lophostemon suaveolens*	Swamp Box	130		130	41	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6989	*Angophora leiocarpa*	Smooth-barked Apple	180		180	57	14.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6990	*Corymbia intermedia*	Pink Bloodwood	110		110	35	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6991	*Eucalyptus tereticornis*	Forest Red Gum	270		270	85	15.0	9.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6992	*Corymbia intermedia*	Pink Bloodwood	230		230	72	14.0	9.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6993	*Corymbia intermedia*	Pink Bloodwood	200		200	63	10.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6994	*Corymbia intermedia*	Pink Bloodwood	540		540	170	18.0	9.0	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6995	*Lophostemon suaveolens*	Swamp Box	120		120	38	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6996	*Corymbia citriodora*	Spotted Gum	100		100	31	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6997	*Corymbia citriodora*	Spotted Gum	100		100	31	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6998	*Corymbia intermedia*	Pink Bloodwood	100		100	31	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6999	*Angophora leiocarpa*	Smooth-barked Apple	250		250	79	14.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7000	*Corymbia intermedia*	Pink Bloodwood	100		100	31	3.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7001	*Angophora leiocarpa*	Smooth-barked Apple	130		130	41	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7002	*Corymbia intermedia*	Pink Bloodwood	140		140	44	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7003	*Lophostemon suaveolens*	Swamp Box	130		130	41	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7004	*Corymbia intermedia*	Pink Bloodwood	140		140	44	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7005	*Lophostemon suaveolens*	Swamp Box	220		220	69	15.0	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Present	-	Remove	
7006	*Lophostemon suaveolens*	Swamp Box	290		290	91	7.0	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7007	*Lophostemon suaveolens*	Swamp Box	100		100	31	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7008	*Lophostemon suaveolens*	Swamp Box	150		150	47	11.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7009	*Lophostemon suaveolens*	Swamp Box	200		200	63	11.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7010	*Lophostemon suaveolens*	Swamp Box	130		130	41	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7011	*Lophostemon suaveolens*	Swamp Box	200		200	63	8.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7012	*Lophostemon suaveolens*	Swamp Box	180		180	57	8.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7013	*Corymbia intermedia*	Pink Bloodwood	200		200	63	10.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7014	*Lophostemon suaveolens*	Swamp Box	200		200	63	10.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7015	*Corymbia intermedia*	Pink Bloodwood	110		110	35	5.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7016	*Lophostemon suaveolens*	Swamp Box	100		100	31	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7017	*Corymbia intermedia*	Pink Bloodwood	220		220	69	10.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7018	*Corymbia intermedia*	Pink Bloodwood	130		130	41	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7019	*Lophostemon suaveolens*	Swamp Box	180		180	57	11.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7020	*Lophostemon suaveolens*	Swamp Box	130		130	41	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7021	*Lophostemon suaveolens*	Swamp Box	120		120	38	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7022	*Lophostemon suaveolens*	Swamp Box	180		180	57	8.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7023	*Lophostemon suaveolens*	Swamp Box	140		140	44	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7024	*Lophostemon suaveolens*	Swamp Box	130		130	41	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7025	*Lophostemon suaveolens*	Swamp Box	200		200	63	8.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7026	*Lophostemon suaveolens*	Swamp Box	140		140	44	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7027	*Lophostemon suaveolens*	Swamp Box	140		140	44	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7028	*Lophostemon suaveolens*	Swamp Box	100		100	31	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7029	*Lophostemon suaveolens*	Swamp Box	120		120	38	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7030	*Lophostemon suaveolens*	Swamp Box	190		190	60	9.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7031	*Lophostemon suaveolens*	Swamp Box	230		230	72	12.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7032	*Lophostemon suaveolens*	Swamp Box	230		230	72	14.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7033	*Lophostemon suaveolens*	Swamp Box	130		130	41	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7034	*Lophostemon suaveolens*	Swamp Box	200		200	63	10.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7035	*Eucalyptus tereticornis*	Forest Red Gum	140		140	44	11.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7036	*Lophostemon suaveolens*	Swamp Box	100		100	31	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7037	*Lophostemon suaveolens*	Swamp Box	130		130	41	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7038	*Lophostemon suaveolens*	Swamp Box	110		110	35	8.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7039	*Lophostemon suaveolens*	Swamp Box	120		120	38	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7040	*Lophostemon suaveolens*	Swamp Box	130		130	41	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7041	*Lophostemon suaveolens*	Swamp Box	160		160	50	8.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7042	*Lophostemon suaveolens*	Swamp Box	140		140	44	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7043	*Lophostemon suaveolens*	Swamp Box	160		160	50	9.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7044	*Lophostemon suaveolens*	Swamp Box	260		260	82	11.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
7045	*Eucalyptus tereticornis*	Forest Red Gum	260		260	82	15.0	10.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7046	*Lophostemon suaveolens*	Swamp Box	120		120	38	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7047	*Eucalyptus tereticornis*	Forest Red Gum	320		320	101	15.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7048	*Lophostemon suaveolens*	Swamp Box	230	180	292	92	9.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7049	*Lophostemon suaveolens*	Swamp Box	150		150	47	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7050	*Lophostemon suaveolens*	Swamp Box	170		170	53	8.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7051	*Eucalyptus tereticornis*	Forest Red Gum	340		340	107	14.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
7052	*Lophostemon suaveolens*	Swamp Box	220		220	69	9.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7053	*Lophostemon suaveolens*	Swamp Box	190		190	60	9.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7054	*Lophostemon suaveolens*	Swamp Box	170		170	53	8.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7055	*Lophostemon suaveolens*	Swamp Box	100		100	31	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7056	*Corymbia citriodora*	Spotted Gum	180		180	57	6.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7057	*Lophostemon suaveolens*	Swamp Box	130		130	41	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7058	*Lophostemon suaveolens*	Swamp Box	120		120	38	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7059	*Angophora leiocarpa*	Smooth-barked Apple	230		230	72	12.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7060	*Lophostemon suaveolens*	Swamp Box	280		280	88	10.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7061	*Angophora leiocarpa*	Smooth-barked Apple	110		110	35	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7062	*Eucalyptus tereticornis*	Forest Red Gum	100		100	31	7.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7063	*Lophostemon suaveolens*	Swamp Box	100		100	31	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7064	*Lophostemon suaveolens*	Swamp Box	100		100	31	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7065	*Lophostemon suaveolens*	Swamp Box	120		120	38	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7066	*Lophostemon suaveolens*	Swamp Box	100		100	31	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7067	*Lophostemon suaveolens*	Swamp Box	100		100	31	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7068	*Lophostemon suaveolens*	Swamp Box	120		120	38	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7069	*Lophostemon suaveolens*	Swamp Box	170		170	53	4.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7070	*Lophostemon suaveolens*	Swamp Box	160		160	50	9.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7071	*Lophostemon suaveolens*	Swamp Box	170		170	53	7.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7072	*Lophostemon suaveolens*	Swamp Box	110		110	35	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7073	*Lophostemon suaveolens*	Swamp Box	108		108	34	5.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7074	*Lophostemon suaveolens*	Swamp Box	130		130	41	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7075	*Lophostemon confertus*	Brush Box	220		220	69	15.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7076	*Corymbia intermedia*	Pink Bloodwood	170		170	53	9.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7077	*Angophora leiocarpa*	Smooth-barked Apple	220		220	69	16.0	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7078	*Angophora leiocarpa*	Smooth-barked Apple	100		100	31	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7079	*Lophostemon suaveolens*	Swamp Box	180		180	57	8.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7080	*Lophostemon suaveolens*	Swamp Box	100		100	31	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7081	*Lophostemon suaveolens*	Swamp Box	110		110	35	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7082	*Lophostemon suaveolens*	Swamp Box	170		170	53	9.0	8.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7083	*Lophostemon suaveolens*	Swamp Box	130		130	41	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7084	*Lophostemon suaveolens*	Swamp Box	140		140	44	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7085	*Lophostemon suaveolens*	Swamp Box	200		200	63	9.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7086	*Corymbia citriodora*	Spotted Gum	100		100	31	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7087	*Lophostemon suaveolens*	Swamp Box	120		120	38	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7088	*Lophostemon suaveolens*	Swamp Box	100		100	31	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7089	*Lophostemon suaveolens*	Swamp Box	100		100	31	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7090	*Lophostemon suaveolens*	Swamp Box	130		130	41	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7091	*Lophostemon suaveolens*	Swamp Box	210		210	66	8.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7092	*Corymbia intermedia*	Pink Bloodwood	210	200	290	91	12.0	9.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7093	*Corymbia intermedia*	Pink Bloodwood	400		400	126	12.0	9.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7094	*Corymbia intermedia*	Pink Bloodwood	140		140	44	9.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7095	*Corymbia intermedia*	Pink Bloodwood	140		140	44	9.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7096	*Eucalyptus tereticornis*	Forest Red Gum	130		130	41	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7097	*Eucalyptus tereticornis*	Forest Red Gum	200		200	63	14.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7098	*Lophostemon suaveolens*	Swamp Box	180		180	57	7.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7099	*Eucalyptus tereticornis*	Forest Red Gum	240		240	75	16.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7100	*Corymbia intermedia*	Pink Bloodwood	190		190	60	12.0	9.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7101	*Lophostemon suaveolens*	Swamp Box	210		210	66	10.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7102	*Corymbia intermedia*	Pink Bloodwood	400		400	126	9.0	6.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7103	*Corymbia intermedia*	Pink Bloodwood	240		240	75	12.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7104	*Corymbia intermedia*	Pink Bloodwood	170		170	53	7.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7105	*Corymbia intermedia*	Pink Bloodwood	110		110	35	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7106	*Corymbia intermedia*	Pink Bloodwood	130		130	41	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7107	*Corymbia intermedia*	Pink Bloodwood	400		400	126	9.0	4.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7108	*Corymbia intermedia*	Pink Bloodwood	170		170	53	8.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7109	*Corymbia henryi*	Large-leaved Spotted Gum	240		240	75	14.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7110	*Corymbia henryi*	Large-leaved Spotted Gum	430		430	135	16.0	10.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7111	*Corymbia citriodora*	Spotted Gum	180		180	57	7.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7112	*Corymbia citriodora*	Spotted Gum	140		140	44	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7113	*Eucalyptus tereticornis*	Forest Red Gum	340		340	107	16.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7114	*Corymbia intermedia*	Pink Bloodwood	130		130	41	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7115	*Corymbia citriodora*	Spotted Gum	230		230	72	14.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7116	*Corymbia citriodora*	Spotted Gum	140		140	44	10.0	7.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7117	*Corymbia citriodora*	Spotted Gum	160		160	50	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7118	*Corymbia citriodora*	Spotted Gum	140		140	44	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7119	*Corymbia intermedia*	Pink Bloodwood	300		300	94	13.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7120	*Eucalyptus tereticornis*	Forest Red Gum	220		220	69	10.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7121	*Corymbia citriodora*	Spotted Gum	240		240	75	13.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7122	*Corymbia intermedia*	Pink Bloodwood	100		100	31	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7123	*Corymbia intermedia*	Pink Bloodwood	120		120	38	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7124	*Corymbia intermedia*	Pink Bloodwood	130		130	41	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7125	*Corymbia intermedia*	Pink Bloodwood	100		100	31	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
7126	*Corymbia intermedia*	Pink Bloodwood	130		130	41	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7127	*Corymbia intermedia*	Pink Bloodwood	130		130	41	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7128	*Corymbia intermedia*	Pink Bloodwood	110		110	35	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7129	*Corymbia citriodora*	Spotted Gum	380		380	119	16.0	10.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7130	*Eucalyptus tereticornis*	Forest Red Gum	250		250	79	8.0	3.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7131	*Corymbia intermedia*	Pink Bloodwood	180		180	57	13.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7132	*Corymbia citriodora*	Spotted Gum	110		110	35	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7133	*Corymbia citriodora*	Spotted Gum	130		130	41	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7134	*Lophostemon suaveolens*	Swamp Box	100		100	31	4.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7135	*Corymbia citriodora*	Spotted Gum	130		130	41	6.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7136	*Angophora leiocarpa*	Smooth-barked Apple	300		300	94	17.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7137	*Angophora leiocarpa*	Smooth-barked Apple	130		130	41	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7138	*Lophostemon suaveolens*	Swamp Box	130		130	41	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7139	*Corymbia citriodora*	Spotted Gum	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7140	*Angophora leiocarpa*	Smooth-barked Apple	120		120	38	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7141	*Corymbia intermedia*	Pink Bloodwood	130		130	41	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7142	*Angophora leiocarpa*	Smooth-barked Apple	250		250	79	14.0	9.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7143	*Angophora leiocarpa*	Smooth-barked Apple	200		200	63	16.0	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7144	*Angophora leiocarpa*	Smooth-barked Apple	190		190	60	14.0	8.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7145	*Lophostemon suaveolens*	Swamp Box	140	140	198	62	6.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7146	*Corymbia intermedia*	Pink Bloodwood	130		130	41	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7147	*Corymbia intermedia*	Pink Bloodwood	190	140	236	74	14.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7148	*Eucalyptus tereticornis*	Forest Red Gum	360		360	113	15.0	9.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7149	*Angophora leiocarpa*	Smooth-barked Apple	150		150	47	7.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7150	*Dead/Stag*		670		670	210	16.0	6.0	8.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Remove	
7151	*Angophora leiocarpa*	Smooth-barked Apple	140		140	44	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7152	*Corymbia intermedia*	Pink Bloodwood	100		100	31	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7153	*Lophostemon suaveolens*	Swamp Box	130		130	41	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7154	*Angophora leiocarpa*	Smooth-barked Apple	120		120	38	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7155	*Corymbia intermedia*	Pink Bloodwood	100		100	31	4.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7156	*Corymbia intermedia*	Pink Bloodwood	170		170	53	9.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7157	*Angophora leiocarpa*	Smooth-barked Apple	300	200 200	412	130	18.0	11.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7158	*Lophostemon suaveolens*	Swamp Box	130		130	41	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7159	*Corymbia intermedia*	Pink Bloodwood	320	100	335	105	16.0	10.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7160	*Corymbia intermedia*	Pink Bloodwood	220		220	69	13.0	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7161	*Lophostemon suaveolens*	Swamp Box	140		140	44	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7162	*Lophostemon suaveolens*	Swamp Box	170		170	53	8.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7163	*Lophostemon suaveolens*	Swamp Box	110		110	35	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7164	*Angophora leiocarpa*	Smooth-barked Apple	230		230	72	13.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7165	*Lophostemon suaveolens*	Swamp Box	100		100	31	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7166	*Lophostemon suaveolens*	Swamp Box	200	130	239	75	8.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7167	*Lophostemon suaveolens*	Swamp Box	140		140	44	5.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7168	*Lophostemon suaveolens*	Swamp Box	130		130	41	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7169	*Lophostemon suaveolens*	Swamp Box	130		130	41	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7170	*Lophostemon suaveolens*	Swamp Box	170		170	53	7.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7171	*Eucalyptus tereticornis*	Forest Red Gum	160		160	50	11.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7172	*Corymbia intermedia*	Pink Bloodwood	230	180	292	92	15.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7173	*Lophostemon suaveolens*	Swamp Box	110		110	35	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7174	*Lophostemon suaveolens*	Swamp Box	130		130	41	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7175	*Lophostemon suaveolens*	Swamp Box	140		140	44	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7176	*Lophostemon suaveolens*	Swamp Box	110		110	35	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7177	*Lophostemon suaveolens*	Swamp Box	120		120	38	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7178	*Lophostemon suaveolens*	Swamp Box	120		120	38	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7179	*Lophostemon suaveolens*	Swamp Box	100		100	31	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7180	*Lophostemon suaveolens*	Swamp Box	130		130	41	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7181	*Lophostemon suaveolens*	Swamp Box	160		160	50	7.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7182	*Lophostemon suaveolens*	Swamp Box	150		150	47	9.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7183	*Lophostemon suaveolens*	Swamp Box	180		180	57	9.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7184	*Eucalyptus tereticornis*	Forest Red Gum	240		240	75	15.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7185	*Angophora leiocarpa*	Smooth-barked Apple	170		170	53	9.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7186	*Corymbia intermedia*	Pink Bloodwood	200		200	63	9.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7187	*Lophostemon suaveolens*	Swamp Box	108		108	34	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7188	*Corymbia intermedia*	Pink Bloodwood	130	130	184	58	8.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7189	*Corymbia intermedia*	Pink Bloodwood	220		220	69	10.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7190	*Lophostemon suaveolens*	Swamp Box	150	130	198	62	8.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7191	*Lophostemon suaveolens*	Swamp Box	170		170	53	7.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7192	*Corymbia intermedia*	Pink Bloodwood	140		140	44	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7193	*Corymbia intermedia*	Pink Bloodwood	130		130	41	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7194	*Corymbia intermedia*	Pink Bloodwood	110		110	35	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7195	*Corymbia intermedia*	Pink Bloodwood	130		130	41	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7196	*Lophostemon suaveolens*	Swamp Box	130		130	41	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7197	*Angophora leiocarpa*	Smooth-barked Apple	438	210	486	153	14.0	8.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7198	*Corymbia intermedia*	Pink Bloodwood	300		300	94	14.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7199	*Lophostemon suaveolens*	Swamp Box	170		170	53	7.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7200	*Corymbia intermedia*	Pink Bloodwood	130		130	41	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7201	*Corymbia intermedia*	Pink Bloodwood	360		360	113	15.0	10.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Remove	
7202	*Corymbia intermedia*	Pink Bloodwood	180		180	57	7.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7203	*Corymbia citriodora*	Spotted Gum	130		130	41	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7204	*Corymbia intermedia*	Pink Bloodwood	130		130	41	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7205	*Corymbia intermedia*	Pink Bloodwood	130		130	41	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7206	*Corymbia citriodora*	Spotted Gum	200		200	63	8.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
7207	*Corymbia intermedia*	Pink Bloodwood	100		100	31	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7208	*Corymbia intermedia*	Pink Bloodwood	140		140	44	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7209	*Corymbia intermedia*	Pink Bloodwood	120		120	38	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7210	*Corymbia intermedia*	Pink Bloodwood	160		160	50	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7211	*Corymbia citriodora*	Spotted Gum	180		180	57	9.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7212	*Lophostemon suaveolens*	Swamp Box	160		160	50	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7213	*Lophostemon suaveolens*	Swamp Box	100		100	31	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7214	*Eucalyptus tereticornis*	Forest Red Gum	150		150	47	10.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7215	*Corymbia citriodora*	Spotted Gum	110		110	35	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7216	*Lophostemon suaveolens*	Swamp Box	130		130	41	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7217	*Lophostemon suaveolens*	Swamp Box	110		110	35	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7218	*Angophora leiocarpa*	Smooth-barked Apple	230		230	72	13.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7219	*Corymbia citriodora*	Spotted Gum	860		860	270	16.0	11.0	10.3	3.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7220	*Eucalyptus tereticornis*	Forest Red Gum	130		130	41	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7221	*Angophora leiocarpa*	Smooth-barked Apple	200		200	63	10.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7222	*Lophostemon suaveolens*	Swamp Box	130		130	41	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7223	*Corymbia intermedia*	Pink Bloodwood	530		530	167	15.0	10.0	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7224	*Lophostemon suaveolens*	Swamp Box	110		110	35	5.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7225	*Lophostemon suaveolens*	Swamp Box	180		180	57	8.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7226	*Lophostemon suaveolens*	Swamp Box	120		120	38	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7227	*Corymbia intermedia*	Pink Bloodwood	620		620	195	16.0	11.0	7.4	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7228	*Eucalyptus tereticornis*	Forest Red Gum	150		150	47	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7229	*Lophostemon suaveolens*	Swamp Box	120		120	38	5.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7230	*Lophostemon suaveolens*	Swamp Box	190		190	60	6.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7231	*Corymbia intermedia*	Pink Bloodwood	150		150	47	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7232	*Lophostemon suaveolens*	Swamp Box	140		140	44	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7233	*Eucalyptus tereticornis*	Forest Red Gum	130		130	41	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
7234	*Corymbia intermedia*	Pink Bloodwood	150		150	47	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7235	*Angophora leiocarpa*	Smooth-barked Apple	120		120	38	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7236	*Lophostemon suaveolens*	Swamp Box	240		240	75	10.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7237	*Angophora leiocarpa*	Smooth-barked Apple	200		200	63	8.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7238	*Corymbia intermedia*	Pink Bloodwood	160		160	50	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7239	*Angophora leiocarpa*	Smooth-barked Apple	140		140	44	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7240	*Corymbia intermedia*	Pink Bloodwood	120		120	38	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7241	*Melaleuca quinquenervia*	Broad-leaved Paperbark	170		170	53	8.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7242	*Eucalyptus tereticornis*	Forest Red Gum	140		140	44	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7243	*Melaleuca quinquenervia*	Broad-leaved Paperbark	150		150	47	7.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7244	*Melaleuca quinquenervia*	Broad-leaved Paperbark	160		160	50	10.0	7.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7245	*Lophostemon suaveolens*	Swamp Box	130		130	41	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7246	*Lophostemon suaveolens*	Swamp Box	120		120	38	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7247	*Lophostemon suaveolens*	Swamp Box	170		170	53	8.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7248	*Melaleuca quinquenervia*	Broad-leaved Paperbark	140		140	44	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7249	*Lophostemon suaveolens*	Swamp Box	130		130	41	5.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7250	*Corymbia intermedia*	Pink Bloodwood	140		140	44	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7251	*Melaleuca quinquenervia*	Broad-leaved Paperbark	140		140	44	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7252	*Lophostemon suaveolens*	Swamp Box	100		100	31	5.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7253	*Angophora leiocarpa*	Smooth-barked Apple	110		110	35	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7254	*Melaleuca quinquenervia*	Broad-leaved Paperbark	120		120	38	9.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7255	*Lophostemon suaveolens*	Swamp Box	130		130	41	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7256	*Corymbia intermedia*	Pink Bloodwood	130		130	41	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7257	*Lophostemon suaveolens*	Swamp Box	130		130	41	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7258	*Corymbia intermedia*	Pink Bloodwood	170		170	53	7.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7259	*Eucalyptus tereticornis*	Forest Red Gum	330		330	104	12.0	9.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7260	*Corymbia intermedia*	Pink Bloodwood	230		230	72	8.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7261	*Corymbia intermedia*	Pink Bloodwood	210		210	66	11.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7262	*Corymbia intermedia*	Pink Bloodwood	170		170	53	11.0	8.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7263	*Eucalyptus carnea*	Broad-leaved White Mahogany	150		150	47	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7264	*Corymbia intermedia*	Pink Bloodwood	160		160	50	9.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7265	*Eucalyptus tereticornis*	Forest Red Gum	220	170	278	87	11.0	6.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7266	*Eucalyptus tereticornis*	Forest Red Gum	220		220	69	11.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7267	*Corymbia intermedia*	Pink Bloodwood	116		116	36	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7268	*Angophora leiocarpa*	Smooth-barked Apple	350		350	110	12.0	9.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7269	*Eucalyptus tereticornis*	Forest Red Gum	270		270	85	7.0	4.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7270	*Lophostemon suaveolens*	Swamp Box	130		130	41	6.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7271	*Lophostemon suaveolens*	Swamp Box	110		110	35	6.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7272	*Lophostemon suaveolens*	Swamp Box	150		150	47	6.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7273	*Angophora leiocarpa*	Smooth-barked Apple	170		170	53	10.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7274	*Lophostemon suaveolens*	Swamp Box	120		120	38	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7275	*Lophostemon suaveolens*	Swamp Box	120		120	38	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7276	*Corymbia intermedia*	Pink Bloodwood	150		150	47	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7277	*Lophostemon suaveolens*	Swamp Box	110		110	35	7.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7278	*Corymbia intermedia*	Pink Bloodwood	190		190	60	12.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7279	*Lophostemon suaveolens*	Swamp Box	140		140	44	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7280	*Lophostemon suaveolens*	Swamp Box	110		110	35	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7281	*Corymbia intermedia*	Pink Bloodwood	200		200	63	11.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7282	*Lophostemon suaveolens*	Swamp Box	100		100	31	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7283	*Lophostemon suaveolens*	Swamp Box	100		100	31	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7284	*Eucalyptus tereticornis*	Forest Red Gum	260		260	82	10.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7285	*Corymbia intermedia*	Pink Bloodwood	150		150	47	12.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7286	*Angophora leiocarpa*	Smooth-barked Apple	180		180	57	12.0	7.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7287	*Eucalyptus tereticornis*	Forest Red Gum	210		210	66	11.0	10.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
7288	*Lophostemon suaveolens*	Swamp Box	110		110	35	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7289	*Corymbia intermedia*	Pink Bloodwood	270		270	85	12.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7290	*Corymbia intermedia*	Pink Bloodwood	210		210	66	12.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7291	*Corymbia intermedia*	Pink Bloodwood	140		140	44	10.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7292	*Corymbia intermedia*	Pink Bloodwood	240		240	75	13.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7293	*Eucalyptus tereticornis*	Forest Red Gum	210		210	66	12.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7294	*Lophostemon suaveolens*	Swamp Box	140		140	44	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7295	*Lophostemon suaveolens*	Swamp Box	150		150	47	8.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7296	*Corymbia citriodora*	Spotted Gum	160		160	50	11.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7297	*Corymbia intermedia*	Pink Bloodwood	210		210	66	12.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7298	*Lophostemon suaveolens*	Swamp Box	130		130	41	7.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7299	*Corymbia intermedia*	Pink Bloodwood	190		190	60	12.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7300	*Corymbia intermedia*	Pink Bloodwood	160		160	50	13.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7301	*Corymbia intermedia*	Pink Bloodwood	200		200	63	13.0	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7302	*Angophora leiocarpa*	Smooth-barked Apple	190		190	60	13.0	7.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7303	*Corymbia intermedia*	Pink Bloodwood	100		100	31	6.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7304	*Corymbia intermedia*	Pink Bloodwood	190		190	60	8.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7305	*Corymbia citriodora*	Spotted Gum	160		160	50	9.0	7.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7306	*Corymbia citriodora*	Spotted Gum	100		100	31	10.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7307	*Angophora leiocarpa*	Smooth-barked Apple	220		220	69	11.0	9.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7308	*Angophora leiocarpa*	Smooth-barked Apple	120		120	38	8.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7309	*Eucalyptus tereticornis*	Forest Red Gum	170		170	53	13.0	9.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7310	*Angophora leiocarpa*	Smooth-barked Apple	100		100	31	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7311	*Melaleuca quinquenervia*	Broad-leaved Paperbark	170		170	53	8.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7312	*Melaleuca quinquenervia*	Broad-leaved Paperbark	350		350	110	12.0	10.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7313	*Melaleuca quinquenervia*	Broad-leaved Paperbark	210	190	283	89	11.0	9.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7314	*Melaleuca quinquenervia*	Broad-leaved Paperbark	120		120	38	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7315	*Melaleuca quinquenervia*	Broad-leaved Paperbark	170		170	53	13.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7316	*Melaleuca quinquenervia*	Broad-leaved Paperbark	110		110	35	11.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7317	*Lophostemon suaveolens*	Swamp Box	130		130	41	5.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7318	*Melaleuca quinquenervia*	Broad-leaved Paperbark	120		120	38	11.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7319	*Melaleuca quinquenervia*	Broad-leaved Paperbark	130	110	170	53	9.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7320	*Angophora leiocarpa*	Smooth-barked Apple	100		100	31	10.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7321	*Melaleuca quinquenervia*	Broad-leaved Paperbark	110		110	35	8.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7322	*Melaleuca quinquenervia*	Broad-leaved Paperbark	100		100	31	8.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7323	*Melaleuca quinquenervia*	Broad-leaved Paperbark	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7324	*Angophora leiocarpa*	Smooth-barked Apple	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7325	*Corymbia intermedia*	Pink Bloodwood	110		110	35	10.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7326	*Corymbia intermedia*	Pink Bloodwood	180		180	57	11.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7327	*Lophostemon suaveolens*	Swamp Box	170		170	53	8.0	7.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7328	*Corymbia intermedia*	Pink Bloodwood	190		190	60	10.0	7.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7329	*Lophostemon suaveolens*	Swamp Box	130		130	41	6.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7330	*Corymbia citriodora*	Spotted Gum	290		290	91	12.0	10.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7331	*Lophostemon suaveolens*	Swamp Box	100		100	31	6.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7332	*Angophora leiocarpa*	Smooth-barked Apple	670		670	210	13.0	12.0	8.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7333	*Eucalyptus tereticornis*	Forest Red Gum	170		170	53	7.0	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7334	*Eucalyptus tereticornis*	Forest Red Gum	220		220	69	13.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7335	*Corymbia intermedia*	Pink Bloodwood	110		110	35	7.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7336	*Corymbia intermedia*	Pink Bloodwood	190	140 110	260	82	11.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7337	*Lophostemon suaveolens*	Swamp Box	160		160	50	8.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7338	*Corymbia citriodora*	Spotted Gum	110		110	35	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7339	*Lophostemon suaveolens*	Swamp Box	140		140	44	5.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7340	*Corymbia intermedia*	Pink Bloodwood	100		100	31	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7341	*Angophora leiocarpa*	Smooth-barked Apple	230		230	72	12.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7342	*Lophostemon suaveolens*	Swamp Box	110		110	35	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7343	*Lophostemon suaveolens*	Swamp Box	180		180	57	8.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7344	*Corymbia intermedia*	Pink Bloodwood	490		490	154	13.0	11.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7345	*Corymbia intermedia*	Pink Bloodwood	160		160	50	11.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7346	*Angophora leiocarpa*	Smooth-barked Apple	180		180	57	12.0	7.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7347	*Corymbia intermedia*	Pink Bloodwood	160		160	50	12.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7348	*Angophora leiocarpa*	Smooth-barked Apple	100		100	31	11.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7349	*Corymbia intermedia*	Pink Bloodwood	150		150	47	12.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7350	*Angophora leiocarpa*	Smooth-barked Apple	100		100	31	8.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7351	*Corymbia intermedia*	Pink Bloodwood	140		140	44	12.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7352	*Corymbia intermedia*	Pink Bloodwood	110		110	35	11.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7353	*Corymbia intermedia*	Pink Bloodwood	120		120	38	11.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7354	*Corymbia intermedia*	Pink Bloodwood	200		200	63	12.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7355	*Angophora leiocarpa*	Smooth-barked Apple	110		110	35	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7356	*Corymbia intermedia*	Pink Bloodwood	190		190	60	12.0	7.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7357	*Corymbia intermedia*	Pink Bloodwood	240		240	75	11.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7358	*Angophora leiocarpa*	Smooth-barked Apple	330		330	104	14.0	10.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7359	*Corymbia intermedia*	Pink Bloodwood	140		140	44	9.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7360	*Corymbia intermedia*	Pink Bloodwood	110		110	35	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7361	*Angophora leiocarpa*	Smooth-barked Apple	120		120	38	5.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7362	*Corymbia intermedia*	Pink Bloodwood	210		210	66	8.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7363	*Corymbia intermedia*	Pink Bloodwood	270		270	85	12.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7364	*Corymbia intermedia*	Pink Bloodwood	260		260	82	14.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7365	*Eucalyptus crebra*	Narrow-leaved Ironbark	120		120	38	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7366	*Corymbia intermedia*	Pink Bloodwood	300		300	94	14.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7367	*Corymbia intermedia*	Pink Bloodwood	230		230	72	13.0	9.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7368	*Corymbia intermedia*	Pink Bloodwood	240		240	75	14.0	10.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
7369	*Corymbia intermedia*	Pink Bloodwood	210		210	66	14.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7370	*Corymbia intermedia*	Pink Bloodwood	190		190	60	11.0	7.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7371	*Corymbia intermedia*	Pink Bloodwood	200		200	63	12.0	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7372	*Corymbia intermedia*	Pink Bloodwood	220		220	69	12.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7373	*Lophostemon suaveolens*	Swamp Box	210		210	66	11.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7374	*Corymbia intermedia*	Pink Bloodwood	110		110	35	9.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7375	*Corymbia intermedia*	Pink Bloodwood	180		180	57	13.0	7.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7376	*Corymbia intermedia*	Pink Bloodwood	150		150	47	8.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7377	*Corymbia intermedia*	Pink Bloodwood	120		120	38	5.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7378	*Eucalyptus tereticornis*	Forest Red Gum	300		300	94	12.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7379	*Corymbia intermedia*	Pink Bloodwood	200		200	63	10.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7380	*Eucalyptus tereticornis*	Forest Red Gum	170		170	53	12.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7381	*Corymbia intermedia*	Pink Bloodwood	120		120	38	12.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7382	*Corymbia intermedia*	Pink Bloodwood	210	200	290	91	12.0	10.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7383	*Corymbia intermedia*	Pink Bloodwood	120		120	38	11.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7384	*Corymbia intermedia*	Pink Bloodwood	210		210	66	11.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7385	*Eucalyptus tereticornis*	Forest Red Gum	270		270	85	12.0	11.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7386	*Corymbia intermedia*	Pink Bloodwood	160		160	50	9.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7387	*Corymbia intermedia*	Pink Bloodwood	120		120	38	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7388	*Corymbia intermedia*	Pink Bloodwood	270		270	85	12.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7389	*Corymbia intermedia*	Pink Bloodwood	180		180	57	8.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7390	*Corymbia intermedia*	Pink Bloodwood	110		110	35	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7391	*Corymbia intermedia*	Pink Bloodwood	230		230	72	10.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7392	*Corymbia intermedia*	Pink Bloodwood	160		160	50	12.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7393	*Corymbia intermedia*	Pink Bloodwood	170	120	208	65	10.0	8.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7394	*Eucalyptus tereticornis*	Forest Red Gum	200		200	63	13.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7395	*Lophostemon suaveolens*	Swamp Box	170		170	53	7.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7396	*Corymbia intermedia*	Pink Bloodwood	230		230	72	13.0	10.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7397	*Eucalyptus tereticornis*	Forest Red Gum	160		160	50	12.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7398	*Eucalyptus tereticornis*	Forest Red Gum	280		280	88	13.0	11.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7399	*Corymbia intermedia*	Pink Bloodwood	170	100	197	62	11.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7400	*Corymbia citriodora*	Spotted Gum	130		130	41	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7401	*Corymbia intermedia*	Pink Bloodwood	280		280	88	12.0	11.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7402	*Corymbia intermedia*	Pink Bloodwood	170		170	53	7.0	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7403	*Corymbia intermedia*	Pink Bloodwood	240		240	75	12.0	9.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7404	*Corymbia intermedia*	Pink Bloodwood	130		130	41	11.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7405	*Eucalyptus crebra*	Narrow-leaved Ironbark	220		220	69	12.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7406	*Eucalyptus crebra*	Narrow-leaved Ironbark	240		240	75	13.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7407	*Corymbia intermedia*	Pink Bloodwood	260	160	305	96	13.0	10.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7408	*Eucalyptus tereticornis*	Forest Red Gum	180		180	57	13.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7409	*Corymbia intermedia*	Pink Bloodwood	260		260	82	12.0	11.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7410	*Eucalyptus carnea*	Broad-leaved White Mahogany	190		190	60	11.0	7.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7411	*Corymbia intermedia*	Pink Bloodwood	200		200	63	12.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7412	*Eucalyptus tereticornis*	Forest Red Gum	270		270	85	13.0	10.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7413	*Corymbia intermedia*	Pink Bloodwood	190		190	60	10.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7414	*Corymbia intermedia*	Pink Bloodwood	180		180	57	11.0	9.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7415	*Eucalyptus tereticornis*	Forest Red Gum	140		140	44	8.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7416	*Lophostemon suaveolens*	Swamp Box	110		110	35	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7417	*Lophostemon suaveolens*	Swamp Box	190		190	60	10.0	7.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7418	*Corymbia intermedia*	Pink Bloodwood	230		230	72	12.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7419	*Angophora leiocarpa*	Smooth-barked Apple	270		270	85	13.0	11.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7420	*Corymbia intermedia*	Pink Bloodwood	210		210	66	12.0	8.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7421	*Corymbia intermedia*	Pink Bloodwood	160		160	50	10.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7422	*Eucalyptus carnea*	Broad-leaved White Mahogany	160		160	50	11.0	7.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7423	*Corymbia intermedia*	Pink Bloodwood	230		230	72	12.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7424	*Eucalyptus carnea*	Broad-leaved White Mahogany	160		160	50	12.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7425	*Eucalyptus carnea*	Broad-leaved White Mahogany	140		140	44	12.0	7.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7426	*Eucalyptus carnea*	Broad-leaved White Mahogany	150		150	47	11.0	7.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7427	*Eucalyptus tereticornis*	Forest Red Gum	120		120	38	10.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7428	*Eucalyptus carnea*	Broad-leaved White Mahogany	100		100	31	10.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7429	*Corymbia intermedia*	Pink Bloodwood	140	110	178	56	13.0	4.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7430	*Corymbia intermedia*	Pink Bloodwood	170		170	53	13.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7431	*Eucalyptus tereticornis*	Forest Red Gum	130		130	41	11.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7432	*Angophora leiocarpa*	Smooth-barked Apple	290		290	91	13.0	11.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7433	*Corymbia intermedia*	Pink Bloodwood	210		210	66	12.0	8.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7434	*Eucalyptus carnea*	Broad-leaved White Mahogany	170		170	53	11.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7435	*Corymbia intermedia*	Pink Bloodwood	170		170	53	13.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7436	*Eucalyptus carnea*	Broad-leaved White Mahogany	110		110	35	10.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7437	*Eucalyptus carnea*	Broad-leaved White Mahogany	140		140	44	13.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7438	*Eucalyptus carnea*	Broad-leaved White Mahogany	250		250	79	12.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7439	*Corymbia intermedia*	Pink Bloodwood	160		160	50	11.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7440	*Corymbia intermedia*	Pink Bloodwood	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7441	*Eucalyptus carnea*	Broad-leaved White Mahogany	110		110	35	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7442	*Eucalyptus tereticornis*	Forest Red Gum	210		210	66	12.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7443	*Corymbia intermedia*	Pink Bloodwood	170		170	53	8.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7444	*Eucalyptus tereticornis*	Forest Red Gum	110		110	35	10.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7445	*Eucalyptus carnea*	Broad-leaved White Mahogany	100		100	31	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7446	*Corymbia intermedia*	Pink Bloodwood	180		180	57	8.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7447	*Corymbia intermedia*	Pink Bloodwood	180		180	57	11.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7448	*Eucalyptus tereticornis*	Forest Red Gum	160		160	50	11.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7449	*Eucalyptus carnea*	Broad-leaved White Mahogany	140		140	44	10.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
7450	*Dead/Stag*		220		220	69	10.0	10.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7451	*Corymbia intermedia*	Pink Bloodwood	310		310	97	13.0	10.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7452	*Corymbia intermedia*	Pink Bloodwood	120	100	156	49	8.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7453	*Lophostemon suaveolens*	Swamp Box	140		140	44	6.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7454	*Lophostemon suaveolens*	Swamp Box	140		140	44	6.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7455	*Corymbia intermedia*	Pink Bloodwood	140		140	44	12.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7456	*Eucalyptus tereticornis*	Forest Red Gum	110		110	35	10.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7457	*Corymbia intermedia*	Pink Bloodwood	140		140	44	12.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7458	*Corymbia intermedia*	Pink Bloodwood	170		170	53	12.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7459	*Corymbia intermedia*	Pink Bloodwood	130		130	41	8.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7460	*Corymbia intermedia*	Pink Bloodwood	160		160	50	12.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7461	*Corymbia intermedia*	Pink Bloodwood	190		190	60	11.0	8.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7462	*Corymbia intermedia*	Pink Bloodwood	130		130	41	13.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7463	*Eucalyptus carnea*	Broad-leaved White Mahogany	100		100	31	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7464	*Corymbia intermedia*	Pink Bloodwood	100		100	31	9.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7465	*Corymbia intermedia*	Pink Bloodwood	100		100	31	7.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7466	*Corymbia intermedia*	Pink Bloodwood	100		100	31	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7467	*Corymbia intermedia*	Pink Bloodwood	100		100	31	7.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7468	*Corymbia intermedia*	Pink Bloodwood	100		100	31	7.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7469	*Corymbia intermedia*	Pink Bloodwood	100		100	31	5.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7470	*Angophora leiocarpa*	Smooth-barked Apple	150		150	47	9.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7471	*Eucalyptus tereticornis*	Forest Red Gum	210		210	66	12.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7472	*Melaleuca quinquenervia*	Broad-leaved Paperbark	190		190	60	10.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7473	*Corymbia intermedia*	Pink Bloodwood	200		200	63	11.0	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7474	*Corymbia intermedia*	Pink Bloodwood	110		110	35	8.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7475	*Angophora leiocarpa*	Smooth-barked Apple	100		100	31	11.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7476	*Corymbia intermedia*	Pink Bloodwood	210		210	66	13.0	9.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7477	*Corymbia intermedia*	Pink Bloodwood	210		210	66	10.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7478	*Corymbia intermedia*	Pink Bloodwood	120		120	38	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7479	*Corymbia intermedia*	Pink Bloodwood	250		250	79	13.0	9.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7480	*Melaleuca quinquenervia*	Broad-leaved Paperbark	160		160	50	11.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7481	*Melaleuca quinquenervia*	Broad-leaved Paperbark	160		160	50	11.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7482	*Melaleuca quinquenervia*	Broad-leaved Paperbark	200		200	63	13.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7483	*Angophora leiocarpa*	Smooth-barked Apple	240	230	332	104	13.0	12.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7484	*Eucalyptus tereticornis*	Forest Red Gum	170		170	53	12.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7485	*Melaleuca quinquenervia*	Broad-leaved Paperbark	130		130	41	11.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7486	*Lophostemon suaveolens*	Swamp Box	150		150	47	13.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7487	*Eucalyptus tereticornis*	Forest Red Gum	320		320	101	13.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7488	*Eucalyptus tereticornis*	Forest Red Gum	330		330	104	14.0	11.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7489	*Melaleuca quinquenervia*	Broad-leaved Paperbark	170	160 120	262	82	11.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7490	*Lophostemon suaveolens*	Swamp Box	180	170 160	295	93	9.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7491	*Corymbia intermedia*	Pink Bloodwood	200		200	63	12.0	10.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7492	*Corymbia intermedia*	Pink Bloodwood	120		120	38	13.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7493	*Eucalyptus carnea*	Broad-leaved White Mahogany	150		150	47	12.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7494	*Corymbia intermedia*	Pink Bloodwood	130		130	41	8.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7495	*Lophostemon suaveolens*	Swamp Box	110		110	35	5.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7496	*Lophostemon suaveolens*	Swamp Box	130	110	170	53	7.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7497	*Lophostemon suaveolens*	Swamp Box	140		140	44	8.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7498	*Lophostemon suaveolens*	Swamp Box	100		100	31	5.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7499	*Corymbia intermedia*	Pink Bloodwood	230		230	72	13.0	10.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7500	*Lophostemon suaveolens*	Swamp Box	190		190	60	10.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7501	*Corymbia intermedia*	Pink Bloodwood	220		220	69	11.0	10.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7502	*Eucalyptus carnea*	Broad-leaved White Mahogany	170		170	53	13.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7503	*Angophora leiocarpa*	Smooth-barked Apple	380		380	119	13.0	12.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7504	*Corymbia intermedia*	Pink Bloodwood	170		170	53	14.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7505	*Eucalyptus carnea*	Broad-leaved White Mahogany	280		280	88	13.0	9.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7506	*Eucalyptus carnea*	Broad-leaved White Mahogany	100		100	31	7.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7507	*Eucalyptus tereticornis*	Forest Red Gum	120	110	163	51	11.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7508	*Eucalyptus carnea*	Broad-leaved White Mahogany	110		110	35	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7509	*Corymbia intermedia*	Pink Bloodwood	170	130	214	67	13.0	6.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7510	*Corymbia intermedia*	Pink Bloodwood	140	130	191	60	12.0	7.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7511	*Lophostemon suaveolens*	Swamp Box	110	100	149	47	8.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7512	*Eucalyptus carnea*	Broad-leaved White Mahogany	100		100	31	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7513	*Eucalyptus carnea*	Broad-leaved White Mahogany	100		100	31	11.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7514	*Angophora leiocarpa*	Smooth-barked Apple	280		280	88	15.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7515	*Corymbia tessellaris*	Moreton Bay Ash	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7516	*Eucalyptus tereticornis*	Forest Red Gum	120		120	38	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7517	*Corymbia citriodora*	Spotted Gum	130		130	41	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7518	*Corymbia citriodora*	Spotted Gum	130		130	41	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7519	*Corymbia citriodora*	Spotted Gum	135		135	42	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7520	*Corymbia citriodora*	Spotted Gum	270		270	85	11.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Present	-	Remove	
7521	*Corymbia citriodora*	Spotted Gum	100		100	31	5.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7522	*Eucalyptus tereticornis*	Forest Red Gum	210		210	66	11.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7523	*Corymbia intermedia*	Pink Bloodwood	140		140	44	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7524	*Corymbia intermedia*	Pink Bloodwood	220		220	69	8.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7525	*Corymbia intermedia*	Pink Bloodwood	110		110	35	5.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7526	*Eucalyptus tereticornis*	Forest Red Gum	120		120	38	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7527	*Corymbia intermedia*	Pink Bloodwood	140		140	44	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7528	*Lophostemon suaveolens*	Swamp Box	150		150	47	9.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7529	*Corymbia intermedia*	Pink Bloodwood	175		175	55	8.0	3.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7530	*Eucalyptus tereticornis*	Forest Red Gum	230		230	72	8.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
7531	*Corymbia intermedia*	Pink Bloodwood	110		110	35	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7532	*Corymbia intermedia*	Pink Bloodwood	290		290	91	17.0	9.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7533	*Eucalyptus tereticornis*	Forest Red Gum	190		190	60	9.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7534	*Lophostemon suaveolens*	Swamp Box	180		180	57	6.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7535	*Lophostemon suaveolens*	Swamp Box	110		110	35	5.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7536	*Lophostemon suaveolens*	Swamp Box	140		140	44	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7537	*Eucalyptus tereticornis*	Forest Red Gum	190		190	60	9.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7538	*Lophostemon suaveolens*	Swamp Box	200		200	63	10.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7539	*Lophostemon suaveolens*	Swamp Box	130		130	41	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7540	*Eucalyptus tereticornis*	Forest Red Gum	140		140	44	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7541	*Lophostemon suaveolens*	Swamp Box	150		150	47	7.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7542	*Lophostemon suaveolens*	Swamp Box	110		110	35	3.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7543	*Lophostemon suaveolens*	Swamp Box	200		200	63	8.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7544	*Lophostemon suaveolens*	Swamp Box	150		150	47	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7545	*Lophostemon suaveolens*	Swamp Box	140		140	44	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7546	*Lophostemon suaveolens*	Swamp Box	120		120	38	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7547	*Angophora leiocarpa*	Smooth-barked Apple	150		150	47	8.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7548	*Lophostemon suaveolens*	Swamp Box	200		200	63	8.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7549	*Melaleuca quinquenervia*	Broad-leaved Paperbark	190		190	60	6.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7550	*Corymbia intermedia*	Pink Bloodwood	200		200	63	13.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7551	*Lophostemon suaveolens*	Swamp Box	130		130	41	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7552	*Corymbia intermedia*	Pink Bloodwood	120		120	38	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7553	*Corymbia intermedia*	Pink Bloodwood	170		170	53	9.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7554	*Corymbia intermedia*	Pink Bloodwood	180		180	57	8.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7555	*Eucalyptus crebra*	Narrow-leaved Ironbark	270		270	85	16.0	9.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7556	*Corymbia intermedia*	Pink Bloodwood	160		160	50	11.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7557	*Corymbia intermedia*	Pink Bloodwood	100		100	31	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7558	*Corymbia intermedia*	Pink Bloodwood	180		180	57	10.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7559	*Corymbia intermedia*	Pink Bloodwood	170		170	53	11.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7560	*Lophostemon suaveolens*	Swamp Box	130		130	41	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7561	*Angophora leiocarpa*	Smooth-barked Apple	120		120	38	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7562	*Melaleuca quinquenervia*	Broad-leaved Paperbark	110		110	35	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7563	*Corymbia intermedia*	Pink Bloodwood	100		100	31	11.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7564	*Corymbia intermedia*	Pink Bloodwood	130		130	41	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7565	*Angophora leiocarpa*	Smooth-barked Apple	120		120	38	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
7566	*Corymbia intermedia*	Pink Bloodwood	160		160	50	10.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7567	*Melaleuca quinquenervia*	Broad-leaved Paperbark	140		140	44	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7568	*Melaleuca quinquenervia*	Broad-leaved Paperbark	120		120	38	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7569	*Corymbia citriodora*	Spotted Gum	130		130	41	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7570	*Melaleuca quinquenervia*	Broad-leaved Paperbark	140		140	44	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7571	*Angophora leiocarpa*	Smooth-barked Apple	130		130	41	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7572	*Eucalyptus tereticornis*	Forest Red Gum	240		240	75	17.0	10.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7573	*Melaleuca quinquenervia*	Broad-leaved Paperbark	220		220	69	10.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7574	*Angophora leiocarpa*	Smooth-barked Apple	130		130	41	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7575	*Melaleuca quinquenervia*	Broad-leaved Paperbark	120		120	38	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7576	*Corymbia intermedia*	Pink Bloodwood	130		130	41	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7577	*Corymbia intermedia*	Pink Bloodwood	120		120	38	5.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7578	*Angophora leiocarpa*	Smooth-barked Apple	120		120	38	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7579	*Angophora leiocarpa*	Smooth-barked Apple	130		130	41	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7580	*Corymbia tessellaris*	Moreton Bay Ash	130		130	41	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7581	*Melaleuca quinquenervia*	Broad-leaved Paperbark	130		130	41	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7582	*Corymbia intermedia*	Pink Bloodwood	220		220	69	12.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7583	*Corymbia tessellaris*	Moreton Bay Ash	120		120	38	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7584	*Eucalyptus tereticornis*	Forest Red Gum	140		140	44	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7585	*Corymbia intermedia*	Pink Bloodwood	140		140	44	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7586	*Corymbia intermedia*	Pink Bloodwood	130		130	41	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7587	*Corymbia citriodora*	Spotted Gum	130		130	41	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7588	*Corymbia citriodora*	Spotted Gum	230		230	72	12.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7589	*Corymbia citriodora*	Spotted Gum	110		110	35	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7590	*Lophostemon suaveolens*	Swamp Box	130		130	41	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7591	*Corymbia intermedia*	Pink Bloodwood	110		110	35	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7592	*Corymbia intermedia*	Pink Bloodwood	240		240	75	15.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7593	*Angophora leiocarpa*	Smooth-barked Apple	240		240	75	14.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7594	*Angophora leiocarpa*	Smooth-barked Apple	270		270	85	12.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7595	*Corymbia intermedia*	Pink Bloodwood	190		190	60	9.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7596	*Corymbia intermedia*	Pink Bloodwood	210		210	66	8.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7597	*Corymbia intermedia*	Pink Bloodwood	210		210	66	14.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7598	*Lophostemon suaveolens*	Swamp Box	130		130	41	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7599	*Corymbia intermedia*	Pink Bloodwood	150		150	47	9.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7600	*Corymbia intermedia*	Pink Bloodwood	120		120	38	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7601	*Angophora leiocarpa*	Smooth-barked Apple	230		230	72	16.0	9.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7602	*Angophora leiocarpa*	Smooth-barked Apple	190		190	60	14.0	8.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7603	*Angophora leiocarpa*	Smooth-barked Apple	160		160	50	13.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7604	*Corymbia intermedia*	Pink Bloodwood	170		170	53	13.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7605	*Corymbia intermedia*	Pink Bloodwood	120		120	38	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7606	*Corymbia intermedia*	Pink Bloodwood	130		130	41	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7607	*Corymbia intermedia*	Pink Bloodwood	140		140	44	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7608	*Angophora leiocarpa*	Smooth-barked Apple	630		630	198	22.0	15.0	7.6	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Remove	
7609	*Corymbia intermedia*	Pink Bloodwood	200		200	63	13.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7610	*Corymbia intermedia*	Pink Bloodwood	140		140	44	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7611	*Corymbia intermedia*	Pink Bloodwood	160		160	50	9.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
7612	*Corymbia intermedia*	Pink Bloodwood	130		130	41	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7613	*Corymbia intermedia*	Pink Bloodwood	100		100	31	5.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7614	*Corymbia intermedia*	Pink Bloodwood	120		120	38	5.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7615	*Dead/Stag*		490		490	154	15.0	7.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Remove	
7616	*Angophora leiocarpa*	Smooth-barked Apple	140		140	44	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7617	*Corymbia intermedia*	Pink Bloodwood	200		200	63	14.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7618	*Corymbia intermedia*	Pink Bloodwood	130		130	41	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7619	*Corymbia intermedia*	Pink Bloodwood	160		160	50	8.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7620	*Corymbia intermedia*	Pink Bloodwood	200		200	63	11.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7621	*Corymbia intermedia*	Pink Bloodwood	250		250	79	15.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7622	*Corymbia intermedia*	Pink Bloodwood	250		250	79	16.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7623	*Corymbia intermedia*	Pink Bloodwood	200		200	63	14.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7624	*Corymbia intermedia*	Pink Bloodwood	170		170	53	10.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7625	*Corymbia intermedia*	Pink Bloodwood	140		140	44	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7626	*Corymbia intermedia*	Pink Bloodwood	130		130	41	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7627	*Corymbia intermedia*	Pink Bloodwood	290		290	91	12.0	9.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7628	*Corymbia intermedia*	Pink Bloodwood	200		200	63	16.0	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7629	*Corymbia intermedia*	Pink Bloodwood	150		150	47	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7630	*Corymbia intermedia*	Pink Bloodwood	210		210	66	14.0	8.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7631	*Angophora leiocarpa*	Smooth-barked Apple	140		140	44	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7632	*Dead/Stag*		180		180	57	14.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	Present	-	Remove	Kingfisher Nest
7633	*Corymbia tessellaris*	Moreton Bay Ash	130		130	41	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7634	*Angophora leiocarpa*	Smooth-barked Apple	260		260	82	16.0	9.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7635	*Corymbia intermedia*	Pink Bloodwood	240		240	75	12.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7636	*Corymbia intermedia*	Pink Bloodwood	270		270	85	16.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7637	*Corymbia intermedia*	Pink Bloodwood	170		170	53	8.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7638	*Corymbia intermedia*	Pink Bloodwood	200		200	63	16.0	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7639	*Corymbia intermedia*	Pink Bloodwood	180		180	57	10.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7640	*Corymbia intermedia*	Pink Bloodwood	100		100	31	5.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7641	*Corymbia intermedia*	Pink Bloodwood	120		120	38	5.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7642	*Corymbia intermedia*	Pink Bloodwood	470		470	148	18.0	7.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7643	*Angophora leiocarpa*	Smooth-barked Apple	280		280	88	16.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7644	*Corymbia intermedia*	Pink Bloodwood	210		210	66	11.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7645	*Eucalyptus tereticornis*	Forest Red Gum	540		540	170	19.0	12.0	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7646	*Angophora leiocarpa*	Smooth-barked Apple	130		130	41	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7647	*Eucalyptus crebra*	Narrow-leaved Ironbark	130		130	41	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7648	*Angophora leiocarpa*	Smooth-barked Apple	300		300	94	16.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7649	*Corymbia citriodora*	Spotted Gum	280		280	88	17.0	9.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7650	*Eucalyptus crebra*	Narrow-leaved Ironbark	200		200	63	13.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7651	*Angophora leiocarpa*	Smooth-barked Apple	370		370	116	20.0	9.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7652	*Corymbia intermedia*	Pink Bloodwood	480		480	151	16.0	11.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7653	*Corymbia intermedia*	Pink Bloodwood	220		220	69	14.0	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7654	*Corymbia intermedia*	Pink Bloodwood	270		270	85	16.0	9.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7655	*Corymbia intermedia*	Pink Bloodwood	170		170	53	8.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7656	*Corymbia intermedia*	Pink Bloodwood	110		110	35	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7657	*Corymbia citriodora*	Spotted Gum	310		310	97	19.0	10.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7658	*Corymbia citriodora*	Spotted Gum	300		300	94	16.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7659	*Eucalyptus crebra*	Narrow-leaved Ironbark	120		120	38	5.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7660	*Eucalyptus crebra*	Narrow-leaved Ironbark	150		150	47	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7661	*Eucalyptus crebra*	Narrow-leaved Ironbark	250		250	79	15.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7662	*Eucalyptus crebra*	Narrow-leaved Ironbark	200		200	63	8.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7663	*Corymbia citriodora*	Spotted Gum	170		170	53	10.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7664	*Corymbia citriodora*	Spotted Gum	450		450	141	19.0	11.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7665	*Corymbia intermedia*	Pink Bloodwood	160		160	50	9.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7666	*Corymbia intermedia*	Pink Bloodwood	190		190	60	9.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7667	*Corymbia intermedia*	Pink Bloodwood	230		230	72	8.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7668	*Corymbia intermedia*	Pink Bloodwood	190		190	60	13.0	8.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7669	*Corymbia citriodora*	Spotted Gum	300		300	94	15.0	10.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7670	*Corymbia intermedia*	Pink Bloodwood	230		230	72	15.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7671	*Corymbia citriodora*	Spotted Gum	150		150	47	9.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7672	*Corymbia citriodora*	Spotted Gum	150		150	47	12.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7673	*Corymbia citriodora*	Spotted Gum	280		280	88	17.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7674	*Lophostemon suaveolens*	Swamp Box	150		150	47	8.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7675	*Corymbia citriodora*	Spotted Gum	170		170	53	8.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7676	*Corymbia intermedia*	Pink Bloodwood	270		270	85	16.0	9.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7677	*Eucalyptus tereticornis*	Forest Red Gum	280		280	88	17.0	10.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7678	*Corymbia intermedia*	Pink Bloodwood	240		240	75	13.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7679	*Eucalyptus crebra*	Narrow-leaved Ironbark	210		210	66	13.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7680	*Corymbia intermedia*	Pink Bloodwood	170		170	53	8.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7681	*Corymbia intermedia*	Pink Bloodwood	140		140	44	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7682	*Eucalyptus crebra*	Narrow-leaved Ironbark	110		110	35	5.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7683	*Eucalyptus crebra*	Narrow-leaved Ironbark	110		110	35	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7684	*Eucalyptus crebra*	Narrow-leaved Ironbark	270		270	85	8.0	4.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7685	*Eucalyptus crebra*	Narrow-leaved Ironbark	100		100	31	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7686	*Corymbia intermedia*	Pink Bloodwood	110		110	35	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7687	*Eucalyptus tereticornis*	Forest Red Gum	150		150	47	13.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7688	*Eucalyptus crebra*	Narrow-leaved Ironbark	140		140	44	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7689	*Lophostemon suaveolens*	Swamp Box	110		110	35	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7690	*Corymbia intermedia*	Pink Bloodwood	170		170	53	9.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7691	*Eucalyptus tereticornis*	Forest Red Gum	110		110	35	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7692	*Corymbia intermedia*	Pink Bloodwood	130		130	41	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
7693	*Corymbia intermedia*	Pink Bloodwood	160		160	50	8.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7694	*Corymbia intermedia*	Pink Bloodwood	250		250	79	9.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7695	*Eucalyptus crebra*	Narrow-leaved Ironbark	160		160	50	9.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7696	*Corymbia intermedia*	Pink Bloodwood	150		150	47	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7697	*Corymbia intermedia*	Pink Bloodwood	170		170	53	8.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7698	*Eucalyptus crebra*	Narrow-leaved Ironbark	160		160	50	11.0	8.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7699	*Corymbia intermedia*	Pink Bloodwood	140		140	44	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7700	*Angophora leiocarpa*	Smooth-barked Apple	320		320	101	17.0	10.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7701	*Angophora leiocarpa*	Smooth-barked Apple	240		240	75	10.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7702	*Corymbia intermedia*	Pink Bloodwood	260		260	82	12.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7703	*Lophostemon suaveolens*	Swamp Box	180		180	57	9.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7704	*Eucalyptus crebra*	Narrow-leaved Ironbark	180		180	57	11.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7705	*Corymbia intermedia*	Pink Bloodwood	170		170	53	12.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7706	*Eucalyptus crebra*	Narrow-leaved Ironbark	250		250	79	17.0	10.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7707	*Eucalyptus tereticornis*	Forest Red Gum	230		230	72	15.0	9.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7708	*Corymbia intermedia*	Pink Bloodwood	150		150	47	15.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7709	*Corymbia intermedia*	Pink Bloodwood	230		230	72	15.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7710	*Lophostemon suaveolens*	Swamp Box	150		150	47	8.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7711	*Lophostemon suaveolens*	Swamp Box	110		110	35	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7712	*Eucalyptus tereticornis*	Forest Red Gum	180		180	57	15.0	8.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7713	*Corymbia intermedia*	Pink Bloodwood	120		120	38	5.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7714	*Corymbia intermedia*	Pink Bloodwood	140		140	44	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7715	*Corymbia intermedia*	Pink Bloodwood	190		190	60	11.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7716	*Corymbia intermedia*	Pink Bloodwood	180		180	57	12.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7717	*Corymbia intermedia*	Pink Bloodwood	200		200	63	12.0	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7718	*Corymbia intermedia*	Pink Bloodwood	260		260	82	13.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7719	*Eucalyptus tereticornis*	Forest Red Gum	640		640	201	25.0	16.0	7.7	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7720	*Corymbia intermedia*	Pink Bloodwood	130		130	41	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7721	*Corymbia intermedia*	Pink Bloodwood	140		140	44	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7722	*Corymbia intermedia*	Pink Bloodwood	130		130	41	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7723	*Lophostemon suaveolens*	Swamp Box	120		120	38	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7724	*Corymbia intermedia*	Pink Bloodwood	300		300	94	17.0	11.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
7725	*Corymbia intermedia*	Pink Bloodwood	200		200	63	13.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7726	*Lophostemon suaveolens*	Swamp Box	130		130	41	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
7727	*Melaleuca quinquenervia*	Broad-leaved Paperbark	150		150	47	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7728	*Melaleuca quinquenervia*	Broad-leaved Paperbark	150		150	47	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7729	*Eucalyptus tereticornis*	Forest Red Gum	330		330	104	17.0	9.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7730	*Melaleuca quinquenervia*	Broad-leaved Paperbark	130		130	41	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7731	*Melaleuca quinquenervia*	Broad-leaved Paperbark	130		130	41	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7732	*Melaleuca quinquenervia*	Broad-leaved Paperbark	240		240	75	13.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7733	*Melaleuca quinquenervia*	Broad-leaved Paperbark	190		190	60	13.0	8.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7734	*Melaleuca quinquenervia*	Broad-leaved Paperbark	170		170	53	14.0	8.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7735	*Melaleuca quinquenervia*	Broad-leaved Paperbark	190		190	60	12.0	7.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7736	*Melaleuca quinquenervia*	Broad-leaved Paperbark	140		140	44	11.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7737	*Melaleuca quinquenervia*	Broad-leaved Paperbark	180		180	57	13.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7738	*Melaleuca quinquenervia*	Broad-leaved Paperbark	140		140	44	10.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7739	*Melaleuca quinquenervia*	Broad-leaved Paperbark	120		120	38	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7740	*Melaleuca quinquenervia*	Broad-leaved Paperbark	130		130	41	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7741	*Melaleuca quinquenervia*	Broad-leaved Paperbark	100		100	31	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7742	*Melaleuca quinquenervia*	Broad-leaved Paperbark	100		100	31	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7743	*Lophostemon suaveolens*	Swamp Box	110		110	35	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7744	*Corymbia citriodora*	Spotted Gum	100		100	31	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7745	*Corymbia citriodora*	Spotted Gum	220		220	69	17.0	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7746	*Melaleuca quinquenervia*	Broad-leaved Paperbark	170		170	53	11.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7747	*Angophora leiocarpa*	Smooth-barked Apple	140		140	44	10.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7748	*Lophostemon suaveolens*	Swamp Box	130		130	41	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7749	*Melaleuca quinquenervia*	Broad-leaved Paperbark	130		130	41	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7750	*Lophostemon suaveolens*	Swamp Box	130		130	41	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7751	*Corymbia citriodora*	Spotted Gum	160		160	50	10.0	7.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7752	*Corymbia intermedia*	Pink Bloodwood	120		120	38	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7753	*Corymbia intermedia*	Pink Bloodwood	140		140	44	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7754	*Corymbia intermedia*	Pink Bloodwood	150		150	47	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7755	*Angophora leiocarpa*	Smooth-barked Apple	120		120	38	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7756	*Angophora leiocarpa*	Smooth-barked Apple	100		100	31	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7757	*Corymbia intermedia*	Pink Bloodwood	330		330	104	14.0	9.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7758	*Corymbia intermedia*	Pink Bloodwood	230		230	72	12.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7759	*Lophostemon suaveolens*	Swamp Box	150		150	47	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7760	*Eucalyptus tereticornis*	Forest Red Gum	160		160	50	9.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7761	*Corymbia intermedia*	Pink Bloodwood	240		240	75	12.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7762	*Corymbia intermedia*	Pink Bloodwood	170		170	53	11.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7763	*Corymbia intermedia*	Pink Bloodwood	270		270	85	16.0	10.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7764	*Corymbia intermedia*	Pink Bloodwood	140		140	44	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7765	*Corymbia intermedia*	Pink Bloodwood	130		130	41	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7766	*Eucalyptus crebra*	Narrow-leaved Ironbark	150		150	47	10.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7767	*Corymbia intermedia*	Pink Bloodwood	140		140	44	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7768	*Corymbia intermedia*	Pink Bloodwood	100		100	31	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7769	*Eucalyptus tereticornis*	Forest Red Gum	200		200	63	13.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7770	*Eucalyptus crebra*	Narrow-leaved Ironbark	130		130	41	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7771	*Eucalyptus crebra*	Narrow-leaved Ironbark	200		200	63	15.0	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7772	*Corymbia intermedia*	Pink Bloodwood	220		220	69	8.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7773	*Lophostemon suaveolens*	Swamp Box	130		130	41	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
7774	*Lophostemon suaveolens*	Swamp Box	100		100	31	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7775	*Corymbia citriodora*	Spotted Gum	120		120	38	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7776	*Eucalyptus tereticornis*	Forest Red Gum	270		270	85	16.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7777	*Eucalyptus crebra*	Narrow-leaved Ironbark	250		250	79	15.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7778	*Corymbia intermedia*	Pink Bloodwood	170		170	53	10.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7779	*Corymbia intermedia*	Pink Bloodwood	150	100	180	57	8.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7780	*Corymbia intermedia*	Pink Bloodwood	180	150	234	74	13.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7781	*Corymbia intermedia*	Pink Bloodwood	120		120	38	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove	
7782	*Corymbia intermedia*	Pink Bloodwood	230		230	72	15.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove	
7783	*Corymbia intermedia*	Pink Bloodwood	140		140	44	12.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove	
7784	*Corymbia intermedia*	Pink Bloodwood	120	90	150	47	10.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7785	*Corymbia intermedia*	Pink Bloodwood	170	120	208	65	13.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
7786	*Corymbia intermedia*	Pink Bloodwood	220		220	69	13.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7787	*Eucalyptus tereticornis*	Forest Red Gum	130		130	41	10.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove	
7788	*Eucalyptus tereticornis*	Forest Red Gum	170		170	53	13.0	4.0	2.0	1.6	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7789	*Corymbia intermedia*	Pink Bloodwood	100		100	31	9.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove	
7790	*Eucalyptus tereticornis*	Forest Red Gum	320		320	101	16.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7791	*Corymbia intermedia*	Pink Bloodwood	230		230	72	14.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7792	*Corymbia intermedia*	Pink Bloodwood	140		140	44	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
7793	*Corymbia intermedia*	Pink Bloodwood	200		200	63	15.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7794	*Angophora leiocarpa*	Smooth-barked Apple	130		130	41	5.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7795	*Lophostemon suaveolens*	Swamp Box	140		140	44	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7796	*Corymbia intermedia*	Pink Bloodwood	210		210	66	15.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove	
7797	*Melaleuca quinquenervia*	Broad-leaved Paperbark	230		230	72	4.0	4.0	2.8	1.8	Regular	-	-	-	-	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7798	*Corymbia intermedia*	Pink Bloodwood	160		160	50	14.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
7799	*Lophostemon suaveolens*	Swamp Box	130		130	41	10.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7800	*Lophostemon suaveolens*	Swamp Box	120		120	38	8.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7801	*Lophostemon suaveolens*	Swamp Box	110		110	35	11.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7802	*Lophostemon suaveolens*	Swamp Box	140		140	44	12.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7803	*Lophostemon suaveolens*	Swamp Box	210		210	66	10.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7804	*Corymbia intermedia*	Pink Bloodwood	100		100	31	7.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
7805	*Lophostemon suaveolens*	Swamp Box	120		120	38	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove	
7806	*Lophostemon suaveolens*	Swamp Box	200		200	63	13.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7807	*Corymbia intermedia*	Pink Bloodwood	250		250	79	17.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
7808	*Lophostemon suaveolens*	Swamp Box	140		140	44	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7809	*Lophostemon suaveolens*	Swamp Box	130		130	41	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7810	*Lophostemon suaveolens*	Swamp Box	150		150	47	11.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7811	*Lophostemon suaveolens*	Swamp Box	160	90	184	58	9.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7812	*Lophostemon suaveolens*	Swamp Box	120		120	38	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7813	*Lophostemon suaveolens*	Swamp Box	160		160	50	12.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7814	*Lophostemon suaveolens*	Swamp Box	110		110	35	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Remove	
7815	*Eucalyptus tereticornis*	Forest Red Gum	260		260	82	17.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7816	*Lophostemon suaveolens*	Swamp Box	110		110	35	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7817	*Lophostemon suaveolens*	Swamp Box	150		150	47	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7818	*Lophostemon suaveolens*	Swamp Box	120		120	38	5.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7819	*Lophostemon suaveolens*	Swamp Box	120		120	38	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7820	*Lophostemon suaveolens*	Swamp Box	200		200	63	12.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7821	*Lophostemon suaveolens*	Swamp Box	120		120	38	10.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7822	*Lophostemon suaveolens*	Swamp Box	150		150	47	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7823	*Corymbia citriodora*	Spotted Gum	270		270	85	18.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7824	*Corymbia intermedia*	Pink Bloodwood	160		160	50	11.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
7825	*Corymbia intermedia*	Pink Bloodwood	120		120	38	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7826	*Corymbia intermedia*	Pink Bloodwood	240		240	75	18.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
7827	*Corymbia intermedia*	Pink Bloodwood	150		150	47	11.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
7828	*Corymbia intermedia*	Pink Bloodwood	110		110	35	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	Minor	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
7829	*Corymbia intermedia*	Pink Bloodwood	280		280	88	19.0	10.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
7830	*Eucalyptus tereticornis*	Forest Red Gum	210		210	66	17.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove	
7831	*Corymbia intermedia*	Pink Bloodwood	110		110	35	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
7832	*Corymbia intermedia*	Pink Bloodwood	130		130	41	15.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
7833	*Corymbia intermedia*	Pink Bloodwood	130		130	41	12.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
7834	*Corymbia intermedia*	Pink Bloodwood	130		130	41	11.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
7835	*Corymbia intermedia*	Pink Bloodwood	110		110	35	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
7836	*Corymbia intermedia*	Pink Bloodwood	160		160	50	16.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
7837	*Lophostemon suaveolens*	Swamp Box	140		140	44	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7838	*Corymbia intermedia*	Pink Bloodwood	210		210	66	17.0	8.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
7839	*Angophora leiocarpa*	Smooth-barked Apple	150	120	192	60	16.0	8.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7840	*Corymbia intermedia*	Pink Bloodwood	170		170	53	14.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
7841	*Corymbia intermedia*	Pink Bloodwood	230		230	72	18.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
7842	*Corymbia intermedia*	Pink Bloodwood	140		140	44	15.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
7843	*Lophostemon suaveolens*	Swamp Box	110		110	35	6.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7844	*Angophora leiocarpa*	Smooth-barked Apple	120		120	38	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7845	*Corymbia intermedia*	Pink Bloodwood	140		140	44	12.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
7846	*Corymbia intermedia*	Pink Bloodwood	100		100	31	10.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
7847	*Corymbia intermedia*	Pink Bloodwood	160		160	50	15.0	8.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7848	*Corymbia intermedia*	Pink Bloodwood	110		110	35	15.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
7849	*Corymbia intermedia*	Pink Bloodwood	160		160	50	17.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
7850	*Melaleuca quinquenervia*	Broad-leaved Paperbark	170		170	53	16.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7851	*Melaleuca quinquenervia*	Broad-leaved Paperbark	110	70	130	41	12.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7852	*Eucalyptus tereticornis*	Forest Red Gum	150		150	47	16.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain	
7853	*Angophora leiocarpa*	Smooth-barked Apple	150		150	47	15.0	7.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7854	*Corymbia intermedia*	Pink Bloodwood	150		150	47	13.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
7855	*Corymbia intermedia*	Pink Bloodwood	120		120	38	14.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain	
7856	*Lophostemon suaveolens*	Swamp Box	120		120	38	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7857	*Melaleuca quinquenervia*	Broad-leaved Paperbark	140		140	44	10.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain	
7858	*Melaleuca quinquenervia*	Broad-leaved Paperbark	130		130	41	15.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7859	*Melaleuca quinquenervia*	Broad-leaved Paperbark	230		230	72	15.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7860	*Melaleuca quinquenervia*	Broad-leaved Paperbark	190		190	60	15.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7861	*Melaleuca quinquenervia*	Broad-leaved Paperbark	270		270	85	14.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7862	*Lophostemon suaveolens*	Swamp Box	140		140	44	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7863	*Melaleuca quinquenervia*	Broad-leaved Paperbark	150		150	47	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7864	*Eucalyptus tereticornis*	Forest Red Gum	260		260	82	17.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain	
7865	*Melaleuca quinquenervia*	Broad-leaved Paperbark	130		130	41	11.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain	
7866	*Melaleuca quinquenervia*	Broad-leaved Paperbark	190	170	255	80	14.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7867	*Melaleuca quinquenervia*	Broad-leaved Paperbark	200	130 90	255	80	8.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7868	*Melaleuca quinquenervia*	Broad-leaved Paperbark	190		190	60	13.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7869	*Melaleuca quinquenervia*	Broad-leaved Paperbark	110		110	35	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7870	*Eucalyptus tereticornis*	Forest Red Gum	120		120	38	12.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain	
7871	*Corymbia intermedia*	Pink Bloodwood	100		100	31	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7872	*Melaleuca quinquenervia*	Broad-leaved Paperbark	120		120	38	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retain	
7873	*Corymbia citriodora*	Spotted Gum	130		130	41	14.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7874	*Corymbia citriodora*	Spotted Gum	120		120	38	16.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7875	*Corymbia intermedia*	Pink Bloodwood	100		100	31	11.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7876	*Corymbia intermedia*	Pink Bloodwood	150		150	47	10.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Retain	
7877	*Angophora leiocarpa*	Smooth-barked Apple	120		120	38	12.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7878	*Melaleuca quinquenervia*	Broad-leaved Paperbark	110		110	35	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
7879	*Corymbia intermedia*	Pink Bloodwood	130		130	41	14.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
7880	*Melaleuca quinquenervia*	Broad-leaved Paperbark	140	130	191	60	10.0	3.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
7881	*Angophora leiocarpa*	Smooth-barked Apple	150		150	47	15.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7882	*Melaleuca quinquenervia*	Broad-leaved Paperbark	220		220	69	12.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7883	*Corymbia intermedia*	Pink Bloodwood	230		230	72	18.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7884	*Corymbia intermedia*	Pink Bloodwood	230		230	72	18.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
7885	*Corymbia citriodora*	Spotted Gum	230		230	72	18.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7886	*Corymbia intermedia*	Pink Bloodwood	130		130	41	10.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove	
7887	*Lophostemon suaveolens*	Swamp Box	130		130	41	10.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7888	*Corymbia intermedia*	Pink Bloodwood	280		280	88	19.0	9.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
7889	*Corymbia intermedia*	Pink Bloodwood	130		130	41	14.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
7890	*Corymbia intermedia*	Pink Bloodwood	140		140	44	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
7891	*Eucalyptus tereticornis*	Forest Red Gum	260		260	82	17.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove	
7892	*Corymbia intermedia*	Pink Bloodwood	190		190	60	16.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
7893	*Angophora leiocarpa*	Smooth-barked Apple	140		140	44	13.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7894	*Corymbia intermedia*	Pink Bloodwood	110		110	35	10.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
7895	*Corymbia intermedia*	Pink Bloodwood	160		160	50	15.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
7896	*Corymbia intermedia*	Pink Bloodwood	310		310	97	21.0	12.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
7897	*Corymbia intermedia*	Pink Bloodwood	200		200	63	15.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
7898	*Angophora leiocarpa*	Smooth-barked Apple	120		120	38	11.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7899	*Corymbia intermedia*	Pink Bloodwood	150		150	47	15.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
7900	*Corymbia intermedia*	Pink Bloodwood	120		120	38	12.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
7901	*Corymbia intermedia*	Pink Bloodwood	200		200	63	15.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
7902	*Corymbia intermedia*	Pink Bloodwood	100		100	31	10.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
7903	*Corymbia intermedia*	Pink Bloodwood	160		160	50	15.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
7904	*Corymbia intermedia*	Pink Bloodwood	130		130	41	13.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
7905	*Corymbia intermedia*	Pink Bloodwood	130		130	41	14.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
7906	*Corymbia intermedia*	Pink Bloodwood	140		140	44	14.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
7907	*Corymbia intermedia*	Pink Bloodwood	100		100	31	8.0	2.0	2.0	1.3	Regular	-	Thinning	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
7908	*Corymbia intermedia*	Pink Bloodwood	230		230	72	18.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
7909	*Corymbia intermedia*	Pink Bloodwood	250		250	79	18.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
7910	*Corymbia intermedia*	Pink Bloodwood	180		180	57	16.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
7911	*Corymbia intermedia*	Pink Bloodwood	150		150	47	12.0	3.0	2.0	1.5	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
7912	*Corymbia intermedia*	Pink Bloodwood	150		150	47	15.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
7913	*Corymbia intermedia*	Pink Bloodwood	110		110	35	9.0	2.0	2.0	1.3	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
7914	*Corymbia intermedia*	Pink Bloodwood	180		180	57	17.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
7915	*Corymbia intermedia*	Pink Bloodwood	170		170	53	14.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
7916	*Corymbia intermedia*	Pink Bloodwood	130		130	41	9.0	2.0	2.0	1.4	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
7917	*Corymbia intermedia*	Pink Bloodwood	100		100	31	8.0	2.0	2.0	1.3	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
7918	*Corymbia intermedia*	Pink Bloodwood	160		160	50	16.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
7919	*Corymbia intermedia*	Pink Bloodwood	110		110	35	8.0	2.0	2.0	1.3	Regular	-	Thinning	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
7920	*Corymbia intermedia*	Pink Bloodwood	130		130	41	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	Minor	-	Trunk Dmg.	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
7921	*Corymbia intermedia*	Pink Bloodwood	150		150	47	15.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
7922	*Corymbia intermedia*	Pink Bloodwood	150		150	47	14.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
7923	*Corymbia intermedia*	Pink Bloodwood	280		280	88	20.0	12.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
7924	*Corymbia intermedia*	Pink Bloodwood	260		260	82	20.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
7925	*Corymbia intermedia*	Pink Bloodwood	160		160	50	14.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
7926	*Corymbia intermedia*	Pink Bloodwood	180		180	57	16.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
7927	*Corymbia intermedia*	Pink Bloodwood	120		120	38	11.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
7928	*Corymbia intermedia*	Pink Bloodwood	150		150	47	10.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
7929	*Corymbia intermedia*	Pink Bloodwood	180		180	57	15.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
7930	*Angophora leiocarpa*	Smooth-barked Apple	210		210	66	19.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7931	*Corymbia intermedia*	Pink Bloodwood	170		170	53	16.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
7932	*Corymbia intermedia*	Pink Bloodwood	200		200	63	15.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
7933	*Corymbia intermedia*	Pink Bloodwood	200		200	63	16.0	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
7934	*Corymbia intermedia*	Pink Bloodwood	120		120	38	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
7935	*Eucalyptus siderophloia*	Northern Grey Ironbark	260		260	82	19.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
7936	*Corymbia intermedia*	Pink Bloodwood	170		170	53	16.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
7937	*Corymbia intermedia*	Pink Bloodwood	230		230	72	19.0	10.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
7938	*Corymbia intermedia*	Pink Bloodwood	240		240	75	17.0	9.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
7939	*Corymbia intermedia*	Pink Bloodwood	230		230	72	19.0	9.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
7940	*Angophora leiocarpa*	Smooth-barked Apple	220		220	69	20.0	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7941	*Corymbia intermedia*	Pink Bloodwood	180		180	57	16.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
7942	*Corymbia intermedia*	Pink Bloodwood	180		180	57	15.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
7943	*Corymbia intermedia*	Pink Bloodwood	160		160	50	14.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
7944	*Corymbia intermedia*	Pink Bloodwood	110		110	35	13.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
7945	*Corymbia intermedia*	Pink Bloodwood	150		150	47	14.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
7946	*Eucalyptus tereticornis*	Forest Red Gum	320		320	101	16.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove	
7947	*Angophora leiocarpa*	Smooth-barked Apple	160		160	50	17.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7948	*Angophora leiocarpa*	Smooth-barked Apple	250		250	79	17.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7949	*Corymbia intermedia*	Pink Bloodwood	180		180	57	14.0	3.0	2.2	1.6	Regular	-	Thinning	-	Epicormic	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
7950	*Corymbia intermedia*	Pink Bloodwood	130		130	41	10.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
7951	*Corymbia intermedia*	Pink Bloodwood	180		180	57	15.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
7952	*Corymbia intermedia*	Pink Bloodwood	120		120	38	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7953	*Corymbia intermedia*	Pink Bloodwood	250		250	79	20.0	9.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
7954	*Corymbia intermedia*	Pink Bloodwood	230		230	72	18.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
7955	*Corymbia intermedia*	Pink Bloodwood	140		140	44	4.0	1.0	2.0	1.4	Regular	-	-	-	Epicormic	Lopped	Typical	-	-	Trunk Dmg.	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
7956	*Angophora leiocarpa*	Smooth-barked Apple	190		190	60	18.0	7.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7957	*Angophora leiocarpa*	Smooth-barked Apple	240		240	75	21.0	9.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7958	*Angophora leiocarpa*	Smooth-barked Apple	290		290	91	21.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7959	*Angophora leiocarpa*	Smooth-barked Apple	260		260	82	22.0	9.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7960	*Corymbia intermedia*	Pink Bloodwood	160		160	50	17.0	8.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
7961	*Angophora leiocarpa*	Smooth-barked Apple	240		240	75	19.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7962	*Angophora leiocarpa*	Smooth-barked Apple	120		120	38	15.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7963	*Corymbia intermedia*	Pink Bloodwood	250		250	79	16.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7964	*Corymbia intermedia*	Pink Bloodwood	200		200	63	13.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
7965	*Eucalyptus tereticornis*	Forest Red Gum	270		270	85	19.0	10.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7966	*Corymbia intermedia*	Pink Bloodwood	300		300	94	20.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
7967	*Corymbia intermedia*	Pink Bloodwood	110		110	35	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
7968	*Angophora leiocarpa*	Smooth-barked Apple	160		160	50	14.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7969	*Angophora leiocarpa*	Smooth-barked Apple	310		310	97	18.0	9.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7970	*Angophora leiocarpa*	Smooth-barked Apple	290	200	352	111	18.0	9.0	4.2	2.1	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7971	*Angophora leiocarpa*	Smooth-barked Apple	230	200	305	96	20.0	14.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7972	*Corymbia intermedia*	Pink Bloodwood	180		180	57	14.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
7973	*Corymbia intermedia*	Pink Bloodwood	150		150	47	15.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7974	*Corymbia intermedia*	Pink Bloodwood	150		150	47	15.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
7975	*Corymbia intermedia*	Pink Bloodwood	130		130	41	14.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
7976	*Corymbia intermedia*	Pink Bloodwood	130		130	41	11.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
7977	*Angophora leiocarpa*	Smooth-barked Apple	170		170	53	15.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7978	*Eucalyptus tereticornis*	Forest Red Gum	110		110	35	9.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7979	*Corymbia intermedia*	Pink Bloodwood	130		130	41	14.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
7980	*Eucalyptus crebra*	Narrow-leaved Ironbark	140		140	44	12.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7981	*Corymbia intermedia*	Pink Bloodwood	270		270	85	19.0	9.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
7982	*Corymbia intermedia*	Pink Bloodwood	120		120	38	10.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Poor	-	-	-	-	-	-	Remove	
7983	*Corymbia intermedia*	Pink Bloodwood	190		190	60	17.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
7984	*Eucalyptus siderophloia*	Northern Grey Ironbark	170		170	53	15.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7985	*Eucalyptus tereticornis*	Forest Red Gum	100		100	31	9.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7986	*Corymbia intermedia*	Pink Bloodwood	220		220	69	16.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7987	*Eucalyptus siderophloia*	Northern Grey Ironbark	170		170	53	16.0	7.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7988	*Eucalyptus crebra*	Narrow-leaved Ironbark	110		110	35	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7989	*Corymbia intermedia*	Pink Bloodwood	180	100	206	65	12.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7990	*Corymbia intermedia*	Pink Bloodwood	120		120	38	10.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7991	*Dead/Stag*		360		360	113	14.0	3.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Remove	Chimney Hollow
7992	*Corymbia citriodora*	Spotted Gum	230		230	72	17.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7993	*Eucalyptus crebra*	Narrow-leaved Ironbark	170		170	53	12.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7994	*Corymbia citriodora*	Spotted Gum	210		210	66	17.0	8.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7995	*Corymbia citriodora*	Spotted Gum	370		370	116	21.0	12.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7996	*Eucalyptus crebra*	Narrow-leaved Ironbark	120		120	38	11.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7997	*Eucalyptus tereticornis*	Forest Red Gum	220		220	69	16.0	8.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7998	*Eucalyptus tereticornis*	Forest Red Gum	200		200	63	15.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7999	*Corymbia intermedia*	Pink Bloodwood	230		230	72	15.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
8000	*Eucalyptus tereticornis*	Forest Red Gum	150		150	47	14.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
8001	*Corymbia intermedia*	Pink Bloodwood	160		160	50	10.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
8002	*Eucalyptus tereticornis*	Forest Red Gum	300		300	94	18.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
8003	*Lophostemon suaveolens*	Swamp Box	150		150	47	10.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
8004	*Lophostemon suaveolens*	Swamp Box	110		110	35	4.0	1.0	2.0	1.3	Regular	-	-	-	Epicormic	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
8005	*Eucalyptus crebra*	Narrow-leaved Ironbark	370		370	116	20.0	11.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
8006	*Corymbia tessellaris*	Moreton Bay Ash	170		170	53	14.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
8007	*Eucalyptus tereticornis*	Forest Red Gum	120		120	38	12.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
8008	*Corymbia intermedia*	Pink Bloodwood	120		120	38	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
8009	*Eucalyptus crebra*	Narrow-leaved Ironbark	210		210	66	14.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
8010	*Corymbia intermedia*	Pink Bloodwood	210		210	66	15.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
8011	*Eucalyptus siderophloia*	Northern Grey Ironbark	170		170	53	16.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
8012	*Eucalyptus siderophloia*	Northern Grey Ironbark	140		140	44	11.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
8013	*Eucalyptus siderophloia*	Northern Grey Ironbark	150		150	47	15.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
8014	*Eucalyptus siderophloia*	Northern Grey Ironbark	150		150	47	14.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
8015	*Eucalyptus siderophloia*	Northern Grey Ironbark	220		220	69	15.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
8016	*Eucalyptus siderophloia*	Northern Grey Ironbark	160		160	50	13.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
8017	*Corymbia intermedia*	Pink Bloodwood	140		140	44	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
8018	*Eucalyptus tereticornis*	Forest Red Gum	120		120	38	11.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
8019	*Eucalyptus crebra*	Narrow-leaved Ironbark	110		110	35	9.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
8020	*Corymbia intermedia*	Pink Bloodwood	150		150	47	10.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
8021	*Eucalyptus tereticornis*	Forest Red Gum	100		100	31	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
8022	*Corymbia intermedia*	Pink Bloodwood	220		220	69	10.0	2.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
8023	*Eucalyptus crebra*	Narrow-leaved Ironbark	160		160	50	11.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
8024	*Eucalyptus crebra*	Narrow-leaved Ironbark	150		150	47	11.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
8025	*Corymbia intermedia*	Pink Bloodwood	190		190	60	15.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
8026	*Angophora leiocarpa*	Smooth-barked Apple	110		110	35	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
8027	*Corymbia intermedia*	Pink Bloodwood	150		150	47	12.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
8028	*Angophora leiocarpa*	Smooth-barked Apple	200		200	63	16.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
8029	*Corymbia intermedia*	Pink Bloodwood	160		160	50	11.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
8030	*Eucalyptus crebra*	Narrow-leaved Ironbark	160		160	50	15.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
8031	*Eucalyptus crebra*	Narrow-leaved Ironbark	160		160	50	15.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
8032	*Angophora leiocarpa*	Smooth-barked Apple	110		110	35	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
8033	*Angophora leiocarpa*	Smooth-barked Apple	180		180	57	13.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
8034	*Angophora leiocarpa*	Smooth-barked Apple	180		180	57	17.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
8035	*Eucalyptus crebra*	Narrow-leaved Ironbark	380		380	119	20.0	12.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
8036	*Corymbia intermedia*	Pink Bloodwood	270		270	85	20.0	10.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
8037	*Eucalyptus crebra*	Narrow-leaved Ironbark	100		100	31	14.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
8038	*Eucalyptus crebra*	Narrow-leaved Ironbark	110		110	35	14.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
8039	*Corymbia intermedia*	Pink Bloodwood	210		210	66	15.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
8040	*Corymbia intermedia*	Pink Bloodwood	180		180	57	17.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
8041	*Eucalyptus siderophloia*	Northern Grey Ironbark	100		100	31	12.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
8042	*Corymbia intermedia*	Pink Bloodwood	160	90	184	58	14.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
8043	*Corymbia intermedia*	Pink Bloodwood	250		250	79	16.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
8044	*Corymbia intermedia*	Pink Bloodwood	130		130	41	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
8045	*Corymbia intermedia*	Pink Bloodwood	280		280	88	18.0	9.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
8046	*Corymbia intermedia*	Pink Bloodwood	300		300	94	21.0	12.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
8047	*Corymbia intermedia*	Pink Bloodwood	190		190	60	17.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
8048	*Angophora leiocarpa*	Smooth-barked Apple	130		130	41	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
8049	*Corymbia intermedia*	Pink Bloodwood	170		170	53	17.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
8050	*Corymbia intermedia*	Pink Bloodwood	250		250	79	16.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
8051	*Eucalyptus tereticornis*	Forest Red Gum	130		130	41	11.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
8052	*Corymbia intermedia*	Pink Bloodwood	200		200	63	15.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
8053	*Corymbia intermedia*	Pink Bloodwood	210		210	66	16.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
8054	*Corymbia intermedia*	Pink Bloodwood	150		150	47	12.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
8055	*Corymbia intermedia*	Pink Bloodwood	100		100	31	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
8056	*Corymbia intermedia*	Pink Bloodwood	180		180	57	14.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
8057	*Corymbia intermedia*	Pink Bloodwood	250		250	79	17.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
8058	*Corymbia intermedia*	Pink Bloodwood	140		140	44	15.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
8059	*Corymbia intermedia*	Pink Bloodwood	250		250	79	17.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
8060	*Lophostemon suaveolens*	Swamp Box	120		120	38	5.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
8061	*Corymbia intermedia*	Pink Bloodwood	100	70	122	38	13.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
8062	*Corymbia intermedia*	Pink Bloodwood	110		110	35	13.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
8063	*Corymbia intermedia*	Pink Bloodwood	160		160	50	15.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
8064	*Corymbia intermedia*	Pink Bloodwood	140		140	44	13.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
8065	*Corymbia intermedia*	Pink Bloodwood	130		130	41	14.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
8066	*Corymbia intermedia*	Pink Bloodwood	200		200	63	16.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
8067	*Angophora leiocarpa*	Smooth-barked Apple	150		150	47	10.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
8068	*Corymbia intermedia*	Pink Bloodwood	110		110	35	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
8069	*Angophora leiocarpa*	Smooth-barked Apple	100		100	31	10.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
8070	*Melaleuca quinquenervia*	Broad-leaved Paperbark	140		140	44	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
8071	*Melaleuca quinquenervia*	Broad-leaved Paperbark	140	130	191	60	4.0	2.0	2.3	1.7	Regular	-	-	-	Epicormic	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
8072	*Angophora leiocarpa*	Smooth-barked Apple	190		190	60	17.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
8073	*Corymbia intermedia*	Pink Bloodwood	210		210	66	17.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
8074	*Lophostemon suaveolens*	Swamp Box	160		160	50	10.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
8075	*Corymbia intermedia*	Pink Bloodwood	140		140	44	12.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Retain	
8076	*Melaleuca quinquenervia*	Broad-leaved Paperbark	140	140	198	62	14.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
8077	*Melaleuca quinquenervia*	Broad-leaved Paperbark	270		270	85	14.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
8078	*Melaleuca quinquenervia*	Broad-leaved Paperbark	130		130	41	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
8079	*Melaleuca quinquenervia*	Broad-leaved Paperbark	160		160	50	11.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
8080	*Melaleuca quinquenervia*	Broad-leaved Paperbark	160		160	50	14.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
8081	*Eucalyptus tereticornis*	Forest Red Gum	230		230	72	16.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
8082	*Corymbia intermedia*	Pink Bloodwood	200		200	63	17.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
8083	*Melaleuca quinquenervia*	Broad-leaved Paperbark	160		160	50	6.0	3.0	2.0	1.5	Regular	-	-	-	-	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
8084	*Corymbia intermedia*	Pink Bloodwood	140		140	44	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
8085	*Angophora leiocarpa*	Smooth-barked Apple	150		150	47	17.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain with Arborist Supervision	
8086	*Corymbia intermedia*	Pink Bloodwood	100		100	31	10.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
8087	*Melaleuca quinquenervia*	Broad-leaved Paperbark	160		160	50	15.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
8088	*Melaleuca quinquenervia*	Broad-leaved Paperbark	100		100	31	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
8089	*Melaleuca quinquenervia*	Broad-leaved Paperbark	160		160	50	13.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
8090	*Melaleuca quinquenervia*	Broad-leaved Paperbark	100		100	31	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
8091	*Melaleuca quinquenervia*	Broad-leaved Paperbark	130		130	41	14.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
8092	*Melaleuca quinquenervia*	Broad-leaved Paperbark	110		110	35	15.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
8093	*Melaleuca quinquenervia*	Broad-leaved Paperbark	150		150	47	13.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
8094	*Angophora leiocarpa*	Smooth-barked Apple	160		160	50	16.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
8095	*Lophostemon suaveolens*	Swamp Box	130		130	41	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
8096	*Lophostemon suaveolens*	Swamp Box	170		170	53	15.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
8097	*Corymbia intermedia*	Pink Bloodwood	330		330	104	22.0	9.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
8098	*Corymbia intermedia*	Pink Bloodwood	180		180	57	19.0	9.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
8099	*Lophostemon suaveolens*	Swamp Box	100		100	31	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
8100	*Lophostemon suaveolens*	Swamp Box	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
8101	*Lophostemon suaveolens*	Swamp Box	120		120	38	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
8102	*Corymbia intermedia*	Pink Bloodwood	120		120	38	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
8103	*Corymbia intermedia*	Pink Bloodwood	100		100	31	10.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
8104	*Lophostemon suaveolens*	Swamp Box	100		100	31	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
8105	*Corymbia intermedia*	Pink Bloodwood	120		120	38	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
8106	*Eucalyptus crebra*	Narrow-leaved Ironbark	120		120	38	11.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
8107	*Lophostemon suaveolens*	Swamp Box	110		110	35	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
8108	*Corymbia intermedia*	Pink Bloodwood	280		280	88	19.0	10.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
8109	*Corymbia intermedia*	Pink Bloodwood	210		210	66	18.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
8110	*Corymbia intermedia*	Pink Bloodwood	330		330	104	21.0	10.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
8111	*Corymbia intermedia*	Pink Bloodwood	190		190	60	19.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
8112	*Corymbia intermedia*	Pink Bloodwood	170		170	53	16.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
8113	*Corymbia intermedia*	Pink Bloodwood	180		180	57	17.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
8114	*Corymbia intermedia*	Pink Bloodwood	150		150	47	17.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
8115	*Corymbia intermedia*	Pink Bloodwood	210		210	66	18.0	9.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
8116	*Corymbia intermedia*	Pink Bloodwood	190		190	60	18.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
8117	*Corymbia intermedia*	Pink Bloodwood	130		130	41	11.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
8118	*Corymbia intermedia*	Pink Bloodwood	210		210	66	19.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
8119	*Eucalyptus crebra*	Narrow-leaved Ironbark	210		210	66	18.0	8.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
8120	*Corymbia intermedia*	Pink Bloodwood	160		160	50	16.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
8121	*Corymbia intermedia*	Pink Bloodwood	130	100	164	52	9.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
8122	*Eucalyptus crebra*	Narrow-leaved Ironbark	130		130	41	14.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
8123	*Eucalyptus crebra*	Narrow-leaved Ironbark	150		150	47	16.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
8124	*Corymbia intermedia*	Pink Bloodwood	150		150	47	14.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
8125	*Eucalyptus crebra*	Narrow-leaved Ironbark	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
8126	*Corymbia intermedia*	Pink Bloodwood	170		170	53	15.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
8127	*Eucalyptus crebra*	Narrow-leaved Ironbark	130		130	41	13.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
8128	*Eucalyptus crebra*	Narrow-leaved Ironbark	120		120	38	10.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
8129	*Corymbia intermedia*	Pink Bloodwood	270		270	85	17.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
8130	*Corymbia intermedia*	Pink Bloodwood	140		140	44	10.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
8131	*Eucalyptus crebra*	Narrow-leaved Ironbark	130		130	41	12.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
8132	*Eucalyptus crebra*	Narrow-leaved Ironbark	130		130	41	13.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
B 31	*Corymbia intermedia*	Pink Bloodwood	220		220	69	10.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
B 32	*Corymbia intermedia*	Pink Bloodwood	160		160	50	7.0	1.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Present	-	Remove	
B 33	*Corymbia citriodora*	Spotted Gum	130		130	41	6.0	2.0	2.0	1.4	Regular	-	-	-	Epicormic	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
B 36	*Corymbia intermedia*	Pink Bloodwood	400		400	126	20.0	12.0	4.8	2.3	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
B 37	*Eucalyptus tereticornis*	Forest Red Gum	120	120	170	53	7.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
B 38	*Corymbia citriodora*	Spotted Gum	230		230	72	18.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
B 39	*Lophostemon suaveolens*	Swamp Box	120		120	38	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
B 40	*Corymbia citriodora*	Spotted Gum	170		170	53	12.0	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
B 45	*Corymbia intermedia*	Pink Bloodwood	230	220 200	376	118	10.0	7.0	4.5	2.2	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove	
B 46	*Lophostemon suaveolens*	Swamp Box	220		220	69	12.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
B 47	*Eucalyptus tereticornis*	Forest Red Gum	280		280	88	18.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
B 48	*Lophostemon suaveolens*	Swamp Box	140		140	44	8.0	2.0	2.0	1.4	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
B 49	*Lophostemon suaveolens*	Swamp Box	150		150	47	9.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
B 50	*Corymbia intermedia*	Pink Bloodwood	140		140	44	8.0	4.0	2.0	1.4	One-sided	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Remove	
B 51	*Corymbia intermedia*	Pink Bloodwood	150		150	47	13.0	4.0	2.0	1.5	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
B 52	*Corymbia intermedia*	Pink Bloodwood	350		350	110	20.0	8.0	4.2	2.1	One-sided	-	-	Die-back	Epicormic	-	Typical	-	-	Trunk Dmg.	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	
B 53	*Corymbia intermedia*	Pink Bloodwood	120		120	38	9.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
B 54	*Lophostemon suaveolens*	Swamp Box	140		140	44	9.0	2.0	2.0	1.4	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
B 55	*Corymbia intermedia*	Pink Bloodwood	280		280	88	18.0	10.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
B 56	*Corymbia intermedia*	Pink Bloodwood	360		360	113	16.0	10.0	4.3	2.2	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
B 57	*Lophostemon suaveolens*	Swamp Box	140		140	44	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
B 58	*Lophostemon suaveolens*	Swamp Box	130		130	41	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
B 59	*Lophostemon suaveolens*	Swamp Box	140		140	44	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
B 60	*Lophostemon suaveolens*	Swamp Box	130		130	41	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
B 61	*Corymbia intermedia*	Pink Bloodwood	330		330	104	20.0	10.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
B 62	*Lophostemon suaveolens*	Swamp Box	160		160	50	9.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
B 63	*Lophostemon suaveolens*	Swamp Box	150		150	47	8.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
B 64	*Lophostemon suaveolens*	Swamp Box	330		330	104	18.0	8.0	4.0	2.1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
B 65	*Lophostemon suaveolens*	Swamp Box	160		160	50	7.0	3.0	2.0	1.5	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
B 66	*Corymbia intermedia*	Pink Bloodwood	400		400	126	18.0	6.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
B 67	*Corymbia intermedia*	Pink Bloodwood	230		230	72	13.0	5.0	2.8	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
B 68	*Lophostemon suaveolens*	Swamp Box	130		130	41	7.0	3.0	2.0	1.4	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
B 69	*Lophostemon suaveolens*	Swamp Box	200	170	262	82	12.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
B 70	*Lophostemon suaveolens*	Swamp Box	160		160	50	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
B 71	*Lophostemon suaveolens*	Swamp Box	180		180	57	9.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
B 72	*Lophostemon suaveolens*	Swamp Box	150		150	47	10.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
B 73	*Corymbia intermedia*	Pink Bloodwood	260		260	82	12.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
B 74	*Lophostemon suaveolens*	Swamp Box	120		120	38	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
B 75	*Lophostemon suaveolens*	Swamp Box	180		180	57	10.0	4.0	2.2	1.6	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
B 76	*Lophostemon suaveolens*	Swamp Box	100		100	31	3.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
B 77	*Lophostemon suaveolens*	Swamp Box	200		200	63	9.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
B 78	*Lophostemon suaveolens*	Swamp Box	100		100	31	4.0	2.0	2.0	1.3	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
B 79	*Corymbia intermedia*	Pink Bloodwood	180		180	57	14.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
B 80	*Lophostemon suaveolens*	Swamp Box	170		170	53	12.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
B 81	*Lophostemon suaveolens*	Swamp Box	110		110	35	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
B 82	*Lophostemon suaveolens*	Swamp Box	220	160	272	85	14.0	7.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	Fire Dmg.	Typical	-	-	-	-	-	-	Remove	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
B 83	*Lophostemon suaveolens*	Swamp Box	160		160	50	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
B 84	*Corymbia intermedia*	Pink Bloodwood	200	180	269	85	12.0	6.0	3.2	1.9	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
B 85	*Lophostemon suaveolens*	Swamp Box	150	120 120	226	71	7.0	4.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
B 86	*Lophostemon suaveolens*	Swamp Box	180	140 130	262	82	10.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
B 87	*Lophostemon suaveolens*	Swamp Box	160		160	50	9.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
B 88	*Corymbia intermedia*	Pink Bloodwood	120		120	38	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
B 89	*Lophostemon suaveolens*	Swamp Box	200		200	63	14.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
B 90	*Lophostemon suaveolens*	Swamp Box	140		140	44	7.0	2.0	2.0	1.4	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
B 91	*Corymbia intermedia*	Pink Bloodwood	370		370	116	22.0	10.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
B 92	*Lophostemon suaveolens*	Swamp Box	150		150	47	9.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
B 93	*Lophostemon suaveolens*	Swamp Box	140		140	44	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
B 94	*Lophostemon suaveolens*	Swamp Box	140		140	44	6.0	1.0	2.0	1.4	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
B 95	*Eucalyptus tereticornis*	Forest Red Gum	260		260	82	20.0	8.0	3.1	1.9	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
B 96	*Lophostemon suaveolens*	Swamp Box	170		170	53	10.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	A130
B 97	*Lophostemon suaveolens*	Swamp Box	170		170	53	9.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
B 98	*Lophostemon suaveolens*	Swamp Box	260		260	82	9.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	Fire Dmg.	Typical	-	-	-	-	Present	-	Remove	A132
B 99	*Lophostemon suaveolens*	Swamp Box	170		170	53	7.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	A134
B 100	*Corymbia intermedia*	Pink Bloodwood	180		180	57	9.0	4.0	2.2	1.6	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	A135
B 101	*Lophostemon suaveolens*	Swamp Box	210		210	66	9.0	4.0	2.5	1.7	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
B 102	*Lophostemon suaveolens*	Swamp Box	120		120	38	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
B 103	*Lophostemon suaveolens*	Swamp Box	140		140	44	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
B 104	*Lophostemon suaveolens*	Swamp Box	160	100	189	59	8.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
B 105	*Lophostemon suaveolens*	Swamp Box	180	130	222	70	7.0	4.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
B 106	*Angophora leiocarpa*	Smooth-barked Apple	260		260	82	18.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
B 107	*Lophostemon suaveolens*	Swamp Box	180		180	57	8.0	3.0	2.2	1.6	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
B 108	*Lophostemon suaveolens*	Swamp Box	180		180	57	7.0	2.0	2.2	1.6	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
B 109	*Lophostemon suaveolens*	Swamp Box	170		170	53	16.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
B 110	*Lophostemon suaveolens*	Swamp Box	130		130	41	8.0	2.0	2.0	1.4	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
B 111	*Lophostemon suaveolens*	Swamp Box	130		130	41	5.0	1.0	2.0	1.4	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	Trunk Dmg.	-	Poor	-	-	-	-	-	-	To Clear Under Adjoining Approval	
B 112	*Corymbia intermedia*	Pink Bloodwood	220		220	69	13.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
B 113	*Lophostemon suaveolens*	Swamp Box	140	100	172	54	9.0	4.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
B 114	*Lophostemon suaveolens*	Swamp Box	120		120	38	3.0	1.0	2.0	1.4	Regular	-	-	Die-back	Epicormic	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
B 115	*Lophostemon suaveolens*	Swamp Box	150		150	47	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
B 116	*Lophostemon suaveolens*	Swamp Box	140		140	44	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
B 117	*Lophostemon suaveolens*	Swamp Box	180		180	57	10.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
B 118	*Lophostemon suaveolens*	Swamp Box	140		140	44	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
B 119	*Eucalyptus tereticornis*	Forest Red Gum	300		300	94	22.0	8.0	3.6	2.0	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
B 120	*Lophostemon suaveolens*	Swamp Box	150		150	47	9.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
B 121	*Corymbia intermedia*	Pink Bloodwood	220		220	69	18.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
B 122	*Lophostemon suaveolens*	Swamp Box	120		120	38	6.0	2.0	2.0	1.4	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
B 123	*Corymbia intermedia*	Pink Bloodwood	170		170	53	10.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove	
B 124	*Lophostemon suaveolens*	Swamp Box	150		150	47	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
B 125	*Lophostemon suaveolens*	Swamp Box	170		170	53	9.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove	
B 126	*Lophostemon suaveolens*	Swamp Box	150	150	212	67	8.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
B 127	*Lophostemon suaveolens*	Swamp Box	130		130	41	9.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
B 128	*Lophostemon suaveolens*	Swamp Box	160		160	50	10.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
B 129	*Lophostemon suaveolens*	Swamp Box	160		160	50	8.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
B 130	*Lophostemon suaveolens*	Swamp Box	110		110	35	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
B 131	*Lophostemon suaveolens*	Swamp Box	120		120	38	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
B 132	*Lophostemon suaveolens*	Swamp Box	130		130	41	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
B 133	*Corymbia intermedia*	Pink Bloodwood	360		360	113	20.0	12.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
B 134	*Lophostemon suaveolens*	Swamp Box	140		140	44	6.0	1.0	2.0	1.4	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
B 135	*Lophostemon suaveolens*	Swamp Box	130		130	41	4.0	2.0	2.0	1.4	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
B 136	*Lophostemon suaveolens*	Swamp Box	140		140	44	3.0	2.0	2.0	1.4	Regular	-	-	Die-back	Epicormic	-	Poor	-	-	Trunk Dmg.	Fire Dmg.	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
B 137	*Lophostemon suaveolens*	Swamp Box	130		130	41	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
B 138	*Lophostemon suaveolens*	Swamp Box	140		140	44	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
B 139	*Lophostemon suaveolens*	Swamp Box	160		160	50	9.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
B 140	*Corymbia intermedia*	Pink Bloodwood	240	140	278	87	10.0	6.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
B 141	*Lophostemon suaveolens*	Swamp Box	140		140	44	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
B 143	*Lophostemon suaveolens*	Swamp Box	200		200	63	7.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
B 144	*Lophostemon suaveolens*	Swamp Box	150		150	47	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
C 4965	*Eucalyptus tereticornis*	Forest Red Gum	130		130	41	10.0	2.0	2.0	1.4	Regular	-	Thinning	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
C 4966	*Lophostemon suaveolens*	Swamp Mahogany	110	100	149	47	6.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
C 4967	*Lophostemon suaveolens*	Swamp Mahogany	160		160	50	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
C 4968	*Lophostemon suaveolens*	Swamp Mahogany	150		150	47	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
C 4969	*Lophostemon suaveolens*	Swamp Mahogany	160		160	50	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
C 4970	*Lophostemon suaveolens*	Swamp Mahogany	190		190	60	7.0	3.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
C 4972	*Lophostemon suaveolens*	Swamp Mahogany	140		140	44	7.0	2.0	2.0	1.5	Regular	-	-	-	Epicormic	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
C 4973	*Lophostemon suaveolens*	Swamp Mahogany	120		120	38	7.0	1.0	2.0	1.4	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
C 4974	*Corymbia intermedia*	Pink Bloodwood	340		340	107	23.0	12.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
C 4975	*Lophostemon suaveolens*	Swamp Mahogany	130	130	184	58	7.0	3.0	2.2	1.6	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
C 4976	*Angophora leiocarpa*	Rusty Gum	280		280	88	20.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
C 4977	*Lophostemon suaveolens*	Swamp Mahogany	100		100	31	7.0	1.0	2.0	1.3	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
C 4978	*Lophostemon suaveolens*	Swamp Mahogany	130		130	41	6.0	2.0	2.0	1.4	Regular	-	-	-	Epicormic	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
C 4979	*Lophostemon suaveolens*	Swamp Mahogany	160	140	213	67	10.0	5.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
C 4980	*Lophostemon suaveolens*	Swamp Mahogany	140		140	44	8.0	2.0	2.0	1.5	Regular	-	-	-	Epicormic	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
C 4981	*Corymbia intermedia*	Pink Bloodwood	210		210	66	16.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
C 4982	*Corymbia intermedia*	Pink Bloodwood	250	240	347	109	22.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
C 4983	*Corymbia intermedia*	Pink Bloodwood	590	280	653	205	21.0	12.0	7.8	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
C 4984	*Corymbia intermedia*	Pink Bloodwood	210	180, 130	306	96	18.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
C 4986	*Corymbia intermedia*	Pink Bloodwood	250		250	79	16.0	8.0	3.0	1.9	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
C 4987	*Corymbia intermedia*	Pink Bloodwood	970		970	305	22.0	12.0	11.6	3.3	Regular	-	-	Die-back	Epicormic	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	Large	-	-	-	To Clear Under Adjoining Approval	
C 4988	*Lophostemon suaveolens*	Swamp Mahogany	120	120	170	53	8.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
C 4989	*Lophostemon suaveolens*	Swamp Mahogany	100		100	31	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
C 4990	*Corymbia intermedia*	Pink Bloodwood	190		190	60	10.0	3.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
C 5444	*Corymbia intermedia*	Pink Bloodwood	260		260	82	15.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
C 5445	*Lophostemon suaveolens*	Swamp Mahogany	240		240	75	8.0	3.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
C 5446	*Lophostemon suaveolens*	Swamp Mahogany	130		130	41	5.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
C 5447	*Lophostemon suaveolens*	Swamp Mahogany	110		110	35	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
C 5448	*Lophostemon suaveolens*	Swamp Mahogany	100	90	135	42	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
C 5449	*Angophora leiocarpa*	Rusty Gum	240		240	75	15.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
C 5450	*Lophostemon suaveolens*	Swamp Mahogany	130		130	41	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
C 5451	*Lophostemon suaveolens*	Swamp Mahogany	140		140	44	8.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
C 5452	*Lophostemon suaveolens*	Swamp Mahogany	140		140	44	9.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
C 5453	*Lophostemon suaveolens*	Swamp Mahogany	230		230	72	9.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
C 5454	*Lophostemon suaveolens*	Swamp Mahogany	130		130	41	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
C 5455	*Lophostemon suaveolens*	Swamp Mahogany	110		110	35	5.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
C 5456	*Corymbia intermedia*	Pink Bloodwood	230		230	72	15.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
C 5457	*Corymbia intermedia*	Pink Bloodwood	280		280	88	15.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
C 5458	*Corymbia intermedia*	Pink Bloodwood	110		110	35	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
C 5459	*Eucalyptus tereticornis*	Forest Red Gum	240		240	75	17.0	10.0	2.9	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
C 5460	*Corymbia intermedia*	Pink Bloodwood	250	230	340	107	15.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
C 5461	*Lophostemon suaveolens*	Swamp Mahogany	130		130	41	3.0	1.0	2.0	1.4	Regular	-	-	Die-back	Epicormic	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
C 5462	*Lophostemon suaveolens*	Swamp Mahogany	110	100	149	47	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
C 5463	*Corymbia intermedia*	Pink Bloodwood	170		170	53	13.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
C 5464	*Corymbia intermedia*	Pink Bloodwood	130		130	41	12.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
C 5465	*Corymbia intermedia*	Pink Bloodwood	150		150	47	10.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
C 5466	*Lophostemon suaveolens*	Swamp Mahogany	140		140	44	7.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
C 5467	*Corymbia intermedia*	Pink Bloodwood	220	100	242	76	15.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
C 5468	*Corymbia intermedia*	Pink Bloodwood	130		130	41	13.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
C 5469	*Corymbia intermedia*	Pink Bloodwood	200		200	63	15.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
C 5470	*Corymbia intermedia*	Pink Bloodwood	120		120	38	13.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
C 5471	*Corymbia intermedia*	Pink Bloodwood	140		140	44	12.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
C 5472	*Corymbia intermedia*	Pink Bloodwood	110		110	35	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
C 5473	*Corymbia intermedia*	Pink Bloodwood	140		140	44	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
C 5474	*Corymbia intermedia*	Pink Bloodwood	130		130	41	11.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	
C 5475	*Corymbia intermedia*	Pink Bloodwood	160		160	50	12.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
C 5476	*Corymbia intermedia*	Pink Bloodwood	100		100	31	8.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
C 5477	*Corymbia intermedia*	Pink Bloodwood	130		130	41	10.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
C 5478	*Corymbia intermedia*	Pink Bloodwood	170		170	53	14.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
C 5479	*Lophostemon suaveolens*	Swamp Mahogany	130		130	41	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
C 5480	*Corymbia intermedia*	Pink Bloodwood	140		140	44	8.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	To Clear Under Adjoining Approval	

Attachment A4

Hayfields Estate Fauna Spotter Reports

Matthew Hingley

0457 350 820

PO Box 1557, Mudgeeraba, 4213

mattgcwildlife@gmail.com

Licence # WA0011885

Under the Nature Conservation Act, 1992 (NCA) and the Nature Conservation Regulation, 1994 (NCR) the welfare of "protected" wildlife (Australian Native Animals) must be considered when/where their habitat is to be destroyed by human activity.

Wildlife Spotter Catcher

Pre-Clearance Inspection Fauna Report

DATE: 10/10/2020

SITE INSPECTED: Hayfield Ripley

SITE MANAGER: CCAWinslow Kieran Hoy

PREPARED BY: Matt Hingley

INTRODUCTION:

A Pre-clearance fauna survey was performed at Hayfield, by Matt Hingley Wildlife.

A Pre-Clearance inspection of all trees for removal in the designated area was performed prior to scheduled felling. This was to identify the boundaries of the allotment and to determine which trees are designated for removal. The site was inspected in order to assess the species of wildlife that may be encountered or affected during the clearing operations proposed for this development.

All clearing activities to be supervised by a suitably qualified spotter catcher and post-clearance observations included in a post-clearance report.

GENERAL DESCRIPTION OF SITE:

The site consists of sparse mature native timber including Eucalyptus, Corymbia and Acacia sp.

Matthew Hingley – 0457 350 820
Permit # WA0011885

METHODS:

Site assessments are made using a variety of fauna survey techniques aimed at detecting species using and/or resident on site. These techniques can include diurnal searching/observations with and without the aid of binoculars, nocturnal spotlight if required, searching, call monitoring, scat searching/examination, and searches for species specific signs such as tracks and traces. In addition, habitat characteristics can predict the presence of a species based on its local distribution, even in the absence of actual evidence on site.

INSPECTION:

A Fauna Spotter was required on site prior to and during works to ensure the management of any fauna detected. Inspection took place prior to, during and post clearance for reptiles, nesting birds and small mammals.

A Pre-Clearance survey of all the trees in the designated area was performed to ascertain the potential for wildlife to shelter with in the trees.

Inspection of the understory for presence of large logs or rocks that may obscure fauna including reptiles and amphibians.

Inspection of each mature tree, on the ground around the base for faecal pellets,

on the trunk for scent rubs and scratch marks, for hollow burls or limbs.

Visual observation of any wildlife present and identification of calls detected. Inspection of canopy with binoculars to look for hollows, nests and presence of wildlife.

A pre-start inspection of these trees on the proposed day of clearing ensured no Koala *Phascolarctus cinereus* or additional wildlife or active nests are present at that time.

Matthew Hingley – 0457 350 820
Permit # WA0011885

FINDINGS:

A Fauna Spotter will be required on site prior to and during works to ensure the management of any fauna detected. The trees ranged from small to mature with very little in the way of hollow entries, and as such the possibility of wildlife displacement is considered minimal. The trees will require inspection prior to, during and post clearance for small mammals, birds and reptiles.

Trees detected during the survey that contained possible shelter sites and bird nests were marked with flagging tape and will require inspection prior to, during and post felling for wildlife.

All bird nests that were detected during the pre-clearance were marked with flagging tape and will be monitored for current activity on the morning of proposed clearing.

All terrestrial logs containing hollow sections will require inspection for wildlife prior to removal. Hollow sections have been clearly marked in pre-clearance inspection and will be inspected for wildlife prior to removal.



Areas of dense foliage will require inspection for signs of wildlife prior to machine works.

Matthew Hingley – 0457 350 820
Permit # WA0011885



The vegetation in some areas along the alignment include dead Acacia and will require inspection for signs of wildlife prior to and during clearing operations.



Micro habitat that may harbor wildlife will require inspection prior to machine works and removal.

Matthew Hingley – 0457 350 820
Permit # WA0011885



Large Eucalypts on site, will require inspection for wildlife including Koala prior to and during clearing works.



All canopies and areas to be cleared will require inspection before and during clearing works.

Matthew Hingley – 0457 350 820
Permit # WA0011885



Dead trees and fallen timber throughout the alignment will require inspection for wildlife prior to and during clearing.



Dead trees and exfoliating bark will require inspection for Fauna prior to and during machine operations.

Matthew Hingley – 0457 350 820
Permit # WA0011885



Dense vegetation and trunk sections of the dead trees will require inspection for signs of terrestrial and semi arboreal wildlife prior to and during machine operations.



Scratch marks detected in the survey indicate the presence of Mammals frequenting the site. Large trees with signs of wildlife traffic will require

Matthew Hingley – 0457 350 820
Permit # WA0011885

inspection for signs of wildlife prior to clearing works.



The sections of dense scrub on site will require inspection, dense vegetation and canopy sections will require inspection for signs of terrestrial and arboreal wildlife prior to and during machine operations.



FStands of dense Acacia will require inspection for signs of terrestrial wildlife

Matthew Hingley – 0457 350 820
Permit # WA0011885

prior to and during machine operations.



The tree canopies along the forest fringe will require inspection for wildlife and nests prior to and during machine felling.

FAUNA MANAGEMENT PLAN:

1. A wildlife spotter should be present for:
    - Checking and removal of standing of trees for the presence of nesting birds, Mammals, Terrestrial Reptiles and arboreal Reptiles prior to commencement.
    - Checking standing trees for the presence of Koalas, prior to commencement.

2. All healthy adult fauna encountered during clearing works will be released to or encouraged to move on to adjacent habitat.

3. Trees with nesting birds will be left until young are fledged, where this is possible within the constraints of the development. Where this is not possible, trees with nesting birds will be felled, under the direction of the Wildlife Spotter, in such a way as to minimize the chances of injury to young birds.

4. If a Koala *Phascolarctus cinereus* is detected the location must be communicated to the site manager and the machine operators immediately. The Fauna Spotter will nominate an exclusion zone and clearly define the site. No works will occur within this exclusion zone until it is confirmed by the Fauna Spotter that the Koala has voluntarily moved into adjacent forest safely.

5. Any injured or orphaned wildlife will be handed immediately to wildlife carers or presented for veterinary assessment, as appropriate.

6. The wildlife spotter and clearing machinery operators must have functioning 2-way radios, so that safe and instant communication is avail
7. able between the two and site supervisor at all times.

Matthew Hingley – 0457 350 820
Permit # WA0011885

PROCEDURES:

- To undertake detailed discussion with excavator operators and to ensure clear communication regarding the procedures associated with the removal of limbs and felling of trees.

- Fauna spotter ensured a distance of 2 x tree lengths during machine operation, unless instructed otherwise by machine operator.

- Machine operator ensured careful removal of any limbs that may potentially contain wildlife and assist fauna spotter in ensuring the safe dispersal of any fauna. Machine operator to proceed under the direction of fauna spotter re: removal of limbs/trunks containing arboreal termite mounds.

- Clearing to commence from the already developed section of land toward the forest to ensure wildlife appropriate opportunity to escape into adequately timbered habitat.

- Two-way radios were used to ensure clear and safe communication between fauna spotter and machine operator.

- The Fauna Spotter catcher remained on site during clearing procedure.

- Clear positive communication between the Machine operator the Site Supervisor and Fauna Spotter Catcher ensured safety and careful management of fauna during clearance.

- Post Prestart and site induction, a fauna inspection of the designated area was carried out. This included the visual and binocular inspection of all trees in the area prior to Excavation commencement.

- Trees of concern were again inspected for fauna on the ground once felled.

Matthew Hingley – 0457 350 820
Permit # WA0011885

CONCLUSION:

A Spotter Catcher will be required on site during all tree felling processes.

An additional pre-clearance assessment should take place on the morning prior to felling and machine operation to confirm the absence of wildlife including active nests, terrestrial mammals and reptiles on the morning that clearing is scheduled.

All procedures and plans should be adhered to, inspecting of the standing trees and associated ground, for active nests and wildlife prior to machine operation on the day, to ensure no fauna is injured.

Clear and positive Two-way Radio communication between the Machine Operator/Site Supervisor and Fauna Spotter Catcher ensured a safe and careful procedure during clearing operations.

This process should ensure the management of potential fauna during clearance without injury or loss of protected species.

SIGNED:_____ DATE: 10/10/2020

Signed: Matthew Hingley

Spotter/Catcher Licence # WA0011885

Matt Hingley Wildlife

Matthew Hingley – 0457 350 820
Permit # WA0011885

QFC
QUEENSLAND FAUNA CONSULTANCY
Pty Ltd

Oct-Nov 2021

Fauna Management and Spotter/Catcher Services Report

Hayfield Estate (Stages 6 – 9), 352 Ripley Road, Ripley

Report prepared for CCA Winslow



Report prepared by

QLD Fauna Consultancy Pty Ltd

Phone: (07) 3376 9780

Email: fauna@qfc.com.au

Date:	08/11/2021
Title:	Fauna Management and Spotter/Catcher Services Report Hayfield Estate (Stages 6 – 9), 352 Ripley Road, Ripley
Author/s:	Bryan Robinson, Melissa Osborne, Jasmine Zeleny
Reviewed by:	Jasmine Zeleny
Field personnel:	Lee Evans, Jaedon Lunt, Chris Hay, Emma Green
Status:	Final Report
Filed as:	QFC FMR CCA Winslow Ripley Oct-Nov 2021.doc

Contents

1 Introduction 4
2 Methodology 4
2.1 Clearance Investigations 4
2.2 Specific methodology for Koalas *Phascolarctos cinereus* 4
2.3 Felling Procedures 5
2.4 Communications during Clearance 5
3 Results 6
4 Fauna Register 11
5 Conclusion 16
6 References 17
7 Appendix A: Fauna Photos 18

The contents of this report and its appendices may not be used in any form by any party other than the Client. The reproduction, adaptation, use or communication of the information contained within this report may not be used without the written permission of Queensland Fauna Consultancy Pty Ltd. Neither the author/s nor the company (QFC Pty Ltd) accepts any liability or responsibility for the unauthorised use of any part of this document.

1 Introduction

Qld Fauna Consultancy Pty Ltd has been engaged by CCA Winslow to conduct Fauna Spotter/Catcher and Fauna Management activities for works at Hayfield Estate (Stages 6 – 9), 352 Ripley Road, Ripley.

All activities were conducted under the provisions of Rehabilitation Permit (WA0026789) issued to Queensland Fauna Consultancy Pty Ltd by the Department of Environment and Science (DES), approving the observation and relocation of protected animals.

This report covers clearance activities undertaken in October and November 2021.

2 Methodology

2.1 Clearance Investigations

A standard set of observational and active searching techniques were employed each day of clearance to ascertain and identify existing fauna values for each location. These include:

- Assessment of terrestrial microhabitats such as ground hollows, rock, burrows, leaf litter, fallen branches and bark exfoliations,
- Observation and assessment of occupancy of arboreal microhabitats such as tree hollows, fissures and exfoliations,
- Direct observation of active or exposed fauna,
- Identification of scats, tracks and scratchings to determine fauna present on the site.

All microhabitats were identified and subsequently inspected during clearance.

2.2 Specific methodology for Koalas *Phascolarctos cinereus*

Due to the specific requirements relating to the Koala the following techniques were employed at the clearance site to ascertain presence/absence status:

- Use of binoculars to inspect the crown, forks and trunk of trees;
- 'Drip zone' searches at the base of known food trees for the presence of scats to a radius equal to that of the crown of individual trees;
- Inspection of trunks for scratchings indicative of use by Koalas.

Recent changes to Koala management strategies highlighted in the *Nature Conservation (Koala) Conservation Plan 2017* have resulted in particular conditions placed on vegetation clearance involving the removal of Koala food trees.

Further provisions include the restriction of all clearance that may directly interfere with the tree a Koala is residing in. Koalas are to leave via their own volition and may not be interfered with by any means. Only when Koalas have vacated a tree can clearance operations include the host tree and surrounding vegetation.

2.3 Felling Procedures

Trees identified as having potential fauna values (such as hollows, fissures and exfoliating bark) were clearly marked for supervision during felling and inspected once felled. Efforts were made to determine potentially occupant species by way of investigations for indicative signs (scats, scratchings and tracks). Where no signs were found or occupant species undeterminable, machinery operators were instructed to fell trees in a manner directed at minimising the potential risk of injury to fauna.

Limbs were inspected and the direction of felling determined with regards to safety of both machinery and operators. Considerations to potentially occupant fauna were assessed and felling procedures formulated. Felling procedures may have included the following techniques:

- Machinery blades were utilised to shake the tree in an attempt to disturb fauna out of hollows or fissures to determine species present.
- If fauna were present, the tree was either left standing overnight to allow the occupant animal(s) time to leave via their own volition, or if species detected were able to be encouraged from the tree by shaking or direct capture by a wildlife spotter(s). The tree was felled with considerations to potentially undetected fauna.
- Where possible potentially occupied trees were felled with the identified microhabitat receiving minimal contact on impact.
- Adjacent felled trees were utilised to absorb the impact of potential fauna bearing trees.

2.4 Communications during Clearance

Each spotter/catcher was equipped with a hand held radio to make positive communications with machinery operators. Communications by radio and positive hand signals were utilised to indicate intentions to machinery operators.

3 Results

The following daily inventory details fauna based investigation results for the clearing area. Inspection activities, location, habitat values and fauna found are documented where required. Refer to Appendix A for fauna photos.

Wednesday 27th October 2021

- Pre-clearance activities carried out (refer to Methodology) at 352 Ripley Road, Ripley
- Vegetation clearance carried out at 352 Ripley Road, Ripley
- 3 trees flagged
- One personnel in attendance

Arboreal Microhabitats: No. flagged tree/s felled: 3 Nest (N) ☒Y ☐N Hollows (H) ☒Y ☐N Arboreal termitaria (ATM) ☒Y ☐N Other: Exfoliating bark No. & size of hollow/s (mm): 250-299: 1
Terrestrial Microhabitats: Hollow logs ☒Y ☐N Woody debris ☒Y ☐N Rock piles ☐Y ☒N Burrows ☐Y ☒N Other: Terrestrial termitaria, Dense leaf litter
Aquatic habitat/s: Dam ☐Y ☒N Creek ☐Y ☒N Wetland ☐Y ☒N
No Fauna Found

Thursday 28th October 2021

- Pre-clearance activities carried out (refer to Methodology) at 352 Ripley Road, Ripley
- Vegetation clearance carried out at 352 Ripley Road, Ripley
- 3 trees flagged
- One personnel in attendance

Arboreal Microhabitats: No. flagged tree/s felled: 3 Nest (N) ☐Y ☒N Hollows (H) ☐Y ☒N Arboreal termitaria (ATM) ☒Y ☐N Other: Exfoliating bark No. & size of hollow/s (mm): 0
Terrestrial Microhabitats: Hollow logs ☒Y ☐N Woody debris ☒Y ☐N Rock piles ☐Y ☒N Burrows ☐Y ☒N Other: Terrestrial termitaria, Dense leaf litter, Bark exfoliations
Aquatic habitat/s: Dam ☐Y ☒N Creek ☐Y ☒N Wetland ☐Y ☒N
No Fauna Found

Friday 29th October 2021

- Pre-clearance activities carried out (refer to Methodology) at 352 Ripley Road, Ripley
- Vegetation clearance carried out at 352 Ripley Road, Ripley
- Refer to **Fauna Register** for fauna found
- 25 trees flagged
- One personnel in attendance

Arboreal Microhabitats: No. flagged tree/s felled: 12 Nest (N) ☒Y ☐N Hollows (H) ☐Y ☒N Arboreal termitaria (ATM) ☒Y ☐N Other: Exfoliating bark No. & size of hollow/s (mm): 0
Terrestrial Microhabitats: Hollow logs ☒Y ☐N Woody debris ☒Y ☐N Rock piles ☒Y ☐N Burrows ☐Y ☒N Other: Terrestrial termitaria, Artificial debris, Bark exfoliations
Aquatic habitat/s: Dam ☐Y ☒N Creek ☐Y ☒N Wetland ☐Y ☒N Other: Pond

Monday 1st November 2021

- Pre-clearance activities carried out (refer to Methodology) at 352 Ripley Road, Ripley
- Vegetation clearance carried out at 352 Ripley Road, Ripley
- Refer to **Fauna Register** for fauna found
- 13 trees flagged
- One personnel in attendance

Arboreal Microhabitats: No. flagged tree/s felled: 13 Nest (N) ☒Y ☐N Hollows (H) ☒Y ☐N Arboreal termitaria (ATM) ☒Y ☐N Other: Exfoliating bark No. & size of hollow/s (mm): 50-99: 3, 100-149: 1, 200-249: 2
Terrestrial Microhabitats: Hollow logs ☒Y ☐N Woody debris ☒Y ☐N Rock piles ☐Y ☒N Burrows ☐Y ☒N Other: Terrestrial termitaria, Artificial debris, Bark exfoliations, Dense leaf litter
Aquatic habitat/s: Dam ☐Y ☒N Creek ☐Y ☒N Wetland ☐Y ☒N

Tuesday 2nd November 2021

- Pre-clearance activities carried out (refer to Methodology) at 352 Ripley Road, Ripley
- Vegetation clearance carried out at 352 Ripley Road, Ripley
- Refer to **Fauna Register** for fauna found
- 9 trees flagged
- One personnel in attendance

Arboreal Microhabitats: No. flagged tree/s felled: 9 Nest (N) ☐Y ☒N Hollows (H) ☒Y ☐N Arboreal termitaria (ATM) ☒Y ☐N Other: Exfoliating bark No. & size of hollow/s (mm): 50-99: 3, 200-249: 2
Terrestrial Microhabitats: Hollow logs ☒Y ☐N Woody debris ☒Y ☐N Rock piles ☐Y ☒N Burrows ☐Y ☒N Other: Bark exfoliations, Dense leaf litter
Aquatic habitat/s: Dam ☐Y ☒N Creek ☐Y ☒N Wetland ☐Y ☒N

Wednesday 3rd November 2021

- Pre-clearance activities carried out (refer to Methodology) at 352 Ripley Road, Ripley
- Vegetation clearance carried out at 352 Ripley Road, Ripley
- Refer to **Fauna Register** for fauna found
- 73 trees flagged
- One personnel in attendance

Arboreal Microhabitats: No. flagged tree/s felled: 17 Nest (N) ☒Y ☐N Hollows (H) ☒Y ☐N Arboreal termitaria (ATM) ☒Y ☐N Other: Exfoliating bark, Fissure No. & size of hollow/s (mm): 50-99: 3, 200-249: 2
Terrestrial Microhabitats: Hollow logs ☒Y ☐N Woody debris ☒Y ☐N Rock piles ☐Y ☒N Burrows ☐Y ☒N Other: Bark exfoliations, Dense leaf litter, Terrestrial termitaria, Artificial debris
Aquatic habitat/s: Dam ☐Y ☒N Creek ☐Y ☒N Wetland ☐Y ☒N

Thursday 4th November 2021

- Pre-clearance activities carried out (refer to Methodology) at 352 Ripley Road, Ripley
- Vegetation clearance carried out at 352 Ripley Road, Ripley
- Refer to **Fauna Register** for fauna found
- 8 trees flagged
- Two personnel in attendance

Arboreal Microhabitats: No. flagged tree/s felled: 12 Nest (N) ☐Y ☒N Hollows (H) ☐Y ☒N Arboreal termitaria (ATM) ☒Y ☐N Other: Exfoliating bark No. & size of hollow/s (mm): 0
Terrestrial Microhabitats: Hollow logs ☒Y ☐N Woody debris ☒Y ☐N Rock piles ☐Y ☒N Burrows ☐Y ☒N Other: Bark exfoliations, Dense leaf litter, Terrestrial termitaria
Aquatic habitat/s: Dam ☐Y ☒N Creek ☐Y ☒N Wetland ☐Y ☒N

Friday 5th November 2021

- Pre-clearance activities carried out (refer to Methodology) at 352 Ripley Road, Ripley
- Vegetation clearance carried out at 352 Ripley Road, Ripley
- Refer to **Fauna Register** for fauna found
- 9 trees flagged
- Three personnel in attendance

Arboreal Microhabitats: No. flagged tree/s felled: 12 Nest (N) ☒Y ☐N Hollows (H) ☐Y ☒N Arboreal termitaria (ATM) ☒Y ☐N Other: Exfoliating bark No. & size of hollow/s (mm): 0
Terrestrial Microhabitats: Hollow logs ☐Y ☒N Woody debris ☒Y ☐N Rock piles ☐Y ☒N Burrows ☐Y ☒N Other: Dense leaf litter, Bark exfoliations
Aquatic habitat/s: Dam ☐Y ☒N Creek ☐Y ☒N Wetland ☐Y ☒N

Monday 8th November 2021

- Pre-clearance activities carried out (refer to Methodology) at 352 Ripley Road, Ripley
- Vegetation clearance carried out at 352 Ripley Road, Ripley
- Refer to **Fauna Register** for fauna found
- 8 trees flagged
- One personnel in attendance

Arboreal Microhabitats: No. flagged tree/s felled: 8 Nest (N) ☐Y ☒N Hollows (H) ☐Y ☒N Arboreal termitaria (ATM) ☒Y ☐N Other: Exfoliating bark No. & size of hollow/s (mm): 0
Terrestrial Microhabitats: Hollow logs ☐Y ☒N Woody debris ☒Y ☐N Rock piles ☐Y ☒N Burrows ☐Y ☒N Other: Dense leaf litter, Bark exfoliations
Aquatic habitat/s: Dam ☐Y ☒N Creek ☐Y ☒N Wetland ☐Y ☒N

4 Fauna Register

				Capture Location						Release Details			Actions					
Collectors Name	**Date**	**Time**	**Capture Location**	**Latitude**	**Longitude**	**Count Type**	**Status**	***Common Name - Scientific Name***	**Count**	**Date**	**Latitude**	**Longitude**	**R1**	**R2**	**D**	**I**	**Release Location Description**	**Comments**
Jasmine Zeleny	21/10/2021	09:55	352 Ripley Road, Ripley	-27.6628	152.7878	Alive	Least Concern	White-throated Nightjar *Eurostopodus mystacalis*	3	21/10/2021	NA	NA	X	C			Adults self-relocated to nearby habitat	Adult pair flushed from an open area of dense leaf litter and ground timber during pre-clearance. Upon further inspection of the area, a chick was located. The chick was taken to RSPCA Wildlife Hospital in Wacol as clearing activities are due to commence in the coming week and the chick would not be flying by this time.

Jaedon Lunt	29/10/2021	09:55	352 Ripley Road, Ripley	-27.6628	152.7855	Alive	Least Concern	Nobbi Dragon *Diporiphora nobbi*	1	29/10/2021	-27.6602	152.7832	X				Into grass cover	
Jaedon Lunt	29/10/2021	10:05	352 Ripley Road, Ripley	-27.6604	152.7845	Alive	Least Concern	Eastern Bearded Dragon *Pogona barbata*	1	29/10/2021	-27.6598	152.7836	X				Next to small tree with foliage	
Jaedon Lunt	29/10/2021	11:01	352 Ripley Road, Ripley	-27.6629	152.7858	Alive	Least Concern	Yellow-faced Whipsnake *Demansia psammophis*	1	29/10/2021	-27.6640	152.7849	X				Released into rock pile.	
Jaedon Lunt	29/10/2021	12:54	352 Ripley Road, Ripley	-27.6636	152.7860	Alive	Least Concern	Ornate Burrowing Frog *Platyplectrum ornatum*	2	29/10/2021	-27.6602	152.7832	X				Next to swampy pond	There was a third in the barrel which was unable to be captured as it continued to dire under water and out of reach.
Jaedon Lunt	29/10/2021	14:17	352 Ripley Road, Ripley	-27.6637	152.7851	Alive	Least Concern	Eastern Striped Skink *Ctenotus robustus*	1	29/10/2021	-27.6640	152.7848	X				Next to swampy pond	

Jaedon Lunt	29/10/2021	14:58	352 Ripley Road, Ripley	-27.6624	152.7841	Alive	Least Concern	Lesser Long-eared Bat *Nyctophilus geoffroyi*	9	31/10/2021	-27.6552	152.7885	X	C			In nest box	Taken to carer over the weekend (Jasmine 0422 044 627). Nest box was installed inside tree protection zone on 31/10 and monitored. Bats were observed tending to young.
Jaedon Lunt	29/10/2021	15:34	352 Ripley Road, Ripley	-27.6626	152.7835	Alive	Least Concern	Verreaux's Skink *Anomalopus verreauxii*	1	29/10/2021	-27.6599	152.7836	X				Bark on ground	
Lee Evans	01/11/2021	09:35	352 Ripley Road, Ripley	-27.6637	152.7840	Alive	Least Concern	Eastern Bearded Dragon *Pogona barbata*	1	01/11/2021	-27.6647	152.7845	X				On tree in adjacent habitat	
Lee Evans	01/11/2021	10:42	352 Ripley Road, Ripley	-27.6641	152.7826	Alive	Least Concern	Eastern Bearded Dragon *Pogona barbata*	1	01/11/2021	-27.6690	152.7843	X				On tree in adjacent habitat	
Lee Evans	01/11/2021	13:10	352 Ripley Road, Ripley	-27.6645	152.7841	Alive	Least Concern	Garden Skink *Lampropholis delicata*	1	01/11/2021	-27.6637	152.7845	X				Under fallen bark	

Lee Evans	01/11/2021	13:15	352 Ripley Road, Ripley	-27.6635	152.7850	Alive	Least Concern	Eastern Bearded Dragon *Pogona barbata*	1	01/11/2021	-27.6636	152.7846	X				Tall grass	
Lee Evans	01/11/2021	13:22	352 Ripley Road, Ripley	-27.6644	152.7839	Alive	Least Concern	Eastern Bearded Dragon *Pogona barbata*	1	01/11/2021	-27.6636	152.7844	X				On tree in adjacent habitat	
Lee Evans	01/11/2021	16:21	352 Ripley Road, Ripley	-27.6626	152.7843	Alive	Least Concern	Common Brushtail Possum *Trichosurus vulpecula*	2	01/11/2021	-27.6626	152.7843	X				Up large tree outside clearing zone	Mother and large back young
Lee Evans	02/11/2021	14:46	352 Ripley Road, Ripley	-27.6633	152.7878	Alive	Least Concern	Native Bee Hive (*Tetragonula sp.*)	1	02/11/2021	-27.6635	152.7881	X				On ground outside clearing boundary	Hive was broken, remaining pieces were salvaged and relocated
Jaedon Lunt	03/11/2021	07:47	352 Ripley Road, Ripley	-27.6624	152.7883	Alive	Least Concern	Native Bee Hive (*Tetragonula sp.*)	1	03/11/2021	-27.6621	152.7883	X				Rested against tree in exclusion zone	Found in yesterday's tree pile
Jaedon Lunt	03/11/2021	13:48	352 Ripley Road, Ripley	-27.6575	152.7856	Alive	Least Concern	Nobbi Dragon *Diporiphora nobbi*	1	03/11/2021	-27.6576	152.7837	X				In Lomandra shrubbery	
Chris Hay	04/11/2021	09:09	352 Ripley Road, Ripley	-27.6583	152.7855	Alive	Least Concern	Lively Rainbow-skink *Carlia vivax*	2	04/11/2021	-27.6592	152.7837	X				Into dense grass and leaf litter	

Lee Evans	04/11/2021	09:26	352 Ripley Road, Ripley	-27.6566	152.7856	Alive	Least Concern	Native Bee Hive (*Tetragonula sp.*)	1	04/11/2021	-27.6566	152.7856	X				On ground outside clearing boundary	
Chris Hay	04/11/2021	11:12	352 Ripley Road, Ripley	-27.6580	152.7868	Alive	Least Concern	Elegant Snake-eyed Skink *Cryptoblepharus pulcher*	2	NA	NA	NA	X				Self-relocated	Remained on felled tree
Lee Evans	05/11/2021	07:23	352 Ripley Road, Ripley	-27.6596	152.7853	Alive	Least Concern	Sacred Kingfisher *Todiramphus sanctus*	3	NA	NA	NA		C			NA	3 x eggs taken to carer Anne 3736 1967
Chris Hay & Lee Evans	05/11/2021	12:33	352 Ripley Road, Ripley	-27.6581	152.7854	Alive	Least Concern	Laughing Kookaburra *Dacelo novaeguineae*	3	NA	NA	NA		C			NA	3 x eggs taken to carer Anne 3736 1967
Emma Green & Lee Evans	05/11/2021	13:09	352 Ripley Road, Ripley	-27.6585	152.7848	Alive	Least Concern	Elegant Snake-eyed Skink *Cryptoblepharus pulcher*	1	05/11/2021	-27.6585	152.7843	X				In tall grass under leaf litter	
Lee Evans	08/11/2021	10:22	352 Ripley Road, Ripley	-27.6569	152.7862	Alive	Least Concern	Laughing Kookaburra *Dacelo novaeguineae*	2	NA	NA	NA		C			NA	2 x eggs taken to carer Anne 3736 1967
Lee Evans	08/11/2021	11:51	352 Ripley Road, Ripley	-27.6558	152.7868	Euthanised	Least Concern	Red-bellied Black Snake *Pseudechis porphyriacus*	1	NA	NA	NA			X		NA	Severely injured while operator lifted dead log. Euthanised immediately and humanely by FSC

5 Conclusion

All vegetation clearance was supervised as requested by CCA Winslow and in accordance with stipulations as expressed in the *Nature Conservation (Koala) Conservation Plan 2017.*

No Koalas were observed during clearing activities. Other fauna found during clearance works were relocated (or self-relocated) to adjacent localities comprising suitable refugia and feeding resources consistent with individual species requirements. Young were taken to a certified wildlife carer or veterinary clinic.

All supervised clearance activities were conducted with the full co-operation of onsite personnel and machinery operator/s.

6 References

Department of Environment and Heritage Protection (2017) *Nature Conservation (Koala) Conservation Plan 2017*. Queensland Government.

References for nomenclature

Anstis, M. (2013) *Tadpoles and Frogs of Australia*, Sydney: New Holland Publishers.

Menkhorst, K. & Knight, F. (2011) *A Field Guide to the Mammals of Australia*. 3rd edn. Oxford University Press, South Melbourne.

Simpson, K. & Day, N. (2004) *Field Guide to the Birds of Australia*. Penguin Group, Australia

Strahan, R. And Van Dyck, S. (2008) *The Mammals of Australia*, 3rd edn Sydney: New Holland Publishers.

Vanderduys, E. (2012) *Field Guide to the Frogs of Queensland*. Collingwood: CSIRO Publishing.

Wilson, S. (2015) *A Field Guide to Reptiles of Queensland*. 2nd edn, Sydney: New Holland Publishers.

7 Appendix A: Fauna Photos



Lesser Long-eared Bat
Nyctophilus geoffroyi



Eastern Striped Skink
Ctenotus robustus



Ornate Burrowing Frog
Platyplectrum ornatum



Nobbi Dragon
Diporiphora nobbi



Common Brushtail Possum
Trichosurus vulpecula



Eastern Bearded Dragon
Pogona barbata



Nobbi Dragon
Amphibolurus nobbi nobbi



Laughing Kookaburra Eggs
Dacelo novaeguineae



White-throated Nightjar chick
Eurostopodus mystacalis

QFC
QUEENSLAND FAUNA CONSULTANCY
Pty Ltd

December 2021

Fauna Management and Spotter/Catcher Services Report

Hayfield Estate, 352 Ripley Road, Ripley

Report prepared for CCA Winslow Pty Ltd



Report prepared by

QLD Fauna Consultancy Pty Ltd

Phone: (07) 3376 9780

Email: fauna@qfc.com.au

Date:	06/12/21
Title:	Fauna Management and Spotter/Catcher Services Report Hayfield Estate, 352 Ripley Road, Ripley
Author/s:	Bryan Robinson, Rebecca Everett, Jasmine Zeleny
Reviewed by:	Jasmine Zeleny
Field personnel:	Rebecca Turk, John Bolton
Status:	Final Report
Filed as:	QFC FMR CCA Winslow Ripley Dec 2021.doc

Contents

1 Introduction 4
2 Methodology 4
2.1 Clearance Investigations 4
2.2 Specific methodology for Koalas *Phascolarctos cinereus* 4
2.3 Felling Procedures 5
2.4 Communications during Clearance 5
3 Results 6
4 Fauna Register 7
5 Conclusion 9
6 References 10
7 Appendix A: Fauna Photos 11

The contents of this report and its appendices may not be used in any form by any party other than the Client. The reproduction, adaptation, use or communication of the information contained within this report may not be used without the written permission of Queensland Fauna Consultancy Pty Ltd. Neither the author/s nor the company (QFC Pty Ltd) accepts any liability or responsibility for the unauthorised use of any part of this document.

1 Introduction

Qld Fauna Consultancy Pty Ltd has been engaged by CCA Winslow Pty Ltd to conduct Fauna Spotter/Catcher and Fauna Management activities for works at Hayfield Estate, 352 Ripley Road, Ripley.

All activities were conducted under the provisions of Rehabilitation Permit (WA0026789) issued to Queensland Fauna Consultancy Pty Ltd by the Department of Environment and Science (DES), approving the observation and relocation of protected animals.

This report covers clearance activities undertaken in December 2021.

2 Methodology

2.1 Clearance Investigations

A standard set of observational and active searching techniques were employed each day of clearance to ascertain and identify existing fauna values for each location. These include:

- Assessment of terrestrial microhabitats such as ground hollows, rock, burrows, leaf litter, fallen branches and bark exfoliations,
- Observation and assessment of occupancy of arboreal microhabitats such as tree hollows, fissures and exfoliations,
- Direct observation of active or exposed fauna,
- Identification of scats, tracks and scratchings to determine fauna present on the site.

All microhabitats were identified and subsequently inspected during clearance.

2.2 Specific methodology for Koalas *Phascolarctos cinereus*

Due to the specific requirements relating to the Koala the following techniques were employed at the clearance site to ascertain presence/absence status:

- Use of binoculars to inspect the crown, forks and trunk of trees;
- 'Drip zone' searches at the base of known food trees for the presence of scats to a radius equal to that of the crown of individual trees;
- Inspection of trunks for scratchings indicative of use by Koalas.

Recent changes to Koala management strategies highlighted in the *Nature Conservation (Koala) Conservation Plan 2017* have resulted in particular conditions placed on vegetation clearance involving the removal of Koala food trees.

Further provisions include the restriction of all clearance that may directly interfere with the tree a Koala is residing in. Koalas are to leave via their own volition and may not be interfered with by any means. Only when Koalas have vacated a tree can clearance operations include the host tree and surrounding vegetation.

2.3 Felling Procedures

Trees identified as having potential fauna values (such as hollows, fissures and exfoliating bark) were clearly marked for supervision during felling and inspected once felled. Efforts were made to determine potentially occupant species by way of investigations for indicative signs (scats, scratchings and tracks). Where no signs were found or occupant species undeterminable, machinery operators were instructed to fell trees in a manner directed at minimising the potential risk of injury to fauna.

Limbs were inspected and the direction of felling determined with regards to safety of both machinery and operators. Considerations to potentially occupant fauna were assessed and felling procedures formulated. Felling procedures may have included the following techniques:

- Machinery blades were utilised to shake the tree in an attempt to disturb fauna out of hollows or fissures to determine species present.
- If fauna were present, the tree was either left standing overnight to allow the occupant animal(s) time to leave via their own volition, or if species detected were able to be encouraged from the tree by shaking or direct capture by a wildlife spotter(s). The tree was felled with considerations to potentially undetected fauna.
- Where possible potentially occupied trees were felled with the identified microhabitat receiving minimal contact on impact.
- Adjacent felled trees were utilised to absorb the impact of potential fauna bearing trees.

2.4 Communications during Clearance

Each spotter/catcher was equipped with a hand held radio to make positive communications with machinery operators. Communications by radio and positive hand signals were utilised to indicate intentions to machinery operators.

3 Results

The following daily inventory details fauna based investigation results for the clearing area. Inspection activities, location, habitat values and fauna found are documented where required. Refer to Appendix A for fauna photos.

Thursday 2nd December 2021

- Pre-clearance activities carried out (refer to Methodology) at Hayfield Estate, 352 Ripley Road, Ripley
- Vegetation clearance carried out at Hayfield Estate, 352 Ripley Road, Ripley
- Refer to **Fauna Register** for fauna found
- 10 trees flagged
- One personnel in attendance

Arboreal Microhabitats: No. flagged tree/s felled: 10 Nest (N) ☒Y ☐N Hollows (H) ☒Y ☐N Arboreal termitaria (ATM) ☒Y ☐N Other: Exfoliating bark No. & size of hollow/s (mm): 200 – 249: 1
Terrestrial Microhabitats: Hollow logs ☒Y ☐N Woody debris ☒Y ☐N Rock piles ☐Y ☒N Burrows ☐Y ☒N Other: Bark exfoliations, Dense leaf litter, Artificial debris
Aquatic habitat/s: Dam ☐Y ☒N Creek ☐Y ☒N Wetland ☐Y ☒N Other: Ephemeral water drainage from recent rain

Friday 3rd December 2021

- Pre-clearance activities carried out (refer to Methodology) at Hayfield Estate, 352 Ripley Road, Ripley
- Vegetation clearance carried out at Hayfield Estate, 352 Ripley Road, Ripley
- Refer to **Fauna Register** for fauna found
- 2 trees flagged
- One personnel in attendance

Arboreal Microhabitats: No. flagged tree/s felled: 2 Nest (N) ☐Y ☒N Hollows (H) ☐Y ☒N Arboreal termitaria (ATM) ☒Y ☐N No. & size of hollow/s (mm): 0
Terrestrial Microhabitats: Hollow logs ☐Y ☒N Woody debris ☒Y ☐N Rock piles ☐Y ☒N Burrows ☐Y ☒N
Aquatic habitat/s: Dam ☐Y ☒N Creek ☐Y ☒N Wetland ☐Y ☒N Other: Ephemeral water drainage from recent rain

4 Fauna Register

			Capture Location							Release Details			Actions					
Collectors Name	**Date**	**Time**	**Capture Location**	**Latitude**	**Longitude**	**Count Type**	**Status**	***Common Name - Scientific Name***	**Count**	**Date**	**Latitude**	**Longitude**	**R1**	**R2**	**D**	**I**	**Release Location Description**	**Comments**
Rebecca Turk	02/12/2021	08:03	Hayfield Estate, 352 Ripley Road, Ripley	-27.6564	152.7855	Alive	Least Concern	Sacred Kingfisher *Todiramphus sanctus*	6	02/12/2021	NA	NA				X	Left adult to self-relocate overnight	Five eggs and one adult in Arboreal Termite Mound on short stump. Adult refused to leave, so left to self-relocate.
Rebecca Turk	02/12/2021	08:57	Hayfield Estate, 352 Ripley Road, Ripley	-27.6598	152.7843	Alive	Least Concern	Tawny Frogmouth *Podargus strigoides*	1	02/12/2021	NA	NA	X				Adjacent habitat	One adult seen on nest, disturbed before felling and flew into adjacent habitat. No eggs/young present.

John Bolton	03/12/2021	09:18	Hayfield Estate, 352 Ripley Road, Ripley	-27.6577	152.7879	Alive	Least Concern	Graceful Tree Frog *Litoria gracilenta*	1	03/12/2021	-27.6575	152.7881	X				Into foliage above pond	
John Bolton	03/12/2021	10:21	Hayfield Estate, 352 Ripley Road, Ripley	-27.6564	152.7855	Alive	Least Concern	Sacred Kingfisher *Todiramphus sanctus*	5	03/12/2021	NA	NA		X			Carer	Five eggs taken to a carer Ann De Jong - 3736 1967

5 Conclusion

All vegetation clearance was supervised as requested by CCA Winslow Pty Ltd and in accordance with stipulations as expressed in the *Nature Conservation (Koala) Conservation Plan 2017.*

No Koalas were observed during clearance. Other fauna found during clearance works were relocated (or self-relocated) to adjacent localities comprising suitable refugia and feeding resources consistent with individual species requirements. Young were taken to a certified wildlife carer.

All supervised clearance activities were conducted with the full co-operation of onsite personnel and machinery operator/s.

6 References

Department of Environment and Heritage Protection (2017) *Nature Conservation (Koala) Conservation Plan 2017*. Queensland Government.

References for nomenclature

Anstis, M. (2013) *Tadpoles and Frogs of Australia*, Sydney: New Holland Publishers.

Menkhorst, K. & Knight, F. (2011) *A Field Guide to the Mammals of Australia*. 3rd edn. Oxford University Press, South Melbourne.

Simpson, K. & Day, N. (2004) *Field Guide to the Birds of Australia*. Penguin Group, Australia

Strahan, R. And Van Dyck, S. (2008) *The Mammals of Australia*, 3rd edn Sydney: New Holland Publishers.

Vanderduys, E. (2012) *Field Guide to the Frogs of Queensland*. Collingwood: CSIRO Publishing.

7 Appendix A: Fauna Photos



Sacred Kingfisher
Todiramphus sanctus



Tawny Frogmouth
Podargus strigoides

QUEENSLAND FAUNA CONSULTANCY Pty Ltd

Feb – Mar 2023

Fauna Management and Spotter/Catcher Services Report

Hayfield Estate - Trigona Drive, Ripley

Report prepared for Winslow



Report prepared by

QLD Fauna Consultancy Pty Ltd

Phone: (07) 3376 9780

Email: fauna@qfc.com.au

Date:	21/03/2023
Title:	Fauna Management and Spotter/Catcher Services Report Hayfield Estate - Trigona Drive, Ripley
Author/s:	Bryan Robinson, Willow Sorbello
Reviewed by:	Jasmine Zeleny
Field personnel:	Diamantina ward, Anna Lukan, Jane Messina, Madelynne O'Neill
Status:	Final Report
Filed as:	QFC FMR Winslow Ripley Feb-Mar 2023

Contents

1 Introduction 4
2 Methodology 4
2.1 Clearance Investigations 4
2.2 Specific methodology for Koalas *Phascolarctos cinereus* 4
2.3 Felling Procedures 5
2.4 Communications during Clearance 5
3 Results 6
4 Fauna Register 10
5 Conclusion 14
6 References 15
7 Appendix A: Fauna Photos 16

The contents of this report and its appendices may not be used in any form by any party other than the Client. The reproduction, adaptation, use or communication of the information contained within this report may not be used without the written permission of Queensland Fauna Consultancy Pty Ltd. Neither the author/s nor the company (QFC Pty Ltd) accepts any liability or responsibility for the unauthorised use of any part of this document.

1 Introduction

Qld Fauna Consultancy Pty Ltd has been engaged by Winslow to conduct Fauna Spotter/Catcher and Fauna Management activities for works at Hayfield Estate - Trigona Drive, Ripley.

All activities were conducted under the provisions of Rehabilitation Permit (WA0026789) issued to Queensland Fauna Consultancy Pty Ltd by the Department of Environment and Science (DES), approving the observation and relocation of protected animals.

This report covers clearance activities undertaken in February and March 2023

2 Methodology

2.1 Clearance Investigations

A standard set of observational and active searching techniques were employed on the day of clearance to ascertain and identify existing fauna values for each location. These include:

- Assessment of terrestrial microhabitats such as ground hollows, rock, burrows, leaf litter, fallen branches and bark exfoliations,
- Observation and assessment of occupancy of arboreal microhabitats such as tree hollows, fissures and exfoliations,
- Direct observation of active or exposed fauna,
- Identification of scats, tracks and scratchings to determine fauna present on the site.

All microhabitats were identified and subsequently inspected during clearance.

2.2 Specific methodology for Koalas *Phascolarctos cinereus*

Due to the specific requirements relating to the Koala the following techniques were employed at the clearance site to ascertain presence/absence status:

- Use of binoculars to inspect the crown, forks and trunk of trees;
- 'Drip zone' searches at the base of known food trees for the presence of scats to a radius equal to that of the crown of individual trees;
- Inspection of trunks for scratchings indicative of use by Koalas.

Recent changes to Koala management strategies highlighted in the *Nature Conservation (Koala) Conservation Plan 2017* have resulted in particular conditions placed on vegetation clearance involving the removal of Koala food trees.

Further provisions include the restriction of all clearance that may directly interfere with the tree a Koala is residing in. Koalas are to leave via their own volition and may not be interfered with by any means. Only when Koalas have vacated a tree can clearance operations include the host tree and surrounding vegetation.

2.3 Felling Procedures

Trees identified as having potential fauna values (such as hollows, fissures and exfoliating bark) were clearly marked for supervision during felling and inspected once felled. Efforts were made to determine potentially occupant species by way of investigations for indicative signs (scats, scratchings and tracks). Where no signs were found or occupant species undeterminable, machinery operators were instructed to fell trees in a manner directed at minimising the potential risk of injury to fauna.

Limbs were inspected and the direction of felling determined with regards to safety of both machinery and operators. Considerations to potentially occupant fauna were assessed and felling procedures formulated. Felling procedures may have included the following techniques:

- Machinery blades were utilised to shake the tree in an attempt to disturb fauna out of hollows or fissures to determine species present.
- If fauna were present, the tree was either left standing overnight to allow the occupant animal(s) time to leave via their own volition, or if species detected were able to be encouraged from the tree by shaking or direct capture by a wildlife spotter(s). The tree was felled with considerations to potentially undetected fauna.
- Where possible potentially occupied trees were felled with the identified microhabitat receiving minimal contact on impact.
- Adjacent felled trees were utilised to absorb the impact of potential fauna bearing trees.

2.4 Communications during Clearance

Each spotter/catcher was equipped with a hand-held radio to make positive communications with machinery operators. Communications by radio and positive hand signals were utilised to indicate intentions to machinery operators.

3 Results

The following daily inventory details fauna-based investigation results for the clearing area. Inspection activities, location, habitat values and fauna found are documented where required. Refer to Appendix A for fauna photos.

Tuesday 21st February 2023

- Pre-clearance activities carried out (refer to Methodology) at Trigona Drive, Ripley
- Vegetation clearance carried out at Trigona Drive, Ripley
- Refer to **Fauna Register** for fauna found.
- 2 trees flagged.
- One personnel in attendance

Arboreal Microhabitats: No. flagged tree/s felled: 3 Nest ☐Y ☒N Hollows ☐Y ☒N Arboreal termitaria ☒Y ☐N other: Exfoliating Bark No. & size of hollow/s (mm): 0
Terrestrial Microhabitats: Hollow logs ☐Y ☒N Woody debris ☐Y ☒N Rock piles ☐Y ☒N Burrows ☐Y ☒N Other: Dense Leaf Litter, Bark Exfoliations, Terrestrial Termitaria, Artificial Debris
Aquatic habitat/s: Dam ☐Y ☒N Creek ☐Y ☒N Wetland ☐Y ☒N

Wednesday 22nd February 2023

- Pre-clearance activities carried out (refer to Methodology) at Trigona Drive, Ripley
- Vegetation clearance carried out at Trigona Drive, Ripley
- Refer to **Fauna Register** for fauna found.
- 0 trees flagged
- One personnel in attendance

Arboreal Microhabitats: No. flagged tree/s felled: 3 Nest ☒Y ☐N Hollows ☐Y ☒N Arboreal termitaria ☒Y ☐N Others: Exfoliating Bark, Fissure No. & size of hollow/s (mm): 0
Terrestrial Microhabitats: Hollow logs ☐Y ☒N Woody debris ☒Y ☐N Rock piles ☐Y ☒N Burrows ☐Y ☒N Others: Timber Stockpiles, Bark Exfoliations, Artificial Debris, Terrestrial Termitaria, Dense Leaf Litter
Aquatic habitat/s: Dam ☐Y ☒N Creek ☐Y ☒N Wetland ☐Y ☒N

Thursday 23rd February 2023

- Pre-clearance activities carried out (refer to Methodology) at Trigona Drive, Ripley
- Vegetation clearance carried out at Trigona Drive, Ripley
- 2 trees flagged
- One personnel in attendance

Arboreal Microhabitats: No. flagged tree/s felled: 6 Nest ☐Y ☒N Hollows ☒Y ☐N Arboreal termitaria ☒Y ☐N Others: Exfoliating Bark, Fissure No. & size of hollow/s (mm): 0-49: 2, 50-99: 3, 100-149: 3, 150-199: 1
Terrestrial Microhabitats: Hollow logs ☒Y ☐N Woody debris ☒Y ☐N Rock piles ☐Y ☒N Burrows ☐Y ☒N Others: Terrestrial Termitaria, Dense Leaf Litter, Artificial Debris, Bark Exfoliations
Aquatic habitat/s: Dam ☐Y ☒N Creek ☐Y ☒N Wetland ☐Y ☒N
No Fauna Found

Monday 27th February 2023

- Pre-clearance activities carried out (refer to Methodology) at Trigona Drive, Ripley
- Vegetation clearance carried out at Trigona Drive, Ripley
- Refer to **Fauna Register** for fauna found
- 1 tree flagged
- One personnel in attendance

Arboreal Microhabitats: No. flagged tree/s felled: 5 Nest ☐Y ☒N Hollows ☒Y ☐N Arboreal termitaria ☒Y ☐N Others: Exfoliating Bark, Fissure No. & size of hollow/s (mm): 0-49: 1
Terrestrial Microhabitats: Hollow logs ☒Y ☐N Woody debris ☒Y ☐N Rock piles ☐Y ☒N Burrows ☒Y ☐N Others: Bark Exfoliations, Dense Leaf Litter, Artificial Debris
Aquatic habitat/s: Dam ☐Y ☒N Creek ☐Y ☒N Wetland ☐Y ☒N

Tuesday 28th February 2023

- Pre-clearance activities carried out (refer to Methodology) at Trigona Drive, Ripley
- Vegetation clearance carried out at Trigona Drive, Ripley
- 0 trees flagged
- One personnel in attendance

Arboreal Microhabitats: No. flagged tree/s felled: 7 Nest ☐Y ☒N Hollows ☒Y ☐N Arboreal termitaria ☒Y ☐N Others : Exfoliating Bark, Fissure No. & size of hollow/s (mm): 0-49: 2, 50-99: 3, 100-149: 1, 150-199: 1
Terrestrial Microhabitats: Hollow logs ☒Y ☐N Woody debris ☒Y ☐N Rock piles ☐Y ☒N Burrows ☒Y ☐N Others: Dense Leaf Litter, Bark exfoliations, Artificial Debris, Terrestrial Termitaria
Aquatic habitat/s: Dam ☐Y ☒N Creek ☐Y ☒N Wetland ☐Y ☒N
No Fauna Found

Wednesday 1st March 2023

- Pre-clearance activities carried out (refer to Methodology) at Trigona Drive, Ripley
- Vegetation clearance carried out at Trigona Drive, Ripley
- Refer to **Fauna Register** for fauna found
- 1 tree flagged
- One personnel in attendance

Arboreal Microhabitats: No. flagged tree/s felled: 2 Nest ☐Y ☒N Hollows ☐Y ☒N Arboreal termitaria ☐Y ☒N No. & size of hollow/s (mm): 50-99: 1, 200-249: 1
Terrestrial Microhabitats: Hollow logs ☐Y ☒N Woody debris ☐Y ☒N Rock piles ☐Y ☒N Burrows ☐Y ☒N Others: Terrestrial termitaria
Aquatic habitat/s: Dam ☐Y ☒N Creek ☐Y ☒N Wetland ☐Y ☒N

Thursday 2nd March 2023

- Pre-clearance activities carried out (refer to Methodology) at Trigona Drive, Ripley
- Vegetation clearance carried out at Trigona Drive, Ripley
- 4 trees flagged
- One personnel in attendance

Arboreal Microhabitats: No. flagged tree/s felled: 4 Nest ☐Y ☒N Hollows ☒Y ☐N Arboreal termitaria ☒Y ☐N Others: Exfoliating bark No. & size of hollow/s (mm): 0-49: 2
Terrestrial Microhabitats: Hollow logs ☐Y ☒N Woody debris ☒Y ☐N Rock piles ☐Y ☒N Burrows ☐Y ☒N
Aquatic habitat/s: Dam ☐Y ☒N Creek ☐Y ☒N Wetland ☐Y ☒N
No Fauna Found

4 Fauna Register

			Capture Location						Release Details			Actions					
Collectors Name	**Date**	**Time**	**Capture Location**	**Latitude**	**Longitude**	**Count Type**	**Status**	***Common Name - Scientific Name***	**Count**	**Date**	**Latitude**	**Longitude**	**R1**	**R2**	**D**	**I**	**Release Location Description**	**Comments**
Diamantina Ward	21/02/2023	08:34	Hayfield Estate – Trigona Drive, Ripley	-27.6594	152.7875	Euthanised	Least Concern	Ornate Burrowing Frog *Platyplectrum ornatum*	1	NA	NA	NA			X			Humanely euthanised by FSC due to fatal injuries
Diamantina Ward	21/02/2023	08:43	Hayfield Estate – Trigona Drive, Ripley	-27.6592	152.7876	Alive	Least Concern	Striped Rainbow Skink *Carlia munda*	1	21/02/2023	-27.6583	152.7886	X				Released into dense leaf litter outside of clearing area	
Diamantina Ward	21/02/2023	09:39	Hayfield Estate – Trigona Drive, Ripley	-27.6588	152.7877	Alive	Least Concern	Common Nobbi Dragon *Diporiphora nobbi*	1	21/02/2023	-27.6583	152.7885			X		Released onto ground timber outside of clearing area	Juvenile
Diamantina Ward	21/02/2023	09:55	Hayfield Estate – Trigona Drive, Ripley	-27.6586	152.7880	Alive	Least Concern	Striped Marsh Frog *Limnodynastes peronii*	1	21/02/2023	-27.6583	152.7886	X				Released next to creek, under leaf litter	

Diamantina Ward	21/02/2023	10:23	Hayfield Estate – Trigona Drive, Ripley	-27.6587	152.7880	Alive	Least Concern	Sacred Kingfisher *Todiramphus sanctus*	3	21/02/2023	NA	NA	X				Self-Relocation. flew out of ATM when cracked open; unable to be found after flushing from ATM.	Juveniles fledgling age
Diamantina Ward	21/02/2023	10:37	Hayfield Estate – Trigona Drive, Ripley	-27.6580	152.7882	Alive	Least Concern	Coastal Carpet Python *Morelia spilota mcdowelli*	1	21/02/2023	NA	NA	X				Self-Relocation. Slithered into hollow log on border of clearing zone.	
Diamantina Ward	21/02/2023	10:42	Hayfield Estate – Trigona Drive, Ripley	-27.6584	152.7881	Deceased	Least Concern	Red-bellied Black Snake *Pseudechis porphyriacus*	1	NA	NA	NA			X		NA	Found deceased, had been run over by excavator.
Diamantina Ward	21/02/2023	11:21	Hayfield Estate – Trigona Drive, Ripley	-27.6597	152.7877	Alive	Least Concern	Common Nobbi Dragon *Diporiphora nobbi*	1	21/02/2023	-27.6584	152.7885	X				Released onto ground timber outside of clearing area	Juvenile

Diamantina Ward	22/02/2023	07:46	Hayfield Estate – Trigona Drive, Ripley	-27.6593	152.7880	Alive	Least Concern	Scarlet-sided Pobblebonk *Limnodynastes terraereginae*	1	22/02/2023	-27.6583	152.7887	X				Released into dense leaf litter beside creek	
Diamantina Ward	22/02/2023	08:00	Hayfield Estate – Trigona Drive, Ripley	-27.6592	125.787	Alive	Least Concern	Graceful Tree Frog *Litoria gracilenta*	1	22/02/2023	-27.6583	152.7886	X				Released onto plant beside creek	
Diamantina Ward	22/02/2023	10:26	Hayfield Estate – Trigona Drive, Ripley	-27.659	152.7876	Euthanised	Least Concern	Eastern Bearded Dragon *Pogona barbata*	1	NA	NA	NA			X		NA	Humanely euthanised by FSC due to fatal injuries.
Diamantina Ward	22/02/2023	11:06	Hayfield Estate – Trigona Drive, Ripley	-27.6597	152.7877	Deceased	Least Concern	Bird Egg/s (species unidentifed)	1	NA	NA	NA			X			Old rotten egg found within ATM. Not viable and not related to clearing activities. Likely a Laughing Kookaburra egg.

Anna Lukan	27/02/2023	09:55	Hayfield Estate – Trigona Drive, Ripley	-27.6597	152.7885	Alive	Least Concern	Eastern Bearded Dragon *Pogona barbata*	1	27/02/2023	-27.6595	152.7894	X				Onto tree trunk	
Anna Lukan	27/02/2023	16:35	Hayfield Estate – Trigona Drive, Ripley	-27.6604	152.7879	Alive	Least Concern	Yellow-footed Antechinus *Antechinus flavipes*	1	27/02/2023	-27.608	152.7894	X				Into hollow log	
Jane Messina	01/03/2023	10:13	Hayfield Estate – Trigona Drive, Ripley	-27.6641	152.7867	Alive	Least Concern	Common Nobbi Dragon *Diporiphora nobbi*	2	01/03/2023	-27.6641	152.7867	X				Released onto ground timber outside of clearing area	Juveniles

5 Conclusion

All vegetation clearance was supervised as requested by Winslow and in accordance with stipulations as expressed in the *Nature Conservation (Koala) Conservation Plan 2017.*

No Koalas were observed during clearance. Other fauna found during clearance works were relocated (or self-relocated) to adjacent localities comprising suitable refugia and feeding resources consistent with individual species requirements.

All supervised clearance activities were conducted with the full co-operation of onsite personnel and machinery operator/s.

6 References

Department of Environment and Heritage Protection (2017) *Nature Conservation (Koala) Conservation Plan 2017*. Queensland Government.

References for nomenclature

Anstis, M. (2013) *Tadpoles and Frogs of Australia*, Sydney: New Holland Publishers.

Menkhorst, K. & Knight, F. (2011) *A Field Guide to the Mammals of Australia*. 3rd edn. Oxford University Press, South Melbourne.

Simpson, K. & Day, N. (2004) *Field Guide to the Birds of Australia*. Penguin Group, Australia

Strahan, R. And Van Dyck, S. (2008) *The Mammals of Australia*, 3rd edn Sydney: New Holland Publishers.

Vanderduys, E. (2012) *Field Guide to the Frogs of Queensland*. Collingwood: CSIRO Publishing.

Wilson, S. (2015) *A Field Guide to Reptiles of Queensland*. 2nd edn, Sydney: New Holland Publishers.

7 Appendix A: Fauna Photos



Coastal Carpet Python
Morelia spilota mcdowelli



Striped Marsh Frog
Limnodynastes peronii



Yellow-footed Antechinus
Antechinus flavipes



Eastern Bearded Dragon
Pogona barbata



Common Nobbi Dragon
Diporiphora nobbi



Common Nobbi Dragon
Diporiphora nobbi



Striped Rainbow Skink
Carlia munda



Common Nobbi Dragon
Diporiphora nobbi



Scarlet-sided Pobblebonk
Limnodynastes terraereginae



Graceful Tree Frog
Litoria gracilenta

Attachment A5

Koala – SAT Results

Part J: SAT Survey Results

SAT 1

SAT Survey ID	NA			
Tree Number	**Scientific Name**	**Common Name**	**DBH**	**Scat (Y/N)**
1	*Corymbia citriodora*	Spotted Gum	330	N
2	*Corymbia citriodora*	Spotted Gum	205	N
3	*Corymbia tessellaris*	Moreton Bay Ash	140	N
4	*Corymbia citriodora*	Spotted Gum	170	N
5	*Corymbia citriodora*	Spotted Gum	135	N
6	*Eucalyptus tereticornis*	Forest Red Gum	280	N
7	*Corymbia citriodora*	Spotted Gum	130	N
8	*Corymbia intermedia*	Pink Bloodwood	170	N
9	*Corymbia citriodora*	Spotted Gum	300	N
10	*Eucalyptus crebra*	Narrow-leaved Ironbark	260	Y
11	*Corymbia intermedia*	Pink Bloodwood	360	Y
12	*Corymbia citriodora*	Spotted Gum	420	N
13	*Corymbia citriodora*	Spotted Gum	100	N
14	*Corymbia citriodora*	Spotted Gum	265	N
15	*Corymbia tessellaris*	Moreton Bay Ash	150	N
16	*Corymbia citriodora*	Spotted Gum	300	N
17	*Corymbia citriodora*	Spotted Gum	110	N
18	*Corymbia citriodora*	Spotted Gum	110	N
19	*Corymbia citriodora*	Spotted Gum	100	N
20	*Corymbia intermedia*	Pink Bloodwood	110	N
21	*Lophostemon suaveolens*	Swamp Box	100	N
22	*Corymbia intermedia*	Pink Bloodwood	210	Y
23	*Corymbia citriodora*	Spotted Gum	115	N
24	*Lophostemon suaveolens*	Swamp Box	140	N
25	*Corymbia citriodora*	Spotted Gum	100	N
26	*Eucalyptus tereticornis*	Forest Red Gum	295	N
27	*Corymbia citriodora*	Spotted Gum	320	N
28	*Corymbia citriodora*	Spotted Gum	190	N
29	*Corymbia tessellaris*	Moreton Bay Ash	150	N
30	*Eucalyptus tereticornis*	Forest Red Gum	135	N
Total				3

Part J: SAT Survey Results

SAT 2

SAT Survey ID	NA			
Tree Number	**Scientific Name**	**Common Name**	**DBH**	**Scat (Y/N)**
1	*Corymbia citriodora*	Spotted Gum	305	N
2	*Eucalyptus tereticornis*	Forest Red Gum	220	N
3	*Corymbia intermedia*	Pink Bloodwood	390	N
4	*Corymbia citriodora*	Spotted Gum	160	N
5	*Corymbia citriodora*	Spotted Gum	325	N
6	*Corymbia citriodora*	Spotted Gum	600	N
7	*Lophostemon suaveolens*	Swamp Box	100	N
8	*Eucalyptus crebra*	Narrow-leaved Ironbark	200	N
9	*Corymbia intermedia*	Pink Bloodwood	190	N
10	*Corymbia citriodora*	Spotted Gum	150	N
11	*Corymbia intermedia*	Pink Bloodwood	215	N
12	*Eucalyptus crebra*	Narrow-leaved Ironbark	145	N
13	*Corymbia citriodora*	Spotted Gum	200	N
14	*Corymbia citriodora*	Spotted Gum	210	N
15	*Eucalyptus crebra*	Narrow-leaved Ironbark	180	N
16	*Eucalyptus crebra*	Narrow-leaved Ironbark	245	N
17	*Corymbia citriodora*	Spotted Gum	300	N
18	*Corymbia citriodora*	Spotted Gum	245	N
19	*Corymbia intermedia*	Pink Bloodwood	140	N
20	*Corymbia citriodora*	Spotted Gum	215	N
21	*Corymbia citriodora*	Spotted Gum	160	N
22	*Angophora leiocarpa*	Smooth-bark Apple	290	N
23	*Corymbia intermedia*	Pink Bloodwood	190	N
24	*Corymbia citriodora*	Spotted Gum	280	N
25	*Corymbia citriodora*	Spotted Gum	22	N
26	*Corymbia citriodora*	Spotted Gum	440	N
27	*Corymbia citriodora*	Spotted Gum	140	N
28	*Corymbia citriodora*	Spotted Gum	170	N
29	*Eucalyptus crebra*	Narrow-leaved Ironbark	180	N
30	*Corymbia intermedia*	Pink Bloodwood	110	N
Total				0

Part J: SAT Survey Results

SAT 3

SAT Survey ID	NA			
Tree Number	**Scientific Name**	**Common Name**	**DBH**	**Scat (Y/N)**
1	*Lophostemon suaveolens*	Swamp Box	170	N
2	*Lophostemon suaveolens*	Swamp Box	155	N
3	*Lophostemon suaveolens*	Swamp Box	120	N
4	*Corymbia intermedia*	Pink Bloodwood	170	N
5	*Corymbia intermedia*	Pink Bloodwood	170	N
6	*Corymbia intermedia*	Pink Bloodwood	155	N
7	*Eucalyptus crebra*	Narrow-leaved Ironbark	240	N
8	*Corymbia intermedia*	Pink Bloodwood	120	N
9	*Corymbia intermedia*	Pink Bloodwood	210	N
10	*Eucalyptus tereticornis*	Forest Red Gum	215	N
11	*Lophostemon suaveolens*	Swamp Box	180	N
12	*Lophostemon suaveolens*	Swamp Box	190	N
13	*Corymbia intermedia*	Pink Bloodwood	260	N
14	*Angophora leiocarpa*	Smooth-bark Apple	135	N
15	*Angophora leiocarpa*	Smooth-bark Apple	180	N
16	*Angophora leiocarpa*	Smooth-bark Apple	100	N
17	*Angophora leiocarpa*	Smooth-bark Apple	580	N
18	*Corymbia intermedia*	Pink Bloodwood	165	N
19	*Corymbia intermedia*	Pink Bloodwood	105	N
20	*Corymbia intermedia*	Pink Bloodwood	115	N
21	*Corymbia intermedia*	Pink Bloodwood	225	N
22	*Eucalyptus tereticornis*	Forest Red Gum	210	N
23	*Eucalyptus tereticornis*	Forest Red Gum	210	N
24	*Lophostemon suaveolens*	Swamp Box	200	N
25	*Lophostemon suaveolens*	Swamp Box	110	N
26	*Lophostemon suaveolens*	Swamp Box	175	N
27	*Eucalyptus tereticornis*	Forest Red Gum	200	N
28	*Eucalyptus tereticornis*	Forest Red Gum	245	N
29	*Angophora leiocarpa*	Smooth-bark Apple	265	N
30	*Angophora leiocarpa*	Smooth-bark Apple	235	N
Total				0

Part J: SAT Survey Results

SAT 4

SAT Survey ID	NA			
Tree Number	**Scientific Name**	**Common Name**	**DBH**	**Scat (Y/N)**
1	*Eucalyptus crebra*	Narrow-leaved Ironbark	330	N
2	*Corymbia intermedia*	Pink Bloodwood	100	N
3	*Corymbia intermedia*	Pink Bloodwood	170	N
4	*Eucalyptus crebra*	Narrow-leaved Ironbark	180	N
5	*Corymbia intermedia*	Pink Bloodwood	190	N
6	*Corymbia intermedia*	Pink Bloodwood	175	N
7	*Acacia leiocalyx*	Early-flowering black wattle	400	N
8	*Eucalyptus crebra*	Narrow-leaved Ironbark	110	N
9	*Eucalyptus crebra*	Narrow-leaved Ironbark	190	N
10	*Eucalyptus tereticornis*	Forest Red Gun	160	N
11	*Eucalyptus crebra*	Narrow-leaved Ironbark	280	N
12	*Corymbia intermedia*	Pink Bloodwood	150	N
13	*Eucalyptus crebra*	Narrow-leaved Ironbark	185	N
14	*Eucalyptus crebra*	Narrow-leaved Ironbark	180	N
15	*Corymbia intermedia*	Pink Bloodwood	100	N
16	*Angophora leiocarpa*	Smooth-bark Apple	175	N
17	*Angophora leiocarpa*	Smooth-bark Apple	300	N
18	*Eucalyptus tereticornis*	Forest Red Gun	180	N
19	*Eucalyptus crebra*	Narrow-leaved Ironbark	165	N
20	*Angophora leiocarpa*	Smooth-bark Apple	210	N
21	*Eucalyptus tereticornis*	Forest Red Gun	170	N
22	*Corymbia intermedia*	Pink Bloodwood	140	N
23	*Corymbia intermedia*	Pink Bloodwood	220	N
24	*Lophostemon suaveolens*	Swamp Box	170	N
25	*Eucalyptus crebra*	Narrow-leaved Ironbark	150	N
26	*Eucalyptus crebra*	Narrow-leaved Ironbark	180	N
27	*Corymbia intermedia*	Pink Bloodwood	140	N
28	*Corymbia intermedia*	Pink Bloodwood	170	N
29	*Corymbia intermedia*	Pink Bloodwood	130	N
30	*Eucalyptus tereticornis*	Forest Red Gun	170	N
Total				0

Attachment A6

Koala – MHQA Results

	RE12.9-10.2 Benchmark	Transect 1	Transect 3	Average of Transect(s)	% Benchmark	Score	
SITE CONDITION							
Recruitment of woody perennial species in EDL	100	60	40	50.00	50	3	3
Native plant species richness - trees	6	8	6	7.00	116.67	5	5
Native plant species richness - shrubs	7	6	4	5.00	71.43	2.5	2.5
Native plant species richness - grasses	7	6	6	6.00	85.71	2.5	2.5
Native plant species richness - forbs	13	5	7	6.00	46.15	2.5	2.5
Tree canopy height (Canopy)*	21	16	16	16.00	76.19	5	
Tree canopy height (Sub-canopy)*	12	7	7	7.00	58.33	3	
					*Average tree canopy height	4	4
Tree canopy cover (Canopy)**	64	32.1	64.8	48.45	75.70	5	
Tree canopy cover (Sub-canopy)**	20	17.7	20.7	19.20	96.00	5	
					**Average tree canopy cover	5	5
Shrub canopy cover	6	4.1	13.1	8.60	143.33	5	5
Native grass cover*	21	19	78	48.50	230.95	5	5
Organic litter*	48	63	32	47.50	98.96	5	5
Large trees (euc plus non-euc) (per ha)	38	12	6	9.00	23.68	5	5
Coarse woody debris (per ha)	506	200	210	205.00	40.51	2	2
Non-native plant cover	0	10	10	10.00	10.00	5	5
Quality and availability of food and foraging habitat	NA			40	-	40	40
Quality and availability of shelter	NA			40	-	40	40
							131.50
					Site Condition Score (/160)	131.50	
					Overall Site Condition Score - out of 3	2.47	
SITE CONTEXT							
Size of patch	10			10		10	
Connectedness	5			4		4	
Context	5			4		4	
Ecological Corridors	6			0		0	
Role of site location to species overall population in the state	5			5		5	
Threats to the species	15			1		1	
Species mobility capacity	10			4		4	
					Site Context Score (/56)	28	
					Overall Site Context Score - out of 3	1.50	
SPECIES STOCKING RATE							
Koala Stocking Rate (utilising SSR & SSR Supplementary Table(s)	70			40		40	
					Species Stocking Rate Score (/70)	40.00	
					Overall Species Stocking Rate Score - out of 4	2.29	
Overall Assessment Unit Score						6.25	

Species Stocking Rate (SSR)							
Presence detected on or adjacent to site (neighbouring property with connecting habitat)	Score	0	5		10		10
		No	Yes - adjacent		Yes - on site		Koala detected on site
Species usage of the site (habitat type & evidenced usage)	Score	0	5	10	15		15
		Not habitat	Dispersal	Foraging	Breeding		Breeding / Foraging
Approximate density (per ha)	Score	0	10	20	30		10
		0%	low	med	high		SAT surveys showed low usage using the east coast (med-high) category
Role/importance of species population on site*	Score (*Total from supplementary table below*)	0	5	10		15	5
		0	5 - 15	20 - 35		40 - 45	See below
Total SRR score (out of 70)		40					
SRR Score (out of 4)		**2.285714286**					

*SSR Supplementary Table					
*Key source population for breeding	Score	0	10	0	Given the low usage and lack of evidence of breeding occurring on sit
		No	Yes/ Possibly		
*Key source population for dispersal	Score	0	5	5	Unknown but using the cautionary principle it is considered possible.
		No	Yes/ Possibly		
*Necessary for maintaining genetic diversity	Score	0	15	0	The site is highly unlikely to be necessary for maintaining genetic dive
		No	Yes/ Possibly		
*Near the limit of the species range	Score	0	15	0	The site is not near the limit of koalas range
		No	Yes		

Attachment A7

Grey-headed Flying-Fox – FHA Results

Assessment Unit - Regional Ecosystem	AU 1 - Remnant RE12.9-10.2				
Site Reference	Transect 1	Transect 3	Average		OUT OF
	Raw Data	Raw Data	Score	AU Score	(X/X)
Vegetation Condition	Cat B	Cat B	20	20	20
Species Richness	7	5	6	10	20
Flower Score	0.3582	0.3489	0.3535	5	10
Timing of Biological Shortages	10	10	10	10	10
Quality of Foraging Habitat	4	4	4	10	20
Non-native Plant Cover	10%	10%	10%	10	20
Site Condition Score				65	X
MAX Site Condition Score				*100*	X
Site Condition Score - out of 4				2.60	X
Size of patch	Patch size is greater than 200ha	Patch size is greater than 200ha	10	10	10
Connectedness	15 active camps within 20km	15 active camps within 20km	10	10	10
Context	38%	38%	6	6	10
Ecological Corridors	Outside	Outside	0	0	10
Role of site location to species overall population in the state	>4 active level 3 camps	>4 active level 3 camps	10	10	10
Threats to the species	5	5	5	5	10
Site Context Score				41	X
MAX Site Context Score				*60*	X
Site Context Score - out of 3				2.05	X
GHFF Foraging Tree Density	390	340	365	4	10
Species Stocking Rate Score				4	X
MAX Species Stocking Rate Score				*10*	X
Species Stocking Rate Score - out of 3				1.20	X
Total				5.85	

Stem Density Scoring

RE12.9-10.2	Score
0-30	2
31-130	4
131-220	6
221-235	8
236-245	10
246-260	8
261-350	6
351-450	4
>450	2

Flower Scores	Wt p*r	Food shortages Jul-Sep	Pregnancy Jul-Nov	Lactation Oct-Mar	Mating and conception Dec-May	Migration paths All year	Fruit industries Aug-Mar	Quality of foraging habitat (1 = Wt p*r ≥0.65)
		2.5	1.5	1.5	1.5	1.5	1.5	
T1								
Acacia leiocalyx	0.0							
Alphitonia excelsa	0.0							
Angophora leiocarpa	0.35			x			x	
Corymbia citriodora	0.65	x	x					1
Corymbia intermedia	0.86			x	x		x	1
Corymbia tessellaris	0.4			x	x		x	
Eucalyptus crebra	0.65	x	x					1
Eucalyptus tereticornis	0.63	x	x	x		x	x	1
Jacksonia scoparia	0.0							
Lophostemon suaveolens	0.4				x		x	
Petalostigma pubescens	0.0							
Average	**0.3582**	**Yes**	**Yes**	**Yes**	**Yes**	**Yes**	**Yes**	**4**
Total Species:	11							
GHFF Species:	7							
Important Species:	4							

Flower Scores	Wt p*r	Food shortages Jul-Sep	Pregnancy Jul-Nov	Lactation Oct-Mar	Mating and conception Dec-May	Migration paths All year	Fruit industries Aug-Mar	Quality of foraging habitat (1 = Wt p*r ≥0.65)
		2.5	1.5	1.5	1.5	1.5	1.5	
T3								
Acacia concurrens	0.0							
Acacia leiocalyx	0.0							
Alphitonia excelsa	0.0							
Angophora leiocarpa	0.35			x			x	
Corymbia citriodora	0.65	x	x					1
Corymbia intermedia	0.86			x	x		x	1
Eucalyptus crebra	0.65	x	x					1
Eucalyptus tereticornis	0.63	x	x	x		x	x	1
Jacksonia scoparia	0.0							
Average	**0.349**	**Yes**	**Yes**	**Yes**	**Yes**	**Yes**	**Yes**	**4**
Total Species:	9							
GHFF Species:	5							
Important Species:	4							

Listed as a Significant Food Tree
Listed under the recovery plan

Attachment A8


Natural Environment Site Strategy

Natural Environment Overarching Site Strategy

Infrastructure Master Plan/Overarching Site Strategy Endorsed by Ipswich City Council for

Approval No: 1141/2018/PDACA

Date: 22 August 2018

Signed: 

environmental management

saunders havill group

Natural Environment Site Strategy

Ripley Road, Ripley

17 July 2018

8844

surveying town planning urban design environmental management landscape architecture

Document Control

Title	**Natural Environment Site Strategy**
Job Number	**8844**
Client	Ripley Projects Pty Ltd c/o Goldfields Northern Pty Ltd

Document Issue

Issue	Date	Prepared By	Checked By
Draft	19.12.2017	Olivia Short	Adam Hutchinson
Client Draft V1	19.12.2017	Olivia Short	Adam Hutchinson
Client Draft V2	05.02.2018	Olivia Short	Adam Hutchinson
Issue B	17.07.2018	Olivia Short	Adam Hutchinson

Disclaimer

This report has been prepared for **Ripley Projects Pty Ltd. Saunders Havill Group** cannot accept responsibility for any use of or reliance upon the contents of this report by any third party.

Reports and/or Plans by Others

Reports and/or plans by others may be included within this Natural Environment Site Strategy to support the document.

Table of Contents

1.	**Introduction**	**4**
2.	**Structure**	**6**
3.	**Guidelines and Relevant Information**	**7**
4.	**Strategies**	**8**
5.	**Natural Environmental Features**	**18**
6.	**Ongoing Monitoring and Reporting**	**19**
7.	**Koala Habitat Values Mapping**	**20**
8.	**Definitions / References / Acronyms**	**21**

Appendices

Appendix I

Plan 1: Site Aerial
Plan 2: Ground Truthed Remnant Vegetation
Plan 3: SEQ Koala Habitat Values Mapping
Plan 4: Fisheries – Waterways for Waterway Barrier Works
Plan 5: Natural Environment Site Strategy – Site Constraints Plan

I. Introduction

All recommendations and actions subject to future RAL approval

I.I. Requirements of site strategy

This Natural Environment Site Strategy (NESS) has been compiled as per the approval requirements for **Ripley Project Pty Ltd.'s** Ripley Development. This NESS has been prepared in response to Condition 16 of the development approval (34/2015/MAPDA)**.** The following components are included within this NESS:

i. outline measures to conserve and enhance the site's biodiversity values (areas of ecological significance, waterways and vegetation management);

ii. identify strategies to avoid, minimise and mitigate the clearing of remnant vegetation containing endangered regional ecosystems ~~where proven by ground truthing to be viable~~;

iii. identify management plans to be provided to address the clearing of ~~non-viable~~ remnant vegetation containing endangered regional ecosystems;

iv. identify rehabilitation strategies for any corridors of native vegetation to improve habitat extent and wildlife movement;

v. identify any buffering to areas of Significant Biodiversity Values and which have associated conservation, biodiversity, habitat or scenic amenity values;

vi. identify strategies for fauna and flora management of the site, and determine corridors, proposed road crossing designs for expected fauna utilisation and rehabilitation areas (such as for koala habitat);

vii. identify strategies to prevent land degradation and the management of dispersive/sodic soils;

viii. identify strategies to rehabilitate major watercourses;

ix. identify strategies for bushfire management;

x. identify strategies for pest and weed management;

xi. identify strategies for monitoring vegetation rehabilitation; and

xii. identify strategies for rehabilitation of stream banks of major watercourse areas previously disturbed by man-made intervention to create riparian stability

This overarching site strategy, as amended from time to time, is intended to guide future development decisions in relation to the Ripley Road, Ripley Development.

Administration Definitions

1.2. In this site strategy:

Developer	means an entity with effective control of the development of a parcel of land within the Application Area.
Application Area	Refer to **Plan 1** in **Appendix 1**.
Guideline 14	means PDA Guideline no. 14 for Environmental values and sustainable resource use (May 2015)
EDQ	means the Minster for Economic Development Queensland established under the Economic Development Act 2012, which supersedes the Urban Land Development Authority and repeals the Urban Land Development Authority Act 2007 (Qld)
PDA Development Scheme	means the Ripley Valley Urban Development Area Development Scheme (October 2011)

2. Structure

2.1 This site strategy is to be read in conjunction with the reports, Whole of Site Strategies and Infrastructure Master Plans referenced in the Context Plan(s) over the relevant parts of the Application Area (and subsequent revisions and addendums to the same).

2.2 This Overarching Site Strategy for the management of the Natural Environment is set out in the following structure:



3. Guidelines and Relevant Information

3.1 This Natural Environment Site Strategy (NESS) is prepared within the parameters of Guideline 14. Site specific alterations or legislative departures from the above are outlined in **Sections 3 & 4** of this NESS.

3.2 The Application Area contains ground-truthed Remnant Regional Ecosystems, including Least Concern, Of Concern and Endangered REs. Refer to **Plan 2 (Appendix 1**) for the Ground Truthed Remnant Vegetation that shows the Regional Ecosystems rectified on-site.

3.3 The Application Area contains Koala habitat areas, as mapped on Koala Conservation in South East Queensland, SEQ Koala Protection Area Koala Habitat Values Maps.

Refer to **Plan 3 (Appendix 1)** for the current Koala Habitat Values Mapping.

3.4 It is noted that the Koala Habitat Values Mapping covering the Application Area was completed at the GIS level. **Section 7** of this NESS includes a process and method for amendment of Koala Habitat Values Mapping that is generally consistent with the process and method for amendments to mapping under Schedule 11 Part 4 of the *Planning Regulation 2017*.

3.5 References (including references in Guideline 14) to an Act, policy, mapping or other document shall be applied as the Act, policy, mapping or document as at 5 December 2017 or as specified herein.

3.6 At the time of submission of the NESS an *Environment Protection and Biodiversity Conservation Act 1999* (EPBC Act) Controlled Action Status Referral was underway. If, through this proposal, an alternative offset outcome is conditioned for a prescribed matter of National Environmental Significance, this is considered to take precedence over any State Government offset or obligation for the same prescribed matter (i.e. the State Government will not require an offset for the same prescribed matter).

3.7 No offsets are required for Matters of Local Environmental Significance.

3.8 Site and project specific Bushfire Hazard Assessments and Management Plans will be prepared and submitted for endorsement / approval. The outcomes and requirements of these plans will consider the strategies adopted in this NESS.

3.9 Notwithstanding any of the requirements of this NESS, the Developer will not be required to perform any rectification works to parts of the site that have been transferred / dedicated to other parties and accepted off maintenance.

4. Strategies

4.1 Natural Environment Site Strategies – Riparian Zone, District Park and Development Land

Site strategies have been developed to manage environmental and development outcomes for all land included within this application area. The site strategies include 6 columns listed as Element, Overall Outcomes, Strategies / Actions, Design Standards / Resources, Timing (Indicative) and Achievement Criteria. **Ripley Projects Pty Ltd** is responsible for the implementation, monitoring and reporting for all site strategies. For most elements strategy outcomes vary for both land use areas.

For each element, the "avoid, minimise, mitigate and restore or offset" hierarchy has been adopted. It is noted that the **Ripley Projects Pty Ltd** Ripley Road NESS is not preceded by a higher level approval and thus does not link each strategy back to an approval condition as per the majority of NESS applied within the PDA.

Open Space Area

The following Overall Outcomes and Design Standards apply to works within and adjoining the designated Open Space Area:

- Secure and dedicate/transfer to Council a robust and sustainable portion of the site retaining the highest quality ecological values for conservation purposes
- Consolidate the environmental area into Council's surrounding conservation assets.
- Undertake ecological restoration and waterway corridor restoration measures prior to dedication to Council
- Allow for controlled passive nature based recreational uses

Development Land

The Development Land is defined as the balance site area that is not included in the designated Open Space Area and Local Parks. The majority of this area will be developed to a minimum net residential density of 15 dwellings per hectare; however, there may be opportunities to retain environmental values in open space subject to earthworks and servicing requirements. It is noted that development at this density is generally prohibitive of the retention of major or functional areas of environmental values. This whole of site strategy seeks to retain the highest ecological values within the designated Open Space Area.

The following Overall Outcomes and Design Standards apply to the Development Land:

- Ensure systems and processes for assessment, reporting, protection and management are based on leading practice ecological guidelines and relevant legislative frameworks
- Explore and detail specific opportunities to retain ecological features throughout the site by incorporating detailed environmental data into the site design process
- Outlines the legislative requirements for all potential or actual threatened plants and animals as scheduled at the State Government and Commonwealth Government Level.

Local Parks

For Local Park outcomes and design standards refer to the Greenspace IMP.

Natural Environment Site Strategies

Element	Overall Outcomes	Strategies / Actions	Design Standards / Resources	Timing (Indicative)	Achievement Criteria
Survey, Identification & Reporting	1. Identify Significant Biodiversity Values within and adjoining the Development Land	• Desktop assessments using Local, State and Commonwealth environment databases and mapping • Robust field surveys that are appropriately timed and conducted for expected biodiversity values • Use the information surveyed and identified in the Significant Biodiversity Values assessment to prioritise environmental features	Where suitable, parts of the following documents and standards will assist in measuring the Overall Outcome: ▪ Guideline 14 ▪ PDA Development Scheme ▪ State and Commonwealth survey guidelines including: o EPBC Significant Impact Guidelines, including specific guidelines for expected species o DSITIA Terrestrial Vertebrate Fauna Survey Guidelines o NCA Protected Plants Flora Survey Guidelines ▪ Database and mapping references including: o EPBC PMST Database o EHP Wildlife Online Database o EHP NCA Protected Plants Mapping o NRM Regulated Vegetation Management Mapping o Koala SPRP Mapping o SARA Mapping o SPP Biodiversity Values Mapping	RoL application	RoL applications are accompanied by Significant Biodiversity Values Assessment Reports
Confirmed Areas of Remnant Vegetation Containing Endangered Regional Ecosystems	1. Retain and protect Confirmed Areas of Remnant Vegetation Containing Endangered Regional Ecosystems	• Development and infrastructure avoids the clearing of Confirmed Areas of Remnant Vegetation Containing confirmed on ground Endangered Regional Ecosystems. • Development minimises impacts on Confirmed Areas of Remnant Vegetation Containing Endangered Regional Ecosystems by providing buffers, ideally inclusive of road, between the Development Areas and any retained Confirmed Areas of Remnant Vegetation containing Endangered Regional Ecosystems. • Development enhances areas of Confirmed Areas of Remnant Vegetation Containing Endangered Regional Ecosystems by	Where suitable, parts of the following documents and standards will assist in measuring the Overall Outcome: ▪ Guideline 14 ▪ State Code 16 ▪ DSDIP Significant Residual Impact Guideline ▪ EOP ▪ EPBC Act permit ▪ NRM Self Assessable Guidelines for land management and exemption checklist	RoL application	Areas of Confirmed Areas of Remnant Vegetation Containing Endangered Regional Ecosystems are retained or increased at the completion of the project.

Element	Overall Outcomes	Strategies / Actions	Design Standards / Resources	Timing (Indicative)	Achievement Criteria
		providing for weed management and rehabilitation within the Conservation Parkland. • **Stretch Target:** Use weed management and rehabilitation of cleared and modified areas to achieve a net increase in the area of Confirmed Areas of Remnant Vegetation Containing Endangered Regional Ecosystems within the Open Space area.			
Other Vegetation	1. Development protects and minimises impacts on native vegetation within and supporting Significant Biodiversity Values.	▪ Avoid (to the greatest extent possible) the clearing of remnant, regrowth and other native vegetation, including non-juvenile Koala habitat trees within the land designated Open Space Area ▪ Unavoidable clearing can only occur for essential community infrastructure within the designated Open Space Area where this infrastructure cannot be reasonably located elsewhere ▪ Where unavoidable clearing for essential community infrastructure is required within the designated Open Space Area, rehabilitate impacted areas in accordance with SEQ Restoration Guidelines ▪ Prepare Management Plans in accordance with the Reporting and Management Section of this NESS to stage and manage the impacts of clearing ▪ Stage and minimise the clearing of trees for areas designated under the plan of development as Community and buffer until preliminary concepts for these areas have been prepared and clearing extents identified ▪ Through site earthworks, maximise the retention of remnant vegetation, regrowth	Where suitable, parts of the following documents and standards will assist in measuring the Overall Outcome: ▪ Guideline 14 ▪ DSDIP Significant Residual Impact Guideline ▪ NRM Self Assessable Guidelines for land management and exemption checklist ▪ Easement rights ▪ Site Bushfire Management Plan ▪ **Plan 3 (Appendix 1)** ▪ Draft Code of Practice for the Welfare of Wild Animals affected by Land Clearing ▪ SEQ Ecological Restoration Framework Code ▪ SEQ Ecological Restoration Framework Guide ▪ SEQ Ecological Restoration Framework Manual	Site design and continuing through stages of approved construction Annual Report (until project off maintenance)	An increase in habitat quality of vegetation to be included in the site's Significant Biodiversity Values at completion of the project An increase in the Projective Foliage Cover (PFC) of canopy trees and quality condition of shrub and ground cover layers within the designated Open Space Area by completion of the project (when measured against pre-commencement baseline surveys – reported on annually)

Element	Overall Outcomes	Strategies / Actions	Design Standards / Resources	Timing (Indicative)	Achievement Criteria
		and healthy isolated native tree species within waterway corridors and future recreation / open space areas where not in conflict with the purpose and use of the open space or other required infrastructure within the development land			
Koala	1. Minimise clearing of Non-Juvenile Koala Habitat Trees (NJKHTs) 2. Minimise threats to existing local Koala populations by avoiding conflicts with roads and dogs	▪ Avoid (to the greatest extent possible) the removal of NJKHT within the designated Open Space ▪ Where unavoidable clearing for essential community infrastructure is necessary within the designated Open Space, all works are managed in accordance with the Reporting and Management Section of this NESS ▪ Minimise impacts of the clearing of NJKHT through the Development Land by staging and sequencing works commencing in the southern disturbed areas and flushing towards the northern retained areas ▪ Stage and manage the impacts of clearing NJKHT in accordance with the Reporting and Management Section of this NESS ▪ Ensure site design of open space and retained waterway areas within the Development Land minimises the clearing of NJKHT ▪ Incorporate dog off-leash facilities in recreation parkland and on lead control measures through the designated Riparian Zone ▪ Ensure site design provides for safe Koala linkage opportunities to surrounding off-site habitat by discouraging Koala movement into built up areas through a range of Koala sensitive design measures (fencing, signage, road and landscape design)	Where suitable, parts of the following documents and standards will assist in measuring the Overall Outcome: ▪ EPBC Koala Referral Guidelines ▪ Nature Conservation (Koala) Conservation Plan 2006 and Management Program 2006-2016 (koala plan) ▪ EHP Koala Sensitive Design Guideline ▪ Main Roads Fauna Sensitive Design Manual Vol.2 ▪ Draft Code of Practice for the Welfare of Wild Animals affected by Land Clearing	Site design and continuing through stages of approved construction. Annual Report (until project off maintenance)	Increase in the density of NJKHT within the designated Open Space (Measured at strategic intervals until project off maintenance) No temporary fragments or islands of NJKHT within clearing zones for the life of the project (reported annually)

Element	Overall Outcomes	Strategies / Actions	Design Standards / Resources	Timing (Indicative)	Achievement Criteria
EVNT Species	1. Identify and avoid (to the greatest extent possible) any impacts on EVNT species	• Avoid clearing of EVNT flora species • Ensure appropriate pre-clearance checks and fauna spotter reporting provides a contemporary and more detailed review of EVNT species or potential habitat within each stage of clearing **Stretch Target** • Where suitable within and adjoining the designated Open Space Area, corridors or open space areas, incorporate areas of *Melaleuca irbyana* and or other habitat reinstatement for EVNT Species	Where suitable, parts of the following documents and standards will assist in measuring the Overall Outcome: ▪ NCA Protected Plants Exemption Process ▪ Fauna Spotter Pre-Clearance and Post Works Reporting ▪ SEQ Ecological Restoration Framework Code ▪ SEQ Ecological Restoration Framework Guide ▪ SEQ Ecological Restoration Framework Manual	Site design and continuing through stages of approved construction Annual reporting (until project off maintenance)	Increase in quality of EVNT flora species within the designated Open Space Area. Increase in the availability of habitat and usage of the designated Riparian Zone by fauna when compared with benchmark pre-commencement surveys
Native Fauna (non EVNT Species)	1. Minimise impacts on native fauna (not scheduled as Threatened)	▪ Avoid negative impacts on native fauna species in the designated Open Space Area ▪ Consolidate habitat for all native fauna into non development portions of the site (i.e. designated Open Space Area and supporting areas) ▪ Engage a registered fauna spotter for a pre-clearance report and advice on clearing and sequencing methods within the Development Land ▪ Stage and manage the impacts of clearing in accordance with the Reporting and Management Section of this NESS ▪ Minimise impacts of clearing Development Land through staging, sequencing and Management Plans prepared in accordance with the Reporting and Management Section of this NESS ▪ Where specific habitat features, such as mature habitat trees retaining hollows, need to be removed, complete an audit of lost habitat features. Use the audit to determine a strategy to harvest habitat features and/or design and implement a species specific nest box offset strategy as part of the FMP	Where suitable, parts of the following documents and standards will assist in measuring the Overall Outcome: ▪ Fauna Management Plan prepared in accordance with the Draft Code of Practice for the Welfare of Wild Animals affected by Land Clearing ▪ SEQ Ecological Restoration Framework Code ▪ SEQ Ecological Restoration Framework Guide ▪ SEQ Ecological Restoration Framework Manual	Site design and continuing through stages of approved construction Summarised through Annual Reporting (until project off maintenance)	Fauna Spotter / Catcher pre, during and post clearing reports completed for each stage of clearing works Evidence within the NESS annual report of adaptive management procedural change within Fauna Spotter / Catcher Reports for each stage of the project

Element	Overall Outcomes	Strategies / Actions	Design Standards / Resources	Timing (Indicative)	Achievement Criteria
Waterways	1. Retain, protect and buffer site watercourses forming part of the projects Significant Biodiversity Values	▪ Avoid (to the greatest extent possible) any clearing within mapped watercourses, or other natural hydrological features within the designated Open Space Area ▪ Avoid (to the greatest extent possible) any clearing within the identified waterway forming part of the site's Significant Biodiversity Values within or adjoining the Development Land (i.e. Bundamba Creek, **Plan 5**) ▪ Minimise impacts on the identified waterway forming part of the site's Significant Biodiversity Values through appropriately designed and located buffers (i.e. Open Space Area (**Plan 5**) ▪ Explore infrastructure designed to incorporate existing vegetation with storm water solutions through modified drainage features throughout the development portions and recreational parklands ▪ Where unavoidable clearing (e.g. access where no other alternative exists, essential community infrastructure and/or approved waterway corridor restoration measures) is required within: o mapped watercourses or other natural hydrological features within the designated Open Space Area; or o identified waterways forming part of the site's Significant Biodiversity Values within or adjoining the Development Land; o minimise the clearing footprint, mitigate impacts and compensate through ecological restoration measures. ▪ Where unavoidable clearing is necessary within:	Where suitable, parts of the following documents and standards will assist in measuring the Overall Outcome: ▪ State Code 16 ▪ DAF Mapping ▪ DAF WWBW Self Assessable Codes ▪ SEQ Ecological Restoration Framework Code ▪ SEQ Ecological Restoration Framework Guide ▪ SEQ Ecological Restoration Framework Manual ▪ CPTED Guidelines for Queensland Include references to relevant design guidance, including Ipswich City Council's "Riparian Corridor Revegetation Guideline" and "Waterway and Channel Rehabilitation Guideline", as well as locally relevant design guidance such as the Brisbane City Council "Natural Channel Design Guidelines".	Site design and continuing through stages of approved construction Within each specific Management Plan (Vegetation, Fauna and Weed)	Watercourses identified as Significant Biodiversity Values are retained through site design Bio-condition of site watercourses retained as part of Significant Biodiversity Values are increased at completion of the project

Element	Overall Outcomes	Strategies / Actions	Design Standards / Resources	Timing (Indicative)	Achievement Criteria
		○ mapped watercourses or other natural hydrological features within the designated Open Space Area; or ○ identified waterways forming part of the site's Significant Biodiversity Values within or adjoining the Development Land; ensure that all works are managed in accordance with the Reporting and Management Section of this NESS			
Land Degradation	1. Avoid and manage land degradation impacts caused through works within areas of dispersive and sodic soils	▪ Avoid (to the greatest extent possible) any clearing within identified waterways forming part of the site's Significant Biodiversity Values within or adjoining the Development Land (**Plan 5**) ▪ Avoid (to the greatest extent possible) clearing on steep terrain greater than 20%. Where clearing on steep terrain is unavoidable, employ machinery and clearing techniques that minimise disturbance to soils ▪ Minimise clearing of any natural drainage features within the Development Land where included as part of open space, drainage channels, or future community use ▪ Mitigate the impacts of clearing of any drainage features, overland flow paths or other natural hydrological features through inclusion of a detailed erosion and sediment control plan for each stage of self-certified operational works submissions ▪ Dispersive soil mitigation measures are to be implemented during detailed design if required (such as vegetation or protection of batters, minimising velocity of stormwater flows, flattening of grades, stormwater detention, stormwater discharge into erosion resistant areas, soil re-compaction, soil stabilisers (chemical polymers) and use of	Where suitable, parts of the following documents and standards will assist in measuring the Overall Outcome: ▪ State Code 16 ▪ DAF WWBW Self Assessable Codes ▪ SEQ Ecological Restoration Framework Code ▪ SEQ Ecological Restoration Framework Guide ▪ SEQ Ecological Restoration Framework Manual ▪ CPTED Guidelines for Queensland ▪ Endorsed / approved site strategies and infrastructure master plans for: ○ Earthworks ○ Stormwater ○ Waterway Restoration Include references to relevant design guidance, including Ipswich City Council's "Riparian Corridor Revegetation Guideline" and "Waterway and Channel Rehabilitation Guideline", as well as locally relevant design guidance such as the Brisbane City Council "Natural Channel Design Guidelines".	Site design and continuing through stages of approved construction.	No indirect impacts from soil deposition or erosion in the downstream Significant Biodiversity Values areas

Element	Overall Outcomes	Strategies / Actions	Design Standards / Resources	Timing (Indicative)	Achievement Criteria
		sandstone/barriers) as per the endorsed waterway corridor restoration plan ▪ Carry out water testing as per the endorsed waterway corridor restoration plan			
Rehabilitation & Restoration	1. Expand and improve the quality of Significant Biodiversity Values and other retained natural features.	▪ Revegetate and restore to remnant status all cleared, degraded and modified areas within the designated Open Space Area, where not in conflict with bushfire management requirements or passive based nature recreation infrastructure ▪ Undertake rehabilitation, including planting of endemic species and weed management, within the bed and banks of retained or modified watercourses and drainage features. This rehabilitation may be utilised as part of the total site storm water management strategies, particularly with regard to stormwater quality and waterway corridor restoration ▪ Reuse cleared native vegetation (e.g. as site mulch in future revegetation works in and adjoining the designated Open Space Area) ▪ Explore the harvesting of the A-horizon of healthy bushland areas within the development precinct for assisted natural regeneration within degraded land through and surrounding the Open Space Area. **Stretch Target:** ▪ Wherever practical, research and incorporate EVNT Species (flora) and Threatened Ecological Communities into site revegetation	Where suitable, parts of the following documents and standards will assist in measuring the Overall Outcome: ▪ SEQ Ecological Restoration Framework Code ▪ SEQ Ecological Restoration Framework Guide ▪ SEQ Ecological Restoration Framework Manual ▪ Endorsed / approved site strategies and infrastructure master plans for: o Open space o Stormwater * Ipswich City Council's "Riparian Corridor Revegetation Guideline" * "Waterway and Channel Rehabilitation Guideline", * locally relevant design guidance such as the Brisbane City Council "Natural Channel Design Guidelines".	Site design and continuing through stages of approved construction.	Increased quality in the condition of retained areas when measured against pre-commencement benchmarks.
Weed and Pest Species	1. Decrease in the volume and diversity of site weed and pest species	▪ Identify and map major infestations of environmental and declared weeds that will be targeted for removal through the designated Open Space Area	Where suitable, parts of the following documents and standards will assist in measuring the Overall Outcome: ▪ Guideline 14 ▪ BA declared weeds and pests	Pre-Construction Certification and / or Self Certification	Decrease in the extent and diversity of site weed species on-site (measured annually for the life of the project)

Element	Overall Outcomes	Strategies / Actions	Design Standards / Resources	Timing (Indicative)	Achievement Criteria
		▪ Prepare detailed weed management and rehabilitation plans for the designated Open Space Area, including re-vegetation using existing native species and pre-clear Regional Ecosystem communities, to strengthen the riparian vegetation cover ▪ Prepare detailed weed management and rehabilitation plans for all portions of open space, including waterways and drainage features, relative to the stage in which they are proposed to be created ▪ Manage weeds and pests in accordance with the requirements of the *Biosecurity Act 2014* ▪ Explore methods to minimise impacts of domestic animals on environmental features surrounding the community, such as implementing educational and control measures for areas of the project adjoining or with the potential to influence the designated Open Space Area	▪ SEQ Ecological Restoration Framework Code ▪ SEQ Ecological Restoration Framework Guide ▪ SEQ Ecological Restoration Framework Manual	Reporting as per purpose specific management or rehabilitation plan Summary reporting as part of annual report (until project off maintenance)	
Monitoring, Management Plans & Reporting	▪ Ensure monitoring, management and reporting to collect adequate information to contribute towards the avoid, minimise, restore and offset principles of this NESS	▪ Prepare Vegetation Management Plans (VMPs) for each phase of clearing works incorporating the requirements of AS 4970-2009 ▪ VMPs are to be approved by: 1. ~~self-certification where prepared in accordance with AS 4970 -2009 and external to Significant Biodiversity Values areas; or~~ 2. compliance assessment ~~for unavoidable clearing within Significant Biodiversity Values areas~~ ▪ Monitoring and reporting to occur as per requirements of each VMP (e.g. photo monitoring, tree health, assessment post works)	Where suitable, parts of the following documents and standards will assist in measuring the Overall Outcome: ▪ Guideline 14 ▪ Regulated Vegetation Management Mapping, PMAV and Pre-Clear Mapping ▪ Management plan specific monitoring and reporting requirements. ▪ Draft Code of Practice for the Welfare of Wild Animals affected by Land Clearing ▪ Australian Standard (AS) 4970 -2009 Protection of trees on development sites. ▪ DSDIP Significant Residual Impact Guideline ▪ EOP ▪ SEQ Ecological Restoration Framework Code ▪ SEQ Ecological Restoration Framework Guide ▪ SEQ Ecological Restoration Framework Manual * Ipswich City Council's "Riparian Corridor Revegetation Guideline" * "Waterway and Channel Rehabilitation Guideline", * locally relevant design guidance such as the Brisbane City Council "Natural Channel Design Guidelines".	All stages – reported annually (until project off maintenance)	Annual evidence monitoring, management and reporting measures have used findings to contribute to the adaptive management of all other NESS site procedures

Element	Overall Outcomes	Strategies / Actions	Design Standards / Resources	Timing (Indicative)	Achievement Criteria
		▪ Prepare Fauna Management Plans (FMPs) for each stage of development involving vegetation clearing works. FMPs are to mandate the use of EHP registered fauna spotters ▪ ~~FMPs are to be approved by self-certification where prepared in accordance with the Draft Code of Practice for the Welfare of Wild Animals affected by Land Clearing~~ ▪ Monitoring and reporting to occur as per the requirement of each specific FMP, incorporating the reporting requirements of the engaged fauna spotter ▪ Prepare and implement Weed Management and Rehabilitation Plans for retained vegetation areas, drainage tributaries and other existing or reinstated vegetation areas ▪ Monitoring and reporting to occur as per the requirements of each specific Weed Management and Rehabilitation Plan (e.g. photo monitoring, quadrant and transect surveys etc.) showing reductions in site weed cover and expanded vegetation regeneration area ▪ Create a data repository of all environmental surveys, reports, management plans and monitoring data to inform future government and non-government decision making in Ripley Valley and broader areas			
		* Engage a spotter catcher licensed under the Nature Conservation Act 1992 by the Department of Environment and Science, to assesses the site, supervise any vegetation removal and ensure that any native fauna (including native bees) has been identified, relocated and discouraged from returning prior to habitat disturbance.	Prior to the commencement of any vegetation clearing works.		
		* provide to the Assessment Manager the name and contact details for the spotter catcher mentioned at (a) above engaged by the applicant to carry out the works.	A minimum of five (5) business days prior to commencement of vegetation clearing works.		

5. Natural Environmental Features

5.1 At the whole of site scale, core natural environment features include:

- Confirmed Remnant Vegetation Containing Endangered Regional Ecosystems
- Low Order Remnant Vegetation
- Confirmed Waterway Areas
- Other Drainage Features and Watercourses
- Waterway buffer areas
- Areas of juvenile native vegetation

5.2 Each of these core features is detailed on **Plan 5 (Appendix 1**) and briefly described below.

a) Confirmed Areas of Remnant Vegetation Containing Endangered Regional Ecosystems
A Property Map of Vegetation (PMAV) like process was undertaken over the site, identifying an area of incorrectly-mapped Endangered vegetation, which substantially alters the previous Remnant Regional Ecosystem Mapping for the site. The remaining Endangered Regional Ecosystems are protected through the development.

b) Low Order Remnant Vegetation
Areas of Least Concern and Of Concern vegetation primarily occur within the development zone. While not being protected specifically by Guideline 14 these vegetated areas escalate in importance when combined with other constraints (e.g. – on a Confirmed Waterway Area).

c) Confirmed Waterway Areas
Confirmed Waterway Areas reflect drainage features on-site which recorded consistent features and values to be defined as a waterway under the *Fisheries Act 1994*. These areas displayed more evidence of conveying run-off and areas of greater diversity through mesic variants to the broader habitats in which they are contained.

d) Waterway Buffer Area
~~A 25m (+/-) nominal buffer has been applied to Confirmed Waterway Areas identified during site survey.~~

e) Areas of Juvenile Native Regeneration
A number of Category X areas retain dense immature native regrowth. These areas vary diversely in health and value.

6. Ongoing Monitoring and Reporting

6.1 Ongoing monitoring of achievement of the Natural Environment Site Strategies will occur in accordance with specific management plans (e.g. as specified in VMPs, FMPs, Rehabilitation Plans, etc.)

6.2 The Developer undertakes to complete monitoring and reporting in accordance with each approved management plan

6.3 Further specific methods for monitoring and reporting will be developed where required in conjunction with Context Plans, Plans of Development, and Compliance Submissions

6.4 This document has been prepared with consideration of adaptive management principles being adopted into each report and management plan prepared over the project. This NESS sets the overarching outcome and achievement metric for measurement in stage or works specific documents

7. Koala Habitat Values Mapping

7.1 Koala Habitat Values Mapping can be amended through the use of the following methods which are generally consistent with the *Planning Regulation 2017*:

Determination of koala habitat type for certain land

1. As part of, or prior to, the lodgement of a development application, an applicant may request the assessment manager to make a determination that land, which is part of that development application, is of a different Koala habitat type than the Koala habitat type shown for the land on the Map of Assessable Development Area Koala Habitat Values

2. An applicant who makes a request must provide sufficient information, and (if requested) as part of the response to the information request, for the assessment manager to make the determination

3. Sufficient information includes, but is not limited to, a report by a suitably-qualified and experienced professional in respect of the habitat located on, and in connection with, the land for which the determination is requested

4. An assessment manager who receives a request may determine, as part of its decision, that any part of the land that is the subject of the request is:

    a. of a Koala habitat type different to that shown on a Map of Assessable Development Area Koala Habitat Values; or

    b. an area where Koalas are generally not present.

5. The assessment manager may only make the determination where it is reasonably satisfied that the Koala habitat type associated with the relevant land is identified on the Map of Assessable Development Area Koala Habitat Values incorrectly

6. A determination of the Koala habitat type, which applies to the land the subject of the determination for the purpose of applying any rules, guidelines, offsets or other considerations relating to the Koala species

7. Further guidance on the technical information and considerations to be incorporated into an application for a redetermination of the Koala habitat values maps can be drawn from Schedule 11 of the Planning Regulations 2017.



8. Definitions / References / Acronyms

Term / Acronym		Definition	Date	Author / Organisation
Application Area	means	the land parcels identified in **Plan 1 (Appendix 1)**		
AS 4970-2009	means	*Australian Standard AS4970-2009 Protection of trees on development sites (incorporating Amendment No. 1)*	Mar 2010	Standards Australia
AS	means	Australian Standards		
ASRIS	means	Australian Soil Resource Information System		
BA	means	*Biosecurity Act 2014*	3 Jul 2017	State of Queensland
Biosecurity Act 2014	means	*Biosecurity Act 2014*	3 Jul 2017	State of Queensland
Category B Vegetation	means	as defined by the *Vegetation Management Act 1999*, section 20A.		
Category X Vegetation	means	as defined by the *Vegetation Management Act 1999*, section 20A.		
Confirmed Areas of Remnant Vegetation Containing Endangered Regional Ecosystems	means	Not Applicable.		
Confirmed Waterway Areas	means	Confirmed Waterway Areas as shown on **Plan 5 (Appendix 1)**		
Context Plan	means	a context plan as contemplated under Section 3.2.8 of the PDA Development Scheme		
CPTED	means	Crime Prevention through Environmental Design		



Term / Acronym		Definition	Date	Author / Organisation
CPTED Guidelines for Queensland	means	Crime Prevention through Environmental Design- Guidelines for Queensland - Part B: Implementation Guide	Oct 2007	State of Queensland
DAF	means	Department of Agriculture and Fisheries (Qld)		
DAF Mapping	means	*Fisheries Act 1994* Queensland waterways for waterway barrier works spatial layer (QSpatial)	15 Jan 2013	State of Queensland
DAF WWBW Self Assessable Codes	means	Self- assessable codes for waterway barrier works by DAF including: WWBW01-P1: Construction of minor dams and weirs, WWBW01-P2: Replacement of existing floodgates, WWBW01-P3: Construction and maintenance of culverts, WWBW01-P4: Construction and maintenance of bed level crossings, WWBW02: Temporary waterway barrier works, WWBW03: Regularly constructed temporary waterway barrier works		State of Queensland (Department of Agriculture and Fisheries)
Defining Bank	means	as defined in State Development Assessment Provisions Module 8: Native Vegetation Clearing (version 1.7) as meaning: the bank which confines seasonal flows by may be inundated by flooding from time to time. This can be either: 1. The bank of terrace that confines the water before the point of flooding, or 2. Where there is no bank the seasonal high water line which represents the point of flooding."		
Development Land	means	The part of the Application Area occupied by land uses other than designated Riparian Zone.		
DILGP	means	Department of Infrastructure, Local Government and Planning (Qld)		
DoE	means	Department of the Environment (Cth)		



Term / Acronym		Definition	Date	Author / Organisation
Draft Code of Practice for the Welfare of Wild Animals affected by Land-Clearing	means	Queensland Code of Practice for the welfare of wild animals affected by land-clearing and other habitat impacts and wildlife spotter / catchers (Draft)	2009	Jon Hanger & Ben Nottidge - Australian Wildlife Hospital
Drainage feature	means	as defined in State Development Assessment Provisions Module 8: Native Vegetation Clearing (version 1.7) as meaning: "is a natural landscape feature, including a gully, drain, drainage depression or other erosion feature that – 7 Is formed by the concentration of, or operates to confine or concentrate, overland flow during water and immediately after rainfall events; and 8 Flows for only a short duration after a rainfall event, regardless of the frequency of flow events; and 9 Commonly does not have enough continuing flow to create a riverine environment, and 10 Is shown on the vegetation management watercourse and drainage feature map 10.1 At a scale of 1:25000 on the vegetation management watercourse and drainage feature map for the local government areas of Brisbane, Moreton Bay, Gold Coast, Sunshine Coast, Logan and Redlands, excluding applications to clear vegetation for extractive industries."		
DSDIP	means	Department of State Development Infrastructure and Planning (Qld) (now Department of Local Government, Infrastructure and Planning)		
DSDIP Significant Residual Impact Guideline	means	Significant Residual Impact Guideline - For matters of state environmental significance and prescribed activities assessable under the Sustainable Planning Act 2009 - Queensland Environmental Offsets Policy	Dec 2014	State of Queensland (Department of State Development, Infrastructure and Planning)



Term / Acronym		Definition	Date	Author / Organisation
DSITIA	means	Department of Science, Information Technology, Innovation and the Arts (Qld)		
DSITIA Terrestrial Vertebrate Fauna Survey Guidelines	means	Terrestrial Vertebrate Fauna Survey Guidelines for Queensland (v 2.0)	Nov 2014	State of Queensland (Department of Science, Information Technology, Innovation and the Arts)
EDQ	means	the Minster for Economic Development Queensland established under the *Economic Development Act 2012*, which supersedes the *Urban Land Development Authority and repeals the Urban Land Development Authority Act 2007* (Qld)		
EHP	means	Department of Environment and Heritage Protection (Qld)		
EHP Koala Sensitive Design Guideline	means	Koala-sensitive Design Guideline- A guide to koala-sensitive design measures for planning and development activities	Nov 2012	State of Queensland (Department of Environment and Heritage Protection)
EHP NCA Protected Plants Mapping	means	*Nature Conservation Act 1992* protected plants flora survey trigger map spatial layer (QSpatial)		State of Queensland (Department of Environment and Heritage Protection)
EHP Wildlife Online Database	means	Queensland Government's WildNet data species profile search (version 1.0) database		State of Queensland (Department of Environment and Heritage Protection)
Endangered Vegetation	means	as mapped by Regulated Vegetation Management Mapping under the *Vegetation Management Act 1999* or by a certified Property Map of Assessable Vegetation.		



Term / Acronym		Definition	Date	Author / Organisation
EOA	means	*Environmental Offsets Act 2014 (Qld)*	02 July 2015	State of Queensland
Environmental Offsets Act 2014	means	*Environmental Offsets Act 2014 (Qld)*	02 July 2015	State of Queensland
Environmental Offsets Policy 2014	means	*Queensland Environmental Offsets Policy (Version 1.1)*	December 2014	State of Queensland
EOP	means	*Queensland Environmental Offsets Policy (Version 1.1)*	December 2014	State of Queensland
EPBC	means	*Environment Protection and Biodiversity Conservation Act 1999 (Cth)*	01 July 2015	Commonwealth of Australia
EPBC Act	means	*Environment Protection and Biodiversity Conservation Act 1999 (Cth)*	01 July 2015	Commonwealth of Australia
EPBC Koala Referral Guidelines	means	EPBC Act referral guidelines for the vulnerable koala (combined populations of Queensland, New South Wales and the Australian Capital Territory)	2014	Commonwealth of Australia
EPBC PMST Database	means	*Environment Protection and Biodiversity Conservation Act 1999 (Cth)* Protected Matters Search Tool database interactive mapping	2015	Commonwealth of Australia
EPBC Significant Impact Guidelines	means	Matters of National Environmental Significance: Significant Impact Guidelines 1.1 *Environment Protection and Biodiversity Conservation Act 1999*	2013	Commonwealth of Australia
ESCP	means	Erosion and Sediment Control Plan		
Essential Habitat	means	as defined in the *Vegetation Management Act 1999*, section 20AC.		
Essential Management	means	as defined in the *Sustainable Planning Regulation 2000,* schedule 26.		



Term / Acronym		Definition	Date	Author / Organisation
EVNT Species	means	Endangered, Vulnerable, Near Threatened and presumed Extinct species listed by name in schedules 1-5 of the *Nature Conservation Wildlife Regulation 2006* and least concern wildlife, not listed by name but identified as indigenous to Australia listed in Schedule 6.		
FMP	means	Fauna Management Plan		
Guideline 14	means	PDA guideline no. 14 - Environmental values and sustainable resource use	May 2015	State of Queensland
Koala Habitat Areas	means	as defined in Guideline 17, an area mapped on State Planning Policy 2/10: Koala Conservation in South East Queensland, SEQ Koala Protection Area Koala Habitat Values maps as: - bushland habitat - having high and medium value suitable for rehabilitation habitat types.		
Koala Habitat Values Mapping	means	the plan of Koala Habitat Areas enclosed at **Plan 3 (Appendix 1)**, or as amended in accordance with Section 7 of the NESS.		
Koala Guideline	means	Schedule 11 – Planning Regulations 2017	Jul 2017	State of Queensland (Department of Environment and Heritage Protection)
LCC	means	Logan City Council		
Main Roads Fauna Sensitive Design Manual Vol.2	means	Fauna Sensitive Road Design Manual - Volume 2: Preferred Practices (Chapter 6 - Measures to achieve fauna sensitive roads, and Chapter 7 - Target Species Design Considerations)	Jun 2010	State of Queensland (Department of Transport and Main Roads)
MNES	means	Matters of National Environmental Significance		



Term / Acronym		Definition	Date	Author / Organisation
MSES	means	Matters of State Environmental Significance		
MLES	means	Matters of Local Environmental Significance		
Nature Conservation (Koala) Conservation Plan 2006 and Management Program 2006-2016 (koala plan)	means	*Nature Conservation (Koala) Conservation Plan 2006*	27 Sep 2013	State of Queensland (Department of Environment and Heritage Protection)
NCA	means	*Nature Conservation Act 1992*	02 Jul 2015	State of Queensland (Department of Natural Resources and Mines)
NCA Protected Plants Exemption Process	means	where clearing is to be undertaken within a High Risk Area, as mapped by EHP Protected Plants Flora Survey Trigger Map, a flora survey will be undertaken in accordance with the Protected Plants Flora Survey Trigger Guidelines - Nature Conservation Act 1992 and where applicable, an Exempt Clearing Notification Form will be issued to EHP		State of Queensland (Department of Natural Resources and Mines)
NCA Protected Plants Flora Survey Guidelines	means	Flora Survey Guidelines - Protected Plants - Nature Conservation Act 1992	2014	State of Queensland (Department of Natural Resources and Mines)
NCWR	means	*Nature Conservation (Wildlife) Regulation 1994 (Reprint No. 2A)*	22 Dec 1999	State of Queensland (Department of Natural Resources and Mines)
NESS	means	Natural Environment Site Strategy		
NJKHT	means	Non-Juvenile Koala Habitat Trees		
NRM	means	Department of Natural Resources and Mines (Qld)		



Term / Acronym		Definition	Date	Author / Organisation
NRM Covenant Control measures and Guidelines	means	as defined within the NRM Land Title Practice Manual (Qld), specifically Part 31 - Covenants, and NRM policy 'Covenants providing for non separate transfers PUX/952/066 version 4.05'	Apr 2009	State of Queensland (Department of Natural Resources and Mines)
NRM Regulated Vegetation Management Mapping	means	*Vegetation Management Act 1999* Regulated Vegetation Management Map - version 1.27 spatial layer (QSpatial)	7 Mar 2016	
NRM Self Assessable Guidelines for land management and exemption checklist	means	NRM self assessable clearing codes, specifically for Managing Encroachment, Managing Fodder Harvesting, Necessary Environmental Clearing, Property Infrastructure and Weed Control	02 Dec 2013	State of Queensland
OSS	means	Overarching Site Strategy		
PDA	means	Priority Development Area (formerly UDA)		
PDA Development Scheme	means	the *R Urban Development Area Development Scheme*	Oct 2011	State of Queensland
Planning Act 2017	means	*Planning Act 2017*	3 Jul 2017	Queensland Government
Planning regulation 2017	means	*Planning Regulation 2017*	3 Jul 2017	Queensland Government
PMAV	means	Property Map of Assessable Vegetation		
Pre-clear Mapping	means	Draft pre-clearing regional ecosystems mapping data spatial layer (QSpatial)	8 May 2015	State of Queensland
Prescribed Matter	means	as defined by the *Environmental Offsets Act 2014*		



Term / Acronym		Definition	Date	Author / Organisation
Property Map of Assessable Vegetation (PMAV)	means	as defined by the *Vegetation Management Act 1999*		
RE	means	Regional Ecosystems		
Regional Ecosystems	means	as defined by the Vegetation Management Act 1999.		
Riparian Zone	means	land designated as Riparian Zone on the endorsed / approved Context Plan for the Application Area		
SARA	means	State Assessment Referral Agency (Qld)		
SARA Mapping	means	QSpatial layers applicable under SARA DA mapping tool		
SAT	means	Spot Assessment Technique Survey		
SDAP	means	State Development Assessment Provisions		
SEQ Ecological Restoration Framework Code	means	South East Queensland Ecological Restoration Framework: Code of Practice	2012	Chenoweth EPLA and Bushland Restoration Services. Prepared on behalf of SEQ Catchments and South East Queensland Local Governments, Brisbane.
SEQ Ecological Restoration Framework Guide	means	South East Queensland Ecological Restoration Framework: Guideline	2012	Chenoweth EPLA and Bushland Restoration Services. Prepared on behalf of SEQ Catchments and South East



Term / Acronym		Definition	Date	Author / Organisation
				Queensland Local Governments, Brisbane.
SEQ Ecological Restoration Framework Manual	means	South East Queensland Ecological Restoration Framework: Manual	2012	Chenoweth EPLA and Bushland Restoration Services. Prepared on behalf of SEQ Catchments and South East Queensland Local Governments, Brisbane.
SEQRP	means	South East Queensland Regional Plan 2009-2031		
State Code 16	means	State Code 16 of the State Development Assessment Provisions (version 2.1)	11 Aug 2017	State of Queensland
WWTP	means	wastewater treatment plant		
Significant Biodiversity Values	means	Significant Biodiversity Values are as mapped and annotated on **Plan 5 (Appendix 1)**, or as otherwise defined as: - Confirmed Waterway Areas		
Significant Residual Impact	means	as defined by the Environmental Offsets Act 2014, as meaning: "an adverse impact, whether direct or indirect, of a prescribed activity on all or part of a prescribed environmental matter that – 1. Remains, or will or is likely to remain, (whether temporarily or permanently) despite onsite mitigation measures of the prescribed activity; and		

Term / Acronym		Definition	Date	Author / Organisation
		2. Is, or will or is likely to be, significant.		
SPP	means	State Planning Policy		
SPP Biodiversity Values Mapping	means	*State Planning Policy 2014* Matters of State Environmental Significance spatial layer series, specifically for MSES Biodiversity	17 Dec 2013	State of Queensland
SPP 03/17	means	*State Planning Policy July 2017*	July 2017	State of Queensland (Department of State Development, Infrastructure and Planning)
SRI	means	Significant Residual Impact		
TEC	means	Threatened Ecological Community		
TMR	means	Department of Transport and Main Roads (Qld)		
UDA	means	Urban Development Area (now known as PDA)		
ULDA	means	Urban Land Development Authority (now known as EDQ)		
VMA	means	*Vegetation Management Act 1999*	11 Sep 2015	Queensland Government
VMP	means	Vegetation Management Plan		



Term / Acronym		Definition	Date	Author / Organisation
Watercourse	means	is a watercourse as defined under the *Water Act 2000*, as meaning: "a river, creek or other stream, including a stream in the form of an anabrach or tributary, in which water flows permanently or intermittently, regardless of the frequency of flow events – a. In a natural channel, whether artificially modified or not, or b. In an artificial channel that has changed the course of the stream".		
Waterway	means	as defined by DAF Mapping for WWBW and ground-truthed by field survey		
Waterway Barrier Works (WWBW)	means	as defined in the *Fisheries Act 1994*		
WWBW	means	Waterway Barrier Works		



Legislation and Guidelines referenced within this strategy

The following legislation (i.e. Acts, Guidelines and Polices) are referenced within this strategy and remain in effect for the purpose of this NESS**:**

Act / Policy /Guideline	Date of Publication	Author/Organisation
Australian Standard AS4970-2009 Protection of trees on development sites (incorporating Amendment No. 1)	Mar 2010	Standards Australia
Biosecurity Act 2014	Jul 2017	State of Queensland
Biosecurity Regulation 2016	Jul 2017	State of Queensland
Code for Self-assessable development, Minor Waterway Barrier Works, Part 1: Low Impact Dams and Weirs (WWBW01)	Apr 2013	State of Queensland (Department of Agriculture and Fisheries)
Code for Self-assessable development, Minor Waterway Barrier Works, Part 2: Replacement of Existing Floodgates (WWBW01)	Oct 2011	State of Queensland (Department of Agriculture and Fisheries)
Code for Self-assessable development, Minor Waterway Barrier Works, Part 3: Culvert Crossings (WWBW01)	Apr 2013	State of Queensland (Department of Agriculture and Fisheries)
Code for Self-assessable development, Minor Waterway Barrier Works, Part 4: Construction and Maintenance of Bed Level Crossings (WWBW01)	Apr 2013	State of Queensland (Department of Agriculture and Fisheries)
Code for Self-assessable development, Temporary Waterway Barrier Works (WWBW02)	Apr 2013	State of Queensland (Department of Agriculture and Fisheries)
Code for Self-assessable development, Regularly Constructed Waterway Barrier Works (WWBW03)	Oct 2011	State of Queensland (Department of Agriculture and Fisheries)
Crime Prevention through Environmental Design- Guidelines for Queensland - Part B: Implementation Guide	Oct 2007	State of Queensland
Environment Protection and Biodiversity Conservation Act 1999 (Cth)	Jul 2015	Commonwealth of Australia
Environmental Offsets Act 2014	Jul 2015	State of Queensland
EPBC Act Administrative Guidelines on Significance – Supplement for the Grey-headed Flying-fox	2003	Commonwealth of Australia

Act / Policy /Guideline	Date of Publication	Author/Organisation
EPBC Act referral guidelines for the vulnerable koala (combined populations of Queensland, New South Wales and the Australian Capital Territory)	2014	Commonwealth of Australia
Fauna Sensitive Road Design Manual - Volume 2: Preferred Practices	Jun 2010	State of Queensland (Department of Transport and Main Roads)
Fisheries Act 1994	Jul 2017	State of Queensland
Flora Survey Guidelines - Protected Plants - Nature Conservation Act 1992	2014	State of Queensland (Department of Environment and Heritage Protection)
Ripley Valley Urban Development Area Development Scheme	Oct 2011	State of Queensland
Guideline- South East Queensland Koala Conservation - State Planning Regulatory Provisions	Jul 2014	State of Queensland (Department of Environment and Heritage Protection)
Koala-sensitive Design Guideline- A guide to koala-sensitive design measures for planning and development activities	Nov 2012	State of Queensland (Department of Environment and Heritage Protection)
List of Vegetation Clearing Exemptions	2013	State of Queensland (Department of Natural Resources and Mines)
Matters of National Environmental Significance: Significant Impact Guidelines 1.1 Environment Protection and Biodiversity Conservation Act 1999	2013	Commonwealth of Australia
Nature Conservation (Koala) Conservation Plan 2006	27 Sep 2013	State of Queensland (Department of Environment and Heritage Protection)
Nature Conservation (Wildlife) Regulation 1994 (Reprint No. 2A)	22 Dec 1999	State of Queensland
Nature Conservation Act 1992	02 Jul 2015	Queensland Government
PDA guideline no. 14 - Environmental values and sustainable resource use	May 2015	State of Queensland
Planning Act 2017	3 Jul 2017	State of Queensland
Planning Regulation 2017	3 Jul 2017	State of Queensland

Act / Policy /Guideline	Date of Publication	Author/Organisation
Queensland Code of Practice for the welfare of wild animals affected by land-clearing and other habitat impacts and wildlife spotter / catchers (Draft)	2009	Jon Hanger & Ben Nottidge - Australian Wildlife Hospital
Queensland Environmental Offsets Policy (Version 1.1)	Dec 2014	State of Queensland
Significant Residual Impact Guideline - For matters of state environmental significance and prescribed activities assessable under the Sustainable Planning Act 2009 - Queensland Environmental Offsets Policy	Dec 2014	State of Queensland, Department of State Development, Infrastructure and Planning
South East Queensland Ecological Restoration Framework: Code of Practice	2012	Chenoweth EPLA and Bushland Restoration Services. Prepared on behalf of SEQ Catchments and South East Queensland Local Governments, Brisbane.
South East Queensland Ecological Restoration Framework: Guideline	2012	Chenoweth EPLA and Bushland Restoration Services. Prepared on behalf of SEQ Catchments and South East Queensland Local Governments, Brisbane.
South East Queensland Ecological Restoration Framework: Manual	2012	Chenoweth EPLA and Bushland Restoration Services. Prepared on behalf of SEQ Catchments and South East Queensland Local Governments, Brisbane.
State Planning Policy July 2017	Jul 2017	State of Queensland (Department of State Development, Infrastructure and Planning)
Terrestrial Vertebrate Fauna Survey Guidelines for Queensland (v 2.0)	Nov 2014	The State of Queensland (Department of Science, Information Technology, Innovation and the Arts)
Vegetation Management Act 1999	Sep 2015	State of Queensland
Water Act 2000	Oct 2015	State of Queensland



Appendix I

Plans

Plan 1: Site Aerial
Plan 2: Ground Truthed Remnant Vegetation
Plan 3: SEQ Koala Habitat Values Mapping
Plan 4: Fisheries – Waterways for Waterway Barrier Works
Plan 5: Natural Environment Site Strategy – Site Constraints Plan

1. APPLICATION AREA / SITE AERIAL



NOTES
This plan was prepared as a desktop assessment tool.
The information on this plan is not suitable for any other purpose.
Property dimensions, areas, numbers of lots and contours and other physical features shown have been compiled from existing information and may not have been verified by field survey. These may need verification if the development application is approved and development proceeds, and may change when a full survey is undertaken or in order to comply with development approval conditions. No reliance should be placed on the information on this plan for detailed design or for any financial dealings involving the land. Saunders Havill Group therefore disclaims any liability for any loss or damage whatsoever or howsoever incurred, arising from any party using or relying upon this plan for any purpose other than as a document prepared for the sole purpose of accompanying a development application and which may be subject to alteration beyond the control of the Saunders Havill Group. Unless a development approval states otherwise, this is not an approved plan.

Layer Sources
Qld State Cadastre and Mapping layers © State of Queensland (Department of Natural Resources and Mines) 2017. Updated data available at http://qldspatial.information.qld.gov.au/catalogue//
Aerial Imagery © Nearmap, 2017

* This note is an integral part of this plan/data. Reproduction of this plan or any part of it without this note being included in full will render the information shown on such reproduction invalid and not suitable for use.

Legend

Project site boundary

Qld DCDB

Issue	Date	Description	Drawn	Checked
A	18/12/2017	Preliminary	MC	OS

0 50 100 200 m


Transverse Mercator | GDA 1994 | Zone 56 | 1:5,800 @ A3

saunders havill group

RIPLEY PROTECTS PTY LTD — RIPLEY ROAD, RIPLEY

ADDRESS/RPD: Various lots — *18/12/2017* — *8844 E 01 Application area site aerial A*

2. GROUND-TRUTHED REMNANT VEGETATION



NOTES
This plan was prepared as a desktop assessment tool.
The information on this plan is not suitable for any other purpose.
Property dimensions, areas, numbers of lots and contours and other physical features shown have been compiled from existing information and may not have been verified by field survey. These may need verification if the development application is approved and development proceeds, and may change when a full survey is undertaken or in order to comply with development approval conditions. No reliance should be placed on the information on this plan for detailed design or for any financial dealings involving the land. Saunders Havill Group therefore disclaims any liability for any loss or damage whatsoever or howsoever incurred, arising from any party using or relying upon this plan for any purpose other than as a document prepared for the sole purpose of accompanying a development application and which may be subject to alteration beyond the control of the Saunders Havill Group. Unless a development approval states otherwise, this is not an approved plan.

Layer Sources
Qld State Cadastre and Mapping layers © State of Queensland (Department of Natural Resources and Mines) 2017. Updated data available at http://qldspatial.information.qld.gov.au/catalogue//
Aerial Imagery © Nearmap, 2017

* This note is an integral part of this plan/data. Reproduction of this plan or any part of it without this note being included in full will render the information shown on such reproduction invalid and not suitable for use.

Legend

- Project site boundary
- Qld DCDB
- Edge of disturbance

Issue	Date	Description	Drawn	Checked
A	18/12/2017	Preliminary	MC	OS

0 50 100 200 m


Transverse Mercator | GDA 1994 | Zone 56 | 1:5,800 @ A3

saunders havill group

RIPLEY PROTECTS PTY LTD RIPLEY ROAD, RIPLEY

ADDRESS/RPD: Various lots *18/12/2017* *8844 E 02 Ground truthed remnant Veg A_*

3. KOALA HABITAT VALUES



NOTES
This plan was prepared as a desktop assessment tool.
The information on this plan is not suitable for any other purpose.
Property dimensions, areas, numbers of lots and contours and other physical features shown have been compiled from existing information and may not have been verified by field survey. These may need verification if the development application is approved and development proceeds, and may change when a full survey is undertaken or in order to comply with development approval conditions. No reliance should be placed on the information on this plan for detailed design or for any financial dealings involving the land. Saunders Havill Group therefore disclaims any liability for any loss or damage whatsoever or howsoever incurred, arising from any party using or relying upon this plan for any purpose other than as a document prepared for the sole purpose of accompanying a development application and which may be subject to alteration beyond the control of the Saunders Havill Group. Unless a development approval states otherwise, this is not an approved plan.

Layer Sources
Qld State Cadastre and Mapping layers © State of Queensland (Department of Natural Resources and Mines) 2017. Updated data available at http://qldspatial.information.qld.gov.au/catalogue//
Aerial Imagery © Nearmap, 2017

* This note is an integral part of this plan/data. Reproduction of this plan or any part of it without this note being included in full will render the information shown on such reproduction invalid and not suitable for use.

Legend

- Project site boundary
- Qld DCDB

Koala Habitat Values

Bushland Habitat

- High Value Bushland
- Medium Value Bushland
- Low Value Bushland

Suitable for Rehabilitation

- High Value Rehabilitation
- Medium Value Rehabilitation
- Low Value Rehabilitation

Other Areas of Value

- High Value Other
- Medium Value Other
- Low Value Other
- Non-habitat
- Water

Issue	Date	Description	Drawn	Checked
A	18/12/2017	Preliminary	MC	OS

0 50 100 200 m

Transverse Mercator | GDA 1994 | Zone 56 | 1:5,800 @ A3

saunders havill group

RIPLEY PROTECTS PTY LTD — RIPLEY ROAD, RIPLEY

4. FISHERIES MAPPING



NOTES
This plan was prepared as a desktop assessment tool.
The information on this plan is not suitable for any other purpose.
Property dimensions, areas, numbers of lots and contours and other physical features shown have been compiled from existing information and may not have been verified by field survey. These may need verification if the development application is approved and development proceeds, and may change when a full survey is undertaken or in order to comply with development approval conditions. No reliance should be placed on the information on this plan for detailed design or for any financial dealings involving the land. Saunders Havill Group therefore disclaims any liability for any loss or damage whatsoever or howsoever incurred, arising from any party using or relying upon this plan for any purpose other than as a document prepared for the sole purpose of accompanying a development application and which may be subject to alteration beyond the control of the Saunders Havill Group. Unless a development approval states otherwise, this is not an approved plan.

Layer Sources
Qld State Cadastre and Mapping layers © State of Queensland (Department of Natural Resources and Mines) 2017. Updated data available at http://qldspatial.information.qld.gov.au/catalogue//
Aerial Imagery © Nearmap, 2017

* This note is an integral part of this plan/data. Reproduction of this plan or any part of it without this note being included in full will render the information shown on such reproduction invalid and not suitable for use.

Legend

Project site boundary

Qld DCDB

Waterways (SEQ region)

Risk of Impact

1 - Low

2 - Moderate

3 - High

4 - Major

Issue	Date	Description	Drawn	Checked
A	18/12/2017	Preliminary	MC	OS

0 50 100 200 m


Transverse Mercator | GDA 1994 | Zone 56 | 1:5,800 @ A3

saunders havill group

RIPLEY PROTECTS PTY LTD — RIPLEY ROAD, RIPLEY

ADDRESS/RPD: Various lots — 18/12/2017 — 8844 E 04 Fisheries A

5. SITE CONSTRAINTS



NOTES
This plan was prepared as a desktop assessment tool.
The information on this plan is not suitable for any other purpose.
Property dimensions, areas, numbers of lots and contours and other physical features shown have been compiled from existing information and may not have been verified by field survey. These may need verification if the development application is approved and development proceeds, and may change when a full survey is undertaken or in order to comply with development approval conditions. No reliance should be placed on the information on this plan for detailed design or for any financial dealings involving the land. Saunders Havill Group therefore disclaims any liability for any loss or damage whatsoever or howsoever incurred, arising from any party using or relying upon this plan for any purpose other than as a document prepared for the sole purpose of accompanying a development application and which may be subject to alteration beyond the control of the Saunders Havill Group. Unless a development approval states otherwise, this is not an approved plan.

Layer Sources
Qld State Cadastre and Mapping layers © State of Queensland (Department of Natural Resources and Mines) 2017. Updated data available at http://qldspatial.information.qld.gov.au/catalogue//
Aerial Imagery © Nearmap, 2017

* This note is an integral part of this plan/data. Reproduction of this plan or any part of it without this note being included in full will render the information shown on such reproduction invalid and not suitable for use.

Legend

- Project site boundary
- Qld DCDB
- Proposed development layout
- Top of bank
- 10m buffer
- 25m buffer
- Q100 line

Constraints

- Development area
- Green space
- Riparian zone
- Community
- Local Park

Issue	Date	Description	Drawn	Checked
A	19/12/2018	Preliminary	MC	OS
B	5/02/2018	Local Park Ammended	MC	OS

0 50 100 200 m

Transverse Mercator | GDA 1994 | Zone 56 | 1:5,800 @ A3

saunders havill group

RIPLEY PROTECTS PTY LTD ● RIPLEY ROAD, RIPLEY

ADDRESS/RPD: Various lots ● *5/02/2018* ● *8844 E 05 Site constraints B*