



water purifier
















STANDARD CONFIGURATION OF A HIGH-END DUAL WATER OUTLET FAUCET

Advanced Dual-Water Technology Mineral Spring or RO Purity at Your Fingertips

DESIGNED WITH ATTENTION TO DETAIL





Enriched with nine essential trace elements, including metasilicic acid and strontium, this premium water continues the "healthy water" legacy of snow-capped mountains. With its smooth, soft texture and crisp, sweet taste, every sip is pure REFRESHMENT



Strontium-rich mineral water supports bone health and enhances overall well-being with every sip

Utility Model Patent

Ensuring your protection



中午雨

Utility model patent number: ZL2017 2 1220217.9





SGS







美国 通信委员会认证

瑞士 通用公正行认证

ISO9001认证


统一安全认证

环保强制认证

Tertiary Physical Filtration Mineralized Water + Pure Water Dual Output Design

Effectively filters scale, heavy metals, bacteria, and other harmful substances
Uses pure physical filtration materials — no added scale inhibitors
Combines the benefits of pure water and mineralized water for flexible usage options

Ensures safety, purity, and balanced mineral content with every drop.



Second Stage

Reverse Osmosis (RO) Membrane

With a filtration precision of 0.0001 micron, this stage effectively removes:

Pesticides

Bacteria & Viruses

Heavy Metals

Excess Ions and Other Harmful
Substances

Ensures ultra-pure drinking water by deeply purifying every drop.

17 Recommended Replacement:

Every 36 to 48 Months

Third Stage

Snow Mountain Mineralized Core

Infuses water with essential trace minerals such as:

Strontium

Metasilicic Acid

Selenium

Calcium Zinc

This stage utilizes Sancomer

Minerals to restore natural

mineral balance and enhance

water quality.

17 Recommended Replacement: Every 12 to 18 Months

First Stage

PPC Composite Carbon Rod

Effectively filters out:

Suspended particles

Sediment & rust

Micro-insects

Residual chlorine & bleaching

auai chiorine & bieaci

powaer

Unpleasant color and odor Improves the taste and clarity of water by providing a strong

initial barrier. 17 Recommended Replacement:

Every 6 Months

Large water Volume

A Glass of Mineral Spring Water in Seconds



Product Specifications

Product Name Cristore Mineral Spring Water	Executive Standards QB/T 4144-2010
Product Model AHP-R11	Applicable Water Temperature 4°C-38°C
Rated Votage 220V 50Hz	Total Pure Water Output 5000L(1000G)
Rated Pure Water Output 0.1Mpa-0.4Mpa	Water taste fresh and sweet

Filter Replacement Reminder

Modern Elegance, Intelligent Living Blue tube Mineral Spring Water Tap water Power supply 888 Yellow tube Hot water dispensor White tube RO water Drainage water

Space Saving