

CR940028L

CREONE 9400 KEY CONTROL KIT 28 KEY LOCKED inc SW



Description

Creone Intelligent KeyBox with key identification for monitoring and controlling each and every key. 28 key slots "Locking" allowing complete control over who takes what key and when they take it. Space for a maximum of 42 key hooks, with a maximum of 3 key strips with 14 spaces on each strip. When needed you can easily add 1 x strip with key slots to your cabinet expanding it to 42 key slots in either Locking or Non-locking. Display with simple menu navigation. Equipped with battery backup, alarm contact for door and buzzer. Administration is performed using the PC program KeyWin5 (included). KeyWin 5 software can be configured to allow all Random Key return, Non-Random key return or Key Returned to any Cabinet within the same network, offering greater flexibility. Can be expanded using multiple main key cabinets in the same system. Or expanded using 1 x 9500 EC from the Expansion range. Locking and Non-locking IntelliPin. IntelliPin are available in two versions. Locking Lockable IntelliPin physically lock the keys/peg into the strip. Non-locking Non-lockable IntelliPin gives an alarm immediately when the keys/peg is removed without authorisation. IntelliPin are not interchangeable between Non-locking and Locking strips.

Related Products



CR145005

CREONE KEY CONTROL STRIP 14 KEY POSITIONS - LOCKED/RETAIN



CR145023

CREONE KeyWin 5 PC PROGRAM LICENSE



CR145009

CREONE KEY CONTROL PEG - LOCKED/RETAIN



WIDCONVERTORS

CREONE WIEGAND TO RS485 BOARD CONVERSION/3RD PARTY READERS

Features

- 28 key slots "**Locking**".
- Includes IntelliPins, keyrings and number strip.
- One (1) more strip can be added giving a total of 42 key slots.
- Compatible with either Locking or Non-locking strip.
- 1000 users/codes.
- Battery backup.
- 4 line LCD display.
- Clock and 100 time zones.
- Connects to PC via KeyWin5 (included).
- Ethernet ready communication for PC LAN or WAN.
- Expansion card for alarm, card reader.

- Flash memory for codes.
- Expandable using 1 x CR9500E series cabinet.
Or multiple main key cabinets.
- Only 1 x power outlet needed.
- Made from 1.5 mm steel.
- Powder coated.
- Dimension:
External 746 x 370 x 140 mm.
- Weight: 25 Kg.

RIVERCITY LOCKSMITHS & SECURITY

Contact Details

07 32781825

7/1118 OXLEY RD

Oxley

QLD, 4075

CR950056L

CREONE 9500 KEY CONTROL KIT 56 KEY LOCKED inc SW



Description

Creone Intelligent KeyBox with key identification for monitoring and controlling each and every key. 56 key slots "Locking" allowing complete control over who takes what key and when they take it. Space for a maximum of 84 key hooks, maximum of 6 key strips with 14 spaces on each strip. When needed you can easily add 1 or 2 strips with key slots to your cabinet expanding it to 84 key slots in either Locking or Non-locking. Display with simple menu navigation. Equipped with battery backup, alarm contact for door and buzzer. Administration is performed using the PC program KeyWin5 (included). Can be expanded using multiple main key cabinets in the same system. Or expanded using 1 x CR9500E series cabinet from the Expansion range. Locking and Non-locking IntelliPin. IntelliPin are available in two versions. Locking Lockable IntelliPin physically lock the keys/peg into the strip. Non-locking Non-lockable IntelliPin gives an alarm immediately when the keys/peg is removed without authorisation. IntelliPin are not interchangeable between Non-locking and Locking strips.

Related Products



CR145005

CREONE KEY CONTROL STRIP 14 KEY POSITIONS - LOCKED/RETAIN



CR145009

CREONE KEY CONTROL PEG - LOCKED/RETAIN



WIDCONVERTORS

CREONE WIEGAND TO RS485 BOARD CONVERSION/3RD PARTY READERS



CR145004

CREONE KEY CONTROL STRIP 14 KEY POSITIONS

Features

- 56 key slots "**Locking**".
- Includes IntelliPins, keyrings and number strip.
- Two (2) more strip can be added giving a total of 84 key slots.
- Compatible with either Locking or Non-locking strip.
- 1000 users/codes.
- Battery backup.
- 4 line LCD display.
- Clock and 100 time zones.
- Connects to PC via KeyWin5 (included).
- Ethernet ready communication for PC LAN or WAN.
- Expansion card for alarm, card reader.
- Flash memory for codes.
- Expandable using 1 x CR9500E series cabinet. Or multiple main key cabinets.

RIVERCITY LOCKSMITHS & SECURITY

Contact Details

07 32781825
7/1118 OXLEY RD
Oxley
QLD, 4075

- Only 1 x power outlet needed.
- Made from 1.5 mm steel.
- Powder coated.
- Dimension:
External 746 x 730 x 140 mm.
- Weight: 30 Kg.

RIVERCITY LOCKSMITHS & SECURITY

Contact Details

07 32781825

7/1118 OXLEY RD

Oxley

QLD, 4075

CR940042

CREONE 9400 KEY CONTROL KIT 42 KEY UNLOCKED inc SW



Description

Creone Intelligent KeyBox with key identification for monitoring and controlling each and every key. 42 key slots "Non-locking" allowing complete control over who takes what key and when they take it. Display with simple menu navigation. Equipped with battery backup, alarm contact for door and buzzer. Administration is performed using the PC program KeyWin5 (included). Can be expanded using multiple main key cabinets in the same system. Or expanded using 1 x CR9500E series cabinet from the Expansion range. Non-locking and Locking IntelliPin. IntelliPin are available in two versions. Non-locking Non-lockable IntelliPin gives an alarm immediately when the keys/peg is removed without authorisation. Locking Lockable IntelliPin physically lock the keys/peg into the KeyBox or strip. IntelliPin are not interchangeable between Non-locking and Locking strips.

Related Products



WIDCONVERTORS

CREONE WIEGAND TO RS485 BOARD
CONVERSION/3RD PARTY READERS



CR145008

CREONE KEY CONTROL PEG



CR145035

CREONE KEY CONTROL KEYRING WIRE BLU



ALCOMETER

CREONE ALCO METER FOR CREONE
CABINETS REQUIRERS RLB1DPDT

Features

- 42 key slots "**Non-locking**".
- Includes IntelliPins, keyrings and number strip.
- 1000 users/codes.
- Battery backup.
- 4 line LCD display.
- Clock and 100 time zones.
- Connects to PC via KeyWin5 (included).
- Ethernet ready communication for PC LAN or WAN.
- Expansion card for alarm, card reader.
- Flash memory for codes.
- Expandable using 1 x CR9500E series cabinet.
Or multiple main key cabinets.
- Only 1 x power outlet needed.
- Made from 1.5 mm steel.
- Powder coated.
- Dimension:
External 746 x 370 x 140 mm.
- Weight: 25 Kg.

RIVERCITY LOCKSMITHS & SECURITY

Contact Details

07 32781825

7/1118 OXLEY RD

Oxley

QLD, 4075

CR9500846

Creone 9500 Key Control Kit 84 Key UnLocked excl SW



Description

Creone Intelligent KeyBox with key identification for monitoring and controlling each and every key. 84 key slots "Non-locking" allowing control over who takes what key and when they take it. Space for a maximum of 84 key hooks, maximum of 6 key strips with 14 spaces on each strip. Display with simple menu navigation. Equipped with battery backup, alarm contact for door and buzzer. Administration is performed using the Online or Offline KeyWin6 platform (Yearly subscription applies). Can be expanded using multiple main key cabinets in the same system. Non-locking and Locking IntelliPin. IntelliPin are available in two versions. Non-locking Non-lockable IntelliPin gives an alarm immediately when the keys/peg is removed without authorisation. Locking Lockable IntelliPin physically lock the keys/peg into the strip. IntelliPin are not interchangeable between Non-locking and Locking strips.

Related Products



CR145051

CREONE KEYWIN 6 ANNUAL LICENSE MED 5 CABINETS (EXCL. KEY BOOKING)



CR145050

CREONE KEYWIN 6 ANNUAL LICENSE SM 1 CABINET (EXCL. KEY BOOKING)



LUL081140

LULI NYLON COATED "TWISTY" CABLE GRN 081140 suit CREONE



LUL081170

LULI NYLON COATED "TWISTY" CABLE RED 081170 suit CREONE

Features

- 84 key slots "**Non-Locking**".
- Includes IntelliPins, keyrings and number strip.
- Compatible with either Locking or Non-locking strip.
- 1000 users/codes.
- Battery backup.
- 4 line LCD display.
- Clock and 100 time zones.
- Connects to PC via KeyWin6 (included).
- Ethernet ready communication for PC LAN or WAN.
- Expansion card for alarm, card reader.
- Flash memory for codes.
- Expandable using multiple main key cabinets.
- Control 1 - 25 cabinets from one database (Depending on KeyWin6 subscription).
- Made from 1.5 mm steel.
- Powder coated.
- Dimension:external 746 x 730 x 140 mm.
- Weight: 30 Kg.

RIVERCITY LOCKSMITHS & SECURITY

Contact Details

07 32781825

7/1118 OXLEY RD

Oxley

QLD, 4075

RIVERCITY LOCKSMITHS & SECURITY

Contact Details

07 32781825

7/1118 OXLEY RD

Oxley

QLD, 4075

CR950084L

CREONE 9500 KEY CONTROL KIT 84 KEY LOCKED inc SW



Description

Creone Intelligent KeyBox with key identification for monitoring and controlling each and every key. 84 key slots "Locking" allowing complete control over who takes what key and when they take it. Space for a maximum of 84 key hooks, maximum of 6 key strips with 14 spaces on each strip. Display with simple menu navigation. Equipped with battery backup, alarm contact for door and buzzer. Administration is performed using the PC program KeyWin5 (included). Can be expanded using multiple main key cabinets in the same system. Or expanded using 1 x CR9500E series cabinet from the Expansion range. Locking and Non-locking IntelliPin. IntelliPin are available in two versions. Locking Lockable IntelliPin physically lock the keys/peg into the strip. Non-locking Non-lockable IntelliPin gives an alarm immediately when the keys/peg is removed without authorisation. IntelliPin are not interchangeable between Non-locking and Locking strips.

Related Products



CR145009

CREONE KEY CONTROL PEG -
LOCKED/RETAIN



WIDCONVERTORS

CREONE WIEGAND TO RS485 BOARD
CONVERSION/3RD PARTY READERS



CR145035

CREONE KEY CONTROL KEYRING WIRE BLU



ALCOMETER

CREONE ALCO METER FOR CREONE
CABINETS REQUIRERS RLB1DPDT

Features

- 84 key slots "**Locking**".
- Includes IntelliPins, keyrings and number strip.
- 1000 users/codes.
- Battery backup.
- 4 line LCD display.
- Clock and 100 time zones.
- Connects to PC via KeyWin5 (included).
- Ethernet ready communication for PC LAN or WAN.
- Expansion card for alarm, card reader.
- Flash memory for codes.
- Expandable using 1 x CR9500E series cabinet.
Or multiple main key cabinets.
- Only 1 x power outlet needed.
- Made from 1.5 mm steel.
- Powder coated.
- Dimension:
External 746 x 730 x 140 mm.
- Weight: 30 Kg.

RIVERCITY LOCKSMITHS & SECURITY

Contact Details

07 32781825
7/1118 OXLEY RD
Oxley
QLD, 4075

RIVERCITY LOCKSMITHS & SECURITY

Contact Details

07 32781825

7/1118 OXLEY RD

Oxley

QLD, 4075