

UB150ZRIMWB6

SALTO XS4 BLE MINI AUS.MORTICE w/Z LEVER (32-50MM)IM & WHITE



Description

Cutting-edge design + Amazing technology Stylish design is a SALTO trademark and with the XS4 Mini, we raise the bar on this already high standard thanks to the XS4 Mini's small, discreet size combined with a modern, clean LED aesthetic. The Mini's smart compactness simplifies installation in virtually any kind of door, complementing any type of atmosphere.

Features

• Main Features

- Simple installation using just two screws when installing in combination with Australian mortise locks.
- Clear, dual colour optical signalling indicates access authorisation. Acoustic signal optional.
- High security via high resistance, hardened anti-drill protection.
- Concealed fixing screws for greater security and improved aesthetics.
- For indoor applications: quick and easy install makes it ideal for retrofits.
- Available in 2 different finishes: White and Black.
- Battery operated (3 x LR03).
- Wide range of handles, configurations and door retrofit cover plates to meet the installation needs.

• Technical Characteristics

- Covers door thicknesses: From 35 up to 90 mm.
- Dimensions: 127 x 58,5 x 22,5 mm.
- Reversible handle, left or right electronic lock.
- Clutch mechanism escutcheon; when unlocked handle moves freely.
- Handle rotation: 45°.
- DDA (Disability Discrimination Act) compliant lever.
- Initial max. 4° pre-turn. SALTO recommends the use of a mortise lock with a maximum 4° pre-turn.
- Compatible with Australian mortise locks.
- Handle compatibility: 16 mm Ø.

Related Products



EN92

ENERGIZER BATTERY STD BULK PK24
INDUSTRIAL AAA 1.5B ALKA



3572SC

LOCKWOOD PRIMARY LOCK 3572 SC



GATEWAYW3CAUS

SALTO BLUEnet WIRELESS GATEWAY AUS,
PoE, WHITE



RFNODE3

SALTO WIRELESS RF NODE suit BLE
GATEWAYS

- Square spindles available: 7,6 mm split and 8 mm.
- **Platforms**
 - SALTO Virtual Network (SVN) data-on-card.
 - JustIN Mobile: Bluetooth SMART (BLE).
- **ID Technologies**
 - MIFARE® (DESFire EV1, Plus, Ultralight C, Classic - ISO/IEC 14443).
 - HID ICLASS®.
 - Bluetooth SMART (BLE).
 - NFC.

RIVERCITY LOCKSMITHS & SECURITY

Contact Details

07 32781825

7/1118 OXLEY RD

Oxley

QLD, 4075

U9150ZRNEBB6

SALTO XS4 Mini Aus Mortice w/ Z Lever (35-50MM) Black & Black reader



Description

Cutting-edge design + Amazing technology Stylish design is a SALTO trademark and with the XS4 Mini, we raise the bar on this already high standard thanks to the XS4 Mini's small, discreet size combined with a modern, clean LED aesthetic. The Mini's smart compactness simplifies installation in virtually any kind of door, complementing any type of atmosphere.

Features

- Simple offline installation is possible on most Australian mortice locks.
- Fully integrated with the SALTO XS4 platform.
- Virtual network capable through SALTO Virtual Network technology.
- Choice of ID carriers: Mifare, DESFire , Mifare Ultralight C.
- NFC compatible.
- All communications between the carrier and the XS4 Mini Electronic lock are encrypted and secure.
- Optical signalling through LED. Dual colour green/red to indicate access authorisation. Acoustic signal optional.
- Available in 2 different finishes: White and Black.
- Battery operated (3 x LR03).
- Optional concealed fixing screw for greater security and improved aesthetics.
- For indoor use.
- **Mechanical Aspects:**
 - Dimensions: 127 x 58.5 x 22.5 mm.
 - Weight: 0.5kg.
 - Handle turning angle: 45°.
 - Door thickness compatible: 35 to 100 mm.
 - Suits Australian mortice locks (not included).
 - Handle clutch mechanism.
 - Inside always allows free egress (anti panic in combination with lock).
 - Inside mechanism made of steel and reader

Related Products



3572SC
LOCKWOOD PRIMARY LOCK 3572 SC



SP221457
SALTO XS4 MINI MOUNTING TOOL



SALMINIRO
ADI ROSE suit SALTO Tx150 MINI
CYLINDRICAL FITTING PKT=1



BOMS2SSS
KABA LOCK MS2SSS M SERIES MORTICE
LOCK

RIVERCITY LOCKSMITHS & SECURITY

Contact Details

07 32781825
7/1118 OXLEY RD
Oxley
QLD, 4075

polycarbonate covered.

- Handles compatible: Neck 16 mm Ø.
- High security through advanced hardened high resistance anti-drill plates to protect the clutch mechanism.
- DDA (Disability Discrimination Act) compliant lever.

- **Electronic Aspects:**

- User on card audit trailing capability for audit trailing via the SALTO Virtual Network (SVN).
- Contactless versions compatible with ISO 14443A, ISO 14443B and ISO 15693 (Vicinity) and covering a wide range of mainstream RFID brands such as DESFire, DESFire EV1, Mifare, Mifare plus, Ultralight C, allowing multi-application with third party systems using one card.
- Low battery power indication monitored through the SALTO Virtual Network (SVN) as low battery status information is written onto carriers and passed to the software. Also readings can be taken at the lock and passed to the software via contactless NFC PPD connection.
- Non volatile memory which allows events to be saved and the XS4 Mini's date and time to be kept temporarily in the memory even if power fails.
- Firmware upgrade through contactless NFC PPD.
*depending on the model.

RIVERCITY LOCKSMITHS & SECURITY

Contact Details

07 32781825

7/1118 OXLEY RD

Oxley

QLD, 4075

AB650Z00IM56Y

SALTO KS BLE ANSI Escutcheon w-/ Z Lever (45 - 50mm Doors)



Description

is built for any business looking to manage access in an easy and secure way. No matter your industry or the size of your business, we've got the cloud based access control solution that fits your needs. Enjoy flexibility, scalability, reliability, and the ability to manage access from anywhere, anytime. The wide body versions are specially designed to fit on most Australian doors, and work with the majority of mortice locks and common tubular latches. It is specially designed for use on busy, high traffic doors that need additional strength

Features

- Clutching mechanism escutcheon (when locked handle moves freely).
- Disabled access AS1428.1 compliant lever.
- Dimensions: 290 (H) x 67 (W) x 20 mm (D).
- Handle rotation: 52° - Limiters available for tubular latches.
- Compatible with Australian mortice locks and tubular latches.
- Mechanical key override versions with audit trail facility available.
- Electronic privacy function versions available.
- KS Wireless platform.

Related Products



3572SC
LOCKWOOD PRIMARY LOCK 3572 SC



SP01343A450
SALTO 400 LIMITERS suit A965x for 530 LATCHES Pkt=50



RFDETECTW18W01
SALTO (Ax6x) WIRELESS DOOR DETECTOR suit WOODEN DOORS

RIVERCITY LOCKSMITHS & SECURITY

Contact Details

07 32781825
7/1118 OXLEY RD
Oxley
QLD, 4075

EB750Z00NEB26

SALTO XS4 ONE BLE Escutcheon w/- Z Lever (30 - 35mm) - NE & BLACK



Description

The SALTO XS4 One escutcheon is a revolutionary stand-alone electronic lock thanks largely to the level of technology packed inside that brings together the convenience of an offline point - easy installation and no wires - with virtually the same kind of power and performance of an online point. The SALTO XS4 One is the evolution of the Original model with a built-in, totally new reader available in two colours. It includes the latest electronic components in order to warranty a future proof feature compatibility. The XS4 One version is specially designed to fit most Euro profile doors, even narrow profile framed doors. This version also works with the majority of European mortise locks and cylinders. Wireless for real-time control using SVN Salto Virtual Network. BCA AS1428.1 -2009 compliant leverset. Successfully tested up to 2 hours (depending on type of doorset) on fire door assemblies in accordance with Australian Standard AS 1530.4-2014 Fire Resistant Doorsets when fitted with Lockwood 3572 mortise lock.

Related Products



3572SC
LOCKWOOD PRIMARY LOCK 3572 SC



ROSSML
ROSS Narrow Style Mortise Lock 28mm Bset,
8mm Hub Suit SALTO



ROSSMLFP EXT
BDS FACE PLATE ROSSML FP EXT'D
260x25x2MM suit ROSSML ONLY



SP00993C8710
SALTO 8mm Solid Spindle suit 75 - 90mm
door, PKT = 10

Features

- Simple installation is possible on any type of door, including those with narrow frames.
- Body and escutcheon made of steel.
- Clutching mechanism escutcheon (when locked handle moves freely).
- Disabled access AS1428.1 compliant lever.
- Dimensions: 285 (H) x 42 (W) x 19.5 mm (D).
- Handle rotation: 45°
- Compatible with ROSSML narrow style mortise.
- Available with mechanical cylinder cut outs for key override or access lock outs with audit trail facility available.
- Mechanical or electronic privacy option.
- The lock can always be opened from the inside (single action panic feature works in conjunction with the relevant mortise lock).

RIVERCITY LOCKSMITHS & SECURITY

Contact Details

07 32781825
7/1118 OXLEY RD
Oxley
QLD, 4075

- Complementary escutcheons without reader available to maintain the aesthetics of doors that do not need to be controlled.
- Wireless version for real-time control.
- **ID Technologies**
 - MIFARE® (DESFire EV1, Plus, Ultralight C, Classic - ISO/IEC 14443).
 - Bluetooth SMART (BLE).
 - NFC.

RIVERCITY LOCKSMITHS & SECURITY

Contact Details

07 32781825

7/1118 OXLEY RD

Oxley

QLD, 4075

EB756Z00IMB56

SALTO XS4 ONE BLE PRIVACY ESCUTCHEON w/- Z LEVER (45-50mm) IM & BLACK



Description

The SALTO XS4 One escutcheon with privacy button is a revolutionary stand-alone electronic lock thanks largely to the level of technology packed inside that brings together the convenience of an offline point - easy installation and no wires - with virtually the same kind of power and performance of an online point. The SALTO XS4 One is the evolution of the Original model with a built-in, totally new reader available in two colours. It includes the latest electronic components in order to warranty a future proof feature compatibility. The XS4 One version is specially designed to fit most Euro profile doors, even narrow profile framed doors. This version also works with the majority of European mortise locks and cylinders. Wireless for real-time control using SVN S alto V irtual N etwork. BCA AS1428.1 -2009 compliant leverset. Successfully tested up to 2 hours (depending on type of doorset) on fire door assemblies in accordance with Australian Standard AS 1530.4-2014 Fire Resistant Doorsets when fitted with Lockwood 3572 mortice lock.

Related Products



3572SC
LOCKWOOD PRIMARY LOCK 3572 SC



ROSSML
ROSS Narrow Style Mortice Lock 28mm Bset,
8mm Hub Suit SALTO



ROSSMLFPEXT
BDS FACE PLATE ROSSML FP EXT'D
260x25x2MM suit ROSSML ONLY



SP00993C8710
SALTO 8mm Solid Spindle suit 75 - 90mm
door, PKT = 10

Features

- Simple installation is possible on any type of door, including those with narrow frames.
- Body and escutcheon made of steel.
- Clutching mechanism escutcheon (when locked handle moves freely).
- Disabled access AS1428.1 compliant lever.
- Electronic privacy button.
- Dimensions: 285 (H) x 42 (W) x 19.5 mm (D).
- Handle rotation: 45°
- Compatible with ROSSML narrow style mortice.
- Available with mechanical cylinder cut outs for key override or access lock outs with audit trail facility available.
- Mechanical or electronic privacy option.
- The lock can always be opened from the inside (single action panic feature works in conjunction with

RIVERCITY LOCKSMITHS & SECURITY

Contact Details

07 32781825
7/1118 OXLEY RD
Oxley
QLD, 4075

the relevant mortise lock).

- Complementary escutcheons without reader available to maintain the aesthetics of doors that do not need to be controlled.
- Wireless version for real-time control.

- **ID Technologies**

- MIFARE® (DESFire EV1, Plus, Ultralight C, Classic - ISO/IEC 14443).
- Bluetooth SMART (BLE).
- NFC.

RIVERCITY LOCKSMITHS & SECURITY

Contact Details

07 32781825

7/1118 OXLEY RD

Oxley

QLD, 4075

EB750Z00IMB38

SALTO XS4 ONE BLE Escutcheon w/- Z Lever (35-45mm) - IM & Black, 8mm spindle



Description

The SALTO XS4 One escutcheon is a revolutionary stand-alone electronic lock thanks largely to the level of technology packed inside that brings together the convenience of an offline point - easy installation and no wires - with virtually the same kind of power and performance of an online point. The SALTO XS4 One is the evolution of the Original model with a built-in, totally new reader available in two colours. It includes the latest electronic components in order to warranty a future proof feature compatibility. The XS4 One version is specially designed to fit most Euro profile doors, even narrow profile framed doors. This version also works with the majority of European mortise locks and cylinders. Wireless for real-time control using SVN S alto V irtual N etwork. BCA AS1428.1 -2009 compliant leverset. Successfully tested up to 2 hours (depending on type of doorset) on fire door assemblies in accordance with Australian Standard AS 1530.4-2014 Fire Resistant Doorsets when fitted with Lockwood 3572 mortise lock.

Related Products



3572SC
LOCKWOOD PRIMARY LOCK 3572 SC



ROSSML
ROSS Narrow Style Mortise Lock 28mm Bset,
8mm Hub Suit SALTO



ROSSMLFPEXT
BDS FACE PLATE ROSSML FP EXT'D
260x25x2MM suit ROSSML ONLY

Features

- Simple installation is possible on any type of door, including those with narrow frames.
- Body and escutcheon made of steel.
- Clutching mechanism escutcheon (when locked handle moves freely).
- Disabled access AS1428.1 compliant lever.
- Dimensions: 285 (H) x 42 (W) x 19.5 mm (D).
- Handle rotation: 45°
- Compatible with ROSSML narrow style mortise.
- Available with mechanical cylinder cut outs for key override or access lock outs with audit trail facility available.
- Mechanical or electronic privacy option.
- The lock can always be opened from the inside (single action panic feature works in conjunction with the relevant mortise lock).

RIVERCITY LOCKSMITHS & SECURITY

Contact Details

07 32781825
7/1118 OXLEY RD
Oxley
QLD, 4075

- Complementary escutcheons without reader available to maintain the aesthetics of doors that do not need to be controlled.
- Wireless version for real-time control.
- **ID Technologies**
 - MIFARE® (DESFire EV1, Plus, Ultralight C, Classic - ISO/IEC 14443).
 - Bluetooth SMART (BLE).
 - NFC.

RIVERCITY LOCKSMITHS & SECURITY

Contact Details

07 32781825

7/1118 OXLEY RD

Oxley

QLD, 4075

CB250N70CSB48

SALTO XS4 MINI ANSI BLE w/ N LEVER SC (45-60MM)



Description

The XS4 Mini smart, secure, innovative and easy to install, the XS4 electronic escutcheon sets need no hard wiring and provide a totally wire-free networked electronic locking solution with a great range of features. The XS4 escutcheon range is specially designed to fit on most standard doors, and work with the majority of Scandinavian, European and ANSI mortise locks and tubular latches. The XS4 Mini ANSI for cylindrical or tubular latches has been designed to meet ANSI A156.2 Grade 1 or 2 cylindrical latch requirements. Easy, simple and quick way to replace existing traditional knob sets, and upgrade them with a state of the art electronic access control system with SALTO's cartridge cylindrical latch.

Related Products



LC2MC70IMK

SALTO GRADE 1 CYLINDRICAL LATCH 70MM BACKSET



LC2MC60IMK

SALTO GRADE 2 CYLINDRICAL LATCH 60MM BACKSET

Features

- Simple installation, using just two screws when installing on new or existing ANSI cylindrical latch door standards.
- Clear, dual colour optical signalling indicates access authorisation. Acoustic signal optional.
- High security via high resistance, hardened anti-drill protection.
- Concealed fixing screws for greater security and improved aesthetics.
- For indoor applications: quick and easy install makes it ideal for retrofits.
- 70 mm tubular latch 60 and 127 mm available.

• ID Technologies

- MIFARE® (DESFire EV1, Plus, Ultralight C, Classic - ISO/IEC 14443).
- Bluetooth SMART (BLE).
- NFC.

• Platform

- **SVN Salto Virtual Network.**
- Bluetooth

RIVERCITY LOCKSMITHS & SECURITY

Contact Details

07 32781825
7/1118 OXLEY RD
Oxley
QLD, 4075

NBE3130N30CSBDR

SALTO NEO Electronic Euro profile double cylinder Standard cylinder, two knobs, IP66



Description

The SALTO NEO range of electronic cylinders are fully integrated with the XS4 platform and their versatile, compact size makes them an ideal solution for almost any type of door where fitting a conventional electronic handle set is not possible or required. The XS4 thumb turn SALTO NEO offers virtual network capability thanks to the SALTO Virtual Network (SVN) technology. The NEO European profile cylinder is specially designed to fit most Euro doors that are equipped with a European profile cylinder mortice lock and also need to be opened freely from the inside.

Features

- IP application: outdoor version IP66.
- Power source: 4x LR1 alkaline batteries.
- Number of openings: Up to 130,000.
- Maximum events on lock audit: Up to 2.200 (non-volatile memory).
- Environmental conditions (without condensation):
-20°C / +55°C.
- SALTO KS compatible.
- Reader colour: Black/White.
- Finish: Satin chrome, Polished chrome, PVD bright brass type, PVD satin brass type, Satin chrome black, BioCote® (Satin chrome).
- **ID TECHNOLOGIES:**
 - MIFARE® (DESFire EV2, Plus, Ultralight C, Classic - ISO/IEC 14443).
 - BLE Smart.
 - NFC.
 - HID iCLASS® Seos.
- **TECHNOLOGY PLATFORMS:**
 - SVN data-on-card.
 - SALTO Wireless BLUEnet enabled.
 - SALTO KS.
- **OPENING MODES:**
 - Standard, Office mode, Timed office, Automatic

RIVERCITY LOCKSMITHS & SECURITY

Contact Details

07 32781825
7/1118 OXLEY RD
Oxley
QLD, 4075

opening, Automatic opening + office, Toggle, Timed Toggle.

RIVERCITY LOCKSMITHS & SECURITY

Contact Details

07 32781825

7/1118 OXLEY RD

Oxley

QLD, 4075

NBA1100N00CSBNR

SALTO NEO Australian oval profile electronic Exterior cylinder, IP66



Description

The SALTO NEO range of electronic cylinders are fully integrated with the XS4 platform and their versatile, compact size makes them an ideal solution for almost any type of door where fitting a conventional electronic handle set is not possible or required. The XS4 thumb turn SALTO NEO offers virtual network capability thanks to the SALTO Virtual Network (SVN) technology. The NEO Australian oval profile cylinder is specially designed to fit most Australian doors that are equipped with an Australian oval profile cylinder mortice lock.

Features

- IP application: outdoor version IP66.
- Power source: 4x LR1 alkaline batteries.
- Number of openings: Up to 130,000.
- Maximum events on lock audit: Up to 2.200 (non-volatile memory).
- Environmental conditions (without condensation): -20°C / +55°C.
- SALTO KS compatible.
- Reader colour: Black/White.
- Finish: Satin chrome, Polished chrome, PVD bright brass type, PVD satin brass type, Satin chrome black, BioCote® (Satin chrome).
- **ID TECHNOLOGIES:**
 - MIFARE® (DESFire EV2, Plus, Ultralight C, Classic - ISO/IEC 14443).
 - BLE Smart.
 - NFC.
 - HID iCLASS® Seos.
- **TECHNOLOGY PLATFORMS:**
 - SVN data-on-card.
 - SALTO Wireless BLUEnet enabled.
 - SALTO KS.
- **OPENING MODES:**
 - Standard, Office mode, Timed office, Automatic opening, Automatic opening + office, Toggle, Timed

RIVERCITY LOCKSMITHS & SECURITY

Contact Details

07 32781825
7/1118 OXLEY RD
Oxley
QLD, 4075

Toggle.

RIVERCITY LOCKSMITHS & SECURITY

Contact Details

07 32781825

7/1118 OXLEY RD

Oxley

QLD, 4075