



ALL ITEMS STOCKED &
READY TO SHIP!

VALID THRU 10/31/25



STOCK UP & SAVE EVENT

FREE SHIPPING

on your purchase of
\$250 or more
from this flyer!**

FREE CASE OF SCRUBS ALL PURPOSE WIPES

with your purchase of
\$500 or more
from this flyer!†



WE STOCK HUNDREDS OF PRODUCTS FROM ITW PRO BRANDS!
CONTACT YOUR REP OR SCAN THE QR CODES BELOW TO SHOP OUR ONLINE SELECTION:



LPS 1® GREASELESS LUBRICANT

The Greaseless Lubricant That Penetrates Quickly,
Displaces Moisture, And Will Not Attract Dust Or Dirt

- Provides a dry, thin, lubricating film.
- Resists oil, dust, and dirt build-up.
- Ideal for delicate mechanisms.
- Removes carbon build-up from surfaces.
- Displaces moisture.
- Safe on paint, fabric, and most plastics.
- Used world-wide in aviation.
- Loosens rusted or frozen parts.
- VOC compliant in all 50 states.
- Case quantity: 12/case



11 OZ. AEROSOL
MFR #00116
A&M #17740
\$15⁰⁰



Additional Sizes Available,
Please Call.

APPLICATIONS:

Cables	Molds
Circuit Breakers	Nuts & Bolts
Electronic Connectors	Power Tools
Electric Motors	Relays
Hinges	Sliding Mechanisms
Ignition Systems	Switch Gears
Locks	



LPS 2® HEAVY-DUTY LUBRICANT

The Strong, Oily Film Multi-Purpose Lubricant,
And Penetrant With Added Corrosion Protection

- Strong, multi-purpose lubricant and penetrant with added corrosion protection.
- Provides a non-drying, light, oily film.
- Reduces wear caused by friction and corrosion.
- Loosens rusted or frozen parts.
- Provides superior corrosion protection of metal parts during shipment.
- Protects metal parts during indoor storage up to one year.
- Does not contain silicone.
- Displaces moisture.
- Safe to use on most plastics, rubbers and paint.
- Case quantity: 12/case



11 OZ. AEROSOL
MFR #00216
A&M #23321
\$13⁰⁰



Additional Sizes Available,
Please Call.

APPLICATIONS:

Bearings & Valves	Metal Parts In Storage
Cables & Linkages	Productions Equipment
Dies, Bits & Fasteners	Pulleys & Rollers
Engines	Transportation
Electric Motors	Equipment
Hand Tools	Slides & Tracks

Headquarters & NJ Sales Office
Rahway, NJ
800.864.2660

New England Regional Office
West Lebanon, NH
800.225.6711

Northern NJ Regional Office
Fair Lawn, NJ
800.622.1363

CT Regional Office
Middletown, CT
800.771.1233

PA Regional Office
Stroudsburg, PA
855.207.0400





LPS 3® PREMIER RUST INHIBITOR

Protects In Even The Harshest Environments



- Long-term waxy film protects for up to 2 years indoors.
- Prevents rust and corrosion.
- Safe on all metals.
- Safe to use on rubber, fabric, plastics, and paints.
- Inhibits exfoliation and filiform corrosion of aluminum.
- Safe on all metals.
- Penetrates to displace moisture.
- Case quantity: 12/case



Additional Sizes Available,
Please Call.

11 OZ. AEROSOL
MFR #00316
A&M #28787
\$17⁰⁰

APPLICATIONS:

Aircraft Fuselages	Interior Sections Of
Battery Terminals	Vehicle Doors
Cables, Chains &	Metal Parts
Pulleys	Pumps
Cargo Sections	Hose Assemblies



MAGNUM PREMIUM LUBRICANT WITH PTFE

High Performance • Provides Maximum Friction Reduction



- Does not contain silicone.
- Safe to use on most surfaces.
- Flash point of 175°F (79°C).
- Penetrates and protects metal against rust and corrosion.
- Ideal for both regular and extreme conditions.
- High performance lubricant with PTFE additives.
- Extends equipment life.
- Nonfood Compounds Program Listed Category Code: H2 Registration #128980 (Aerosol); #128981 (Bulk).
- Case quantity: 12/case



Additional Sizes Available,
Please Call.

11 OZ. AEROSOL
MFR #00616
A&M #46109
\$17⁰⁰

APPLICATIONS:

Cables & Linkages	Metal Parts & Tools
Dies, Bits & Fasteners	Parts in Storage
Engines & Motors	Pulleys & Rollers
Hoists, Lifts, Draglines	Slides & Tracks



PRESOLVE® ORANGE DEGREASER

The Orange Degreaser That Solves The Toughest Cleaning Problems



- High performance industrial degreaser that works on contact.
- Ideal for removing grease, tars, and oils.
- Fast acting, deep penetration.
- Controlled evaporation.
- Flash point above 100°F (38°C).
- Low residue.
- Safe on all metals and most plastics.
- Case quantity: 12/case



Additional Sizes Available,
Please Call.

11 OZ. AEROSOL
MFR #01420
A&M #92151
\$13⁷⁵

APPLICATIONS:

Air Compressors	Fork Lifts
Alternators	Gears
Bearings	Heavy Equipment
Chains	Power & Air Tools
Cable Connections	Printing Presses
Cranes	Pulleys
Engines	



TKX® ALL-PURPOSE LUBRICANT

Penetrates Small Crevices To Protect Against Corrosion,
Displace Moisture & Loosen Frozen Parts



- Excellent multi-purpose lubricant.
- Loosens rusted or frozen parts.
- Displaces moisture.
- Protects against corrosion.
- Provides a non-drying, long lasting, oily film.
- High flash point of >160°F (71°C).
- Non-conductive.
- Does not contain chlorinated solvents or silicones.
- Case quantity: 12/case



Additional Sizes Available,
Please Call.

11 OZ. AEROSOL
MFR #02016
A&M #11435
\$7⁶²

APPLICATIONS:

Bearings	Metal Machinery
Cables & Chains	Nuts & Bolts
Castings	Pumps & Pulleys
Dies & Molds	Saw Blades
Forgings	Springs
Gears	Rollers & Sliding
Machined Stock	Mechanisms
Metal Parts	Ways & Guides



KB 88 THE ULTIMATE PENETRANT

Extremely High Solvency & Special Additives Enhance Penetration And Attack Corrosion



- Formulated to attack and quickly release rusted and corroded nuts, bolts, hinges, and other frozen components.
- High KB solvency value of 151 and low surface tension.
- Penetrates faster and deeper than most other similar products in the market place.
- Displaces moisture.
- Aggressive formula.
- VOC compliant in all 50 states.
- Case quantity: 12/case



Additional Sizes Available,
Please Call.

13 OZ. AEROSOL
MFR #02316
A&M #3904864
\$13⁶⁰

APPLICATIONS:

Bearings	Frozen Nuts & Bolts
Chains	Hinges
Conveyors	Plumbing Fixtures
Corroded Fasteners	Screws
Equip. Disassembly	Shafts
Frozen Gears & Cogs	Pulleys



TAPMATIC® #1 GOLD CUTTING FLUID

Great For All Metals, Including Aluminum

APPLICATIONS:

Boring	Milling
Broaching	Reaming
Drilling	Threading
Engraving	Turning
Facing	Sawing

DESCRIPTION	MFR #	A&M #	SALE PRICE
16 OZ. SQUEEZE BOTTLE	40320	25745	\$16.30
1 GALLON	40330	26332	\$87.40

- Does not contain water, solvents, or inactive fillers.
- Reduces cutting torque and improves cutting efficiency.
- Does not contain chlorinated solvents or chlorinated paraffins.
- Requires less product usage than traditional cutting fluids.
- Increases tool life and improves surface finish.
- For all metals including aluminum.
- Excellent for tapping applications.
- Case quantity: 12/case (16oz. bottle), 4/case (1 gallon)



Additional Sizes Available, Please Call.



TAPMATIC® DUAL ACTION PLUS #2 CUTTING FLUID

A Metal-Cutting Fluid Safe For Tapping, Drilling, Reaming, Threading, Or Finishing On Aluminum

APPLICATIONS:

Boring	Milling
Broaching	Reaming
Drilling	Sawing
Engraving	Stamping
Facing	Tapping
Finishing	Threading
Grinding	Turning

DESCRIPTION	MFR #	A&M #	SALE PRICE
16 OZ. SQUEEZE BOTTLE	40220	20248	\$15.49
1 GALLON	40230	20837	\$126.91

- Provides superior extreme pressure lubricity in machining aluminum and its alloys.
- Improves surface finish and extends tool life.
- Reduces friction and eliminates chip welding.
- No chlorinated solvents.
- Case quantity: 12/case (16oz. aerosol), 4/case (1 gallon)



EDGE LUBE CUTTING FLUID

High-Efficiency Lubricant That Extends Grinding Wheel, Saw Blades, And Belt Life By Eliminating Heat Build-Up And Loading

- Low toxic, biodegradable, low odor.
- Extends grinding wheel life.
- Does not contain any hazardous chemicals.
- Eliminates heat build-up and belt loading.
- Excellent for belt, wheel or disc grinding, and sawing applications.
- Biodegradable, solid, white, waxy bar.
- Recognized by the USDA BioPreferred™ program.
- Water rinsable.
- Safe on all metals.
- Case quantity: 12/case

APPLICATIONS:

Boring	Milling
Broaching	Tapping
Drilling	Threading
Engraving	Turning
Grinding	

13 OZ. TUBE
MFR #43200
A&M #4645879
\$22¹²



Headquarters & NJ Sales Office
Rahway, NJ
800.864.2660

New England Regional Office
West Lebanon, NH
800.225.6711

Northern NJ Regional Office
Fair Lawn, NJ
800.622.1363

CT Regional Office
Middletown, CT
800.771.1233

PA Regional Office
Stroudsburg, PA
855.207.0400



PREVENTION WITH DETECTION

DID YOU KNOW? ALMOST 40,000,000 LBS OF FOOD IS RECALLED ANNUALLY DUE TO CONTAMINATION

LPS® DETEX® technology helps reduce the risk of foreign object contamination that can result in contaminated product, facility downtime, delayed customer deliveries, and compromised brand reputation. Utilizing a unique patented formula, LPS® DETEX® plastic components are both metal & X-ray detectable. Their bright blue color also helps provide added visibility within the plant.



CUTTING & PROCESSING

LPS® DETEX® solutions provide NSF certified, metal-detectable lubricants and cleaners designed for safe use in food cutting and processing equipment.

COLD STORAGE

LPS® DETEX® offers a wide range of food safe solutions including lubricants, oils, low-temp and extreme temp grease safe for use in freezers and coolers.

PACKAGING & SHIPPING

LPS® DETEX® food safe, metal-detectable solutions can be used on belts, conveyors and a variety of packaging and shipping equipment without risk of contamination.

HOT EQUIPMENT

LPS® DETEX® offers a wide range of food safe solutions including lubricants and extreme temp grease suitable for use in smokehouses and commercial ovens.



LPS® DETEX® FOODLUBE® PENETRATING OIL

LPS® DETEX® FoodLube® Penetrating Oil is a fully synthetic, fast acting, penetrant that can be used anywhere within a food processing facility where incidental food contact may occur. The versatile formula attacks rust and scale to quickly release frozen parts while displacing water and leaving a protective film to prevent corrosion.



- NSF H1 penetrant can be used anywhere within a facility where incidental food contact may occur
- Penetrates rust, scale, grease, dirt, and grime to quickly release frozen parts, reducing downtime associated with equipment disassembly.
- Fully synthetic formula displaces water to prevent corrosive attack.
- Leaves a protective film to prevent corrosion short-term.
- Metal and X-ray detectable packaging.
- Halal Product Certified #HP-5543-CH.
- Kosher Certified.
- Case quantity: 12/case

11 OZ. AEROSOL
MFR #57316
A&M #4806097
\$12⁹²



SCAN TO LEARN MORE
ABOUT DETEX® FOOD SAFE TECHNOLOGY



INDUSTRIAL INSIGHTS

APPLICATIONS:

Castors
Chains
Conveyors
Filling Equipment

Food Racks
Food Service Carts
Slicers



LPS® DETEX® FOOD GRADE CHAIN LUBRICANT

Provides effective lubrication of chains and conveyors operating in food processing environments

LPS® DETEX® Food Grade Chain Lubricant's foaming action penetrates deep into chains, bushings, and pins to extend chain life. The wet-film formula resists sling-off and water washout, remaining on intended surfaces, reducing product waste and messy cleanup.



- NNSF H1 lubricant can be used anywhere within a facility where incidental food contact may occur.
- Oily film lubricates deep into chains, bushings, and pins to extend chain life and minimize expensive downtime.
- Water resistant formula won't sling off, stays on chain surfaces.
- Foaming action increases contact time for better penetration of internal chain components.
- Provides up to 4 months indoor corrosion protection.
- Metal and X-ray detectable packaging.
- Halal Product Certified #HP-5543-CH.
- Kosher Certified.
- Case quantity: 12/case

12 OZ. AEROSOL
MFR #06016
A&M #3003916
\$17⁴⁹

APPLICATIONS:

Chains
Channels
Conveyors
Filling Equipment

Food Racks
Food Service Carts
Gears
Open Drives



800.864.2660 | WWW.AM-IND.COM



LPS® DETEX® FOOD GRADE SILICONE LUBRICANT

Keeps packages moving down chutes and slides in food processing facilities where incidental food contact may occur.

- NSF H1 lubricant can be used anywhere within a facility where incidental food contact may occur.
- Anti-stick agent for chutes & slides.
- Dry film will not attract dust or dirt.
- Safe on all metals, plastics, and rubber parts.
- Colorless formula will not stain.
- Metal and X-ray detectable packaging.
- Halal Product Certified #HP-5543-CH.
- Kosher Certified.
- Case quantity: 12/case



10 OZ. AEROSOL
MFR #01716
A&M #277111

\$10²³

APPLICATIONS:

Castors	Rollers
Chutes & Conveyors	Pins
Food Racks	Rings
Guards & Guide	Rubber Mountings
Rails	Seals
Plastic Gears	Slides



LPS® DETEX® BELT DRESSING

Eliminates slippage and squeaks on all belt types and extends belt life, keeping critical drive systems operational.

- NSF H1 lubricant can be used anywhere within a facility where incidental food contact may occur.
- Prevents belt slippage and squeaks on all belt types.
- Withstands frequent wash downs, extending maintenance cycles and reducing downtime.
- Contains no chlorinated solvents that deteriorate drive belts.
- May be used indoors or in wet/outdoor conditions.
- Metal and X-ray detectable packaging.
- Halal Product Certified #HP-5543-CH.
- Kosher Certified.
- Case quantity: 12/case



10 OZ. AEROSOL
MFR #02216
A&M #23152

\$11⁹⁹

APPLICATIONS:

Appliance Drive Belts
Bushings
Flat Belts
Polishing Belts
Round Belts



LPS® DETEX® FOOD GRADE MACHINE OIL

A versatile, multi-purpose lubricant, Food Grade Machine Oil is NSF H1 approved for use in food processing facilities where incidental food contact may occur. It penetrates quickly to loosen frozen nuts and bolts while eliminating sticking, binding, and squeaking in metal parts. The colorless formula will not stain products or equipment.

APPLICATIONS:

Castors	Filling Equipment
Chains	Food Racks
Channels	Food Service Carts
Conveyors	Slicers

11 OZ. AEROSOL
MFR #01316
A&M #421626

\$11⁴⁵

- NSF H1 lubricant can be used anywhere within a facility where incidental food contact may occur.
- Eliminates sticking, binding, and squeaking.
- Oily film penetrates to loosen frozen nuts and bolts.
- Colorless formula will not stain product or equipment.
- Safe on all metal surfaces.
- Metal and X-ray detectable packaging.
- Halal Product Certified #HP-5543-CH.
- Kosher Certified.
- Case quantity: 12/case



LPS® DETEX® FOOD GRADE ELECTRONIC CLEANER



Additional LPS® DETEX® Solutions
Available, Please Call.

APPLICATIONS:

Breakers	Digital Equipment
Connectors	Office Equipment
Contacts	Printed Circuits
Controls	Switches

11 OZ. AEROSOL
MFR #58116
A&M #4755704

\$18⁸⁹

- NSF K6 electronic cleaner can be used anywhere within a facility where incidental food contact may occur.
- Removes dirt, moisture & oxides from electronic equipment.
- Plastic safe formula can be used on a variety of surfaces.
- Fast drying and residue-free for efficient maintenance cycles.
- VOC Compliant in all 50 states.
- Metal and X-ray detectable packaging.
- Halal Product Certified #HP-5543-CH.
- Kosher Certified.
- Case quantity: 12/case



Headquarters & NJ Sales Office
Rahway, NJ
800.864.2660

New England Regional Office
West Lebanon, NH
800.225.6711

Northern NJ Regional Office
Fair Lawn, NJ
800.622.1363

CT Regional Office
Middletown, CT
800.771.1233

PA Regional Office
Stroudsburg, PA
855.207.0400



DYKEM STEEL BLUE® LAYOUT FLUID

Machine shop operators depend on DYKEM® STEEL BLUE® Layout Fluid to scribe sharp, clear, precise lines. When applied, our layout fluids provide a uniform deep blue color that prevents glare and dries in minutes. All Dykem® Layout Fluids create an extremely thin film which adds practically no thickness to the work piece and remains flexible without cracking and chipping.



- STEEL BLUE® provides a uniform deep color that prevents glare and eye strain.
- Allows for sharp, clear, and precise scribes.
- Provides a thin film without cracking/chipping and adds practically no thickness to work surface.
- Meets A-A 59168 dated 21st May 2014 paragraph 3.1.1 thru 3.2.4.4 with the exception of 3.3 (chemical resistance to chlorinated solvents).
- Dries within minutes.
- Reveals defects and pinholes in a variety of surfaces.
- Great for inspection of gear tooth contact patterns.
- Available in multiple package sizes.
- Does not contain any reportable amounts of Xylene.
- Case quantity: 12/case

APPLICATIONS:

Safe on most surfaces.
Removable with DYKEM® Remover & Cleaner.
Surface tests should be run to determine compatibility prior to use.

DESCRIPTION	MFR #	A&M #	SALE PRICE
2 OZ. FELT TIP APPLICATOR	80200	95105	\$8.17
4 OZ. BRUSH-IN-CAP	80300	101142	\$9.81
8 OZ. BRUSH-IN-CAP	80400	107252	\$13.57
16 OZ. AEROSOL	80000	83835	\$15.29



SCAN TO LEARN MORE
ABOUT STEEL BLUE® LAYOUT FLUID



DYKEM STEEL RED™ LAYOUT FLUID



- STEEL RED™ provides a uniform deep color that prevents glare and eye strain.
- Allows for sharp, clear, and precise scribes.
- Provides a thin film without cracking/chipping and adds practically no thickness to work surface.
- Meets A-A 59168 dated 21st May 2014 paragraph 3.1.1 thru 3.2.4.4 with the exception of 3.3(chemical resistance to chlorinated solvents).
- Dries within minutes.
- Reveals defects and pinholes in a variety of surfaces.
- Great for inspection of gear tooth contact patterns.
- Available in multiple package sizes.
- Does not contain any reportable amounts of Xylene.
- Case quantity: 12/case

APPLICATIONS:

Safe on most surfaces.
Removable with DYKEM® Remover & Cleaner.
Surface tests should be run to determine compatibility prior to use.

DESCRIPTION	MFR #	A&M #	SALE PRICE
2 OZ. FELT TIP APPLICATOR	80296	5204495	\$8.17
4 OZ. BRUSH-IN-CAP	80396	107001	\$9.81
8 OZ. BRUSH-IN-CAP	80496	112978	\$13.57
16 OZ. AEROSOL	80096	89144	\$16.36



SCAN TO SHOP DYKEM
ONLINE-ONLY PROMOTIONS



DYKEM CROSS CHECK™ TORQUE SEAL® TAMPER-PROOF INDICATOR PASTE

A&M TOP SELLER
INDUSTRIAL

DYKEM® Cross Check™ Torque Seal® Tamper-Proof Indicator Paste provides a convenient visual method for identification of vibratory loosening or tampering in nuts, bolts, fasteners, and assemblies. Provides warranty protection against tampering. Marks will be easily broken if parts are tampered with or become loose. Highly visible under ambient light and fluorescent under UV light. Excellent adhesion to metal and other substrates.

FREE SHIPPING
WHEN YOU PURCHASE
24 TUBES OR MORE!!!

MIX &
MATCH COLORS!
FREE SHIPPING
WHEN YOU BUY
24 TUBES OR MORE!!!

APPLICATIONS:

Assemblies
Bolts
Fasteners
Nuts

SCAN TO LEARN MORE
ABOUT CROSS CHECK™ TORQUE SEAL®

A&M INDUSTRIAL INSIGHTS



- Tamper proof torque mark.
- Safe for most surfaces.
- Highly visible- blue, yellow, red, green, and orange colors are fluorescent under black light.
- Excellent adhesion.
- Visually detects loose nuts & bolts.
- Provides warranty protection.
- 3 Year Shelf Life.
- Case quantity: (24) 1 oz. tubes

Specifications:

- Approved product replacement for Organic Products Company F-900 Torque Seal.
- BOEING Specification, BMS8-45 Type II.
- NORTHROP GRUMMAN GC115UG rev K - Colors: Orange, Red, Yellow, Blue, White, Pink.
- Lockheed Martin 302-40812.
- CPW487 Rev. B.

DESCRIPTION	MFR #	A&M #	SALE PRICE
ORANGE 1 OZ. TUBE	83314	4553951	\$6.50
GREEN 1 OZ. TUBE	83315	6195964	\$6.50
RED 1 OZ. TUBE	83316	4708718	\$6.50
YELLOW 1 OZ. TUBE	83317	4792297	\$6.50
BLUE 1 OZ. TUBE	83318	4818509	\$6.50
WHITE 1 OZ. TUBE	83319	4708152	\$6.50
PINK 1 OZ. TUBE	83320	4748078	\$6.50
GRAY 1 OZ. TUBE	83321	6195963	\$6.50

DYKEM REMOVER & PREP

The preferred solution for removal of DYKEM® Layout Fluids. DYKEM® REMOVER & PREP is non-chlorinated and leaves no residue, preparing the part for the next production.



Additional Sizes Available,
Please Call.

DESCRIPTION	MFR #	A&M #	SALE PRICE
930 ML	82638	136412	\$17.96
1 GALLON	82738	10734	\$51.41

- Removes layout fluids from metal surfaces.
- Dries in minutes.
- Does not contain toluene or chlorinated solvents.
- Leaves no residue.
- Case quantity: 12/case (930 ml), 4/case (1 gallon)



Headquarters & NJ Sales Office
Rahway, NJ
800.864.2660

New England Regional Office
West Lebanon, NH
800.225.6711

Northern NJ Regional Office
Fair Lawn, NJ
800.622.1363

CT Regional Office
Middletown, CT
800.771.1233

PA Regional Office
Stroudsburg, PA
855.207.0400

A&M INDUSTRIAL
PRODUCTS • SERVICES • SOLUTIONS

SCRUBS® ALL PURPOSE CLEANING WIPES

FREE 
SHIPPING
ON CASE PURCHASES!



- SCRUBS® All Purpose Cleaning Wipes combine a powerful solvent blend with a highly effective detergent and emulsifier package with a strong wipe that handles a variety of cleaning tasks.
- Featuring a pleasant citrus scent, these wipes contain no harsh chemicals and do not leave a heavy residue.
- Quick clean of hands on the go or when traditional hand washing facilities are not readily available.
- The wipes can handle tough messes without tearing or falling apart during use.
- Packed with enough cleaning power to tackle multiple messes with each wipe.

APPLICATIONS:

Airport Terminals	Kitchens & Restaurants
Auto Interiors	Marinas
Bus Stations	Office Buildings
Cafeterias & Food Courts	Schools
Child Care Facilities	Spas
Gyms	Train Stations & More!

DESCRIPTION	MFR #	A&M #	SALE PRICE
(80) 10" X 12" TOWELS PER TUB, 6 TUB CASE	96580	6476514	\$65.00/CASE

SCRUBS® SCRUBS IN-A-BUCKET® HAND CLEANER TOWELS

FREE 
SHIPPING
ON CASE PURCHASES!



SCRUBS IN-A-BUCKET® Hand Cleaner Towels combine an advanced cleaning formula with a strong, dual-textured towel to thoroughly clean hands and surfaces ANYWHERE, ANYPLACE, ANYTIME!® The clean, citrus-scented formula loosens and dissolves industrial soils while leaving hands free from dryness and irritation. The Rough Touch® blue towel locks in soil to prevent it from transferring back onto hands and surfaces. Hands are left feeling clean with no sticky residue and no rinsing required.

- Clean, citrus fragrance.
- Advanced cleaning power.
- For use on hands & surfaces.
- No sticky residue.



Additional Sizes Available,
Please Call.

APPLICATIONS:

Adhesives & Epoxies	"Icky-PIC"
Asphalt	Inks & Dyes
Cable Jelly	Oils
Caulks	Paints
Dirt	Tar
Grease & Lubricants	Urethanes

DESCRIPTION	MFR #	A&M #	SALE PRICE
(72) 10" X 12" TOWELS PER TUB, 2 TUB PACK	42272	6406886	\$30.00/2-PACK
(72) 10" X 12" TOWELS PER TUB, 6 TUB CASE	42272	6163175	\$75.00/CASE

SCRUBS® SCRUBS IN-A-BUCKET® HAND CLEANER TOWELS REFILL PACK

Refill Your Existing SCRUBS In-A-Bucket® Containers • Reduce Cost Per Use & Increase Sustainability

FREE 
SHIPPING
ON CASE PURCHASES!

NEW!



ONLY
\$66⁰⁰
PER CASE!

Cut plastic waste by 83% with SCRUBS In-A-Bucket® Refill Packs! Reuse your existing SCRUBS® bucket to reduce plastic waste and your facility's environmental footprint. The soft refill pack saves shelf space and is more affordable than the standard 72-towel bucket—lowering your supply costs without compromising cleaning power.

- Case quantity: 6/case



SCAN TO LEARN MORE
ABOUT HOW SCRUBS REFILLS REDUCE
OVERALL COSTS & ENVIRONMENTAL IMPACT

 **INDUSTRIAL INSIGHTS**

DESCRIPTION	MFR #	A&M #	SALE PRICE
(72) 10" X 12" TOWELS PER REFILL PACK	42270	421626	\$11.00/EA.

Valid thru 10/31/25 in US only. Specifications and pricing are subject to change without notice. Not responsible for typographical errors. Offers cannot be combined with any other promotional or discount offers. Please see our website for a full listing of our Terms & Conditions. *Free shipping of SCRUBS 6-unit cases (A&M #6476514, #6163175 or #421626) in continental US only. **Free shipping of your ITW Pro Brand purchase from this flyer of \$250 or more in continental US only. ††Free Shipping on Cross-Check purchases of 24 tubes or more. †Spend \$500 or more on any ITW PRO BRANDS products and get a free case of all purpose scrubs (A&M #6476514), shipped for free. Limit two per customer and must be two separate orders which may not be placed the same day.



800.864.2660 | WWW.AM-IND.COM