

3M offers a full line of abrasives solutions for all applications and materials, see shop-am.ind.com

Don't see a 3M product you are looking for?

Visit us online for **over 28,500 3M products** or call a sales representative today!



3M™ SCOTCH-BRITE™ HAND PADS


Scotch-Brite™ Hand Pads give you a fast, consistent scuff for everyday surface preparation. Ideal for cleaning parts and scuffing prior to staining and painting. Also, a great alternative to steel wool — similar performance without the rusting or splintering.

Scotch-Brite™ Hand Pad Selection Guide


| Performance | Blending | Finishing | Cleaning |
|----------------|---------------|---------------|-------------------|
| Premium | 7447/7448 PRO | 7447/7448 PRO | 8447/Durable Flex |
| Premium | 7440, 8447 | 7440 | 7447, 7447 PRO |
| Premium | 7446, 7447 | 7446 | 8447 |

Less Aggressive/Finer Finish

More Aggressive/Coarser Finish



| ORDER # | DESCRIPTION | SIZE | QUANTITY | MODEL # | PRICE PER BOX |
|---------|---|---------|----------|----------|---------------|
| 291522 | Scotch-Brite™ Heavy Duty Hand Pad 7440 | 6" X 9" | 20/Box | 7440 | \$75.54 |
| 166959 | Scotch-Brite™ Light Cleansing Hand Pad 7445, HP-HP, Nepheline Syenite Super Fine, White | 6" X 9" | 20/Box | 7445 | \$33.39 |
| 24497 | Scotch-Brite™ Blending Hand Pad 7446, S MED | 6" X 9" | 20/Box | 7446 | \$55.14 |
| 23303 | Scotch-Brite™ Hand Pad 7447, HP-HP, A/O Very Fine, Maroon | 6" X 9" | 20/Box | 7447 | \$28.07 |
| 4653016 | Scotch-Brite™ 7447 PRO Hand Pad | 6" X 9" | 20/Box | 7447 PRO | \$31.05 |
| 20441 | Scotch-Brite™ Hand Pad 7448, HP-HP, SiC Ultra Fine, Gray | 6" X 9" | 20/Box | 7448 | \$32.50 |



SHOP.AM-IND.COM | WWW.AM-IND.COM

Headquarters & NJ Sales Office
Rahway, NJ
800.864.2660

New England Regional Office
West Lebanon, NH
800.225.6711

Northern NJ Regional Office
Fair Lawn, NJ
800.622.1363

CT Regional Office
Middletown, CT
800.771.1233

PA Regional Office
Stroudsburg, PA
855.207.0400



3M™ FLAP DISCS




3M™ Flap Discs offer an unbeatable system for grinding and blending in one easy step. The construction wears away, exposing fresh mineral to extend disc life and provide consistent cut rates. Great for weld grinding, blending, deburring, rust removal, surface prep and edge grinding on all types of metals. Available in both T29 or T27 constructions with or without the 5/8–11 hub.



769F Flap Disc




Cubitron™ II 967A Flap Disc




3M Precision-Shaped Grain

3M Precision-Shaped Grain in the Cubitron II discs continuously fractures to form sharp points and edges — slicing cleaner, faster, staying cooler and lasting many times longer.



VS.



Conventional Grain

Conventional ceramic abrasive grain is irregular in shape. Instead of a clean, machining action, the grain “plows” through the metal, causing heat build up, slower cutting and shorter life.



3M™ Flap Disc Selection Guide

| Product | Mineral Type | Type of Backing | Performance | 4-1/2" x 7/8" | | 4-1/2" x 5/8–11 | | 7" x 7/8" | | 7" x 5/8–11 | |
|---------------------------------|------------------------|-----------------|-------------|---------------|-----|-----------------|-----|-----------|-----|-------------|-----|
| | | | | T27 | T29 | T27 | T29 | T27 | T29 | T27 | T29 |
| 3M™ Cubitron™ II Flap Disc 967A | Precision-Shaped Grain | Cloth | Premium | ● | ● | ● | ● | ● | ● | ● | ● |
| 3M™ Cubitron™ II Flap Disc 969F | Precision-Shaped Grain | Polyester | Premium | ● | ● | ● | ● | ● | ● | ● | ● |
| 3M™ Flap Disc 769F | Precision-Shaped Grain | Polyester | Advanced | ● | ● | ● | ● | ● | ● | ● | ● |
| 3M™ Flap Disc 577F | Alumina Zirconia | Polyester Cloth | Good | ● | ● | ● | ● | ● | ● | ● | ● |

| ORDER # | DESCRIPTION | GRADE | RPM | QUANTITY | MODEL # | PRICE PER EACH |
|---------|--|-------|--------|----------|---------|----------------|
| 4790975 | 3M™ Flap Disc 769F, 40+, T27, 4-1/2" x 7/8" | 40 | 13,300 | 10/Case | 05903 | \$4.50 |
| 4807257 | 3M™ Flap Disc 769F, 60+, T27, 4-1/2" x 7/8" | 60 | 13,300 | 10/Case | 05904 | \$5.21 |
| 4676933 | 3M™ Cubitron™ II Flap Disc 967A, 60+, T27 Quick Change, 4-1/2" x 5/8"-11 | 60 | 13,300 | 10/Case | 55606 | \$9.33 |
| 4665474 | 3M™ Cubitron™ II Flap Disc 967A, 60+, T27, 4-1/2" x 7/8" | 60 | 13,300 | 10/Case | 55603 | \$8.18 |

| ORDER # | DESCRIPTION | GRADE | RPM | QUANTITY | MODEL # | PRICE PER CASE |
|---------|--|-------|--------|----------|---------|----------------|
| 4718486 | 3M™ Cubitron™ II Flap Disc 969F, 40+, T27, 4-1/2" x 7/8" | 40 | 13,300 | 10/Case | 64376 | \$87.37 |
| 4710704 | 3M™ Cubitron™ II Flap Disc 969F, 80+, T29 Quick Change, 4-1/2" x 5/8"-11 | 80 | 13,300 | 10/Case | 64393 | \$108.05 |



SHOP.AM-IND.COM

WWW.AM-IND.COM

Headquarters & NJ Sales Office
Rahway, NJ
800.864.2660

New England Regional Office
West Lebanon, NH
800.225.6711

Northern NJ Regional Office
Fair Lawn, NJ
800.622.1363

CT Regional Office
Middletown, CT
800.771.1233

PA Regional Office
Stroudsburg, PA
855.207.0400

3M™ CUBITRON™ II DEPRESSED CENTER GRINDING WHEELS



- 3M Precision-shaped grain engineered to cut faster than competitive ceramic products, offering significant productivity gains.
- Triangular shaped ceramic grain wears evenly, runs cool, and optimizes mineral breakdown, for extra-long life.
- Reduces changeouts and downtime in robotic and pressure-assisted applications.
- Rigid, reinforced resin-bonded wheel slices through almost all materials including stainless steel, mild steel, and aerospace alloys.
- Wheel must have a maximum operating speed greater than or equal to the maximum speed of the power tool used.
- Must be used with ANSI-approved guard that fits the size of the wheel.



Model #78468-Q



Model #64320

| ORDER # | DESCRIPTION | MAX RPM | MODEL # | PRICE PER EACH |
|---------------------|--|---------|---------|----------------|
| 4723714 | 3M™ Cubitron™ II Depressed Center Grinding Wheel, T27 4" x 1/4" x 5/8" | 15,300 | 78468-Q | \$11.88 |
| 4710673 | 3M™ Cubitron™ II Depressed Center Grinding Wheel, T27 4-1/2" x 1/4" x 7/8" | 13,300 | 78466-Q | \$11.52 |
| QUICK CHANGE | | | | |
| 4710817 | 3M™ Cubitron™ II Depressed Center Grinding Wheel, T27 Quick Change, 4-1/2" x 1/4" x 5/8-11 | 13,300 | 64320 | \$12.61 |
| 4717650 | 3M™ Cubitron™ II Depressed Center Grinding Wheel, T27 Quick Change, 7" x 1/4" x 5/8"-11" | 8,500 | 64319 | \$20.01 |

3M™ CUBITRON™ II CUT-OFF WHEELS



- 3M™ Cubitron™ II cut-off wheels with precision-shaped grain are engineered to cut faster than competitive ceramic products, offering significant productivity gains.
- Triangular shaped ceramic grain wears evenly, runs cool, and optimizes mineral breakdown, for extra long life.
- Rigid, reinforced resin-bonded wheel slices through almost all materials including stainless steel, mild steel, and aerospace alloys.
- Wheel must have a maximum operating speed greater than or equal to the maximum speed of the power tool used.

• **MUST BE USED WITH A WHEEL GUARD THAT FITS THE SIZE OF THE CUT-OFF WHEEL.**



| ORDER # | DESCRIPTION | MAX SPEED | MODEL # | PRICE PER EACH |
|----------------|---|-----------|---------|----------------|
| 4755543 | 3M™ Cubitron™ II Cut-Off Wheel, T1, 3" x .035" x 3/8", 60 Grit | 100 MPS | 66514 | \$5.98 |
| 4712212 | 3M™ Cubitron™ II Cut-Off Wheel, T1, 6" x .045" x 7/8", 60 Grit | 80 MPS | 66527 | \$6.71 |
| 4710814 | 3M™ Cubitron™ II Cut-Off Wheel, T1, 7" x .045" x 7/8", 60 Grit | 80 MPS | 66528 | \$9.12 |
| TYPE 27 | | | | |
| 4636308 | 3M™ Cubitron™ II Cut-Off Wheel, Type 27, 4-1/2" x .045" x 7/8", 36 Grit | 80 MPS | 66531 | \$6.84 |



SHOP.AM-IND.COM | WWW.AM-IND.COM

Headquarters & NJ Sales Office
Rahway, NJ
800.864.2660

New England Regional Office
West Lebanon, NH
800.225.6711


Northern NJ Regional Office
Fair Lawn, NJ
800.622.1363

CT Regional Office
Middletown, CT
800.771.1233

PA Regional Office
Stroudsburg, PA
855.207.0400



3M™ HOOKIT™ GOLD FILM DISC 255L



- Aluminum oxide abrasive offers a fast cut, long life, and professional performance on many surfaces.
- Tear-resistant film backing provides a close-tolerance, consistent finish.
- 3M™ Hookit™ discs are easy to change and reuse, maximizing utility for the life of the disc.
- Open coat construction provides a more aggressive cut.
- Load-resistant coating prevents dust and debris from clogging the disc.



| ORDER # | DESCRIPTION | GRADE | QUANTITY | MODEL # | PRICE PER BOX |
|---------|---|-------|----------|---------|---------------|
| 4679212 | 255L, 5" x NH, D/F 5 HL P80, Die 500FH | 80 | 75/Box | 01067 | \$80.32 |
| 4807781 | 255L, 5" x NH, D/F 5 HL P120, Die 500FH | 120 | 100/Box | 01065 | \$90.42 |
| 4809094 | 255L, 5" x NH, 5 Hole, P220, D/F, Die 500FH | 220 | 100/Box | 01062 | \$90.42 |

3M™ HOOKIT™ FILM DISC 360L



- Aluminum oxide abrasive offers a fast cut and long life, and performs well on many surfaces.
- Durable film backing is tear-resistant and provides a close-tolerance, consistent finish.
- Open coat construction helps reduce loading and provides a more aggressive cut.
- 3M™ Hookit™ Disc is easy to change and reuse, maximizing utility for the life of the disc.
- Suitable for sanding and finishing on composites, gel coats, fiberglass, and other solid surface materials.



| ORDER # | DESCRIPTION | GRADE | QUANTITY | MODEL # | PRICE PER BOX |
|---------|---|-------|----------|---------|---------------|
| 5002900 | 360L, P320, 5" x NH, Die 500X | 320 | 100/Box | 55717 | \$58.00 |
| 5002902 | 360L, P400, 5" x NH, D/F 5HL, Die 500FH | 400 | 100/Box | 19633 | \$58.00 |
| 5002903 | 360L, P600, 5" x NH, Die 500X | 600 | 100/Box | 55721 | \$58.00 |
| 5002904 | 360L, P800, 5" x NH, Die 500X | 800 | 100/Box | 55722 | \$58.00 |
| 5002905 | 360L, P1000, 5" x NH, Die 500X | 1000 | 100/Box | 55723 | \$58.00 |

3M™ XTRACT™ CUBITRON™ II NET DISCS 710W



Featured Applications:

- Metal fabrication
- Primer sanding
- Gelcoat sanding
- Composite sanding
- Woodworking

- Precision Shaped Grain technology helps provide fast cut and long life.
- Mesh backing helps with dust extraction allowing 95% to 97% removal of sanding dust.
- Helps provide a cleaner work environment than using traditional discs with dust extraction holes.
- Hook-and-loop backing helps make disc changes quick and easy.
- Ideal for a wide variety of substrates and applications including stock removal and fine finishing.
- Available in a range of grades from 80+ to 320+.



| ORDER # | DISC SIZE | GRIT | PRICE PER EACH |
|---------|-----------|------|----------------|
| 5131477 | 5" | 80 | \$0.46 |
| 5131465 | 5" | 120 | \$0.46 |
| 5131467 | 5" | 150 | \$0.46 |
| 5131469 | 5" | 180 | \$0.48 |
| 5131471 | 5" | 220 | \$0.46 |
| 5131473 | 5" | 240 | \$0.48 |
| 5131475 | 5" | 320 | \$0.48 |

SOLD IN CASES OF 300 DISCS

| ORDER # | DISC SIZE | GRIT | PRICE PER EACH |
|---------|-----------|------|----------------|
| 5131478 | 6" | 80 | \$0.75 |
| 5131466 | 6" | 120 | \$0.75 |
| 5131468 | 6" | 150 | \$0.75 |
| 5131470 | 6" | 180 | \$0.75 |
| 5131472 | 6" | 220 | \$0.75 |
| 5131474 | 6" | 240 | \$0.75 |
| 5131476 | 6" | 320 | \$0.75 |

SOLD IN CASES OF 300 DISCS

3M™ FIBRE DISC 787C FOR STAINLESS STEEL NON-FERROUS METALS



- Optimized for stainless steel and non-ferrous metals like aluminum and titanium.
- Cuts cooler, faster and lasts longer than conventional ceramic discs in applications like weld removal, beveling, edge chamfering and more.
- Made with 3M Precision-Shaped Grain, for outstanding speed and long life.
- Cuts cooler, faster and longer than alumina zirconia (AZ) and conventional ceramic abrasives.

| ORDER # | DESCRIPTION | GRADE | QUANTITY | MODEL # | PRICE PER EACH |
|-----------------|--|-------|----------|---------|----------------|
| 4770819 | 3M™ Fibre Disc 787C, 36+, 4-1/2" x 7/8", Die 450E | 36+ | 25/Box | 89627 | \$4.38 |
| 4770820 | 3M™ Fibre Disc 787C, 60+, 4-1/2" x 7/8", Die 450E | 60+ | 25/Box | 89636 | \$3.37 |
| 4726499 | 3M™ Fibre Disc 787C, 80+, 4-1/2" x 7/8", Die 450E | 80+ | 25/Box | 89645 | \$3.24 |
| 4727478 | 3M™ Fibre Disc 787C, 120+, 4-1/2" x 7/8", Die 450E | 120+ | 25/Box | 89654 | \$3.14 |
| 4711428 | 3M™ Fibre Disc 787C, 60+, 5" x 7/8", Die 500P | 60+ | 25/Box | 89637 | \$3.21 |
| 4713222 | 3M™ Fibre Disc 787C, 36+, 7" x 7/8", Die 700BB | 36+ | 25/Box | 89629 | \$4.25 |
| 4721410 | 3M™ Fibre Disc 787C, 60+, 7" x 7/8", Die 700BB | 60+ | 25/Box | 89638 | \$4.04 |
| 4732449 | 3M™ Fibre Disc 787C, 80+, 7" x 7/8", Die 700BB | 80+ | 25/Box | 89647 | \$3.80 |
| TN QUICK CHANGE | | | | | |
| 4710823 | 3M™ Fibre Disc 787C, TN Quick Change, 4-1/2" 36+ | 36+ | 25/Box | 89633 | \$4.89 |
| 4710824 | 3M™ Fibre Disc 787C, TN Quick Change, 4-1/2" 60+ | 60+ | 25/Box | 89642 | \$4.73 |



TN Quick Change

3M™ CUBITRON™ II FIBRE DISC 982C



- 3M precision-shaped grain, engineered with ultra-sharp, fast cutting points that wear evenly, run cool, and optimize mineral breakdown to maximize life.
- Best in class for weld prep and removal on carbon steel applications.

| ORDER # | DESCRIPTION | GRADE | QTY | MODEL # | PRICE PER EACH |
|-----------------|--|-------|--------|---------|----------------|
| 4643927 | 3M™ Cubitron™ II Fibre Disc 982C, 36+, 4-1/2" x 7/8", Die 450E | 36+ | 25/Box | 27400 | \$5.13 |
| 4635387 | 3M™ Cubitron™ II Fibre Disc 982C, 36+, 5" x 7/8", Die 500P | 36+ | 25/Box | 27401 | \$5.67 |
| TN QUICK CHANGE | | | | | |
| 4769514 | 3M™ Cubitron™ II Fibre Disc 982C, TN Quick Change, 4-1/2", 60+ | 60+ | 25/Box | 27639 | \$5.65 |



Don't see a 3M product you are looking for?

Visit us online for over **28,500 3M products** or call a sales representative today!



AVAILABLE 3M™ SOLUTIONS INCLUDE:

EYE PROTECTION • RESPIRATORY PROTECTION • HEARING PROTECTION • SPILL CONTAINMENT • TAPES & ADHESIVES

SHOP.AM-IND.COM | WWW.AM-IND.COM

Headquarters & NJ Sales Office
Rahway, NJ
800.864.2660

New England Regional Office
West Lebanon, NH
800.225.6711

Northern NJ Regional Office
Fair Lawn, NJ
800.622.1363

CT Regional Office
Middletown, CT
800.771.1233

PA Regional Office
Stroudsburg, PA
855.207.0400



3M™ abrasive solutions

3M™ 577F ZIRCONIA BELTS



- Alumina zirconia on a YF weight cloth backing.
- Resin bonded for heat resistance, with a grinding aid for cooler grinding.
- For wet or dry use on backstand, benchtop, slack of belt, portable, flat finishing, centerless and roll grinding equipment.



| ORDER # | WIDTH | LENGTH | GRIT | PRICE PER EACH |
|---------|-------|--------|------|----------------|
| 4770593 | 1/4" | 18" | 80 | \$1.54 |
| 4770603 | 1/4" | 24" | 120 | \$1.58 |
| 4639695 | 1/2" | 18" | 36 | \$2.36 |
| 4770597 | 1/2" | 18" | 80 | \$1.65 |
| 4644848 | 1/2" | 18" | 120 | \$1.65 |
| 4791157 | 1/2" | 24" | 36 | \$2.14 |

| ORDER # | WIDTH | LENGTH | GRIT | PRICE PER EACH |
|---------|--------|--------|------|----------------|
| 4870481 | 1/2" | 24" | 120 | \$1.74 |
| 4770653 | 1-1/2" | 30" | 60 | \$3.31 |
| 4770654 | 1-1/2" | 30" | 80 | \$3.08 |
| 4770655 | 1-1/2" | 30" | 120 | \$3.08 |
| 4713497 | 37" | 60" | 80 | \$127.00 |
| 4717532 | 37" | 60" | 180 | \$127.00 |

3M™ 777F CERAMIC BELTS



- 3M ceramic aluminum oxide blend abrasive grain on a YF weight cloth backing.
- Contains grinding aid which enhances performance on stainless steel and other exotic alloys.
- For wet or dry use on backstand, benchtop, slack of belt, portable, flat finishing, centerless and roll grinding equipment.



| ORDER # | WIDTH | LENGTH | GRIT | PRICE PER EACH |
|---------|-------|--------|------|----------------|
| 4546276 | 1/4" | 18" | 60 | \$3.04 |
| 4770605 | 1/4" | 24" | 40 | \$2.59 |
| 4770604 | 1/4" | 24" | 60 | \$2.48 |
| 4632934 | 1/2" | 24" | 60 | \$3.01 |
| 4804400 | 1/2" | 24" | 120 | \$2.77 |
| 4546368 | 2" | 60" | 36 | \$14.98 |
| 4770688 | 2" | 60" | 60 | \$12.50 |

| ORDER # | WIDTH | LENGTH | GRIT | PRICE PER EACH |
|---------|--------|---------|------|----------------|
| 640044 | 2" | 60" | 80 | \$11.42 |
| 4770691 | 2" | 60" | 120 | \$11.14 |
| 4770740 | 3-1/2" | 15-1/2" | 36 | \$15.63 |
| 4694736 | 3-1/2" | 15-1/2" | 60 | \$12.44 |
| 62675 | 3-1/2" | 15-1/2" | 80 | \$11.37 |
| 4770742 | 3-1/2" | 15-1/2" | 120 | \$11.61 |
| 4770743 | 3-1/2" | 15-1/2" | 180 | \$11.61 |



SHOP.AM-IND.COM | WWW.AM-IND.COM

Headquarters & NJ Sales Office
Rahway, NJ

800.864.2660

New England Regional Office
West Lebanon, NH

800.225.6711

Northern NJ Regional Office
Fair Lawn, NJ

800.622.1363

CT Regional Office
Middletown, CT

800.771.1233

PA Regional Office
Stroudsburg, PA



855.207.0400

3M™ SCOTCH-BRITE™ SC SURFACE CONDITIONING BELTS



Scotch-Brite™ Surface Conditioning Belts The easiest way to a perfect finish. Choose Scotch-Brite™ Surface Conditioning Belts for cleaning, finishing, blending and deburring. The reinforced backing offers good flexibility whether working on a file belt or backstand. The non-woven material combined with abrasive grain is an ideal way to add a great finish or remove burrs without gouging or undercutting the work piece. Trust Scotch-Brite™ Belts to deliver fantastic finishes.

- Premium Scotch-Brite surface conditioning non-woven web.
- Designed for cleaning, finishing and light deburring.
- For use on portable, benchtop and backstand equipment.



| Recommended Backings | | File Belt | In-Line Sander | Stroke Sander | Back Stand | Centerless/Cylindrical | Flat Finishing |
|--|-------------|-----------|----------------|---------------|------------|------------------------|----------------|
| Scotch-Brite™ DF Surface Conditioning Belt | Low Stretch | ◆ | □ | | ◆ | ◆ | □ |
| | Scrim | □ | ◆ | | | | |
| Scotch-Brite™ SC Surface Conditioning Belt | Low Stretch | | | | □ | □ | ◆ |
| | Film Backed | | | ◆ | | | |
| Scotch-Brite™ SE Surface Conditioning Belt | Scrim | □ | □ | | | | |
| | Low Stretch | | | | □ | □ | □ |
| | Film Backed | | | □ | | | |

| ORDER # | WIDTH | LENGTH | GRADE | PRICE PER EACH |
|---------|-------|--------|-----------|----------------|
| 4683618 | 1/4" | 18" | Medium | \$3.65 |
| 4712482 | 1/4" | 24" | Coarse | \$4.85 |
| 4712481 | 1/4" | 24" | Medium | \$4.85 |
| 4729951 | 1/2" | 12" | Very Fine | \$4.63 |
| 4566715 | 1/2" | 18" | Medium | \$7.27 |
| 4566713 | 1/2" | 18" | Very Fine | \$7.27 |
| 4632937 | 1/2" | 24" | Coarse | \$9.71 |
| 4734712 | 1/2" | 24" | Medium | \$9.25 |

| ORDER # | WIDTH | LENGTH | GRADE | PRICE PER EACH |
|---------|--------|---------|-----------|----------------|
| 4771046 | 1-1/2" | 30" | Medium | \$25.65 |
| 4679162 | 2" | 48" | Medium | \$25.61 |
| 4771052 | 2" | 60" | Coarse | \$33.54 |
| 140083 | 3-1/2" | 15-1/2" | Medium | \$28.95 |
| 4566716 | 3-1/2" | 15-1/2" | Very Fine | \$30.92 |
| 4805147 | 5-3/8" | 11-5/8" | Medium | \$33.99 |
| 295352 | 6" | 48" | Medium | \$76.85 |

SHOP.AM-IND.COM | WWW.AM-IND.COM

Headquarters & NJ Sales Office
Rahway, NJ
800.864.2660

New England Regional Office
West Lebanon, NH
800.225.6711

Northern NJ Regional Office
Fair Lawn, NJ
800.622.1363

CT Regional Office
Middletown, CT
800.771.1233

PA Regional Office
Stroudsburg, PA
855.207.0400



3M™ SCOTCH-BRITE™ EXL AND EX2 DEBURRING WHEELS



- Versatile wheel offers reliable performance and great value.
- Full line of densities, grades and sizes for any deburring or finishing application.
- Use to clean, finish, blend, deburr or polish all types of metals, composites and glass.
- **Wheels are available in other grades and sizes. If you need a specific wheel not listed, contact your sales representative, or see our website!**




EXL Deburring Wheel



EX2 Deburring Wheel

Featured Applications:

- Deburring
- Weld Blending
- Finishing



Mineral Abbreviations (prefix to grade)

A: Aluminum Oxide mineral S: Silicon Carbide mineral

| Scotch-Brite™ Convolute Wheel | Application | | | | |
|-------------------------------|-------------|-----------|----------|-----------|-----------|
| | Cleaning | Deburring | Blending | Finishing | Polishing |
| 3M™ General Deburring (GD) | | • | | • | |
| EXL/EX2/EX3 Deburring (EXL) | | • | • | • | |
| Metal Finishing (MF) | • | | • | • | |
| Cut and Polish (CP) | | | • | • | • |
| Multi-Finishing (MU) | • | | • | • | |
| Light Deburring (LDW) | | | | • | • |
| EXL-PRO Deburring (EXL PRO) | | • | | | |

| Wheels | Substrates | | | | | | | |
|--------------------------------------|-----------------|----------|--------------------|--------------|----------|------------|---------------|-----------|
| Scotch-Brite™ Abrasive Products | Stainless Steel | Titanium | High Nickel Alloys | Metal Alloys | Plastics | Composites | Cobalt Chrome | Zirconium |
| Scotch-Brite™ EXL-XP Deburring Wheel | x | x | x | | | | | |
| Scotch-Brite™ EXL Deburring Wheel | | | | x | x | x | | |
| Scotch-Brite™ EX2 Deburring Wheel | x | x | x | | | | | |
| Scotch-Brite™ EXL3P Deburring Wheel | x | | | | | | x | x |
| Scotch-Brite™ Light Deburring Wheel | x | | x | | x | x | | |

| ORDER # | SIZE | GRADE | MAX RPM | PRICE EACH |
|-----------------------------|----------------|-----------|---------|------------|
| EXL DEBURRING WHEELS | | | | |
| 2158841 | 6" x 1/2" x 1" | 9S Fine | 6,000 | \$62.73 |
| 453470 | 6" x 1" x 1" | 8A Medium | 6,000 | \$79.45 |
| 86559 | 6" x 1" x 1" | 9S Fine | 6,000 | \$92.00 |
| 4702582 | 8" x 1/2" x 3" | 9S Fine | 4,500 | \$78.17 |
| 359484 | 8" x 1" x 3" | 8A Medium | 4,500 | \$107.72 |
| 140039 | 8" x 1" x 3" | 9S Fine | 4,500 | \$115.04 |
| 4771180 | 8" x 2" x 3" | 9S Fine | 4,500 | \$200.60 |
| EX2 DEBURRING WHEEL | | | | |
| 4687897 | 8" x 1/2" x 3" | 8A Medium | 4,500 | \$91.14 |

Valid thru 12/31/24 in US only. Specifications and pricing are subject to change without notice. Not responsible for typographical errors. Offers cannot be combined with any other promotional or discount offers. See our website for a full listing of our Terms & Conditions.

