







SAFETY SOLUTIONS

3M™ N95 RESPIRATORS

See Page 6

MFR #8210 **A&M ITEM #41087** 20/B0X:



3M™ SECUREFIT™ 400 SERIES **EYE PROTECTION**

See Page 10

CLEAR ANTI-FOG LENS WITH FOAM GASKET MFR #SF401SGAF-BLU-F **A&M ITEM #4799917 PER PAIR ONLY:**



3M™ E-A-Rsoft™ FX™ EARPLUGS See Page 12

MFR #7000029951 **A&M ITEM #621528 200 PAIR BOX ONLY:**





800.864.2660

WWW.AM-IND.COM









A SAFER SHOP & FACILITY

Our vendor managed inventory team can ensure your facility has the safety and personal protection equipment you need, when you need it. For more information on our vending solutions, simply scan the adjacent QR code.



3M™ REUSABLE FULL FACE RESPIRATORS

7500 Series • 6100 Series • 6200 Series • 6300 Series





Machining

Masonry

Painting Pouring/Casting

Sanding Sawing

Welding

6000 Series

RECOMMENDED APPLICATIONS:

Assembly and Mechanical Chemical Clean-up & Handling

Chipping & Chiseling

Cleaning Furnace Operations

Grinding Laboratories

- For workplace/occupational use only.
- Sizes are color coded for easy identification.


7500 Series

- This series combines comfort and convenience.
- Comfortable soft, lightweight facepiece with easy-to-adjust head straps.
- NIOSH approved for negative pressure air purifying and supplied air dual airline applications.
- Can be disassembled, cleaned and reused.
- Replaceable cartridges and filters allow reuse of facepiece for cost savings.

6100, 6200 & 6300 Series

- Advance silicone material for increased comfort and greater durability.
- Proprietary 3M[™] Cool Flow[™] valve helps makes breathing easier.
- Dual-mode head harness adjusts for either standard or drop-down mode.
- Exhalation valve cover directs exhaled breath and moisture downward to reduce fogging.
- Drop-down feature allows the respirator to be taken off in a non-contaminated area without having to remove a hard hat.

We carry a wide variety of 3M[™] respiratory solutions!





A&M ITEM #	DESCRIPTION	MFR #	PRICE EACH	
7500 SERIES				
4557160	Small	7501	\$38.14	
396777	Medium	7502	\$38.14	
3623555	Large	7503	\$38.14	
6000 SERIES				
286108	Small	6100	\$17.40	
165874	Medium	6200	\$17.40	
165875	Large	6300	\$17.40	

Select the Right Respirator	5000	6000 HF	6500	7500	6000 FF	FF-400	7800S
Enhanced Durability						0	0
Maintenance Free	0						
Enhanced Comfort							
Drop-down Feature		0		•			
3M™ Cool Flow™ Valve							
Compatible with 3M™ Supplied Air System		0					
Compatible with 3M™ PAPR Systems							
Eye Protection					•		
Speaking Diaphragm							0
Accessories					•		
Spare Parts		0				•	
Six-point Head Harness							
Silicone Faceseal							
Compatible with Welding Shield		0					
Clip-on Welding Shield							•



3M™ REUSABLE FULL FACE RESPIRATORS

FF-400 Series Ultimate FX • 6000 Series





Oil & Gas

Marine

Mining

Manufacturing

Pharmaceutical

Transportation



- Large lens provides a wide field of view for excellent visibility.
- Silicone full facepiece design offers comfort, durability and ease of cleaning.
- 3M™ Cool Flow Valve makes breathing easier.
- Passive speaking diaphragm enhances communications.
- Use with 3M™ Particle Filters 2000, 2200, 7000, or 5000 Series to help filter certain particulates.
- Use with 3M[™] 6000 Series Gas/Vapor Cartridges to help filter a broad range of gases and vapors.
- Use with 3M™ 6000 Series Combination Cartridges to help filter particulates in addition to gases and vapors.
- Compatible with 3M™ TR-600 and TR-800 powered air and Dual Airline supplied air systems.
- · Head cradle helps reduce pressure points & hair pulling.
- For workplace/occupational use only.

Ultimate FX Reusable Full Face Respirators

• Scotchgard protection paint and stain resistant lens cause some liquids to bead up so they can be wiped off easily.

RECOMMENDED APPLICATIONS:

Food Manufacturing & Processing

Construction **Facility Sanitation**

Food Safety

Heavy Industrial

Industrial Maintenance

Assembly & Mechanical Laboratories Chemical Clean-up & Handling Machining Chemical Splash Masonry

Painting & Paint Preparation Chipping & Chiseling

Pouring/Casting Cleaning Composite Finishing Sanding Sawing **Final Finish** UV Protection **Furnace Operations** Welding Grinding

4014 17514 #	DECORIDATION	MED #	PRICE EACH	
A&M ITEM #	DESCRIPTION	MFR #	PRICE EACH	
FF-400 SERIE	S			
4695937	4695937 3M Ultimate FX Full Face-Piece Reusable Respirator, Size Small*		\$271.36	
4677539	4677539 3M Ultimate FX Full Face-Piece Reusable Respirator, Size Medium		\$271.36	
4677540	3M Ultimate FX Full Face-Piece Reusable Respirator, Size Large		\$271.36	
6000 SERIES	6000 SERIES			
3910251	3910251 3M Full Facepiece Reusable Respirator, Size Small*		\$189.65	
599852	599852 3M Full Facepiece Reusable Respirator, Size Medium		\$189.65	
3910253	3M Full Facepiece Reusable Respirator, Size Large	6900	\$189.65	

*Non-Stock Item.

3M™ RESPIRATOR CARTRIDGES

P100 Series













Mfg #60921

Mfg #60928

Mfg #60923

Mfg #60926

Mfg #60922

Mfg #60924

Mfg #60925







Mfg #7093C

- · Particulate filter is permanently attached to cartridge for easy, one-step assembly.
- · Unique design for enhanced comfort and visibility.

A&M ITEM #	DESCRIPTION	MFR #	PRICE PER PAIR
P100 SERIES			
620922	Organic Vapor Cartridge/Filter P100, 30 Pairs Per Case	60921	\$15.61
4544442	Organic Vapor Cartridge/Acid Gas Filter P100, 30 Pairs Per Case	60923	\$30.71
304597	304597 Organic Multi Gas Vapor Cartridge/Filter P100, 30 Pairs Per Case		\$17.25
4694111	4694111 Acid Gas Cartridge/Filter P100, 30 Pairs Per Case*		\$31.95
4664187	4664187 Ammonia/Methylamine Cartridge/Filter P100, 30 Pairs Per Case*		\$35.13
293807	P93807 Formaldehyde Organic Vapor Cartridge/Filter P100, 60 Pairs Per Case*		\$31.83
5133538	5133538 Organic Vapor/Acid Gas Cartridge/Filter P100, 30 Pairs Per Case*		\$48.91
4677538	Hydrogen Fluoride Cartridge/Filter P100, With Nuisance Level Organic Vapor And Acid Gas Relief, 30 Pairs Per Case*	7093C	\$19.12

^{*}Non-Stock Item, Must Buy By The Case.

3M™ RESPIRATOR CARTRIDGES

600 Series













Mfg #6001

Mfg #6003

Mfg #6002

Mfg #6004

Mfg #6005

- · Low-profile design helps maintain good field of vision.
- Full range of cartridges to meet your needs.

For 6t testing	roquiromente
ror iit testilik i	requirements,
For fit testing please call you	r local branch.

A&M ITEM # DESCRIPTION		MFR #	PRICE PER PAIR			
600 SERIES						
4819940 Filter Adapter, 16 Pairs Per Case		603	\$6.83			
166663 Organic Vapor Cartridge, 30 Pairs Per Case		6001	\$15.80			
277235 Organic Vapor/Acid Gas Cartridge, 30 Pairs Per Case		6003	\$16.70			
4607477	4607477 Multi Gas/Vapor Cartridge, 30 Pairs Per Case		\$14.40			
176554	176554 Acid Gas Cartridge, 30 Pairs Per Case*		\$17.12			
358777 Ammonia Methylamine Cartridge, 30 Pairs Per Case*		6004	\$18.69			
4554990	Formaldehyde Organic Vapor Cartridge, 30 Pairs Per Case*	6005	\$9.44			

^{*}Non-Stock Item, Must Buy By The Case.




3M™ RESPIRATOR CARTRIDGES

Particulate Filters











Mfg #5N11

Mfg #5P71






Mfg #501

Mfg #502

3M™ RESPIRATOR CARTRIDGES

P100 & P95 Particulate Filters

- · Lightweight and easy to breathe through.
- Assortment of filters available for a wide range of applications.
- Easier breathing through new 3-layer advanced Electret Filter Media in 2200 Series Filters.



A&M ITEM # DESCRIPTION		MFR #	PRICE PER CASE				
P95 SERIES	P95 SERIES						
4621336	Particulate Filter P95, 100 Each/Case*	2071	\$596.30				
4833252	4833252 Particulate Cartridge Hydrogen Fluoride P95, With Nuisance Level Acid Gas Relief, 100 Each/Case*		\$607.14				
4596521 Particulate Filter P95, With Nuisance Level Organic Vapor/Acid Gas Relief, 100 Each/Case*		2078	\$517.26				
P100 SERIES							
307410	Particulate Filter P100, With Nuisance Level Acid Gas Relief, 100 Each/Case*	2096	\$648.45				
5152725	5152725 Advanced Particulate Filter P100, With Nuisance Level Acid Gas Relief, 100 Each/Case*		\$703.56				
4723272 Advanced Particulate Filter P100, With Nuisance Level Acid Organic Vapor Relief, 100 Each/Case*		2297	\$693.00				
4677538 Hydrogen Fluoride Cartridge/Filter P100, With Nuisance Level Organic Vapor And Acid Gas Relief, 30 Pairs Per Case*		7093C	\$573.61				



Mfg #2091



Mfg #2097



Mfg #2291



Mfg #7093



Mfg #2096



Mfg #2296



Mfg #2297



Mfg #7093C



3M™ UNVALVED N95 RESPIRATORS

• Shelf life: 5 years from date of manufacture.



Don't see a 3M[™] product you are looking for? Visit us online for **over 28,500 3M[™] products** or call a sales representative today!

RECOMMENDED INDUSTRIES:

Design & Construction
Food Processing
Food and Beverage Manufacturing
General Manufacturing
Industrial

Laboratories Maintenance Marine Sanitation Transportation











			As trees	
MFR #	8210	8210PLUS*	8110S	8200/07023(AAD)
QUANTITY	20/Box	6/Pack, 8 Packs Per Case	20/Box	20/Box
CLASS/FEATURE	N95	N95	N95	N95
HEADBAND Attachment	Ultrasonically Welded	Ultrasonically Welded	Stapled	Stapled
A&M ITEM #	41087	6394093	412212	4619042
PRICE	\$25.36/B0X	\$15.72/PACK	\$23.98/B0X	\$13.94/B0X

^{*}Non-Stock Item, Must Buy By The Case.



^{*}Non-Stock Item, Must Buy By The Case.



3M™ VALVED N95 RESPIRATORS

· Shelf life: 5 years from date of manufacture.



WE CAN PARTNER WITH YOU

Our expert safety team can perform over a dozen services, ranging from respirator fit testing to Lockout/Tagout. For more information about the safety services we offer, simply scan the adjacent QR code.







MFR# **QUANTITY CLASS/FEATURE HEADBAND ATTACHMENT**

SHELF LIFE

A&M ITEM #

PRICE







MFR #	8511	9211+/37193(AAD)*	8210V	8293*	8233*
QUANTITY	10/Box	120/Case	10/Box	20/Case	20/Case
CLASS/FEATURE	N95	N95	N95	P100	N100
HEADBAND ATTACHMENT	Stapled	Stapled	Stapled	Adjustable Buckle Straps	Adjustable Buckle Straps
A&M ITEM #	132026	4678895	4624626	388582	76081
PRICE	\$23.30/B0X	\$318.11/CASE	\$16.41/B0X	\$259.83/CASE	\$230.58/CASE

^{*}Non-Stock Item, Must Buy By The Case.

3M™ WELDING & METAL POURING N95 RESPIRATORS





Mfg #8214 features foam faceseal and fully adjustable straps, designed to help enhance user comfort and increase wearability

8214	8515/07189(AAD)	8212
10/Box	10/Box	10/Box
N95, OV	N95	N95
Adjustable Buckle Straps	Stapled	Adjustable Buckle Straps
3 Years From Date Of Manufacture	2 Years From Date Of Manufacture	3 Years From Date Of Manufacture
393000	588193	114001

\$89.83/BOX

\$107.97/BOX

\$41.39/BOX

EYE PROTECTION SOLUTIONS

3M™ 3700 OTG SERIES EYE PROTECTION


With Scotchgard Anti-Fog, Anti-Scratch Coating











Brow Guard Contoured brow guard rests comfortably against forehead and helps provide additional coverage from particles. (Select Models)

Two Coating Options (Model Dependent):

Anti-Scratch Coating

 Many prescription eyeglasses do not have anti-fog coating on the lenses, therefore some workers may prefer our less expensive standard anti-scratch coating.

3M" Scotchgard" Anti-Fog Coating

- Scotchgard Anti-Fog Coating resists fogging longer than traditional anti-fog coatings, up to 25 washes with water*
- Helps provide durable scratch resistance in tough work environments.

*3M internal testing per EN168 test method when compared with traditional anti-fog coatings.

 The 3M™ innovative temple design features slotted ribs that provide comfortable pressure equalization, allowing the temples to flex and self-adjust to the size of the wearer's head.

- Curved temples apply pressure to the less sensitive back of the head, instead of the temples, achieving a comfortable fit even during rapid head movement.
- · Adjustable ratchet temples allows user to adjust lens for facial features and eyeglass position.
- · Soft one-piece nose bridge.
- · Optional contoured brow guard.
- U6 rated polycarbonate lenses absorb 99.9% of UVA, UVB, and UVC rays between 200 nm and 380 nm.
- Workers can feel confident wearing 3M[™] eye protection that meets the Impact-Rated Protector requirement of the ANSI-ISEA Z87.1 Standard.

RECOMMENDED INDUSTF	≀S∃IS
---------------------	-------

Assembly

Aviation **Automotive & Transportation**

Chemicals & Chemical Handling Mining

Chiseling

Construction & Demolition

Drilling

Facility Maintenance

Food & Beverage

General Manufacturing & Machining

Grinding

Law Enforcement

Machine Operations

Masonry

Metal Fabrication

Oil and Gas

Pharmaceuticals

Pouring/Casting

Power Fastening & Riveting

Primary Metals Remediation

Sawing


UV Protection

To learn more about the safety services we provide, please call.

ORDER #	LENS	TEMPLE COLOR	MFR #	CASE QUANTITY	PRICE EACH
4799934	Clear OTG Anti-Fog	Blue	SF3701SGAF-BLU	10 Per Case	\$12.78
6263692	Clear OTG Anti-Scratch	Blue	SF3701AS-BLU	10 Per Case	\$8.91

3M™ VIRTUA™ PROTECTIVE EYEWEAR





- · Wraparound design provides extended eye protection and unobstructed viewing.
- U6 rated polycarbonate lenses absorb 99.9% of UVA, UVB, and UVC rays between 200 nm and 380 nm.



Anti-Scratch Coating



RECOMMENDED INDUSTRIES:

Automotive	Construction	General Use
Agriculture	Electrical	Manufacturing
Assembly	Facility Maintenance & Cleaning	Painting
Automotive	Food & Beverage	Pharmaceutical

ORDER #	LENS	TEMPLE COLOR	MFR #	PRICE EACH
693580	Clear Hard Coat Lens	Clear	11326-00000-20	\$1.67
693583	Clear Anti-Fog Lens	Clear	11329-00000-20	\$2.30
4639412	Clear Anti-Fog Lens	Gray	11330-00000-20	\$2.30

3M™ SECUREFIT™ 500 SERIES EYE PROTECTION

With Scotchgard Anti-Fog Coating • With Foam Gasket









RECOMMENDED INDUSTRIES:

Automotive Mining
Construction Oil & Gas
General Manufacturing Pharmaceuticals
Metal Fabrication Primary Metals



Mfg #SF501AF-BLK



Mfg #SF501SGAF-BLK-FM



Mfg #SF502AF-BLK

ORDER #	LENS	TEMPLE COLOR	MFR #	CASE QTY.	PRICE EACH
6263688	Clear Anti-Fog Lens	Black	SF501AF-BLK	20 Per Case	\$5.18
5098957	Clear Anti-Fog Lens	Black	SF501SGAF-BLK	20 Per Case	\$8.55
6263691	Clear Anti-Fog Lens With Foam Gasket	Black	SF501SGAF-BLK-FM	20 Per Case	\$11.25
6263689	Gray Anti-Fog Lens	Black	SF502AF-BLK	20 Per Case	\$5.18
6263690	Gray Anti-Fog Lens	Black	SF502SGAF-BLK	20 Per Case	\$8.55

- The Cord Control System (CCS) keeps eyewear and earplugs attached, untangled, and ready to use.
- Wraparound design provides extended eye protection and unobstructed viewing.
- U6 rated polycarbonate lenses absorb 99.9% of UVA, UVB, and UVC rays between 200 nm and 380 nm.

3M™ VIRTUA™ CCS PROTECTIVE EYEWEAR

With Foam Gasket



Mfg #11872-00000-20



Mfg #11874-00000-20



Anti-Fog/Anti-Scratch Coating

RECOMMENDED INDUSTRIES:

Automotive Food & Beverage Metal Fabrication
Demolition & Construction Manufacturing & Machining Oil & Gas
Drilling Grinding & Sanding Painting
Electrical Marine Pharmaceuticals
Facility Maintenance Masonry Welding

ORDER #	LENS	TEMPLE COLOR	MFR #	CASE QTY.	PRICE EACH
4683986	Clear Anti-Fog Lens	Blue	11872-00000-20	20 Per Case	\$10.26
4696539	Gray Anti-Fog Lens	Gray	11873-00000-20	20 Per Case	\$10.26
4755554	Clear +1.5D Anti-Fog Lens	Blue	VC215AF	20 Per Case	\$19.89
4665541	I/O Mir Anti-Fog Lens	Blue	11874-00000-20	20 Per Case	\$11.39

+1.5 Reading Diopters



- The Cord Control System (CCS) is designed to help keep eyewear and earplugs attached, untangled, and ready to use.
- Wraparound design provides extended eye protection and unobstructed viewing.
- · Contoured temples offer a snug fit.
- U6 rated polycarbonate lenses absorb 99.9% of UVA, UVB, and UVC rays between 200 nm and 380 nm.



EYE PROTECTION SOLUTIONS

3M™ 200 SERIES EYE PROTECTION

With Scotchgard Anti-Fog Coating





Don't see a 3M[™] product you are looking for? Visit us online for **over 28,500 3M[™] products** or call a sales representative today!

- The 3M™ innovative temple design features slotted ribs that provide comfortable pressure equalization, allowing the temples to flex and self-adjust to the size of the wearer's head.
- Curved temples apply pressure to the less sensitive back of the head, instead
 of the temples, achieving a comfortable fit even during rapid head movement.
- · Lightweight design with molded nose bridge.
- U6 rated polycarbonate lenses absorb 99.9% of UVA, UVB, and UVC rays between 200 nm and 380 nm.
- Meets Impact-Rated Protector requirement of the ANSI-ISEA Z87.1 Standard.

RECOMMENDED INDUSTRIES: Automotive Heavy Infrastructure Aviation **Industrial Maintenance** Law Enforcement Chemicals **Commercial Buildings Metal Fabrication** Construction Mining **Design & Construction** Oil & Gas Food & Beverage **Pharmaceuticals Primary Metals** Food Processing & Safety General Manufacturing Transportation

ORDER#	LENS	TEMPLE COLOR	MFR #	CASE QUANTITY	PRICE EACH
4654054	Clear Lens	Clear	SF201AF	20 Per Case	\$3.15

3M™ SECUREFIT 400 SERIES EYE PROTECTION

With Scotchgard Anti-Fog Coating



- The 3M[™] innovative temple design features slotted ribs that provide comfortable pressure equalization, allowing temples to flex and self-adjust to the size of the wearer's head.
- Curved temples apply pressure to the less sensitive back of the head, instead of the temples, achieving a comfortable fit even during rapid head movement.
- Motion-inspired, contoured piping in bold, modern colors.
- U6 rated polycarbonate lenses absorb 99.9% of UVA, UVB, and UVC rays between 200 nm and 380 nm.
- Meets Impact-Rated Protector requirement of the ANSI-ISEA Z87.1 Standard.
- Case quantity: 20 pairs per case.

RECOMMENDED INDUSTRIES: Automotive Heavy Infrastructure Aviation Industrial Maintenance Chemicals Law Enforcement **Commercial Buildings Metal Fabrication** Construction Mining **Design & Construction** Oil & Gas Food & Beverage **Pharmaceuticals** Food Processing & Safety **Primary Metals** General Manufacturing Transportation



ORDER #	LENS	TEMPLE COLOR	MFR #	PRICE EACH
4665539	Clear Anti-Fog Lens	Black	SF401AF	\$4.05
4665540	Gray Anti-Fog Lens	Black	SF402AF	\$4.05
6263686	Clear Anti-Fog Lens	Blue/Gray	SF401XSGAF-BLU	\$8.55
6263687	Gray Anti-Fog Lens	Blue/Gray	SF402XSGAF-BLU	\$8.55
4799917	Clear Anti-Fog Lens With Foam Gasket	Blue/Gray	SF401SGAF-BLU-F	\$10.35

Let us help you identify the right pair of glasses for your job and application

Contact your local A&M safety specialists for assistance, or see our website for an extensive selection of 3M™ Protective Eyewear.

Features and Lens Colors:



3M[™] Pressure Diffusion Temple Technology

Eyewear temples self-adjust to a wide range of head sizes, diffusing pressure over the ear and enhancing comfort.



Adjustable Ratchet Temples

Adjusts the pantoscopic tilt of the lens to help accommodate cheek bone height and improve comfort and fit.



3M[™] Scotchgard[™] Protector **Anti-Fog Coating**

Lasts longer than traditional anti-fog coatings and remains effective for up to 25 washings with water. Coating is tested to EN168 N & K for anti-fog and anti-scratch.



Brow Guard

Additional top coverage during impact and leaves room to help airflow.



Foam Gasket

Helps limit eye exposure to debris but not as tight as a goggle.



Goggles

Designed to seal to the face. Can be splash/ droplet, dust and/or fine dust rated.



Cord Control System (CCS)

Designed to keep eyewear and earplugs attached, untangled and ready to use.

Lens Colors & Functions



Highest visual acuity and color recognition



Reduces overall brightness of visible light



Reduces overall brightness. typically allowing color recognition

Increases contrast by filtering

hazy and blue-colored light



Helps improve visual

acuity and contrast

BLUE

(excl. "sodium blue")

Reduces brightness and glare from yellow light sources. Not intended for use in glass blowing.



INFRARED FILTERS

Reduces infrared radiation



INDOOR/OUTDOOR

Slightly reduces overall

brightness of visible light

PHOTOCHROMIC

to UV light (outdoors) and lightens when UV light is reduced (indoors)



ORANGE

Reduces blue light in specific applications, e.g., blue light curing



MIRRORED

Reflects light sources, helping reduce brightness

Ear plug care & usage tips

A&M Industrial carries a wide selection of 3M™ Hearing Protection Solutions.

Contact our expert safety team for assistance with selecting the best hearing protection and PPE for your facility or application.

Type	Description	How To Use	Care & Cleaning
Foam Plugs	Foam Plugs, made from expandable, slow recovery foam, provide the best combination of comfort and protection for most users. They must be properly prepared for insertion. One size fits most. Once in the ear, foam plugs expand to provide a snug and secure, custom fit. The two most common complaints about foam plugs ('not enough protection' and 'they don't stay in') are almost always solved by greater practice and care in insertion.	Slowly roll and compress foam plugs into a very thin crease-free cylinder. While compressed, insert plug well into the ear canal. Fitting is easier if you reach around the head to pull the ear outward and upward during insertion.	Keep the plugs clean and free from material that can irritate the ear canal. Plugs may be washed in mild liquid detergent and warm water. Squeeze excess water from the plugs and allow to fully air dry. Washing may be repeated several times. Discard plugs if they change in appearance or firmness, or do not re-expand to the original size and shape.
Pre Molded Plugs	Pre-molded plugs are made from flexible materials that are preformed to fit the ear. They are generally available with an adjoining cord to prevent loss. Although the version pictured at left is a one size product, many pre-molded plugs are sold in two or more sizes and must be individually sized for each ear. If after a period of regular wear, you've been on able to get used to your earplugs, try another size, type, or hearing protection brand.	Reach around the back of your head and pull outward and upward on the ear while inserting the plug until you feel it sealing. This may seem tight at first, especially if you've never worn earplugs. Carefully twist the plug to break the seal for a slow and safe removal.	Pre-molded plugs will normally last several months or more, depending upon the type and the environmental factors. They should be replaced if they shrink or swell, harden or soften, tear, crack, or become permanently deformed. Wash them in warm, soapy water and rinse well when dry. Store them in a carrying case.



HEARING PROTECTION

3M™ E-A-R™ CLASSIC™ EARPLUGS

310-1001 • Uncorded • Pillow Pack • 200 Pair/Box



- Proprietary soft, slow-recovery foam is comfortable and helps with earplug fitting.
- · Moisture-resistant foam.
- Dispenser packaging option available for uncorded earplugs.
- Pillow pack option for storage of earplugs between uses.
- Compatible with the 3M™ E-A-Rfit™ Validation System.
- Features a Noise Reduction Rating (NRR)* of 29 dB.
- · CSA Class AL.
- Case quantity: 2000 pair/case

ORDER#	STYLE	MFR #	QUANTITY	PRICE PER BOX
31090	Uncorded	7000002299	200 Pair/Box	\$39.42

3M™ E-A-Rsoft™ FX™ EARPLUGS

312-1261 · Uncorded · Poly Bag · 200 Pair/Box



- Features a bell shape made of soft, slow-recovery foam for a comfortable fit.
- · Flared end helps with easier removal.
- Dispenser packaging option available for uncorded earplugs.
- Compatible with the 3M™ E-A-Rfit™ Validation System.
- Features the 3M™ maximum noise reduction rating (NRR)*: 33 dB
- · CSA Class AL.
- Case quantity: 2000 pair/case

ORDER #	STYLE	MFR#	QUANTITY	PRICE PER BOX
621528	Uncorded	7000029951	200 Pair/Box	\$34.83

3M™ FOAM EARPLUGS

1100 • Uncorded • 200 Pair/Box



- Soft foam helps conform to the shape of the ear canal for a comfortable, snug fit.
- Dispenser packaging option available for uncorded earplugs.
- One size fits most.
- Compatible with the 3M™ E-A-Rfit™ Validation System.
- Noise reduction rating (NRR)*: 29 dB
- · CSA Class AL.
- Case quantity: 1000 pair/case

ORDER #	STYLE	MFR #	QUANTITY	PRICE PER BOX
3903414	Uncorded	7100099847	200 Pair/Box	\$30.24

3M™ E-A-R™ ULTRAFIT™ 27 EARPLUGS®

340-8002 • Corded • 100 Pair/Box



- Ergonomic pistol grip for an easier fit.
- Triple-flange provides proven protection without rolling or touching plug during insertion.
- · Conforms well to the ear's natural oval shape.
- Washable and reusable.
- · Corded earplugs
- Noise Reduction Rating (NRR)*: 27 dB.
- CSA Class AL.
- Case quantity: 400 pair/case

ORDER#	STYLE	MFR #	QUANTITY	PRICE PER BOX
4758489	Corded	7000127188	100 Pair/Box	\$218.70



3M™ PUSH-INS™ EARPLUGS

318-1003 · Corded · Poly Bag · 100 Pair/Box



- · Hold the flexible fitting stem to insert the ear tip and help keep it clean longer even when hands are dirty.
- Smooth surface of soft E-A-Rform™ foam ear tip helps the ear tip slide into place for a comfortable fit.
- Available with or without cords to suit user preference.
- Compatible with the 3M[™] E-A-Rfit[™] Validation System.
- Noise reduction rating (NRR)*: 28 dB
- · CSA Class AL.
- Case quantity: 2000 pair/case

ORDER #	STYLE	MFR #	QUANTITY	PRICE PER BOX
4649574	Uncorded	7000052723	100 Pair/Box	\$128.52

^{*} U.S. EPA specifies the NRR as the measure of hearing protector noise reduction. However, 3M makes no warranties as to the suitability of the NRR for this purpose. 3M strongly recommends personal fit testing of hearing protectors. Research suggests that users may receive less noise reduction than indicated by the attenuation label value(s) on the packaging due to variation in fit, fitting skill, and motivation of the user. Refer to applicable regulations or guidance on how to adjust attenuation label values. It is recommended that the NRR be reduced by 50% to better estimate typical protection.

Valid thru 12/31/24 in US only. Specifications and pricing are subject to change without notice. Not responsible for typographical errors. Offers cannot be combined with any other promotional or discount offers. Please see our website for a full listing of our Terms & Conditions.

