







SAFETY SOLUTIONS

3M™ N95 RESPIRATORS

See Page 6

MFR #8210 **A&M ITEM #41087** 20/B0X:



3M™ SECUREFIT™ 400 SERIES **EYE PROTECTION**

See Page 10

CLEAR ANTI-FOG LENS WITH FOAM GASKET MFR #SF401SGAF-BLU-F **A&M ITEM #4799917 PER PAIR ONLY:**



3M™ E-A-Rsoft™ FX™ EARPLUGS

See Page 12

MFR #7000029951 **A&M ITEM #621528 200 PAIR BOX ONLY:**





800.864.2660

WWW.AM-IND.COM











A SAFER SHOP & FACILITY

Our vendor managed inventory team can ensure your facility has the safety and personal protection equipment you need, when you need it. For more information on our vending solutions, simply scan the adjacent QR code.




3M™ REUSABLE FULL FACE RESPIRATORS

7500 Series • 6100 Series • 6200 Series • 6300 Series







- For workplace/occupational use only.
- Sizes are color coded for easy identification.

7500 Series

- This series combines comfort and convenience.
- Comfortable soft, lightweight facepiece with easy-to-adjust head straps.
- NIOSH approved for negative pressure air purifying and supplied air dual airline applications.
- Can be disassembled, cleaned and reused.
- Replaceable cartridges and filters allow reuse of facepiece for cost savings.

6100, 6200 & 6300 Series

A&M ITEM #

4557160

396777

3623555

286108

165874

6000 SERIES

7500 SERIES

- Advance silicone material for increased comfort and greater durability.
- Proprietary 3M[™] Cool Flow[™] valve helps makes breathing easier.
- Dual-mode head harness adjusts for either standard or drop-down mode.
- Exhalation valve cover directs exhaled breath and moisture downward to reduce fogging.
- Drop-down feature allows the respirator to be taken off in a non-contaminated area without having to remove a hard hat.

MFR#

7501

7502

7503

6100

6200

We carry a wide variety of 3M[™] respiratory solutions!



PRICE EACH

\$38.14

\$38.14

\$38.14

\$17.40

\$17.40

Contact your sales representative, or scan the adjacent code.

DESCRIPTION

Small

Medium

Large

Small

Medium

8	lding		165875	i	Large	6300	\$17.40
Select the Right Respirator	5000	6000 HF	6500	7500	6000 FF	FF-4	100 7800S
Enhanced Durability							
Maintenance Free					10000		
Enhanced Comfort				•	•		
Drop-down Feature		0	•	•			
3M [™] Cool Flow [™] Valve							
Compatible with 3M™ Supplied Air System	n	0		•			
Compatible with 3M™ PAPR Systems							0
Eye Protection					•		
Speaking Diaphragm							
Accessories							
Spare Parts		0			•		
Six-point Head Harness							
Silicone Faceseal			•				
Compatible with Welding Shield		0	•				
Clip-on Welding Shield							

3M™ REUSABLE FULL FACE RESPIRATORS

FF-400 Series Ultimate FX • 6000 Series





RECOMMENDED INDUSTRIES:

Oil & Gas Construction **Facility Sanitation** Manufacturing Food Manufacturing & Processing Marine **Food Safety** Mining Heavy Industrial Pharmaceutical Industrial Maintenance Transportation

RECOMMENDED APPLICATIONS:

Assembly & Mechanical Laboratories Chemical Clean-up & Handling Machining Chemical Splash Masonry

Painting & Paint Preparation Chipping & Chiseling

Pouring/Casting Cleaning Composite Finishing Sanding Sawing **Final Finish** UV Protection **Furnace Operations** Welding Grinding



- Large lens provides a wide field of view for excellent visibility.
- Silicone full facepiece design offers comfort, durability and ease of cleaning.
- 3M™ Cool Flow Valve makes breathing easier.
- Passive speaking diaphragm enhances communications.
- Use with 3M™ Particle Filters 2000, 2200, 7000, or 5000 Series to help filter certain particulates.
- Use with 3M[™] 6000 Series Gas/Vapor Cartridges to help filter a broad range of gases and vapors.
- Use with 3M™ 6000 Series Combination Cartridges to help filter particulates in addition to gases and vapors.
- Compatible with 3M™ TR-600 and TR-800 powered air and Dual Airline supplied air systems.
- · Head cradle helps reduce pressure points & hair pulling.
- For workplace/occupational use only.

Ultimate FX Reusable Full Face Respirators

• Scotchgard protection paint and stain resistant lens cause some liquids to bead up so they can be wiped off easily.

A&M ITEM #	DESCRIPTION	MFR #	PRICE EACH
FF-400 SERIE	S		
4695937	3M Ultimate FX Full Face-Piece Reusable Respirator, Size Small*	FF-401	\$271.36
4677539	3M Ultimate FX Full Face-Piece Reusable Respirator, Size Medium	FF-402	\$271.36
4677540	3M Ultimate FX Full Face-Piece Reusable Respirator, Size Large	FF-403	\$271.36
6000 SERIES			
3910251	3M Full Facepiece Reusable Respirator, Size Small*	6700	\$189.65
599852	3M Full Facepiece Reusable Respirator, Size Medium	6800	\$189.65
3910253	3M Full Facepiece Reusable Respirator, Size Large	6900	\$189.65

*Non-Stock Item.



3M™ RESPIRATOR CARTRIDGES

P100 Series













Mfg #60921

Mfg #60928

Mfg #60923

Mfg #60926

Mfg #60922

Mfg #60924

Mfg #60925





Mfg #7093C

- Particulate filter is permanently attached to cartridge for easy, one-step assembly.
- Unique design for enhanced comfort and visibility.

A&M ITEM #	DESCRIPTION	MFR #	PRICE PER PAIR
P100 SERIES			
620922	Organic Vapor Cartridge/Filter P100, 30 Pairs Per Case	60921	\$15.61
4544442	Organic Vapor Cartridge/Acid Gas Filter P100, 30 Pairs Per Case	60923	\$30.71
304597	Organic Multi Gas Vapor Cartridge/Filter P100, 30 Pairs Per Case	60926	\$17.25
4694111	Acid Gas Cartridge/Filter P100, 30 Pairs Per Case*	60922	\$31.95
4664187	Ammonia/Methylamine Cartridge/Filter P100, 30 Pairs Per Case*	60924	\$35.13
293807	Formaldehyde Organic Vapor Cartridge/Filter P100, 60 Pairs Per Case*	60925	\$31.83
5133538	Organic Vapor/Acid Gas Cartridge/Filter P100, 30 Pairs Per Case*	60928	\$48.91
4677538	Hydrogen Fluoride Cartridge/Filter P100, With Nuisance Level Organic Vapor And Acid Gas Relief, 30 Pairs Per Case*	7093C	\$19.12

^{*}Non-Stock Item, Must Buy By The Case.

3M™ RESPIRATOR CARTRIDGES

600 Series













Mfg #6001

Mfg #6003

Mfg #6006 Mfg #6002

Mfg #6004

Mfg #6005

- Low-profile design helps maintain good field of vision.
- Full range of cartridges to meet your needs.

For fit testing require	ements,
please call your local	l branch.

A&M ITEM #	DESCRIPTION	MFR #	PRICE PER PAIR
600 SERIES			
4819940	Filter Adapter, 16 Pairs Per Case	603	\$6.83
166663	Organic Vapor Cartridge, 30 Pairs Per Case	6001	\$15.80
277235	Organic Vapor/Acid Gas Cartridge, 30 Pairs Per Case	6003	\$16.70
4607477	Multi Gas/Vapor Cartridge, 30 Pairs Per Case	6006	\$14.40
176554	Acid Gas Cartridge, 30 Pairs Per Case*	6002	\$17.12
358777	Ammonia Methylamine Cartridge, 30 Pairs Per Case*	6004	\$18.69
4554990	Formaldehyde Organic Vapor Cartridge, 30 Pairs Per Case*	6005	\$9.44

^{*}Non-Stock Item, Must Buy By The Case.



3M™ RESPIRATOR CARTRIDGES

Particulate Filters





A&M ITEM #	DESCRIPTION	MFR #	PRICE PER BOX
58716	Particulate Filter N95, 10 Per Box	5N11	\$19.68
2871784	Particulate Filter P95, 10 Per Box	5P71	\$24.46
16457	Filter Retainer, 20 Per Box	501	\$53.40
475126	Filter Retainer, 20 Per Box	502	\$68.85





Mfg #5N11

Mfg #5P71






Mfg #501


Mfg #502

3M™ RESPIRATOR CARTRIDGES

P100 & P95 Particulate Filters

- · Lightweight and easy to breathe through.
- Assortment of filters available for a wide range of applications.
- Easier breathing through new 3-layer advanced Electret Filter Media in 2200 Series Filters.







Mfg #2091



Mfg #2097



Mfg #2291



Mfg #7093



Mfg #2096



Mfg #2296



Mfg #2297



Mfg #7093C



3M™ UNVALVED N95 RESPIRATORS

• Shelf life: 5 years from date of manufacture.



Don't see a 3M[™] product you are looking for? Visit us online for **over 28,500 3M[™] products** or call a sales representative today!

RECOMMENDED INDUSTRIES:

Design & Construction
Food Processing
Food and Beverage Manufacturing
General Manufacturing
Industrial

Laboratories Maintenance Marine Sanitation Transportation











			the titre	
MFR #	8210	8210PLUS*	8110\$	8200/07023(AAD)
QUANTITY	20/Box	6/Pack, 8 Packs Per Case	20/Box	20/Box
CLASS/FEATURE	N95	N95	N95	N95
HEADBAND Attachment	Ultrasonically Welded	Ultrasonically Welded	Stapled	Stapled
A&M ITEM #	41087	6394093	412212	4619042
PRICE	\$25.36/B0X	\$15.72/PACK	\$23.98/BOX	\$13.94/B0X

^{*}Non-Stock Item, Must Buy By The Case.



^{*}Non-Stock Item, Must Buy By The Case.



3M™ VALVED N95 RESPIRATORS

· Shelf life: 5 years from date of manufacture.



WE CAN PARTNER WITH YOU

Our expert safety team can perform over a dozen services, ranging from respirator fit testing to Lockout/Tagout. For more information about the safety services we offer, simply scan the adjacent QR code.













MFR #	8511	9211+/37193(AAD)*	8210V	8293*	8233*
QUANTITY	10/Box	120/Case	10/Box	20/Case	20/Case
CLASS/FEATURE	N95	N95	N95	P100	N100
HEADBAND ATTACHMENT	Stapled	Stapled	Stapled	Adjustable Buckle Straps	Adjustable Buckle Straps
A&M ITEM #	132026	4678895	4624626	388582	76081
PRICE	\$23.30/B0X	\$318.11/CASE	\$16.41/B0X	\$259.83/CASE	\$230.58/CASE

^{*}Non-Stock Item, Must Buy By The Case.

3M™ WELDING & METAL POURING N95 RESPIRATORS





Mfg #8214 features foam faceseal and fully adjustable straps, designed to help enhance user comfort and increase wearability

		Read of	
MFR #	8214	8515/07189(AAD)	8212
QUANTITY	10/Box	10/Box	10/Box
CLASS/FEATURE	N95, OV	N95	N95
HEADBAND Attachment	Adjustable Buckle Straps	Stapled	Adjustable Buckle Straps
SHELF LIFE	3 Years From Date Of Manufacture	2 Years From Date Of Manufacture	3 Years From Date Of Manufacture
A&M ITEM #	393000	588193	114001

\$41.39/BOX

\$89.83/BOX

\$107.97/BOX

A&M ITEM # **PRICE**

EYE PROTECTION SOLUTIONS

3M™ 3700 OTG SERIES EYE PROTECTION


With Scotchgard Anti-Fog, Anti-Scratch Coating











Brow Guard

Contoured brow guard rests comfortably against forehead and helps provide additional coverage from particles. (Select Models)

Two Coating Options (Model Dependent):

Anti-Scratch Coating

 Many prescription eyeglasses do not have anti-fog coating on the lenses, therefore some workers may prefer our less expensive standard anti-scratch coating.

3M" Scotchgard" Anti-Fog Coating

- Scotchgard Anti-Fog Coating resists fogging longer than traditional anti-fog coatings, up to 25 washes with water*.
- Helps provide durable scratch resistance in tough work environments.

*3M internal testing per EN168 test method when compared with traditional anti-fog coatings

The 3M™ innovative temple design features slotted ribs that provide comfortable pressure equalization, allowing the temples to flex and self-adjust to the size of the wearer's head.

- Curved temples apply pressure to the less sensitive back of the head, instead of the temples, achieving a comfortable fit even during rapid head movement.
- · Adjustable ratchet temples allows user to adjust lens for facial features and eyeglass position.
- · Soft one-piece nose bridge.
- · Optional contoured brow guard.
- U6 rated polycarbonate lenses absorb 99.9% of UVA, UVB, and UVC rays between 200 nm and 380 nm.
- Workers can feel confident wearing 3M[™] eye protection that meets the Impact-Rated Protector requirement of the ANSI-ISEA Z87.1 Standard.

RECOMMENDED INDUSTRIES:

Assembly Machine Operations

Aviation Masonry

Automotive & Transportation Metal Fabrication Chemicals & Chemical Handling Mining

Chiseling Oil and Gas

Construction & Demolition **Pharmaceuticals** Pouring/Casting

Drilling **Facility Maintenance**

Power Fastening & Riveting Food & Beverage Primary Metals

General Manufacturing & Machining Remediation


Grinding Sawing Law Enforcement **UV** Protection



To learn more about the safety services we provide, please call.

ORDER #	LENS	TEMPLE COLOR	MFR #	CASE QUANTITY	PRICE EACH
4799934	Clear OTG Anti-Fog	Blue	SF3701SGAF-BLU	10 Per Case	\$12.78
6263692	Clear OTG Anti-Scratch	Blue	SF3701AS-BLU	10 Per Case	\$8.91

3M™ VIRTUA™ PROTECTIVE EYEWEAR



Anti-Scratch Coating



	of the	
XIII		T.
All	1	
1		

- Lightweight construction helps ensure wearer comfort.
- · Wraparound design provides extended eye protection and unobstructed viewing.
- U6 rated polycarbonate lenses absorb 99.9% of UVA, UVB, and UVC rays between 200 nm and 380 nm.

RECOMMENDED INDUSTRIES:

Automotive	Construction	General Use
Agriculture	Electrical	Manufacturing
Assembly	Facility Maintenance & Cleaning	Painting
Automotive	Food & Beverage	Pharmaceutical

ORDER #	ORDER # LENS		MFR #	PRICE EACH
693580 Clear Hard Coat Lens		Clear	11326-00000-20	\$1.67
693583	693583 Clear Anti-Fog Lens		11329-00000-20	\$2.30
4639412 Clear Anti-Fog Lens		Gray	11330-00000-20	\$2.30



3M™ SECUREFIT™ 500 SERIES EYE PROTECTION

With Scotchgard Anti-Fog Coating • With Foam Gasket









RECOMMENDED INDUSTRIES:

Automotive Mining Oil & Gas Construction **Pharmaceuticals General Manufacturing** Metal Fabrication **Primary Metals**



Mfg #SF501AF-BLK



Mfg #SF501SGAF-BLK-FM



Mfg #SF502AF-BLK

ORDER #	LENS	TEMPLE COLOR	MFR #	CASE QTY.	PRICE EACH
6263688	Clear Anti-Fog Lens	Black	SF501AF-BLK	20 Per Case	\$5.18
5098957	Clear Anti-Fog Lens	Black	SF501SGAF-BLK	20 Per Case	\$8.55
6263691	Clear Anti-Fog Lens With Foam Gasket	Black	SF501SGAF-BLK-FM	20 Per Case	\$11.25
6263689	Gray Anti-Fog Lens	Black	SF502AF-BLK	20 Per Case	\$5.18
6263690	Gray Anti-Fog Lens	Black	SF502SGAF-BLK	20 Per Case	\$8.55

- The Cord Control System (CCS) keeps eyewear and earplugs attached, untangled, and ready to use.
- · Wraparound design provides extended eye protection and unobstructed viewing.
- U6 rated polycarbonate lenses absorb 99.9% of UVA, UVB, and UVC rays between 200 nm and 380 nm.

3M™ VIRTUA™ CCS PROTECTIVE EYEWEAR

With Foam Gasket



Mfg #11873-00000-20



Mfg #11874-00000-20



Anti-Fog/Anti-Scratch Coating

RECOMMENDED INDUSTRIES:

Mfg #11872-00000-20

Automotive Food & Beverage Metal Fabrication **Demolition & Construction** Manufacturing & Machining Oil & Gas Drilling Grinding & Sanding Painting Electrical Marine Pharmaceuticals **Facility Maintenance** Masonry Welding

ORDER #	LENS	TEMPLE COLOR	MFR #	CASE QTY.	PRICE EACH
4683986	Clear Anti-Fog Lens	Blue	11872-00000-20	20 Per Case	\$10.26
4696539	Gray Anti-Fog Lens	Gray	11873-00000-20	20 Per Case	\$10.26
4755554	Clear +1.5D Anti-Fog Lens	Blue	VC215AF	20 Per Case	\$19.89
4665541	I/O Mir Anti-Fog Lens	Blue	11874-00000-20	20 Per Case	\$11.39

+1.5 Reading Diopters



- The Cord Control System (CCS) is designed to help keep eyewear and earplugs attached, untangled, and ready to use.
- Wraparound design provides extended eye protection and unobstructed viewing.
- Contoured temples offer a snug fit.
- U6 rated polycarbonate lenses absorb 99.9% of UVA, UVB, and UVC rays between 200 nm and 380 nm.

EYE PROTECTION SOLUTIONS

3M™ 200 SERIES EYE PROTECTION

With Scotchgard Anti-Fog Coating









Don't see a 3M[™] product you are looking for? Visit us online for **over 28,500 3M[™] products** or call a sales representative today!

- The 3M[™] innovative temple design features slotted ribs that
 provide comfortable pressure equalization, allowing the temples
 to flex and self-adjust to the size of the wearer's head.
- QUICK SHIP
- Curved temples apply pressure to the less sensitive back of the head, instead
 of the temples, achieving a comfortable fit even during rapid head movement.
- · Lightweight design with molded nose bridge.
- U6 rated polycarbonate lenses absorb 99.9% of UVA, UVB, and UVC rays between 200 nm and 380 nm.
- Meets Impact-Rated Protector requirement of the ANSI-ISEA Z87.1 Standard.

RECOMMENDED INDUSTRIES:

Automotive Heavy Infrastructure Aviation **Industrial Maintenance** Law Enforcement Chemicals **Commercial Buildings Metal Fabrication** Construction Mining **Design & Construction** Oil & Gas Food & Beverage **Pharmaceuticals Primary Metals** Food Processing & Safety General Manufacturing Transportation

ORDER #	LENS	TEMPLE COLOR	MFR #	CASE QUANTITY	PRICE EACH
4654054	Clear Lens	Clear	SF201AF	20 Per Case	\$3.15

3M™ SECUREFIT 400 SERIES EYE PROTECTION


With Scotchgard Anti-Fog Coating







 The 3M™ innovative temple design features slotted ribs that provide comfortable pressure equalization, allowing temples to flex and self-adjust to the size of the wearer's head.



- Motion-inspired, contoured piping in bold, modern colors.
- U6 rated polycarbonate lenses absorb 99.9% of UVA, UVB, and UVC rays between 200 nm and 380 nm.
- Meets Impact-Rated Protector requirement of the ANSI-ISEA Z87.1 Standard.
- Case quantity: 20 pairs per case.

RECOMMENDED INDUSTRIES:

Automotive Heavy Infrastructure Aviation Industrial Maintenance Chemicals Law Enforcement **Commercial Buildings Metal Fabrication** Construction Mining **Design & Construction** Oil & Gas Food & Beverage **Pharmaceuticals** Food Processing & Safety **Primary Metals** General Manufacturing Transportation



ORDER #	LENS	TEMPLE COLOR	MFR #	PRICE EACH
4665539	Clear Anti-Fog Lens	Black	SF401AF	\$4.05
4665540	Gray Anti-Fog Lens	Black	SF402AF	\$4.05
6263686	Clear Anti-Fog Lens	Blue/Gray	SF401XSGAF-BLU	\$8.55
6263687	Gray Anti-Fog Lens	Blue/Gray	SF402XSGAF-BLU	\$8.55
4799917	Clear Anti-Fog Lens With Foam Gasket	Blue/Gray	SF401SGAF-BLU-F	\$10.35

Mfg #SF402XSGAF-BLU

Let us help you identify the right pair of glasses for your job and application

Contact your local A&M safety specialists for assistance, or see our website for an extensive selection of 3M™ Protective Eyewear.

Features and Lens Colors:



3M[™] Pressure Diffusion Temple Technology

Eyewear temples self-adjust to a wide range of head sizes, diffusing pressure over the ear and enhancing comfort.



Adjustable Ratchet Temples

Adjusts the pantoscopic tilt of the lens to help accommodate cheek bone height and improve comfort and fit.



3M[™] Scotchgard[™] Protector Anti-Fog Coating

Lasts longer than traditional anti-fog coatings and remains effective for up to 25 washings with water. Coating is tested to EN168 N & K for anti-fog and anti-scratch.



Brow Guard

Additional top coverage during impact and leaves room to help airflow.



Foam Gasket

Helps limit eye exposure to debris but not as tight as a goggle.



Goggles

Designed to seal to the face. Can be splash/ droplet, dust and/or fine dust rated.



Cord Control System (CCS)

Designed to keep eyewear and earplugs attached, untangled and ready to use.

Lens Colors & Functions



CLEAR

Highest visual acuity and color recognition



....

Reduces overall brightness of visible light



Reduces overall brightness, typically allowing color recognition



Helps improve visual

acuity and contrast

L BLUE

(excl. "sodium blue")

Reduces brightness and glare from yellow light sources. Not intended for use in glass blowing.



- AMBE

Increases contrast by filtering hazy and blue-colored light



INFRARED FILTERS

Reduces infrared radiation



INDOOR/OUTDOOR

Slightly reduces overall

brightness of visible light

PHOTOCHROMIC

Darkens when exposed to UV light (outdoors) and lightens when UV light is reduced (indoors)



ORANGE

Reduces blue light in specific applications, e.g., blue light curing



- MIRRORED

Reflects light sources, helping reduce brightness

Ear plug care & usage tips

A&M Industrial carries a wide selection of 3M™ Hearing Protection Solutions.

Contact our expert safety team for assistance with selecting the best hearing protection and PPE for your facility or application.

Description **How To Use** Care & Cleaning Foam Foam Plugs, made from expandable, slow recovery Slowly roll and compress Keep the plugs clean and free from foam, provide the best combination of comfort and foam plugs into a very thin material that can irritate the ear canal. **Plugs** protection for most users. They must be properly crease-free cylinder. While Plugs may be washed in mild liquid prepared for insertion. One size fits most. Once in the compressed, insert plug well detergent and warm water. Squeeze ear, foam plugs expand to provide a snug and secure, into the ear canal. Fitting is excess water from the plugs and allow custom fit. The two most common complaints about easier if you reach around to fully air dry. Washing may be repeated foam plugs ('not enough protection' and 'they don't the head to pull the ear outward several times. Discard plugs if they and upward during insertion. stay in') are almost always solved by greater practice change in appearance or firmness, or do not re-expand to the original size and shape. Pre-molded plugs are made from flexible materials that Reach around the back of Pre-molded plugs will normally last are preformed to fit the ear. They are generally your head and pull outward several months or more, depending Molded available with an adjoining cord to prevent loss. and upward on the ear while upon the type and the environmental Plugs Although the version pictured at left is a one size inserting the plug until you feel factors. They should be replaced product, many pre-molded plugs are sold in two or it sealing. This may seem tight if they shrink or swell, harden or more sizes and must be individually sized for each ear. at first, especially if you've never soften, tear, crack, or become worn earplugs. Carefully twist permanently deformed. Wash them If after a period of regular wear, you've been on able to get used to your earplugs, try another size, type, or the plug to break the seal in warm, soapy water and rinse well hearing protection brand. for a slow and safe removal. when dry. Store them in a carrying case.

HEARING PROTECTION

3M™ E-A-R™ CLASSIC™ EARPLUGS

310-1001 • Uncorded • Pillow Pack • 200 Pair/Box



- Proprietary soft, slow-recovery foam is comfortable and helps with earplug fitting.
- · Moisture-resistant foam.
- Dispenser packaging option available for uncorded earplugs.
- Pillow pack option for storage of earplugs between uses.
- Compatible with the 3M™ E-A-Rfit™ Validation System.
- Features a Noise Reduction Rating (NRR)* of 29 dB.
- · CSA Class AL.
- Case quantity: 2000 pair/case

ORDER #	STYLE	MFR #	QUANTITY	PRICE PER BOX
31090	Uncorded	7000002299	200 Pair/Box	\$39.42

3M™ E-A-Rsoft™ FX™ EARPLUGS

312-1261 · Uncorded · Poly Bag · 200 Pair/Box



- Features a bell shape made of soft, slow-recovery foam for a comfortable fit.
- · Flared end helps with easier removal.
- Dispenser packaging option available for uncorded earplugs.
- Compatible with the 3M™ E-A-Rfit™ Validation System.
- Features the 3M™ maximum noise reduction rating (NRR)*: 33 dB
- · CSA Class AL.
- Case quantity: 2000 pair/case

ORDER #	STYLE	MFR#	QUANTITY	PRICE PER BOX
621528	Uncorded	7000029951	200 Pair/Box	\$34.83

3M™ FOAM EARPLUGS

1100 • Uncorded • 200 Pair/Box



- Soft foam helps conform to the shape of the ear canal for a comfortable, snug fit.
- Dispenser packaging option available for uncorded earplugs.
- · One size fits most.
- Compatible with the 3M™ E-A-Rfit™ Validation System.
- Noise reduction rating (NRR)*: 29 dB
- · CSA Class AL.
- Case quantity: 1000 pair/case

ORDER #	STYLE	MFR #	QUANTITY	PRICE PER BOX
3903414	Uncorded	7100099847	200 Pair/Box	\$30.24

3M™ E-A-R™ ULTRAFIT™ 27 EARPLUGS®

340-8002 • Corded • 100 Pair/Box



- Ergonomic pistol grip for an easier fit.
- Triple-flange provides proven protection without rolling or touching plug during insertion.
- · Conforms well to the ear's natural oval shape.
- Washable and reusable.
- · Corded earplugs
- Noise Reduction Rating (NRR)*: 27 dB.
- CSA Class AL.
- Case quantity: 400 pair/case

ORDER#	STYLE	MFR #	QUANTITY	PRICE PER BOX
4758489	Corded	7000127188	100 Pair/Box	\$218.70



3M™ PUSH-INS™ EARPLUGS

318-1003 · Corded · Poly Bag · 100 Pair/Box



- · Hold the flexible fitting stem to insert the ear tip and help keep it clean longer even when hands are dirty.
- Smooth surface of soft E-A-Rform[™] foam ear tip helps the ear tip slide into place for a comfortable fit.
- Available with or without cords to suit user preference.
- Compatible with the 3M[™] E-A-Rfit[™] Validation System.
- Noise reduction rating (NRR)*: 28 dB
- · CSA Class AL.
- Case quantity: 2000 pair/case

ORDER #	STYLE	MFR #	QUANTITY	PRICE PER BOX
4649574	Uncorded	7000052723	100 Pair/Box	\$128.52

^{*} U.S. EPA specifies the NRR as the measure of hearing protector noise reduction. However, 3M makes no warranties as to the suitability of the NRR for this purpose. 3M strongly recommends personal fit testing of hearing protectors. Research suggests that users may receive less noise reduction than indicated by the attenuation label value(s) on the packaging due to variation in fit, fitting skill, and motivation of the user. Refer to applicable regulations or guidance on how to adjust attenuation label values. It is recommended that the NRR be reduced by 50% to better estimate typical protection.

Valid thru 12/31/24 in US only. Specifications and pricing are subject to change without notice. Not responsible for typographical errors. Offers cannot be combined with any other promotional or discount offers. Please see our website for a full listing of our Terms & Conditions.



