



INDUSTRIAL
PRODUCTS | SERVICES | SOLUTIONS

VALID THRU 6/30/24



ALL ITEMS STOCKED & READY TO SHIP!
UNLESS NOTED AS NON-STOCK

FEATURING:



ITW PRO BRANDS SOLUTIONS



**SCRUBS® SCRUBS IN-A-BUCKET®
HAND CLEANER TOWELS**
See Page 16

6 TUB CASE
MFR #42272
A&M ITEM #6163175

\$75⁰⁰



LPS® LPS 1® GREASELESS LUBRICANT
See Page 4

11 OZ. AEROSOL
MFR #00116
A&M ITEM #17740

\$15¹⁴



DYKEM® STEEL BLUE® LAYOUT FLUID
See Page 12

2 OZ. STEEL BLUE®
MFR #80200
A&M ITEM #95105

\$7⁹⁹



800.864.2660 | WWW.AM-IND.COM




A MORE EFFICIENT & PRODUCTIVE SHOP

Our expert metalworking team can partner with you to evaluate your approach to any application and improve cycle times, set-up, and productivity. To request support or product selection assistance, simply scan the adjacent QR code.



METALWORKING PRODUCT GUIDE



LAYOUT FLUIDS		
A	STEEL BLUE®	✓
B	STEEL RED™	
C	REMOVER & PREP	

MARKING PRODUCTS		
A	DYKEM® BRITE-MARK® MEDIUM	✓
B	DYKEM® BRITE-MARK® FINE	
C	DYKEM® SUDZ-OFF®	
D	DYKEM® HIGH PURITY	
E	DYKEM® HIGH TEMP	

HAND CLEANERS		
A	SCRUBS® IN-A-BUCKET®	✓
B	FAST ORANGE® Pumice Lotion & Cream	

LUBRICANTS/PENETRANTS		
A	LPS 1®	✓
B	LPS 2®	
C	LPS® TKX®	
D	LPS® KB-88	
E	All Purpose Anti-Seize	

DEGREASERS/CLEANERS		
SOLVENT-BASED		
A	LPS® PreSolve®	✓
B	LPS® ZeroTri®	
C	LPS® A-151	
D	LPS® EVR™	
WATER-BASED		
E	Spray Nine® Multi-Purpose Cleaner & Disinfectant	✓
F	Spray Nine® Grez-Off® HD Degreaser	
G	LPS® Precision Clean	
H	LPS® T-91™	

SPECIALTY MRO		
A	Anti-Spatter	
B	Strong Steel Stick	
C	Leak Detector	

FLOOD COOLANTS		
MACHINING / SAWING FLUIDS		
A	RUSTLICK™ WS-5050	✓
B	RUSTLICK™ ULTRACUT® Pro	
C	RUSTLICK™ ULTRACUT® 380R	
D	RUSTLICK™ Vytron-N	
E	RUSTLICK™ PowerSaw	
F	RUSTLICK™ SS-405L	
GRINDING FLUIDS		
G	RUSTLICK™ G-25J	✓
H	RUSTLICK™ G-1066D	
I	RUSTLICK™ Carbide PowerGrind	

*Spray Nine® Brand products are not for sale in Canada through ITW Pro Brands



GRINDING STATION

BAND SAW

SHIPPING/STORAGE

CNC MACHINE

OFFICE

HAND APPLIED CUTTING FLUIDS		
LIQUID		
A	LPS® Tapmatic #1 Gold	✓
B	LPS® Tapmatic AquaCut	
C	LPS® Tapmatic Natural	
D	LPS® Tapmatic TriCut®	
E	Accu-Lube® Pump Spray Lube	
SEMI-SOLID		
F	LPS® Edge Crème	✓
G	Accu-Lube® #10 Perfect Tap	
H	Accu-Lube® Gel Paste	
I	Accu-Lube® LS-10 Paste	
SOLID		
J	Accu-Lube® Stick Lube	✓
K	Accu-Lube® Block Lube	
L	LPS® Edge Lube	

MINIMUM QUANTITY LUBRICATION (MQL)	
APPLICATORS	
A	Accu-Lube® Junior Applicator ✓
B	Accu-Lube® Standard Boxed Applicator
LUBRICANTS	
C	Accu-Lube® LB-2000 ✓
D	Accu-Lube® LB-3000
E	Accu-Lube® LB-6000

RUST PREVENTATIVES/ CORROSION INHIBITORS	
APPLICATORS	
A	LPS 3® ✓
B	LPS® Cold Galvanize
C	RUSTLICK™ B
D	RUSTLICK™ 631
E	RUSTLICK™ 606

GREASES	
A	LPS® ThermoPlex® Multi-Purpose ✓
B	LPS® ThermoPlex® CS Moly
C	LPS® Red & Redi

✓ Recommended product for most common applications



LPS 1® GREASELESS LUBRICANT

The greaseless lubricant that penetrates quickly, displaces moisture, and will not attract dust or dirt



- Provides a dry, thin, lubricating film.
- Resists oil, dust, and dirt build-up.
- Ideal for delicate mechanisms.
- Removes carbon build-up from surfaces.
- Displaces moisture.
- Safe on paint, fabric, and most plastics.
- Used world-wide in aviation.
- Loosens rusted or frozen parts.
- VOC compliant in all 50 states.

APPLICATIONS:

Cables	Molds
Circuit Breakers	Nuts & Bolts
Electronic Connectors	Power Tools
Electric Motors	Relays
Hinges	Sliding Mechanisms
Ignition Systems	Switch Gears
Locks	

DESCRIPTION	MFR #	A&M ITEM #	SALE PRICE EA.
11 OZ. AEROSOL	00116	17740	\$15.14
5 GALLON PAIL*	00105	601136	\$251.04
55 GALLON DRUM*	00155	19939	\$2,713.51

*Non-stock item.



LPS 2® HEAVY-DUTY LUBRICANT

The strong, oily film multi-purpose lubricant, and penetrant with added corrosion protection



- Strong, multi-purpose lubricant and penetrant with added corrosion protection.
- Provides a non-drying, light, oily film.
- Reduces wear caused by friction and corrosion.
- Loosens rusted or frozen parts.
- Provides superior corrosion protection of metal parts during shipment.
- Protects metal parts during indoor storage up to one year.
- Does not contain silicone.
- Displaces moisture.
- Safe to use on most plastics, rubbers and paint.

APPLICATIONS:

Bearings & Valves	Metal Parts In Storage
Cables & Linkages	Productions Equipment
Dies, Bits & Fasteners	Pulleys & Rollers
Engines & Electric Motors	Transportation Equipment
Hand Tools	Slides & Tracks

DESCRIPTION	MFR #	A&M ITEM #	SALE PRICE EA.
11 OZ. AEROSOL	00216	23321	\$14.99
1 GALLON*	02128	18249	\$62.77
5 GALLON PAIL*	00205	22714	\$277.91
55 GALLON DRUM*	00255	25444	\$2,664.31

*Non-stock item.



LPS 3® PREMIER RUST INHIBITOR

The long-term, waxy film, premier rust inhibitor; protects even in the harshest environment



- Protects for up to 2 years indoors.
- Prevents rust and corrosion.
- Safe on all metals.
- Safe to use on rubber, fabric, plastics, and paints.
- Inhibits exfoliation and filiform corrosion of aluminum.
- Safe on all metals.
- Penetrates to displace moisture.

APPLICATIONS:

Aircraft Fuselages	Interior Sections Of Vehicle Doors
Battery Terminals	Metal Parts
Cables, Chains & Pulleys	Pumps & Hose Assemblies
Cargo Sections	

DESCRIPTION	MFR #	A&M ITEM #	SALE PRICE EA.
11 OZ. AEROSOL	00316	28787	\$19.47
1 GALLON*	03128	75581	\$88.33
5 GALLON PAIL*	00305	28207	\$403.08
55 GALLON DRUM*	00355	30885	\$3,614.87

*Non-stock item.



PRESOLVE® ORANGE DEGREASER

The orange degreaser that solves the toughest cleaning problems

APPLICATIONS:

Air Compressors	Fork Lifts
Alternators	Gears
Bearings	Heavy Equipment
Chains & Cable Connections	Power & Air Tools
Cranes	Printing Presses
Engines	Pulleys

- High performance industrial degreaser that works on contact.
- Ideal for removing grease, tars, and oils.
- Fast acting, deep penetration.
- Controlled evaporation.
- Flash point above 100°F (38°C).
- Low residue.
- Safe on all metals and most plastics.



DESCRIPTION	MFR #	A&M ITEM #	SALE PRICE EA.
11 OZ. AEROSOL	01420	92151	\$17.87
1 GALLON*	01428	92618	\$114.71
5 GALLON PAIL*	01405	91253	\$508.30
55 GALLON DRUM*	01455	94229	\$5,036.13

*Non-stock item.



MAGNUM PREMIUM LUBRICANT WITH PTFE

The high performance lubricant specially formulated with PTFE for maximum friction reduction

APPLICATIONS:

Bearings & Valves	Metal Parts & Hand Tools
Cables & Linkages	Parts in Storage
Dies, Bits & Fasteners	Production & Transportation
Engines & Electric Motors	Pulleys & Rollers
Hoists, Lifts & Draglines	Slides & Tracks

- Does not contain silicone.
- Safe to use on most surfaces.
- Flash point of 175°F (79°C).
- Penetrates and protects metal against rust and corrosion.
- Ideal for both regular and extreme conditions.
- High performance lubricant with PTFE additives.
- Extends equipment life.
- Nonfood Compounds Program Listed Category Code: H2 Registration #128980 (Aerosol); #128981 (Bulk).



DESCRIPTION	MFR #	A&M ITEM #	SALE PRICE EA.
11 OZ. AEROSOL	00616	46109	\$16.53
5 GALLON PAIL*	00605	6196028	\$586.88

*Non-stock item.



KB 88 THE ULTIMATE PENETRANT

Has extremely high solvency and special additives to enhance penetration and attack corrosion

APPLICATIONS:

Bearings	Frozen Nuts & Bolts
Chains	Hinges
Conveyors	Plumbing Fixtures
Corroded Fasteners	Screws
Equipment Disassembly	Shafts
Frozen Gears & Cogs	Pulleys

- Formulated to attack and quickly release rusted and corroded nuts, bolts, hinges, and other frozen components.
- High KB solvency value of 151 and low surface tension.
- Penetrates faster and deeper than most other similar products in the market place.
- Displaces moisture.
- Aggressive formula.
- VOC compliant in all 50 states.



DESCRIPTION	MFR #	A&M ITEM #	SALE PRICE EA.
13 OZ. AEROSOL	02316	3904864	\$15.59
20 OZ. TRIGGER SPRAY	02322	4606631	\$21.17

Headquarters & NJ Sales Office
Rahway, NJ
800.864.2660

New England Regional Office
West Lebanon, NH
800.225.6711

Northern NJ Regional Office
Fair Lawn, NJ
800.622.1363

CT Regional Office
Middletown, CT
800.771.1233

PA Regional Office
Stroudsburg, PA
855.207.0400





TKX® ALL-PURPOSE LUBRICANT

The greaseless lubricant that penetrates quickly, displaces moisture, and will not attract dust or dirt



- Excellent multi-purpose lubricant.
- Loosens rusted or frozen parts.
- Displaces moisture.
- Protects against corrosion.
- Provides a non-drying, long lasting, oily film.
- High flash point of >160°F (71°C).
- Non-conductive.
- Does not contain chlorinated solvents or silicones.
- Aerosol case quantity: 12/case
- 1 Gallon case quantity: 4/case

APPLICATIONS:

Bearings	Metal Parts & Machinery
Cables & Chains	Nuts & Bolts
Castings	Pumps & Pulleys
Dies & Molds	Saw Blades
Forgings	Springs
Gears	Rollers & Sliding Mechanisms
Machined stock	Ways & Guides

DESCRIPTION	MFR #	A&M ITEM #	SALE PRICE EA.
11 OZ. AEROSOL	02016	11435	\$7.62
1 GALLON*	02028	12226	\$48.96
5 GALLON PAIL*	02005	10771	\$245.61
55 GALLON DRUM*	02055	13907	\$2,374.97

*Non-stock item.



HEAVY-DUTY SILICONE LUBRICANT

The silicone-rich, water-based formula that protects rubber and plastic parts



- Water-based, silicone rich formula that lubricates and protects rubber, plastic and metal parts.
- Does not contain chlorinated solvents.
- Provides excellent lubricity.
- Ideal for surfaces like elastomers and plastics where petroleum based lubricants are unsuitable.
- Eliminates sticking, binding, squeaking.
- Forms a clear, dry film upon extended drying.
- Colorless and odorless.
- Case quantity: 12/case

APPLICATIONS:

Cables	Rubber Bushings
Castors	Rubber Mountings
Moving Plastic Parts & Gears	Seals
O-Rings	Sprockets
Plastic Rollers	Valves

DESCRIPTION	MFR #	A&M ITEM #	SALE PRICE EA.
13 OZ. AEROSOL	01516	97842	\$14.44
5 GALLON PAIL*	01505	97153	\$354.59

*Non-stock item.



LPS MAX 1™ DRY LUBRICANT & WATER DISPLACER

The silicone-rich, water-based formula that protects rubber and plastic parts



The greaseless, dry-to-the-touch lubricant that penetrates quickly and displaces moisture to get parts up and running at max efficiency. Specially formulated to combat build-up, it's even safe for delicate mechanisms. Removes carbon build-up from surfaces and is safe on paint, fabric, and most plastics.

- Advanced greaseless formula keeps precision parts moving.
- Nozzle provides targeted or broad stroke application.
- Embossed can for improved hand grip.
- Locking flip straw actuator.
- Case quantity: 12/case

APPLICATIONS:

Cables	Molds
Circuit Breakers	Nuts & Bolts
Electronic Connectors & Motors	Power Tools
Hinges	Relays
Ignition Systems	Sliding Mechanisms
Locks	Switch Gears

DESCRIPTION	MFR #	A&M ITEM #	SALE PRICE EA.
16 OZ. AEROSOL	90116	5131387	\$15.14



LPS MAX 2™ LUBRICANT, PENETRANT & PROTECTANT

The orange degreaser that solves the toughest cleaning problems

This multi-purpose lubricant penetrates quickly to displace moisture; leaving behind a light, non-drying film that provides ongoing lubrication and added corrosion protection for up to 1 year on indoor, metal parts. The non-conductive formula reduces wear from friction and corrosion.

APPLICATIONS:

Bearings & Valves	Metal Parts In Storage
Cables & Linkages	Production & Transportation
Dies, Bits & Fasteners	Equipment
Engines & Electric Motors	Pulleys & Rollers
Hand Tools	Slides & Tracks

- Superior penetration and up to 1 year indoor parts protection.
- Leaves a light non-drying film that reduces wear from friction and corrosion.
- Quickly penetrates to loosen rusted or frozen parts.
- Nozzle provides targeted or broad stroke application.
- Embossed can for improved hand grip.
- Locking flip straw actuator.



DESCRIPTION	MFR #	A&M ITEM #	SALE PRICE EA.
16 OZ. AEROSOL	90216	5131388	\$14.99



LPS® MAX KB 88 MAXIMUM PENETRANT

KB 88 is the heavy-duty penetrant that outperforms others in the market. The aggressive formula features an extremely high KB solvency (151) and low surface tension for maximum penetration to attack corrosion at its core. Attacks and penetrates corrosion that binds fasteners for a faster release saving time. Displaces moisture, drying out fasteners and allowing for a smoother release with less mess.

APPLICATIONS:

Bearings	Frozen Cogs, Gears, Nuts & Bolts
Chains	Hinges
Conveyors & Pulleys	Plumbing Fixtures
Corroded Fasteners	Relays
Engines & Electric Motors	Screws
Equipment Disassembly	Shafts

- Heavy duty formulation bites through corrosion to free frozen parts quickly.
- Displaces moisture.
- Kb solvency value of 151.
- Advanced penetration formula frees frozen parts faster.
- Nozzle provides targeted or broad stroke application.
- Embossed can for improved hand grip.
- Locking flip straw actuator.



DESCRIPTION	MFR #	A&M ITEM #	SALE PRICE EA.
16 OZ. AEROSOL	92316	5131389	\$15.59



LPS® MAX PRESOLVE® INDUSTRIAL ORANGE DEGREASER

Grease, grime, and oil are no match for this industrial-strength, orange degreaser. The formula works on contact to quickly dissolve and remove grime. Safe on all metals and most plastics, this product features controlled evaporation and leaves little residue behind.

APPLICATIONS:

Air Compressors	Forklifts
Alternators	Gears
Bearings	Heavy Equipment
Chains & Cable Connections	Power & Air Tools
Cranes	Printing Presses
Engines	Pulleys

- Formulated to attack and quickly release rusted and corroded nuts, bolts, hinges, and other frozen components.
- High KB solvency value of 151 and low surface tension.
- Penetrates faster and deeper than most other similar products in the market place.
- Aggressive formula displaces moisture.
- VOC compliant in all 50 states.



DESCRIPTION	MFR #	A&M ITEM #	SALE PRICE EA.
20 OZ. AEROSOL	91420	5131393	\$17.87

Headquarters & NJ Sales Office
Rahway, NJ
800.864.2660

New England Regional Office
West Lebanon, NH
800.225.6711

Northern NJ Regional Office
Fair Lawn, NJ
800.622.1363

CT Regional Office
Middletown, CT
800.771.1233

PA Regional Office
Stroudsburg, PA
855.207.0400



PREVENTION WITH DETECTION

DID YOU KNOW: ALMOST 40,000,000 LBS OF FOOD IS RECALLED ANNUALLY DUE TO CONTAMINATION

LPS® DETEX® technology helps reduce the risk of foreign object contamination that can result in contaminated product, facility downtime, delayed customer deliveries, and compromised brand reputation. Utilizing a unique patented formula, LPS® DETEX® plastic components are both metal & X-ray detectable. Their bright blue color also helps provide added visibility within the plant.



LPS® DETEX® FOODLUBE® PENETRATING OIL

This multi-purpose lubricant penetrates quickly to displace moisture; leaving behind a light, non-drying film that provides ongoing lubrication and added corrosion protection for up to 1 year on indoor, metal parts. The non-conductive formula reduces wear from friction and corrosion.



- NSF H1 penetrant can be used anywhere within a facility where incidental food contact may occur
- Penetrates rust, scale, grease, dirt, and grime to quickly release frozen parts, reducing downtime associated with equipment disassembly.
- Fully synthetic formula displaces water to prevent corrosive attack.
- Leaves a protective film to prevent corrosion short-term.
- Metal and X-ray detectable packaging.
- Case quantity: 12/case

APPLICATIONS:	
Castors	Food Racks
Chains	Food Service Carts
Conveyors	Slicers
Filling Equipment	

DESCRIPTION	MFR #	A&M ITEM #	SALE PRICE EA.
11 OZ. AEROSOL	57316	4806097	\$12.91

LPS® DETEX® FOOD GRADE CHAIN LUBRICANT

The silicone-rich, water-based formula that protects rubber and plastic parts

Keep packages moving down chutes and slides and use anywhere in food processing facilities where incidental food contact may occur. The colorless formula will not stain packaging materials or equipment and won't attract dust or dirt. It is safe on all metals, plastics, and rubber parts.



- NNSF H1 lubricant can be used anywhere within a facility where incidental food contact may occur.
- Anti-stick agent for chutes and slides keeps packages moving.
- Dry film will not attract dust or dirt.
- Safe on all metals, plastics, and rubber parts.
- Colorless formula will not stain packaging material or equipment.
- Metal and X-ray detectable packaging.
- Case quantity: 12/case

APPLICATIONS:	
Chains	Food Racks
Channels	Food Service Carts
Conveyors	Gears
Filling Equipment	Open Drives

DESCRIPTION	MFR #	A&M ITEM #	SALE PRICE EA.
12 OZ. AEROSOL	06016	3003916	\$17.48

LPS® DETEX® FOOD GRADE SILICONE LUBRICANT

This greaseless, dry-to-the-touch lubricant penetrates quickly and displaces moisture to get parts up and running.

- NSF H1 lubricant can be used anywhere within a facility where incidental food contact may occur.
- Anti-stick agent for chutes & slides keeps packages moving.
- Dry film will not attract dust or dirt.
- Safe on all metals, plastics, and rubber parts.
- Colorless formula will not stain packaging material or equipment.
- Metal and X-ray detectable packaging.
- Case quantity: 12/case



APPLICATIONS:

Castors	Pins
Chutes & Conveyors	Rings
Food Racks	Rubber Mountings
Guards & Guide Rails	Seals
Plastic Gears & Rollers	Slides

DESCRIPTION	MFR #	A&M ITEM #	SALE PRICE EA.
10 OZ. AEROSOL	01716	277111	\$10.22

LPS® DETEX® BELT DRESSING

Eliminates slippage and squeaks on all belt types and extends belt life, keeping critical drive systems operational.

- NSF H1 lubricant can be used anywhere within a facility where incidental food contact may occur.
- Prevents belt slippage and squeaks on all belt types.
- Withstands frequent washdowns, extending maintenance cycles and reducing downtime.
- Contains no chlorinated solvents that deteriorate drive belts.
- May be used indoors or in wet/outdoor conditions.
- Metal and X-ray detectable packaging.
- Case quantity: 12/case



APPLICATIONS:

Appliance Drive Belts	Polishing Belts
Bushings	Round Belts
Flat Belts	

DESCRIPTION	MFR #	A&M ITEM #	SALE PRICE EA.
10 OZ. AEROSOL	02216	23152	\$11.99

LPS® DETEX® FOOD GRADE MACHINE OIL

A versatile, multi-purpose lubricant, Food Grade Machine Oil is NSF H1 approved for use in food processing facilities where incidental food contact may occur. It penetrates quickly to loosen frozen nuts and bolts while eliminating sticking, binding, and squeaking in metal parts. The colorless formula will not stain products or equipment.

APPLICATIONS:

Castors	Filling Equipment
Chains	Food Racks
Channels	Food Service Carts
Conveyors	Slicers

DESCRIPTION	MFR #	A&M ITEM #	SALE PRICE EA.
11 OZ. AEROSOL	01316	421626	\$11.45

- NSF H1 lubricant can be used anywhere within a facility where incidental food contact may occur.
- Eliminates sticking, binding, and squeaking.
- Oily film penetrates to loosen frozen nuts and bolts.
- Colorless formula will not stain product or equipment.
- Safe on all metal surfaces.
- Metal and X-ray detectable packaging.
- Case quantity: 12/case



LPS® DETEX® FOOD GRADE ELECTRONIC CLEANER

APPLICATIONS:

Breakers	Digital Equipment
Connectors	Office Equipment
Contacts	Printed Circuits
Controls	Switches

DESCRIPTION	MFR #	A&M ITEM #	SALE PRICE EA.
11 OZ. AEROSOL	58116	4755704	\$18.88

- NSF K6 electronic cleaner can be used anywhere within a facility where incidental food contact may occur.
- Removes dirt, moisture & oxides from electronic equipment.
- Plastic safe formula can be used on a variety of surfaces.
- Fast drying and residue-free for efficient maintenance cycles.
- VOC Compliant in all 50 states.
- Metal and X-ray detectable packaging.
- Case quantity: 12/case



LPS TAPMATIC® #1 GOLD CUTTING FLUID
Great for all metals, including aluminum



- Does not contain water, solvents, or inactive fillers.
- Reduces cutting torque and improves cutting efficiency.
- Does not contain chlorinated solvents or chlorinated paraffins.
- Requires less product usage than traditional cutting fluids.
- Increases tool life and improves surface finish.
- For all metals including aluminum.
- Excellent for tapping applications.

APPLICATIONS:

Boring	Milling
Broaching	Reaming
Drilling	Threading
Engraving	Turning
Facing	Sawing

DESCRIPTION	MFR #	A&M ITEM #	SALE PRICE EA.
11 OZ. AEROSOL*	40312	25280	\$17.42
16 OZ. SQUEEZE BOTTLE	40320	25745	\$15.37
1 GALLON	40330	26332	\$88.79
5 GALLON PAIL*	40340	26927	\$358.16

*Non-stock item.

LPS TAPMATIC® DUAL ACTION PLUS #2 CUTTING FLUID
A metal-cutting fluid safe for tapping, drilling, reaming, threading, or finishing on aluminum



- Provides superior extreme pressure lubricity in machining aluminum and its alloys.
- Improves surface finish and extends tool life.
- Reduces friction and eliminates chip welding.
- No chlorinated solvents.

APPLICATIONS:

Boring	Milling
Broaching	Reaming
Drilling	Sawing
Engraving	Stamping
Facing	Tapping
Finishing	Threading
Grinding	Turning

DESCRIPTION	MFR #	A&M ITEM #	SALE PRICE EA.
16 OZ. AEROSOL	40220	20248	\$14.61
1 GALLON	40230	20837	\$125.48

LPS EDGE LUBE CUTTING FLUID
High-efficiency lubricant that extends grinding wheel, saw blades, and belt life by eliminating heat build-up and loading



The greaseless, dry-to-the-touch lubricant that penetrates quickly and displaces moisture to get parts up and running at max efficiency. Specially formulated to combat build-up, it's even safe for delicate mechanisms. Removes carbon build-up from surfaces and is safe on paint, fabric, and most plastics.

- Low toxic, biodegradable, low odor.
- Extends grinding wheel life.
- Does not contain any hazardous chemicals.
- Eliminates heat build-up and belt loading.
- Excellent for belt, wheel or disc grinding, and sawing applications.
- Biodegradable, solid, white, waxy bar.
- Recognized by the USDA BioPreferred™ program.
- Water rinsable.
- Safe on all metals.

APPLICATIONS:

Boring	Grinding
Broaching	Tapping
Drilling	Threading
Engraving	Turning

DESCRIPTION	MFR #	A&M ITEM #	SALE PRICE EA.
13 OZ. TUBE	43200	76386	\$21.41

Rustlick™ WS-5050 WATER-SOLUBLE OIL

Water-soluble oil with chlorinated extreme pressure additives for moderate and heavy-duty machining applications.



APPLICATIONS:

Broaching	Milling
Drilling	Moderate & Heavy-Duty Machining
General & CNC machining	

- Water-soluble oil.
- Chlorinated EP additives.
- Great lubricity.
- Provides great surface finish.
- Thin oily-film corrosion protection.
- Increases tool life.
- 1 Gallon case quantity: 4/case

DESCRIPTION	MFR #	A&M ITEM #	SALE PRICE EA.
1 GALLON	74016	4557852	\$61.42
5 GALLON PAIL	74056	407455	\$245.50
55 GALLON DRUM*	74556	5389901	\$2,565.05

*Non-stock item.

Rustlick™ DRUM MIXER/PROPORTIONER FLOOD COOLANT ACCESSORIES

Sturdy drum mixer/proportioner automatically mixes coolant concentrate with water and dispenses the diluted solution into any container.



INCLUDES:

Ball Valve	Metering Tip (From Kit)
Bung Adapter Assembly	Mounting Bracket
Discharge Tube Assembly	Nipple
Eductor Assembly	Stainer Washer
Flooding Ring	Suction Tube Assembly
Hose Swivel	

- Use the Drum Mixer/Proportioner to dilute and mix coolant concentrate with the proper amount of water to create the perfect concentration for your operations.
- Automatically mixes coolant concentrate with water and dispenses the diluted solution into any container.
- Works with all coolant types.
- Guarantees precise coolant concentration.
- Prevents messy, expensive fluid spills.
- Saves money by reducing coolant use.

MFR #	A&M ITEM #	SALE PRICE EA.
78096	1040842	\$329.37

Rustlick™ 631 MOISTURE DISPLACING RUST PREVENTATIVE

Rustlick 631 is a moisture-displacing rust preventative and corrosion inhibitor designed for long-term in-door use. It spreads into scratches and pores to displace moisture and leaves an oily thin-film. 631 is easily applied and removed, non-conductive, and safe to use on electrical parts.



APPLICATIONS:

- For Corrosion & Rust Prevention.
- Spray On Wherever Protection Is Needed.

- Displaces moisture and water.
- Easy aerosol spray application.
- No chlorinated solvents.
- Non-conductive.

DESCRIPTION	MFR #	A&M ITEM #	SALE PRICE EA.
1 GALLON*	71011	5388561	\$51.23
5 GALLON PAIL	71051	4780505	\$202.85
55 GALLON DRUM*	71551	4666831	\$2,180.24

*Non-stock item.

DYKEM STEEL BLUE® LAYOUT FLUID

Machine shop operators depend on Dykem® STEEL BLUE Layout Fluid to scribe sharp, clear, precise lines. When applied, our layout fluids provide a uniform deep blue color that prevents glare and dries in minutes. All Dykem® Layout Fluids create an extremely thin film which adds practically no thickness to the work piece and remains flexible without cracking and chipping.



- STEEL BLUE® provides a uniform deep color that prevents glare and eye strain.
- Allows for sharp, clear, and precise scribes.
- Provides a thin film without cracking/chipping and adds practically no thickness to work surface.
- Meets A-A 59168 dated 21st May 2014 paragraph 3.1.1 thru 3.2.4.4 with the exception of 3.3 (chemical resistance to chlorinated solvents).
- Dries within minutes.
- Reveals defects and pinholes in a variety of surfaces.
- Great for inspection of gear tooth contact patterns.
- Available in multiple package sizes.
- Does not contain any reportable amounts of Xylene.

MATERIALS:			
• Safe On Most Surfaces.			
• Removable With DYKEM® Remover & Cleaner.			
• Surface Tests Should Be Run To Determine Compatibility Prior To Use.			

DESCRIPTION	MFR #	A&M ITEM #	SALE PRICE EA.
2 OZ. FELT TIP APPLICATOR	80200	95105	\$7.99
4 OZ. BRUSH-IN-CAP	80300	101142	\$9.61
8 OZ. BRUSH-IN-CAP	80400	107252	\$13.28
16 OZ. AEROSOL	80000	83835	\$14.41

DYKEM STEEL RED™ LAYOUT FLUID



- STEEL RED™ provides a uniform deep color that prevents glare and eye strain.
- Allows for sharp, clear, and precise scribes.
- Provides a thin film without cracking/chipping and adds practically no thickness to work surface.
- Meets A-A 59168 dated 21st May 2014 paragraph 3.1.1 thru 3.2.4.4 with the exception of 3.3(chemical resistance to chlorinated solvents).
- Dries within minutes.
- Reveals defects and pinholes in a variety of surfaces.
- Great for inspection of gear tooth contact patterns.
- Available in multiple package sizes.
- Does not contain any reportable amounts of Xylene.

MATERIALS:			
• Safe On Most Surfaces.			
• Removable With DYKEM® Remover & Cleaner.			
• Surface Tests Should Be Run To Determine Compatibility Prior To Use.			

DESCRIPTION	MFR #	A&M ITEM #	SALE PRICE EA.
2 OZ. FELT TIP APPLICATOR	80296	5204495	\$7.99
4 OZ. BRUSH-IN-CAP	80396	107001	\$9.61
8 OZ. BRUSH-IN-CAP	80496	112978	\$13.28
16 OZ. AEROSOL	80096	89144	\$16.02

DYKEM REMOVER & PREP

The preferred solution for removal of DYKEM® Layout Fluids. DYKEM® REMOVER & PREP is non-chlorinated and leaves no residue, preparing the part for the next production.

- Removes layout fluids from metal surfaces.
- Dries in minutes.
- Does not contain toluene or chlorinated solvents.
- Leaves no residue.



DESCRIPTION	MFR #	A&M ITEM #	SALE PRICE EA.
930 ML	82638	136412	\$14.96
1 GALLON	82738	10734	\$42.84
5 GALLON PAIL*	82838	285947	\$209.97
55 GALLON DRUM*	82938	6195983	\$2,315.76

*Non-stock item.

DYKEM BRITE-MARK® MEDIUM PERMANENT PAINT MARKER / VALVE ACTION

Our most popular marker, the BRITE-MARK® Medium features a medium tip for clear, bold markings. DYKEM® BRITE-MARK® is a general purpose permanent marker ideal for making clear, bold markings on almost any surface. Its quick drying, oil-based paint withstands indoor and outdoor conditions without fading, chipping or losing its opacity. DYKEM® BRITE-MARK® can be used to permanently identify inventory, assemblies, tools, finished products or work-in-progress while resisting most work related abuses or compounds.

- NSF H1 lubricant can be used anywhere within a facility where incidental food contact may occur.
- Anti-stick agent for chutes and slides keeps packages moving.
- Dry film will not attract dust or dirt.
- Safe on all metals, plastics, and rubber parts.
- Colorless formula will not stain packaging material or equipment.
- Metal and X-ray detectable packaging.
- Case quantity: 48/case

MATERIALS:

- Safe On Most Surfaces.
- Removable With DYKEM® Remover & Cleaner.
- Surface Tests Should Be Run To Determine Compatibility Prior To Use.

DESCRIPTION	MFR #	A&M ITEM #	SALE PRICE EA.
BLACK	84002	296096	\$3.93
BLUE	84001	166672	\$3.93
GREEN	84007	296102	\$3.93
ORANGE	84005	296100	\$3.93
RED	84006	296101	\$3.93
WHITE	84003	83641	\$3.93
YELLOW	84004	137468	\$3.93





MACHINE TYPES

MILL	BANDSAW	CNC MACHINE	SURFACE GRINDER	BELT & DISC GRINDER	DRILL PRESS	LATHE

BRAND	PRODUCT	FEATURE	MILL	BAND- SAW	CNC MACHINE	SURFACE GRINDER	BELT & DISC GRINDER	DRILL PRESS	LATHE
-------	---------	---------	------	--------------	----------------	--------------------	------------------------	----------------	-------



FLOOD COOLANTS

MACHINING / SAWING FLUIDS

RUSTLICK™	WS-5050	✓	General purpose heavy-duty water-soluble oil	•	•	•	•	•	•
	ULTRACUT® Pro		Heavy-duty, high-biostability water-soluble oil with EP additives	•	•	•	•	•	•
	ULTRACUT® 380R		Heavy-duty, ultra long-lasting bioresistant semi-synthetic coolant with non-chlorinated EP additives	•	•	•	•	•	•
	Vytron-N		General-purpose synthetic cutting fluid	•	•	•	•	•	•
	PowerSaw		Moderate to heavy-duty synthetic cutting fluid with non-chlorinated EP additives	•	•				
	SS-405L		Moderate-duty semi-synthetic fluid	•	•	•	•	•	•

GRINDING FLUIDS

RUSTLICK™	G-25J	✓	Synthetic grinding fluid for blanchard, surface, centerless & cylindrical grinding				•		
	G-1066D		Synthetic grinding fluid for diamond wheel grinding				•		
	Carbide PowerGrind		Premium synthetic grinding fluid for carbide grinding				•		



HAND APPLIED CUTTING FLUIDS

LIQUIDS

LPS®	Tapmatic® #1 Gold	✓	Great for all metals including aluminum	•	•				•
	Tapmatic® AquaCut		Water-based cutting fluid that does not contain sulfur, chlorine, or chlorinated solvents	•	•				•
	Tapmatic® Natural		High-performance, biodegradable, naturally organic cutting fluid	•	•				•
	Tapmatic® TriCut®		Designed to effectively lubricate severe metalworking operations	•	•				•
ACCU-LUBE®	Pump Spray Lube		LB-2000 Pump Spray	•	•				•

SEMI-SOLIDS

LPS®	Tapmatic® Edge Creme	✓	Biodegradable cream formula cutting lubricant	•	•				•
ACCU-LUBE®	#10 Perfect Tap		Thickest natural based cutting oil	•					•
	Gel Paste		Natural-based gel lubricant	•					•
	LS-10 Paste		Semi-solid paste lubricants	•					•

SOLIDS

ACCU-LUBE®	Stick Lube	✓	Soft-solid lubricant in stick form		•			•	
	Block Lube		Soft-solid lubricant in block form		•			•	
LPS®	Tapmatic® Edge Lube		Biodegradable solid bar lubricant		•			•	



MINIMUM QUANTITY LUBRICATION (MQL)

APPLICATORS

ACCU-LUBE®	Junior Applicator	✓	1-or-2 Pump Junior Applicator	•	•				•
	Standard Boxed Applicator*		1-or-2 Pump Boxed Applicator	•	•				•

LUBRICANTS

ACCU-LUBE®	LB-2000	✓	Moderate to heavy-duty MQL lubricant	•	•				•
	LB-3000		Moderate-duty MQL lubricant	•	•				•
	LB-6000		Moderate to heavy-duty MQL lubricant	•	•				•

✓ Recommended product for most common applications

Dymon™ THE END.™ WASP & HORNET KILLER

- Instant knockdown.
- Sprays up to 20 feet.
- dielectric breakdown voltage of 40,700 volts.
- Kills wasps, hornets, yellow jackets, and bees.
- Kills nest and insects with residual action.
- Case quantity: 12/case



DESCRIPTION	MFR #	A&M ITEM #	SALE PRICE PER CASE
12 OZ. AEROSOL*	18320	6195924	\$94.08

*Non-stock item.

Dymon™ THE END.™ DRY FOG FLYING INSECT KILLER

- Water-based insecticide.
- Kills flies, mosquitos, gnats, midges, wasps, hornets, and flying moths.
- Case quantity: 12/case



DESCRIPTION	MFR #	A&M ITEM #	SALE PRICE PER CASE
14 OZ. AEROSOL*	45120	6195925	\$151.08

*Non-stock item.

SCRUBS® INSECT SHIELD™ INSECT REPELLENT WIPES

SCRUBS® INSECT SHIELD™ Insect Repellent Wipes feature an insect Repellent formula combined with a large, lint-free wipe. The 30% DEET insect Repellent formula provides a safe, yet highly effective level of protection. The wipe allows for a one-step, controlled application making it safer than aerosol and pump sprays to use around the face* with no worry of inhaling mist or vapors. Once applied, the formula is waterproof and greaseless so it won't interfere with activities or tasks. Each wipe is individually packaged making it convenient to take along and easy to store.



APPLICATIONS:

Biting Flies	Mosquitos
Chiggers	Ticks
Fleas	

- 30% DEET.
- Easy Application.
- Non-greasy.
- Waterproof Formula.
- Long Lasting Protection.

DESCRIPTION	MFR #	A&M ITEM #	SALE PRICE PER BOX
100/BOX	91401	4627280	\$96.00

SCRUBS® SUNSCREEN LOTION

SCRUBS® Sunscreen Lotion is a broad spectrum, SPF 30+ sunscreen lotion in a convenient single-dose pouch. The non-greasy formula offers UVA/UVB protection and is PABA-free and oil-free. Contains added aloe vera gel and vitamin E. Passed lineman's glove test.



INCLUDES:

Ball Valve	Metering Tip (From Kit)
Bung Adapter Assembly	Mounting Bracket
Discharge Tube Assembly	Nipple
Eductor Assembly	Stainer Washer
Flooding Ring	Suction Tube Assembly
Hose Swivel	

- SPF 30+, Broad Spectrum
- Resistant to water and sweat for up to 80 minutes.
- UVA/UVB Protection.
- PABA-free.
- Oil-free.
- Non-greasy.
- Contains Aloe Vera Gel & Vitamin E.
- Passed Lineman's Glove Test (Type 1 Class 2 ANSI/ASTM D 120).

DESCRIPTION	MFR #	A&M ITEM #	SALE PRICE PER BOX
100/BOX	92101	4608608	\$104.00

Headquarters & NJ Sales Office
Rahway, NJ
800.864.2660

New England Regional Office
West Lebanon, NH
800.225.6711

Northern NJ Regional Office
Fair Lawn, NJ
800.622.1363

CT Regional Office
Middletown, CT
800.771.1233

PA Regional Office
Stroudsburg, PA
855.207.0400



SCRUBS® SCRUBS IN-A-BUCKET® HAND CLEANER TOWELS

SCRUBS® IN-A-BUCKET Hand Cleaner Towels combine an advanced cleaning formula with a strong, dual-textured towel to thoroughly clean hands and surfaces ANYWHERE, ANYPLACE, ANYTIME!® The clean, citrus-scented formula loosens and dissolves industrial soils while leaving hands free from dryness and irritation. The Rough Touch® blue towel locks in soil to prevent it from transferring back onto hands and surfaces. Hands are left feeling clean with no sticky residue and no rinsing required.



- Clean, citrus fragrance.
- Advanced cleaning power.
- For use on hands & surfaces.
- No sticky residue.

APPLICATIONS:

Adhesives	"Icky-PIC"
Asphalt	Inks & Dyes
Cable Jelly	Oils
Caulks	Paints
Dirt	Lubricants
Epoxies	Tar
Grease	Urethanes

DESCRIPTION	MFR #	A&M ITEM #	CASE PRICE†
(72) 10" X 12" TOWELS PER TUB	42272	6163175	\$75.00

†Case Quantity = 6/Case

SCRUBS® NO RINSE FOOD SURFACE DISINFECTANT WIPES

SCRUBS® NO RINSE Food Surface Disinfectant Wipes simplifies training and cleaning processes by cleaning and disinfecting² with no required after-rinse. These pre-moistened wipes leave your facility clean and disinfected in one time-saving step, all while eliminating the guesswork of measuring and portioning cleaning chemicals. No Mixing. No Spraying. No Mess.



- Kills 99.9% of bacteria on food contact surfaces² in 30 seconds
- Cleans and disinfects in one step²
- No rinse required, even on food contact surfaces
- Simplifies your training process
- Pre-moistened wipe eliminates the need for chemical dilution systems
- Reduce risk of cross contamination between treated surfaces¹
- Ideal for use on food preparation lines, cutting boards², trays, counters, appliances, dining tables, booths, and more
- Kills foodborne pathogens including Listeria monocytogenes, Escherichia coli, Salmonella typhi, and Human Norovirus
- Case quantity: 6 Tubs/Case

¹On hard non-porous surfaces.

²When used according to the directions for disinfection.

APPLICATIONS:

Appliances	Deli Slicers
Back-Of-House Restaurant Cleaning	Dining Tables
Bars	Food Preparation Lines
Booths	Food Trays
Counters	Non-Wood Cutting Boards ²

KILL CLAIMS:

- Bacteria
- HIV-1 [AIDS Virus]
- Human Norovirus
- Escherichia Coli
- Escherichia Coli O157:H7
- Influenza A Virus [H1N1]
- Klebsiella Pneumoniae
- Listeria Monocytogenes
- Measles Virus
- Pseudomonas Aeruginosa
- SARS-Related Coronavirus² (Cause Of COVID-19)
- Salmonella Enterica
- Salmonella Typhi
- Shigella Dysenteriae [Shigella]
- Staphylococcus Aureus
- Staphylococcus Aureus - Methicillin-Resistant [MRSA]
- Viruses
- Yersinia Enterocolitica

DESCRIPTION	MFR #	A&M ITEM #	CASE PRICE†
(80) 7" X 8" TOWELS PER TUB*	97080	6195929	\$33.72

*Non-stock item. †Case Quantity = 6/Case

Valid thru 6/30/24 in US only. Specifications and pricing are subject to change without notice. Not responsible for typographical errors. Offers cannot be combined with any other promotional or discount offers. Please see our website for a full listing of our Terms & Conditions.