



VALID THRU 12/31/26

Published pricing is subject to change. See our website or call your rep for most current pricing.



MOST POPULAR ITEMS STOCKED &
READY TO SHIP!
STOCKED ITEMS ARE NOTED.

MSA SAFETY

MSA
The Safety Company

V-GARD C1® COOLING HARD HAT

See Page 7

YOUR CHOICE:
\$52.50



MULTIGAS DETECTORS

See Page 2

AS LOW AS:
\$1,420.00



G1 INDUSTRIAL SCBA

See Page 4

AS LOW AS:
\$3,768.00



800.864.2660 | WWW.AM-IND.COM



A SAFER SHOP & FACILITY

Our team of safety experts can partner with you to evaluate the safety of your facility and to perform over a dozen services, including Respirator Fit Testing and Logout Tagout. To learn more or to request a safety service, simply scan the adjacent QR code.



**ALTAIR® SINGLE-GAS DETECTOR**

Designed for superior lifespan and high performance, with patented sensors that operate for over two years, the ALTAIR® Single-Gas Detector is the smart choice for market-leading, cost-effective gas monitors. These units feature sensor options for carbon monoxide, hydrogen sulfide, and oxygen, coupled with LED/audible/vibrating alarms.



- Patented electrochemical sensors and MSA-built button sensors.
- Stainless steel and solid electrolyte construction virtually eliminate sensor leakage.
- Automatically records the last 25 alarm/test events and can communicate data by connecting to MSA Link via built-in IR communication port.
- No-miss triple alarm system includes bright flashing LEDs, piercing audible alarm, and an internal vibrating alarm.
- Rubberized armor housing and one-button operation for maximum durability and simplicity.

DESCRIPTION	MFR #	A&M #	SALE PRICE
ALTAIR® Single Gas Detector (Oxygen O2 (Low: 19.5%, High: 23.0%), Black	10092523	4572028	\$275.00

†Stocked item.

**ALTAIR® 4XR MULTIGAS DETECTOR**

Outfitted With Rapid-Response MSA XCell® Sensors



- Survives 25 drops from 4 feet (1.2 meters) (MIL-STD-810G 516.6 Transit Drop 3rd Party Certified).
- Can survive an incidental 25-foot (7.5m) drop onto concrete.
- Operating temperature range: -40°F to +140°F (-40°C to +60°C)
- 4-year instrument & sensor warranty.
- Confirm compliance quickly with the Bump LED & on-screen check mark.
- Sense gas 2 times faster with our XCell® sensor.
- Bump and calibrate with 1/2 the test gas and in 1/2 the time vs. industry average.
- Bump and calibrate at a specified "Time of Day" with your MSA GALAXY® GX2 Automated Test System.
- MotionAlert tells others if user is immobile.
- User-activated InstantAlert notifies others of a potentially dangerous situation.

DESCRIPTION	MFR #	A&M #	SALE PRICE
ALTAIR® 4XR Multigas Detector (LEL,O2,CO,H2S), (UL), Charcoal	10178557	4736909†	\$1,881.00

†Stocked item.

**ALTAIR® 5X MULTIGAS DETECTOR**

Measures Up To 6 Gases Including Natural Gas • Now Available With A PID Detector



MFR #10165445

- Capable of measuring up to 6 gases simultaneously and is now available with integrated PID sensor for VOC detection.
- MSA XCell® Sensor Technology delivers faster response time, better accuracy, longer service life and cost savings.
- Detects combustible gases in LEL and/or volume percentage range, oxygen, carbon monoxide, carbon dioxide, hydrogen sulfide, sulfur dioxide, ammonia, chlorine, VOCs and many others depending upon sensor configuration.
- Polycarbonate housing provides durability, including ability to survive 10-foot (3m) drop; IP65-certified.
- Field-proven integral pump provides consistent gas flow, eliminating concerns of externally-attached components.
- High performance XCell® Sensors last longer: typical life greater than 4 years for combustible, O2, CO/H2S, SO2, CO/NO2 and CO (high concentration) sensors; typical life greater than 3 years for NH3 and Cl2 sensors
- Less calibration gas used: requires about half of test gas typically used for calibration and bump tests
- Rapid bump test gives results in less than 10 seconds for most common sensor configurations.
- Most sensor response and clear times <15 seconds.
- Span calibration time of 60 seconds for most common sensor configurations.
- MotionAlert feature option tells others that user has become immobile.
- InstantAlert feature provides manual alarm to alert others as to a potentially hazardous situation.
- PID option allows for accurate, reliable VOC response with programmable reference factors.
- Large buttons and bright display provide easy operation, even when users wear gloves.
- Exclusive end-of-sensor warning cautions users when unit's sensor nears end-of-life.
- Versatile MSA Link™ Software allows users to transmit data to a computer.
- Compatible with GALAXY® GX2 Test System.

DESCRIPTION	MFR #	A&M #	SALE PRICE
ALTAIR® 5X Detector Color (LEL, O2, CO, H2S), (UL), Charcoal, Deluxe, Color Display, 10' Line, 1' Probe	10116928	4639224	\$4,722.00
ALTAIR® 5X Detector Mono (LEL, O2, CO, H2S), (UL), Charcoal, Standard, Monochrome Display, 10' Line, 1' Probe	10116926	4663160	\$4,261.00
ALTAIR® 5X Detector Color (LEL, O2, CO, H2S, PID), (UL,CSA), Charcoal, Deluxe, Color Display, 10' Line, 1' Probe	10165446	4747483	\$7,714.00
ALTAIR® 5X Detector Mono (LEL, O2, CO, H2S), (UL), Charcoal, Instrument Only	10116924	4734807	\$3,777.00
ALTAIR® 5X Detector Color (LEL, O2, CO, H2S, PID), (UL,CSA), Charcoal, Instrument Only	10165445	4708507	\$7,213.00
Cylinder Holder, Global, ALTAIR io DOCK,	10242913	6635420	\$1,353.34
Test Stand, Global, ALTAIR io DOCK,	10242914	6635421	\$2,190.67
ALTAIR® io™ 4 Gas Detector NA/IEC/ATEX, LTE-M USA (VZW, AT&T, T-Mobile), General Combustible 0-100% LEL, O2 Std., CO Std., H2S Std., NA/EU/UK Charger, Starter	10245598	6635422	\$1,420.00



CALIBRATION TESTING GAS

A Complete Line Of Calibration Gas Cylinders To Calibrate All Instruments



MFR #10045035

DESCRIPTION	MFR #	A&M #	SALE PRICE
Calibration Cylinder, Gas, 58 L Quad gas (O2, LEL, CO & H2S)	10045035	627672†	\$713.00
Calibration Cylinder, Gas, 58 L Quad gas (O2, LEL, CO & H2S) A&M Branded	90097884	4731127†	\$295.00
Calibration Cylinder, Gas, 34 L, Isobutylene (I)-100 PPM 90097884	10048279	627674	\$483.00
Calibration Cylinder, Gas, 34 L, Isobutylene (I)-100 PPM A&M Branded	90098576	6163026	\$175.00
Calibration Cylinder, Gas, 34 L, (CH4)-1.45%, (O2)-15%, (CO)-60 PPM, (H2S)-20 PPM, Aluminum	10048280	627675†	\$375.00

†Stocked item.



GALAXY® GX2 AUTOMATED TEST SYSTEM

Provides Automated Calibration Of MSA ALTAIR® Gas Detector Fleet

- Provides simple, intelligent testing and calibration of ALTAIR® 2X Single-Gas Detectors and ALTAIR® 4XR and ALTAIR® 5X Multigas Detectors.
- Easy-to-use automated test stand offers high performance as either stand-alone unit or integrated portable detector management system, enabling total data access and control of the MSA ALTAIR family Gas Detector fleet.
- Color touchscreen for ease of setup and viewing
- Extremely simple to use: testing starts automatically without touching a single button.
- Simultaneous testing of up to ten instruments.
- GALAXY GX2 System is optimized for use with MSA's XCell® Sensors; provides up to 50% cost of ownership reduction.
- At-a-glance indicators include low calibration gas volume, expiration warnings and test stand status.



GX2 COMPLETE SET UP

DESCRIPTION	MFR #	A&M #	SALE PRICE
Galaxy® GX2, Cylinder Holder, Black	10105756	4642710	\$1,964.00
Galaxy® GX2, ALTAIR® 5X Multigas Detector, No-Charging, North American charger, Black	10128627	4706698	\$4,333.00
Galaxy® GX2, ALTAIR® 5X, 1 Valve, Charging, North American charger, Black	10128626	4663161	\$4,150.00
Galaxy® GX2, ALTAIR® 4XR, 1 VALVE, No-Charging, North American charger, Black	10128642	4640639	\$3,891.00
Galaxy® GX2, ALTAIR® 4XR, 4 Valve, No-Charging, North American charger	10128641	4708027	\$4,333.00
Galaxy® GX2 ALTAIR® 5X Detector Multi-unit Charger, North American charger	10127427	4644926	\$645.00
GX2 Multi Unit Charger Altair 4XR, North American charger	10127422	4684860	\$645.00



REGULATORS

Choose From Gas Miser™ Demand Regulator Or Fixed Flow Regulator

Regulators are used to ensure you receive the required flow of calibration gas for your application. Based on the cost-efficient design of its diffusion based gas detectors, MSA is able to use 0,25 LPM regulators. This save users' money by delivering calibration test gas at a low rate of 0,25 LPM versus 0,50 LPM which is the market standard.

Gas Miser™ Demand Regulator

- No need to manually open or close a valve or accurate calibration once attached to the calibration cylinder, the Gas Miser™ Regulator is designed for use with pumped instruments and supplies the exact gas flow for the instrument pump.
- Calibration tubing: polyurethane tubing for use with calibration equipment

- No ON/OFF valve is necessary because the regulator automatically turns itself off when not in use, simplifying the test and calibration process and saving calibration gas
- Recommended for pumped instruments.

Fixed Flow Regulator

- Fixed flow design provides constant and accurate flow to the gas detector.



MFR #467895

DESCRIPTION	MFR #	A&M #	SALE PRICE
Gas Miser™ Demand Regulator, 0,25 LPM	710288	627578	\$828.00
Fixed Flow Regulator, Model RP, 0,25 LPM	467895	627528	\$427.00

Headquarters & NJ Sales Office
Rahway, NJ
800.864.2660

New England Regional Office
West Lebanon, NH
800.225.6711

Northern NJ Regional Office
Fair Lawn, NJ
800.622.1363

CT Regional Office
Middletown, CT
800.771.1233

PA Regional Office
Stroudsburg, PA
855.207.0400





G1 INDUSTRIAL SCBA

The G1 Industrial SCBA contains many unique design features that reduce stress and fatigue while improving performance and ease of maintenance. The new G1 iRC (industrial remote cylinder connection) version allows for cylinder compatibility among other MSA SCBA such as the G1 NFPA, Airhawk 2 and Firehawk M7.



G1 INDUSTRIAL SCBA

G1 Facepiece

- Wide field of view for increased visibility.
- Cross-contamination feature prevents exhaled air from entering mask mounted regulator.
- Open-port design provides low breathing resistance, on or off air.

G1 Carrier And Harness Assembly

- Removable soft goods for easy cleaning and maintenance.
- Nanosphere coated shoulder straps improve resistance to water and chemical exposure.
- Shoulder pad placement reduces twisting, improving comfort and ease of donning.

DESCRIPTION	INCLUDES	MFR #	A&M #	SALE PRICE
G1 Industrial SCBA RC, 5101B1A1AAF1	Low-pressure 30-min. aluminum cylinder, nylon harness without padding and chest strap, medium G1 Facepiece with polyester head harness, hard case included	10215805	5740956	\$4,010.00
G1 Industrial SCBA RC, 5101B1A1AAFO	Low-pressure 30-min. aluminum cylinder, nylon harness without padding and chest strap, medium G1 Facepiece with polyester head harness, no case	10215806	5740957	\$3,768.00
G1 Industrial SCBA RC, 7401H1A1AAF1	High-pressure 45-min. low-profile carbon cylinder, nylon harness with shoulder and lumbar pads, no chest strap, medium G1 Facepiece with polyester head harness, hard case included	10215807	5740958	\$5,686.00
G1 Industrial SCBA RC, 7502H1A1AAH1	High-pressure 45-min. low-profile carbon cylinder, Kevlar harness with shoulder and lumbar pads, no chest strap, metal cylinder band, medium G1 Facepiece with 4-pt. Kevlar head harness, hard case included	10215808	5096952	\$6,107.00



OPTREL® PAPR FOR WELDING AND GRINDING

A PAPR Kit With The Latest In Welding Safety

Introducing the Optrel® Helix Pure Air and Clearmaxx Powered Air Purifying Respirators (PAPR). This lightweight PAPR features 3 blower speeds with low flow and low battery alarms. The NIOSH approved type HE/HEPA filter can be easily integrated with prefilters to extend the life of the HE filter. The optional Mountain Breeze system mitigates Nuisance Level odors and ozone. The Helix CLT PAPR welding helmet is a fully integrated slide-up welding helmet with auto-darkening filter (ADF) ranging from shades 4-12. The internal welding visor allows for welding and grinding while maintaining the same low profile for access in wide range of welding conditions and spaces.



- Helix Pure Air fully integrated PAPR welding helmet with auto darkening filter. Integral slide up visor provides two positions for welding and clear view for other work.
- Clearmaxx Air PAPR grinding shield to provide clear, unobstructed view of the workspace, several replacement shields and accessories available.
- e3000X PAPR includes integrated air flow sensor, 3 level airflow adjustment ranging from 170-240 liters per minute available at the touch of a button.
- Up to 14 hours of run time at lowest flow rate, 9 hours at highest flow rate.
- Modular air filtration includes type HE/HEPA master filter with spark guard and optional Mountain Breeze nuisance level odor and ozone filtration.
- Automatic low flow and low battery alarms.
- Space for product copy and/or an application image available.

DESCRIPTION	INCLUDES	MFR #	A&M #	SALE PRICE
Optrel® Helix Pure Air PAPR Kit	e3000X PAPR with Helix CLT Welding Helmet with auto-darkening filter (shade range 4-12), complete with battery, belt, charger and HE filter in carry bag	10246307	6637416	\$3,120.00



V-FIT™ SAFETY HARNESS

The Safety Company

Featuring A Patent-Pending RaceFLEX™ Buckle

- The patent-pending RaceFLEX™ buckle eliminates the need for a bulky chest strap.
- Shoulder padding responds to your movement to conform to your body, eliminating pressure points and chafing.
- Shoulder padding can be removed for cleaning.
- Athletic cut that contours to the body and allows for increased upper torso mobility.
- Pull-down adjustment allows for quick and easy harness adjustment that ensures a proper fit that lasts throughout the work day.
- Dedicated attachment point for Personal Fall Limiters allows quick, easy attachment and allows your back D-Ring to remain free for use.
- 4 lanyard keepers — including 2 at the waist, increase comfort and reduce chafing by keeping lanyards away from your under arms.



CONFINED SPACE TRIPOD KIT FOR ENTRY AND RESCUE

Safety System

- Kits are ideal for applications in tanks, manholes and other vertical entry work practices.
- Allow for non-entry rescue of a confined space entrant and great portability.
- Lift and lower materials and personnel via the hoist while having the ability to use an SRL.



DESCRIPTION	MFR #	A&M #	SALE PRICE
V-FIT™ Harness, Standard, Back D-Ring, Tongue Buckle Leg Straps, Shoulder Padding	10194889	4789556	\$414.00



V-SHOCK® EDGE LEADING EDGE PERSONAL FALL LIMITER

Built For Ease Of Use

- Selection is made easier with defined color coded housings and energy absorbers — Green for Leading Edge, Gray for overhead use only.
- The V-SHOCK® EDGE Leading Edge (LE) web PFL allows users to get the job done while working in leading edge scenarios with a product designed to perform in some of the most rigorous environments.
- Additionally, labels use clear iconography to help deliver critical SRL information in a clear, easy to understand format.
- Clearance charts have been designed to communicate fall clearance requirements in an intuitive format - both in the user manual, and on the label pack for easier access.
- Preloaded RFID allows you to quickly integrate the V-SHOCK® line of SRLs with your Fall Protection Asset Manager.



MFR #VSLEW-012-PJ-A-TB

INCLUDES	MFR #	A&M #	SALE PRICE
10', twin-leg, 36CL Snaphook, pin connector (top), ANSI Z359.14	VSLEW-032-PF-A	6632599	\$732.00
6', twin-leg, tie-back, FP5K snaphooks, pin connector (top), OSHA	VSLEW-012-PJ-A-TB	6632591	\$621.00



V-TEC™ WEB PERSONAL FALL LIMITER

Compact & Lightweight Design

- Optimized design utilizing highly durable lightweight materials to improve overall weight and comfort.
- Easy selection with defined color coded housings — Green for Leading Edge, Gray for overhead use only.
- Additionally, labels use clear iconography to help deliver critical SRL information in a clear and easy to understand format.
- Clearance charts have been designed to communicate fall clearance requirements in an intuitive format.



INCLUDES	MFR #	A&M #	SALE PRICE
6', single-leg, 36C small snaphook, aluminum triple action carabiner	VTOHW-011-DB-A	6632603	\$265.00

Headquarters & NJ Sales Office
Rahway, NJ
800.864.2660

New England Regional Office
West Lebanon, NH
800.225.6711

Northern NJ Regional Office
Fair Lawn, NJ
800.622.1363

CT Regional Office
Middletown, CT
800.771.1233

PA Regional Office
Stroudsburg, PA
855.207.0400





ALL V-GARD H1™ SAFETY HELMETS

With Fas-Trac® III Pivot Ratchet Suspension



MFR #10212394

MFR #10194796

MFR #10219947

- Provides exceptional comfort and ease of use in a stylish low-profile hard hat design. A complete above-the-neck platform for all applications.
- Fas-Trac® III Pivot Ratchet Suspension for superior comfort, adjustability and range of motion.
- Non-contact foam liner maximizes air flow and breathability for optimal cooling and hygiene.
- Non-vented options for use in electrical applications where Class E certification is needed.
- Trivent & Bivent vented options for optimal air flow and cooling.

NOVENT ANSI, EUROPE & ARGENTINA: ANSI Z89.1, EN397, IRAM CERTIFIED			TRIVENT ANSI, EUROPE & ARGENTINA: ANSI Z89.1, EN12492 CERTIFIED			BIVENT ANSI, EUROPE & ARGENTINA: ANSI Z89.1, EN397, IRAM CERTIFIED			NOVENT ANSI & CANADA: ANSI Z89.1, CSA Z94.1 CERTIFIED			BIVENT ANSI & CANADA: ANSI Z89.1, CSA Z94.1 CERTIFIED			
COLOR	MFR #	A&M #	SALE PRICE	MFR #	A&M #	SALE PRICE	MFR #	A&M #	SALE PRICE	MFR #	A&M #	SALE PRICE	MFR #	A&M #	SALE PRICE
WHITE	10194791	5477188†	\$115.00	10194783	5740092†	\$115.00	10212394	5740889	\$159.00	10219932	5741026	\$157.00	10219941	5741035	\$158.00
RED	10194792	5740100†	\$115.00	10194784	5740093†	\$115.00	10212395	5740890	\$159.00	10219933	5741027	\$157.00	10219942	5741036	\$158.00
BLUE	10194793	6615435†	\$115.00	10194785	5740094†	\$115.00	10212396	5740891	\$159.00	10219934	5741028	\$157.00	10219943	5741037	\$158.00
GREEN	10194794	5740102†	\$115.00	10194786	5740095†	\$115.00	10212397	5740892	\$159.00	10219935	5741029	\$157.00	10219944	5741038	\$158.00
YELLOW	10194795	5740103†	\$115.00	10194787	5740096†	\$115.00	10212398	5740893	\$159.00	10219936	5741030	\$157.00	10219945	5741039	\$158.00
HI-VIZ YELLOW GREEN	10194796	5740104†	\$115.00	10194788	5740097†	\$115.00	10212399	5740894	\$159.00	10219937	5741031	\$157.00	10219946	5741040	\$158.00
ORANGE	10194797	5740105†	\$115.00	10194789	5740098†	\$115.00	10212400	5740895	\$159.00	10219938	5741032	\$157.00	10219947	5741041	\$158.00
BLACK	10194798	5740106†	\$115.00	10194790	5740099†	\$115.00	10212401	5740896	\$159.00	10219939	5741033	\$157.00	10219948	5741042	\$158.00
GRAY	10204347	5740565†	\$115.00	10204346	5740564†	\$115.00	10212402	5740897	\$159.00	10219940	5741034	\$157.00	10219949	5741043	\$158.00

†Stocked item.



V-GARD H2™ SAFETY HELMETS



MFR #10242829

- Quick and easy customization with a wide selection of existing logos, easy creation of new logos, and reflective stripes.
- Integrated headlamp strap clips for easy and secure donning and doffing of lights on the helmet.
- ANSI Z89.1 Type II certification with integrated chinstrap for enhanced protection against lateral impacts.
- Extensive accessory compatibility with nearly all V-Gard H1™ and V-Gard accessories for a wide variety of industrial applications and easy integration with existing inventory.
- Comfortable ratchet suspension that's easily adjustable with a gloved hand.
- Antimicrobial sweatband, crown pad, and ratchet pad with Ionic+® high-purity silver to eliminate odor-causing bacteria.
- Optional Mips® system for additional rotational impact protection.
- Non-vented options for use in applications where Class E certification is needed.
- Optional venting for improved air flow, cooling and reduced heat stress.

V-GARD H2™ REPLACEMENT PARTS

DESCRIPTION	MFR #	A&M #	SALE PRICE
V-Gard H2™ Replacement Chinstrap	10242641	6637410	\$22.25
V-Gard H2™ Replacement Crown Pad	10242642	6637411	\$18.50
V-Gard H2™ Replacement Sweatband	10242643	6637412	\$20.00
V-Gard H2™ Replacement Sweatband, Mips®	10246731	6637413	\$20.00
V-Gard H2™ Replacement Padding Set	10242644	6637414	\$37.50
V-Gard H2™ Replacement Padding Set, Mips®	10246730	6637415	\$37.50

SAFETY HELMETS

	VENTED WITHOUT MIPS®			NON-VENTED WITHOUT MIPS®			VENTED WITH MIPS®			NON-VENTED WITH MIPS®		
COLOR	MFR #	A&M #	SALE PRICE	MFR #	A&M #	SALE PRICE	MFR #	A&M #	SALE PRICE	MFR #	A&M #	SALE PRICE
WHITE	10242629	6627986	\$113.00	10242635	6631481	\$113.00	10242813	6632873	\$133.00	10242822	6632882	\$133.00
RED	10242808	6632857	\$113.00	10242811	6632865	\$113.00	10242819	6632874	\$133.00	10242828	6632883	\$133.00
BLUE	10242632	6632858	\$113.00	10242638	6632866	\$113.00	10242816	6632875	\$133.00	10242825	6632884	\$133.00
GREEN	10242809	6632859	\$113.00	10242812	6632867	\$113.00	10242820	6632876	\$133.00	10242829	6632885	\$133.00
YELLOW	10242631	6632860	\$113.00	10242637	6632868	\$113.00	10242815	6632877	\$133.00	10242824	6632886	\$133.00
HI-VIZ YELLOW	10242634	6632861	\$113.00	10242640	6632869	\$113.00	10242821	6632878	\$133.00	10242830	6632887	\$133.00
ORANGE	10242807	6632862	\$113.00	10242810	6632870	\$113.00	10242818	6632879	\$133.00	10242827	6632888	\$133.00
BLACK	10242630	6632863	\$113.00	10242636	6632871	\$113.00	10242814	6632880	\$133.00	10242823	6632889	\$133.00
GRAY	10242633	6632864	\$113.00	10242639	6632872	\$113.00	10242817	6632881	\$133.00	10242826	6632890	\$133.00



V-GARD H2™ FULL BRIM SAFETY HELMETS

With A Full Brim For Increased Sun Protection

- ANSI Z89.1 Type II certification with integrated chinstrap for enhanced protection against lateral impacts, including during slips, trips and falls.
- Optional Mips® rotational impact protection to help reduce the risk of traumatic brain injury resulting from slips, trips and falls.
- Optional venting for improved airflow, cooling and reduced heat stress, as well as non-vented options for use in electrical applications where Class E certification is needed.
- Antimicrobial treatment of sweatband, crown pad and ratchet pad with Ionic+® high purity silver to eliminate odor-causing bacteria.
- Custom logos can be applied in up to four locations as well as optional stylish reflective stripes in silver or yellow that can be applied to provide 360° coverage.
- Extensive accessory compatibility with nearly all V-Gard full brim accessories for easy integration with existing inventory.



MFR #10250584

SAFETY HELMETS	VENTED WITHOUT MIPS™			NON-VENTED WITHOUT MIPS™			VENTED WITH MIPS™			NON-VENTED WITH MIPS™		
	COLOR	MFR #	A&M #	SALE PRICE	MFR #	A&M #	SALE PRICE	MFR #	A&M #	SALE PRICE	MFR #	A&M #
WHITE	10250581	6880614†	\$90.00	10250593	6880626	\$90.00	10250605	6880638	\$110.00	10250617	6880650	\$110.00
BLACK	10250582	6880615†	\$90.00	10250594	6880627	\$90.00	10250606	6880639	\$110.00	10250618	6880651	\$110.00
YELLOW	10250583	6880616†	\$90.00	10250595	6880628	\$90.00	10250607	6880640	\$110.00	10250619	6880652	\$110.00
BLUE	10250584	6880617†	\$90.00	10250596	6880629	\$90.00	10250608	6880641	\$110.00	10250620	6880653	\$110.00
GRAY	10250585	6880618†	\$90.00	10250597	6880630	\$90.00	10250609	6880642	\$110.00	10250621	6880654	\$110.00
ORANGE	10250586	6880619†	\$90.00	10250598	6880631	\$90.00	10250610	6880643	\$110.00	10250622	6880655	\$110.00
RED	10250587	6880620†	\$90.00	10250599	6880632	\$90.00	10250611	6880644	\$110.00	10250623	6880656	\$110.00
GREEN	10250588	6880621†	\$90.00	10250600	6880633	\$90.00	10250612	6880645	\$110.00	10250624	6880657	\$110.00
HI-VIZ ORANGE	10250589	6880622†	\$90.00	10250601	6880634	\$90.00	10250613	6880646	\$110.00	10250625	6880658	\$110.00
HI-VIZ YELLOW	10250590	6880623†	\$90.00	10250602	6880635	\$90.00	10250614	6880647	\$110.00	10250626	6880659	\$110.00
BROWN FIBER	10250591	6880624†	\$110.00	10250603	6880636	\$110.00	10250615	6880648	\$130.00	10250627	6880660	\$130.00
CARBON FIBER	10250592	6880625†	\$110.00	10250604	6880637	\$110.00	10250616	6880649	\$130.00	10250628	6880661	\$130.00

†Stocked item.



V-GARD C1® HARD HAT

Cooling Hard Hat

- Uses patented ReflectIR™ Thermal Barrier technology to keep the inside of the hard hat up to 20°F (11°C) cooler in sunny weather, making it the coolest hard hat on the market compared to those without ReflectIR™.
- Full brim provides additional shade and sun protection.
- Optional large vents with strategic placement.
- Premium moisture-wicking sweat band with breathable foam padding.

 Custom color options available, please call.



MFR #10215830

COLOR	VENTED			NON-VENTED		
	MFR #	A&M #	SALE PRICE	MFR #	A&M #	SALE PRICE
WHITE	10215828	5740959†	\$52.50	10215837	5740968†	\$52.50
RED	10215829	5740960†	\$52.50	10215838	5740969†	\$52.50
BLUE	10215830	5740961†	\$52.50	10215839	5740970†	\$52.50
GREEN	10215831	5740962†	\$52.50	10215840	5740971†	\$52.50
YELLOW	10215832	5740963†	\$52.50	10215841	5740972†	\$52.50
HI-VIZ ORANGE	10215833	5740964†	\$52.50	10215842	5740973†	\$52.50
ORANGE	10215834	5740965†	\$52.50	10215843	5740974†	\$52.50
BLACK	10215835	5740966†	\$52.50	10215844	5740975†	\$52.50
GRAY	10215836	5740967†	\$52.50	10215845	5740976†	\$52.50

†Stocked item.



SCAN CODE TO LEARN MORE
MSA INDUSTRIAL INSIGHTS

HAZARDS & CHALLENGES DUE TO HIGH HEAT

In Temperatures of 90°F (32°C)...



29%
drop in worker productivity



300%
increase in worker absenteeism

Heat Stress Can Result In Injury or Death



31,560
U.S. workers killed from exposure to excessive environmental heat stress from 2000-2019 in the U.S.



907
U.S. workers killed from exposure to excessive environmental heat stress from 2000-2019 in the U.S.

Headquarters & NJ Sales Office
Rahway, NJ
800.864.2660

New England Regional Office
West Lebanon, NH
800.225.6711

Northern NJ Regional Office
Fair Lawn, NJ
800.622.1363

CT Regional Office
Middletown, CT
800.771.1233

PA Regional Office
Stroudsburg, PA
855.207.0400





SKULLGARD® CAP-STYLE HARD HAT

Handmade For Durability, Toughness & Quality



MFR #454623 (CAP STYLE)



MFR #454673 (FULL-BRIM STYLE)

- Designed to offer outstanding protection in hot and dangerous industries, the Skullgard® Protective Cap sets the standard for environments such as steel mills.
- Tested to radiant heat loads producing temperatures up to, but not exceeding, 350°F (177°C).
- Smooth crown for easy use of MSA welding equipment.



Additional colors, sizes, custom imprinting and striping available, please call.

COLOR	WITH STAZ-ON® SUSPENSION			WITH FAS-TRAC® III SUSPENSION			WITH SWING-RATCHET SUSPENSION		
	MFR #	A&M #	SALE PRICE	MFR #	A&M #	SALE PRICE	MFR #	A&M #	SALE PRICE
SKULLGARD® CAP-STYLE HARD HAT (STANDARD SIZE)									
NATURAL TAN	454617	626036†	\$135.00	475395	626061†	\$126.00	816651	626074†	\$120.00
WHITE	454618	5735693†	\$135.00	475396	5735937†	\$126.00	—	—	—
YELLOW	454619	5735694†	\$135.00	475397	5735938†	\$126.00	—	—	—
RED	454620	5735695†	\$135.00	—	—	—	—	—	—
GREEN	454621	5735696†	\$135.00	—	—	—	—	—	—
GRAY	454622	5735697†	\$135.00	—	—	—	—	—	—
BLUE	454623	5735698†	\$135.00	—	—	—	—	—	—
ORANGE	454626	5735699†	\$135.00	—	—	—	—	—	—
HI-VIZ RED-ORANGE2	458702	5735744†	\$135.00	—	—	—	—	—	—
SKULLGARD® FULL-BRIM HARD HAT (STANDARD SIZE)									
NATURAL TAN	454664	626045†	\$135.00	475407	790738†	\$139.00	—	—	—
WHITE	454665	5735700†	\$135.00	475408	5735945†	\$139.00	—	—	—
YELLOW	454666	5735701†	\$135.00	—	—	—	—	—	—
GREEN	454668	790667†	\$135.00	—	—	—	—	—	—
ORANGE	454673	5735704†	\$135.00	—	—	—	—	—	—

†Stocked item.

Request A Free Safety Assessment


A&M Industrial can partner with MSA Safety technicians to provide your company with expert level guidance that increases your compliance, efficiency and productivity.

Our team can help you:

- Identify the right safety equipment & PPE for your application.
- Provide data and vendor recommendations that ensure compliance and contribute towards informed decision-making and continuous improvement initiatives.
- Demonstrate clear and measurable cost reductions.
- Eliminate inefficiencies & safety issues.



SCAN TO LEARN MORE
REQUEST YOUR FREE SAFETY ASSESSMENT



Valid thru 12/31/26 in US only. Specifications and pricing are subject to change without notice, please see our website or contact your rep for current pricing. Not responsible for typographical errors. Offers cannot be combined with any other promotional or discount offers. Please see our website for a full listing of our Terms & Conditions.