Instructions for Upper Endoscopy (Morning Appointment)

Date:	@	
	 _	

- 1. Nothing to eat or drink after midnight the night before the procedure.
- 2. You may take **required medications** @ 5:00 am with a sip of water.
- 3. **Required medications** include anything for: blood pressure, heart, anxiety, depression or pain. Use your Inhaler Devices as directed.
- 4. On the day of the procedure, insulin or diabetes medication should not be taken until after the test is completed. Be sure to tell us if you are a diabetic so that you can be scheduled early in the day.

BLOOD THINNER MEDICATIONS:

You must be sure to **inform the doctor or nurse if you are on any blood thinners**. Blood thinners may have to be stopped in advance for conditions such as <u>Dysphagia (trouble swallowing)</u>, <u>Barrett's Esophagus</u>, <u>Schatzki's Ring or Esophageal Lesions</u>.

Blood Thinners

*Coumadin (Jantoven/Warfarin *Persantine(Dipyridamole) *Plavix(Clopidognel Bisulfate) *Xarelto *Savaysa *Ticlid(Ticiopidine) *Aggrenox(dipyridamole) *Pletal(Cilostazol) *Heparin *Eliquis(apixaban) *Trental * (Pentoxifylline) *Pradaxa (dabigatran) *Effient(prasugrel) *Arixtra (fondaparinux) *Brilinta

YOU MUST BRING A DRIVER. You will be sedated for the procedure and **you will need someone** to drive you home. <u>Please tell your driver to remain in the parking lot or building until you are discharged.</u>



If you do not follow these instructions, we may not be able to administer any anesthesia/sedation

^{*}Check your Blood Sugar before you come in for your procedure and bring the results with you.*