


TYPICAL MACHINE ROOM LAYOUT





NOTES:
1) SHOWN WITH CONTROLLER MOUNTED TO PUMP UNIT. CAN BE SUPPLIED LOOSE FOR WALL MOUNTING.
2) #2 TANK IS USED WHEN TRAVELS EXCEED 40'-0" AND FOR 10 HP MOTORS.
3) OIL OUTLET LOCATED ON RIGHT OR LEFT SIDE.

ALTERNATE MACHINE ROOM LAYOUT



ASME A17.1,RULE 3.19.3.3.1
FLEXIBLE HOSE AND FITTING ASSEMBLIES SHALL NOT BE INSTALLED WITHIN THE HOISTWAY NOR PROJECT INTO OR THROUGH ANY WALL.
PIPE MATERIAL AND ASSOCIATED FITTINGS SHALL COMPLY WITH ASME A17.1, SECTION 3.19 AND SHALL BE FURNISHED BY THE ELEVATOR CONTRACTOR.

Machine Rooms

Custom Elevator manufacturing company, Inc.
Custom Elevator Mfg. Co., Inc.
5191 Stump Road
Plumsteadville, PA 18949
Toll Free: 888-443-2800
Fax: 215-766-3385

ROPED HYDRAULIC RESIDENTIAL ELEVATOR

www.customelevatorinc.com