

TOOL CATALOGUE



KFC Roofing Supplies Pty Ltd
P.O. BOX 643 Rozelle, 8 Mansfield St Rozelle, NSW 2039
Ph: (02) 9810 0915 Fax: (02) 9555 8909

SNIPS	Erdi / Stubai / Edma	1 - 4
FLAT & ROUND NOSE PLIERS	Stubai	5
CRIMPING PLIERS	Edma	6
PLIERS	Stubai / Stanley	7
SEAMING PLIERS	Stubai	8 - 13
SEAMING TOOLS	Stubai	14 - 15
SEAMING BENDERS/CLOSERS	Stubai / Draco	16 - 18
SEAMING BOARD/PIECE/HAMMER	Stubai / Edma / MASC	19 - 20
SLATE TOOLS	Stubai / Edma	21 -22
LEAD DRESSERS	Stubai / Edma	23
GUTTER & BRACKET TOOLS	Stubai / Edma / MASC	24
HAMMERS & CHISELS	Stubai / Edma /PB Swiss Tools / Stanley	25 - 27
SCRIBES & MARKING	Stubai / Stanley	28
WISE GRIPS	MASC	29
CLAMPS	BESSEY	30 - 32
SAFETY	Stubai / MASC	33 - 34
CHALK LINE	Edma / Stanley	35
POWER TOOLS	Edma / Draco / Fein	36 - 44
RIVETERS	Emel / Gesipa	45
LONG HOLE PLIERS	Stubai / Edma	46
PUNCHING	Edma / Sealey	47
FORMING TOOLS	Wuko	48 - 52
TURNING TOOLS	Bluescope / Stramit	53
KNIVES & ACCESSORIES	Stanley	54
MEASURING TOOLS	Stanley	55
LAYOUT TOOLS	Stanley	56
PRY & CLAW BARS	Stanley	57
SAWS	Stanley	58
MISCELLANEOUS ACCESSORIES	Stubai / Edma / MASC	59 - 62
SOLDERING EQUIPMENT	Slama	62

SNIPS

SMALL PELICAN RIGHT



SMALL PELICAN LEFT



SNIP RIGHT GREEN



SNIP LEFT RED



LONG NOSE



COMPOUND SNIPS RIGHT



COMPOUND SNIPS LEFT



PELICAN SNIPS LEFT



SNIPS

STUBAI CURVED SNIPS



2677 01



2677 02



STUBAI PELICAN SNIPS



2690 01



2690 11



PVC

STUBAI COMBINATION TIN SNIPS



2700 01



2705 01



2700 11



2705 11



SNIPS

STUBAI GOLDSMITH'S SNIPS



2710 01

 9 0 0 2 7 9 3 2 1 0 4 4 5



STUBAI COMPOUND ACTION SNIPS



2701 01

 9 0 0 2 7 9 3 2 1 0 2 9 2



2706 01

 9 0 0 2 7 9 3 2 1 0 4 2 1

UPPERCUT RIGHT



0102

 3 4 7 6 0 6 0 0 0 1 0 2 3



UPPERCUT LEFT



1020

 3 4 7 6 0 6 0 0 1 0 2 0 9



COBRA RIGHT



0108

 3 4 7 6 0 6 0 0 0 1 0 8 5



COBRA LEFT



1080

 3 4 7 6 0 6 0 0 1 0 8 0 3



APOLLO RIGHT



0109

 3 4 7 6 0 6 0 0 0 1 0 9 2



SNIPS

APOLLO LEFT




1090




FLAT AND ROUND NOSE PLIERS

STUBAI TINSMITH'S FLAT NOSE PLIERS



2800 01

 9 0 0 2 7 9 3 2 1 1 0 2 2
 40 mm Teeth



2800 11

 9 0 0 2 7 9 3 2 1 3 2 9 3
 40 mm no teeth

2805 01

 9 0 0 2 7 9 3 2 1 1 0 3 9
 40 mm Lap

STUBAI TINSMITH'S ROUND NOSE PLIERS



2810 01

 9 0 0 2 7 9 3 2 1 1 0 4 6
 40 mm Box



2810 02

 9 0 0 2 7 9 3 9 2 7 2 1 3
 60 mm Box

2815 01

 9 0 0 2 7 9 3 2 1 1 0 5 3
 40 mm Lap

CRIMPING PLIERS

5 PLATE CRIMPING PLIERS



0350



3 4 7 6 0 6 0 0 3 5 0 8

5 Plate Crimping Pliers



3 PLATE CRIMPING PLIERS



0301



3 4 7 6 0 6 0 0 3 0 1 0

3 Plate Crimping Pliers



PLIERS

PINCER



2790 01



STUBAI ASYMMETRICAL PINCERS



1080 51



SEAM OPENING PLIERS



2795 01



FATMAX 150MM DIAGONAL CUTTING PLIERS



89-858



FATMAX 190MM DIAGONAL CUTTING PLIERS



89-859



SEAMING PLIERS

STUBAI EAVES GUTTER PLIERS



2827 01



9 0 0 2 7 9 3 2 1 1 4 2 8



STUBAI FLAT 45° SEAMING PLIERS



2825 01



9 0 0 2 7 9 3 2 1 1 4 0 4

45deg Lap



STUBAI TINSMITH'S SEAMING PLIERS, STRAIGHT PICCOLO



2829 01



9 0 0 2 7 9 3 2 1 3 1 2 5

Lap



STUBAI TINSMITH'S SEAMING PLIERS, 45° PICCOLO



2830 01



9 0 0 2 7 9 3 2 1 3 1 3 2

45 deg Lap



STUBAI TINSMITH'S SEAMING PLIERS, STRAIGHT



2820 01



9 0 0 2 7 9 3 2 1 1 0 6 0

18 mm Box



2820 04



9 0 0 2 7 9 3 2 1 1 0 9 1

40 mm Box

2820 02



9 0 0 2 7 9 3 2 1 1 0 7 7

60 mm Box

SEAMING PLIERS

STUBAI TINSMITH'S SEAMING PLIERS, LAP



2820 51



9 0 0 2 7 9 3 2 1 1 1 0 7

60 mm Lap



2820 53



9 0 0 2 7 9 3 2 1 1 1 1 4

80 mm Lap

2820 54



9 0 0 2 7 9 3 8 2 9 5 5 5

100 mm Lap

STUBAI TINSMITH'S SEAMING PLIERS, 45° ANGLE



2821 01



9 0 0 2 7 9 3 2 1 1 1 2 1

18mm



2821 04



9 0 0 2 7 9 3 2 1 1 1 5 2

40mm

2821 02



9 0 0 2 7 9 3 2 1 1 1 3 8

60mm

2821 03



9 0 0 2 7 9 3 2 1 1 1 4 5

80mm

SEAMING PLIERS

STUBAI TINSMITH'S SEAMING PLIERS, 45° ANGLE LAP



2821 50

 9 0 0 2 7 9 3 8 1 3 9 7 4
 40mm



2821 51

 9 0 0 2 7 9 3 2 1 1 1 6 9
 60mm

2821 53

 9 0 0 2 7 9 3 2 1 1 1 7 6
 80mm

2821 54

 9 0 0 2 7 9 3 8 2 9 5 4 8
 100mm

STUBAI TINSMITH'S SEAMING PLIERS 90° ANGLE



2822 04

 9 0 0 2 7 9 3 2 1 3 3 1 6
 40mm



2822 01

 9 0 0 2 7 9 3 2 1 1 1 9 0
 60mm

2822 51

 9 0 0 2 7 9 3 2 1 1 2 0 6
 60mm

SEAMING PLIERS

STUBAI CORNER SEAMING PLIERS



2824 51

 9 0 0 2 7 9 3 2 1 1 3 9 8
 60mm Lap



2821 01

 9 0 0 2 7 9 3 2 1 1 1 2 1
 80mm Box

STUBAI 80MM INSERTION SEAMING PLIERS



2828 51

 9 0 0 2 7 9 3 8 5 3 1 7 8
 80mm Box



STUBAI SEAMING PLIERS



2831 10

 9 0 0 2 7 9 3 8 3 8 0 4 5
 100mm Straight



2832 10

 9 0 0 2 7 9 3 8 3 8 0 5 2
 100mm 45 DGR

SEAMING PLIERS

STUBAI CORNER SEAMING PLIERS, STRAIGHT



2823 10



9 0 0 2 7 9 3 2 1 1 2 1 3

100mm



2823 12



9 0 0 2 7 9 3 2 1 1 2 2 0

120mm

2823 14



9 0 0 2 7 9 3 2 1 1 2 3 7

140mm

2823 16



9 0 0 2 7 9 3 2 1 1 2 4 4

160mm

2823 18



9 0 0 2 7 9 3 2 1 1 2 5 1

180mm

2823 20



9 0 0 2 7 9 3 2 1 1 2 6 8

200mm

STUBAI SEAMING PLIERS, 45° BEVELLED



2823 26



9 0 0 2 7 9 3 8 2 9 5 1 7

180mm



SEAMING PLIERS

STUBAI SEAMING PLIERS, 30° ANGLE



2823 54

9 0 0 2 7 9 3 2 1 1 2 7 5
140mm



2823 56

9 0 0 2 7 9 3 2 1 1 2 8 2
160mm

2823 58

9 0 0 2 7 9 3 2 1 1 2 9 9
180mm

SEAMING TOOLS

STUBAI ROOFING SEAMER



2780 02



STUBAI DOUBLE ROOFING SEAMER



2781 01



STUBAI CORNER ROOFING SEAMER



2782 01



STUBAI ROOFING SEAMER, ROUND



2780 04



STUBAI SEAMING PLIERS, DOG EAR



2784 01




SEAMING TOOLS

FLIZ, DOG EAR



FLIZ



F L I Z



SEAMING BENDERS/CLOSERS

STUBAI ANGLE SEAM CLOSER



2824 12



9 0 0 2 7 9 3 8 1 5 3 8 1

220mm



STUBAI DRIP EDGE BENDER



2824 13



9 0 0 2 7 9 3 8 1 5 3 7 4

250mm



STUBAI DRIP EDGE SEAMER/CLOSER



2824 14



9 0 0 2 7 9 3 8 1 5 4 0 4

200mm



STUBAI DOUBLE STANDING SEAM CLOSER



2824 15




9 0 0 2 7 9 3 8 4 3 0 6 3

220mm



SINGLE LOCK SEAMER



91520




D R A C O - K 8

K8



SEAMING BENDERS/CLOSERS

DOUBLE LOCK HAND SEAMER



91515-1



D R A C O - K 7

K7



DRACO SINGLE LOCK SEAMER K8N

SINGLE LOCK SEAMER K8N



D R A C O - K 8 N

K8N



DRACO SINGLE LOCK SEAMER K8NL



SINGLE LOCK SEAMER K8NL



D R A C O - K 8 N L

K8NL



SEAMING BENDERS/CLOSERS

DRACO SINGLE LOCK SEAMER K5




SINGLE LOCK HAND SEAMER K5



D R A C O - K 5
K5




DRACO BATTEN SEAMER K6



BATTEN SEAMER K6



D R A C O - K 6
K6



SEAMING BOARD/PIECE/HAMMER

STUBAI PLASTIC SEAMING BOARD



2787 01



9 0 0 2 7 9 3 8 3 1 3 4 3

500x65x25



2787 02



9 0 0 2 7 9 3 8 3 1 3 0 5

500x65x35

STUBAI PLASTIC SEAMING PIECE



2788 01



9 0 0 2 7 9 3 8 3 1 3 1 2

130x95x50



STUBAI PLASTIC SEAMING PIECE, WITH HANDLE



2788 50



9 0 0 2 7 9 3 8 4 6 7 1 2

290x140



STUBAI PLASTIC FACED HAMMER, WEDGE-SHAPE



2785 01



9 0 0 2 7 9 3 8 2 1 2 4 5

155x85x35



STUBAI PLASTIC FACED HAMMER, RECTANGULAR



2785 02



9 0 0 2 7 9 3 8 2 1 2 3 8

155x85x35



SEAMING BOARD/PIECE/HAMMER

EDMA PVC HAMMER



0339



3 4 7 6 0 6 0 0 0 3 3 9 3

Tinman's PVC



M.A.S.C. OFFSET HANDLE



MASCPLASTICHAMMER



M a s c P l a s t i c H a m m e r



SLATE TOOLS

STUBAI SLATER'S HAMMER



2755 01



9 0 0 2 7 9 3 2 1 0 6 9 8

350mm



2755 02



9 0 0 2 7 9 3 2 1 0 7 0 4

350mm

STUBAI SLATER'S ANVIL, STRAIGHT



2760 01



9 0 0 2 7 9 3 2 1 0 7 3 5



STUBAI SLATER'S ANVIL, CURVED



2761 01



9 0 0 2 7 9 3 2 1 0 7 8 0



STUBAI SLATER'S NAIL PULLER, RIPPER



2770 04



9 0 0 2 7 9 3 8 3 3 7 3 6

155x85x35 Box



MAT 2



0324



3 4 7 6 0 6 0 0 0 3 2 4 9
Slate Cutter with Hole Punch



SLATE TOOLS

ALPHACUT



0370



3 4 7 6 0 6 0 0 0 3 7 0 6

Slate Guillotine with Stand



PRO MAT-COUP



0330



3 4 7 6 0 6 0 0 0 3 3 0 0

Slate Guillotine



MECA MAT



0335



3 4 7 6 0 6 0 0 0 3 3 5 5

Slate Double Hole Punching



LEAD TOOLS

STUBAI LEAD DRESSER



2846 01



9 0 0 2 7 9 3 8 6 3 8 1 8



STUBAI LEAD DRESSER WEDGE SHAPE



2846 02



9 0 0 2 7 9 3 8 6 3 8 3 2



STUBAI LEAD DRESSER BEND SHAPE



2846 11



9 0 0 2 7 9 3 8 6 3 8 7 0



STUBAI LEAD DRESSER



2846 60



9 0 0 2 7 9 3 8 6 3 8 6 3



GUTTER & BRACKET TOOLS

STUBAI GUTTER BRACKET BENDER



2824 10



9 0 0 2 7 9 3 8 3 3 4 9 1

800mm



MASC GUTTER CLAMP



MASCGJC



M a s c G J C

Joining Clamp



INTER CLIPS ZINC



0360



3 4 7 6 0 6 0 0 0 3 6 0 7

Clinching pliers for zinc or enamel-plated aluminium gutters



HAMMERS & CHISELS

STUBAI ENGINEER'S HAMMER



1004 04

 9 0 0 2 7 9 3 1 0 0 1 2 8
 200g



1004 06

 9 0 0 2 7 9 3 1 0 0 1 4 2
 300g

1004 08

 9 0 0 2 7 9 3 1 0 0 1 6 6
 500g

STUBAI CARPENTER'S HAMMER, EURO



2736 01

 9 0 0 2 7 9 3 2 1 0 5 4 4



EDMA CARPENTER'S HAMMER WITH MAGNETIC NAIL HOLDER



0359

 3 4 7 6 0 6 0 0 0 3 5 9 1
 Leather handle



HAMMERS & CHISELS

STUBAI WOOD CHISELS 3543



3543 10



9 0 0 2 7 9 3 9 1 8 7 0 9

10mm



3543 18



9 0 0 2 7 9 3 9 1 8 7 4 7

18mm

3543 32



9 0 0 2 7 9 3 8 3 1 8 0 0

32mm

STUBAI WOOD CHISELS 3540



3540 26



9 0 0 2 7 9 3 3 0 5 0 8 0

26mm



FATMAX COLD CHISEL - WITH GUARD



16-332



0 7 6 1 7 4 1 6 3 3 2 2



FATMAX ANTI VIBE HAMMER



51-952



0 7 6 1 7 4 5 1 9 5 2 5




HAMMERS & CHISELS

DEAD BLOW MALLET



PB3003



P B 3 0 0 3



PB3006



P B 3 0 0 6

SCRIBES & MARKING

STUBAI SCRIBER



2610 01



STUBAI SCRIBER WITH CARBIDE TIP



2616 01



STUBAI CURVED SCRIBER



2620 01



SPIRIT LEVEL



60



60cm

100



100cm


120



120cm



STUBAI MARKING PLATE



2786 01



WISE GRIPS

M.A.S.C. SEAM GRIPS



MASCSGZS

M a s c S G Z S



M.A.S.C. GRIP FORCEPS CLAMPS



MASCGF

M a s c G F



M.A.S.C. CORNER VISE GRIP



MASCCVG

M a s c C V G



M.A.S.C. CORNER OFFSET VISE GRIP



MASCCOVG

M a s c C O V G



CLAMPS

K



K30



4 0 0 8 1 5 8 0 0 1 1 8 0

300 x 85



K60



4 0 0 8 1 5 8 0 0 1 1 9 7

600 x 85

K100



4 0 0 8 1 5 8 0 0 1 3 9 5

TG K



TG20K



4 0 0 8 1 5 8 0 0 8 7 5 2

TG30K



4 0 0 8 1 5 8 0 2 5 0 3 2



CLAMPS

TG 2K



TG20-2K



TG25-2K



TG30-2K



TG40-2K



TG50-2K



TG60-2K



UK



UK30



UK60



CLAMPS

KLI



KLI16



KLI25



DUO




DUO16-8



DUO30-8



TPN



TPN100S1



SAFETY

STUBAI STANDING SEAM SAFETY HOOK



2824 05



9 0 0 2 7 9 3 8 6 5 3 6 2



MASC LADDER STRAP GUTTER CLAMP



M a s c L S C



STUBAI STEEL CARABINER



9780 01



9 0 0 2 7 9 3 9 0 7 7 6 5

SUPER 500



4 PC RATCHET TIE-DOWN SET



S881-987



0 3 3 9 2 3 8 8 1 9 8 2



RAC



THE CORRUGATOR



R A C




SAFETY

ROOF ANCHOR TRIMDEK



TRIMDEK ROOF ANCHOR



R A T D



ROOF ANCHOR 360



THE CORRUGATOR 360



R A C 3 6 0



CHALK LINE

FAST CHALK LINE 30M



0605



WORLD CHALK LINE 30M



0608



MAX CHALK LINE 50M




0609



ROOF CHALK LINE 30M



0642



FATMAX XTREME 8OZ RED CHALK



47-821



MARKING CHALK 8OZ BLUE CHALK



47-803



NIBBLER

SUPER COUP



0113



3 4 7 6 0 6 0 0 1 1 3 9

Nibbler shears with built-in waste curl cutter



DRACO 3160 CORRUGATED NIBBLER



3160



D R A C O - 3 1 6 0

Cordless Tools 230 Volt:

- Super-rapid charger SRC, 15 min, 230V
- Charger RC, 60 min, 230VAK

3160 set includes:

- 2 Battery Packs BXS/ 2.0 Ah,
- 1 Charger SRC in Transport-Box
- Corrugated materials up to 79 mm deep



FEIN BLK 1.3 T NIBBLER



BLK 1.3 T



4 0 1 4 5 8 6 8 6 5 2 1 8



Ideal nibbler for trapezoidal sheet metals up to 1.3 mm.
 QuickIN for a fast change of punch and die.
 High cutting speed for rapid work.
 Cutting direction adjustable by 360 degrees in 45-degree steps without tools.
 Very low operating costs by die and punch with long service life.
 Optimal ergonomics.
 HIGH-POWER-MOTOR for unmatched performance and durability.

METAL SHEARS

DRACO 3514-7R RADIUS-SEAM METAL SHEARS



3514-7R



DRACO - 3 5 1 4 - 7 R



Cordless Tools 230 Volt:
 - Super-rapid charger SRC, 15 min, 230V
 - Charger RC, 60 min, 230V
 AK 3514-7R set includes: Shear,
 2 Battery Packs BXS/ 2.0 Ah,
 1 Charger SRC in Transport-Box

Ideal for cutting spiral ducting
 Accurate curve and burr-free cutting
 - spiral ducting
 - roof & cladding
 - through seams 6 times folded
 - mesh and wire

FEIN BSS 1.6C SLITTING SHEARS



BSS 1.6C



4 0 1 4 5 8 6 8 5 0 7 1 9



Warp-free cut with just one chip.
 Excellent ergonomics and low weight.
 Open-fronted cutting head: provides an optimum view of the cutting line.
 Left and right curve cuts possible.
 A range of blades, ideally suited to different cutting tasks, with impressive service lives.
 HIGH-POWER-MOTOR for unmatched performance and durability.
 Chip clippers for clipping off the cut chip at any point (BSS1.6 C only).

FEIN BLS 1.6X SHEET METAL SHEARS



BLS 1.6X



4 0 1 4 5 8 6 8 5 3 8 4 0



Four-fold reversing blade: cleaner and burr-free cutting with low operating costs.
 Excellent ergonomics and unrestricted view of the cutting line.
 Good curve precision with low sheet-metal distortion.
 Comfortable and fast when trimming and cutting to shape.
 For sheet metals up to 800 N/mm² and stainless steels.
 HIGH-POWER-MOTOR for unmatched performance and durability.

METAL SHEARS

MALCO TURBO SHEAR TSHD



TURBO SHEAR



6 8 6 0 4 6 5 3 3 2 0 9



ANGLE GRINDERS

FEIN WSS 12-125 ANGLE GRINDER



WSS 12-125



4 0 1 4 5 8 6 8 4 6 0 5 7



High Power Motor generates impressive power for high stock removal performance.

Compact Design - Weighs only 4.2 pounds. Designed for optimum handling and fatigue free working.

Safety Switch- Prevents accidental start-up.

Wheel Guard- The wheel guard is easily adjustable and non-removable.

Self-Start Lock- Self-Start Lock prevents uncontrolled starts following power supply interruption.

Slow Start- Slow start prevents recoil or jerking when tool is started.

FEIN's "Quick-In" system allows for fast wheel changes without tools.

FEIN WSG 12-125 ANGLE GRINDER



WSG 12-125



4 0 1 4 5 8 6 8 4 9 2 5 6



High Power Motor generates impressive power for high stock removal performance.

Compact Design- Weighs only 5.2 pounds. Designed for optimum handling and fatigue free working.

Safety Switch- Prevents accidental start-up.

Wheel Guard- The wheel guard is easily adjustable and non-removable.

Self-Start Lock- Self-Start Lock prevents uncontrolled starts following power supply interruption.

Slow Start- Slow start prevents recoil or jerking when tool is started.

ANGLE GRINDERS

FEIN WSB 20-230 ANGLE GRINDER



WSB 20-230



4 0 1 4 5 8 6 8 5 1 8 8 4



Electric EBS braking system stops the discs in less than 3 seconds.

The braking system is wear-free and maintenance-free
HIGH-POWER-MOTOR with enormous torque for high grinding capacity.

FEIN rapid attachment system QuickIN for fast, simple and reliable disc changes with no tools required.

Self-start lock prevents uncontrolled reactivation following power supply interruption.

Gentle start for recoil-free and safe starting.

For all grinding, sanding, cutting and brushing applications.

Quietest angle grinder in this class.

Rear handle can be rotated through 4 positions.

Coolant air management offers optimum protection against dust.

Also available with dead-man's handle for maximum safety (7 221 06 29)

MAGENTIC CORE DRILL

FEIN KBM32Q MAGENTIC CORE DRILL



KBM32Q



4 0 1 4 5 8 6 8 5 0 8 8 7



QuickIN rapid change system for fast, keyless tool changes.
Very easy to handle due to its compact construction and light weight.

Robust and accurate dual dove-tail guide

Infinitely variable stroke range setting for fast and safe tool changes, without need to remove core drill unit from the tool.

Electronic overload cut-out if the drilling pressure is too high for protection of motor and tool.

MagnetMonitorSystem guarantees long service life of the magnetic coils.

Integral cooling lubricant for clean cutting and long tool life.

MULTIMASTER & ACCESSORIES

FEIN MULTIMASTER TOP FMM 250Q



TOP FMM 250Q



QuickIN rapid change system for fast, keyless tool changes. Professional sawing, sanding, scraping, dividing, rough machining, polishing, cutting, concrete compression, and lots more, all with a single machine. Very easy to handle due to its ergonomic design and light weight. Battery operated, so you have unrestricted freedom of action. Identical capabilities as the mains-powered FEIN MultiMaster. Continuous operation possible with a second storage battery. Long-life, rapid-charge FEIN storage batteries with intelligent charging technology. Comprehensive accessories range available.

FEIN MULTIMASTER SAND PAPER



4014586182643



Fein MM Sandpaper 80

4014586182742



Fein MM Sandpaper 150

4014586182810



Fein MM Sandpaper 240

FEIN MULTIMASTER SANDING PAD



4014586187747



For sanding without extraction. 2-pack.

MULTIMASTER & ACCESSORIES

FEIN MULTIMASTER CARBIDE SEGMENT SAW BLADE



4014586232508



4 0 1 4 5 8 6 2 3 2 5 0 8



For cutting out damaged tile joints and for cutting grooves in plaster, porous concrete and similar construction materials.

UNIVERSAL E-CUT SAW BLADE (29 MM) PACK OF 10



4014586291925



4 0 1 4 5 8 6 2 9 1 9 2 5



Broad range of applications with bi-metal teeth. Saws wood up to 50 mm, plastics, sheet metal up to 2 mm, copper or aluminium pipes and profiles.

HSS SEGMENT SAW BLADE Ø80 PACK OF 1



4014586215044



4 0 1 4 5 8 6 2 1 5 0 4 4



HSS segment saw blade. For plastics, fibreglass, wood, putty, non-ferrous metal and sheet metal up to about 1 mm. Ideal for working in corners.

MULTIMASTER 85MM SAW BLADE



4014586257020



4 0 1 4 5 8 6 2 5 7 0 2 0



Highest cutting speed and precision thanks to double-row Japan toothing. For wood up to 50 mm, plasterboard and soft plastics.

MULTIMASTER & ACCESSORIES

PRECISION E-CUT SAW BLADE (65 MM)



3 Pack



10 Pack

RIVETERS

EMEL RIVETER



EMEL



E M E L

GESIPA FLIPPER



4007081010009



4 0 0 7 0 8 1 0 1 0 0 0 9

- Unique ratching mechanism reduces setting effort by 40%

- Ergonomic handles feature cushioned rubber grips

- Spent mandrel collector also houses additional nose tips and wrench for easy changeover

WORK CAPACITY: Up to 4.8mm/5.0mm aluminium/steel rivets

WEIGHT: 0.725kgs

LENGTH: 213mm

TOTAL STROKE: 16mm

SINGLE ACTION STROKE: 1.8mm



GESIPA NTX-F



4007081050050



4 0 0 7 0 8 1 0 5 0 0 5 0

- High grade aluminum die cast housing with chrome vanadium forged steel handle

- Rugged for the industrial environment

- Available in kit form with blind rivet assortment

WORK CAPACITY: Up to 4.0mm in all materials and 4.8mm in aluminium

WEIGHT: 0.6kgs

LENGTH: 260mm

WORKING STROKE: 8mm



LONG HOLE PLIERS

STUBAI LONG HOLE PLIERS



2845 01



9 0 0 2 7 9 3 8 4 7 2 9 0

230mm



INTERPERFOR



0341



3 4 7 6 0 6 0 0 0 3 4 0 9

Long Hole Pliers



PUNCHING

MASTER PROFIL



0620



3 4 7 6 0 6 0 0 0 6 2 0 2

Section setting pliers for stud and track



METAL PUNCH SET 14 PC



AK9821




5 0 2 4 2 0 9 3 1 7 9 5 5



FORMING TOOLS

WUKO UNI BENDER 2200



2200



WUKO®

Uni like universal the WUKO Uni Bender can be used for bending and forming in sheet metal fabrication, both for straight and curved pieces – for inner as well as outer radii.

Technical Data

Max. bending height: 200 mm / 8 in.
 Min. bending height: 5 mm / 0.2 in.
 Bending capacity: 0.80 mm / 0.031 in.
 (for all common materials)
 Weight: 1.4 kg / 3.1 lbs.

WUKO UNI BENDER 2350



2350



WUKO®

The long brother of the WUKO Uni Bender – for a maximum bending height of 350 mm / 14 in.

Technical Data

Max. bending height: 350 mm / 14 in.
 Min. bending height: 5 mm / 0.2 in.
 Bending capacity: 0.80 mm / 0.031 in.
 (for all common materials)
 Weight: 1.9 kg / 4.2 lbs.

WUKO UNI BENDER II 2202



2202



WUKO®

The WUKO Uni Bender II is equipped with four roller stops enabling easier handling and better guidance especially on outside radius (qualified use for inner radius).


Technical Data

Min. bending height: 5 mm / 0.2 in.
 (for all common materials)

Bending capacity: 0.80 mm / 0.031 in.
 Max. bending height: 200 mm / 8 in.
 Weight: 1.6 kg / 3.5 lbs.

FORMING TOOLS

WUKO UNI BENDER II 2352



2352



W U K O 2 3 5 2




The long brother of the WUKO Uni Bender II – for a maximum bending height of 350 mm / 14 in.

Max. bending height: 350 mm / 14 in.
 Bending capacity: 0.80 mm / 0.031 in.
 Weight: 2.1 kg / 4.6 lbs.

Technical Data

Min. bending height: 5 mm / 0.2 in.
 (for all common materials)

WUKO DUO BENDER 3200



3200



W U K O 3 2 0 0



The big brother, WUKO DUO Bender, was especially designed for quick and easy bending rolls and a handle.

of long, straight sheet metal strips. Its function is equal to that of the WUKO UNI Bender, but it's equipped with a second pair of bending

Technical Data

Max. bending height: 200 mm / 8 in.
 Bending capacity: 0.80 mm / 0.031 in.
 Weight: 2.9 kg / 6.41 lbs.

Min. bending height: 5 mm / 0.2 in.
 (for all common materials)

WUKO DUO BENDER 3350



3350



W U K O 3 3 5 0



The long brother of the WUKO DUO Bender – for a maximum bending height of 350 mm / 14 in.

Technical Data

Min. bending height: 5 mm / 0.2 in.
 (for all common materials)

Max. bending height: 350 mm / 14 in.
 Bending capacity: 0.80 mm / 0.031 in.
 Weight: 3.9 kg / 8.6 lbs.

FORMING TOOLS

WUKO DISC-O-BENDER 4000



4000



WUKO®

This tool was designed for bending long, straight sheet metal strips. It's very easy to handle and the result is clean and precise.

Max. bending height: 40mm/1.57"
(depending on material)
(for all common materials)

In short, the ideal supplement to the WUKO DUO BENDER
Technical Data

Bending capacity: 0.8 mm/0.031"
Min. bending height: 8mm/0.31"
Weight: 2.5 kg/5.51 lbs

WUKO MINI BENDER 2020



2020



WUKO®

WUKO Mini Bender for bending up to 90° especially on small radii (inner as well as outer radii).

Technical Data:

Max. bending height: 20 mm/0.8"
Min. bending height: 5 mm/0.2"
Bending capacity: 0.80 mm/0.031" (for all common materials)
Weight: 0.63 kg/1.40 lbs

WUKO MINI DISC-O-BENDER 4010



4010



WUKO®

The "little brother" of the WUKO Disc-Obender bends inner as well as outer radii.

Thus it's the ideal supplement to the WUKO UNI BENDER.

Technical Data

Max. bending height: 23mm/0.91"
(depending on material)
(for all common materials)
Min. bending height: 8 mm/0.31"
Weight: 0.6 kg/1.32 lbs
Bending capacity: 0.8 mm/0.031"

FORMING TOOLS

WUKO SPRINTER 0410



0410



W U K O 0 4 1 0



Max. sheet metal thickness:

- Aluminium, copper, zinc, steel: 0.8 mm (0.031")

Power Rating: 720 W/230 V (6.2 Amp/120 V)

- Length: 410 mm (16")

- Height: 280 mm (11")

- Stainless steel: 0.5 mm (0.020")

- Width: 265 mm (10.5")

Dimensions:

Weight: 9.2 kg (42 lbs)

WUKO LOCK 'N' ROLLER 1040



1040



W u k o L R 1 0 4 0



Width of the profile: 12 – 15 mm/0.472" – 0.591"

Tool length: 270 mm/10.63"

Max. Sheet Metal Thickness:

Aluminium, copper, zinc: 0.80 mm/0.032"

Weight: 2.3 kg/5.071"

Stainless steel: 0.50 mm/0.02"

Galvanized steel: 0.65 mm/0.026"

WUKO ROOF PROFILING MACHINE 1008



1008



W U K O 1 0 0 8



Maximum sheet metal thickness:

- Galvanized steel: 0.75 mm/0.029"

Power rating: 500 W

Frequency: 50 – 60 Hz

Accessories:

- Aluminium, copper, zinc: 0.80 mm/0.031"

Standard Voltage: 230 V

Round rail – min. radius 0.8 m/31.5 "

Weight: 7.55 kg/16.65 lbs

FORMING TOOLS

WUKO ROOF SEAMING MACHINE 1006



1006




W U K O 1 0 0 6



Maximum sheet metal thickness:
 - Galvanized steel: 0.75 mm/0.029"
 Power rating: 500 W
 Frequency: 50 – 60 Hz
 - Aluminium, copper, zinc: 0.80 mm/0.031"
 Weight: 5.25 kg/11.58 lbs
 Standard Voltage: 230 V

KOMBI ROLLFORMER



KR1



M a s c K R 1



Over Seam
 Independent of the amount Fascia panel.
 Role change in 2 Steps.
 (With wider flange).

DRACO ECO-BENDER



DRACO-ECOBENDER



D R A C O - E C O B E N D E R



So-called Mini-Brake to bend up from sheet material
 Made from Aluminium and Stainless Steel, with mm-graduation
 Light weighted, ergonomic bending tool with 4 guide rollers
 Detachable Eco-Grip Handle, 3 optimal Grip Positions
 offers good grip, even when the entire leverage is extended
 Eyelet to hang up to a tool holder

TURNING TOOLS

TURN UP TOOL MONOCLAD TRIMDECK



TUTMC



TURN UP TOOL SPEED DECK ULTRA



TUTSDU



TURN UP TOOL KL



TUTKL406



KL406



TUTKL700



KL700

TURN DOWN TOOL KL



TDTKL406



KL406



TDTKL700



KL700

KNIVES & ACCESSORIES

FATMAX RETRACTABLE KNIFE



10-778



FATMAX SNAP-OFF BLADE KNIFE



10-481



QUICKSLIDE POCKET KNIFE



10-810




FATMAX UTILITY BLADES



11-700A



FATMAX SNAP-OFF BLADES 18MM 5 PACK



11-718



FATMAX SNAP-OFF BLADES 18MM 10 PACK



11-718T



MEASURING TOOLS

LEVERLOCK 8M TAPE

30-528



STANLEY TYLON 8M TAPE



30-393



FATMAX XTREME 8M TAPE



33-894



STANLEY TYLON 8M TAPE



0-30-686



MAGNA CLIP



MAGNA CLIP



LAYOUT TOOLS

PROFESSIONAL COMBINATION SQUARE



2-46-143



QUICKSQUARE CONTRACTOR GRADE



46-053



T-BEVEL



46-825



PRY & CLAW BARS

CLAW BAR 25CM



55-114



0 7 6 1 7 4 5 5 1 1 4 3



SUPER WONDER BAR



55-525



0 7 6 1 7 4 5 5 5 2 5 7



SAWS

HIGH TENSION INDUSTRIAL HACK SAW FRAME



15-166



4 7 1 1 8 1 5 1 5 1 6 6 0



GENERAL PURPOSE SAW



20-074



3 2 5 3 5 6 1 2 0 0 7 4 8



FATMAX EXTRA-HIGH TENSION HACKSAW



20-531



0 7 6 1 7 4 2 0 5 3 1 2



MISCELLANEOUS ACCESSORIES

STUBAI SET SPRINGS



2702 50

 9 0 0 2 7 9 3 8 5 3 4 9 9
 5 per pack



STUBAI PLUMB BOBS LINE



4431 15

 9 0 0 2 7 9 3 4 1 0 0 0 5
 50m



STUBAI SPECIAL GUTTER CORD



2834 01

 9 0 0 2 7 9 3 8 4 5 3 6 4
 75m



STUBAI METAL GUTTER CORD ROLLER



2835 01

 9 0 0 2 7 9 3 8 4 5 3 8 8
 220 x 100



STUBAI BOTTLE SOLDERING FLUID



2842 03

 9 0 0 2 7 9 3 8 4 7 2 5 2
 Yellow



2842 04

 9 0 0 2 7 9 3 8 4 7 2 6 9
 Blue

REPLACEMENT STRING LINE



REPLACEMENT

 3 4 7 6 0 6 0 0 1 6 0 5 8



MISCELLANEOUS ACCESSORIES

REPLACEMENT SPRINGS FOR SLATE CUTTER



SPRINGS



BOARD CARRIER HANDLES



0640



MASC DOWNPIPE EXPANDER



MASCEXP80



Masc pipe Expander 80 mm



MASCEX100



Masc pipe Expander 100 mm

PHILLIPS DOUBLE END



TDXMP02065C



For use with self drilling fasteners.



HAMMER TACKER



0318



MISCELLANEOUS ACCESSORIES

5000 STAPLES 10 MM FOR STAPLING HAMMER PUNCHER



0319



3 4 7 6 0 6 0 0 0 3 1 9 5



NAIL PUNCH



NAILPUNCH



N A I L P U N C H



SOLDERING EQUIPMENT

SOLDERING EQUIPMENT




SOCOM

S O C O M



Soldering equipment with burner, hose, 2 Cu irons, Regulator, Windshield, Amonia stone, Flux bottle and Flux Brush

SOLDER BIT COPPER



SOBITCU

S O B I T C U



SOLDER BIT COATED



SOBITSP

S O B I T S P

