


Boema Waratah



Simplicity and performance



BOEMA



The Boema Waratah is a two-group solution for small and medium sized catering with simplicity and performance as the core design functions.

The Waratah drops the boiler temperature to 60°C when not in use, reducing power consumption and saving money. With the auto clean cycle ensuring that the machine is kept clean for optimum tasting drinks and increased intervals between servicing.

Simplicity and performance in all tight spaces



PID

Boiler temperature controlled via PID, which not only maintains fantastic thermal stability for consistent espresso taste but also allows temperature to be adjusted easily to perfectly match the coffee profile/type.



Pre-Infusion

Pre-Infusion setting to increase extraction consistency and help iron out user error during the dosing and tamping stage.



Eco Mode

Drops the boiler temperature to 60°C when not in use, reducing power consumption and saving money – with the added bonus of reaching working temperature faster, for service.



Auto Clean

Cleaning cycle – ensures machine is kept clean for optimum - tasting drinks and increased intervals between servicing.



Tall Cup

With a height of 148mm under the spout with no extra cost on all models – makes serving a larger take away cup or tall glass simple and efficient



Separate Hot Water Outlet

With a separate outlet for dispensing hot water, it allows for differing beverage sizes across all spectrums within the barista's capabilities.

One colour is available with 2 group only

Tall cup machine

Available

Multiple configurations

2 Group Compact, 2 Group or 1 Group.

Attractive design

Full stainless-steel and aluminium construction, with black accents

PID temperature control

This allows the user to adjust water temperature to perfectly complement their coffee.

Great temperature stability

Through Thermal Siphon system – utilises fresh water for each shot.

Pre-infusion

One espresso and double espresso buttons – this ensures consistent extraction and helps 'smooth out' poor tamping.

Auto-cleaning system

Function to ensure perfect performance.

Cleaning kit

Included with every machine.

Eco mode

Drops boiler temp to 60°C at the touch of two buttons – perfect for overnight or during quiet/closed periods.

Large cup warmer tray

Saves space on counter top.

Dual pressure manometer gauges

One to measure mains and pump pressure (15 bar), one for boiler pressure.

Plenty of power

2 Group – 3800W (15Amp)

Automatic/Manual

Selection of water from the network to the boiler

2 Jets

For increased performance, flexibility and frothing milk

Weight

58kg

Waratah

Simplicity and performance



1 Group



2 Group

	1 Group	2 Group
Height (mm)	500	500
Width (mm)	400	704
Depth (mm)	512	512
Weight (kg)	40	58
Boiler Size (litres)	5	11
Element Size (W)		
Power	230 V / 2500W	230 V / 3800W



02 9756 4744
sales@boema.com.au
www.boema.com.au

BOEMA COFFEE MACHINES
Unit 8/1 Cowpasture Pl,
Wetherill Park NSW 2164

BOEMA