



telfers

TRADE ELECTRICAL DEALS
OCTOBER - DECEMBER 2026

This just in!



TELFERS 1951 -2026



We're Powering Up For An Anniversary!



CELEBRATING 75 YEARS OF TELFERS & 15 YEARS OF ACTIVE

Welcome to this special TED Trade Anniversary Edition as we celebrate two significant milestones:
75 years of Telfer Electrical Ltd and 15 years of Active Electrical Supplies Ltd.

For 75 years, Telfer Electrical has been proud to be part of New Zealand's electrical industry, building strong and lasting relationships with customers, suppliers and industry partners along the way. Together, we've shared decades of innovation, growth and success — and this milestone is a celebration of everyone who has been part of the journey

To mark the occasion, we're excited to launch our special anniversary promotion,
featuring incredible product deals, exclusive offers and giveaways.


Don't miss out — turn to pages 14 & 15 for full details and join us in celebrating these important milestones.

TELFERS EST. 28 NOVEMBER 1951





1951
Telfers
Certificate of
Incorporation
28 November

ACTIVE EST. 23 MAY 2011




2011
Actives
Certificate of
Incorporation
23 May

1951
First Annual
Licence



1951
First
Minutes

1952
Telfers
Original
Price Book



1954
New Telfers
Building 73
Fitzgerald Ave
Christchurch

2012
Actives first
Board of
Directors
meeting in
New
Plymouth



2012
First Active Store
Penrose, Auckland



Proudly supporting the

Anniversary Edition



XB500
RUNP10136



XB300
RUNP10137

Discover
more



Nothing runs like Runpotec®

Designed to make cable handling simpler, Runpotec X BOARD cable rollers combine serious load capacity with a compact, stable design. They make winding and unwinding faster and more controlled, helping keep cables organised and the job moving. The lightweight XB300 handles reels up to 300kg, while the heavy duty XB500 takes loads up to 800kg. Serious capability, built for the job.





HOT PRICES

TRUSTED PERFORMANCE



ECFLED-LI



ELIFE-X-LI



ELIFE-X-LI-SM



EUBPRO-LI



EWELED-LI



EUBPRO-SM-LI

Terms and Conditions

All prices exclude GST. Offer valid from 1 October 2026 to 31 December 2026. Not to be used in conjunction with any other offer.

ARMA

CORRUGATED CONDUIT SYSTEMS

FEEL THE FLEX

Made with PliaTech™ innovation
ARMA® Corrugated Conduit
delivers an optimal balance of
flexibility and durability



PERFORMANCE

ASSURANCE

PRODUCT FEATURES



MD
MEDIUM DUTY
3331

HD
HEAVY DUTY
4431



ARMA® HD



ARMA® MD



MADE
IN NZ



CELEBRATING MILESTONES TOGETHER

TELFER ELECTRICAL & ACTIVE ELECTRICAL IN PARTNERSHIP

WITH

Nexans

MULTICORE

NEUTRAL
SCREENED

FIRE SAFETY

COLOUR SERIES

1.0 mm 1.5 mm 2.5 mm 4.0 mm 6.0 mm

NEXANS DISTINGO™

MOBIWAY™
BOOST

Nexans in partnership
Telfer Electrical &
Active Electrical
have reduced landfill by

9
TONNES

through NEXANS SPOOL
+ MOBIWAY™ BOOST
RETURNS.

Maser

MASER

MASER



MASER Lighting Power
& Control Cable 1.5mm
2C+E + 1.5mm 2C Control -
Orange - 250M Drum.
MAS2C3G1.5



MASER Lighting Power
& Control Cable 2.5mm
2C+E + 1.5mm 2C Control
- Orange 200M Drum.
MAS2C3G2.5



MASER Lighting
Control Cable 2C
1.5mm - Orange -
250M or 500M Drum.
MAS2C150R



 SmartVent



SmartVent Fresh Through Wall Core Unit.
FAN7390

MANROSE®



MANROSE® 125mm Vivo Bathroom
Heater-Fan-Light System
FAN7291 White



MANROSE® Quiet Axial Fan; Wall or Ceiling
Mount; Square Fascia; Standard Profile;
Humidity Condition Switching.
FAN7185 150mm • FAN7182 125mm



MANROSE® Contour 100mm
Centrifugal Toilet Fan - Order
fascia separately.
FAN7030



MANROSE® EasyFit Grille
with Cone Diffuser; 150mm.
DCT1550 White • DCT1553 Black



MANROSE® Contour
Round Matte Toilet Fan Fascia.
DCT4702 White



MANROSE® Contour
Round Tri-Colour LED Toilet
Fan 11W Fascia.
DCT4706 Matte White

 **Simx
Lighting**



CUBIC 3CCT Wall Light IP65
LHT1230 Black • LHT1231 White



Smart Sense PRO PIR Sensor.
LHT1205 Black • LHT1206 White



Trinity PRO PIR Sensor.
LHT1207 Black • LHT1208 White



EcoSpot Select LED PIR Sensor Light.
LHT1054 Black • LHT1055 White



NOVA 2000 3CCT LED Bulkhead IP66.
LHT1188 Black • LHT1189 White



NOVA Emergency 2000 LED Bulkhead.
LHT1232 Black • LHT1233 White

Schneider
Electric

SPEND. ENTER. WIN.

Shop today for your chance to
WIN a \$250 voucher.

Spend \$250+ GST or more in a single transaction on any combination of advertised Schneider Electric and PDL products and go in the draw to win 1 of 60 NZ Safety Blackwoods Gift Cards valued at \$250 each.



60 vouchers to be WON!
Promotion runs 1 October - 31 December 2026.

ANNIVERSARY SPECIAL

PDL51SSE - Surface Socket, 3 pin, 10A, 230/240VAC, white

One socket, endless possibilities! Designed with electricians, the PDL51SSE brings practical updates to a trusted classic. Its compact form, thoughtful cable entry options and installer friendly layout make it ideal for tight or hard to reach areas.



PDL WP Series - Weather Protected Switches & Sockets

The ultimate protection against water and dust ingress in harsh environments. Ideal for outdoor applications.



Single Switch socket outlet less
enclosure - 15A.
PDLWSO315LEGY



Weatherproof Enclosure, Surface
mount - 1 Gang. 38mm Deep.
PDLWE1GY



Surface switch less enclosure -
20A, 1 Gang.
PDLWSW201LEGY



Double Switch socket outlet less
enclosure - 10A.
PDLWSO3102LEGY



Single Switch socket outlet less
enclosure - 10A.
PDLWSO310LEGY

PDL56 Series™ - Industrial Switchgear

PDL 56 Series™ is built for demanding indoor and outdoor industrial environments, with plugs, switches, sockets and accessories designed to resist dust, water, chemicals and UV.



Switch Socket 32A 500V 5-Round
Pin 2-Gang 3-Pole IP66.
PDL56CV532LEGY



Switch 20A 240V 1-Pole IP66.
PDL56SW120LEGY



Switch 32A 415V 3-Pole IP66.
PDL56SW332LEGY

Acti9 iC60 - Miniature Circuit Breakers

Giving you absolute peace of mind when it comes to circuit protection and continuity of service, the miniature circuit breakers are especially ideal if you are working within polluted environments and networks.



Acti9 iC60N Disbo 1P C-Curve
6000A 10kA MCB.
A9F44106 6A • A9F44110 10A
A9F44116 16A • A9F44120 20A



Iconic Outdoor

The Iconic Outdoor range combines weather-proof protection, easy installation, smart technology and modern design.



Double switch socket 10A, 250V - Black
PDL0395-BK

Harmony Control - XB4 and XB5

Harmony XB4 and XB5 offer modular Ø22 mm control and signalling solutions designed for flexibility, reliability and easy customisation.



Harmony XB5 Emergency
Stop Head
ZB5AS844



Harmony XB5 Single-Contact
Block with Body Fixing
Collar 1NO.
ZB5AZ101



Harmony XB4 Single-Contact
Block Silver Alloy 1NO.
ZBE101



Harmony XB4 Single-Contact
Block Silver Alloy 1NC.
ZBE102



Excel Life 10A Double Powerpoint
Gloss White.
ED777WE Horizontal • EDV777WE Vertical



Excel Life 10A Single Powerpoint
Gloss White
ED787WE Horizontal • EDV787WE Vertical



Excel Life 10A Double Powerpoint with Integrated USB Type A+C Chargers
Gloss White.
ED777USB2IACWE



Excel Life 16AX 2 Way Single Pole Double Throw Vertical Rocker Switch 2 Gang. Gloss White.
ED770/2WE



Excel Life 16AX 2 Way Single Pole Double Throw Vertical Rocker Switch 1 Gang
Gloss White.
ED770/1WE



Excel Life 5A Push Button Switch Mechanism. White.
EM883WE



Excel Life 3 Wire 350VA Push Button Dimmer Mechanism. White.
EM400A3PWE



legrand®

VYNCO HOME



Vynco Home Single Horizontal or Vertical
Power Point.
2P1H / 2P1V White or Black



Vynco Home Double Horizontal or Vertical
Power Point.
2P2H / 2P2V White or Black



Vynco Home Horizontal
Powerpoint 2-Gang + USB AC
2P2HUAC



Vynco Home 1-Gang Switch.
2S1 White



Vynco Home 2-Gang Switch.
2S2 White



Vynco Home 3-Gang Switch.
2S3 White

VYNCO



Lopez 3CCT Dimmable LED Downlight
Recessed or Flush.
LOPEZ / LOPEZFL

VYNCO METRO



Metro LED 3CCT Steplight
IP44 White or Black.
MLIST / MLISTB



Metro X Outdoor Single Vertical Light IP65.
White or Black.
XLMS / XLMSB



Metro X Outdoor Double Vertical Light IP65.
White or Black.
XLMD / XLMDB



Metro X Outdoor Vertical Sensor.
White or Black.
XSDM / XSDMB



**MORE VALUE
WITH EVERY
PURCHASE**



Purchase a Dymo DY5200K or DY6200+ Industrial Label Printer and we'll include **2 FREE DY18444 Vinyl Black/White 12mm x 5.5m cartridges.**

Take advantage of exclusive pricing on GLFB20-S, GLFB21-S and GLMFB.

Upgrade your labelling capability today and maximise the value of every project.



DYMO® Rhino Industrial Portable Labeller DY5200K. DY5200K



DYMO® Rhino Industrial Portable and PC Connected Label Printer. DY6000+



True Blue Extra Heavy Duty Blue Extension Lead 30m. TBLEAD30M



Powerbase Warning Tape Electrical Cable Below 100mm x 100m. WT100100PB



Powerbase Warning Tape Electrical Cable Below 100mm x 300m. WT100300PB



Rangerbuilt Cavity Switch Unit - Suits 90mm & 100mm Cavity Doors. RCSU01



Sharpie® Fine Tip Permanent Black Marker S30051



Globelink Elepro Single Plastic Flush Box; Quick Fit; Screw Insertion; Black. GLFB21-S



Globelink Elepro Single Plastic Flush Box; Backless; Black. GLFB20-S



Globelink Elepro Single Metal Flush Box. GLMFB

Power up your toolbox and your next BBQ!

Purchase any advertised Megger® products on a single invoice and you'll go in the draw to win 1 of 2 Ziggy Twin Classic BBQs in Gunmetal Grey, valued at \$769 RRP each. Don't miss your chance to upgrade your test equipment and fire up your outdoor entertaining.

Megger®

BUY TODAY & BE IN TO WIN!



Megger DCM1500S Solar Clamp Meter.
DCM1500S



Megger® Digital Clamp Meter.
DCM340



Megger® PVM210 Solar Irradiance Meter.
PVM210



Megger® AVO415 CATIV TRM General Purpose Multimeter.
AVO415



Megger® MFT-X1 Multifunction Electrical Installation Tester.
MFT-X1

On Point

ONPOINT
DISTRIBUTION PARTNERS

Stay Safe. Stay Energised.

Spend \$250 or more on any CAVIUS or Watchman products and receive a **FREE* V Energy Drink** on the spot!



CAVIUS



WATCHMAN

*Limit 1 x 250ml V can per qualifying invoice/purchase (regardless of total spend).

INTOUCH
WARRANTY SUPPORT

NO MORE SITE REVISITS

onpointdistribution.co.nz/intouch





TELFER ELECTRICAL LTD CELEBRATES 75 YEARS AND ACTIVE ELECTRICAL SUPPLIES LTD CELEBRATES 15 YEARS

Built with loyalty and driven with pride are what Telfer Electrical and Active Electrical are all about. We proudly form strong partnerships with customers and suppliers and this has forged our pathway across 75 years with Telfers and 15 years with Active, and driving us into the future.

**TO HELP CELEBRATE THESE TWO MILESTONES WE ARE
EXCITED TO LAUNCH OUR ANNIVERSARY PROMOTION.**

SPEND \$1000 ON ONE INVOICE WITH:




SPEND \$500 ON ONE INVOICE WITH:



TO WIN TICKETS TO THE ANZAC DAY BLEDISLOE TEST - 90 TO BE WON



See our websites for Telfers & Active Electrical Anniversary Promotion Terms & Conditions



ANZAC DAY BLEDISLOE TEST



90 TICKETS TO BE WON
BRISBANE
24-26 APRIL 2027

PLUS GET A **FREE** HOODIE OR SWEATSHIRT

Simply spend the minimum qualifying amount with one of the 17 suppliers and receive your hoodie or sweatshirt, plus one entry into the draw for the Anzac Day Bledisloe Test in Brisbane. Terms & Conditions and limits apply.



2011

ACTIVE ELECTRICAL SUPPLIERS LIMITED is established – initially with 3 branches

ACTIVE EXPANDS to 22 branches across NZ

2012-2018

2024

TELFERS opens its 10th & 11th branches, and Active opens its 26th branch

TELFERS AND ACTIVE JOIN FORCES
Active becomes a Powerbase Member

2025

TELFERS 1951-2026
75
ACTIVE ELECTRICAL SUPPLIERS LTD

2026

ANNIVERSARY
Telfers opens its 13th branch, and Active opens its 27th branch and collectively celebrate 75 Years for Telfers and 15 Years for Active



Blu-Mol® Xtreme Threaded Spade Bit Set
6-Piece (10, 13, 16, 19, 22, 25mmx150mm).
BLX2698-S1

BLU-MOL® TRADE



Blu-Mol® Trade Hi-Vis Steel Mini
Round Mouth Shovel.
BLDSHHV

BLU-MOL® TRADE



Blu-Mol® Trade Cable Trenching Shovel Hi-Vis Fibreglass Handle.
BLD41629HV

KOMELON®



Komelon® Hi-Vis Trade
3-Vial Level 600mm.
KLV579-600HV

Energizer



Energizer® Headlight
HDL20 325 Lumens.
E303835800

Energizer



Energizer® Headlight
HDL40 500 Lumens.
E303836200



CAT® 9" High-Velocity Drum
Air Circulator Fan.
HVD-9AC

Starrett Tools

Starrett®



Butchers Block Chopping Board,
510 x 380 x 64mm.
WBFB1



Exhaust Fan Hole Saw Kit,
Over \$250.00 value.
MPH162-KIT



Laser Measure 50m
Plus FREE 8M Tape Measure.
KLMX-50



Wooden Chopping
Board & Carving Set.
SKK-2WD



Rolling Diamond Knife
Sharpening Set.
BKWD712-55



Medium Trademan's
Tool Bag.
K-BGM2016



Cable Cutter 9 1/2in.
A-63050



Bootlace Crimping Plier Self-
Adjusting 0.5mm² - 16mm².
WATBLC-DL16



20oz Framing Hickory Handle
Hammer.
A-H80920HS



Cross Cut Pliers 220mm
Soft Moulded Grips.
A-12099AU



Katapult Wire Stripper Metric
0.5-6.0mm².
A-11063WMET



ProFlex Impact-Rated 38-Piece
Screwdriver Bit and Socket Set.
A-33805MAU



Knurled TORX® 13-Piece
Bit Socket Set, T8 to T60.
A-65213TX



Dual Display 400A AC/DC
Clamp Meter.
A-CL490



Magnetic Field Indicator for
AC/DC voltages. Comes with
testing magnet.
WATMT702




Advanced Electrical Circuit Breaker
Finder and Wire Tracer Kit with Case.
A-ET450AU

Arrowhead Alarm Products



24V / DC Compact Geared Motor for Intensive Use Sliding Gate Kit. Kit includes: 1 x B-WOLF424; 4 x B-197.1; 1 x B-TO.GO2VA; and 1 x B-PUPILLA.T B-WOLF424 KIT



Plug on 4G Cellular Module for EliteAlarms EC-PCB. EliteSim now included with every module. EC-i 4G





Airzone



Airzone Aidoo Wi-Fi Inverter/VRF Smartphone, computer, and voice control for your air conditioning. Ideal for Homes, Schools, Hotels, Motels, anywhere with solid Wi-Fi that would benefit from Scheduling Heating & Cooling. Best of all it works with almost any model from the major AC manufacturers.

AIRZONE Aidoo Wi-Fi AC Gateway to Cloud App. AZAI6WSCxxx



Bluesound / Focal Audio

BIG SOUND. SMALL FOOTPRINT.

Compact cinematic sound and thunderous bass, designed for apartments, bedrooms and smaller spaces.



Bluesound PULSATION EDGE Compact Wireless Music Streaming Amplifier. N230BLK



COMBO



Bluesound PULSE CINEMA MINI 2.1 Wireless Multi-Room Streaming Soundbar with Dolby Atmos in Black. P431BLK




Bluesound PULSE SUB+ Wireless Powered Subwoofer in Black. PULSE SUB+ BLK

FOCAL® OUTDOOR & WEATHER-RESISTANT SPEAKER RANGE

Premium FOCAL® speakers deliver exceptional indoor and outdoor sound with durable, weather-resistant designs.



FOCAL® 6 1/2" Outdoor Speaker with Bracket in Black. OD-6BLACK



FOCAL® 8" IP55-Rated Outdoor Speaker in Basalte. ODDSTONE8B



FOCAL® 6.5" IP65-Rated Outdoor Speaker. 200ICW6



FOCAL® 8" IP65-Rated Outdoor Speaker. 200ICW8

Energizer
SOLAR

SIGENERGY

SOLAR PV KITS

Power your customers' homes with premium solar technology and exceptional value.

Power your customers' homes with premium solar technology and exceptional value. Our complete Solar PV Kits include high-efficiency bifacial panels, Wi-Fi enabled inverters, and a full mounting system, making installation faster and easier. Available in two 5.0kW options, these trade-ready packages deliver reliable performance, quality components, and competitive pricing, giving you everything needed to get more solar projects off the ground.

Included Components	Energizer 5.0kW Kit	Sigenergy 5.0kW Kit
455W N-Type Bifacial Dual Glass Panels	14	14
Energizer Hybrid Inverter 5.0kW	5.0kW	
Sigenergy Energy Controller 5.0kW		5.0kW
Wi-Fi Monitoring Module	✓	
CT Clamp	✓	✓
SigenStor Installation Kit – ground mount		✓
MRac Mounting Rails (4700mm)	8	8
Rail End Caps	8	8
Rail Splices	4	4
L Feet Roof Mounts	32	32
Inter Clamps	24	24
End Clamps	8	8
Grounding Clips (WEEB)	24	24
Rail Earthing Lugs	4	4
Cable Clips	56	56
Genuine MC4 Connector Pairs	2	2
DC Isolator Switches	2	2
Solar Compliance Label Kit	✓	✓
Standard Tin Roof Mounting Kit	✓	✓



Allen-Bradley M105 Direct On-Line Safety Reversing Motor Starter 4.6 to 23A Push-in Terminal.
M105SC23P



Allen-Bradley M105 Direct On-Line Safety Reversing Motor Starter 0.75 to 9A Push-in Terminal.
M105SC09P



Allen-Bradley M109 Direct On-Line Standard Non-Reversing Motor Starter 0.75 to 9A Push-in Terminal.
M109NC09P



Allen-Bradley M109 Direct On-Line Standard Non-Reversing Motor Starter 4.6 to 23A Push-in Terminal.
M109NC23P

NHP


Thorn Lighting

THORN
LIGHTING

Harry Flex High Bay; Large; 30000lm; 850 Flex Plug.
96652721



Optus LED Batten; 1500mm; 4700lm; 940.
96295122 White • 22677041 Black



Eve LED Disk D40 E2NM; Ceiling Recessed Emergency Luminaire.
96294619



Eric LED EXIT 24M E2M; Escape Sign Luminaire.
96294618



Lucy 1500mm (5ft) IP66 LED Moisture Proof Luminaire.
96701904



LEDVANCE Ultra Commercial Downlight
35 DIM 19/14W 3K/4K/5.7K.
OSRO333811



LEDVANCE Ultra Commercial Downlight
195 DIM 30/23W 3K/4K/5.7K.
OSRO333873



LEDVANCE Panel Pro: 600 x 600 or 1200 x 300; 33/20W; 3K/3.5K/4K.
OSRO398759 & OSRO398773



LEDVANCE LED Floodlight 3CCT ASYM
100W / 80W / 60W.
OSRO121982



LEDVANCE Floodlight 3CCT ASYM
150W / 120W / 90W.
OSRO122026



LEDVANCE LED Floodlight 3CCT ASYM
200W / 160W / 120W.
OSRO122064

steinel



Steinel IS1 Motion Sensor PIR
SM 120° 10M IP54.
600310 White • 600419 Black



Steinel PD-8 ECO Presence
Detector with Concealed Wiring.
087937 White • 087920 Black



Steinel IS 3360 Motion
Detector PIR SQ REC 360°
20M IP20 COM1 Input.
033460



Steinel IS 3360 Motion
Detector PIR SQ SM 360°
20m IP54 COM1
010478

**5YEAR
WARRANTY**
**IN
STOCK
NOW!**

NEW COB FREE-CUT STRIP RANGE

Traditional SMD strip has always had its limitations with fixed cut points, making it difficult to achieve the exact lengths needed for on-site installations. Our NEW "free-cut" range changes that, allowing you to cut closer than ever to your required measurement whilst maintaining an IP54 rating.



KEY FEATURES


- 24V DC constant voltage output
- 10M pre packed lengths with tails
- 5-20W/m outputs in 27K-4K options
- Exclusive tinned PCB anti-corrosion
- Up to 120 lumens per watt
- L80B10 @ 50,000Hrs

CODES

- 5W** SPS-5W-10M-**K
 - 10W** SPS-10W-10M-**K
 - 15W** SPS-15W-10M-**K
 - 20W** SPS-20W-10M-**K
- ** = Colour temperature
27K | 3K | 4K

LED STRIP CONNECTORS

Our new clip-on connectors make connecting LED strip quick and easy. Create joins, power feeds and corner connections in seconds for a faster, cleaner installation. Connectors pierce down on the tinned PCB to form a secure connection and can be removed and repositioned if adjustments are needed during installation.



KEY FEATURES

- 12-24V DC working voltage
- Compatible with LS700 & LS700S
- 0.33mm² cable size 22AWG
- Suitable inside a large range of profiles
- Pack sizes 5PC or 50PC
- Max 3.5 Amp
- 20pc multi-pack also available


CODES

- JOIN** DSCON-MINI10-JOIN-5
- CNR** DSCON-MINI10-CNR-5
- TAIL** DSCON-MINI10-TAIL-5
- FEED** DSCON-MINI10-FEED-5
- CABLE** CABLE-22AWG-10M
- MIXED** DSCON-MINI10-20

Low Glare range from Switch Lighting



- ◆ 8W low glare downlight
- ◆ CRI 90
- ◆ Dimming driver with quick connect
- ◆ Low glare diffuser
- ◆ IP54 front
- ◆ Selectable CCT 2700K / 3000K*
- ◆ Halogen retrofit
- ◆ Ø86-89mm cut-out
- ◆ Fixed profile <40mm
- ◆ Tilt profile <45mm

*Before installation: Use the switch located on the rear of the housing to select the desired colour temperature (2700K or 3000K).



NEW

LOW GLARE TILT
SLED314T-M1S5P



LOW GLARE FIXED
SLED314F-M1S5P

www.switch-lighting.co.nz



SWITCH Lighting

enhancing environments through lighting



TURN YOUR GLIGHT PURCHASE INTO A WINNER!

Spend \$500 + GST or more in a single transaction on ANY Glight products and be in the draw to WIN 1 OF 2 MAMMOTION YUKA MINI 2 1000 WIRE-FREE ROBOTIC LAWN MOWERS, \$2,999 RRP.



Be one step closer to taking lawn mowing off your summer to-do list!



Titian 8W Recessed Fixed LED Spotlight IP54; 230V; 8W; 3K; 38°. A171WH/8W/3K/38° White A171BK/8W/3K/38° Black



Titian 8W Recessed Adjustable LED Spotlight - IP54; 230V; 8W; 3K; 38°. A181WH/8W/3K/38° White A181BK/8W/3K/38° Black



Titian 8W Fixed Premium LED Spotlight - 230V; 11W; 3K; 60°. A172WH/11W/3K/60° White A172BK/11W/3K/60° Black



Titian 8W Tilttable Premium LED Spotlight - 230V; 11W; 3K; 60°. A182WH/11W/3K/60° White A182BK/11W/3K/60° Black



UNITREK III Adjustable Surface Mounted Spotlight 10W IP20 Tri-Colour Dim White. GDL302SM TC WH White GDL302SM TC BK Black



UNITREK III Adjustable Recessed Spotlight 10W IP20 Tri-Colour Dim White GDL302RC TC WH White GDL302RC TC BK Black

TITIAN MODEL VARIANT COLOURS



PORTLAND II Decorative LED Bulkhead; 16W; IP65; Quad-Colour; Non-Dimmable. GPO325 QC WH White



FIREFOX II Low-Glare Fixed Fire-Rated Spotlight; 230V; 10W; 3K/4K/6K, IP65; Tri-Colour; Dimmable. GDL943 TC WH White • GDL943 TC BW Black & White • GDL943 TC BB Black

FIREFOX II Low-Glare Fixed Fire-Rated Spotlight; 230V; 10W; 3K/4K/6K, IP65; Tri-Colour; Dimmable. GDL943 TC GB Gold & Black

HALCYON

Design Standard.

Low-glare 50° lens optics for high-end ambience. Or a forgiving 90° diffused beam for spaces demanding more coverage from fewer fittings. Available in 2700K, 3000K, 4000K. Retrofit or new install, one range covers it all. Now with an impressive 105,000-hour, L80B10 lifespan.



Exterior Small Design Standard Kit, 9.5W, 870lm, CRI90, Ø72-82mm cut out, 50° beam, IP65, IC-4, c/w dimmable flicker-free driver.
R730 XW3KV2 (3000K, White, 316 STS)



Mini Design Standard Kit <8.5W, <700lm, CRI90, Ø57mm cut out, 45° beam, IP65, IC-4, c/w dimmable flicker-free driver.
R729 W3KA-D-GL (3000K, White)



Small Design Standard Kit, 9.5W, 900lm, CRI90, Ø72-82mm cut out, 50° beam, IP65, IC-4, c/w dimmable flicker-free driver.
R730 W3KV2 (3000K, White)



Small Design Standard Kit, 9.5W, 970lm, CRI90, Ø72-82mm cut out, 90° beam, IP65, IC-4, c/w dimmable flicker-free driver.
R731 W3KV2 (3000K, White)



Design Standard Tilt Kit, 9.5W, 900lm, CRI90, 85-92mm cut out, 32° tilt, 50° beam, IP54, IC-4, c/w dimmable flicker-free driver.
R750 W3K2 (3000K, White)



Medium Design Standard Kit, 12W, 1000lm, CRI90, 100-110mm cut out, 50° beam, IP54, IC-4, c/w dimmable flicker-free driver.
R610 W3K (3000K, White)



Medium Design Standard Kit, 12W, 950lm, CRI90, 100-110mm cut out, 90° beam, IP54, IC-4, c/w dimmable flicker-free driver.
R611 W3K (3000K, White)



Large Design Standard Kit, <19W, <1850lm, CRI90, 130-140mm cut out, 60° beam, IP54, IC-4, c/w dimmable flicker-free driver.
R602 W3KA (3000K, White)



Large Design Standard Kit, <18.5W, <1800lm, CRI90, 130-140mm cut out, 90° beam, IP54, IC-4, c/w dimmable flicker-free driver.
R603 W3KA (3000K, White)



Stingray Exit Light Gen3

A stylish, modern quick-connect, and efficient LED exit luminaire designed for interior exit sign applications.



Stingray Exit Light Gen3.
STINGWHG3

Orion Oyster

Selectable colour 3K/4K/6K, dimming ceiling button. IP54.



Orion Oyster Gen3 Colour Select 3K/4K/6K.
Phase Dimming. IP54.
ORN16W3/4/6KDG3



Orion Oyster Gen3 350mm. 3K/4K/6K.
Phase Dimming. IP54.
ORN23W3/4/6KDG3

PHILIPS

Smartbright LED Security Light

Twin-head high output residential sensor light.



Security Sensor Light LED
PIR 2x 15W 4K.
BWS220LED20NW

CoreLine

CoreLine luminaires combine innovative design, easy installation and reliable performance and is suitable for ceiling or wall mounting.



Coreline Bulkhead WL140 LED 29/11W
2.7K/3K/4K 390mm Round IP65.
WL140LED14-40CCT

Smartbright Deep Recessed UGR19 Downlight

Selectable colour 3K/4K/6.5K, stylish and dimmable.



DNDR Smartbright Downlight
D90 LED8 CCT UGR.
DNDRLD8D90WH White • DNDRLD7D90BK Black



WiZ LED Strip, String & Fairy Lights


Full colour smart lighting with dynamic effects, app controlled and dimmable.



WiZ Neon Flex 5m RGBIC LED Strip Light.
WZNEONSTRP



WiZ Outdoor 48ft String Lights.
WZSTRLIGHTS



WiZ LED 20m Multicolour Fairy Light 20m Multi-Colour.
WZFAIRY

EVOLVE LIGHTING

COMMERCIAL DOWNLIGHT

BARON

Deep cut-off · CRI90 · 3CCT
3000K/4000K/5700K
IP54 · triac dimmable · ICF rated · 5-year warranty



BARON120-18-9345

4" · 18W · 1,693-1,793lm · cutout Ø120-130mm

BARON160-25-9345

6" · 25W · 2,250-2,376lm · cutout Ø160-170mm

BARON200-35-9345

8" · 35W · 3,349-3,522lm · cutout Ø200-210mm


BARON230-40-9345

10" · 40W · 4,096-4,226lm · cutout Ø230-260mm

PANEL

PRIME PANEL

Back-lit · 4000K · UGR<19 · CRI>80 ·
120lm/W · ICF rated · >72,000hrs
Flicker-free · IP40 · 5-year warranty



PRIME6060-30-840

600x600 · 30W · 3,600lm

PRIME1230-30-840

1200x300 · 30W · 3,600lm

PRIME1260-42-840

1200x600 · 42W · 5,000lm

HIGHBAY

ASTRO



Wattage select 100/150/200W · 3CCT
4000K/5000K/6000K · 150lm/W · IP65 ·
>60,000hrs · 90° beam · 5-year warranty

ASTRO-200-8456-90

200W · up to 30,000lm

BATTEN

EZYFIX



Wattage select & 3CCT
3000K/4000K/6000K · 160lm/W
Tridonic driver · IP20 · quick-release gear
tray · 5-year warranty

EZY1200-40-8346

1200mm · 40W · up to 6,400lm

EZY1500-50-8346

1500mm · 50W · up to 8,000lm

IP66 BATTEN

TYPHOON



Wattage select & 3CCT
3000K/4000K/6000K · 140lm/W
Tridonic driver · IP66 · IK08 · stainless clips ·
5-year warranty

TYP1200-40-8346

1200mm · 40W · up to 5,659lm

TYP1500-56-8346

1500mm · 56W · up to 8,000lm

FLOODLIGHT

STRIX

Asymmetric beam angle · 3CCT
3000K/4000K/5000K · up to 170lm/W
Daylight sensor · IP66 · >100,000hrs
C4 corrosion rating (>200m from ocean) ·
316 stainless bracket & fixings · 5-year warranty




Easy-access junction box — loop in / loop out




STRIX-50-8345-B-AF

20W/30W/50W · 160lm/W
8,000lm max · PIR sensor
sold separately



STRIX-100-8345-B-AF

60W/80W/100W · 170lm/W
17,000lm max · daylight
sensor



STRIX-200-8345-B-AF

120W/160W/200W ·
170lm/W
34,000lm max · daylight
sensor

Contact your local Telfer Electrical or Active branch today.



TELFER ELECTRICAL BRANCHES

Nelson

Phone (03) 548 6611

Richmond

Phone (03) 541 0044

Greymouth

Phone: (03) 429 6291

Papanui

Phone (03) 352 6040

Christchurch Central

Phone (03) 366 1814

Hornby

Phone (03) 344 5505

Rolleston

Phone (03) 347 0303

Timaru

Phone (03) 683 1366

Cromwell

Phone (03) 445 0892

Wanaka

Phone (03) 443 1997

Otago

Phone (03) 466 3730

Mosgiel

Phone (03) 484 7277

Southland

Phone (03) 218 2080

 **telfers**

 **active**
ELECTRICAL SUPPLIERS LTD

ACTIVE BRANCHES

Whangarei

Phone: (09) 699 3050

Warkworth

Phone: (09) 777 4050

Albany

Phone: (09) 909 0490

Mt Eden

Phone: (09) 903 0630

Penrose

Phone: (09) 555 7740

East Tamaki

Phone: (09) 399 8065

Drury

Phone: (09) 869 3316

Te Rapa

Phone: (07) 903 4030

Hamilton

Phone: (07) 903 5087

Cambridge

Phone: (07) 823 1069

Te Awamutu

Phone: (07) 777 8016

Te Kuiti

Phone: (07) 777 8016

Tauranga

Phone: (07) 777 0122

Mt Maunganui

Phone: (07) 777 0378

Tauriko

Phone: (07) 571 1568

Rotorua

Phone: (07) 399 4050

Taupo

Phone: (07) 905 5029

New Plymouth

Phone: (06) 215 4246

Hastings

Phone: (06) 975 4020

Palmerston North

Phone: (06) 399 7051

Petone

Phone: (04) 555 0758

Nelson

Phone: (03) 970 2198

Blenheim

Phone: (03) 578 3717

Papanui

Phone: (03) 943 5359

Christchurch Central


Phone: (03) 379 1667

Hornby

Phone: (03) 741 1302

Timaru

Phone: (03) 956 5020



Members of **POWERBASE** 

Promotions and pricing displayed in this issue of TED are valid from 1 October to 31 December 2026 and open to Trade Customers only. Promotional items available while stocks last. Purchases for contract or special pricing will not be eligible for the promotions. Terms & Conditions apply for promotions. All prices exclude GST.