

iOS Collaboration Mobile App - User Guide - English

① Starting from iOS app version 7.6.35419, the access to Mobile Collaboration is allowed only for users with Essential License and higher. PBX admin needs to assign a corresponding license in WMS -> *Users* (consult the Guide for instructions).

(i) Wildix Collaboration Mobile application provides access to Wildix Unified Communications from your iPhone, iPod touch and iPad.

iOS App Version: 8.3.45865

To check the current version, go to iOS changelog: https://www.wildix.com/new-releases-and-updates/collaboration-ios-app-changelog/

Updated: June 2022

Permalink: https://wildix.atlassian.net/wiki/x/9yDOAQ

- Before using the app
 - Requirements
 - Push notifications
- Sync of enterprise phonebooks
- Login
 - Two-factor authentication (2FA)
- Menu description
- User status
- Call
- · Live search
- Place a call from Dialpad
- From Function keys
- From Enterprise Contacts
- From History
- From Voicemail
- From Chat
- From your device's contacts
- From Browser (Support of URI for call generation)
- · Answer a call
- Call management
 - · Switch between audio sources
- Transfer
 - Transfer via Function keys
- Control of active calls on other devices and Call continuity
 - Control of active calls on other devices
 - Call continuity
- Chat
 - Send a File / an Image / a Post-It/ Call me back
 - · Send a voice recording
 - Participate in Wizyconf videoconference
 - Multiuser group chat
- History
 - Voicemails
 - Call recordings



- Call groups
- Settings
 - · Change user picture
- Log out
- · Appendix 1. Apple watch extension

Before using the app

Requirements

To use this application, you must be a user of a Wildix system and have fast internet connection that doesn't block VoIP traffic.

Ports to open: Ports used by Wildix services

Use of App outside the office network: the first time you make a login from the local network, the PBX sends the settings of the public network to the application (the same for connection from the public IP). The app tries to connect using the first IP and if it fails, it moves to the second one, thus ensuring the connection both when you are in or outside the office network.

Requirements iOS:

- WMS version 4.01 or higher
- · iOS version 9 or higher
- minimum supported device iPhone 5 (5, 5S, 5C)

Push notifications

Thanks to push notification, the app no longer needs to run all the time. Once you receive a call / a text, the app "wakes up" in the background, even in case the app was closed.



Note: since iOS device disconnects from SIP, it disappears from the list of active devices in Wildix Collaboration interface, once you wake it up or receive a push, it appears again.

To deactivate access to Presence and SIP server and to stop receiving notifications, you can set the status to Offline or log out from the app. Read the chapters Status and Log out for more info.



Note: you can also receive push notifications to your Apple watch. Go to iPhone Watch -> Notifications -> Collaboration and enable receiving notifications. Show app on Apple watch.

- NOTE: The latest Apple requirements for iOS 13 SDK change the behavior of push notifications compatibility. After upgrading the app at least to v. 8.0.45765, a user needs to open it to update a new push subscription. Otherwise, all non-call push notifications (chat message / missed call message) are sent to the app as a call containing own user caller name.
 - The sync between read chat messages in Collaboration and the app is currently disabled. In order to remove push notifications that were received for group chat messages, open the app (this behavior will be improved in the next releases)



- After re-login to another PBX without correct logout from the previous PBX, a user can still receive push notifications (chat / call / missed call) from the previous PBX as a call containing own caller name, non-call push notifications (chat / call / missed call) are sent to the app as "Unknown" call
 - to disable these notifications, log in to a previous PBX and perform logout again. A warning notification with extension and PBX domain is displayed if this situation occurs
 - to remove push subscriptions from PBX: access PBX via SSH as root and run the command push_remove EXT where EXT is user extension, for example, 123


Read about push notification: https://blog.wildix.com/what-is-push-notification-for-mobile-apps/.

Sync of enterprise phonebooks




Sync of enterprise phonebooks is not necessary: live search in PBX phonebooks is supported directly from Dialpad.

- 1. Go to iPhone Settings -> Passwords & Accounts
- 2. Select Add Account
- 3. Select Other



- 4. Select Add CardDAV Account
- 5. Enter the Server name (PBX domain name or IP), User name, Password and Description





Now all your PBX contacts appear in your iPhone phonebook. Go to iPhone Phone -> Contacts and select the groups that you wish to be displayed in the phonebook of your iPhone.



Note: It is possible to save contacts directly from **History**:

- · Go to History
- Tap the double **Arrowhead** icon to view user contact details
- Select one of the options: Create New Contact / Add to Existing Contact

Login

Launch the app:

· Domain: PBX IP or domain name



Note: you can enter the PBX name, wildixin.com domain is added automatically.

- User name: Extension / User name / Email address
- Password: WEB password of a user for access to Collaboration

Or

You can use Google/ Office 365 credentials for single sign-on.






Two-factor authentication (2FA)

It is possible to use 2FA authentication for login. The option can be enabled in *Collaboration -> Settings -> Personal*. Detailed information can be found in *Collaboration User Guide*.

Menu description




- 1 Contacts
- 2 Call history
- 3 Dialpad/ Function Keys/ Active call
- 4 Chat
- 5 Settings

User status

- 1. Tap Dialpad
- 2. Tap status icon / user picture
- 3. Tap on the current status and select the new one: DND / Away / Offline / Online
- 4. Enter your status message (optional)
- 5. Tap the **Tick** icon to apply changes





Note: for DND / Away it is possible to set up expiry time via Until option (optional), after which your status passes to online.

Note: offline status is available only for mobile apps and it allows you to disconnect from Presence and VoIP servers; you will not receive push notifications at all.

Call


Live search

You can use real-time search in PBX phonebooks to place calls.



Note: You can also sync your enterprise phonebooks if you want them to appear in Contacts menu of Wildix Mobile Collaboration App. Refer to this Chapter for detailed information.







Place a call from Dialpad

- 1. Tap Dialpad
- 2. Select the mode to place a call:



Note: It is possible to generate a call via another device registered to your account (WP phone, Vision/ SuperVision, W-AIR handset/ headset etc)

- **VoIP**: place a call via the PBX (recommended in case you have fast and reliable Internet connection)
- Callback: you receive a callback from the PBX via Mobile network (make sure your mobile number is indicated in Settings -> Personal)
- Direct Call: place a call via Mobile network
- Call-Through PBX: provides possibility to make calls via GSM network of the PBX from Collaboration app (available if enabled, see Call-Through PBX setup section for more details)
- Wildix devices registered to your account: select a device from the list a call will be generated using the selected device
- 3. Start entering user's name or number / extension in the Search field to find a user / a contact




Note: Starting from app version 8.6.55887 contact lookup is performed in the local iOS contacts,

4. Tap on a user / a contact you wish to call. Select number/ extension to place a call

Or



- 1. Enter the number using Dialpad
- 2. Tap the green **Handset** button



Call-Through PBX setup





⚠ Note: The feature is available starting from Beta version 8.7.55914

To enable the functionality, follow the steps below:


- 1. Go to app Settings -> Advanced
- 2. Enable Call-Through PBX option (1) and enter PBX phone number (2):












3. Once enabled, Call-Through PBX appears in the list of options on the Dialpad:





4. When making a call via Call-Through PBX, the dialed number includes PBX phone number and destination number separated by comma. Press **Call** and the call is started via native Phone app. During this call, go to Collaboration app where the same call is active. Via Collaboration, you can put the call on hold or transfer it (both attended and semi-attended transfer supported).

Video: generate a call from iOS via W-AIR Headset https://www.youtube.com/embed/Xn4-mwPRSCg


From Function keys



Note: Before using the feature, configure function keys (FK) in Collaboration -> Settings -> Function keys. You can configure up to 20 FK. For more information, read Collaboration Guide, Function key section.

- 1. Tap **Dialpad** and select **Function keys** to switch to *Function keys* menu
- 2. Tap on a function key you wish to call
- 3. Select Call from the drop-down list





From Enterprise Contacts



⚠ Note: by default the local contacts from your device's phonebook appear in this menu; to access the enterprise phonebooks, set up the sync of contacts, as described in the chapter Sync of enterprise phonebooks.

- 1. Tap the contact you wish to call
- 2. Tap the number you wish to call



⚠ Note: a call is made using the mode selected in Dialpad menu (VoIP / Callback / Direct Call).





From History

- 1. Go to History
- 2. Tap on a user
- 3. A call is placed automatically

From Voicemail

- 1. Go to Voicemail
- 2. Tap on a voicemail message from a user you'd like to call
- 3. Select Call from the drop-down list


From Chat

- 1. Open a chat session with a user
- 2. Tap Handset button
- 3. The call is placed automatically



⚠ Note: In case you received a *Call me back* request from another user, it is displayed in chat and you can place a callback to this user by tapping Call me back.







From your device's contacts

- 1. Tap a contact in your iOS contacts
- 2. Tap and hold the **Call** button
- 3. Select Collaboration







From Browser (Support of URI for call generation)

Thanks to URI support, it is possible to generate a call from the browser by clicking on a link containing a phone number. It allows you to start calls from various web pages.

Supported link:

-
-

where [phone_number] parameter can also start with "+"

To generate a call from the browser:

- 1. Tap on a telephone number containing the supported link
- 2. Select **Collaboration** from the drop-down list

Answer a call



Note: on iOS mobile calls and VoIP calls have the same priority, you VoIP call is not interrupted in case you receive an incoming mobile call.


- · Tap the blue Tick button to answer
- Tap the **red Crossmark** button to decline





Call management

During a call you can navigate your device, open the App and tap **Dialpad** to come back to the active call.





- 1 Video
- 2 **Hold**
- 3 Transfer. Select the needed option for the list: Contact (choose a contact from Contacts)/ Number (dial a number you wish to call from Dialpad)/ Device (select a device where you wish to pass the call)/ Function key (select FK to transfer the call)
- 4 Record a call
- 5 **Mute**
- 6 Speakerphone. Tap to switch between audio sources: Speaker/ Handset (iPhone)/ Headphones
- 7 **Conference** (in case there is more than one active call)
- 8 Hang up
- 9 **DTMF**
- 10 Switch back to Dialpad/ Function keys tabs to make a new call

Switch between audio sources




⚠ Note: If you have paired Bluetooth headphones to your iPhone, they are automatically selected as an audio source during incoming/outgoing calls.

If you have any headphones connected to your iPhone, you can switch to them during an active call:

- Hold **Speakerphone** button for 2 seconds to display the list of available audio modes
- Select the needed mode from the list:
 - iPhone (Handset)
 - Speaker
 - Headphones





Transfer

Blind transfer:

(transfer without notification)

- 1. Tap **Transfer** button during a call
- 2. Tap **Contact** to select a number from the phonebook or Number to manually enter the number
- 3. Select a contact and tap the number / enter the number and tap the green **Handset** button

Attended transfer:

(transfer with notification)

- 1. Tap **New call** button during a call
- 2. Make a new call (select a contact from Contacts or dial the number manually)
- 3. Wait till the other party answers (the previous call is now on hold)
- 4. Tap **Transfer** button and select the call on hold to complete the transfer


Video tutorial:https://www.youtube.com/watch?v=HfxIDPLKu2U

Transfer via Function keys

Transfer option via Function keys "Colleague", "Park Orbit" and "Speed dial" is available:

- 1. Tap **Dialpad** and select **Function keys** to switch to *Function keys* menu
- 2. Select the function key to transfer a call
- 3. Tap **Transfer** for blind transfer, otherwise tap **Call** to start a call first (attended transfer)





Control of active calls on other devices and Call continuity

Control of active calls on other devices

The feature allows you to view and control own active calls on other devices registered to your account. You can hold/resume, record, hang up a call as well as send DTMF.

Call continuity

With the help of the feature it is possible to pass your active calls from other devices to iOS or another specific device.


To pass an active call to iOS Collaboration app:

- Tap Call continuity button
- A call is automatically picked up on iOS

To pass an active call to a specific device:

- Tap and hold Call continuity button
- Select a device from the list
- A call is automatically picked up on the selected device





⚠ Note: To use mobile continuity, make sure that Dialplan rule "pbxfeatures (Features codes dialplan)" is added to "Included procedures" of the Dialplan used for managing calls.



⚠ Note: In case there is no need to monitor active calls or use Call continuity, you can switch back to Dialpad/ Function keys tabs.

Chat


All the colleagues added to your roster appear in *Chat* menu.

- 1. Tap Chat
- 2. Use the Search field to find a user
- 3. Tap a user and enter your message
- 4. Tap **Paper plane** icon to send the message




Note: To delete a chat session with a user, swipe it left.





Start a chat session from live search results

- 1. Start entering user's name or number / extension in the Search field to find a user
- 2. Tap on a user you wish to chat. Select Chat from the list



Start a chat session from History

You can also start a chat session with a user from *History* tab.

1. Go to History



- 2. Select a user you would like to chat with and tap the double Arrowhead icon to view user contact details
- 3. Tap Chat



Note: If you delete a chat session with a user, you can restore it from History via **Chat** option.


Send a File / an Image / a Post-It/ Call me back

Send a file / an image:

- 1. Start a chat with a user
- 2. Tap +
- 3. Select the source:
- Camera
- Photo & Video Library
- Downloads
- Select files/ images or take a photo using the camera to be sent (you can send up to 10 files/ images)
- Tap Send button
- Confirm by tapping Send



⚠ Note: The maximum file size to be sent is 100Mb.



Send a Post-It

- 1. Start a chat with a user
- 2. Write your message
- 3. Tap +
- 4. Select the option Send as Post-It

Send Call me back

1. Start a chat with a user



- 2. Tap +
- 3. Select the option Call me back

Send a voice recording

- 1. Start a chat with a user
- 2. Press and hold **Microphone** icon to record a message
- 3. After you finish, release to send




Note: To cancel voice recording without sending, slide left.

Participate in Wizyconf videoconference


Important: for access to video conferencing service on iOS devices, use Safari/ Google Chrome browser or install WizyconfiOS App.

- Open a chat session with a user who sent an invitation
- Tap on the invitation
- · Select Join to access the conference via Wizyconf iOS App or Call to access the conference in audio-only mode. Follow Wizyconf Videoconference User Guide for details






• Tap Join to enter the conference:



• Upon the first access via the App, you need to enter your name, the conference ID is already present:






• When you are inside the conference, you can adjust different settings by tapping on **Three dots** icon: enable low bandwidth mode, enter tile view, raise your hand and send a reaction:









- **Current limitations:**
 - DND status "in conference" is removed after the conference is finished, but is not removed automatically after closing tab with conference
 - It is impossible to create a conference from iOS app; it is possible to participate in the conference if you were invited (you receive an invitation via chat)
 - It is impossible to join a conference with a different user using iOS Safari browser after re-login in the app (user anyway joins the conference as the previous user)

Multiuser group chat

Available starting from iOS app version 7.8.35572 and WMS version 4.03.44817.02.

Multiuser cloud-stored group chats with possibility to add up to 500 participants and send pictures/ files.


- - Limitations:
 - not available for PBXs with LifeTime licenses
 - no more than 100 group chats can be received from the server



• if user opens a push notification from a group chat after being removed by an owner, one-to-one chat with user who sent message is opened

Create a group chat

- 1. Tap +
- 2. Edit the group title (optional)
- 3. Add participants
- 4. Tap Done to finish



Add / remove participants




Note: You cannot remove yourself and a group chat manager.

Open the group chat management section by tapping on its title.

- To add a participant: start typing a participant's name/ extension number in the search field, tick to add
- To remove a participant: untick a participant or tap on a participant with indicated **x** icon
- Tap **Done** to save changes






Leave/ close the group chat:

Only the group chat manager can close the chat. Other participants can leave it and can join back only after the manager adds them again.

• Swipe the group chat left and tap **Delete**





History




⚠ Note: Call history and missed calls notifications are synced over the PBX among all the devices registered to your account (except for W-AIR handsets).



Tap **History** to access the log of calls. Incoming, outgoing and missed calls (highlighted in red) are displayed in All tab. To view only missed calls, tap **Missed** tab.

Tap and hold a call to be able to delete, archive or copy a phone number to clipboard.

Tap the double **Arrowhead** icon to view user contact details and a call log.





Note: in case the call log is empty, make sure that:

- backend for CDR is enabled in WMS Settings -> PBX -> CDR
- ACL group of your user does not have restriction "Cannot use" -> "History"



Note: calls via Collaboration application are also displayed in the device's call history (Phone -> Recents).

Voicemails


Tap Voicemail tab to access your Voicemails.

- To download a voicemail message, tap **Arrow** icon
- To play it back, tap Play button
- To pause a playback, tap **Pause** button
- Other options: tap on a voicemail message to display the drop-down list: Call a user who left a message, Mark as read or Delete it

Multi-edit of Voicemails:

- 1. Select one or multiple Voicemails
- 2. Click Mark as read or Delete icon






Call recordings

Call recordings are displayed and can be played back from *History*.

- To download a call recording, tap **Arrow** icon
- To play back a downloaded recording, tap **Play** button
- To pause a playback, tap Pause button

In case there are several recordings of one call, they are displayed as a list.





Call groups

The Call groups tab provides support for Call Group notifications manager feature.




Note: Starting from Beta version 8.7.55904, the *Call groups* tab is displayed only in case Call group notification manager is set up.

Documentation: How to set up the Call Group notifications manager feature

It displays all missed events in Call groups which you are monitoring. Via this tab, you can call a user back, mark the event as read, or delete it.







⚠ Note: Starting from Beta v. 8.7.55914, it is possible to listen to missed Call group voicemails on the Call groups tab.

Settings

- Account: login window
- Personal: contact details
 - E-mail
 - mobile number
- Contact center: The feature lets you dynamically log into Call groups



Note: The support starts from iOS app version 8.6.55887 and WMS version 5.04.20211108.3.

- · Sign-On: turn it on and select Call groups in the Groups section, to dynamically log into them
- Unavailable on away / dnd: the option auto-pauses you in all Call groups when your status changes to
- Groups: see the list of all Call groups, both the CGs you've been statically added to (the toggle is greyed, the status cannot be changed on this page, only via WMS), and the CGs you can choose to dynamically log into.
 - For more information, see the documentation: Call distribution in Call groups Admin Guide -Contact center
- **Features** by call class (Internal, External, Blacklist, Whitelist)



- Activate class: available for External / Blacklist / Whitelist (activates the class)
- Call reject: if enabled, you do not receive incoming calls
- Busy call forward: check the box and enter the number or VOICEMAIL, to enable call forwarding when busy on the phone
- Unavailable call forward: check the box and enter the number or VOICEMAIL, to enable call forwarding
 in case of no answer
- Force call forward: check the box and enter the number or VOICEMAIL, to enable the forwarding of all the incoming calls
- Call waiting: enable to be able to receive more than one call at a time
- *Mobility with timeout:* if enabled, you receive incoming calls to your mobile number after the specified timeout; mobile number must be configured in Collaboration Mobile app *Settings -> Personal*

· Advanced:

- Debug: if enabled, you can collect logs in case of crashes/ issues with the application. Detailed information can be found in Collecting logs from iOS apps chapter of Debugging of Mobile Apps Guide
- Send (appears only after enabling Debug option): allows sending an email report with the collected logs to Wildix support
- Use PBX LAN Address (enabled by default): the application connects to one of IP candidates: IP/ domain and port 443 if a user did not specify a port on login page or IP/domain:port if user specifies a port on login page
- Disable SIP mode: the feature is disabled by default. If enabled, call via Direct call is set as default
 mode for call generation. In this mode application de-registers from the PBX; missed call counter,
 new voicemail counter and status of Trunk, Timetable, Switch, 3 state switch, Call group Feature
 Keys stop working; chat and call control/ call generation via remote device continue to work
 - ! Limitation: If the option remains active for more than 30 days, PUSH subscription is removed for this extension. As a result, user is be able to receive chats. To reactive PUSH subscription, switch off and then switch on again *Disable SIP mode*.
- Firewall bypass (beta): the feature is disabled by default. The app uses TURN server located on turn.wildix.com (used TCP port 443). If enabled in On mode, the app switches audio stream to PBX via external TURN server right away after call was started. If enabled in Auto mode, the app switches audio stream in case it is missing for 5 seconds after call was started
 - Limitations:
 - firewall bypass works only on Cloud PBXs and on PBXs with 1-to-1 NAT
 - application supports only 1 call in case feature is enabled
 - switching to external TURN server during conversation in case audio stream was lost (in Auto mode)
- Use WebRTC (available starting from WMS 5.0): the feature is disabled by default. If enabled, the connection between calls is established via WebRTC
 - ! R
 - Requirements:
 - WMS version 5.01.20200327.3 or higher
 - $^{\circ}~$ iOS version 10.0 or higher

Limitations in WebRTC mode:


- conference calls are not supported yet
- · G.729 codec is not supported
- Ring on Apple Watch: if enabled, you receive incoming call notification on Apple Watch (Apple watch extension)



- Chat image quality: select one of the image resolutions (High/ Standard/ Low) to compress or improve quality of pictures/ photos before sending
- Save chat images to gallery (enabled by default): allows saving images from chat sessions on the phone by tapping on it
- · Convert heic to jpeg (enabled by default): allows converting of .heic images into jpeg
- Give Feedback: provide customer feedback
- About: Info about App version and developer

Change user picture


- Tap user picture to change the current profile photo
- Take a new one or choose the already existing photo



Log out

- 1. Tap Settings -> Account
- 2. Tap the **Log out** icon:





Note: after you log out, you will no longer receive calls and messages.

Appendix 1. Apple watch extension

(i) Apple Watch extension is available starting from iOS app version 7.2.35312. Upon the first launch, open the iOS app to sync it with Apple watch.



Notes:


- To display incoming call notification on Apple Watch, enable "Ring on Apple Watch" in Advanced settings
- To sync user status and active call information, it's necessary to open both Apple watch and iOS
- Sync delay between Apple watch and iPhone may reach up to five seconds
- In some cases Apple watch app may stop receiving data (status, user pic) from iOS app; to fix this issue, it is necessary to reboot Apple watch

Apple Watch extension allows you:


• To see/ set status from watch (see full status, e.g. "away XXX until yy.zz.mmmm"/ set only away, dnd, online, offline)

Appendix 1. Apple watch extension





• To view all active calls:



• To control all active calls: answer/ hang up/ put on hold:

