



planika

PREMIUM FIREPLACES

---

DESIGN  
BEV TECHNOLOGY  
ECOLOGY

2026

# INDEX

---

## **INTRODUCTION**

**02** OUR STORY

**04** CUSTOM FIREPLACES

## **INDOOR COLLECTION**

**06** AUTOMATIC BEV® FIREPLACES

**44** WATER VAPOUR & ELECTRIC FIREPLACES

## **OUTDOOR COLLECTION**

**54** AUTOMATIC BEV® FIREPLACES

**64** GAS FIREPLACES

**82** COMMERCE® FIREPLACES



# ourstory



Over 20 years ago, a simple bonfire beneath the iconic Ayers Rock in Australia ignited a vision. Inspired by the captivating flames and ancient Aboriginal tales, Alfred Weilandt and Jerry Dąbrowski set out to create a way to bring fire into contemporary interiors—without the soot, ash, or need for a chimney. This idea led to the development of automatic bioethanol fireplaces, combining advanced technology, safety, and the timeless appeal of natural flames. Powered by our patented BEV® Technology, these fireplaces burn cleanly and efficiently, offering a modern, environmentally friendly solution for creating a warm, inviting atmosphere.

As our expertise grew, so did our portfolio. To complement our bioethanol fireplaces, we introduced additional technologies: gas fireplaces for easy installation and reliable performance, water vapour fireplaces for a lifelike, emission-free flame effect using only water and light, and electric fireplaces with customizable LED flames. While bioethanol remains the heart of what we do, these innovations allow us to meet diverse needs and enhance the possibilities of fire design in any space.

At the core of Planika's success is a dedication to quality, sustainability, and family values. A few years ago, Jarosław Dąbrowski's daughter, Patrycja Gierak, joined our team, bringing fresh energy to the legacy of craftsmanship and trust. Our team operates without hierarchy, ensuring creativity and passion guide every product we create.

With a presence in over 100 countries and a focus on ecological responsibility, Planika continues to lead the way in advanced fire technologies—delivering solutions that combine innovation, design, and respect for the environment.

*~This made it possible to give you truly unique solutions in fire design.*

Planika


# CUSTOM FIREPLACES

## SKY IS THE LIMIT

Choose from our range of chimney-free fireplaces and tailor the solution to fit your project. Customize the color, finish, shape, length, and flame type. It's your project, your rules—we provide the solutions.


## COLOUR AND FINISH OF A BURNER

Choose any RAL colour and one of three finishes - Matte, Silk or Gloss.



## TECHNOLOGY




Choose the perfect technology for your project. BEV bio fireplaces offer a clean, eco-friendly flame, water vapor fireplaces create a realistic fire effect without heat, and LED technology gives full control over the fire's appearance.



# CUSTOM FIREPLACES


## SHAPE OF A BURNER

Personalize the shape to harmonize with the interior. Every detail is in your hands, allowing everything to align with your aesthetics and project needs.



## DIMENSIONS OF A BURNER

Tailor the length of the burner to perfectly fit your space. Whether you need a compact or extended size, we offer flexibility in dimensions to match the scale of your project.



## PROJECT DEPARTMENT

Our Project Department offers free project reviews to ensure safe distances and finishes. As part of your project, we can meet nearly any need and bring almost any idea to life.

# AUTOMATIC BEV<sup>®</sup> FIREPLACES

INDOOR COLLECTION




Fire Line Automatic  
BEV<sup>®</sup> Burner  
Design by Porada

# BEV<sup>®</sup> TECHNOLOGY

## GAME-CHANGING INNOVATION IN FIREPLACE INDUSTRY

The BEV<sup>®</sup> technology is the most advanced technology on the fireplace market and it has revolutionized the industry. It is now possible to have a line of fire in a media wall under TV, in an apartment on a higher floor, arranged as a room divider or even on a yacht. For years now, this innovative solution has been taking projects with real fire to the next level. You can use fireplaces with the BEV<sup>®</sup> technology anywhere you want, without any limitations. It is manufactured according to UL standards and is O-TL certified, meeting the most demanding safety and quality requirements.

## PLANIKA AUTOMATIC FIRE



## HOW DOES THE BEV<sup>®</sup> TECHNOLOGY WORK?

The entire burning process is fully automated. The fireplace takes only the required amount of fuel from the tank and the pump transports it to the combustion chamber. The bioethanol is vapourised and distributed along the entire length of the burner where it is then combusted. The fire does not come in any direct contact with the liquid fuel. Thanks to the isolated fuel tank, the cooling fans and the combustion chamber, the temperature of the ethanol fuel is always low and safe.

The microprocessor communicates with many sensors inside the fireplace and controls its entire operation. The fireplace informs you of any actions with a sound signal and a message in the mobile app. The convenient remote control of the fireplace eliminates any risk of human error.

# NET ZERO<sup>®</sup>

## CARBON NEUTRAL SOLUTION FOR PREMIUM DESIGN


Planika's mission is to create safe fireplaces that leave little to no impact on the environment. Our automatic fireplaces with the BEV<sup>®</sup> technology are fuelled with bioethanol - organic eco-fuel. This allows to use our products where traditional fireplaces are prohibited by the environmental restrictions. Planika has developed the cutting-edge solution - the true CO<sub>2</sub> - neutral fireplaces of the future.

## WHAT IS FANOLA FUEL?



- ✓ 96% ethanol concentration
- ✓ odourless and clean combustion
- ✓ plant-origin distillate
- ✓ particulate-free
- ✓ multi-distilled
- ✓ pharmaceutical quality
- ✓ natural, golden flame

## HOW ARE PLANIKA'S BEV<sup>®</sup> FIREPLACES CO<sub>2</sub> NEUTRAL?



Planika's fireplaces utilize multi-rectified bioethanol which is made from plants, such as wheat, corn or potatoes. The BEV<sup>®</sup> Technology turns liquid fuel into ethanol vapours to provide the safest combustion process and the most natural fire. The clean burning of ethanol vapours emits only a small amount of CO<sub>2</sub> - similar to that exhaled by a human. No ash, soot, or smoke are produced. 100% of the emissions are absorbed by the same plants that are used to produce the biofuel. This way the carbon emission process comes full circle.



## WORK WITH PROFESSIONALS



TECHNICAL TRAININGS



ARCHITECT ZONE WITH 3D MODELS




PROJECT SUPPORT

# INDOOR ETHANOL FIRES

AUTOMATIC ETHANOL BURNER (Net Zero® fireplace with BEV® Technology)




## FIRE LINE AUTOMATIC 4 (FLA4 BURNER)



### FEATURES

- Automatic refilling system
- Remote control
- Touch control panel
- Wi-Fi and mobile app
- 6 levels of flame
- Safety sensors
- Variant with larger fuel tank (FLA4+)
- Smart Home System compatible
- CO<sub>2</sub> sensor
- Top finish:
  - Black powder coating (standard)
  - Stainless steel (optional)
  - RAL colour (optional)

## FIRE LINE AUTOMATIC 4+ (FLA4+ BURNER)



### OPTIONAL ACCESSORIES

- Glass screens
- Decorative tray with logs or stones
- Smart Home System module
- Adaptive frame with glass screens for Freestanding, Tunnel, Room Divider and Island arrangements



## ARRANGEMENT OPTIONS



Arrangements that require frame with glass screens

|  | FLA4 / FLA4+           |                        |                        |                        |                         |                         |                         |
|--|------------------------|------------------------|------------------------|------------------------|-------------------------|-------------------------|-------------------------|
|  | 590 mm                 | 790 mm                 | 990 mm                 | 1190 mm                | 1490 mm                 | 1990 mm                 | 2490 mm                 |
|  | max. 3.1 kW            | max. 4.4 kW            | max. 7.0 kW            | max. 9.4 kW            | max. 13.0 kW            | max. 18.0 kW            | max. 22.5 kW            |
|  | 3.1L / 9.6L            | 4.3L / 13.4L           | 5.5L / 17.2L           | 6.8L / 21.0L           | 8.6L / 26.8L            | 11.7L / 36.3L           | 14.8L / 45.9L           |
|  | max. 5.0h / 16.0h      | max. 8.0h / 25.0h      | max. 8.0h / 26.0h      | max. 9.0h / 30.0h      | max. 9.0h / 30.0h       | max. 10.0h / 31.0h      | max. 10.0h / 31.0h      |
|  | min. 31 m <sup>3</sup> | min. 44 m <sup>3</sup> | min. 70 m <sup>3</sup> | min. 94 m <sup>3</sup> | min. 130 m <sup>3</sup> | min. 180 m <sup>3</sup> | min. 225 m <sup>3</sup> |
|  | 19.9 kg / 22.4 kg      | 24.1 kg / 32.0 kg      | 27.5 kg / 38.5 kg      | 33.0 kg / 44.0 kg      | 39.5 kg / 52.5 kg       | 49.5 kg / 67.5 kg       | 58.5 kg / 81.5 kg       |
|  | 230 V                  |                        |                        |                        |                         |                         |                         |



Fire Line Automatic  
BEV® Burner



Fire Line Automatic  
BEV® Burner  
Design by Iris

# FIRST OF ITS KIND FIREPLACE ON A YACHT



Fire Line Automatic  
BEV® Burner  
Design by **Mondomarine**  
Serenity yacht



Fire Line Automatic  
BEV® Burner



Fire Line Automatic  
BEV® Burner

# INDOOR ETHANOL FIRES

AUTOMATIC ETHANOL FIREPLACE (Net Zero® fireplace with BEV® Technology)



## FORMA FIREPLACE (with FLA4 / FLA4+ burner)



### FEATURES

- FLA4/FLA4+ technical features
- Zero clearance – installation in combustible materials
- Heat deflector - mount TV above the fireplace
- 7 lengths and 7 arrangement options
- Easy installation
- Higher side glass panels included in Tunnel, Room Divider and Island models

### OPTIONAL ACCESSORIES

- Decorative tray with logs or stones
- Smart Home System module

## ARRANGEMENT OPTIONS



| FORMA FIREPLACE WITH FLA4 / FLA4+ BURNER |                                      |                                      |                                      |                                      |                                      |                                       |                                       |
|--|--------------------------------------|--------------------------------------|--------------------------------------|--------------------------------------|--------------------------------------|---------------------------------------|---------------------------------------|
|  | BURNER 590 mm<br>FIREPLACE 800 mm    | BURNER 790 mm<br>FIREPLACE 1000 mm   | BURNER 990 mm<br>FIREPLACE 1200 mm   | BURNER 1190 mm<br>FIREPLACE 1500 mm  | BURNER 1490 mm<br>FIREPLACE 1800 mm  | BURNER 1990 mm<br>FIREPLACE 2300 mm   | BURNER 2490 mm<br>FIREPLACE 2700 mm   |
|  | max. 3.1 kW                          | max. 4.4 kW                          | max. 7.0 kW                          | max. 9.4 kW                          | max. 13.0 kW                         | max. 18.0 kW                          | max. 22.5 kW                          |
|  | FLA4 3.1 L<br>FLA4+ 9.6 L            | FLA4 4.3 L<br>FLA4+ 13.4 L           | FLA4 5.5 L<br>FLA4+ 17.2 L           | FLA4 6.8 L<br>FLA4+ 21.0 L           | FLA4 8.6 L<br>FLA4+ 26.8 L           | FLA4 11.7 L<br>FLA4+ 36.3 L           | FLA4 14.8 L<br>FLA4+ 45.9 L           |
|  | FLA4 max. 5.0 h<br>FLA4+ max. 16.0 h | FLA4 max. 8.0 h<br>FLA4+ max. 25.0 h | FLA4 max. 8.0 h<br>FLA4+ max. 26.0 h | FLA4 max. 9.0 h<br>FLA4+ max. 30.0 h | FLA4 max. 9.0 h<br>FLA4+ max. 30.0 h | FLA4 max. 10.0 h<br>FLA4+ max. 31.0 h | FLA4 max. 10.0 h<br>FLA4+ max. 31.0 h |
|  | min. 31 m <sup>3</sup>               | min. 44 m <sup>3</sup>               | min. 70 m <sup>3</sup>               | min. 94 m <sup>3</sup>               | min. 130 m <sup>3</sup>              | min. 180 m <sup>3</sup>               | min. 225 m <sup>3</sup>               |
|  | 230 V                                |                                      |                                      |                                      |                                      |                                       |                                       |



FLA Forma  
BEV® Fireplace

Fire Line Automatic  
Park Hyatt Auckland  
Conran&Partners



Fire Line Automatic  
BEV® Burner  
Design by Azovskiy + Pahamova




Fire Line Automatic  
BEV® burner

# INDOOR ETHANOL FIRES

AUTOMATIC ETHANOL BURNER (Net Zero® fireplace with BEV® Technology)



## PRIME FIRE 2.0 BURNER



### FEATURES

- Automatic refilling system
- Remote control
- Wi-Fi and mobile app
- 3 levels of flame
- Safety sensors
- Top finish: black powder coating
- Smart Home System compatible
- CO<sub>2</sub> sensor


### OPTIONAL ACCESSORIES

- Glass screens
- Decorative tray with logs or stones
- Smart Home System module
- Adaptive frame with glass screens for Freestanding, Tunnel, Room Divider and Island arrangements



Prime Fire 2.0  
BEV® Burner

## ARRANGEMENT OPTIONS



Arrangements that require frame with glass screens

|  | PRIME FIRE             |                        |                        |                        |
|--|------------------------|------------------------|------------------------|------------------------|
|  | 590 mm                 | 790 mm                 | 990 mm                 | 1190 mm                |
|  | max. 3.1 kW            | max. 4.4 kW            | max. 7.0 kW            | max. 9.4 kW            |
|  | 3.1 L                  | 4.3 L                  | 5.5 L                  | 6.8 L                  |
|  | max. 5.0 h             | max. 8.0 h             | max. 8.0 h             | max. 9.0 h             |
|  | min. 31 m <sup>3</sup> | min. 44 m <sup>3</sup> | min. 70 m <sup>3</sup> | min. 94 m <sup>3</sup> |
|  | 19.9 kg                | 24.1 kg                | 27.5 kg                | 33.0 kg                |
|  | 230 V                  |                        |                        |                        |



Prime Fire 2.0  
BEV® Burner

# INDOOR ETHANOL FIRES

AUTOMATIC ETHANOL FIREPLACE (Net Zero® fireplace with BEV® Technology)



## FORMA FIREPLACE (with Prime Fire 2.0 burner)



### FEATURES

- Prime Fire 2.0 technical features
- Zero clearance – installation in combustible materials
- Heat deflector - mount TV above the fireplace
- 4 lengths and 7 arrangement options
- Easy installation
- Higher side glass panels included in Tunnel, Room Divider and Island models

### OPTIONAL ACCESSORIES

- Decorative tray with logs or stones
- Smart Home System module



Prime Fire 2.0 Forma  
BEV® Fireplace

## ARRANGEMENT OPTIONS



|  | FORMA FIREPLACE WITH PRIME FIRE 2.0 BURNER |                                    |                                    |                                     |
|--|--|------------------------------------|------------------------------------|-------------------------------------|
|  | BURNER 590 mm<br>FIREPLACE 800 mm          | BURNER 790 mm<br>FIREPLACE 1000 mm | BURNER 990 mm<br>FIREPLACE 1200 mm | BURNER 1190 mm<br>FIREPLACE 1500 mm |
|  | max. 3.1 kW                                | max. 4.4 kW                        | max. 7.0 kW                        | max. 9.4 kW                         |
|  | 3.1 L                                      | 4.3 L                              | 5.5 L                              | PF 6.8 L                            |
|  | max. 6.0 h                                 | max. 9.0 h                         | max. 10.0 h                        | max. 11.0 h                         |
|  | min. 31 m³                                 | min. 44 m³                         | min. 70 m³                         | min. 94 m³                          |
|  | 230 V                                      |                                    |                                    |                                     |




Prime Fire 2.0 Forma  
BEV® Fireplace

# INDOOR ETHANOL FIRES

AUTOMATIC ETHANOL BURNER (Net Zero® fireplace with BEV® Technology)



## NEO BURNER



### FEATURES

- Automatic refilling system
- Remote control
- 2 levels of flame
- Safety sensors
- CO<sub>2</sub> sensor
- Tray with decorative logs and glowing fibers

## NEO FIREPLACE



### FEATURES

- Zero clearance
- Automatic refilling system
- Remote control
- 2 levels of flame
- Safety sensors
- CO<sub>2</sub> sensor
- Tray with decorative logs and glowing fibers

### DETACHABLE SIDE PANELS



|  | NEO BURNER 500 / 750 / 1000      | NEO FIREPLACE 500 / 750 / 1000   |
|--|----------------------------------|----------------------------------|
|  | 3.1 / 4.1 / 5.9 kW               | 3.1 / 4.1 / 5.9 kW               |
|  | 1.7 / 2.1 / 2.9 L                | 1.7 / 2.1 / 2.9 L                |
|  | 5 / 6 / 4 h                      | 5 / 6 / 4 h                      |
|  | min. 31 / 41 / 59 m <sup>2</sup> | min. 31 / 41 / 59 m <sup>2</sup> |
|  | 230 V                            |                                  |



Neo  
BEV® Burner



Neo Fireplace  
BEV® Fireplace

# INDOOR ETHANOL FIRES

AUTOMATIC ETHANOL BURNER (Net Zero® fireplace with BEV® Technology)



## FLOGS BURNER (FLA4 LOGS)



### FEATURES

- Included burning logs set
- Automatic refilling system
- Remote control
- Touch control panel
- Wi-Fi and mobile app
- 6 levels of flame
- Safety sensors
- Smart Home System compatible
- CO<sub>2</sub> sensor

### OPTIONAL ACCESSORIES

- Smart Home System module

### ARRANGEMENT OPTIONS



SINGLE-SIDED    LEFT / RIGHT CORNER    THREE-SIDED    AGAINST THE WALL

| FLOGS BURNER |                        |
|--------------|------------------------|
|              | 990 mm                 |
|              | max. 7.0 kW            |
|              | 5.5 L                  |
|              | max. 8.0 h             |
|              | min. 70 m <sup>3</sup> |
|              | 22.2 kg                |



Flogs  
BEV® Burner



Flogs  
BEV® Burner

# INDOOR ETHANOL FIRES

AUTOMATIC ETHANOL FIREPLACES (Net Zero® fireplace with BEV® Technology)



## FLOGS FORMA FIREPLACE



### FEATURES

- Flogs Burner technical features
- Zero clearance – installation in combustible materials
- Heat deflector - mount TV above the fireplace
- 4 arrangement options
- Easy installation
- High glass panels
- Variant with flue connection

### OPTIONAL ACCESSORIES

- Smart Home System module

## FLOGS FORMA FIREPLACE WITH FLUE CONNECTION



### ARRANGEMENT OPTIONS



SINGLE-SIDED

LEFT / RIGHT CORNER

THREE-SIDED

### FLOGS FORMA FIREPLACE (WITH FLUE CONNECTION)

|  |                                    |
|--|------------------------------------|
|  | BURNER 990 mm<br>FIREPLACE 1200 mm |
|  | max. 7.0 kW                        |
|  | 5.5 L                              |
|  | max. 8.0 h                         |
|  | min. 70 m³                         |
|  | 74.0 kg                            |



Flogs Forma  
BEV® Fireplace



Flogs Forma  
BEV® Fireplace

# INDOOR ETHANOL FIRES

AUTOMATIC ETHANOL BURNER (Net Zero® fireplace with BEV® Technology)



## VITRO FIREPLACE



### FEATURES

- Included burning logs set
- Automatic refilling system
- External control panel
- Remote control
- Wi-Fi and mobile app
- 6 levels of flame
- Safety sensors
- Glass enclosed
- Glass foam granulate included
- Zero clearance
- CO<sub>2</sub> sensor
- High-view design
- Flue connection
- Finish: black powder coating
- Smart Home System compatible

### OPTIONAL ACCESSORIES

- Smart Home System module

## ARRANGEMENT OPTIONS



LEFT CORNER

RIGHT CORNER

ROOM DIVIDER

| VITRO |                        |
|-------|------------------------|
|       | max. 9.5 kW            |
|       | 10.5 L                 |
|       | max. 17.5 h            |
|       | min. 95 m <sup>3</sup> |
|       | 230 V                  |



Vitro Room Divider  
BEV® Fireplace

# INDOOR ETHANOL FIRES

AUTOMATIC ETHANOL BURNER (Net Zero® fireplace with BEV® Technology)



## SONO FIREPLACE

### FEATURES

- Included burning logs set
- Automatic refilling system
- External control panel
- Remote control
- Wi-Fi and mobile app
- 6 levels of flame
- Safety sensors
- Glass enclosed
- Glass foam granulate included
- Zero clearance
- CO<sub>2</sub> sensor
- High-view design
- Flue connection
- Finish: black powder coating
- Smart Home System compatible

### OPTIONAL ACCESSORIES

- Smart Home System module



## ARRANGEMENT OPTIONS



LEFT CORNER      RIGHT CORNER      THREE-SIDED

| SONO |                        |
|------|------------------------|
|      | max. 9.5 kW            |
|      | 10.5 L                 |
|      | max. 17.5 h            |
|      | min. 95 m <sup>3</sup> |
|      | 230 V                  |



Sono Three-Sided  
BEV® Fireplace




Sono Left Corner  
BEV® Fireplace

# INDOOR ETHANOL FIRES

AUTOMATIC ETHANOL BURNER (Net Zero® fireplace with BEV® Technology)



## PANORAMA FIREPLACE



### FEATURES

- Automatic refilling system
- External control panel
- Remote control
- Wi-Fi and mobile app
- 6 levels of flame
- Safety sensors
- Glass enclosed
- Glass foam granulate included
- Zero clearance
- CO<sub>2</sub> sensor
- Finish: black powder coating
- Smart Home System compatible

### OPTIONAL ACCESSORIES

- Decorative ceramic logs / white stones with glowing fibers
- Smart Home System module



Panorama RD  
BEV® Fireplace

## ARRANGEMENT OPTIONS



| PANORAMA |                        |
|----------|------------------------|
|          | BURNER 990 mm          |
|          | max. 7.0 kW            |
|          | 5.5 L                  |
|          | max. 10.0 h            |
|          | min. 70 m <sup>2</sup> |
|          | 230 V                  |



Panorama TS  
BEV® Fireplace

# INDOOR ETHANOL FIRES

AUTOMATIC ETHANOL FIREPLACE (Net Zero® fireplace with BEV® Technology)



## COMET BURNER



### FEATURES

- Automatic refilling system
- Remote control
- Wi-Fi and mobile app
- 6 levels of flame
- Safety sensors
- CO<sub>2</sub> sensor
- Top finish: black powder coating
- Smart Home System compatible

### OPTIONAL ACCESSORIES

- Smart Home System module




Comet  
BEV® Burner



Nest  
BEV® Fireplace

## NEST (with Comet burner)



|  | COMET BURNER            | NEST                    |
|--|-------------------------|-------------------------|
|  | max. 10.9 kW            | max. 10.9 kW            |
|  | 9 L                     | 9 L                     |
|  | max. 11 h               | max. 11 h               |
|  | min. 109 m <sup>3</sup> | min. 109 m <sup>3</sup> |
|  | 230 V                   | 230 V                   |

# INDOOR ETHANOL FIRES

AUTOMATIC ETHANOL FIREPLACE (Net Zero® fireplace with BEV® Technology)

## PILLAR



### FEATURES

- Automatic refilling system
- Remote control
- Wi-Fi and mobile app
- 6 levels of flame
- Safety sensors
- CO<sub>2</sub> sensor
- Top finish: black powder coating
- Smart Home System compatible
- Custom Pillar housing

### OPTIONAL ACCESSORIES

- Smart Home System module

| PILLAR |                         |
|--------|-------------------------|
|        | max. 10.9 kW            |
|        | 9 L                     |
|        | max. 11 h               |
|        | min. 109 m <sup>3</sup> |
|        | 230 V                   |



Pillar  
BEV® Fireplace



Pillar  
BEV® Fireplace

# INDOOR ETHANOL FIRES

AUTOMATIC ETHANOL BURNER (Net Zero® fireplace with BEV® Technology)



## ROCK CORE



### FEATURES

- Easy refilling - replaceable canister
- Remote control
- 2 levels of flame
- Safety sensors
- Glass enclosed
- Glass foam granulate included
- CO<sub>2</sub> sensor

### OPTIONAL ACCESSORIES

- Decorative ceramic logs and glowing fibers

### AVAILABLE FINISHING VARIANTS

- 3 finish options with **DEKTON®** by Cosentino: Kreta/Laurent/Nacre
- Rock Core for custom-built housing

## ROCK KRETA / LAURENT / NACRE



| ROCK CORE / KRETA / LAURENT / NACRE |                        |
|-------------------------------------|------------------------|
|                                     | max. 3.5 kW            |
|                                     | 5 L                    |
|                                     | max. 20 h              |
|                                     | min. 35 m <sup>3</sup> |
|                                     | 230 V                  |



Rock Kreta  
BEV® Fireplace

# INDOOR ETHANOL FIRES

AUTOMATIC ETHANOL BURNER (Net Zero® fireplace with BEV® Technology)



## POLARIS



### FEATURES

- Removable fuel tank
- Freestanding
- Remote control
- 2 levels of flame
- Safety sensors
- CO<sub>2</sub> sensor
- Finish: black powder coating

### OPTIONAL ACCESSORIES

- Decorative ceramic logs set with glowing fibers

## SCANDI



### FEATURES

- Removable fuel tank
- Freestanding
- Flue connector (For optional heat extraction)
- Remote control
- 2 levels of flame
- Safety sensors
- CO<sub>2</sub> sensor
- Finish: black powder coating

### OPTIONAL ACCESSORIES

- Decorative ceramic logs set with glowing fibers

|  | POLARIS                | SCANDI                 |
|--|------------------------|------------------------|
|  | max. 4 kW              | max. 3.5 kW            |
|  | 5.0 L                  | 5.0 L                  |
|  | max. 20 h              | max. 33 h              |
|  | min. 35 m <sup>3</sup> | min. 35 m <sup>3</sup> |
|  | 36.5 kg                | 62.0 kg                |
|  | 230 V                  |                        |



Polaris  
BEV® Fireplace



Scandi  
BEV® Fireplace  
@architekt\_mo\_home

# INDOOR ETHANOL FIRES

AUTOMATIC ETHANOL BURNER (Net Zero® fireplace with BEV® Technology)



## BASKET FIRE LOGS



### FEATURES

- Automatic refilling system
- Remote control
- 2 levels of flame
- Safety sensors
- CO<sub>2</sub> sensor
- Tray with decorative logs and glowing fibers

### OPTIONAL ACCESSORIES

- Decorative grate

## COTTAGE (with Neo 500 burner)



### FEATURES

- Automatic refilling system
- Remote control
- 2 levels of flame
- Safety sensors
- CO<sub>2</sub> sensor
- Tray with decorative logs and glowing fibers

### OPTIONAL ACCESSORIES

- Cottage Logbox

|  | BASKET FIRE LOGS       | COTTAGE                |
|--|------------------------|------------------------|
|  | max. 2.8 kW            | max. 4.1 kW            |
|  | 1.75 L                 | 1.3 L                  |
|  | max. 6.5 h             | max. 4 h               |
|  | min. 28 m <sup>3</sup> | min. 41 m <sup>3</sup> |
|  | 230 V                  |                        |



Basket Fire Logs  
BEV® Fireplace



Cottage  
BEV® Fireplace

# WATER VAPOUR & ELECTRIC FIREPLACES

INDOOR COLLECTION




# OPTIMYST® TECHNOLOGY

## DISCOVER WATER VAPOUR TECHNOLOGY FOR FIREPLACES









Optimyst technology is an advanced system that creates a highly realistic flame effect using water vapour. It offers a safe, energy-efficient, and eco-friendly alternative to traditional fireplaces, providing the ambiance of fire without actual combustion.

### HOW DOES IT WORK?

An ultrasonic device produces mist, which is illuminated by the ActiveLED system, simulating real flames. Spectral lenses scatter light allowing for a full spectrum of flame colors and changes in their intensity. Multidimensional steam lighting gives a realistic flame effect, perfectly complementing any interior.



### WHY WATER VAPOUR FIREPLACES?

-  EASY INSTALLATION WITH NO CHIMNEY
-  SAFE TOUCH
-  ADJUSTABLE FLAME COLORS (RGB PALETTE)
-  CONTROLLED BY MOBILE APP OR A REMOTE
-  SOUND OF CRACKLING WOOD
-  IMPROVES AIR QUALITY
-  UP TO 10M FLAMELINE
-  ECO-FRIENDLY



Cool Flame 1000 Fireplace  
Water vapour Fireplace

# INDOOR WATER VAPOUR INSERT

Net Zero® fireplaces with Optimyst® Technology

## COOL FLAME INSERT




### FEATURES

- Removable water tank - easy refilling
- Remote control
- Wi-Fi and mobile app
- Realistic sounds of burning wood
- Active LED flame color in full RGB spectrum
- Flame height regulation
- No heating function
- Finish: black powder coating
- Modular connection
- Finish: black powder coating
- Technical glass
- Aromatherapy set

### OPTIONAL ACCESSORIES

- Decorative logs set
- Additional technical glass (for see-through arrangements)
- RAL top plate painting

## COOL FLAME PRO INSERT



### FEATURES

- Permanent water connection - no need for refilling
- Water filter
- Remote control
- Wi-Fi and mobile app
- Realistic sounds of burning wood
- Active LED flame color in full RGB spectrum
- Flame height regulation
- No heating function
- Finish: black powder coating
- Modular connection
- Technical glass
- Aromatherapy set

### OPTIONAL ACCESSORIES

- Decorative logs set
- Additional technical glass (for see-through arrangements)
- RAL top plate painting

|  | COOL FLAME 500/1000/1500/2000 INSERT | COOL FLAME PRO 500/1000/1500/2000 INSERT |
|--|--------------------------------------|--|
|  | 1.2 L / 2.4 L / 3.6 L / 4.8 L        | Permanent water connection               |
|  | max. 12 h                            | limitless                                |
|  | 8 kg / 14.5 kg / 25 kg / 30 kg       | 9 kg / 15 kg / 25.5 kg / 30.5 kg         |
|  | 230 V                                |  |



Cool Flame 2000 Insert  
Water vapour Fireplace



Cool Flame 1000 Insert  
Water vapour Fireplace

# INDOOR WATER VAPOUR INSERT

Net Zero® fireplaces with Optimyst® Technology

## COOL FLAME / COOL FLAME PRO FIREPLACE



### FEATURES

- Easy installation
- Self-supporting construction
- Permanent water connection - no need for refilling (Cool Flame Pro)
- Water filter (Cool Flame Pro)
- Remote control
- Wi-Fi and mobile app
- Realistic sounds of burning wood
- Active LED flame color in full RGB spectrum
- Flame height regulation
- No heating function
- Finish: black powder coating
- Technical glass
- Aromatherapy set

### OPTIONAL ACCESSORIES

- Decorative logs set
- Additional technical glass (for see-through arrangements)
- RAL top plate finish

### ARRANGEMENT OPTIONS



|  | COOL FLAME 500/1000 FIREPLACE | COOL FLAME PRO 500/1000 FIREPLACE |
|--|-------------------------------|-----------------------------------|
|  | 1.2 L / 2.4 L                 | Permanent water connection        |
|  | max. 12 h                     | limitless                         |
|  | 25 kg / 37 kg                 | 26 kg / 28 kg                     |
|  | 230 V                         |                                   |



Cool Flame  
Water vapour Fireplace



Cool Flame See-Through  
Water vapour Fireplace

# INDOOR ELECTRIC FIRES

## ASTRO FIREPLACE



### FEATURES

- Remote control
- Wall switch panel
- LED colour adjustment
- Multizone LED
- 2 level heating
- 2 Side Panels included
- Resin Logs and Vivid Crystals
- Thermostat
- Auto-off timer


### OPTIONAL ACCESSORIES



### DETACHABLE SIDE PANELS (INCLUDED IN SET)



### INSTALLATION OPTIONS



|  | ASTRO                                       |         |         |         |
|--|---|---------|---------|---------|
|  | 850 mm                                      | 1200 mm | 1500 mm | 1800 mm |
|  | 42.0 kg                                     | 59.0 kg | 72.5 kg | 85.0 kg |
|  | Two-stage heating power:<br>1500 W & 3000 W |         |         |         |
|  | 230 V                                       |         |         |         |



Astro Electric Fireplace



Astro Electric Fireplace

# AUTOMATIC BEV<sup>®</sup> FIREPLACES

OUTDOOR COLLECTION




Cabo Table Nacre  
BEV<sup>®</sup> Outdoor Fireplace

# OUTDOOR / INDOOR ETHANOL FIRES

AUTOMATIC ETHANOL FIREPLACES (Net Zero® fireplace with BEV® Technology)



## CABO BURNER




### FEATURES

- Automatic refilling system
- Remote control
- Wi-Fi
- 6 levels of flame
- Safety sensors
- Weather resistant

### OPTIONAL ACCESSORIES

- Protective fabric cover

## CABO KRETA / LAURENT / NACRE



### FEATURES

- Cabo burner technical features
- 3 finish options with **DEKTON**® by Cosentino: Nacre/Laurent/Kreta

### OPTIONAL ACCESSORIES

- Protective fabric cover

### CABO BURNER / KRETA / LAURENT / NACRE

|  |                              |
|--|------------------------------|
|  | max. 9.4 kW                  |
|  | 10.5 L                       |
|  | max. 15 h                    |
|  | min. 94 m³ (if used indoors) |
|  | 230 V                        |



Cabo Nacre  
BEV® Outdoor Fireplace



Cabo Laurent  
BEV® Outdoor Fireplace

# OUTDOOR / INDOOR ETHANOL FIRES

FIREPLACES IN TABLE (Net Zero® fireplace with BEV® Technology)



## CABO TABLE LAURENT / KRETA / NACRE



### FEATURES

- Automatic refilling system
- Remote control
- Wi-Fi and mobile app
- 6 levels of flame
- Safety sensors
- Weather resistant

### OPTIONAL ACCESSORIES

- Protective fabric cover

### AVAILABLE FINISHING VARIANTS

- 3 finish options with **DEKTON**® by Cosentino:  
Nacre/ Laurent/Kreta

| CABO TABLE LAURENT / KRETA / NACRE |             |
|------------------------------------|-------------|
|                                    | max. 9.4 kW |
|                                    | 10.5 L      |
|                                    | max. 15 h   |
|                                    | min. 94 m³  |
|                                    | 230 V       |



Cabo Table Kreta  
BEV® Outdoor Fireplace



Cabo Table Nacre  
BEV® Outdoor Fireplace

# OUTDOOR / INDOOR ETHANOL FIRES

AUTOMATIC ETHANOL FIREPLACE (Net Zero® fireplace with BEV® Technology)



## COMET OUTDOOR



### FEATURES

- Automatic refilling system
- Remote control
- Wi-Fi and mobile app
- 6 levels of flame
- Safety sensors
- CO<sub>2</sub> sensor
- Top finish: black powder coating
- Smart Home System compatible

### OPTIONAL ACCESSORIES

- Smart Home System module

## COMET TABLE



### AVAILABLE VARIANTS

- 3 finish options with **DEKTON®** by Cosentino: Laurent/Kreta/Nacre



Comet Outdoor  
BEV® Burner



Comet Table Nacre  
BEV® Fireplace

### COMET OUTDOOR / COMET TABLE

|  |                         |
|--|-------------------------|
|  | max. 10.6 kW            |
|  | 16.7 L                  |
|  | max. 22 h               |
|  | min. 106 m <sup>2</sup> |
|  | 230 V                   |

# OUTDOOR / INDOOR ETHANOL FIRES

AUTOMATIC ETHANOL FIREPLACES (Net Zero® fireplace with BEV® Technology)



## PORTO CORE



### FEATURES

- Automatic refilling system
- Remote control
- Wi-Fi and mobile app
- 6 levels of flame
- Safety sensors
- Weather resistant
- Portable - includes wheels

### OPTIONAL ACCESSORIES

- Protective fabric cover



Porto Nacre  
BEV® Fireplace

## PORTO KRETA / LAURENT / NACRE



### FEATURES

- Porto core technical features
- 3 finish options with **DEKTON®** by Cosentino: Nacre/Laurent/Kreta

### OPTIONAL ACCESSORIES

- Protective fabric cover



Porto Laurent  
BEV® Outdoor Fireplace

### PORTO CORE / KRETA / LAURENT / NACRE

|  |                              |
|--|------------------------------|
|  | max. 3.7 kW                  |
|  | 5 L                          |
|  | max. 14 h                    |
|  | min. 37 m³ (if used indoors) |
|  | 230 V                        |

# GAS FIREPLACES

---

OUTDOOR COLLECTION




Galio Star Black  
Gas outdoor fires

# OUTDOOR GAS FIRES

GAS FIREPLACES (With automatic control system)


## GALAXY 1150 / 2000 BURNER



### FEATURES

- Automatic control system
- Remote control
- Wall switch panel
- Smart home compatible
- Fuel variants to choose before purchase:  
Gas Cylinder (propane or propane-butane) or Natural Gas
- Thermocouple
- Smooth flame height regulation
- Easy to install

## GALAXY NACRE / LAURENT / KRETA



### FEATURES

- Galaxy burner technical features
- 3 finish options with **DEKTON**® by Cosentino: Nacre/Laurent/Kreta

## OPTIONAL ACCESSORIES



|  | GALAXY 1150 BURNER / NACRE / LAURENT / KRETA | GALAXY 2000 BURNER                          |
|--|--|---|
|  | (NG) max. 10.1kW<br>(LPG) max. 13.4kW        | (NG) max. 18.6 kW<br>(LPG) max. 22 kW       |
|  | (NG) max. 0.96 m³/h<br>(LPG) max. 0.95 kg/h  | (NG) max. 1.77 m³/h<br>(LPG) max. 1.56 kg/h |
|  | (NG) 20 mbar<br>(LPG) 37 mbar                | (NG) 20 mbar<br>(LPG) 37 mbar               |



Galaxy Laurent  
Outdoor Gas Fireplace



Galaxy Nacre  
Outdoor Gas Fireplace

# OUTDOOR GAS FIRES

GAS FIREPLACES (With automatic control system)

GALAXY TABLE LAURENT / KRETA / NACRE



## FEATURES

- Automatic control system
- Remote control
- Smart home compatible
- Fuel variants to choose before purchase:  
Gas Cylinder (propane or propane-butane) or Natural Gas
- Thermocouple
- Smooth flame height regulation
- Easy to install

## AVAILABLE VARIANTS

- 3 finish options with **DEKTON**<sup>®</sup>  
by Cosentino: Laurent/Kreta/Nacre

## OPTIONAL ACCESSORIES




| GALAXY TABLE LAURENT / KRETA / NACRE |  |
|--------------------------------------|--|
|                                      | (NG) max. 10.1kW<br>(LPG) max. 13.4kW                    |
|                                      | (NG) max. 0.96 m <sup>3</sup> /h<br>(LPG) max. 0.95 kg/h |
|                                      | (NG) 20 mbar<br>(LPG) 37 mbar                            |



# OUTDOOR GAS FIRES

GAS FIREPLACES (With manual control system)


## GALIO BURNER AUTOMATIC



### FEATURES

- Fuel variants to choose before purchase:  
Gas Cylinder (propane or propane-butane) or Natural Gas
- Automatic control:  
- remote control included  
- wall switch panel  
- SHS compatible
- Thermocouple
- Smooth flame height regulation

## GALIO BLACK / CORTEN AUTOMATIC



### FEATURES

- Galio insert automatic technical features
- 2 finishing options: corten or black steel

### OPTIONAL ACCESSORIES



|  | GALIO BURNER AUTOMATIC                     |   | GALIO BLACK / CORTEN AUTOMATIC             |
|--|--|---|--|
|  | 1000 mm                                    | 2000 mm                                     | 1140 mm                                    |
|  | (NG) max. 9.4 kW<br>(LPG) max. 11.8 kW     | (NG) max. 16.5 kW<br>(LPG) max. 16.5 kW     | (NG) max. 9.4 kW<br>(LPG) max. 11.8 kW     |
|  | (NG) max. 1.0 m³/h<br>(LPG) max. 0.93 kg/h | (NG) max. 1.75 m³/h<br>(LPG) max. 1.30 kg/h | (NG) max. 1.0 m³/h<br>(LPG) max. 0.93 kg/h |
|  | (NG) 20 mbar<br>(LPG) 37 mbar              | (NG) 20 mbar<br>(LPG) 37 mbar               | (NG) 20 mbar<br>(LPG) 37 mbar              |
|  | 21.0 kg                                    | 33.0 kg                                     | 31.0 kg                                    |



Galio  
Outdoor Gas Burner




Galio  
Outdoor Gas Burner

# OUTDOOR GAS FIRES

GAS FIREPLACES (With manual control system)


## GALIO INSERT MANUAL



### FEATURES

- Fuel variants to choose before purchase: Gas Cylinder (propane or propane-butane) or Natural Gas
- Manual control
- Thermocouple
- Smooth flame height regulation

## GALIO BLACK / CORTEN MANUAL



### FEATURES

- Galio insert manual technical features
- 2 finishing options: corten or black steel

## OPTIONAL ACCESSORIES



| GALIO INSERT MANUAL / GALIO BLACK MANUAL / GALIO CORTEN MANUAL |  |
|--|--|
|  | (NG) max. 13.6 kW<br>(LPG) max. 11.8 kW                  |
|  | (NG) max. 1.22 m <sup>3</sup> /h<br>(LPG) max. 0.93 kg/h |
|  | (NG) 20 mbar<br>(LPG) 37 mbar                            |
|  | 13.0 kg / 31.0 kg  |



Galio Corten  
Outdoor Gas Fireplace



Galio Black  
Outdoor Gas Fireplace

# OUTDOOR GAS FIRES

GAS FIREPLACES (With automatic control system)

## GALIO STAR BURNER AUTOMATIC



### FEATURES

- Automatic control system
- Fuel variants to choose before purchase: Gas Cylinder (propane or propane-butane) or Natural Gas
- Remote control
- Wall switch panel
- SHS compatible
- Thermocouple
- Smooth flame height regulation
- Decorated with black diamond stones
- For custom-built housing
- Easy to install

## GALIO STAR CORTEN/BLACK AUTOMATIC



### FEATURES

- Galio star insert automatic technical features
- 2 finishing options: Corten or black steel

### OPTIONAL ACCESSORIES



|  | GALIO STAR BURNER AUTOMATIC | GALIO STAR CORTEN AUTOMATIC<br>GALIO STAR BLACK AUTOMATIC |
|--|-----------------------------|---|
|  |                             | (NG) max. 16.4 kW<br>(LPG) max. 17.3 kW                   |
|  |                             | (NG) max. 1.5 m <sup>3</sup> /h<br>(LPG) max. 1.4 kg/h    |
|  |                             | (NG) 20 mbar<br>(LPG) 37 mbar                             |
|  | 170 kg                      | 370 kg  |



Galio Star Black Automatic  
Outdoor Gas Fireplace



Galio Star Black Automatic  
Outdoor Gas Fireplace

# OUTDOOR GAS FIRES

GAS FIREPLACES (With automatic control system)

## STELLA BURNER AUTOMATIC



### FEATURES

- Fuel variants to choose before purchase:  
Gas Cylinder (propane or propane-butane) or Natural Gas
- Automatic control:
  - remote control included
  - wall switch panel
  - SHS compatible
- Thermocouple
- Smooth flame height regulation
- For custom-built housing

## STELLA TABLE NACRE/LAURENT/KRETA AUTOMATIC



### FEATURES

- Stella insert automatic technical features
- 3 finish options with **DEKTON**® by Cosentino: Nacre/Laurent/Kreta

### OPTIONAL ACCESSORIES



|  | STELLA INSERT AUTOMATIC                                |  |  | STELLA TABLE AUTOMATIC                                   |
|--|--|--|--|--|
|  | 500 mm   | 600 mm   | 800 mm   | 941 mm   |
|  | (NG) max. 5.6 kW<br>(LPG) max. 5.1 kW                  | (NG) max. 7.9 kW<br>(LPG) max. 12.6 kW                   | (NG) max. 16.4 kW<br>(LPG) max. 17.3 kW                  | (NG) max. 7.9 kW<br>(LPG) max. 12.6 kW                   |
|  | (NG) max. 0.5 m <sup>3</sup> /h<br>(LPG) max. 0.4 kg/h | (NG) max. 0.71 m <sup>3</sup> /h<br>(LPG) max. 0.98 kg/h | (NG) max. 1.47 m <sup>3</sup> /h<br>(LPG) max. 1.35 kg/h | (NG) max. 0.71 m <sup>3</sup> /h<br>(LPG) max. 0.98 kg/h |
|  | (NG) 20 mbar<br>(LPG) 37 mbar                          |  |  |  |



Stella Burner  
Outdoor Gas Fireplace



Stella Table Nacre  
Outdoor Gas Fireplace

# OUTDOOR GAS FIRES

GAS FIREPLACES (With automatic control system)


## GALIO H INSERT AUTOMATIC



### FEATURES

- Automatic control system
- Fuel variants to choose before purchase: Gas Cylinder (propane or propane-butane) or Natural Gas
- Remote control
- Wall switch panel
- SHS compatible
- Thermocouple
- Smooth flame height regulation
- Decorated with black diamond stones
- Easy to install
- For custom-built housing


## MICO AUTOMATIC



### FEATURES

- Fuel variants to choose before purchase: Gas Cylinder (propane or propane-butane) or Natural Gas
- Automatic control:
  - remote control included
  - wall switch panel
  - SHS compatible
- Thermocouple
- Smooth flame height regulation
- Decorative stones
- For custom-built housing

## OPTIONAL ACCESSORIES



|  | GALIO H INSERT AUTOMATIC                               |  | MICO AUTOMATIC   |  |
|--|--|--|--|--|
|  | 600 mm   | 500 mm   | 600 mm   | 800 mm   |
|  | (NG) max. 9.4 kW<br>(LPG) max. 11.8 kW                 | (NG) max. 5.6 kW<br>(LPG) max. 5.1 kW                  | (NG) max. 7.9 kW<br>(LPG) max. 12.6 kW                   | (NG) max. 16.4 kW<br>(LPG) max. 17.3 kW                  |
|  | (NG) max. 1.0 m <sup>3</sup> /h<br>(LPG) max. 0.9 kg/h | (NG) max. 0.5 m <sup>3</sup> /h<br>(LPG) max. 0.4 kg/h | (NG) max. 0.71 m <sup>3</sup> /h<br>(LPG) max. 0.98 kg/h | (NG) max. 1.47 m <sup>3</sup> /h<br>(LPG) max. 1.35 kg/h |
|  | (NG) 20 mbar<br>(LPG) 37 mbar                          |  | (NG) 20 mbar<br>(LPG) 37 mbar                            |  |



Galio H Insert Automatic  
Outdoor Gas Burner



Mico Insert  
Outdoor Gas Fireplace

# OUTDOOR GAS FIRES

GAS FIREPLACES (With automatic and manual control system)

## LIGHTHOUSE



### FEATURES

- Fueled with propane or propane-butane
- Thermocouple
- Tempered glass
- Anti-tilt valve
- Decorated with black diamond stones
- Freestanding

### OPTIONAL ACCESSORIES



COVER

| LIGHTHOUSE |                             |
|------------|-----------------------------|
|            | (LPG) max. 7.0 - 10.0 kW    |
|            | (LPG) max. 0.50 - 0.65 kg/h |
|            | (LPG) 37 mbar               |
|            | 27.5 kg                     |



Lighthouse  
Gas Patio Heater

# COMMERCE

## FIREPLACES

### OUTDOOR COLLECTION



Totem/Simple Commerce  
The Address Downtown

## OUTDOOR / INDOOR ETHANOL FIRES

COMMERCE TECHNOLOGY™ (Absorbent Ceramic Fibers)



TOTEM



JAR



RONDO



SIMPLE

#### FEATURES

- Easy refilling system
- Safe burning technology
- No electricity required

#### OPTIONAL ACCESSORIES



|  | TOTEM               | JAR                | RONDO              | SIMPLE             |
|--|---------------------|--------------------|--------------------|--------------------|
|  | [ØxH] 395 x 1070 mm | [ØxH] 410 x 795 mm | [ØxH] 412 x 412 mm | [ØxH] 308 x 418 mm |
|  | 24.5 kg             | 41.5 kg            | 70kg               | 6.5 kg             |
|  | max. 2.5 kW         | max. 2.5 kW        | max. 2.5 kW        | max. 2.5 kW        |
|  | 3.0 L               | 3.0 L              | 3.0 L              | 1.5 L              |
|  | max. 7 h            | max. 7 h           | max. 7 h           | max. 3.5 h         |
|  | min. 25 m³          | min. 25 m³         | min. 25 m³         | min. 25 m³         |

All product specifications and data are subject to change without notice and are believed to be accurate as of the date hereof. Planika Sp. z o.o., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "Planika Sp. z o.o."), disclaim any and all liability for any errors, inaccuracies or incompleteness contained in any document or in any other disclosure relating to any product. To the maximum extent permitted by applicable law, Planika Sp. z o.o. disclaims any and all liability arising out of the application or use of any product. This document does not expand or otherwise modify Planika Sp. z o.o.'s terms and conditions of purchase, including but not limited to the warranty expressed therein. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Planika Sp. z o.o.. Customers using or selling Planika Sp. z o.o.'s products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify Planika Sp. z o.o. for any damages arising or resulting from such use or sale. The images are indicative only.

# planika

PLANIKA

planika@planika.com

www.planika.com



facebook.com/planikafire



instagram.com/planikafires



youtube.com/planikafires



pinterest.com/planika



linkedin.com/in/planika

