








**Style:** (PHEN-V03A-WBW)

**Description:** FR Reflective Safety Vest



<p><b>Fabric:</b></p>	<p><b>High Visibility Trim:</b></p>
<p>-9oz FRwill weave (Black&amp;Royal blue) -90% Cotton/10% Nylon</p>	<p>-2"Industry wash RT80 H7440 Reflective Tape, YSY -Double stitching on the tape -Reflective tapes striping "X" on back,vertical at front.</p>
<p><b>Garment construction:</b></p>	<p><b>PPE Standards Met:</b></p>
<p>-Aramid high tenacity FR thread -All metal thermally protected from the skin -Bar-tacked at all stress points -Storm guard over front with snap closure -2 microphone loops with self fabric</p>	<p>Protective flame retardant andarc flash suits described in this technical standard are used in noxious and hazardous environments must meet the following safety and visibility standards: -CAT2 ATPV 13.2 cal/cm2 (electric arc flash rating) -US Standards:NFPA 70E,ASTM F1506, OSHA 29 CFR1910.269 Material is UL Recognized per NFPA 2112-2023  (MH49121 UL file,UL model CN901009) -CAN Standards:CAN/CGSB 155.20,CAN/CGSB 155.22 -EUR Standards:EN ISO11611,EN ISO11612,EN ISO14116 -OEKO-TEX Standard 100</p>
<p><b>Pockets:</b></p>	<p><b>Color reference:</b></p>
<p>-2 large lowerpocket with velcro closure -2 upper pocket ,inculding mesh for radio mic or gas monitor</p>	<div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">               Royal blue              Bulk color <input checked="" type="checkbox"/> </div> <div style="text-align: center;">               Black              Bulk color <input checked="" type="checkbox"/> </div> <div style="text-align: center;">               Red              Bulk color <input checked="" type="checkbox"/> </div> </div>



OVERALL SIZE INSTRUCTION(PHEN-V03A-WBW)

Unit: cm	vest size chart								
	S	M	L	XL	2XL	3XL	4XL	5XL	TOL
1/2 Chest	58	61	64	67	70	73	76	79	±1.5
CB length	65	66	67	68	69	70	71	72	±1
Armhole straight	29	29.5	30	30.5	31	31.5	32	32.5	±0.5
Collar width	16	17	18	19	20	21	22	23	±0.5
Shoulder width	44	46	48	50	52	54	56	58	±1


\* Normally there will be upper tolerance on the sizes in order for the shrinkage of cotton fabric and possibly heavy washing.

**Carton Information:**

Average Garments	Pieces	Average Gross Weight		20" GP	40" GP
Carton size	Size	Per carton	Per Carton		
72x53x30cm	S-5XL	25pcs	13.5kgs	1360pcs	2880pcs

## Points of measure illustrations

### Measurement




**A 1: Chest**  
Measure at armhole, straight across body.

**A 2: CB Length**  
Measure from neck line of center back, straight down to lowest portion of finished edge of bottom edge of back of garment

**A 3: Armhole straight**  
On front of garment, measure straight across from armhole seam to the shoulder point

**A 4: Collar width**  
Measure the neckline straight



**A 5: Shoulder width**  
Measure straight across from shoulder seam to shoulder seam

## Label information

### Main label

--Centered to the collar seam



### Triangle woven label

--sewn in the middle (around 4cm up from the bottom of the right pocket)



### Size label

---sewn into the collar seam, behind the main label

DO NOT REMOVE LABEL  
13.2ATPV

This garment meets the performance requirements of: NFPA 2112-2023, NFPA 70E, ASTM F1506, CAN/CGSB 155.20, CAN/CGSB 155.22, OSHA 29 CFR 1910.269, EN ISO 11611, EN ISO 11612, EN ISO 14116  
SIZE:XL

### Pocket Label

---sewn into left seam of left chest pocket

### FireZero Label

---sewn into the left bottom seam of left waist pocket



**CAT  
2**

### Wash Label(woven label)

---sewn inside waist


### Care Label(woven label)

--Centered behind the wash label

### UL Label(woven label)


---Centered behind the care label

Flame Resistant Apparel  
9OZ FR FABRIC  
90% COTTON/10% NYLON  
MACHINE WASH  
WARM WATER 60C/140F.  
DO NOT BLEACH.  
TUMBLE DRY AT  
LOW TEMPERATURE.  
IRON ON LOW HEAT.



SUGGEST WASHING THE GARMENT BEFORE WEAR.  
FAILURE TO LAUNDRER PROPERLY COULD ADVERSELY AFFECT THE FLAME RESISTANCE OF THE FABRIC.  
MADE IN PRC

Habillement Ignifuge  
9OZ FR FABRIC  
90% COTON/10% NYLON  
EAU CHAUDE DE LAVAGE À LA MACHINE 60C/140F.  
NE PAS BLANCHIR.  
SÈCHE-LINGE À BASSE TEMPÉRATURE.  
FER À BASSE TEMPÉRATURE.



SUGGÈRE DE LAVER LE VÊTEMENT AVANT DE LE PORTER.  
UN MAUVAIS LAVAGE PÛT COMPROMETTRE LA RÉSISTANCE IGNIFUGES DU TISSU CONTRE LE FEU.  
Style#:PHEN-V03A-WBW  
CA#53472  
FABRIQUÉ EN PRC

THIS GARMENT IS  
FLAME RESISTANT  
This garment constructed from flame resistant fabrics and components resists ignition and will not continue to burn when removed from the ignition source.  
This garment meets the requirements of: NFPA 2112-2023, NFPA 70E, ASTM F1506, CAN/CGSB 155.20, CAN/CGSB 155.22, OSHA 29 CFR 1910.269, EN ISO 11611, EN ISO 11612, EN ISO 14116  
ATPV 13.2 cal/cm<sup>2</sup>  
WARNING!  
This garment is not intended for fire entry or structured fire fighting activities and provides no personal protection from chemical exposure. keep garment clean. Soiling may reduce protective properties.  
DO NOT REMOVE THIS LABEL

CE VÊTEMENT EST IGNIFUGE  
Ce vêtement, fait de tissus et d'éléments ignifuges, résiste à l'inflammation et ne continuera pas de brûler lorsqu'il est retiré de la source de l'ignition.  
Ce vêtement satisfait aux exigences de: NFPA 2112-2023, NFPA 70E, ASTM F1506, CAN/CGSB 155.20, CAN/CGSB 155.22, OSHA 29 CFR 1910.269, EN ISO 11611, EN ISO 11612, EN ISO 14116  
ATPV 13.2 cal/cm<sup>2</sup>  
AVERTISSEMENT  
Ce vêtement n'est pas conçu pour pénétrer dans un incendie ou pour combattre des incendies structureaux et n'offre pas de protection personnelle contre l'exposition aux produits chimiques. Le garder propre-la saleté peut réduire l'efficacité de ses propriétés protectrices.  
NE PAS ENLEVER CETTE ÉTIQUETTE

PO No.:  
90% COTTON/10% NYLON  
THIS CLOTHING ITEM MEETS THE REQUIREMENTS OF NFPA 2112-2023.  
NFPA 2113 REQUIRES UPPER AND LOWER BODY COVERAGE



Model# FZ-V03  
PhenixFR Global Co., Ltd.  
Hongqiao Community, Hongqiao Street  
Chongchuan District,  
Nantong, Jiangsu 226001  
MADE IN PRC  
DO NOT REMOVE LABEL

## Hang tag and Carton information


hang tag

6CM

8.2CM




One side




The other side

User Information QR

Hang tag Sticker(4\*4CM)



## Carton Mark for WBW&FZ Co-brand



Carton Sticker(8\*5CM)



Side mark

Main mark

		Confirm by Signature