

Table 1 Recommended Child and Adolescent Immunization Schedule for Ages 18 Years or Younger, United States, 2025

These recommendations must be read with the notes that follow. For those who fall behind or start late, provide catch-up vaccination at the earliest opportunity as indicated by the green bars. To determine minimum intervals between doses, see the catch-up schedule (Table 2).

Vaccine and other immunizing agents	Birth	1 mo	2 mos	4 mos	6 mos	9 mos	12 mos	15 mos	18 mos	19–23 mos	2–3 yrs	4–6 yrs	7–10 yrs	11–12 yrs	13–15 yrs	16 yrs	17–18 yrs		
Respiratory syncytial virus (RSV-mAb [nirsevimab])	1 dose depending on maternal RSV vaccination status (See Notes)					1 dose (8–19 months); See Notes													
Hepatitis B (HepB)	1st dose	←----- 2nd dose -----→			←----- 3rd dose -----→														
Rotavirus (RV): RV1 (2-dose series), RV5 (3-dose series)		1st dose	2nd dose	See Notes															
Diphtheria, tetanus, acellular pertussis (DTaP <7 yrs)		1st dose	2nd dose	3rd dose		←----- 4th dose -----→													
Haemophilus influenzae type b (Hib)		1st dose	2nd dose	See Notes		←----- 3rd or 4th dose (See Notes) -----→													
Pneumococcal conjugate (PCV15, PCV20)		1st dose	2nd dose	3rd dose	←----- 4th dose -----→														
Inactivated poliovirus (IPV)		1st dose	2nd dose	←----- 3rd dose -----→			←----- 4th dose -----→												
COVID-19 (1vCOV-mRNA, 1vCOV-aPS)	See Notes																		
Influenza (IIV3, cIIV3)	1 or 2 doses annually					1 dose annually													
Influenza (LAIV3)	1 or 2 doses annually					1 dose annually													
OR																			
Measles, mumps, rubella (MMR)		See Notes	←----- 1st dose -----→		2nd dose														
Varicella (VAR)		←----- 1st dose -----→		2nd dose															
Hepatitis A (HepA)		See Notes	2-dose series (See Notes)																
Tetanus, diphtheria, acellular pertussis (Tdap ≥7 yrs)												1 dose							
Human papillomavirus (HPV)												See Notes							
Meningococcal (MenACWY-CRM ≥2 mos, MenACWY-TT ≥2years)		See Notes										1st dose	2nd dose						
Meningococcal B (MenB-4C, MenB-FHbp)	See Notes																		
Respiratory syncytial virus vaccine (RSV [Abrysvo])											Seasonal administration during pregnancy (See Notes)								
Dengue (DENACYD: 9–16 yrs)											Seropositive in endemic dengue areas (See Notes)								
Mpox																			

Range of recommended ages for all children

Range of recommended ages for catch-up vaccination

Range of recommended ages for certain high-risk groups or populations

Recommended vaccination can begin in this age group

Vaccination is based on shared clinical decision-making

No Guidance/ Not Applicable