

# SAFETY DATA SHEET

Issuing Date 07-Dec-2017

Revision Date 22-Jan-2018

Revision Number 4

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

### Product identifier

**Product Code(s)** WB 300 Series Ghost  
**Product Name** Water Base Ghost Enamel

**Product Color** Ghost Translucent Black

### **Component**

### Other means of identification

**Other Information** This Safety Data Sheet complies with the requirements of the OSHA Hazard Communication Standard 2012 Final Rule. This product is intended for use by properly trained and qualified professionals after having familiarized themselves with this SDS and understand all hazards to themselves and the environment through a comprehensive training program according to the Hazard Communication Standard 29 CFR 1910.1200, and the Occupational Safety and Health adoption of the Global Harmonization Standard (GHS). Use of this product may present additional hazards, and no guarantee is implied that the hazards and necessary precautions listed in this document are the only ones present. Customers using this product are responsible for determining proper personal protection equipment according to the specific conditions, PPE listed are a minimum standard. This product is not intended for general public use.

### Recommended use of the chemical and restrictions on use

**Recommended Use** Pipe Coatings.  
**Uses advised against** Restricted to professional users

### Details of the supplier of the safety data sheet

**Manufacturer Address**  
Wohl Coatings Company  
6161 Maple Ave.  
St. Louis, Mo 63130  
(314)725-3400

### Emergency telephone number

**24 Hour Emergency Phone Number** Chemtrec 1-800-424-9300 (chemical emergency of spill, leak, fire, exposure, or accident)  
International: (703) 527-3887, call collect

## 2. HAZARDS IDENTIFICATION

### Classification

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Carcinogenicity	Category 2
-----------------	------------

### Label elements

#### **Warning**

**Hazard statements**  
Suspected of causing cancer



The product contains no substances which at their given concentration, are considered to be hazardous to health.

**Appearance** Paint

**Physical state** Liquid

**Odor** Slight

**Precautionary Statements**

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Wear protective gloves/protective clothing/eye protection/face protection

**Precautionary Statements - Response**

IF exposed: Call a POISON CENTER or doctor/physician

**Precautionary Statements - Storage**

Store locked up

**Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

**Hazards not otherwise classified (HNOC)**

Not applicable

**Other Information**

Not applicable

**Unknown acute toxicity**

3E-06 % of the mixture consists of ingredient(s) of unknown toxicity

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

**Mixture**

Chemical Name	CAS No.	Weight-%
Carbon black	1333-86-4	0.6

### 4. FIRST AID MEASURES

**Description of first aid measures**

**General advice**

Call 911 or emergency medical service. Immediately call a POISON CENTER or doctor/physician. Use first aid treatment according to the nature of the injury.

**Inhalation**

Administer oxygen if breathing is difficult. IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. If symptoms persist, call a physician. Unconscious persons should be moved to an uncontaminated area and, as necessary, given artificial resuscitation and supplemental oxygen.

**Eye contact**

Do not rub affected area. In case of contact with substance, immediately flush skin or eyes with running water for at least 20 minutes. Remove contact lenses, if present and easy to

do. Continue rinsing. Get medical attention if symptoms occur.

**Skin contact**

Remove material from skin immediately. Wash off immediately with soap and plenty of water for at least 15 minutes. Do not use solvents or thinners to dissolve the material. Take off contaminated clothing and wash before reuse. Get medical attention immediately if symptoms occur. Allergic symptoms may be delayed.

**Ingestion**

Call a physician or poison control center immediately. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person.

**Self-protection of the first aider**

Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Remove all sources of ignition. See section 8 for more information.

**Most important symptoms and effects, both acute and delayed****Symptoms**

Symptoms may include headache, dizziness, thirst, cramping, coughing, and nausea. These symptoms may be delayed. Repeated or prolonged exposure may cause kidney, liver, neurological, central nervous system, eye and skin disorders. See Section 11 for additional Toxicological Information. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain, or flushing. Vapors may cause drowsiness and dizziness.

**Indication of any immediate medical attention and special treatment needed****Note to physicians**

Treat symptomatically. Effects of exposure (inhalation, ingestion or skin contact) to substance may be delayed. May cause sensitization in susceptible persons.

## 5. FIRE-FIGHTING MEASURES

**Suitable Extinguishing Media**

Dry chemical, CO<sub>2</sub>, alcohol-resistant foam or water spray. Use water spray or fog; do not use straight streams. Dry sand. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**Unsuitable extinguishing media**

CAUTION: Use of water spray when fighting fire may be inefficient.

**Specific hazards arising from the chemical**

May be ignited by heat, sparks or flames. Vapors may form explosive mixture with air. Vapors may travel to source of ignition and flash back. In the event of fire and/or explosion do not breathe fumes. Containers may explode when heated. Vapors may accumulate in confined areas (basement, tanks, hopper/tank cars, etc.). Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire may produce irritating, corrosive and/or toxic gases. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

**Hazardous combustion products**

Carbon monoxide. Carbon dioxide (CO<sub>2</sub>). Hydrocarbons. Nitrogen oxides (NO<sub>x</sub>).

**Explosion data**

**Sensitivity to Mechanical Impact** None.

**Sensitivity to Static Discharge** Yes.

**Special protective equipment for fire-fighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Use only non-sparking tools.

## 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions, protective equipment and emergency procedures**

<b>Personal precautions</b>	Ensure adequate ventilation. See section 8 for more information. Do not breathe dust/fume/gas/mist/vapors/spray. Do not get in eyes, on skin, or on clothing. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Evacuate personnel to safe areas. Full encapsulating, vapor protective clothing should be worn for spills and leaks with no fire. Wear protective gloves/protective clothing and eye/face protection. All equipment used when handling the product must be grounded. Take precautionary measures against static discharges.
<b>Other Information</b>	Refer to protective measures listed in Sections 7 and 8. Ventilate the area. Water spray may reduce vapor; but may not prevent ignition in closed spaces.
<b><u>Environmental precautions</u></b>	
<b>Environmental precautions</b>	See Section 12 for additional Ecological Information. Dispose of this material and its container to hazardous or special waste collection point. Prevent entry into waterways, sewers, basements or confined areas.
<b><u>Methods and material for containment and cleaning up</u></b>	
<b>Methods for containment</b>	Prevent further leakage or spillage if safe to do so. Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container. Dike to collect large liquid spills. Do not touch or walk through spilled material. Keep out of drains, sewers, ditches and waterways.
<b>Methods for cleaning up</b>	Place in appropriate chemical waste container. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Use clean non-sparking tools to collect absorbed material. Use personal protective equipment as required.
<b>Prevention of secondary hazards</b>	Clean contaminated objects and areas thoroughly observing environmental regulations.
<b>Reference to other sections</b>	See section 8 for more information. See section 13 for more information.

## 7. HANDLING AND STORAGE

### **Precautions for safe handling**

<b>Advice on safe handling</b>	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Use personal protection equipment. Use spark-proof tools and explosion-proof equipment. Use with local exhaust ventilation. Wash thoroughly after handling. Do not breathe dust/fume/gas/mist/vapors/spray. Do not eat, drink or smoke when using this product. Do not ingest. If swallowed then seek immediate medical assistance. Ground and bond all lines and equipment associated with product system. All equipment should be non-sparking and explosion proof. Remove all sources of ignition. Remove contaminated clothing and shoes.
--------------------------------	---

### **Conditions for safe storage, including any incompatibilities**

<b>Storage Conditions</b>	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep/store only in original container. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep away from open flames, hot surfaces and sources of ignition. Keep in an area equipped with sprinklers. Keep out of the reach of children. Store locked up.
<b>Packaging materials</b>	use only with original package - do not repackage.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Control parameters****Exposure Limits**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Carbon black 1333-86-4	TWA: 3 mg/m <sup>3</sup> inhalable fraction	TWA: 3.5 mg/m <sup>3</sup> (vacated) TWA: 3.5 mg/m <sup>3</sup>	IDLH: 1750 mg/m <sup>3</sup> TWA: 3.5 mg/m <sup>3</sup> TWA: 0.1 mg/m <sup>3</sup> Carbon black in presence of Polycyclic aromatic hydrocarbons PAH

**Other Information**

This product may also contain pigments that are otherwise non hazardous according to the US GHS: REFER TO ACGIH TLV NUISANCE PARTICULATE GUIDANCE OF 10mg/m<sup>3</sup>, 3 mg/m<sup>3</sup> respirable fraction; OSHA PEL 15mg/m<sup>3</sup> total dust, 5mg/m<sup>3</sup> respirable fraction.

**Appropriate engineering controls****Engineering controls**

Showers  
Eyewash stations  
Ventilation systems.

**Individual protection measures, such as personal protective equipment****Eye/face protection**

Tight sealing safety goggles.

**Hand Protection**

Wear suitable gloves. Wear nitrile or natural rubber gloves to protect hands from contact. Butyl gloves are best for prolonged contact.

**Skin and body protection**

Wear suitable protective clothing. Impervious clothing such as Tyvek(R) coveralls for light protection or Saranex(R) 23-P for moderate protection.

**Respiratory protection**

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations. Adequate ventilation should be used as the first measure to ensure airborne thresholds listed in section 8 of this SDS are not exceeded. If respirators are used, they should be used in accordance with the Hazard Communication Standard.

**General hygiene considerations**

Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**Information on basic physical and chemical properties**

Physical state	liquid
Appearance	Paint
Odor	Slight
Color	clear black
Odor threshold	No information available

**Property****Values****Remarks • Method**

pH	8	
Melting point / freezing point	No data available	None known
Boiling point / boiling range	100 °C / 212 °F	None known
Flash point	95.5 °C / >204 °F	Pensky-Martens Closed Cup
Evaporation rate	No data available	None known

<b>Flammability (solid, gas)</b>	No data available	None known	
<b>Flammability Limit in Air</b>		None known	
<b>Upper flammability limit:</b>	No data available	<b>Lower flammability limit:</b>	No data available
<b>Vapor pressure</b>	No data available	None known	
<b>Vapor density</b>	No data available	None known	
<b>Relative density</b>	No data available	None known	
<b>Water solubility</b>	No data available	None known	
<b>Solubility in other solvents</b>	No data available	None known	
<b>Partition coefficient</b>	No data available	None known	
<b>Autoignition temperature</b>	No data available	None known	
<b>Decomposition temperature</b>	No data available	None known	
<b>Kinematic viscosity</b>	No data available	None known	
<b>Dynamic viscosity</b>	No data available	None known	
<b>Explosive properties</b>	No information available		
<b>Oxidizing properties</b>	No information available		
<b><u>Other Information</u></b>			
<b>Softening point</b>	No information available		
<b>Molecular weight</b>	No information available		
<b>Specific gravity</b>	1.05		
<b>Non-Volatile (%)</b>	52 %		
<b>VOC Content (lbs/gal)</b>	0.058		
<b>Density</b>	8.74 lbs/gal		
<b>Bulk density</b>	No information available		

## 10. STABILITY AND REACTIVITY

<b>Reactivity</b>	No information available.
<b>Chemical stability</b>	Stable under normal conditions.
<b>Possibility of hazardous reactions</b>	None under normal processing.
<b>Hazardous polymerization</b>	None under normal processing.
<b>Conditions to avoid</b>	
<b>Incompatible materials</b>	Strong acids. Strong bases. Do not store together with acids, oxidizing substances, strong alkalis, or heavy-metal compounds.
<b>Hazardous decomposition products</b>	Carbon oxides. Nitrogen oxides (NOx). Thermal decomposition can lead to release of irritating and toxic gases and vapors.

## 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

#### Product Information

<b>Inhalation</b>	May be harmful by inhalation.
<b>Eye contact</b>	May cause irritation.
<b>Skin contact</b>	May be harmful in contact with skin.
<b>Ingestion</b>	May be harmful if swallowed.

Chemical Name	Acute toxicity - Oral	Oral LD50	Acute toxicity - Dermal	LD50/dermal/rat - mg/kg
Carbon black 1333-86-4		> 15400 mg/kg ( Rat )		> 3 g/kg ( Rabbit )

Chemical Name	Physical state	Acute toxicity - Inhalation (Dusts/Mists)	Acute toxicity - Inhalation (Gases)	Acute toxicity - Inhalation (Vapors)	Inhalation LC50	LC50 Inh 1-hr Vapor rat/rabbit (no units)	Inhalation LC50 - 4 hour - vapor - mg/L
Carbon black 1333-86-4	solid				-	-	-

Chemical Name	NIOSH - Target Organs	STOT - single exposure	Target Organ Systemic Toxicant - Repeated exposure	Aspiration toxicity	Ozone
Carbon black 1333-86-4	eyes, respiratory system lymphatic cancer in presence of PAHs				

#### Information on toxicological effects

**Symptoms** No information available.

#### Numerical measures of toxicity

##### Acute toxicity

**Unknown acute toxicity** 3E-06 % of the mixture consists of ingredient(s) of unknown toxicity

Chemical Name	Oral LD50	LD50/dermal/rat - mg/kg	Inhalation LC50
Carbon black 1333-86-4	> 15400 mg/kg ( Rat )	> 3 g/kg ( Rabbit )	-

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation** No information available.

**Serious eye damage/eye irritation** No information available.

**Respiratory or skin sensitization** No information available.

**Germ cell mutagenicity** No information available.

**Carcinogenicity** Classification based on data available for ingredients. Contains a known or suspected carcinogen.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Carbon black 1333-86-4	A3	Group 2B	-	X

**Legend**

ACGIH (American Conference of Governmental Industrial Hygienists)

IARC (International Agency for Research on Cancer)

NTP (National Toxicology Program)

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

Reproductive toxicity No information available.

STOT - single exposure No information available.

Target Organ Systemic Toxicant -  
Repeated exposure No information available.

Aspiration hazard No information available.

**12. ECOLOGICAL INFORMATION****Ecotoxicity**

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Carbon black 1333-86-4	-	-	-	5600: 24 h Daphnia magna mg/L EC50

Persistence and degradability No information available.

Bioaccumulation No information available.

Other adverse effects No information available.

**13. DISPOSAL CONSIDERATIONS****Waste treatment methods**

**Waste from residues/unused products** This material, as supplied, is a hazardous waste according to federal regulations (40 CFR 261). Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

**Contaminated packaging** Do not reuse empty containers. Dispose of in accordance with federal, state and local regulations. Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers. This material and its container, if discarded, would be regulated as a hazardous waste under RCRA. Treatment and disposal must be completed at a RCRA permitted treatment, storage, and disposal facility (TSD). The storage and transportation of RCRA hazardous wastes are also regulated by the EPA.

US EPA Waste Number U113



**14. TRANSPORT INFORMATION**

<u>DOT</u>	Not regulated
<u>TDG</u>	Not regulated
<u>MEX</u>	Not regulated
<u>ICAO (air)</u>	Not regulated
<u>IATA</u>	Not regulated
<u>IMDG</u>	Not regulated
<u>RID</u>	Not regulated
<u>ADR</u>	Not regulated
<u>ADN</u>	Not regulated

**15. REGULATORY INFORMATION****International Inventories**

<b>TSCA</b>	Complies
<b>DSL/NDSL</b>	Complies
<b>EINECS/ELINCS</b>	Complies

**Legend:**

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**US Federal Regulations****SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

**SARA 311/312 Hazard Categories**

<b>Acute health hazard</b>	No
<b>Chronic Health Hazard</b>	Yes
<b>Fire hazard</b>	No
<b>Sudden release of pressure hazard</b>	No
<b>Reactive Hazard</b>	No

**CAA (Clean Air Act)**

The following component(s) are listed in the Clean Air Act.

**CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

**CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

**US State Regulations****California Proposition 65**

This product contains the following Proposition 65 chemicals.

Chemical Name	California Proposition 65
Carbon black - 1333-86-4	Carcinogen
ethyl acrylate - 140-88-5	Carcinogen

**U.S. State Right-to-Know Regulations****US State Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania
water, distilled, conductivity or of similar purity 7732-18-5	-	-	X
Carbon black 1333-86-4	X	X	X

**U.S. EPA Label Information****16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION****Prepared By**

This SDS was prepared by Wohl Coatings Company using The WerCS (R) software of Underwriters Laboratories, utilizing the ChemAdvisor LOLI database.

**Revision Date**

22-Jan-2018

**Revision Note**

SDS sections updated.

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. No express or implied warranty of merchantability or fitness for a particular purpose or use, with respect to the product information provided herein is given. The manufacturer disclosed in section 1 shall under no circumstance be liable for incidental or consequential damage nor makes any representation as to the information's accuracy or sufficiency. All suitability of use and safe handling of this product is upon the user. This product is not to be repackaged. Any re-sale or repackaging of this product is a violation of the original terms of sale, and the manufacturer shall not be held responsible whatsoever for the product or use thereof.

**End of Safety Data Sheet**