

2025 GLOBAL GREEN COMMERCIAL LIGHTING PRODUCT LIST
GLOBAL GREEN CORPORATION! CALL 734-224-9791 TO ORDER

EMAIL:info@globalgreenled.com




PAYMENT BY CREDIT CARD OR WIRE

VENDOR	SIN	MFG	MFG PART #	VENDOR PART #	PRODUCT NAME			PHOTO			PRODUCT PRICE AFTER DISC	COUNTR Y OF ORIGIN
Global Green Corporation	33512	LITE LUME	LL-HBRHP-140-210-280-350-50-UNV-BZ	LL-HBRHP-140-210-280-350-50-UNV-BZ	LED HIGH BAY ROUND HIGH POWER 120-277V	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-HBRHP-140-210-280-350-50-480V-BZ	LL-HBRHP-140-210-280-350-50-480V-BZ	LED HIGH BAY ROUND HIGH POWER 480V	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-HBRHP-164-246-328-410-50-120/277V-480V-BZ	LL-HBRHP-164-246-328-410-50-120/277V-480V-BZ	LED HIGH BAY ROUND HIGH POWER 120/277V	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-HBRHP-340-40-347-480V-BZ	LL-HBRHP-340-40-347-480V-BZ	LED HIGH BAY ROUND HIGH POWER	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	ANT-5-4T	ANT-5-4T	MICROWAVE SENSOR	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	EM-HBRHP	EM-HBRHP	BACKUP BATTERY	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-HBRP-40-60-80-100-2CCT-UNV-BK	LL-HBRP-40-60-80-100-2CCT-UNV-BK	LED HIGH BAY ROUND PREMIUM 120-277V	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-HBRP-60-90-120-150-2CCT-UNV-BK	LL-HBRP-60-90-120-150-2CCT-UNV-BK	LED HIGH BAY ROUND PREMIUM BRONZE	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-HBRP-84-126-168-210-2CCT-UNV-BK	LL-HBRP-84-126-168-210-2CCT-UNV-BK	LED HIGH BAY ROUND PREMIUM 4000K	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-HBRP-92-138-184-230-2CCT-UNV-BK	LL-HBRP-92-138-184-230-2CCT-UNV-BK	LED HIGH BAY ROUND PREMIUM 5000K	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	EM 15	EM 15	EMERGENCY BATTERY BACKUP 15W	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	EM25	EM25	EMERGENCY BATTERY BACKUP 25W	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	SUB-480V	SUB-480V	LED HIGH BAY ROUND PREMIUM 480V	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-HBLAP-90-50-UNV-WH	LL-HBLAP-90-50-UNV-WH	LED HIGH BAY LINEAR ALL PURPOSE - WHITE	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-HBLAP-90-40-UNV-WH	LL-HBLAP-90-40-UNV-WH	LED HIGH BAY LINEAR ALL PURPOSE 40K	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-HBLAP-130-50-UNV-WH	LL-HBLAP-130-50-UNV-WH	LED HIGH BAY LINEAR ALL PURPOSE 5000K	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-HBLAP-130-40-UNV-WH	LL-HBLAP-130-40-UNV-WH	LED HIGH BAY LINEAR ALL PURPOSE 4000K	EA					\$ -	US

Global Green Corporation	33512	LITE LUME	LL-HBLAP-175-50-UNV-WH	LL-HBLAP-175-50-UNV-WH	LED HIGH BAY LINEAR ALL PURPOSE 5000K WHITE	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-HBLAP-175-40-UNV-WH	LL-HBLAP-175-40-UNV-WH	LED HIGH BAY LINEAR ALL PURPOSE 4000K WHITE	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-HBLAP-210-50-UNV-WH	LL-HBLAP-210-50-UNV-WH	LED HIGH BAY LINEAR ALL PURPOSE 210w 5000K	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-HBLAP-210-40-UNV-WH	LL-HBLAP-210-40-UNV-WH	LED HIGH BAY LINEAR ALL PURPOSE 210w 4000K	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-HBLAP-270-50-UNV-WH	LL-HBLAP-270-50-UNV-WH	LED HIGH BAY LINEAR ALL PURPOSE 270w 5000K	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-HBLAP-270-40-UNV-WH	LL-HBLAP-270-40-UNV-WH	LED HIGH BAY LINEAR ALL PURPOSE 270w 4000K	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-HBLAP-300-50-UNV-WH	LL-HBLAP-300-50-UNV-WH	LED HIGH BAY LINEAR ALL PURPOSE 300w 5000K	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-HBLAP-300-40-UNV-WH	LL-HBLAP-300-40-UNV-WH	LED HIGH BAY LINEAR ALL PURPOSE 300w 4000K	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-HBLAP-(90)(130)(175)(210) SELECTABLE-2CCT-UNV-WH	LL-HBLAP-(90)(130)(175)(210) SELECTABLE-2CCT-UNV-WH	LED HIGH BAY LINEAR ALL PURPOSE	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	WG-HBLAP-90/130	WG-HBLAP-90/130	WIRE GUARD 90/130	EA		NO PICTURE			\$ -	US
Global Green Corporation	33512	LITE LUME	CORD6EH183	CORD6EH183	SIX FOOT CORD	EA		NO PICTURE			\$ -	US
Global Green Corporation	33512	LITE LUME	WG-HBLAP-175/210	WG-HBLAP-175/210	WIRE GUARD 175/210	EA		NO PICTURE			\$ -	US
Global Green Corporation	33512	LITE LUME	SUB-UNV-480V	SUB-UNV-480V	480v Add System	EA		NO PICTURE			\$ -	US
Global Green Corporation	33512	LITE LUME	EMB8	EMB8	EMERGENCY BACKUP 8W	EA		NO PICTURE			\$ -	US
Global Green Corporation	33512	LITE LUME	EMB16	EMB16	EMERGENCY BACKUP 16W	EA		NO PICTURE			\$ -	US
Global Green Corporation	33512	LITE LUME	LL-HBLP-90-XX-UNV-WH	LL-HBLP-90-XX-UNV-WH	LED LINEAR HIGH BAY PREMIUM 90W	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-HBLP-130-XX-UNV-WH	LL-HBLP-130-XX-UNV-WH	LED LINEAR HIGH BAY PREMIUM 130W	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-HBLP-180-XX-UNV-WH	LL-HBLP-180-XX-UNV-WH	LED LINEAR HIGH BAY PREMIUM 180W	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-HBLP-210-XX-UNV-WH	LL-HBLP-210-XX-UNV-WH	LED LINEAR HIGH BAY PREMIUM 210W	EA					\$ -	US

Global Green Corporation	33512	LITE LUME	LL-HBLP-260-XX-UNV-WH	LL-HBLP-260-XX-UNV-WH	LED LINEAR HIGH BAY PREMIUM 260W	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-HBLP-360-XX-UNV-WH	LL-HBLP-360-XX-UNV-WH	LED LINEAR HIGH BAY PREMIUM 360W	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	WG1-HBLP	WG1-HBLP	LED HIGH BAY LINEAR WIRE GUARD	EA		NO PICTURE			\$ -	US
Global Green Corporation	33512	LITE LUME	WG2-HBLP	WG2-HBLP	LED HIGH BAY LINEAR PREMIUM WIRE GUARD	EA		NO PICTURE			\$ -	US
Global Green Corporation	33512	LITE LUME	SMK-HBLP	SMK-HBLP	LED HIGH BAY LINEAR PREMIUM MOUNT	EA		NO PICTURE			\$ -	US
Global Green Corporation	33512	LITE LUME	LL-ALECO-70-50-UNV-T3-BZ	LL-ALECO-70-50-UNV-T3-BZ	LED AREA LIGHT ECONOLUME SERIES 70w 5000K Type 3	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-ALECO-70-40-UNV-T3-BZ	LL-ALECO-70-40-UNV-T3-BZ	LED AREA LIGHT ECONOLUME SERIES 70w 4000K Type 3	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-ALECO-70-50-UNV-T4-BZ	LL-ALECO-70-50-UNV-T4-BZ	LED AREA LIGHT ECONOLUME SERIES 70w 5000K Type 4	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-ALECO-70-40-UNV-T4-BZ	LL-ALECO-70-40-UNV-T4-BZ	LED AREA LIGHT ECONOLUME SERIES 70w 4000K Type 4	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-ALECO-100-50-UNV-T3-BZ	LL-ALECO-100-50-UNV-T3-BZ	LED AREA LIGHT ECONOLUME SERIES 100w 5000K Type 3	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-ALECO-100-40-UNV-T3-BZ	LL-ALECO-100-40-UNV-T3-BZ	LED AREA LIGHT ECONOLUME SERIES 100w 4000K Type 3	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-ALECO-100-50-UNV-T4-BZ	LL-ALECO-100-50-UNV-T4-BZ	LED AREA LIGHT ECONOLUME SERIES 100w 5000K Type 4	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-ALECO-100-40-UNV-T4-BZ	LL-ALECO-100-40-UNV-T4-BZ	LED AREA LIGHT ECONOLUME SERIES 100w 4000K Type 4	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-ALECO-150-50-UNV-T3-BZ	LL-ALECO-150-50-UNV-T3-BZ	LED AREA LIGHT ECONOLUME SERIES 150w 5000K Type 3	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-ALECO-150-40-UNV-T3-BZ	LL-ALECO-150-40-UNV-T3-BZ	LED AREA LIGHT ECONOLUME SERIES 150w 4000K Type 3	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-ALECO-150-50-UNV-T4-BZ	LL-ALECO-150-50-UNV-T4-BZ	LED AREA LIGHT ECONOLUME SERIES 150w 5000K Type 4	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-ALECO-150-40-UNV-T4-BZ	LL-ALECO-150-40-UNV-T4-BZ	LED AREA LIGHT ECONOLUME SERIES 150w 4000K Type 4	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-ALECO-200-50-UNV-T3-BZ	LL-ALECO-200-50-UNV-T3-BZ	LED AREA LIGHT ECONOLUME SERIES 200w 5000K Type 3	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-ALECO-200-40-UNV-T3-BZ	LL-ALECO-200-40-UNV-T3-BZ	LED AREA LIGHT ECONOLUME SERIES 200w 4000K Type 3	EA					\$ -	US

Global Green Corporation	33512	LITE LUME	LL-ALECO-200-50-UNV-T4-BZ	LL-ALECO-200-50-UNV-T4-BZ	LED AREA LIGHT ECONOLUME SERIES 200w 5000K Type 4	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-ALECO-200-40-UNV-T4-BZ	LL-ALECO-200-40-UNV-T4-BZ	LED AREA LIGHT ECONOLUME SERIES 200w 4000K Type 4	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-ALECO-250-50-UNV-T3-BZ	LL-ALECO-250-50-UNV-T3-BZ	LED AREA LIGHT ECONOLUME SERIES 250w 5000K Type 3	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-ALECO-250-40-UNV-T3-BZ	LL-ALECO-250-40-UNV-T3-BZ	LED AREA LIGHT ECONOLUME SERIES 250w 4000K Type 3	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-ALECO-250-50-UNV-T4-BZ	LL-ALECO-250-50-UNV-T4-BZ	LED AREA LIGHT ECONOLUME SERIES 250w 5000K Type 4	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-ALECO-250-40-UNV-T4-BZ	LL-ALECO-250-40-UNV-T4-BZ	LED AREA LIGHT ECONOLUME SERIES 250w 4000K Type 4	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-ALECO-300-50-UNV-T3-BZ	LL-ALECO-300-50-UNV-T3-BZ	LED AREA LIGHT ECONOLUME SERIES 300w 5000k Type 3	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-ALECO-300-40-UNV-T3-BZ	LL-ALECO-300-40-UNV-T3-BZ	LED AREA LIGHT ECONOLUME SERIES 300w 4000K Type 3	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-ALECO-300-50-UNV-T4-BZ	LL-ALECO-300-50-UNV-T4-BZ	LED AREA LIGHT ECONOLUME SERIES 300w 5000k Type 4	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-ALECO-300-40-UNV-T4-BZ	LL-ALECO-300-40-UNV-T4-BZ	LED AREA LIGHT ECONOLUME SERIES 300w 4000K Type 4	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	ALECOPK	ALECOPK	ECONOLUME POLE KIT	EA		NO PICTURE			\$ -	US
Global Green Corporation	33512	LITE LUME	ALECOSF	ALECOSF	ECONOLUME SLIP MOUNT	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	ALECOTR	ALECOTR	ECONOLUME TRI-UNION MOUNT	EA		NO PICTURE			\$ -	US
Global Green Corporation	33512	LITE LUME	ALECOWM	ALECOWM	ECONOLUME WALL MOUNT	EA		NO PICTURE			\$ -	US
Global Green Corporation	33512	LITE LUME	BR1823	BR1823	ECONOLUME MOTION SENSORS	EA		NO PICTURE			\$ -	US
Global Green Corporation	33512	LITE LUME	SP10277	SP10277	ECONOLUME SURGE PROTECT	EA		NO PICTURE			\$ -	US
Global Green Corporation	33512	LITE LUME	SP20480	SP20480	ECONOLUME SURGE PROTECTOR	EA		NO PICTURE			\$ -	US
Global Green Corporation	33512	LITE LUME	EGSALECOS	EGSALECOS	ECONOLUME GLARE SHIELD 70w	EA		NO PICTURE			\$ -	US
Global Green Corporation	33512	LITE LUME	EGSALECOM	EGSALECOM	ECONOLUME GLARE SHIELD 150w	EA		NO PICTURE			\$ -	US

Global Green Corporation	33512	LITE LUME	EGSALECOL	EGSALECOL	ECONOLUME GLARE SHIELD 250w	EA		NO PICTURE			\$ -	US
Global Green Corporation	33512	LITE LUME	TLPC	TLPC	ECONOLUME TL PHOTOCELL	EA		NO PICTURE			\$ -	US
Global Green Corporation	33512	LITE LUME	TLPC480V	TLPC480V	LED AREA LIGHT ECONOLUME ACCESSORIES	EA		NO PICTURE			\$ -	US
Global Green Corporation	33512	LITE LUME	LL-DDLP-27-50-UNV-GY-PC	LL-DDLP-27-50-UNV-GY-PC	LED DUST TO DAWN LOW POWER 27w 5000K	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-DDLP-27-40-UNV-GY-PC	LL-DDLP-27-40-UNV-GY-PC	LED DUST TO DAWN LOW POWER 27w 4000K	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-DDLP-40-50-UNV-GY-PC	LL-DDLP-40-50-UNV-GY-PC	LED DUST TO DAWN LOW POWER 40w 5000K	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-DDLP-40-40-UNV-GY-PC	LL-DDLP-40-40-UNV-GY-PC	LED DUST TO DAWN LOW POWER 40w 4000K	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-DDHP-45-50-UNV-GY-TLPC	LL-DDHP-45-50-UNV-GY-TLPC	LED DUST TO DAWN HIGH POWER 45w 5000K	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-DDHP-45-40-UNV-GY-TLPC	LL-DDHP-45-40-UNV-GY-TLPC	LED DUST TO DAWN HIGH POWER 45w 4000K	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-DDHP-65-50-UNV-GY-TLPC	LL-DDHP-65-50-UNV-GY-TLPC	LED DUST TO DAWN HIGH POWER 65w 5000K	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-DDHP-65-40-UNV-GY-TLPC	LL-DDHP-65-40-UNV-GY-TLPC	LED DUST TO DAWN HIGH POWER 65w 4000K	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-DDHP-90-50-UNV-GY-TLPC	LL-DDHP-90-50-UNV-GY-TLPC	LED DUST TO DAWN HIGH POWER 90w 5000K	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-DDHP-90-40-UNV-GY-TLPC	LL-DDHP-90-40-UNV-GY-TLPC	LED DUST TO DAWN HIGH POWER 90w 4000K	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-RW-70-50-UNV-T3-GY	LL-RW-70-50-UNV-T3-GY	LED ROADWAY 70w 5000K	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-RW-70-40-UNV-T3-GY	LL-RW-70-40-UNV-T3-GY	LED ROADWAY 70w 4000K	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-RW-70-30-UNV-T3-GY	LL-RW-70-30-UNV-T3-GY	LED ROADWAY 70w 3000K	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-RW-105-50-UNV-T3-GY	LL-RW-105-50-UNV-T3-GY	LED ROADWAY 105w 5000K	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-RW-105-40-UNV-T3-GY	LL-RW-105-40-UNV-T3-GY	LED ROADWAY 105w 4000K	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-RW-105-30-UNV-T3-GY	LL-RW-105-30-UNV-T3-GY	LED ROADWAY 105w 3000K	EA					\$ -	US

Global Green Corporation	33512	LITE LUME	LL-RW-150-50-UNV-T2-GY	LL-RW-150-50-UNV-T2-GY	LED ROADWAY 150w 5000K	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-RW-150-40-UNV-T2-GY	LL-RW-150-40-UNV-T2-GY	LED ROADWAY 150w 4000K	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-RW-150-30-UNV-T2-GY	LL-RW-150-30-UNV-T2-GY	LED ROADWAY 150w 3000K	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-RW-150-50-UNV-T3-GY	LL-RW-150-50-UNV-T3-GY	LED ROADWAY 150w 3Pin 5000K	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LLRW-150-40-UNV-T3-GY	LLRW-150-40-UNV-T3-GY	LED ROADWAY 150w 3Pin 4000K	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-RW-150-30-UNV-T3-GY	LL-RW-150-30-UNV-T3-GY	LED ROADWAY 150w 3Pin 3000K	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	R7	R7	LED ROADWAY TL	EA		NO PICTURE			\$ -	US
Global Green Corporation	33512	LITE LUME	TLPC480	TLPC480	LED ROADWAY PHOTOCELL	EA		NO PICTURE			\$ -	US
Global Green Corporation	33512	LITE LUME	LL-FL-15-50-UNV-N76-BZ-YK	LL-FL-15-50-UNV-N76-BZ-YK	LED FLOODLIGHT 15w 5000K	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-FL-15-40-UNV-N76-BZ-YK	LL-FL-15-40-UNV-N76-BZ-YK	LED FLOODLIGHT 15w 4000K	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-FL-15-0-UNV-N76-BZ-YK	LL-FL-15-0-UNV-N76-BZ-YK	LED FLOODLIGHT 15w 3000K	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-FL-27-50-UNV-N76-BZ-YK	LL-FL-27-50-UNV-N76-BZ-YK	LED FLOODLIGHT 27w 5000K	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-FL-27-40-UNV-N76-BZ-YK	LL-FL-27-40-UNV-N76-BZ-YK	LED FLOODLIGHT 27w 4000K	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-FL-27-30-UNV-N76-BZ-YK	LL-FL-27-30-UNV-N76-BZ-YK	LED FLOODLIGHT 27w 3000K	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-FL-45-50-UNV-N76-BZ-KM	LL-FL-45-50-UNV-N76-BZ-KM	LED FLOOD LIGHT MEDIUM KNUCKLE 45w 50K	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-FL-45-40-UNV-N76-BZ-KM	LL-FL-45-40-UNV-N76-BZ-KM	LED FLOOD LIGHT MEDIUM KNUCKLE 45w 40K	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-FL-45-30-UNV-N76-BZ-KM	LL-FL-45-30-UNV-N76-BZ-KM	LED FLOOD LIGHT MEDIUM KNUCKLE 45w 30K	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-FL-45-50-UNV-N76-BZ-YK	LL-FL-45-50-UNV-N76-BZ-YK	LED FLOOD LIGHT MEDIUM YOKE 45w 50K	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-FL-45-40-UNV-N76-BZ-YM	LL-FL-45-40-UNV-N76-BZ-YM	LED FLOOD LIGHT MEDIUM YOKE 45w 40K	EA					\$ -	US

Global Green Corporation	33512	LITE LUME	LL-FL-45-30-UNV-N76-BZ-YM	LL-FL-45-30-UNV-N76-BZ-YM	LED FLOOD LIGHT MEDIUM YOKE 45w 30K	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-FL-60-50-UNV-N76-BZ-KM	LL-FL-60-50-UNV-N76-BZ-KM	LED FLOOD LIGHT MEDIUM KNUCKLE 60w 50K	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-FL-60-40-UNV-N76-BZ-KM	LL-FL-60-40-UNV-N76-BZ-KM	LED FLOOD LIGHT MEDIUM KNUCKLE 60w 40K	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-FL-60-30-UNV-N76-BZ-KM	LL-FL-60-30-UNV-N76-BZ-KM	LED FLOOD LIGHT MEDIUM KNUCKLE 60w 30K	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-FL-60-50-UNV-N76-BZ-YK	LL-FL-60-50-UNV-N76-BZ-YK	LED FLOOD LIGHT MEDIUM YOKE 60w 50K	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-FL-60-40-UNV-N76-BZ-YK	LL-FL-60-40-UNV-N76-BZ-YK	LED FLOOD LIGHT MEDIUM YOKE 60w 40K	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-FL-60-30-UNV-N76-BZ-YK	LL-FL-60-30-UNV-N76-BZ-YK	LED FLOOD LIGHT MEDIUM YOKE 60w 30K	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-FL-135-50-UNV-N76-BZ-SF	LL-FL-135-50-UNV-N76-BZ-SF	LED FLOODLIGHT XL SLIP 135w 5000K	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-FL-135-40-UNV-N76-BZ-SF	LL-FL-135-40-UNV-N76-BZ-SF	LED FLOODLIGHT XL SLIP 135w 4000K	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-FL-135-30-UNV-N76-BZ-SF	LL-FL-135-30-UNV-N76-BZ-SF	LED FLOODLIGHT XL SLIP 135w 3000K	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-FL-135-50-UNV-N76-BZ-TR	LL-FL-135-50-UNV-N76-BZ-TR	LED FLOODLIGHT XL TRUNNION 135w 5000K	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-FL-135-40-UNV-N76-BZ-TR	LL-FL-135-40-UNV-N76-BZ-TR	LED FLOODLIGHT XL TRUNNION 135w 4000K	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-FL-135-30-UNV-N76-BZ-TR	LL-FL-135-30-UNV-N76-BZ-TR	LED FLOODLIGHT XL TRUNNION 135w 3000K	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-FL-200-50-UNV-N76-BZ-SF	LL-FL-200-50-UNV-N76-BZ-SF	LED FLOODLIGHT XL SLIP 200w 5000K	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-FL-200-40-UNV-N76-BZ-SF	LL-FL-200-40-UNV-N76-BZ-SF	LED FLOODLIGHT XL SLIP 200w 4000K	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-FL-200-30-UNV-N76-BZ-SF	LL-FL-200-30-UNV-N76-BZ-SF	LED FLOODLIGHT XL SLIP 200w 3000K	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-FL-200-50-UNV-N76-BZ-TR	LL-FL-200-50-UNV-N76-BZ-TR	LED FLOODLIGHT XL TRUNNION 200w 5000K	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-FL-200-40-UNV-N76-BZ-TR	LL-FL-200-40-UNV-N76-BZ-TR	LED FLOODLIGHT XL TRUNNION 200w 4000K	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-FL-200-30-UNV-N76-BZ-TR	LL-FL-200-30-UNV-N76-BZ-TR	LED FLOODLIGHT XL TRUNNION 200w 3000K	EA					\$ -	US

Global Green Corporation	33512	LITE LUME	LL-PTL-70-50-UNV-T5-BZ	LL-PTL-70-50-UNV-T5-BZ	LED EXTRA LARGE 70w 5000K	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-PTL-70-40-UNV-T5-BZ	LL-PTL-70-40-UNV-T5-BZ	LED EXTRA LARGE 70w 4000K	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-PTL-70-30-UNV-T5-BZ	LL-PTL-70-30-UNV-T5-BZ	LED EXTRA LARGE 70w 3000K	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-PTL-130-50-UNV-T5-BZ	LL-PTL-130-50-UNV-T5-BZ	LED EXTRA LARGE 130w 5000K	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-PTL-130-40-UNV-T5-BZ	LL-PTL-130-40-UNV-T5-BZ	LED EXTRA LARGE 130w 4000K	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-PTL-130-30-UNV-T5-BZ	LL-PTL-130-30-UNV-T5-BZ	LED EXTRA LARGE 130w 3000K	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-ALAEPTS-46W-AMBER-UNV-T5-BZ	LL-ALAEPTS-46W-AMBER-UNV-T5-BZ	LED POST TOP AMBER 46w	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-ALAEPTS-78W-AMBER-UNV-T5-BZ	LL-ALAEPTS-78W-AMBER-UNV-T5-BZ	LED POST TOP AMBER 78w	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-BOL-R-3L-LKFS-BZ	LL-BOL-R-3L-LKFS-BZ	LED BOLLARD ROUND PARABOLIC FLAT TOP BRONZE	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-BOL-R-3L-LKFS-BK	LL-BOL-R-3L-LKFS-BK	LED BOLLARD ROUND PARABOLIC FLAT TOP HIGH LUMEN BLACK	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-BOL-S-3L-LKFS-BZ	LL-BOL-S-3L-LKFS-BZ	LED BOLLARD SQUARE PARABOLIC FLAT TOP LUMEN BRONZE	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-BOL-S-3L-LKFS-BK	LL-BOL-S-3L-LKFS-BK	LED BOLLARD SQUARE PARABOLIC FLAT TOP LUMEN BLACK	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-BOL-RD-3L-LKFS-BZ	LL-BOL-RD-3L-LKFS-BZ	LED BOLLARD ROUND DOME BRONZE	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-BOL-RD-3L-LKFS-BK	LL-BOL-RD-3L-LKFS-BK	LED BOLLARD ROUND DOME BLACK	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-BOL-RDL-2L-LKFS-BZ	LL-BOL-RDL-2L-LKFS-BZ	LED BOLLARD ROUND DOME LOUVER BRONZE	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-BOL-RDL-2L-LKFS-BK	LL-BOL-RDL-2L-LKFS-BK	LED BOLLARD ROUND DOME LOUVER BLACK	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-BOL-R-MTGKIT	LL-BOL-R-MTGKIT	ANCHOR BOLTS ROUND	EA		NO PICTURE			\$ -	US
Global Green Corporation	33512	LITE LUME	LL-BOL-S-MTGKIT	LL-BOL-S-MTGKIT	ANCHOR BOLTS SQUARE	EA		NO PICTURE			\$ -	US
Global Green Corporation	33512	LITE LUME	LL-ALBSFT-15-AMBER-UNV-T5-BZ	LL-ALBSFT-15-AMBER-UNV-T5-BZ	AMBERLUME LED BOLLARD	EA					\$ -	US

Global Green Corporation	33512	LITE LUME	EM7	EM7	LED BOLLARD BACKUP	EA		NO PICTURE			\$ -	US
Global Green Corporation	33512	LITE LUME	LL-WP-30-50-UNV-BZ	LL-WP-30-50-UNV-BZ	LED WALL PACK 30w 5000K	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-WP-30-40-UNV-BZ	LL-WP-30-40-UNV-BZ	LED WALL PACK 30w 4000K	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-WP-65-50-UNV-BZ	LL-WP-65-50-UNV-BZ	LED WALL PACK 65w 5000K	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-WP-65-40-UNV-BZ	LL-WP-65-40-UNV-BZ	LED WALL PACK 65w 4000K	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-WP-90-50-UNV-BZ	LL-WP-90-50-UNV-BZ	LED WALL PACK 90w 5000K	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-WP-90-40-UNV-BZ	LL-WP-90-40-UNV-BZ	LED WALL PACK 90w 4000K	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-WP-125-50-UNV-BZ	LL-WP-125-50-UNV-BZ	LED WALL PACK 125w 5000K	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-WP-125-40-UNV-BZ	LL-WP-125-40-UNV-BZ	LED WALL PACK 125w 4000K	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-WPSL-38-50-UNV-BZ	LL-WPSL-38-50-UNV-BZ	LED WALL PACK SLIM 38w 5000K	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-WPSL-38-40-UNV-BZ	LL-WPSL-38-40-UNV-BZ	LED WALL PACK SLIM 38w 4000K	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-WPSL-65-50-UNV-BZ	LL-WPSL-65-50-UNV-BZ	LED WALL PACK SLIM 65w 5000K	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-WPSL-65-40-UNV-BZ	LL-WPSL-65-40-UNV-BZ	LED WALL PACK SLIM 65w 4000K	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-WPSL-100-50-UNV-BZ	LL-WPSL-100-50-UNV-BZ	LED WALL PACK SLIM 100w 5000K	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-WPSL-100-40-UNV-BZ	LL-WPSL-100-40-UNV-BZ	LED WALL PACK SLIM 100w 4000K	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-WPSL-135-50-UNV-BZ	LL-WPSL-135-50-UNV-BZ	LED WALL PACK SLIM 135w 5000K	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-WPSL-135-40-UNV-BZ	LL-WPSL-135-40-UNV-BZ	LED WALL PACK SLIM 135w 4000K	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	EM8	EM8	LED WALL PACK 8W BACKUP	EA		NO PICTURE			\$ -	US
Global Green Corporation	33512	LITE LUME	LL-GCLP-30-50-UNV-WH	LL-GCLP-30-50-UNV-WH	LED GARAGE CANOPY 30w 5000K	EA					\$ -	US

Global Green Corporation	33512	LITE LUME	LL-GCLP-30-40-UNV-WH	LL-GCLP-30-40-UNV-WH	LED GARAGE CANOPY 30w 4000K	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-GCLP-45-50-UNV-WH	LL-GCLP-45-50-UNV-WH	LED GARAGE CANOPY 45w 5000K	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-GCLP-45-40-UNV-WH	LL-GCLP-45-40-UNV-WH	LED GARAGE CANOPY 45w 4000K	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-GCLP-65-50-UNV-WH	LL-GCLP-65-50-UNV-WH	LED GARAGE CANOPY 65w 5000K	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-GCLP-65-40-UNV-WH	LL-GCLP-65-40-UNV-WH	LED GARAGE CANOPY 65w 4000K	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-GCLP-90-50-UNV-WH	LL-GCLP-90-50-UNV-WH	LED GARAGE CANOPY 90w 5000K	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	LL-GCLP-90-40-UNV-WH	LL-GCLP-90-40-UNV-WH	LED GARAGE CANOPY 90w 4000K	EA					\$ -	US
Global Green Corporation	33512	LITE LUME	BR1823-B-D	BR1823-B-D	MOTION SENSOR	EA		NO PICTURE			\$ -	US
Global Green Corporation	33512	LITE LUME	LL-100	LL-100	LED GARAGE CANOPY CONTROLLER	EA		NO PICTURE			\$ -	US
Global Green Corporation	33512	LITE LUME	C-EM-R-WH	C-EM-R-WH	LED GARAGE CANOPY BACKUP	EA		NO PICTURE			\$ -	US
Global Green Corporation	33512	LINMORE LED	LL-SL1-SM-100WD-50K-T3-UNV-G2-BRN	LL-SL1-SM-100WD-50K-T3-UNV-G2-BRN	SITE LIGHTER AREA LIGHT 100w	EA					\$ -	US
Global Green Corporation	33512	LINMORE LED	LL-SL1-MD-125WD-50K-T3-UNV-G2-BRN	LL-SL1-MD-125WD-50K-T3-UNV-G2-BRN	SITE LIGHTER AREA LIGHT 125w	EA					\$ -	US
Global Green Corporation	33512	LINMORE LED	LL-SL1-MD-150WD-50K-T3-UNV-G2-BRN	LL-SL1-MD-150WD-50K-T3-UNV-G2-BRN	SITE LIGHTER AREA LIGHT 150w	EA					\$ -	US
Global Green Corporation	33512	LINMORE LED	LL-SL1-MD-200WD-50K-T3-UNV-G2-BRN	LL-SL1-MD-200WD-50K-T3-UNV-G2-BRN	SITE LIGHTER AREA LIGHT 200w	EA					\$ -	US
Global Green Corporation	33512	LINMORE LED	LL-SL1-LG-250WD-50K-T3-UNV-G2-BRN	LL-SL1-LG-250WD-50K-T3-UNV-G2-BRN	SITE LIGHTER AREA LIGHT 250w	EA					\$ -	US
Global Green Corporation	33512	LINMORE LED	LL-SL1-LG-300WD-50K-T3-UNV-G2-BRN	LL-SL1-LG-300WD-50K-T3-UNV-G2-BRN	SITE LIGHTER AREA LIGHT 300w	EA					\$ -	US
Global Green Corporation	33512	LINMORE LED	HV200W	HV200W	HV DRIVER UP TO 200W	EA		NO PICTURE			\$ -	US
Global Green Corporation	33512	LINMORE LED	HV201W	HV201W	HV DRIVER OVER 200W	EA		NO PICTURE			\$ -	US
Global Green Corporation	33512	LINMORE LED	PC	PC	SITE LIGHTER AREA LIGHT PC	EA		NO PICTURE			\$ -	US

Global Green Corporation	33512	LINMORE LED	PC-TL	PC-TL	SITE LIGHTER AREA LIGHT TL	EA		NO PICTURE			\$ -	US
Global Green Corporation	33512	LINMORE LED	SSP	SSP	SITE LIGHTER AREA 277V PROTECTOR	EA		NO PICTURE			\$ -	US
Global Green Corporation	33512	LINMORE LED	SSPH	SSPH	SITE LIGHTER AREA 480V PROTECTOR	EA		NO PICTURE			\$ -	US
Global Green Corporation	33512	LINMORE LED	LL-SL1-MD-GSB-G2	LL-SL1-MD-GSB-G2	SITE LIGHTER AREA GLARE SHIELD 125W	EA					\$ -	US
Global Green Corporation	33512	LINMORE LED	LL-SL1-LG-GSB-G2	LL-SL1-LG-GSB-G2	SITE LIGHTER AREA GLARE SHIELD 250W	EA					\$ -	US
Global Green Corporation	33512	LINMORE LED	LL-SL1-ALL-GSS-G2	LL-SL1-ALL-GSS-G2	GLARE SHIELD	EA					\$ -	US
Global Green Corporation	33512	LINMORE LED	ULTRADIM20	ULTRADIM20	SITE LIGHTER AREA LIGHT CONTROLLER	EA					\$ -	US
Global Green Corporation	33512	LINMORE LED	LL-WR1-3-41K-44W	LL-WR1-3-41K-44W	WRAP 1 FIXTURE 44W	EA					\$ -	US
Global Green Corporation	33512	LINMORE LED	CH20S-A1-13K-4MS-50-80-CL-LV-CRM-10V	CH20S-A1-13K-4MS-50-80-CL-LV-CRM-10V	COMMERCIAL HIGH BAY 13K	EA					\$ -	US
Global Green Corporation	33512	LINMORE LED	CH20S-A1-15K-4MS-50-80-CL-LV-CRM-10V	CH20S-A1-15K-4MS-50-80-CL-LV-CRM-10V	COMMERCIAL HIGH BAY 15K	EA					\$ -	US
Global Green Corporation	33512	LINMORE LED	CH20S-A1-17K-4MS-50-80-CL-LV-CRM-10V	CH20S-A1-17K-4MS-50-80-CL-LV-CRM-10V	COMMERCIAL HIGH BAY 17K	EA					\$ -	US
Global Green Corporation	33512	LINMORE LED	CH20S-A1-20K-4MS-50-80-CL-LV-CRM-10V	CH20S-A1-20K-4MS-50-80-CL-LV-CRM-10V	COMMERCIAL HIGH BAY 20K	EA					\$ -	US
Global Green Corporation	33512	LINMORE LED	CH20S-A1-25K-6MS-50-80-CL-LV-CRM-10V	CH20S-A1-25K-6MS-50-80-CL-LV-CRM-10V	COMMERCIAL HIGH BAY 25K	EA					\$ -	US
Global Green Corporation	33512	LINMORE LED	CH20S-A1-28K-6MS-50-80-CL-LV-CRM-10V	CH20S-A1-28K-6MS-50-80-CL-LV-CRM-10V	COMMERCIAL HIGH BAY 28K	EA					\$ -	US
Global Green Corporation	33512	LINMORE LED	CH20S-A1-31K-8MS-50-80-CL-LV-CRM-10V	CH20S-A1-31K-8MS-50-80-CL-LV-CRM-10V	COMMERCIAL HIGH BAY 31K	EA					\$ -	US
Global Green Corporation	33512	LINMORE LED	CH20S-A1-33K-8MS-50-80-CL-LV-CRM-10V	CH20S-A1-33K-8MS-50-80-CL-LV-CRM-10V	COMMERCIAL HIGH BAY 33K	EA					\$ -	US
Global Green Corporation	33512	LINMORE LED	FR2MS	FR2MS	HIGH BAY LENS 2MS	EA		NO PICTURE			\$ -	US
Global Green Corporation	33512	LINMORE LED	FR4MS	FR4MS	HIGH BAY LENS 4MS	EA		NO PICTURE			\$ -	US
Global Green Corporation	33512	LINMORE LED	FR6MS	FR6MS	HIGH BAY LENS 6MS	EA		NO PICTURE			\$ -	US

Global Green Corporation	33512	LINMORE LED	FR8MS	FR8MS	HIGH BAY LENS 8MS	EA		NO PICTURE			\$ -	US
Global Green Corporation	33512	LINMORE LED	HVP	HVP	COMMERCIAL HIGH BAY SURGE	EA		NO PICTURE			\$ -	US
Global Green Corporation	33512	LINMORE LED	MBR	MBR	HIGH BAY BRACKET	EA		NO PICTURE			\$ -	US
Global Green Corporation	33512	LINMORE LED	STEM	STEM	HIGH BAY MOUNTING BOX	EA		NO PICTURE			\$ -	US
Global Green Corporation	33512	LINMORE LED	EMBLV	EMBLV	COMMERCIAL HIGH BAY BACKUP	EA		NO PICTURE			\$ -	US
Global Green Corporation	33512	LINMORE LED	EMB2LVONLY	EMB2LVONLY	COMMERCIAL HIGH BAY LV	EA		NO PICTURE			\$ -	US
Global Green Corporation	33512	LINMORE LED	SRGOFFLV	SRGOFFLV	HIGH BAY BACKUP LV	EA		NO PICTURE			\$ -	US
Global Green Corporation	33512	LINMORE LED	SRGOFFHV	SRGOFFHV	HIGH BAY BACKUP HV	EA		NO PICTURE			\$ -	US
Global Green Corporation	33512	LINMORE LED	WG2MS	WG2MS	2MS WIRE GUARD	EA		NO PICTURE			\$ -	US
Global Green Corporation	33512	LINMORE LED	WG4MS	WG4MS	4MS WIRE GUARD	EA		NO PICTURE			\$ -	US
Global Green Corporation	33512	LINMORE LED	WG6MS	WG6MS	6MS WIRE GUARD	EA		NO PICTURE			\$ -	US
Global Green Corporation	33512	LINMORE LED	WG8MS	WG8MS	8MS WIRE GUARD	EA		NO PICTURE			\$ -	US
Global Green Corporation	33512	LINMORE LED	SAFETY	SAFETY	GRIPPLE SAFETY CABLE	EA		NO PICTURE			\$ -	US
Global Green Corporation	33512	LINMORE LED	OccWG	OccWG	WIRE GUARD OCC	EA		NO PICTURE			\$ -	US
Global Green Corporation	33512	LINMORE LED	HD20S-A1-06K-2N-50-80-CL-LV-MLT-10V	HD20S-A1-06K-2N-50-80-CL-LV-MLT-10V	HOSEDOWN VAPORTIGHT 5,882 lumens	EA					\$ -	US
Global Green Corporation	33512	LINMORE LED	HD20S-A1-12K-2N-50-80-CL-LV-MLT-10V	HD20S-A1-12K-2N-50-80-CL-LV-MLT-10V	HOSEDOWN VAPORTIGHT 12,065 lumens	EA					\$ -	US
Global Green Corporation	33512	LINMORE LED	HD20S-A1-12K-4N-50-80-CL-LV-MLT-10V	HD20S-A1-12K-4N-50-80-CL-LV-MLT-10V	HOSEDOWN VAPORTIGHT 12,112 lumens	EA					\$ -	US
Global Green Corporation	33512	LINMORE LED	HD20S-A1-18K-2W-50-80-CL-LV-MLT-10V	HD20S-A1-18K-2W-50-80-CL-LV-MLT-10V	HOSEDOWN VAPORTIGHT 18,275 lumens	EA					\$ -	US
Global Green Corporation	33512	LINMORE LED	HD20S-A1-24K-4N-50-80-CL-LV-MLT-10V	HD20S-A1-24K-4N-50-80-CL-LV-MLT-10V	HOSEDOWN VAPORTIGHT 24,419 lumens	EA					\$ -	US

Global Green Corporation	33512	LINMORE LED	HD20S-A1-24K-2W-50-80-CL-LV-MLT-10V	HD20S-A1-24K-2W-50-80-CL-LV-MLT-10V	HOSEDOWN VAPORTIGHT 24,335 lumens	EA					\$ -	US
Global Green Corporation	33512	LINMORE LED	HD20S-A1-30K-2W-50-80-CL-LV-MLT-10V	HD20S-A1-30K-2W-50-80-CL-LV-MLT-10V	HOSEDOWN VAPORTIGHT 30,782 lumens	EA					\$ -	US
Global Green Corporation	33512	LINMORE LED	HOSEV	HOSEV	HOSEDOWN 347	EA		NO PICTURE			\$ -	US
Global Green Corporation	33512	LINMORE LED	MWOCC	MWOCC	HOSEDOWN OCC SENSOR	EA		NO PICTURE			\$ -	US
Global Green Corporation	33512	LINMORE LED	EMB9	EMB9	HOSEDOWN BACKUP	EA		NO PICTURE			\$ -	US
Global Green Corporation	33512	LINMORE LED	SRG-LV	SRG-LV	HOSEDOWN SURGE LV	EA		NO PICTURE			\$ -	US
Global Green Corporation	33512	LINMORE LED	SRG-HV	SRG-HV	HOSEDOWN SURGE HV	EA		NO PICTURE			\$ -	US
Global Green Corporation	33512	LINMORE LED	FM2WSS	FM2WSS	HOSEDOWN BRACKET	EA		NO PICTURE			\$ -	US
Global Green Corporation	33512	LINMORE LED	CABLEKIT	CABLEKIT	LMORELED(10ft) aircraft "Y" cable with single snap eACable, NAE d ESSABIES	EA		NO PICTURE			\$ -	US
Global Green Corporation	33512	LINMORE LED	HT10S-A1-12K-22-50-80-FR-LV-GRID-10V	HT10S-A1-12K-22-50-80-FR-LV-GRID-10V	HIGH OUTPUT TROFFER 2x2 12,207 lumens	EA					\$ -	US
Global Green Corporation	33512	LINMORE LED	HT10S-A1-18K-22-50-80-FR-LV-GRID-10V	HT10S-A1-18K-22-50-80-FR-LV-GRID-10V	HIGH OUTPUT TROFFER 2x2 18,133 lumens	EA					\$ -	US
Global Green Corporation	33512	LINMORE LED	HT10S-A1-12K-24-50-80-FR-LV-GRID-10V	HT10S-A1-12K-24-50-80-FR-LV-GRID-10V	HIGH OUTPUT TROFFER 2x4 12,207 lumens	EA					\$ -	US
Global Green Corporation	33512	LINMORE LED	HT10S-A1-18K-24-50-80-FR-LV-GRID-10V	HT10S-A1-18K-24-50-80-FR-LV-GRID-10V	HIGH OUTPUT TROFFER 2x4 18,538 lumens	EA					\$ -	US
Global Green Corporation	33512	LINMORE LED	HT10S-A1-24K-24-50-80-FR-LV-GRID-10V	HT10S-A1-24K-24-50-80-FR-LV-GRID-10V	HIGH OUTPUT TROFFER 2x4 24,112 lumens	EA					\$ -	US
Global Green Corporation	33512	LINMORE LED	HV	HV	HIGH OUTPUT TROFFER	EA		NO PICTURE			\$ -	US
Global Green Corporation	33512	LINMORE LED	OCC40LV	OCC40LV	HIGH OUTPUT TROFFER OCC LV	EA		NO PICTURE			\$ -	US
Global Green Corporation	33512	LINMORE LED	OCC40HV	OCC40HV	HIGH OUTPUT TROFFER OCC HV	EA		NO PICTURE			\$ -	US
Global Green Corporation	33512	LINMORE LED	EMB90	EMB90	HIGH OUTPUT TROFFER BACKUP	EA		NO PICTURE			\$ -	US
Global Green Corporation	33512	LINMORE LED	ES40S-A1-06K-2MS	ES40S-A1-06K-2MS	LED LINEAR HIGH BAY 41w	EA					\$ -	US

Global Green Corporation	33512	LINMORE LED	ES40S-A1-09K-2MS	ES40S-A1-09K-2MS	LED LINEAR HIGH BAY 62w	EA					\$ -	US
Global Green Corporation	33512	LINMORE LED	ES40S-A1-12K-2MS	ES40S-A1-12K-2MS	LED LINEAR HIGH BAY 81w	EA					\$ -	US
Global Green Corporation	33512	LINMORE LED	ES40S-A1-17K-4MS	ES40S-A1-17K-4MS	LED LINEAR HIGH BAY 122w	EA					\$ -	US
Global Green Corporation	33512	LINMORE LED	ES40S-A1-20K-4MS	ES40S-A1-20K-4MS	LED LINEAR HIGH BAY 128w	EA					\$ -	US
Global Green Corporation	33512	LINMORE LED	ES40S-A1-23K-4MS	ES40S-A1-23K-4MS	LED LINEAR HIGH BAY 151w	EA					\$ -	US
Global Green Corporation	33512	LINMORE LED	ES40S-A1-30K-6MS	ES40S-A1-30K-6MS	LED LINEAR HIGH BAY 190w	EA					\$ -	US
Global Green Corporation	33512	LINMORE LED	ES40S-A1-36K-6MS	ES40S-A1-36K-6MS	LED LINEAR HIGH BAY 227w	EA					\$ -	US
Global Green Corporation	33512	LINMORE LED	ES40S-A1-43K-4M	ES40S-A1-43K-4M	LED LINEAR HIGH BAY 271w	EA					\$ -	US
Global Green Corporation	33512	LINMORE LED	ES40S-A1-49K-4M	ES40S-A1-49K-4M	LED LINEAR HIGH BAY 315w	EA					\$ -	US
Global Green Corporation	33512	LINMORE LED	ES40S-A1-73K-6M	ES40S-A1-73K-6M	LED LINEAR HIGH BAY 465w	EA					\$ -	US
Global Green Corporation	33512	LINMORE LED	OCC20	OCC20	ESSENTIALS LINEAR HIGH BAY OCC	EA		NO PICTURE			\$ -	US
Global Green Corporation	33512	LINMORE LED	CW	CW	ESSENTIALS LINEAR HIGH BAY CORD	EA		NO PICTURE			\$ -	US
Global Green Corporation	33512	LINMORE LED	EMB	EMB	ESSENTIALS LINEAR HIGH BAY BACKUP	EA		NO PICTURE			\$ -	US
Global Green Corporation	33512	LINMORE LED	EMB2	EMB2	ESSENTIALS LINEAR HIGH BAY BATTERY	EA		NO PICTURE			\$ -	US
Global Green Corporation	33512	LINMORE LED	OWG	OWG	WIRE GUARD	EA		NO PICTURE			\$ -	US
Global Green Corporation	33512	LINMORE LED	SAFETYKIT	SAFETYKIT	LINEAR HIGH BAY KIT 1	EA		NO PICTURE			\$ -	US
Global Green Corporation	33512	LINMORE LED	CABLE	CABLE	LINEAR HIGH BAY KIT 2	EA		NO PICTURE			\$ -	US
Global Green Corporation	33512	ACE	AH10S-A2-12K-SM-50-80-FR-LV-CRM-10CW-S-10V	LED HIGH BAY, 85W, 12,150LM, 143LM/W, SMALL FRAME, 3-CCT, 80CRI, FROSTED LENS, CABLE READY, 10FT CORD, EZ CONNECT, 0-10V DIMMING, 5 YR WARRANTY, EM OPTION	LED HIGH BAY TROFFER	EA					\$ -	CN
Global Green Corporation	33512	ACE	AH10S-A2-15K-SM-50-80-FR-LV-CRM-10CW-S-10V	LED HIGH BAY, 110W, 15,600, 142LM/W, SMALL FRAME, 3-CCT, 80CRI, FROSTED LENS, CABLE READY, 10FT CORD, EZ CONNECT, 0-10V DIMMING, 5 YR WARRANTY, EM OPTION	LED HIGH BAY TROFFER	EA					\$ -	CN

Global Green Corporation	33512	ACE	AH10S-A2-18K-SM-50-80-FR-LV-CRM-10CW-S-10V	LED HIGH BAY, 130W, 18,460LM, 143LM/W, SMALL FRAME, 3-CCT, 80CRI, FROSTED LENS, CABLE READY, 10FT CORD, EZ CONNECT, 0-10V DIMMING, 5 YR WARRANTY, EM OPTION	LED HIGH BAY TROFFER	EA					\$ -	CN
Global Green Corporation	33512	ACE	AH10S-A2-24,255 K-MD-50-80-FR-LV-CRM-10CW-S-10V	LED HIGH BAY, 165W, 25,255LM, 147LM/W, MEDIUM FRAME, 3-CCT, 80CRI, FROSTED LENS, CABLE READY, 10FT CORD, EZ CONNECT, 0-10V DIMMING, 5 YR WARRANTY, EM OPTION	LED HIGH BAY TROFFER	EA					\$ -	CN
Global Green Corporation	33512	ACE	AH10S-A2-30K-MD-50-80-FR-LV-CRM-10CW-S-10V	LED HIGH BAY, 220W, 30,800LM, 140LM/W, MEDIUM FRAME, 3-CCT, 80CRI, FROSTED LENS, CABLE READY, 10FT CORD, EZ CONNECT, 0-10V DIMMING, 5 YR WARRAQNTY, EM OPTION	LED HIGH BAY TROFFER	EA					\$ -	CN
Global Green Corporation	33512	ACE	AH10S-A2-36K-LG-50-80-FR-LV-CRM-10CW-S-10V	LED HIGH BAY, 240W, 36,000LM, 150LM/W, LARGE FRAME, 3-CCT, 80CRI, FROSTED LENS, CABLE READY, 10FT CORD, EZ CONNECT, 0-10V DIMMING, 5 YR WARRANTY, EM OPTION	LED HIGH BAY TROFFER	EA					\$ -	CN
Global Green Corporation	33512	ACE	AH10S-A2-40K-LG-50-80-FR-LV-CRM-10CW-S-10V	LED HIGH BAY, 295W, 40,710LM, 138LM/W, LARGE FRAME, 3-CCT, 80CRI, FROSTED LENS, CABLE READY, 10FT CORD, EZ CONNECT, 0-10V DIMMING, 5 YR WARRANTY, EM OPTION	LED HIGH BAY TROFFER	EA					\$ -	CN
Global Green Corporation	33512	ACE	AH10S-A2-48K-LG-50-80-FR-LV-CRM-10CW-S-10V	LED HIGH BAY, 320W, 48,000LM, 150LM/W, LARGE FRAME, 3-CCT, 80CRI, FROSTED LENS, CABLE READY, 10FT CORD, EZ CONNECT, 0-10V DIMMING, 5 YR WARRANTY,EM OPTION	LED HIGH BAY TROFFER	EA					\$ -	CN
Global Green Corporation	33512	ACE	AH10S-A2-71K-XL-50-80-FR-LV-CRM-10CW-S-10V	LED HIGH BAY, 500W, 71,000LM, 142LM/W, X-LARGE FRAME, 3-CCT, 80CRI, FROSTED LENS, CABLE READY, 10FT CORD, EZ CONNECT, 0-10V DIMMING, 5 YR WARRANTY, EM OPTION	LED HIGH BAY TROFFER	EA					\$ -	CN
Global Green Corporation	33512	ACE	AP20S-A2-ADJ-14-ADJ-80-FR-LV-GRID-10V	ACE LED PANEL, RECESSED BACKLIT, SELECTABLE WATTAGE AND CCT (3500K, 4000K, 5000K), RECESSED SURFACE AND SUSPENSION MOUNTING OPTIONS, FROSTED LENS, 1X4, HOUSING STELL DIE-FORMED FOR BACK COVER AND FRAME, WHITE, 120-277V, PF>0.9, THD<20%, EM BACK UP OPTION AVAILABLE FOR >90 MINUTES, CRI 80+, 120 DEGREE BEAM ANGLE, DIMMING, OCCUPANCY SENSORS , NETWORKED LIGHTING CONTROLS WITH BLUETOOTH, 5 YEAR WARRANTY, ACCESSORIES AVAILABLE- SAFETY CABLES, CABLE KIT, DRYWALL KIT, SURFACE MOUNT KIT.	LED LAYIN FLAT PANEL	EA					\$ -	CN
Global Green Corporation	33512	ACE	AP20S-A2-ADJ-22-ADJ-80-FR-LV-GRID-10V	ACE LED PANEL, RECESSED BACKLIT, SELECTABLE WATTAGE AND CCT (3500K, 4000K, 5000K), RECESSED SURFACE AND SUSPENSION MOUNTING OPTIONS, FROSTED LENS, 2X2, HOUSING STELL DIE-FORMED FOR BACK COVER AND FRAME, WHITE, 120-277V, PF>0.9, THD<20%, EM BACK UP OPTION AVAILABLE FOR >90 MINUTES, CRI 80+, 120 DEGREE BEAM ANGLE, DIMMING, OCCUPANCY SENSORS , NETWORKED LIGHTING CONTROLS WITH BLUETOOTH, 5 YEAR WARRANTY, ACCESSORIES AVAILABLE- SAFETY CABLES, CABLE KIT, DRYWALL KIT, SURFACE MOUNT KIT.	LED LAYIN FLAT PANEL	EA					\$ -	CN
Global Green Corporation	33512	ACE	AP20S-A2-ADJ-24-ADJ-80-FR-LV-GRID-10V	ACE LED PANEL, RECESSED BACKLIT, SELECTABLE WATTAGE AND CCT (3500K, 4000K, 5000K), RECESSED SURFACE AND SUSPENSION MOUNTING OPTIONS, FROSTED LENS, 2X4, HOUSING STELL DIE-FORMED FOR BACK COVER AND FRAME, WHITE, 120-277V, PF>0.9, THD<20%, EM BACK UP OPTION AVAILABLE FOR >90 MINUTES, CRI 80+, 120 DEGREE BEAM ANGLE, DIMMING, OCCUPANCY SENSORS , NETWORKED LIGHTING CONTROLS WITH BLUETOOTH, 5 YEAR WARRANTY, ACCESSORIES AVAILABLE- SAFETY CABLES, CABLE KIT, DRYWALL KIT, SURFACE MOUNT KIT.	LED LAYIN FLAT PANEL	EA					\$ -	CN



Global Green Corporation	33512	ACE	AT20S-A2-ADJ-14-ADJ-80-FR-LV-GRID-EZ40-10V	ACE LED RECESSED TROFFER, 125LM/W, 1X4, RECESSED AND SURFACE MOUNTING, ULTRA SLIM DESIGN, FROSTED LENS, LOW GLARE, EZ-CONNECT RECEPTACLE, WHITE, 120-277V, PF>0.9, THD<20%, CRI>80, CCT (3500K, 4000K, 5000K), LENS POLYCARBONATE, FROSTED, 120 DEGREE BEAM ANGLE, OCCUPANCY SENSORS, DIMMING 0-10V, 5 YEAR WARRANTY, SAFETY CABLE, CABLE KIT, DRYWALL KITS, SURFACT MOUNT KITS AVAILABLE.	LED RECESSED TROFFER	EA					\$ -	CN
Global Green Corporation	33512	ACE	AT20S-A2-ADJ-22-ADJ-80-FR-LV-GRID-EZ40-10V	ACE LED RECESSED TROFFER, 125LM/W, 2X2, RECESSED AND SURFACE MOUNTING, ULTRA SLIM DESIGN, FROSTED LENS, LOW GLARE, EZ-CONNECT RECEPTACLE, WHITE, 120-277V, PF>0.9, THD<20%, CRI>80, CCT (3500K, 4000K, 5000K), LENS POLYCARBONATE, FROSTED, 120 DEGREE BEAM ANGLE, OCCUPANCY SENSORS, DIMMING 0-10V, 5 YEAR WARRANTY, SAFETY CABLE, CABLE KIT, DRYWALL KITS, SURFACT MOUNT KITS AVAILABLE.	LED RECESSED TROFFER	EA					\$ -	CN
Global Green Corporation	33512	ACE	AT20S-A2-ADJ-24-ADJ-80-FR-LV-GRID-EZ40-10V	ACE LED RECESSED TROFFER, 125LM/W, 2X4, RECESSED AND SURFACE MOUNTING, ULTRA SLIM DESIGN, FROSTED LENS, LOW GLARE, EZ-CONNECT RECEPTACLE, WHITE, 120-277V, PF>0.9, THD<20%, CRI>80, CCT (3500K, 4000K, 5000K), LENS POLYCARBONATE, FROSTED, 120 DEGREE BEAM ANGLE, OCCUPANCY SENSORS, DIMMING 0-10V, 5 YEAR WARRANTY, SAFETY CABLE, CABLE KIT, DRYWALL KITS, SURFACT MOUNT KITS AVAILABLE.	LED RECESSED TROFFER	EA					\$ -	CN
Global Green Corporation	33512	LINMORE	LL-ECH-PD-150W-360-50K-120-F	LED NSF CERTIFIED FOOD SERVICE ROUND FIXTURE, 10 YEAR WARRANTY, 19,600 LUMENS, 150W, 152LM/W, IK08 RATED, DIM TO OFF DRIVER, WIRELESS CONTROL OPTIONS, EASY TO CLEAN, WASH DOWN, PRESSURE RELIEF VALVE, CAST ALUMINUM HOUSING, 6FT CORD, 120-277V, PF>0.9, THD<20%, WASHDOWN AND WET LOCATIONS, IP65, -40C TO 50C, CRI>70, 5000K STANDARD OR OTHER CCT AVAILABLE, FIELD INSTALLED MOUNTING KIT INCLUDES HOOK, 0-10V DIM, SENSORS AVAILABLE, 5 YEAR WARRANTY	LED EASY CLEAN HIGH BAY FOR FOOD SERVICE ENVIRONMENTS	EA					\$ -	US
Global Green Corporation	33512	GLOBAL GREEN CORP	GGC-CES-J40S	LED 40W EXPLOSION PROOF FLOOD, SIZE 200mmX200mmX270mm, BRIDGELUX 3030 LED CHIP, 120LM/W, MEANWELL DRIVER, 120-277V, 5700K, MATERIAL ADC12 ALUMINUM + TEMP GLASS, COLORS GRAY/YELLOW, IP67, BEAM ANGLES 15/35/60/90/120, CCT 5700K, ALL FIXTURES WITH U-BRACKETS IN 304S SCREWS, 5 YEAR WARRANTY, PAYMENT TERMS-60% DEPOSIT WITH ORDER, BALANCE DUE WHEN READY TO SHIP, SHIPPING, FREIGHT AND CUSTOM CHARGES INCLUDED, STANDARD DELIVERY WITHIN 20 DAYS OF ORDER.	LED EXPLOSION PROOF FLOOD, CLASS I, DIVISION 2, GROUPS A,B, C, & D	EA					\$ -	CN
Global Green Corporation	33512	GLOBAL GREEN CORP	GGC-CES-J40S-EM	LED 40W EXPLOSION PROOF FLOOD WITH EMERGENCY POWER 12W BACKUP FOR 90 MINUTES, SIZE 200mmX200mmX270mm, BRIDGELUX 3030 LED CHIP, 120LM/W, MEANWELL DRIVER, 120-277V, 5700K, MATERIAL ADC12 ALUMINUM + TEMP GLASS, COLORS GRAY/YELLOW, IP67, BEAM ANGLES 15/35/60/90/120, CCT 5700K, ALL FIXTURES WITH U-BRACKETS IN 304S SCREWS, 5 YEAR WARRANTY, PAYMENT TERMS-60% DEPOSIT WITH ORDER, BALANCE DUE WHEN READY TO SHIP, SHIPPING, FREIGHT AND CUSTOM CHARGES INCLUDED, STANDARD DELIVERY WITHIN 20 DAYS OF ORDER. EMERGENCY BACKUP WARRANTY 3 YEARS	, CLASS I, DIVISION 2, GROUPS A,B,C, & D	EA					\$ -	CN

Global Green Corporation	33512	GLOBAL GREEN CORP	GGC-CES-J100	LED 100W EXPLOSION PROOF FLOOD WITH EMERGENCY POWER 12W BACKUP FOR 90 MINUTES, SIZE 200mmX200mmX270mm, BRIDGELUX 3030 LED CHIP, 120LM/W, MEANWELL DRIVER, 120-277V, 5700K, MATERIAL ADC12 ALUMINUM + TEMP GLASS, COLORS GRAY/YELLOW, IP67, BEAM ANGLES 15/35/60/90/120, CCT 5700K, ALL FIXTURES WITH U-BRACKETS IN 304S SCREWS, 5 YEAR WARRANTY, PAYMENT TERMS-60% DEPOSIT WITH ORDER, BALANCE DUE WHEN READY TO SHIP, SHIPPING, FREIGHT AND CUSTOM CHARGES INCLUDED, STANDARD DELIVERY WITHIN 20 DAYS OF ORDER.	LED EXPLOSION PROOF 100W FLOOD, CLASS I, DIVISION 2, GROUPS A,B, C, & D	EA	
Global Green Corporation	33512	GLOBAL GREEN CORP	GGC-CES-J100-EM	LED 100W EXPLOSION PROOF FLOOD WITH EMERGENCY POWER 12W BACKUP FOR 90 MINUTES, SIZE 200mmX200mmX270mm, BRIDGELUX 3030 LED CHIP, 120LM/W, MEANWELL DRIVER, 120-277V, 5700K, MATERIAL ADC12 ALUMINUM + TEMP GLASS, COLORS GRAY/YELLOW, IP67, BEAM ANGLES 15/35/60/90/120, CCT 5700K, ALL FIXTURES WITH U-BRACKETS IN 304S SCREWS, 5 YEAR WARRANTY, PAYMENT TERMS-60% DEPOSIT WITH ORDER, BALANCE DUE WHEN READY TO SHIP, SHIPPING, FREIGHT AND CUSTOM CHARGES INCLUDED, STANDARD DELIVERY WITHIN 20 DAYS OF ORDER. EMERGENCY BACKUP WARRANTY 3 YEARS	LED EXPLOSION PROOF 100W FLOOD, CLASS I, DIVISION 2, GROUPS A,B, C, & D	EA	
Global Green Corporation	33512	GLOBAL GREEN CORP	GGC-CES-J200	LED 200W EXPLOSION PROOF FLOOD WITH EMERGENCY POWER 12W BACKUP FOR 90 MINUTES, SIZE 200mmX200mmX270mm, BRIDGELUX 3030 LED CHIP, 120LM/W, MEANWELL DRIVER, 120-277V, 5700K, MATERIAL ADC12 ALUMINUM + TEMP GLASS, COLORS GRAY/YELLOW, IP67, BEAM ANGLES 15/35/60/90/120, CCT 5700K, ALL FIXTURES WITH U-BRACKETS IN 304S SCREWS, 5 YEAR WARRANTY, PAYMENT TERMS-60% DEPOSIT WITH ORDER, BALANCE DUE WHEN READY TO SHIP, SHIPPING, FREIGHT AND CUSTOM CHARGES INCLUDED, STANDARD DELIVERY WITHIN 20 DAYS OF ORDER.	LED EXPLOSION PROOF 200W FLOOD, CLASS I, DIVISION 2, GROUPS A,B, C, & D	EA	
Global Green Corporation	33512	GLOBAL GREEN CORP	GGC-CES-J200-EM	LED 200W EXPLOSION PROOF FLOOD WITH EMERGENCY POWER 12W BACKUP FOR 90 MINUTES, SIZE 200mmX200mmX270mm, BRIDGELUX 3030 LED CHIP, 120LM/W, MEANWELL DRIVER, 120-277V, 5700K, MATERIAL ADC12 ALUMINUM + TEMP GLASS, COLORS GRAY/YELLOW, IP67, BEAM ANGLES 15/35/60/90/120, CCT 5700K, ALL FIXTURES WITH U-BRACKETS IN 304S SCREWS, 5 YEAR WARRANTY, PAYMENT TERMS-60% DEPOSIT WITH ORDER, BALANCE DUE WHEN READY TO SHIP, SHIPPING, FREIGHT AND CUSTOM CHARGES INCLUDED, STANDARD DELIVERY WITHIN 20 DAYS OF ORDER. EMERGENCY BACKUP WARRANTY 3 YEARS	LED EXPLOSION PROOF 200W FLOOD, CLASS I, DIVISION 2, GROUPS A,B, C, & D	EA	



		\$ -	CN
		\$ -	CN
		\$ -	CN
		\$ -	CN

Global Green Corporation	33512	GLOBAL GREEN CORP	GGC-CES-EX-GB-02-30	LED EXPLOSION PROOF HIGH BAY, SIZE 200mmX175mm, BRIDGELUX LED CHIP, MEANWELL DRIVER, 120-277V, IP 66, CCT (2700-6500K), BEAM ANGLE 120, WARRANTY 5 YEARS, L70>50,000 HRS, MATERIAL ADC12 ALUMINUM+TEMP GLASS, COLOR GRAY OR YELLOW, OPERATING TEMPERATURE -40C TO 50C, CODE T6, MOUNTING BRACKET CHOICES U-BRACKET, PENDANT MOUNT, CEILING MOUNT, POLE MOUNTING, SHIPPING, FREIGHT AND CUSTOM COST INCLUDED, DELIVERY GENERALLY 20 DAYS OF ORDER. PAYMENT TERMS 60% WITH ORDER, BALANCE WHEN READY TO SHIP.	LED EXPLOSION PROOF HIGH BAY, CLASS I, DIVISION 2, GROUPS A,B, C,& D, CLASS II, DIVISION 2, GROUPS F & G, CLASS III	EA					\$ -	CN
Global Green Corporation	33512	GLOBAL GREEN CORP	GGC-CES-EX-GB-02-40	LED EXPLOSION PROOF HIGH BAY, SIZE 200mmX175mm, BRIDGELUX LED CHIP, MEANWELL DRIVER, 120-277V, IP 66, CCT (2700-6500K), BEAM ANGLE 120, WARRANTY 5 YEARS, L70>50,000 HRS, MATERIAL ADC12 ALUMINUM+TEMP GLASS, COLOR GRAY OR YELLOW, OPERATING TEMPERATURE -40C TO 50C, CODE T6, MOUNTING BRACKET CHOICES U-BRACKET, PENDANT MOUNT, CEILING MOUNT, POLE MOUNTING, SHIPPING, FREIGHT AND CUSTOM COST INCLUDED, DELIVERY GENERALLY 20 DAYS OF ORDER. PAYMENT TERMS 60% WITH ORDER, BALANCE WHEN READY TO SHIP.	LED EXPLOSION PROOF HIGH BAY, CLASS I, DIVISION 2, GROUPS A,B, C,& D, CLASS II, DIVISION 2, GROUPS F & G, CLASS III	EA					\$ -	CN
Global Green Corporation	33512	GLOBAL GREEN CORP	GGC-CES-EX-GB-02-60	LED EXPLOSION PROOF HIGH BAY, SIZE 300mm*210mm, BRIDGELUX LED CHIP, MEANWELL DRIVER, 120-277V, IP 66, CCT (2700-6500K), BEAM ANGLE 120, WARRANTY 5 YEARS, L70>50,000 HRS, MATERIAL ADC12 ALUMINUM+TEMP GLASS, COLOR GRAY OR YELLOW, OPERATING TEMPERATURE -40C TO 50C, CODE T6, MOUNTING BRACKET CHOICES U-BRACKET, PENDANT MOUNT, CEILING MOUNT, POLE MOUNTING, SHIPPING, FREIGHT AND CUSTOM COST INCLUDED, DELIVERY GENERALLY 20 DAYS OF ORDER. PAYMENT TERMS 60% WITH ORDER, BALANCE WHEN READY TO SHIP.	LED EXPLOSION PROOF HIGH BAY, CLASS I, DIVISION 2, GROUPS A,B, C,& D, CLASS II, DIVISION 2, GROUPS F & G, CLASS III	EA					\$ -	CN
Global Green Corporation	33512	GLOBAL GREEN CORP	GGC-CES-EX-GB-02-80	LED EXPLOSION PROOF HIGH BAY, SIZE 300mm*210mm, BRIDGELUX LED CHIP, MEANWELL DRIVER, 120-277V, IP 66, CCT (2700-6500K), BEAM ANGLE 120, WARRANTY 5 YEARS, L70>50,000 HRS, MATERIAL ADC12 ALUMINUM+TEMP GLASS, COLOR GRAY OR YELLOW, OPERATING TEMPERATURE -40C TO 50C, CODE T6, MOUNTING BRACKET CHOICES U-BRACKET, PENDANT MOUNT, CEILING MOUNT, POLE MOUNTING, SHIPPING, FREIGHT AND CUSTOM COST INCLUDED, DELIVERY GENERALLY 20 DAYS OF ORDER. PAYMENT TERMS 60% WITH ORDER, BALANCE WHEN READY TO SHIP.	LED EXPLOSION PROOF HIGH BAY, CLASS I, DIVISION 2, GROUPS A,B, C,& D, CLASS II, DIVISION 2, GROUPS F & G, CLASS III	EA					\$ -	CN

Global Green Corporation	33512	GLOBAL GREEN CORP	GGC-CES-EX-GB-02-100	LED EXPLOSION PROOF HIGH BAY, SIZE 460mm*460mm, BRIDGELUX LED CHIP, MEANWELL DRIVER, 120-277V, IP 66, CCT (2700-6500K), BEAM ANGLE 120, WARRANTY 5 YEARS, L70>50,000 HRS, MATERIAL ADC12 ALUMINUM+TEMP GLASS, COLOR GRAY OR YELLOW, OPERATING TEMPERATURE -40C TO 50C, CODE T6, MOUNTING BRACKET CHOICES U-BRACKET, PENDANT MOUNT, CEILING MOUNT, POLE MOUNTING, SHIPPING, FREIGHT AND CUSTOM COST INCLUDED, DELIVERY GENERALLY 20 DAYS OF ORDER. PAYMENT TERMS 60% WITH ORDER, BALANCE WHEN READY TO SHIP.	LED EXPLOSION PROOF HIGH BAY, CLASS I, DIVISION 2, GROUPS A,B, C,& D, CLASS II, DIVISION 2, GROUPS F & G, CLASS III	EA					\$ -	CN
Global Green Corporation	33512	GLOBAL GREEN CORP	GGC-CES-EX-GB-02-120	LED EXPLOSION PROOF HIGH BAY, SIZE 460m*460mm, BRIDGELUX LED CHIP, MEANWELL DRIVER, 120-277V, IP 66, CCT (2700-6500K), BEAM ANGLE 120, WARRANTY 5 YEARS, L70>50,000 HRS, MATERIAL ADC12 ALUMINUM+TEMP GLASS, COLOR GRAY OR YELLOW, OPERATING TEMPERATURE -40C TO 50C, CODE T6, MOUNTING BRACKET CHOICES U-BRACKET, PENDANT MOUNT, CEILING MOUNT, POLE MOUNTING, SHIPPING, FREIGHT AND CUSTOM COST INCLUDED, DELIVERY GENERALLY 20 DAYS OF ORDER. PAYMENT TERMS 60% WITH ORDER, BALANCE WHEN READY TO SHIP.	LED EXPLOSION PROOF HIGH BAY, CLASS I, DIVISION 2, GROUPS A,B, C,& D, CLASS II, DIVISION 2, GROUPS F & G, CLASS III	EA					\$ -	CN
Global Green Corporation	33512	GLOBAL GREEN CORP	GGC-CES-EX-GB-02-150	LED EXPLOSION PROOF HIGH BAY, SIZE 460mm*460mm, BRIDGELUX LED CHIP, MEANWELL DRIVER, 120-277V, IP 66, CCT (2700-6500K), BEAM ANGLE 120, WARRANTY 5 YEARS, L70>50,000 HRS, MATERIAL ADC12 ALUMINUM+TEMP GLASS, COLOR GRAY OR YELLOW, OPERATING TEMPERATURE -40C TO 50C, CODE T6, MOUNTING BRACKET CHOICES U-BRACKET, PENDANT MOUNT, CEILING MOUNT, POLE MOUNTING, SHIPPING, FREIGHT AND CUSTOM COST INCLUDED, DELIVERY GENERALLY 20 DAYS OF ORDER. PAYMENT TERMS 60% WITH ORDER, BALANCE WHEN READY TO SHIP.	LED EXPLOSION PROOF HIGH BAY, CLASS I, DIVISION 2, GROUPS A,B, C,& D, CLASS II, DIVISION 2, GROUPS F & G, CLASS III	EA					\$ -	CN
Global Green Corporation	33512	GLOBAL GREEN CORP	GGC-CES-EX-GB-02-185	LED EXPLOSION PROOF HIGH BAY, SIZE 460mm*460mm, BRIDGELUX LED CHIP, MEANWELL DRIVER, 120-277V, IP 66, CCT (2700-6500K), BEAM ANGLE 120, WARRANTY 5 YEARS, L70>50,000 HRS, MATERIAL ADC12 ALUMINUM+TEMP GLASS, COLOR GRAY OR YELLOW, OPERATING TEMPERATURE -40C TO 50C, CODE T6, MOUNTING BRACKET CHOICES U-BRACKET, PENDANT MOUNT, CEILING MOUNT, POLE MOUNTING, SHIPPING, FREIGHT AND CUSTOM COST INCLUDED, DELIVERY GENERALLY 20 DAYS OF ORDER. PAYMENT TERMS 60% WITH ORDER, BALANCE WHEN READY TO SHIP.	LED EXPLOSION PROOF HIGH BAY, CLASS I, DIVISION 2, GROUPS A,B, C,& D, CLASS II, DIVISION 2, GROUPS F & G, CLASS III	EA					\$ -	CN

Global Green Corporation	33512	GLOBAL GREEN CORP	GGC-CES-EX-GB-02-200	LED EXPLOSION PROOF HIGH BAY, SIZE 460mmX460mm, BRIDGELUX LED CHIP, MEANWELL DRIVER, 120-277V, IP 66, CCT (2700-6500K), BEAM ANGLE 120, WARRANTY 5 YEARS, L70>50,000 HRS, MATERIAL ADC12 ALUMINUM+TEMP GLASS, COLOR GRAY OR YELLOW, OPERATING TEMPERATURE -40C TO 50C, CODE T6, MOUNTING BRACKET CHOICES U-BRACKET, PENDANT MOUNT, CEILING MOUNT, POLE MOUNTING, SHIPPING, FREIGHT AND CUSTOM COST INCLUDED, DELIVERY GENERALLY 20 DAYS OF ORDER. PAYMENT TERMS 60% WITH ORDER, BALANCE WHEN READY TO SHIP.	LED EXPLOSION PROOF HIGH BAY, CLASS I, DIVISION 2, GROUPS A,B, C,& D, CLASS II, DIVISION 2, GROUPS F & G, CLASS III	EA					\$ -	CN
Global Green Corporation	33512	GLOBAL GREEN CORP	GGC-CES-EX-LN-02-40	LED EXPLOSION PROOF LINEAR SERIES, SIZE 596mm*126mm*180mm, BRIDGELUX LED CHIPS, MEANWELL DRIVER, 120-277V, IP66, CCT (3000K-6500K, STD 5700K), BEAM ANGLE 120, WARRANTY 5 YEARS, L70>50,000 HOURS, MATERIAL ADC12 ALUMINUM + TEMP GLASS, COLOR GRAY OR ORANGE, OPERATING TEMPERATURE -40C TO 50C, CODE T6, HIGH POWER AVAILABLE 200-300W; 360W-450W; 480W-600W, SHIPPING, FREIGHT & CUSTOM COST INCLUDED, DELIVERY GENERALLY WITHIN 15-20 DAYS, PAYMENT TERMS 60% DEPOSIT WITH ORDER., BALANCE WHEN READY TO SHIP.	LES EXPLOSION PROOF LINEARS CES-EX-LN-02 SERIES, CLASS I, DIVISION 2, GROUPS A,B,C,& D, CLASS II, DIVISION 2, GROUPS FF & G, CLASS III	EA					\$ -	CN
Global Green Corporation	33512	GLOBAL GREEN CORP	GGC-CES-EX-LN-02-50	LED EXPLOSION PROOF LINEAR SERIES, SIZE 596mm*126mm*180mm, BRIDGELUX LED CHIPS, MEANWELL DRIVER, 120-277V, IP66, CCT (3000K-6500K, STD 5700K), BEAM ANGLE 120, WARRANTY 5 YEARS, L70>50,000 HOURS, MATERIAL ADC12 ALUMINUM + TEMP GLASS, COLOR GRAY OR ORANGE, OPERATING TEMPERATURE -40C TO 50C, CODE T6, HIGH POWER AVAILABLE 200-300W; 360W-450W; 480W-600W, SHIPPING, FREIGHT & CUSTOM COST INCLUDED, DELIVERY GENERALLY WITHIN 15-20 DAYS, PAYMENT TERMS 60% DEPOSIT WITH ORDER., BALANCE WHEN READY TO SHIP.	LES EXPLOSION PROOF LINEARS CES-EX-LN-02 SERIES, CLASS I, DIVISION 2, GROUPS A,B,C,& D, CLASS II, DIVISION 2, GROUPS FF & G, CLASS III	EA					\$ -	CN
Global Green Corporation	33512	GLOBAL GREEN CORP	GGC-CES-EX-LN-02-60	LED EXPLOSION PROOF LINEAR SERIES, SIZE 596mm*126mm*180mm, BRIDGELUX LED CHIPS, MEANWELL DRIVER, 120-277V, IP66, CCT (3000K-6500K, STD 5700K), BEAM ANGLE 120, WARRANTY 5 YEARS, L70>50,000 HOURS, MATERIAL ADC12 ALUMINUM + TEMP GLASS, COLOR GRAY OR ORANGE, OPERATING TEMPERATURE -40C TO 50C, CODE T6, HIGH POWER AVAILABLE 200-300W; 360W-450W; 480W-600W, SHIPPING, FREIGHT & CUSTOM COST INCLUDED, DELIVERY GENERALLY WITHIN 15-20 DAYS, PAYMENT TERMS 60% DEPOSIT WITH ORDER., BALANCE WHEN READY TO SHIP.	LES EXPLOSION PROOF LINEARS CES-EX-LN-02 SERIES, CLASS I, DIVISION 2, GROUPS A,B,C,& D, CLASS II, DIVISION 2, GROUPS FF & G, CLASS III	EA					\$ -	CN

Global Green Corporation	33512	GLOBAL GREEN CORP	GGC-CES-EX-LN-02-80	LED EXPLOSION PROOF LINEAR SERIES, SIZE 564mm*202mm*180mm, BRIDGELUX LED CHIPS, MEANWELL DRIVER, 120-277V, IP66, CCT (3000K-6500K, STD 5700K), BEAM ANGLE 120, WARRANTY 5 YEARS, L70>50,000 HOURS, MATERIAL ADC12 ALUMINUM + TEMP GLASS, COLOR GRAY OR ORANGE, OPERATING TEMPERATURE -40C TO 50C, CODE T6, HIGH POWER AVAILABLE 200-300W; 360W-450W; 480W-600W, SHIPPING, FREIGHT & CUSTOM COST INCLUDED, DELIVERY GENERALLY WITHIN 15-20 DAYS, PAYMENT TERMS 60% DEPOSIT WITH ORDER,, BALANCE WHEN READY TO SHIP.	LES EXPLOSION PROOF LINEARS CES-EX-LN-02 SERIES, CLASS I, DIVISION 2, GROUPS A,B,C,& D, CLASS II, DIVISION 2, GROUPS FF & G, CLASS III	EA					\$	-	CN
Global Green Corporation	33512	GLOBAL GREEN CORP	GGC-CES-EX-LN-02-100	LED EXPLOSION PROOF LINEAR SERIES, SIZE 564mm*202mm*180mm, BRIDGELUX LED CHIPS, MEANWELL DRIVER, 120-277V, IP66, CCT (3000K-6500K, STD 5700K), BEAM ANGLE 120, WARRANTY 5 YEARS, L70>50,000 HOURS, MATERIAL ADC12 ALUMINUM + TEMP GLASS, COLOR GRAY OR ORANGE, OPERATING TEMPERATURE -40C TO 50C, CODE T6, HIGH POWER AVAILABLE 200-300W; 360W-450W; 480W-600W, SHIPPING, FREIGHT & CUSTOM COST INCLUDED, DELIVERY GENERALLY WITHIN 15-20 DAYS, PAYMENT TERMS 60% DEPOSIT WITH ORDER,, BALANCE WHEN READY TO SHIP.	LES EXPLOSION PROOF LINEARS CES-EX-LN-02 SERIES, CLASS I, DIVISION 2, GROUPS A,B,C,& D, CLASS II, DIVISION 2, GROUPS FF & G, CLASS III	EA					\$	-	CN
Global Green Corporation	33512	GLOBAL GREEN CORP	GGC-CES-EX-LN-02-120	LED EXPLOSION PROOF LINEAR SERIES, SIZE 564mm*202mm*180mm, BRIDGELUX LED CHIPS, MEANWELL DRIVER, 120-277V, IP66, CCT (3000K-6500K, STD 5700K), BEAM ANGLE 120, WARRANTY 5 YEARS, L70>50,000 HOURS, MATERIAL ADC12 ALUMINUM + TEMP GLASS, COLOR GRAY OR ORANGE, OPERATING TEMPERATURE -40C TO 50C, CODE T6, HIGH POWER AVAILABLE 200-300W; 360W-450W; 480W-600W, SHIPPING, FREIGHT & CUSTOM COST INCLUDED, DELIVERY GENERALLY WITHIN 15-20 DAYS, PAYMENT TERMS 60% DEPOSIT WITH ORDER,, BALANCE WHEN READY TO SHIP.	LES EXPLOSION PROOF LINEARS CES-EX-LN-02 SERIES, CLASS I, DIVISION 2, GROUPS A,B,C,& D, CLASS II, DIVISION 2, GROUPS FF & G, CLASS III	EA					\$	-	CN
Global Green Corporation	33512	GLOBAL GREEN CORP	GGC-CES-EX-LN-02-150	LED EXPLOSION PROOF LINEAR SERIES, SIZE 564mm*202mm*180mm, BRIDGELUX LED CHIPS, MEANWELL DRIVER, 120-277V, IP66, CCT (3000K-6500K, STD 5700K), BEAM ANGLE 120, WARRANTY 5 YEARS, L70>50,000 HOURS, MATERIAL ADC12 ALUMINUM + TEMP GLASS, COLOR GRAY OR ORANGE, OPERATING TEMPERATURE -40C TO 50C, CODE T6, HIGH POWER AVAILABLE 200-300W; 360W-450W; 480W-600W, SHIPPING, FREIGHT & CUSTOM COST INCLUDED, DELIVERY GENERALLY WITHIN 15-20 DAYS, PAYMENT TERMS 60% DEPOSIT WITH ORDER,, BALANCE WHEN READY TO SHIP.	LES EXPLOSION PROOF LINEARS CES-EX-LN-02 SERIES, CLASS I, DIVISION 2, GROUPS A,B,C,& D, CLASS II, DIVISION 2, GROUPS FF & G, CLASS III	EA					\$	-	CN

Global Green Corporation	33512	GLOBAL GREEN CORP	GGC-CES-EX-LN-02N-20B	LED EXPLOSION PROOF LINEARS, SIZE 666mm*109mm, BRIDGELUX LED 3030 CHIPS, 120LM/W, MEANWELL LED DRIVER, 120-277V, IP66, CCT (3000K-6500K), BEAM ANGLE 90, WARRANTY 5 YEARS, L70>50,000 HRS, MATERIAL ADC12 ALUMINUM + TEMP GLASS, COLOR GRAY, OPERATING TEMPERATURE -40C TO 50FC, CODE T6, CEILING MOUNT OR U-BRACKET, SHIPPING, FREIGHT AND CUSTOM COST INCLUDED, PAYMENT TERMS 60% DEPOSIT WITH ORDER, BALANCE WHEN READY TO SHIP. DELIVERY GENERALLY 15-20 DAYS.	LED EXPLOSION PROOF LINEAR CES-EX-LN-02N SERIES, CLASS I, DIVISION 2, GROUPS A,B,C,&D	EA					\$	-	CN
Global Green Corporation	33512	GLOBAL GREEN CORP	GGC-CES-EX-LN-02N-30B	LED EXPLOSION PROOF LINEARS, SIZE 666mm*109mm, BRIDGELUX LED 3030 CHIPS, 120LM/W, MEANWELL LED DRIVER, 120-277V, IP66, CCT (3000K-6500K), BEAM ANGLE 90, WARRANTY 5 YEARS, L70>50,000 HRS, MATERIAL ADC12 ALUMINUM + TEMP GLASS, COLOR GRAY, OPERATING TEMPERATURE -40C TO 50FC, CODE T6, CEILING MOUNT OR U-BRACKET, SHIPPING, FREIGHT AND CUSTOM COST INCLUDED, PAYMENT TERMS 60% DEPOSIT WITH ORDER, BALANCE WHEN READY TO SHIP. DELIVERY GENERALLY 15-20 DAYS.	LED EXPLOSION PROOF LINEAR CES-EX-LN-02N SERIES, CLASS I, DIVISION 2, GROUPS A,B,C,&D	EA					\$	-	CN
Global Green Corporation	33512	GLOBAL GREEN CORP	GGC-CES-EX-LN-02N-36B	LED EXPLOSION PROOF LINEARS, SIZE 666mm*109mm, BRIDGELUX LED 3030 CHIPS, 120LM/W, MEANWELL LED DRIVER, 120-277V, IP66, CCT (3000K-6500K), BEAM ANGLE 90, WARRANTY 5 YEARS, L70>50,000 HRS, MATERIAL ADC12 ALUMINUM + TEMP GLASS, COLOR GRAY, OPERATING TEMPERATURE -40C TO 50FC, CODE T6, CEILING MOUNT OR U-BRACKET, SHIPPING, FREIGHT AND CUSTOM COST INCLUDED, PAYMENT TERMS 60% DEPOSIT WITH ORDER, BALANCE WHEN READY TO SHIP. DELIVERY GENERALLY 15-20 DAYS.	LED EXPLOSION PROOF LINEAR CES-EX-LN-02N SERIES, CLASS I, DIVISION 2, GROUPS A,B,C,&D	EA					\$	-	CN
Global Green Corporation	33512	GLOBAL GREEN CORP	GGC-CES-EX-LN-02N-30A	LED EXPLOSION PROOF LINEARS, SIZE 460mm*460mm, BRIDGELUX LED 3030 CHIPS, 120LM/W, MEANWELL LED DRIVER, 120-277V, IP66, CCT (3000K-6500K), BEAM ANGLE 90, WARRANTY 5 YEARS, L70>50,000 HRS, MATERIAL ADC12 ALUMINUM + TEMP GLASS, COLOR GRAY, OPERATING TEMPERATURE -40C TO 50FC, CODE T6, CEILING MOUNT OR U-BRACKET, SHIPPING, FREIGHT AND CUSTOM COST INCLUDED, PAYMENT TERMS 60% DEPOSIT WITH ORDER, BALANCE WHEN READY TO SHIP. DELIVERY GENERALLY 15-20 DAYS.	LED EXPLOSION PROOF LINEAR CES-EX-LN-02N SERIES, CLASS I, DIVISION 2, GROUPS A,B,C,&D	EA					\$	-	CN

Global Green Corporation	33512	GLOBAL GREEN CORP	GGC-CES-EX-LN-02N-36A	LED EXPLOSION PROOF LINEARS, SIZE 460mm*460mm, BRIDGELUX LED 3030 CHIPS, 120LM/W, MEANWELL LED DRIVER, 120-277V, IP66, CCT (3000K-6500K), BEAM ANGLE 90, WARRANTY 5 YEARS, L70>50,000 HRS, MATERIAL ADC12 ALUMINUM + TEMP GLASS, COLOR GRAY, OPERATING TEMPERATURE -40C TO 50FC, CODE T6, CEILING MOUNT OR U-BRACKET, SHIPPING, FREIGHT AND CUSTOM COST INCLUDED, PAYMENT TERMS 60% DEPOSIT WITH ORDER, BALANCE WHEN READY TO SHIP. DELIVERY GENERALLY 15-20 DAYS.	LED EXPLOSION PROOF LINEAR CES-EX-LN-02N SERIES, CLASS I, DIVISION 2, GROUPS A,B,C,&D	EA					\$	-	CN
Global Green Corporation	33512	GLOBAL GREEN CORP	GGC-CES-EX-LN-02N-40A	LED EXPLOSION PROOF LINEARS, SIZE 460mm*460mm, BRIDGELUX LED 3030 CHIPS, 120LM/W, MEANWELL LED DRIVER, 120-277V, IP66, CCT (3000K-6500K), BEAM ANGLE 90, WARRANTY 5 YEARS, L70>50,000 HRS, MATERIAL ADC12 ALUMINUM + TEMP GLASS, COLOR GRAY, OPERATING TEMPERATURE -40C TO 50FC, CODE T6, CEILING MOUNT OR U-BRACKET, SHIPPING, FREIGHT AND CUSTOM COST INCLUDED, PAYMENT TERMS 60% DEPOSIT WITH ORDER, BALANCE WHEN READY TO SHIP. DELIVERY GENERALLY 15-20 DAYS.	LED EXPLOSION PROOF LINEAR CES-EX-LN-02N SERIES, CLASS I, DIVISION 2, GROUPS A,B,C,&D	EA					\$	-	CN
Global Green Corporation	33512	GLOBAL GREEN CORP	GGC-CES-EX-LN-02N-50A	LED EXPLOSION PROOF LINEARS, SIZE 460mm*460mm, BRIDGELUX LED 3030 CHIPS, 120LM/W, MEANWELL LED DRIVER, 120-277V, IP66, CCT (3000K-6500K), BEAM ANGLE 90, WARRANTY 5 YEARS, L70>50,000 HRS, MATERIAL ADC12 ALUMINUM + TEMP GLASS, COLOR GRAY, OPERATING TEMPERATURE -40C TO 50FC, CODE T6, CEILING MOUNT OR U-BRACKET, SHIPPING, FREIGHT AND CUSTOM COST INCLUDED, PAYMENT TERMS 60% DEPOSIT WITH ORDER, BALANCE WHEN READY TO SHIP. DELIVERY GENERALLY 15-20 DAYS.	LED EXPLOSION PROOF LINEAR CES-EX-LN-02N SERIES, CLASS I, DIVISION 2, GROUPS A,B,C,&D	EA					\$	-	CN
Global Green Corporation	33512	GLOBAL GREEN CORP	GGC-CES-EX-LN-02P-30B	30W, LED EXPLOSION PROOF LINEAR 02P SERIES, SIZE 200mm*175mm, BRIDGELUX LED 3030 CHIPS, 120LM/W, MEANWELL LED DRIVER, 120-277V, IP66, CCT (2700K-6500K), 5 YR WARRANTY, L70>50,000 HRS, MATERIAL ADC12 ALUMINUM+TEMP GLASS, COLOR GRAY OR YELLOW, OPERATING TEMPERATURE -40C TO 50C, OPTIONS OF EM BACKUP AND LINKABLE FIXTURES, SHIPPING, FREIGHT AND CUSTOMS COSTS ARE INCLUDED, PAYMENT TERMS 60% DEPOSIT WITH ORDER, BALANCE WHEN READY TO SHIP. STANDARD DELIVERY IN 20-30 DAYS. FIXED CEILING MOUNTING BRACKET, WALL MOUNTING BRACKET, SUSPENSION CHAIN BRACKET AND POLE MOUNTING BRACKET.	LED EXPLOSION PROOF LINEAR 02P SERIES, LINKABLE OPTION & EM BACKUP OPTION, CLASS I, DIVISION 2, GROUPS A,B,C,&D	EA					\$	-	CN

Global Green Corporation	33512	GLOBAL GREEN CORP	GGC-CES-EX-LN-02P-40B	40W, LED EXPLOSION PROOF LINEAR 02P SERIES, SIZE 200mm*175mm, BRIDGELUX LED 3030 CHIPS, 120LM/W, MEANWELL LED DRIVER, 120-277V, IP66, CCT (2700K-6500K), 5 YR WARRANTY, L70>50,000 HRS, MATERIAL ADC12 ALUMINUM+TEMP GLASS, COLOR GRAY OR YELLOW, OPERATING TEMPERATURE -40C TO 50C, OPTIONS OF EM BACKUP AND LINKABLE FIXTURES, SHIPPING, FREIGHT AND CUSTOMS COSTS ARE INCLUDED, PAYMENT TERMS 60% DEPOSIT WITH ORDER, BALANCE WHEN READY TO SHIP. STANDARD DELIVERY IN 20-30 DAYS. FIXED CEILING MOUNTING BRACKET, WALL MOUNTING BRACKET, SUSPENSION CHAIN BRACKET AND POLE MOUNTING BRACKET.	LED EXPLOSION PROOF LINEAR 02P SERIES, LINKABLE OPTION & EM BACKUP OPTION, CLASS I, DIVISION 2, GROUPS A,B,C,& D	EA				\$ -	CN
Global Green Corporation	33512	GLOBAL GREEN CORP	GGC-CES-EX-LN-02P-50B	50W, LED EXPLOSION PROOF LINEAR 02P SERIES, SIZE 200mm*175mm, BRIDGELUX LED 3030 CHIPS, 120LM/W, MEANWELL LED DRIVER, 120-277V, IP66, CCT (2700K-6500K), 5 YR WARRANTY, L70>50,000 HRS, MATERIAL ADC12 ALUMINUM+TEMP GLASS, COLOR GRAY OR YELLOW, OPERATING TEMPERATURE -40C TO 50C, OPTIONS OF EM BACKUP AND LINKABLE FIXTURES, SHIPPING, FREIGHT AND CUSTOMS COSTS ARE INCLUDED, PAYMENT TERMS 60% DEPOSIT WITH ORDER, BALANCE WHEN READY TO SHIP. STANDARD DELIVERY IN 20-30 DAYS. FIXED CEILING MOUNTING BRACKET, WALL MOUNTING BRACKET, SUSPENSION CHAIN BRACKET AND POLE MOUNTING BRACKET.	LED EXPLOSION PROOF LINEAR 02P SERIES, LINKABLE OPTION & EM BACKUP OPTION, CLASS I, DIVISION 2, GROUPS A,B,C,& D	EA				\$ -	CN
Global Green Corporation	33512	GLOBAL GREEN CORP	GGC-CES-EX-LN-02P-40D	40W, LED EXPLOSION PROOF LINEAR 02P SERIES, SIZE 1229mm*125mm*88.7mm, BRIDGELUX LED 3030 CHIPS, 120LM/W, MEANWELL LED DRIVER, 120-277V, IP66, CCT (2700K-6500K), 5 YR WARRANTY, L70>50,000 HRS, MATERIAL ADC12 ALUMINUM+TEMP GLASS, COLOR GRAY OR YELLOW, OPERATING TEMPERATURE -40C TO 50C, OPTIONS OF EM BACKUP AND LINKABLE FIXTURES, SHIPPING, FREIGHT AND CUSTOMS COSTS ARE INCLUDED, PAYMENT TERMS 60% DEPOSIT WITH ORDER, BALANCE WHEN READY TO SHIP. STANDARD DELIVERY IN 20-30 DAYS. FIXED CEILING MOUNTING BRACKET, WALL MOUNTING BRACKET, SUSPENSION CHAIN BRACKET AND POLE MOUNTING BRACKET.	LED EXPLOSION PROOF LINEAR 02P SERIES, LINKABLE OPTION & EM BACKUP OPTION, CLASS I, DIVISION 2, GROUPS A,B,C,& D	EA				\$ -	CN

Global Green Corporation	33512	GLOBAL GREEN CORP	GGC-CES-EX-LN-02P-50D	50W, LED EXPLOSION PROOF LINEAR 02P SERIES, SIZE 1229mm*125mm*88.7mm, BRIDGELUX LED 3030 CHIPS, 120LM/W, MEANWELL LED DRIVER, 120-277V, IP66, CCT (2700K-6500K), 5 YR WARRANTY, L70>50, 000 HRS, MATERIAL ADC12 ALUMINUM+TEMP GLASS, COLOR GRAY OR YELLOW, OPERATING TEMPERATURE -40C TO 50C, OPTIONS OF EM BACKUP AND LINKABLE FIXTURES, SHIPPING, FREIGHT AND CUSTOMS COSTS ARE INCLUDED, PAYMENT TERMS 60% DEPOSIT WITH ORDER, BALANCE WHEN READY TO SHIP. STANDARD DELIVERY IN 20-30 DAYS. FIXED CEILING MOUNTING BRACKET, WALL MOUNTING BRACKET, SUSPENSION CHAIN BRACKET AND POLE MOUNTING BRACKET.	LED EXPLOSION PROOF LINEAR 02P SERIES, LINKABLE OPTION & EM BACKUP OPTION, CLASS I, DIVISION 2, GROUPS A,B,C,& D	EA			\$	-	CN
Global Green Corporation	33512	GLOBAL GREEN CORP	GGC-CES-EX-LN-02P-60D	60W, LED EXPLOSION PROOF LINEAR 02P SERIES, SIZE 1229mm*125mm*88.7mm, BRIDGELUX LED 3030 CHIPS, 120LM/W, MEANWELL LED DRIVER, 120-277V, IP66, CCT (2700K-6500K), 5 YR WARRANTY, L70>50, 000 HRS, MATERIAL ADC12 ALUMINUM+TEMP GLASS, COLOR GRAY OR YELLOW, OPERATING TEMPERATURE -40C TO 50C, OPTIONS OF EM BACKUP AND LINKABLE FIXTURES, SHIPPING, FREIGHT AND CUSTOMS COSTS ARE INCLUDED, PAYMENT TERMS 60% DEPOSIT WITH ORDER, BALANCE WHEN READY TO SHIP. STANDARD DELIVERY IN 20-30 DAYS. FIXED CEILING MOUNTING BRACKET, WALL MOUNTING BRACKET, SUSPENSION CHAIN BRACKET AND POLE MOUNTING BRACKET.	LED EXPLOSION PROOF LINEAR 02P SERIES, LINKABLE OPTION & EM BACKUP OPTION, CLASS I, DIVISION 2, GROUPS A,B,C,& D	EA			\$	-	CN
Global Green Corporation	33512	GLOBAL GREEN CORP	GGC-CES-EX-LN-02P-65D	65W, LED EXPLOSION PROOF LINEAR 02P SERIES, SIZE 1229mm*125mm*88.7mm, BRIDGELUX LED 3030 CHIPS, 120LM/W, MEANWELL LED DRIVER, 120-277V, IP66, CCT (2700K-6500K), 5 YR WARRANTY, L70>50, 000 HRS, MATERIAL ADC12 ALUMINUM+TEMP GLASS, COLOR GRAY OR YELLOW, OPERATING TEMPERATURE -40C TO 50C, OPTIONS OF EM BACKUP AND LINKABLE FIXTURES, SHIPPING, FREIGHT AND CUSTOMS COSTS ARE INCLUDED, PAYMENT TERMS 60% DEPOSIT WITH ORDER, BALANCE WHEN READY TO SHIP. STANDARD DELIVERY IN 20-30 DAYS. FIXED CEILING MOUNTING BRACKET, WALL MOUNTING BRACKET, SUSPENSION CHAIN BRACKET AND POLE MOUNTING BRACKET.	LED EXPLOSION PROOF LINEAR 02P SERIES, LINKABLE OPTION & EM BACKUP OPTION, CLASS I, DIVISION 2, GROUPS A,B,C,& D	EA			\$	-	CN

Global Green Corporation	33512	GLOBAL GREEN CORP	GGC-CES-EX-LN-02P-75D	75W, LED EXPLOSION PROOF LINEAR 02P SERIES, SIZE 1229mm*125mm*88.7mm, BRIDGELUX LED 3030 CHIPS, 120LM/W, MEANWELL LED DRIVER, 120-277V, IP66, CCT (2700K-6500K), 5 YR WARRANTY, L70>50, 000 HRS, MATERIAL ADC12 ALUMINUM+TEMP GLASS, COLOR GRAY OR YELLOW, OPERATING TEMPERATURE -40C TO 50C, OPTIONS OF EM BACKUP AND LINKABLE FIXTURES, SHIPPING, FREIGHT AND CUSTOMS COSTS ARE INCLUDED, PAYMENT TERMS 60% DEPOSIT WITH ORDER, BALANCE WHEN READY TO SHIP. STANDARD DELIVERY IN 20-30 DAYS. FIXED CEILING MOUNTING BRACKET, WALL MOUNTING BRACKET, SUSPENSION CHAIN BRACKET AND POLE MOUNTING BRACKET.	LED EXPLOSION PROOF LINEAR 02P SERIES, LINKABLE OPTION & EM BACKUP OPTION, CLASS I, DIVISION 2, GROUPS A,B,C,& D	EA					\$ -	CN
--------------------------	-------	-------------------	-----------------------	---	--	----	--	--	--	--	------	----