
Industrial 3D TLC SATA Solid State Drive Series

Features

- SATA 3.3 6Gbps Interface
- Flash Type: 3D TLC
- Support ECC Error Checking Function
- Support NCQ (Native Command Queuing) Command
- Read up to 560 MB/s, Write up to 540 MB/s
- Operation Temperature: Wide: -25°C 85°C
- MTBF: 2,000,000 Hours

Appearance



Industrial 3D TLC SATA Solid State Drive Series

Revision Table

Date	Revision	Content	Ву
2025/10/15	0.1	First Draft	Mark

Industrial 3D TLC SATA Solid State Drive Series

Specification

Capacity	
TLC	960GB up to 7680 GB
Electrical/Physical I	nterface
Interface	Compliant with SATA 3.3 (6Gb/s) Compatible ATA/ATAPI-7 Compatible ATA/ATAPI-8 ACS4 Forced Command
Other	Support S.M.A.R.T Command Support NCQ (Native Command Queuing) Command Support AES 128/256 Support End-to-End Protection and Power Failure Protection Support Secure Boot and Hot-Plug Support 4K LDPC ECC Error Correction Technology

Device Capacity

Capacity	Cash
960GB	1024MB
1920GB	2048MB
3840GB	4096MB
7680GB	8192MB

Industrial 3D TLC SATA Solid State Drive Series

Performance

	Sequential		
Capacity	Read (MB/s)	Write (MB/s)	
960GB	560	540	
1920GB	560	540	
3840GB	560	540	
7680Gb	560	540	

Notes:

The read/write performance is to use F103.27 to test the read/write speed of the solid state disk on the Linux Ubuntu 20.04 platform, and the I/O queue depth QD is 32.

Environment Compliance

Operating Temp.	-25°C to +85°C
Storage Temp.	-55°C to +95°C
Humidity	5% to 95%
Shock	1500G 0-p with Half Sine Wave (0.5ms)
Vibration	20G (80Hz to 2000Hz)

Environmental performance may vary according to the integration method or final integration scenario.


Industrial 3D TLC SATA Solid State Drive Series


TBW (Terabytes Written)

MTBF	2,000,000 Hrs	
Capacity	Flash Type	TBW
960GB	YMTC 3D LTC	1000
1920GB	YMTC 3D LTC	2000
3840GB	YMTC 3D LTC	4000
7680Gb	YMTC 3D LTC	8000

Device Dimensions (mm)

2.5 lnch, L100.4mm*W70.0mm*H7.0mm+/-0.15mm(e.g. Figure 1)





1

Industrial 3D TLC SATA Solid State Drive Series

Deliverables

Industrial 3D TLC SATA Solid State Drive Series

Ordering Information

Model Name	Description	Unit
ACP-S0003-960	Industrial SATA 960GB Solid State Drive	1
ACP-S0003-2T	Industrial SATA 1.92TB Solid State Drive	1
ACP-S0003-4T	Industrial SATA 3.84TB Solid State Drive	1
ACP-S0003-8T	Industrial SATA 7.68TB Solid State Drive	1

Disclaimer

This datasheet is for informational purposes only and does not constitute professional advice, a contractual obligation, or a guarantee of any kind. While efforts have been made to ensure accuracy, ACT POWER TAIWAN makes no representations or warranties, express or implied, regarding its completeness or reliability. ACT POWER TAIWAN reserves the right to update, modify, or withdraw this document at any time without prior notice. Users should verify the suitability of the product for their specific application through independent testing and validation. ACT POWER TAIWAN shall not be liable for any direct, indirect, or consequential damages arising from the use of this document. This document is governed by the laws of Taiwan, and any disputes shall be subject to the exclusive jurisdiction of the Taiwan courts.