

# GES-AI15C01

15 inch Intel® J1900/J6412 or Core® i3/i5/i7 CPU Panel PC

## Features

- Intel J1900/J6412 or Core®i3/i5/i7 CPUs Optional
- 4GB Memory (Supports 8GB/16GB/32GB Optional)
- 64GB Storage (Supports 128GB/256GB/512GB/1TB Optional)
- Support 4x USB, 6x RS232, 1x HDMI, 1x VGA Interface
- Support 12VDC Input
- 15 inch Capacitive 10 Points Multi Touch Screen
- Resolution 1024x 768
- Support 75x75/100x100 VESA Mount Design
- Support Windows 10 Pro

## Appearance





# GES-AI15C01

15 inch Intel® J1900/J6412 or Core® i3/i5/i7 CPU Panel PC

## Revision Table

Date	Revision	Content	By
2024/10/29	0.1	First Draft	Leon

# GES-AI15C01

15 inch Intel® J1900/J6412 or Core® i3/i5/i7 CPU Panel PC

## Specification

System	
CPU	Intel® J1900/J6412, Core® i3/i5/i7 CPU Optional
Memory	4GB (8GB/16GB/32GB Optional)
Storage	64GB SSD (128GB/256GB/512GB/1TB Optional)
Graphics	Integrated Intel® HD Graphics
Ethernet	1x Realtek RTL 8111E Gigabit Ethernet Controller, Bluetooth
Interface	4x USB (Support 6x USB, USB and LAN2 are Mutually Exclusive) 2x RJ45 Gigabit Network Port (Single RJ45 Network Ports Optional) 2x RS232 Serial Ports (6x RS232 Serial Ports Optional) 1x VGA 1x HDMI 1x Line-Out Port 1x MIC In Port 1x Power Switch Button with LED
Expansion	2x Mini-PCle Expansion Slots, Support WIFI/3G/4G/MSTA/GPS
OS	Windows 10 Pro
Power	1x 12V DC Power Input 1x 9~36V DC Phoenix Connector (Optional)
LCD Panel	
Panel Size	15 inch
Backlight	LED Backlight
Resolution	1024 x 768
Brightness	300~350 nits
Color	16.7M
Touch Screen	
Touch Type	Capacitive 10 points Multi Touch Screen

# GES-AI15C01

15 inch Intel® J1900/J6412 or Core® i3/i5/i7 CPU Panel PC

## Specification

Housing	
IP Rating	IP65 Front
Material	Aluminum
Color	Pantone: Black C (Print Spray)
Mounting	75x75/100x100 VESA Mount
Dimension	According to Design Drawings

## Environment Compliance

Operating Temp.	-10°C to +60°C
Storage Temp.	-20°C to +70°C
Humidity	Ta≤40°C, 95%RH, non-condensing
Certifications	CE/FCC/RoHS
Vibration Protection	5-500 Hz, 0.026 G <sup>2</sup> /Hz, 2.16 Grms, X, Y, Z, 1 hour per axis

Environmental performance may vary according to the integration method or final integration scenario.

## Deliverables

No.	Item
1	15 inch Intel® J1900/J6412 or Core® i3/i5/i7 CPU Panel PC
2	Power Adapter
3	WIFI Antenna

# GES-AI15C01


15 inch Intel® J1900/J6412 or Core® i3/i5/i7 CPU Panel PC

## Ordering Information

Model Name	Description	Unit
GES-AI15C01	15 inch Intel® J1900/J6412 or Core® i3/i5/i7 CPU Panel PC	1

## Ordering Details

GES-AI15C01 - P P P P S M T C X



**Example: GES-AI15C01-190031LE**

15 inch Intel® J1900 Panel PC, Intel® J1900 CPU, 256GB Storage, 4GB RAM, 4G/LTE, WIFI, BT

### Disclaimer

This datasheet is for informational purposes only and does not constitute professional advice, a contractual obligation, or a guarantee of any kind. While efforts have been made to ensure accuracy, ACT POWER TAIWAN makes no representations or warranties, express or implied, regarding its completeness or reliability. ACT POWER TAIWAN reserves the right to update, modify, or withdraw this document at any time without prior notice. Users should verify the suitability of the product for their specific application through independent testing and validation. ACT POWER TAIWAN shall not be liable for any direct, indirect, or consequential damages arising from the use of this document. This document is governed by the laws of Taiwan, and any disputes shall be subject to the exclusive jurisdiction of the Taiwan courts.