


# MIC-D1510

15" Capacitive Touch LCD Module

## Features

- 15" LCD Size
- 1024 x 768 Resolution
- Capacitive Touch Screen
- 6H Strengthen Touch Glass
- 280 nits Brightness (After Bonding)
- EMI Mesh, Optical Bonding

## Appearance





# MIC-D1510

15" Capacitive Touch LCD Module

## Revision Table

Date	Revision	Content	By
2025/7/3	0.1	First Draft	Mark

ACT POWER TAIWAN  
Preliminary

# MIC-D1510

15" Capacitive Touch LCD Module

## Specification

LCD Panel	
LCD Size	15" TFT LCD
Backlight	LED
Resolution	1024 x 768
Interface	LVDS
View Angle	$\pm 89^{\circ}$ (H), $\pm 89^{\circ}$ (V)
Luminance	280 nits (After Bonding)
Contrast Ratio	1000:1
Aspect Ratio	4:3
Response Time	30 (Tr+Tf) ms
No. of Colour	16.7 Million (6 bit/FRC)
Active Area	304.128 x 228.096 mm
Pixel Pitch	0.297 (H) x 0.297 (V)
LED Life Time	50,000 Hrs
Touch Screen	
Touch Type	Capacitive Touch
Active Area	304.13 x 228.1 mm
Touch Interface	USB
Touch Glass	6H Strengthen Glass
EMI Mesh	Yes
Optical Bonding	Yes
Touch Drives	Support Windows, Linux, Mac, etc.

# MIC-D1510

15" Capacitive Touch LCD Module

## Environment Compliance

Operating Temp.	-20°C to +70°C
Storage Temp.	-20°C to +70°C
Humidity	Ta≤40°C, 90%RH, Non-Condensing
Shock	Design to Meet MIL-STD-810F
Vibration	Design to Meet MIL-STD-810E
EMI/EMC	Design to Meet MIL-STD461E/F

Environmental performance may vary according to the integration method or final integration scenario.

## Deliverables

1	15" Capacitive Touch LCD Module
2	USB Touch Control Board

## Ordering Information

Model Name	Description	Unit
MIC-D1510	15" Capacitive Touch LCD Module	1

### Disclaimer

This datasheet is for informational purposes only and does not constitute professional advice, a contractual obligation, or a guarantee of any kind. While efforts have been made to ensure accuracy, ACT POWER TAIWAN makes no representations or warranties, express or implied, regarding its completeness or reliability. ACT POWER TAIWAN reserves the right to update, modify, or withdraw this document at any time without prior notice. Users should verify the suitability of the product for their specific application through independent testing and validation. ACT POWER TAIWAN shall not be liable for any direct, indirect, or consequential damages arising from the use of this document.