

Model Name : VES-D1009

10.1 inch Industrial/ Vehicle Capacitive Touch Monitor

Revision History

Date	Revision	Page	Content	By
2026/7/27	0.1	All	First Draft	Eisley Yao

ACT POWER TAIWAN
Preliminary

VES-D1009

10.1 inch Industrial/ Vehicle Capacitive Touch Monitor

Features

- 10.1-inch Screen
- 1280 x 800 High Resolution
- 350 nits (1000 nits optional)
- Multiple Video Sources Inputs – HDMI, DVI, VGA
- 9-36VDC Inputs
- IP65 Front Panel
- Available with or without capacitive touch

Appearance



VES-D1009

10.1 inch Industrial/ Vehicle Capacitive Touch Monitor


Specification

LCD Panel	
LCD Panel	10.1" LED Backlight LCD Panel
Resolution	1280 x 800
Aspect Ratio	16:10
Brightness	350 nits (1000 nits optional)
Contrast Ratio	1000:1
Viewing Angle	85° /85° /85° /85°
Life Time	50000 hours
Interfaces	
Audio & Video	1x HDMI 1x DVI 1x VGA 1x Audio In/Out 1x USB-A (touch screen interface)
Power	1x DC Input (9-36VDC)
Others	
Touch	Without touch/Capacitive touch, 2 options
Mounting	VESA 75 x 75 mm
Dimension	257 x 175.6 x 53.6 mm
Weight	Around 1.5kg
Power	9-36VDC, <30W Typ.

Environment Compliance

Operating Temperature	0°C to 60°C
Storage Temperature	-20°C to 70°C
Humidity	90% @25°C, non-condensing.
IP Rating	IP65 Front Panel

Environmental performance may vary according to the integration method or final integration scenario.



VES-D1009


10.1 inch Industrial/ Vehicle Capacitive Touch Monitor

Deliverables

1	10.1 inch Industrial/ Vehicle Capacitive Touch Monitor
2	12V 2A Power Adapter DC In
3	HDMI Cable
4	VGA Cable
5	USB Cable

Ordering Information

Model Name	Description	Unit
VES-D1009-C	10.1 inch Industrial/ Vehicle Monitor (without touch)	1
VES-D1009-T	10.1 inch Industrial/ Vehicle Capacitive Touch Monitor	1



VES-D1009

10.1 inch Industrial/ Vehicle Capacitive Touch Monitor

Ordering Details

V E S - D 1 0 0 9 - C



Touch Options
(C) Without Touch
(T) Touch

Example: VES-D1009-C

10.1 inch Industrial/ Vehicle Monitor, Without Touch.

Disclaimer

This datasheet is for informational purposes only and does not constitute professional advice, a contractual obligation, or a guarantee of any kind. While efforts have been made to ensure accuracy, ACT POWER TAIWAN makes no representations or warranties, express or implied, regarding its completeness or reliability. ACT POWER TAIWAN reserves the right to update, modify, or withdraw this document at any time without prior notice. Users should verify the suitability of the product for their specific application through independent testing and validation. ACT POWER TAIWAN shall not be liable for any direct, indirect, or consequential damages arising from the use of this document. This document is governed by the laws of Taiwan, and any disputes shall be subject to the exclusive jurisdiction of the Taiwan courts.