11.6" Rugged Tablet

Features

- 11.6", 1920 x 1080 FHD Panel
- High Brightness Display
- Capacitive Multi-Touch Panel
- MTK Processor
- Android OS
- Battery Li-ion 8000mAh
- Support VESA Mount
- Front Bezel IP65
- Wide Operating Temperature: -10°C to +60°C

Appearance



11.6" Tablet

Optional





11.6" Rugged Tablet

Revision Table

Date	Revision	Content	Ву
2025/12/23	1.0	First Release	Shaun Lee
2025/12/23	1.1	Update Tablet ID Drawing	Shaun Lee

11.6" Rugged Tablet

Specification

Processor	MTK G99
Memory	12 GB DDR4 RAM
Storage	1 TB, SSD
Display Size	11.6" TFT LCD, LED Backlight
Resolution	1920 x 1080 (FHD)
Brightness	800 nits (Typ., Before TP Bonding)
Contrast Ratio	1000:1
Display Colors	16.2M
Viewing Angle	160/160 (H/V)
Surface Treatment	Anti-Reflective / Anti-Glare
Interfaces	1 x USB-C 1 x Mini-HDMI 1 x Ethernet (RJ45)
Side Buttons	Power, Brightness + / -, Volume + / -
OS	Android
Speakers	Yes
Ethernet Recovery	Yes
Power Supply	USB-C
Dimension	292.03 x 182.03 x 20.3 mm (W x H x D) [Without 4 Corners Rubber]
VESA Mounting	75mm x 75mm
Optional	Universal Tablet Hand Strap Holder

11.6" Rugged Tablet

Environment Compliance

Operating Temp.	-10°C to +60°C
Storage Temp.	-10°C to +70°C
Humidity	5 to 95%, Non-Condensing
IP Rating	Front Bezel IP65
Reliability	Each of The Four Corners Drop 100 cm (Max.)
Safety	CE
Certification	FCC

Environmental performance may vary according to the integration method or final integration scenario.

Ordering Information

Model Name	Description	Unit
MIC-L1101	11.6" Rugged Tablet	1

Disclaimer

This datasheet is for informational purposes only and does not constitute professional advice, a contractual obligation, or a guarantee of any kind. While efforts have been made to ensure accuracy, ACT POWER TAIWAN makes no representations or warranties, express or implied, regarding its completeness or reliability. ACT POWER TAIWAN reserves the right to update, modify, or withdraw this document at any time without prior notice. Users should verify the suitability of the product for their specific application through independent testing and validation. ACT POWER TAIWAN shall not be liable for any direct, indirect, or consequential damages arising from the use of this document.