



## Physical Exam Schedule | Vaccine Schedule

<b>Newborn 1<sup>st</sup> Visit</b>	Height, weight, head circumference
<b>1 month</b>	Height, weight, head circumference
<b>2 month</b>	Height, weight, head circumference, Vaxelis, PCV20, Rotateq, PPD screen
<b>4 month</b>	Height, weight, head circumference, Vaxelis, PCV20, Rotateq, PPD screen
<b>6 month</b>	Height, weight, head circumference, SPOTvision, Vaxelis, PCV20, Rotateq, Flu, PPD screen
<b>9 month</b>	Height, weight, head circumference, (3 <sup>rd</sup> Hep B if need to catch up)
<b>12 month</b>	<b>* Appointment must be after first birthday</b> Height, weight, head circumference, Pb screen, hgb, SPOT vision, Varivax, MMR, Hepatitis A #1
<b>15 month</b>	Height, weight, head circumference, Pentacel, PCV20
<b>18 month</b>	Height, weight, head circumference, Hep A #2 (6 months apart)
<b>24 month</b>	Height, weight, Pb screen, hgb, SPOT vision, (Hep A #2 if not done at 18 month WCC)

### ***After age 2, Physicals are done yearly***

<b>3 years</b>	Height, weight, Pb screen, hgb, blood pressure, pulse, SPOT vision
<b>4 years</b>	Height, weight, Pb screen, hgb, blood pressure, pulse, SPOT vision, hearing MMRV (Appointment must be after 4 <sup>th</sup> birthday), Quadracel
<b>5 years</b>	Height, weight, hgb, blood pressure, pulse, SPOT vision, hearing
<b>6 years</b>	Height, weight, blood pressure, pulse
<b>7 years</b>	Height, weight, hgb, blood pressure, pulse,
<b>11-12 years</b>	Height, weight, hgb, blood pressure, pulse, TDAP, Menquadfi, HPV
<b>16 years</b>	Height, weight, hgb, blood pressure, pulse, dirty urine, PHQ2, GAD2 Menquadfi #2, Men B #1

**Vaxelis:** Dtap, Hib, Polio, HepB

**Quadracel:** Dtap/IPV (Kinrix)

**MMR:** MMR/Varivax booster (Proquad)

**Flu vaccine** – annually beginning at 6 months of age

Hemoglobin for all menstruating girls – annually

Cholesterol screening beginning at age 9. Repeat cholesterol ages 17-18.

Cholesterol screening of all children >2 if strong family history of cardiovascular disease

Menquadfi 11yr, 2<sup>nd</sup> does required at 16 yr

Bexsero 16-18yr, 2 doses 1 month apart

TDap repeat 10 years (around 21 yr)

13 years and up- Start PHQ2, GAD2 screening, (PHQ9/9A or GAD 7 If positive)

15 years- Start Dirty Urine screening yearly