

OFFICE & SHOWROOM DETAILS

JHB: UNIT C7, SUPREME INDUSTRIAL PARK, HEIDELBERG RD, STEELEDALE, 2197 011 613 1496 // 072 277 2371 // INFO@GALAXYBLINDS.CO.ZA



# **ShutterGuard® Aluminium Security Shutters** are a savvy, stylish, safety solution for windows or doors — offering security without compromising the aesthetics of your home, commercial or retail space.

The patented Gear-lock keeps the shutters in place. A 6cm patented bolt secures the shutters to the floor, leaving no leverage to lift the lock out of the track. A 3.4cm bolt secures the top track when locked. The Cisa system allows you to lock the shutters with a unique security key. Should you wish to have a double-sided lock please request this with us.

#### **TECHNICAL SPECIFICATIONS**

UV Blockage:	100% when closed	
Weight:	14 kg/m2	
Min/Max Width:	250 - 850mm	
Min/Max Height:	650 - 2900mm	
Material:	Aluminium	







6cm patented bolt secures shutters to floor when locked

NEW ergonomically designed shutter lock & louvre lock system

#### **TECHNICAL FEATURES**



## STANDARD COLOURS







Matte Anthracite Grey

Matte White


**CUSTOM COLOURS** 

Matte Stone Grey

#### TRACK OPTIONS







Top track without lin



Face fixed with top track

#### CONFIGURATIONS

### **PIVOT OPTIONS**













Bottom track / raised Bottom track / recessed





can move left or right)



# **Hurricane Aluminium Shutters** were originally designed to protect windows and doors from storms and high winds without compromising the aesthetics of a home.

These stylish shutters, made entirely from aluminium, are not only good to look at but are functional, durable, won't rust, are easy to clean and therefore come with a 10 year warranty. As with ShutterGuard®, the folding, louvred shutters will open up a room as well as control light, noise and temperature.

#### **TECHNICAL SPECIFICATIONS**

UV Blockage:	100% when closed	
Weight:	14 kg/m2	
Min/Max Width:	250 - 850mm	
Min/Max Height:	500 - 2900mm	
Material:	Aluminium	



EW ergonomically designed turn bo

STANDARD COLOURS




#### **TECHNICAL FEATURES**




#### **CUSTOM COLOURS**


Custom colours are available, please speak to your sales representative. An additional fee will apply on all custom colours. Manufacture lead times require an extra 5 days.

#### TRACK OPTIONS



#### CONFIGURATIONS PIVOT OPTIONS





Thermowood® Shutters are practical and elegant, custom-made, louvre door shutters, manufactured from a durable, specially engineered wood substitute extruded PVC – that has been thoroughly tested under stringent humid, hot and dry conditions to ensure longevity.

Whether you want to invite light and a sense of space into your home at the ocean's edge or in the in the middle of the Karoo, or whether you are looking for a room divider or alternative cupboard door in a room influenced by moisture, Thermowood® Shutters will deliver on its' promise of merging indoor and outdoor living - elegantly.

#### **TECHNICAL SPECIFICATIONS**

TECHNICAL FEATURES

3 Year Warranty

Rust Proof

Easy to clean

UV Blockage:	100% when closed	
Weight:	8 kg/m2	
Min/Max Width:	240 - 600mm	
Min/Max Height:	450 - 2900mm	
Material:	Extruded PVC	

Control of light, noise and temperature

Impervious to moisture Will not crack, split or warp






**AVAILABLE STANDARD COLOURS** 




#### CUSTOM COLOURS

Kindly note no custom colours are available for Thermowood®

#### TRACK OPTIONS









(set inside the window/door reveal

#### **PIVOT OPTIONS**

#### CONFIGURATIONS

Tilt rods offer owners the opportunity to open and close the shutters with the rod which is placed on the louvres, running down the middle of each shutter pane.













Pivot, either left or right

Standard Frame

With tilt rod

# **HOW OUR RANGE OF SHUTTERS STACK UP**



# ShutterGuard® Aluminium **Security Shutters**



# Hurricane **Aluminium Shutters**



Thermowood® **Shutters** 

	occurry characters		
Material	Aluminium	Aluminium	Extruded PVC (specially engineered wood substitute)
Internal use	✓	<b>~</b>	✓
External use	<b>✓</b>	<b>~</b>	×
Rustproof	✓	<b>~</b>	✓
Deliver on security	<b>✓</b>	Only if you add Louvre Locks as an optional extra**	×
Stackable	✓	<b>~</b>	✓
Suitable for doors & windows	<b>~</b>	<b>~</b>	<b>~</b>
Warranty	10 years	10 years	3 years
Colours *see below for custom colour timings and surcharge	Matte White, Matte Bronze, Matte Light Grey, Matte Stone Grey, Matte Anthracite Grey	Matte White, Matte Bronze, Matte Light Grey, Matte Stone Grey, Matte Anthracite Grey	Satin White, Magnolia, Lime Wash, Alu-White, Holland or Ash. No custom colours available.
Manufacture time Excluding delivery which requires 5 - 7 working days from our Cape Town factory.	2 weeks: Matte White, Matte Bronze 3 weeks: Matte Light Grey, Matte Stone Grey, Matte Anthracite Grey Custom colours available*	2 weeks: Matte White, Matte Bronze 3 weeks: Matte Light Grey, Matte Stone Grey, Matte Anthracite Grey Custom colours available*	2 weeks: All standard colours
Configurations	Bi-Fold, Bi-Pass, Slider, Cottage Style or Cottage Arch Frame configuration	Bi-Fold, Bi-Pass, Slider, Cottage Style or Cottage Arch Frame configuration	Bi-Fold, Bi-Pass, Cottage Style Frame, Cottage Arch Frame, Standard Frame or Decorative Frame. Available with centre located tilt rod or Clearview <sup>®</sup> options.
Sizes	Min-Max shutter width: 250-850mm Min-Max shutter height: 650-2900mm	Min-Max shutter width: 250-850mm Min-Max shutter height: 500-2900mm	Min-Max shutter width: 240-600mm Min-Max shutter height: 450-2900mm
Mechanism / Components	Supplied with hinges, brackets and tracks for smooth operation	Supplied with hinges, brackets and tracks for smooth operation	Supplied with Clearview <sup>®</sup> (no tiltrod) or Tiltrod (middle of the louvres running vertical) and tracks for smooth operation
Accessories	Louvre Locks	Louvre Locks <b>only</b> as an optional extra**	•
Light Control	Yes. New Astragal frame removes light gap between shutter panels.	New Astragal frame removes light gap between shutter panels. This is <b>only</b> applied as an optional extra **	Yes. Light control depends on the louvres tilt when closing/opening.

# **Privacy Control**

Security

closed shutters)

85 - 100% (not possible to see through

to the top track.

85 - 100% (not possible to see through closed shutters)

lourvre locks you are able to, to secure

Hurricane Shutters can only be

your louvres shut.\*\*

considered a security shutter if a louvre shutter system. lock is added. Should you wish to add

closed shutters)

Thermowood<sup>®</sup> is not a security

85 - 100% (not possible to see through

ShutterGuard  $^{\circledR}$  is a security shutter system. Patented Taylor 2-way aluminium Gear-Lock System.

6cm patented bolt secures shutters to the floor. 3.4cm bolt secures shutters

\*Custom colours are available at a surcharge and will add an extra 1 week to the lead time

\*\*Optional extras for Hurricane Shutters include: Astragal Frame to remove light gap between shutter panels and louvre locks to lock louvres.