

## Scope of Accreditation

### Synchronised Building Services Pty Limited

Site

Synchronised Building Services Pty Limited

Accreditation No.	Site No.	Date of Accreditation
17275	18965	06 May 2010

Address	Contact	Availability
6/14 Bannerman street Cremorne, NSW 2090 Australia	Mr Mark Thomas P: +61(02) 99074577 mark@synchronised.net	Type C Inspection Body

[synchronised.net](http://synchronised.net)

### Synchronised Building Services Pty Limited

#### ISO/IEC 17020 (2012)

Infrastructure and Asset Integrity

SERVICE	PRODUCT	DETERMINANT	PROCEDURE	LIMITATIONS
Evaluation of height safety equipment and systems	Anchorage and holding points; Fall restraint systems; Horizontal line systems; Horizontal rail systems; Vertical arrest systems	Witnessing	In-house procedures, relevant Australian Standards and client specification.	
<b>Capability</b> Including loading and proof loading in both compression and tension.				
		In-service inspection; Installation inspection; Testing	In-house procedures and AS/NZS 1891.1; .2; .3; .4; AS/NZS 4488.1; .2, AS/NZS 3931, TS 101, AS 5216 In-house procedures and AS/NZS 1891; AS/NZS 4488 and similar standards	
<b>Capability</b> Including loading and proof loading in both compression and tension.				

SERVICE	PRODUCT	DETERMINANT	PROCEDURE	LIMITATIONS
Evaluation of load generating lifting appliances	Lifting devices	In-service inspection	In-house procedures	Limited to davit arms, lifting frames and stillages and associated winches
<b>Capability</b> Including loading and proof loading in both compression and tension.				
Evaluation of load handling, rigging and tensioning systems	Lifted equipment; Rigging	In-service inspection; Pre-use inspection	In-house procedures, relevant Australian Standards and client specification	
Fabricated components and assemblies - Inspection	Structural steelwork; Structures	Examination; Survey; Testing	In-house procedures and client specification	In-situ examination and axial load testing of protruding reinforcing bar to 1000 kN
	Structures	Acceptance inspection	ASTM F2170	In-situ determination of relative humidity in concrete using hand-held inductance metering systems
<b>Capability</b> Including loading and proof loading in both compression and tension.				

## ISO/IEC 17020 (2012)

### Manufactured Goods

SERVICE	PRODUCT	DETERMINANT	PROCEDURE	LIMITATIONS
Access protection products - Evaluation	Balustrades; Barriers; Handrails	Acceptance inspection; Examination	Using in-house procedures and client specification for listed products in accordance with AS 1170.0 B2, AS 1170.1, AS 1170.2, AS 1288, AS 1657, AS 1664, AS 1665, AS 1926, AS 2208, AS 4100, AS 4994.	
<b>Capability</b> Including loading and proof loading to 1000 kN in both compression and tension and rigidity. Including Platforms and Temporary Edge Protection.				

SERVICE	PRODUCT	DETERMINANT	PROCEDURE	LIMITATIONS
	Signage	Acceptance inspection; Examination; Installation inspection; Maintenance inspection	AS 1319; AS/NZS 3931	

The only data displayed is that deemed relevant and necessary for the clear description of the activities and services covered by the scope of accreditation.

Grey text appearing in a SoA is additional freetext providing further refinement or information on the data in the preceding line entry.

Accreditation No.	Site No.	Print date
17275	18965	20 Jan 2022

END OF SCOPE

## Sign up for our newsletter

Our newsletter has great information around accreditation news, industry updates and other important information.

### Or follow us on social media