



SPECIFICATION SHEET

DF-B43R



Grey knitted glove Made of HDPE, coated with black nitrile on the palm and TCR between thumb and index finger.



BENEFITS

- Cut and abrasion-resistant industrial gloves.
- Excellent grip in slightly oily environments.
- Breathable liner and coating for enhanced user comfort.
- Good dexterity and flexibility for managing medium-weight components.
- TCR provides longer glove life by protecting the area of greatest wear and abrasive demand.



OPERATIONS

- Provide excellent performance in handling slightly greasy metallic components.
- The coating ensures superior grip in slippery surfaces.



INDUSTRY



General Uses



MEDIUM
DEXTERITY



ROOM
TEMPERATURE



LOW
(SLIGHTLY DROPLET-LIKE)



120 pairs /
box



Size
5 - 10



ANSI
CUT LEVEL
A4



EN16350



EN 388

4X43D



 **GUANTES INTERNACIONALES**
“Safety and comfort for the industrial athlete”



LIMITATIONS OF USE

1. Specific protection:

- Designed for mechanical risks: light cuts and abrasion.
- Does not offer protection against electrical hazards, fire, high temperatures, or chemicals.
- Do not use for welding.

2. Glove Integrity:

- **Do not use** if there is excessive wear, tears, or significant loss of coating, or if visible damage is present on the palm or fingers.