



SPECIFICATION SHEET

GF-203R



Black knitted glove made of polyester, coated with black foam nitrile on the palm.



BENEFITS

- High sensitivity for precise handling.
- Breathable coating for comfort during extended use.
- High impermeability to lubricants.
- Excellent dexterity and flexibility.
- Low degree of lint for cleaner use.
- TCR provides greater glove durability as it protects the area with the highest wear and abrasive demand.



OPERATIONS

- Ideal for assembling metallic pieces and managing screws using precision tools.
- Suitable for handling small, slightly greased pieces that require manipulation with just two fingers.



INDUSTRY




Metalmechanic



Automotive



Aeronautics



Electronics



HIGH
DEXTERITY



ROOM
TEMPERATURE



LOW
(SLIGHTLY DROPLET-LIKE)



120 pairs /
box



Size
5 - 10

EN 388



4131

EN16350



    **GUANTES INTERNACIONALES**
“Safety and comfort for the industrial athlete”



LIMITATIONS OF USE

1. Specific protection:

- Designed for mechanical risks: light cuts and abrasion.
- Does not offer protection against electrical hazards, fire, high temperatures, or chemicals.
- Do not use in the presence of oil or grease.

2. Glove Integrity:

- **Do not use** if there is excessive wear, tears, or significant loss of coating, or if visible damage is present on the palm or fingers.