



WINDOWS

ESTABLISHED 1987 

TILT & TURN

WINDOWS & DOORS

1 OPENING 3 OPTIONS



TILTS OPEN

Remaining open on an angle, our tilt feature offers an intelligent design for airflow with unhindered views.

Turn the handle up to the vertical position and the upper part of the sash tilts slightly - allowing safe and easy ventilation.

1



TURNS OPEN

The perfect hybrid between window and door - allowing air to circulate freely. Unique customization available for your space.

Turn the handle to the horizontal position and the sash swings horizontally open.

2



CLOSES SECURELY

Designed to meet the latest and strictest energy efficiency standards. The locks hermetically seal and leave clear, unimpeded views.

Turn the handle down to the vertical position and the unit will be sealed - leaving the hardware attractively flush with the sash.

3

EGRESS SOLUTION ✓

EASY TO USE:

The single operating handle effortlessly unlocks the window or door and moves the sash into tilt or turn mode.

STRENGTH:

Multipoint locking system around the sash provides perfect sound-proofing, optimum security and airtightness. For larger windows, we manufacture the sashes with more locking points.

COMMERCIAL RATING:

Durable to withstand heavy use, this design achieves a grade 70 rating, even when made in the industry-standard 4' x 6' commercial size. This technology provides the ability to allow for a larger, unobstructed opening unlike any other window design.

SECURITY:

The unit is precisely locked for tamper resistance and peace of mind security.

EASE OF CLEANING:

The single handle operation of Tilt & Turn units allow for easy and effortless cleaning both inside and out.

MULTICHAMBERED WALLS:

The double-wall multichamber structure increases strength and energy efficiency performance standards.


FUSION WELDED:

Sash and frame corners are miter cut and welded, eliminating caulking and joints that may loosen and leak.



ADVANTAGES

Ideal for creating large windows that open



Steel reinforcements in the key parts of the frame, sash, and mullion can easily accommodate all sizes.

Optimized drainage thanks to pressure balance system and ideally positioned drainage cap.

Hardware anchored solidly with steel reinforcements and enhanced durability.

Optional aluminum sill extension for door configurations.

Lance Latch Screens seamlessly incorporated into the window, for sleek architectural styling.

- 1 - 3 1/4" (82.5 mm) PVC frame
- 2 - 2.5 mm exterior walls and interior walls among the thickest on the market, for maximum insulation and durability
- 3 - Multichamber structure (17 chambers in the frame, 13 in the sash) to meet the most stringent performance and energy efficiency standards
- 4 - Continuous double weather stripping with polymer compression seals to eliminate air and water infiltration
- 5 - Sashes designed to hold and support glass up to 1 3/4" (44.5 mm) thick
- 6 - Door compatible with even the thickest flooring [1.7" (43 mm) clearance]
- 7 - Multipoint locking system around the entire perimeter for perfect sound-proofing and optimum security and airtightness

TECHNICAL FEATURES



Every space is different, so having the ability to customize your project is key. We can help you create the best fit for your space by customizing any of the following:

 Paint & Stain

 Grills

 Hardware

 Glass

 Jamb Extensions

 Brick Mould

Feel free to visit our website or showroom to learn and see more.

CUSTOMIZE