Post Surgical Instruction

Your foster has undergone major surgery and anesthesia. Your pet has also been sedated to lessen pain following surgery; therefore, your pet's behavior may be slightly altered for the next 24 hours. For example, your pet may be glassy-eyed, wobbly, shivering, sleepy, nauseous, and irritable. Listed below are a few helpful tips to make your pet's recovery easier for both of you:

- 1. Keep your pet isolated for 5 days following surgery.
- 2. Discourage exercise for the next 5 days, especially with dogs. Normal exercise should be encouraged following this time period.
- 3. Allow your pet to drink only small amounts of water for the next 12 hours. Offer a small amount of food this evening. Your pet will feel nauseous. Do not be concerned if he/she does not eat during the next 24-48 hours.
- 4. DO NOT allow your pet to lick, scratch, or chew it's incision. Use an *Elizabethan Collar* for 10-14 days as necessary. Collars are available at the adoption center.
- 5. We usually use absorbable suture so your pet won't have to return to the clinic. We will inform you if a return visit is needed for suture removal.
- 6. EXPECT SWELLING or a hard lump at the incision site. This is a normal reaction to the absorbable suture material. Swelling will disappear in 2 weeks.

If any bleeding or discharge from the incision occurs, please call Giulia for instructions.

- 7. Keep the incision dry for 10 days after surgery. NO BATHING OR SWIMMING. Do not use alcohol or peroxide to clean the incision.
- 8. We use a skin adhesive which may cause a blue or green coloring at the incision site.
- 9. **DO NOT** give your pet aspirin or Tylenol. It can be toxic or fatal. Pain medication is available, if needed, by prescription only.