Initial Evaluation for Concerns Regarding Child's Attention

Your child's name	· · · · · · · · · · · · · · · · · · ·		Age	Date
Parents/Legal Guardians		with the same of t		
School			· · · · · · · · · · · · · · · · · · ·	Grade
Primary Teacher			Total # of	f teachers
School Counselor	Sch	ool Administrate	or	
Current medications				
Allergies:				
Other health caregivers/rea	ason			
		<i></i>		J
Other Current diagnoses				
Places the attention problems				
Family History 1st and 2nd deg				
Depression Heart at	tack/stroke before a	ge 60Sudde	en unexplained dea	athSubstance Abuse
	Nuti	ritional History		
Servings/day of. Dairy	Water	100% fruit jui	ceOthe	er beverages
Servings/day of: Fruit	Vegetables	Protein source	es Grain	ns
Breakfast/week	Fast food/Restaur	ant visits/week	Hon	ne Dinners/week
Food intolerance/restrictions?	***************************************	Daily	multivitamin: Yes	No
Weight gain/Overweight pro	oblems (Explain)			
of 11.112 '19		ocial history		
Child lives with:				
Father's name				
Occupation				
Parents are Married				
Hours/day: TVCompute				
Media devices in child's bedi				
Sleep: Typical bedtime	Typical awakening	g timeSle	ep problems	
Child's Interests and Activitie				· ·
Other/Comments:				
Any past/current family stres	ises?			
Completed by		Palationel	in	Data

Past developmental history

Weeks gestation	Birth weight	Birth problem	s?			_
Problems with past/cu	ırrent development	in.				
languagelarg	ge motor skillsFin	ne motor skills	Social skills	Sensory.	vision hearing	tactile
Explain:						man out of
		Past medical his	story			
Hospitalizations						
Surgeries						
	n exam: Where:	•			Date	-
Significant infections						
Chronic illnesses/con						
Heart Conditions						
Behavioral Condition	s	Psycl	hiatric Condition	18		
Seizures	Tics	Sleep disturba	nces		Snoring	
Details if any above c	onditions					
Any symptoms with a					inting Palpi	tations
		Academic Perform	nance			
In what grade did sch						
Most recent school gr	rades: Math Engli	ish/ReadingSp	ellingHistory	Science	eCompute	r
Is your child currentl	y receiving addition	al help? IEP	Tutor(s)	Other		
Areas of concern (list	age first noted):					
	peer relations	memory	written expres	sionc	lasswork completi	on
		motor skills	attention		omework	
	self esteem		distractibility	-	lestructiveness	
disruptive behavior		receptive language			nconsistent perfor	mance
	expressive language _					
motivation		reading	spelling		handwriting	
parent/child discord		sibling discord			suicidal thought	\$
ability to perform in non		Other				
Has your child had ed	Result					
					WALL TO THE PARTY OF THE PARTY	
Does your child have	any other known co	onditions that aff	ect his/her learn	ing?		
Completed by		Dal	lationshin		Data	

Today's Date: _____ Date of Birth: ______ Parent's Name: _____ Parent's Phone Number: _____ Directions: Each rating should be considered in the context of what is appropriate for the age of your child. When completing this form, please think about your child's behaviors in the past 6 months.

☐ was on medication ☐ was not on medication ☐ not sure?

NICHQ Vanderbilt Assessment Scale—PARENT Informant

Symptoms	Never	Occasionally	Often	Very Often
Does not pay attention to details or makes careless mistakes with, for example, homework	0	1	2	3
2. Has difficulty keeping attention to what needs to be done	0	1	2	3
3. Does not seem to listen when spoken to directly	0	1	2	3
4. Does not follow through when given directions and fails to finish activities (not due to refusal or failure to understand)	0	1	2	3
5. Has difficulty organizing tasks and activities	0	1	2	3
6. Avoids, dislikes, or does not want to start tasks that require ongoing mental effort	0	1	2	3
7. Loses things necessary for tasks or activities (toys, assignments, pencils, or books)	0	1	2	3
8. Is easily distracted by noises or other stimuli	0	1	2	3
9. Is forgetful in daily activities	0	1	2	3
10. Fidgets with hands or feet or squirms in seat	0	1	2	3
11. Leaves seat when remaining seated is expected	0	1	2	3
12. Runs about or climbs too much when remaining seated is expected	0	1	2	3
13. Has difficulty playing or beginning quiet play activities	0	1	2	3
14. Is "on the go" or often acts as if "driven by a motor"	0	1	2	3
15. Talks too much	0	1	2	3
16. Blurts out answers before questions have been completed	0	1	2	3
17. Has difficulty waiting his or her turn	0	1	2	3
18. Interrupts or intrudes in on others' conversations and/or activities	0	1	2	3
19. Argues with adults	0	1	2	3
20. Loses temper	0	1	2	3
21. Actively defies or refuses to go along with adults' requests or rules	0	1	2	3
22. Deliberately annoys people	0	1	2	3
23. Blames others for his or her mistakes or misbehaviors	0	1	2	3
24. Is touchy or easily annoyed by others	0	1	2	3
25. Is angry or resentful	0	1	2	3
26. Is spiteful and wants to get even	0	1	2	3
27. Bullies, threatens, or intimidates others	0	1	2	3
28. Starts physical fights	0	1	2	3
29. Lies to get out of trouble or to avoid obligations (ie, "cons" others)	0	1	2	3
30. Is truant from school (skips school) without permission	0	1	2	3
31. Is physically cruel to people	0	1	2	3
32. Has stolen things that have value	0	1	2	3

The information contained in this publication should not be used as a substitute for the medical care and advice of your pediatrician. There may be variations in treatment that your pediatrician may recommend based on individual facts and circumstances.

Is this evaluation based on a time when the child

Copyright ©2002 American Academy of Pediatrics and National Initiative for Children's Healthcare Quality

Adapted from the Vanderbilt Rating Scales developed by Mark L. Wolraich, MD. Revised - 1102









NICHQ Vanderbilt Assessment Scale—PARENT Informant

Today's Date:	_ Child's Name:		Date of Birth:
Parent's Name:		Parent's Phone Number:	

Symptoms (continued)	Never	Occasionally	Often	Very Often
33. Deliberately destroys others' property	0	1	2	3
34. Has used a weapon that can cause serious harm (bat, knife, brick, gun)	0	1	2	3
35. Is physically cruel to animals	0	1	2	3
36. Has deliberately set fires to cause damage	0	1	2	3
37. Has broken into someone else's home, business, or car	0	1	2	3
38. Has stayed out at night without permission	0	1	2	3
39. Has run away from home overnight	0	1	2	3
40. Has forced someone into sexual activity	0	1	2	3
41. Is fearful, anxious, or worried	0	1	2	3
42. Is afraid to try new things for fear of making mistakes	0	1	2	3
43. Feels worthless or inferior	0	1	2	3
44. Blames self for problems, feels guilty	0	1	2	3
45. Feels lonely, unwanted, or unloved; complains that "no one loves him or her'	' 0	1	2	3
46. Is sad, unhappy, or depressed	0	1	2	3
47. Is self-conscious or easily embarrassed	0	1	2	3

				Somewhat	t
		Above		of a	
Performance	Excellent	Average	Average	Problem	Problematic
48. Overall school performance	1	2	3	4	5
49. Reading	1	2	3	4	5
50. Writing	1	2	3	4	5
51. Mathematics	1	2	3	4	5
52. Relationship with parents	1	2	3	4	5
53. Relationship with siblings	1	2	3	4	5
54. Relationship with peers	1	2	3	4	5
55. Participation in organized activities (eg, teams)	1	2	3	4	5

Comments:

For Office Use Only Total number of questions scored 2 or 3 in questions 1–9: Total number of questions scored 2 or 3 in questions 10–18: Total Symptom Score for questions 1–18: Total number of questions scored 2 or 3 in questions 19–26: Total number of questions scored 2 or 3 in questions 27–40: Total number of questions scored 2 or 3 in questions 41–47: Total number of questions scored 4 or 5 in questions 48–55: Average Performance Score:







D4	NICHQ Vanderbilt Assessment Scale—12/	ACHERI	ntormant		
Teacher's Na	me: Class Time:		Class Name/I	Period:	
Today's Date	: Child's Name:	_ Grade l	Level:		
	Each rating should be considered in the context of what is an and should reflect that child's behavior since the beginning weeks or months you have been able to evaluate the behavior	of the sc ors:	hool year. Please 	indicate t	the number of
Symptom	lation based on a time when the child \square was on medication.	on 🗌 w Never	as not on medica Occasionally	Often	very Often
	o give attention to details or makes careless mistakes in schoolwork	0	1	2	3
	fficulty sustaining attention to tasks or activities	0	1	2	3
	not seem to listen when spoken to directly	0	1	2	3
4. Does 1	not follow through on instructions and fails to finish schoolwork ue to oppositional behavior or failure to understand)	0	1	2	3
5. Has di	fficulty organizing tasks and activities	0	1	2	3
	s, dislikes, or is reluctant to engage in tasks that require sustained l effort	0	1	2	3
	things necessary for tasks or activities (school assignments, s, or books)	0	1	2	3
8. Is easi	y distracted by extraneous stimuli	0	1	2	3
9. Is forg	etful in daily activities	0	1	2	3
10. Fidget	s with hands or feet or squirms in seat	0	1	2	3
	seat in classroom or in other situations in which remaining is expected	0	1	2	3
	about or climbs excessively in situations in which remaining is expected	0	1	2	3
13. Has di	fficulty playing or engaging in leisure activities quietly	0	1	2	3
14. Is "on	the go" or often acts as if "driven by a motor"	0	1	2	3
15. Talks 6	excessively	0	1	2	3
16. Blurts	out answers before questions have been completed	0	1	2	3
17. Has di	fficulty waiting in line	0	1	2	3
18. Interru	upts or intrudes on others (eg, butts into conversations/games)	0	1	2	3
19. Loses	temper	0	1	2	3
20. Active	ly defies or refuses to comply with adult's requests or rules	0	1	2	3
21. Is ang	ry or resentful	0	1	2	3
22. Is spite	eful and vindictive	0	1	2	3
23. Bullies	s, threatens, or intimidates others	0	1	2	3
24. Initiat	es physical fights	0	1	2	3
25. Lies to	obtain goods for favors or to avoid obligations (eg, "cons" others)	0	1	2	3
26. Is phy:	sically cruel to people	0	1	2	3
27. Has st	olen items of nontrivial value	0	1	2	3
28. Delibe	rately destroys others' property	0	1	2	3
29. Is fear	ful, anxious, or worried	0	1	2	3
30. Is self-	conscious or easily embarrassed	0	1	2	3
31. Is afra	id to try new things for fear of making mistakes	0	1	2	3

The recommendations in this publication do not indicate an exclusive course of treatment or serve as a standard of medical care. Variations, taking into account individual circumstances, may be appropriate.

Copyright ©2002 American Academy of Pediatrics and National Initiative for Children's Healthcare Quality

Adapted from the Vanderbilt Rating Scales developed by Mark L. Wolraich, MD. Revised - 0303

American Academy of Pediatrics







D4 NICHQ Vanderbilt Assessment Sca	ale—TEACH	IER Inform	ant, continue	d	
Teacher's Name: Class T	e: Class Time: Class Name/Period:				
Today's Date: Child's Name:		Grade	Level:		
Symptoms (continued)		Never	Occasionally	Often	Very Often
32. Feels worthless or inferior		0	1	2	3
33. Blames self for problems; feels guilty		0	1	2	3
34. Feels lonely, unwanted, or unloved; complains that "no one	e loves him or	her" 0	1	2	3
35. Is sad, unhappy, or depressed		0	1	2	3
				Somewha	t
Performance Academic Performance	Excellent	Above	Avorago	of a	Problematic
	1	Average 2	Average 3	4	5
36. Reading 37. Mathematics	1	2	3	4	5
38. Written expression	1	2	3	4	5
56. Written expression	1			Somewhat	
		Above		of a	L .
Classroom Behavioral Performance	Excellent	Average	Average		Problematic
39. Relationship with peers	1	2	3	4	5
40. Following directions	1	2	3	4	5
41. Disrupting class	1	2	3	4	5
42. Assignment completion	1	2	3	4	5
43. Organizational skills	1	2	3	4	5
Comments:					
Please return this form to:					
Mailing address:					
Fax number:					
For Office Use Only					
Total number of questions scored 2 or 3 in questions 1–9:					
Total number of questions scored 2 or 3 in questions 10–18:					
Total Symptom Score for questions 1–18:					
Total number of questions scored 2 or 3 in questions 19–28:					
Total number of questions scored 2 or 3 in questions 29–35:					
Total number of questions scored 4 or 5 in questions 36–43:					
1 Total number of questions scored 4 of 3 in questions 30–43;					



Average Performance Score:_



