



FCC Part15, Subpart B ICES-003

TEST REPORT

For

LCD Monitor, Information Display

MODEL NUMBER: PN-L862B, PN-L862**, (*=0-9, A-Z, a-z or blank or other characters)

REPORT NUMBER: 4790155114.2-12

ISSUE DATE: January 04, 2022

Prepared for


Prepared by

UL Verification Services (Guangzhou) Co., Ltd, Song Shan Lake Branch

Building 10, Innovation Technology Park, No. 1, Li Bin Road, Song Shan Lake Hi-Tech Development Zone Dongguan, 523808, People's Republic of China

> Tel: +86 769 22038881 Fax: +86 769 33244054 Website: www.ul.com


The results reported herein have been performed in accordance with the laboratory's terms of accreditation. This report shall not be reproduced except in full without the written approval of the Laboratory. The results in this report apply to the test sample(s) mentioned above at the time of the testing period only and are not to be used to indicate applicability to other similar products.





Revision History

Rev.	Issue Date	Revisions	Revised By
V0	01/04/2021	Initial Issue	





Summary of Test Results							
Standard	Test Item	Limit	Result	Remark			
FCC Part15, Subpart B	Conducted Disturbance	Class A	PASS				
ANSI C63.4-2014	Radiated Disturbance below 1 GHz	Class A	PASS				
ICES-003 Issue 7	Radiated Disturbance above 1 GHz	Class A	PASS				

Note:

- (1) "N/A" denotes test is not applicable in this test report.
- (2) This test is only applicable for devices which can be charged or powered by AC power cable.
- (3) If the highest frequency of the internal sources of the EUT is less than 108 MHz, the measurement shall only be made up to 1 GHz. If the highest frequency of the internal sources of the EUT is between 108 MHz and 500 MHz, the measurement shall only be made up to 2 GHz. If the highest frequency of the internal sources of the EUT is between 500 MHz and 1 GHz, measurement shall only be made up to 5 GHz. If the highest frequency of the internal sources of the EUT is above 1 GHz, the measurement shall be made up to 5 times the highest frequency or 40 GHz, whichever is less.
- (4) This test report is only published to and used by the applicant, and it is not for evidence purpose in China.
- (5) The measurement result for the sample received is <Pass> according to < FCC Part15, Subpart B and ICES-003 Issue 7 > when <Accuracy Method> decision rule is applied.