



Nordson compatible

Heated hoses



OGAN Heating Hoses developed and produced for Nordson glue systems are produced from hi-tech components. OGAN Heating Hoses are highly flexible for manual hand gun and robotic applications and extra strengthened to prevent external and internal structural deformation which may occur from dynamic movements.

- 100% compliant with Nordson systems,
- High quality PTFE hose have a continuous working temperature of 260 C and a burst pressure of 4 times the working pressure,
- PTFE heavy-duty teflon internal structure is resistant to all solvents, acids and aggressive adhesives under high temperature operating conditions,
- Guarantees long lifetime when installed and used according to the instructions,
- Available with the ID 6 , 8 , 13 , 16 , 25 mm and any length between 0.4 m – 15 m.
- Available in Standard, High-Pressure and Water-Protected versions. Please refer to below tables.
- Can also be produced based on your specific requests.

Nordson Compatible Hoses for Automatic Applicator , RTD Style , 230V , 5/16"

Blue series : 6000 , Melter series 3000/3000V



Length	Nordson P/N	OGAN P/N
0.6 m	274790	NN-274790
1.2 m	274791	NN-274791
1.8 m	274792	NN-274792
2.4 m	274793	NN-274793
3.0 m	274794	NN-274794
3.6 m	274795	NN-274795
4.8 m	274796	NN-274796
6.0 m	223836	NN-223836

Nordson Compatible Hoses for Automatic Applicator , RTD Style , 230V , 5/16"

Hi-Flex Type. Blue series : 6000 , Melter series 3000/3000V



Length	Nordson P/N	OGAN P/N
1.2 m	107288	NN-107288
1.8 m	107286	NN-107286
2.4 m	107287	NN-107287
3.0 m	107289	NN-107289
3.6 m	107310	NN-107310
4.8 m	104008	NN-104008
6.0 m	223838	NN-223838
7.2 m	100832	NN-100832
9.1 m	170631	NN-170631

Nordson Compatible Heated Hoses for Automatic Applicator , RTD Style , 230V , 5/8”
Hi-Flex Type. Blue series : 6000 , Melter series 3000/3000V



Length	Nordson P/N	OGAN P/N
1.2 m	129575	NN-129575
1.8 m	129576	NN-129576
2.4 m	129577	NN-129577
3.0 m	129578	NN-129578
3.6 m	129580	NN-129580
4.8 m	129581	NN-129581
6.0 m	1010811	NN-1010811
7.2 m	1010813	NN-1010813
2.4 m	1123928	NN-1123928
3.6 m	1123929	NN-1123929
4.8 m	1123926	NN-1123926
9.1 m	150155	NN-150155
12.0 m	150152	NN-150152



Nordson Compatible , AD-31 Hand Gun Heated hoses

Length	Nordson P/N	OGAN P/N
2.4 m	133913	NN-133913
3.0 m	138927	NN-138927
3.6 m	1044277	NN-1044277
5.0 m	1044278	NN-1044278

Corrugated cover heated hoses for AD-31 Hand gun

Length	Nordson P/N	OGAN P/N
2.4 m	274798	NN-274798
3.0 m	115833	NN-115833
3.6 m	130785	NN-130785
5.0 m	274799	NN-274799
7.2 m	101354	NN-101354



Nordson Compatible , AD-41 Hand Gun Heated hoses

Length	Nordson P/N	OGAN P/N
2.4 m	325763	NN-325763
3.6 m	325764	NN-325764
5.0 m	325765	NN-325765
6.0 m	325766	NN-325766
7.2 m	325767	NN-325767

Water Wash (waterproof) OGAN heated hoses

Nordson Compatible Heated Hoses for Automatic Applicator , RTD Style, 230V, 5/16"



Length	Nordson P/N	OGAN P/N
0.6 m	274790	NN-274790
1.2 m	274791	NN-274791
	155183	NN-155183
1.8 m	274792	NN-274792
	155184	NN-155184
2.4 m	274793	NN-274793
	155185	NN-155185
3.0 m	274794	NN-274794
	155136	NN-155136
3.6 m	274795	NN-274795
	155187	NN-155187
5.0 m	274796	NN-274796
	155188	NN-155188
6.0 m	223836	NN-223836
	223839	NN-223839
7.2 m	274797	NN-274797
	155189	NN-155189

Nordson Compatible Heated Transfer Hoses for 5000 Series ,

BM 20/BM 200 Drum Melters



Length	Nordson P/N	OGAN P/N
5/16" 5.0 m	160263	NN-160263
7.4 m	160264	NN-160264
9.1 m	160265	NN-160265
5/8" 3.5 m	276942	NN-276942
5.0 m	276943	NN-276943
7.4 m	276944	NN-276944
9.1 m	276945	NN-276945
1 1/8" 3.0 m	100704	NN-100704
5.0 m	100705	NN-100705
7.4 m	304559	NN-304559

Automatic Applicator Heated Hoses for 5000 Series BM 20/ BM 200 Drum Melters



Length		Nordson P/N	OGAN P/N
5/16"	3.0 m	276946	NN-276946
	5.0 m	276947	NN-276947
	7.2 m	276948	NN-276948
	9.1 m	276949	NN-276949
5/8"	3.0 m	276934	NN-276934
	5.0 m	276935	NN-276935
	7.2 m	276936	NN-276936
	9.1 m	276937	NN-276937
1 1/8"	3.0 m	100706	NN-100706
	5.0 m	100707	NN-100707

Hand Gun Heated Hoses for 5000 Series BM 20/ BM 200 Drum Melters



Length		Nordson P/N	OGAN P/N
5/16"	3.0 m	276950	NN-276950
	5.0 m	276951	NN-276951
	7.2 m	276952	NN-276952
	9.1 m	276953	NN-276953
5/8"	3.0 m	276938	NN-276938
	5.0 m	276939	NN-276939
	7.2 m	276940	NN-276940
	9.1 m	276941	NN-276941
5/16"	3.0 m	120958	NN-120958
	5.0 m	120959	NN-120959

Nordson HM2000 Series Heated Hoses



Length	Nordson P/N	OGAN P/N
0.6 m	272863	NN-272863
1.2 m	272838	NN-272838
1.8 m	272839	NN-272839
2.4 m	272840	NN-272840
3.0 m	272841	NN-272841
3.6 m	808570	NN-808570
4.8 m	273624	NN-273624
7.2 m	276228	NN-276228

Nordson Compatible , RTD Control e.dot Type OGAN Heated Hoses



Length	Nordson P/N	OGAN P/N
2.0 m	1040295	NN-1040295
2.5 m	1056635	NN-1056635
3.5 m	1040296	NN-1040296
5.0 m	1040297	NN-1040297

Nordson Compatible High Pressure Series (400 bar)

Length	Nordson P/N	OGAN P/N
1.8 m	1088831	NN-1088831
3.0 m	1090794	NN-1090794
3.0 m	1081480	NN-1081480
4.8 m	1081482	NN-1081482
7.3 m	1081483	NN-1081483

Nordson LS10E Per-Melter Compatible OGAN Heated Hoses



Length	Nordson P/N	OGAN P/N
1.8 m	1014196	NN-1014196
2.4 m	1014197	NN-1014197
3.0 m	1014198	NN-1014198

Nordson MX Melter Series Compatible Heated Hoses for Automatic Applicator

TC-8 Series , PT100 Control



Length	Meltex	Nordson P/N	OGAN P/N
1.2 m	TC-12-8 PT100	222797	NN-222797
1.8 m	TC-18-8 PT100	222813	NN-222813
2.4 m	TC-24-8 PT100	222777	NN-222777
3.0 m	TC-30-8 PT100	222778	NN-222778
4.0 m	TC-40-8 PT100	222779	NN-222779
5.0 m	TC-50-8 PT100	222780	NN-222780
6.0 m	TC-60-8 PT100	222781	NN-222781
7.0 m	TC-70-8 PT100	222782	NN-222782
7.4 m	TC-74-8 PT100	222783	NN-222783
8.0 m	TC-80-8 PT100	222784	NN-222784
9.0 m	TC-90-8 PT100	222799	NN-222799
10.0 m	TC-100-8 PT100	222800	NN-222800
11.0 m	TC-110-8 PT100	222823	NN-222823
12.0 m	TC-120-8 PT100	222824	NN-222824
13.0 m	TC-130-8 PT100	222825	NN-222825

Nordson MX Melter Series Compatible Heated Hoses for Automatic Applicator

TC-8 Series Feko (J) Control



Length	Meltex	Nordson P/N	OGAN P/N
1.2 m	TC-12-8 Fe-CuNi	222771	NN-222771
1.8 m	TC-18-8 Fe-CuNi	149102	NN-149102
2.4 m	TC-24-8 Fe-CuNi	149103	NN-149103
3.0 m	TC-30-8 Fe-CuNi	149104	NN-149104
4.0 m	TC-40-8 Fe-CuNi	149105	NN-149105
5.0 m	TC-50-8 Fe-CuNi	149106	NN-149106
6.0 m	TC-60-8 Fe-CuNi	149107	NN-149107
7.0 m	TC-70-8 Fe-CuNi	222772	NN-222772
7.4 m	TC-74-8 Fe-CuNi	222773	NN-222773
8.0 m	TC-80-8 Fe-CuNi	222774	NN-222774
9.0 m	TC-90-8 Fe-CuNi	222775	NN-222775
10.0 m	TC-100-8 Fe-CuNi	222776	NN-222776
11.0 m	TC-110-8 Fe-CuNi	222820	NN-222820
12.0 m	TC-120-8 Fe-CuNi	222821	NN-222821
13.0 m	TC-130-8 Fe-CuNi	222822	NN-222822

Nordson MX Melter Series Compatible Heated Hoses for Automatic Applicator

TC-13 PT100 Control



Length	Meltex	Nordson P/N	OGAN P/N
1.2 m	TC-12-13 PT100	222785	NN-222785
1.8 m	TC-18-13 PT100	222786	NN-222786
2.4 m	TC-24-13 PT100	222787	NN-222787
3.0 m	TC-30-13 PT100	222788	NN-222788
4.0 m	TC-40-13 PT100	222789	NN-222789
5.0 m	TC-50-13 PT100	222790	NN-222790
6.0 m	TC-60-13 PT100	222791	NN-222791
7.0 m	TC-70-13 PT100	222792	NN-222792
7.4 m	TC-74-13 PT100	222793	NN-222793
8.0 m	TC-80-13 PT100	222794	NN-222794
9.0 m	TC-90-13 PT100	222795	NN-222795
10.0 m	TC-100-13 PT100	222796	NN-222796
11.0 m	TC-110-13 PT100	222817	NN-222817
12.0 m	TC-120-13 PT100	222818	NN-222818
13.0 m	TC-130-13 PT100	222819	NN-222819


Nordson MX Melter Series Compatible Heated Hoses for Automatic Applicator

TC-13 Series Feko (J) Control



Length	Meltex	Nordson P/N	OGAN P/N
1.2 m	TC-12-13 Fe-CuNi	222801	NN-222801
1.8 m	TC-18-13 Fe-CuNi	222802	NN-222802
2.4 m	TC-24-13 Fe-CuNi	222803	NN-222803
3.0 m	TC-30-13 Fe-CuNi	222804	NN-222804
4.0 m	TC-40-13 Fe-CuNi	222805	NN-222805
5.0 m	TC-50-13 Fe-CuNi	222806	NN-222806
6.0 m	TC-60-13 Fe-CuNi	222807	NN-222807
7.0 m	TC-70-13 Fe-CuNi	222808	NN-222808
7.4 m	TC-74-13 Fe-CuNi	222809	NN-222809
8.0 m	TC-80-13 Fe-CuNi	222810	NN-222810
9.0 m	TC-90-13 Fe-CuNi	222811	NN-222811
10.0 m	TC-100-13 Fe-CuNi	222812	NN-222812
11.0 m	TC-110-13 Fe-CuNi	222814	NN-222814
12.0 m	TC-120-13 Fe-CuNi	222815	NN-222815
13.0 m	TC-130-13 Fe-CuNi	222816	NN-222816


VersaBlue Series Compatible High Temperature Hoses , PT100 Control



Length	VersaBlue	Nordson P/N	OGAN P/N
1.2 m	TC 12-08-HT	1040712	NN-1040712
1.8 m	TC 18-08-HT	1040713	NN-1040713
2.4 m	TC 24-08-HT	1040714	NN-1040714
3.0 m	TC 30-08-HT	1040715	NN-1040715
4.0 m	TC 40-08-HT	1040716	NN-1040716
5.0 m	TC 50-08-HT	1040717	NN-1040717
6.0 m	TC 60-08-HT	1040718	NN-1040718
8.0 m	TC 80-08-HT	1040719	NN-1040719
1.8 m	TC 18-16-HT	1040720	NN-1040720
2.4 m	TC 24-16-HT	1040721	NN-1040721
3.0 m	TC 30-16-HT	1040722	NN-1040722
4.0 m	TC 40-16-HT	1040723	NN-1040723
5.0 m	TC 50-16-HT	1040724	NN-1040724
6.0 m	TC 60-16-HT	1040725	NN-1040725

Nordson Compatible Heated Hoses for Extruder Systems PC Type


- Extremely robust and flexible design hoses / High temperature version up to 300 bar / Highest safety
- High temperature PTFE hose up to 250 C / PTFE insulation heating wires / PT100 or Fe-CuNi sensors
- Other special versions on request



Length	PC Type	Nordson P/N	OGAN P/N
1.2 m	PC 12-08-PT-H	7052360	NN-7052360
1.8 m	PC 18-08-PT-H	7052197	NN-7052197
2.4 m	PC 24-08-PT-H	7050155	NN-7050155
3.0 m	PC 30-08-PT-H	7052382	NN-7052382
4.0 m	PC 40-08-PT-H	7504182	NN-7504182
5.0 m	PC 50-08-PT-H	7500888	NN-7500888
1.2 m	PC J 12-13-PT-H	7052056	NN-7052056
1.3 m	PC 13-13-PT-H-K	7052650	NN-7052650
1.8 m	PC 18-13-PT-H-K	7504183	NN-7504183
1.8 m	PC 18-13-PT-H	7504298	NN-7504298
2.0 m	PC 20-13-PT-H-K	7052791	NN-7052791
2.4 m	PC 24-13-PT-H-K	7052359	NN-7052359
2.4 m	PC 24-13-PT-H	7050153	NN-7050153
3.0 m	PC 30-13-PT-H	7050216	NN-7050216
4.0 m	PC 40-13-PT-H	7050176	NN-7050176
2.4 m	PC 24-16-PT-H	7050233	NN-7050233
9.0 m	PC 90-20-PT-H-K	7500717	NN-7500717

Nordson Compatible Heated Hoses for Extruder Systems PC Type

- Extremely robust and flexible design hoses / High temperature version up to 300 bar / Highest safety
- High temperature PTFE hose up to 250 C / PTFE insulation heating wires / PT100 or Fe-CuNi sensors
- Other special versions on request



Length	PC Type	Nordson P/N	OGAN P/N
1.2 m	PC J 12-08-FE-H	7501231	NN-7501231
1.5 m	PC 15-08-FE-H	7052662	NN-7052662
1.8 m	PC 18-08-FE-H	7050021	NN-7050021
1.8 m	PC J 18-08-FE-H	7501222	NN-7501222
2.4 m	PC 24-08-FE-H	7500885	NN-7500885
2.4 m	PC 24-08-FE-H-K	7501183	NN-7501183
2.4 m	PC J 24-08-FE-H	7501226	NN-7501226
3.0 m	PC 30-08-FE-H	7501180	NN-7501180
3.0 m	PC J 30-08-FE-H	7501227	NN-7501227
3.6 m	PC 36-08-FE-H	7053265	NN-7053265
4.0 m	PC J 40-08-FE-H	7052064	NN-7052064
4.0 m	PC 40-08-FE-H	7501186	NN-7501186
5.0 m	PC 50-08-FE-H	7500884	NN-7500884
6.0 m	PC 60-08-FE-H	7052528	NN-7052528

Length	PC Type	Nordson P/N	OGAN P/N
1.0 m	PC 10-13-FE-H	7053247	NN-7053247
1.2 m	PC 12-13-FE-H-3	7052858	NN-7052858
1.2 m	PC J 12-13-FE-H	7052055	NN-7052055
1.2 m	PC 12-13-FE-H-K	7501187	NN-7501187
1.8 m	PC 18-13-FE-H-K	7053270	NN-7053270
2.4 m	PC 24-13-FE-H-K	7053279	NN-7053279
2.4 m	PC 24-13-FE-H	7050235	NN-7050235
3.0 m	PC 30-13-FE-H	7050236	NN-7050236
3.0 m	PC J 30-13-FE-H	7050228	NN-7050228
4.0 m	PC J 40-13-FE-H	7052075	NN-7052075
4.0 m	PC 40-13-FE-H	7501185	NN-7501185
5.0 m	PC 50-13-FE-H	7501184	NN-7501184
6.0 m	PC J 60-13-FE-H	7052132	NN-7052132

Length	PC Type	Nordson P/N	OGAN P/N
1.2 m	PC 12-20-FE-K-H-3	7052535	NN-7052535
1.8 m	PC 18-20-FE-H	7052525	NN-7052525
2.4 m	PC 24-20-FE-H	7052613	NN-7052613
2.4 m	PC 24-20-FE-K-H-3	7052534	NN-7052534
3.0 m	PC 30-20-FE-H-K	7052497	NN-7052497
6.0 m	PC 60-20-FE-H	7052498	NN-7052498
6.0 m	PC 18-20-FE-H-K	7052753	NN-7052753
7.0 m	PC 70-20-FE-H	7501188	NN-7501188

Nordson MX Melter Series Compatible Heated Hoses for Automatic Applicator

With air hose and additional connection socket.

Length	Meltex	Nordson P/N	OGAN P/N
2.4 m	TC 24-8-LB-PT	283585	NN-283585
2.4 m	TC 24-8-LB	259030	NN-259030
4.0 m	TC 40-8-LB	258665	NN-258665
5.0 m	TC 50-8-LB	258584	NN-258584
6.0 m	TC 60-8-LB-PT	285439	NN-285439
7.0 m	TC 70-8-LB	265014	NN-265014
7.4 m	TC 74-8-LB	291746	NN-291746
8.0 m	TC 80-8-LB	263002	NN-263002
9.0 m	TC 90-8-LB	267768	NN-267768
10.0 m	TC 100-8-LB	263001	NN-263001
12.0 m	TC 120-8-LB	250000	NN-250000
3.0 m	TC 30-13-LB	263995	NN-263995

