

# WARNING: This product contains nicotine. Nicotine is an addictive chemical.

VAPOR<sup>TM</sup>  
EFX

## HOW TO USE

Micelle Nicotine, NanoMist Spray  
Inhaler Aerosol



1. Holding the VaporEFX™ device upright, turn the cap clockwise on the base to unlock the child-resistant cap. You will notice two faint arrows on the cap and base that will align, letting you know that the cap is in the ready to remove position. Remove the cap.
2. Bring the Vapor Inhaler device to your mouth; place your mouth around the actuator mouthpiece and press firmly down on the spray actuator to release the Vapor NanoMist™ and inhale simultaneously. Be certain to only actuate the Vapor device into your mouth and always avoid direct contact with your eyes.
3. Repeat this process based on your desired amount of nicotine. Please note that each VaporEFX spray delivers a precise, metered amount of micelle nicotine (.125 mg or .25 mg). Repeat as desired.
4. For best results, and greater nicotine absorption, wait approximately one-minute before swallowing. Most users find that the NanoMist spray is quickly absorbed into the mucosal lining of your mouth.
5. Users may notice a cloud like Vapor when spraying the NanoMist into their mouth. This is a normal, thermal reaction that takes place when your body temperature is warmer than the colder temperature of the NanoMist spray propellant.
6. To secure and lock the cap, place the cap back onto the base with the arrows aligned. Turn the cap counterclockwise, less than a half of a turn, until you hear or feel a click. The cap is now secured and locked.

For Additional Product Information, Please Contact:

E: [Info@Air2Vapor.com](mailto:Info@Air2Vapor.com)  
O: (303) 736-2874