KEY SURGICAL®

Instrument cleaning, processing, and procedural solutions

INSTRUMENT REPROCESSING | OPERATING THEATRE | ENDOSCOPE CARE

STERIS







TABLE OF CONTENTS

- 000 – Procedural Support
- 014 – Instrument Cleaning and Maintenance
- 064 – Wraps and Liners
- 082 – Instrument Protection
- 098 – Tags
- 130 – Trays and Accessories
- 156 – Container Accessories
- 184 – Instrument Identification
- 230 – Quality Monitoring and Assurance
- 238 – Documentation
- 266 – CSSD Equipment

PLACING ORDERS AND PRODUCT ADVICE

If you require advice or wish to place an order, please contact your STERIS representative.

PROCEDURAL SUPPORT

Key Surgical products for Procedural Support are designed to help improve a wide range of procedures in the theatre. Our newest product for electrosurgery procedures is Electro Lube. During electrocauterization, eschar build up is common and constant removal of the buildup and handbacks can result in longer procedure times as well as reduced performance of the instrumentation. Electro Lube is a patented anti-stick solution that is used to coat the working end of the instrument which helps keep build up at bay and the instrument from charring.

Anti-Fog from Key Surgical is a perfect solution to help reduce condensation and fog on your laparoscopic and arthroscopic lens. Other products such as skin markers, cautery tip cleaner, burr brushes, magnetic mat and drapes, and scrub brushes are also available.

Electro Lube

Anti-Fog

Skin Markers

Cautery Tip Cleaner

Burr Brushes

Magnetic Mat and Drapes

Scrub Brushes



1 dispense pouch contents onto sterile field

2 remove paper backing from foam pad and place foam pad onto sterile drape. Note: The foam pad includes a barium filament for radiopacity



3 remove cap and apply Electro Lube onto foam pad or dip electrode tip into bottle

4 wipe electrode tip on foam pad to leave a thin film. Repeat as needed.

ELECTRO LUBE®

An anti-stick solution designed to be used on electrosurgical instrumentation to prevent tissue sticking during the procedure. Also helps protect the instrument from charring. Sterile. Single use.

		REF	Description	Qty
*Top	A	EL101	4ml bottle, foam pad	20 pcs

ANTI-FOG®

Don't let fog affect your sight during a laparoscopic procedure. Anti-Fog is designed to help reduce condensation and fog on your laparoscopic and arthroscopic lens. The answer to a fog-free procedure has never been clearer.

	REF	Description	Qty
*Top A	AF200	6ml anti-fog solution, incl. 50 x 50mm foam pad	20 pcs



Procedural Support – Surgical Skin Markers

SURGICAL SKIN MARKERS

For marking intact skin prior to a procedure. Non-irritating gentian violet ink (non-toxic, antiseptic dye). Packaged sterile. Includes 6 sterile labels and a 15cm ruler. Sterile. Single use.

		REF	Description	Qty
*Top	A	SM100	standard, 1mm tip, 6 sterile labels, 15cm ruler	50 box
*Top	B	SM200	fine, 0.5mm tip, 6 sterile labels, 15cm ruler	50 box
*Top	C	SM300	double ended, 0.5 and 1mm tip, 6 sterile labels, 15cm ruler	50 box

A



B

C

INSTRUMENTS NOT INCLUDED

Procedural Support – Magnetic Instrument Mats and Drapes

MAGNETIC INSTRUMENT MAT AND DRAPES

Key Surgical reusable magnetic mat provides a safe transfer zone for surgical sharps during procedures. Fluid-resistant material with raised magnetic pods holds stainless steel instruments in place during transfer between staff. Packaged non-sterile.

Key Surgical single-use magnetic drapes provide a safe transfer zone for surgical sharps during procedures. Fluid-resistant material with raised magnetic pods holds stainless steel instruments in place during transfer between staff. Packaged sterile.

		REF	Description	Color	Size	Qty
*Top	A	MG300400R	reusable magnetic mat	green	300 x 400mm	3 pcs
	B	MG250400	single use magnetic drape	blue	250 x 400mm	30 pcs
	C	MG115076	single use magnetic drape	blue	115 x 76mm	50 pcs

Procedural Support – Burr Cleaning Brushes and Cautery Tip Cleaner

BURR CLEANING BRUSHES

Specially designed for cleaning burrs, rasps, files, and saws. Sturdy plastic handle with stainless steel wire bristles. Non-sterile. Single use.

		REF	Description	Size	Qty
	A	BR101050	round burr, stainless steel bristles	63.5mm	50 pc
	B	BR103150	single row, stainless steel bristles	165mm	50 pc
*Top	C	BR103350	three rows, stainless steel bristles	165mm	50 pc

CAUTERY TIP CLEANER

Assists in removing material from electrosurgical blades, pencil tips and/or mono-polar, and bi-polar cautery probes during surgery. Foam pad with abrasive surface features adhesive backing for secure, universal placement. Radiopaque. Packaged sterile. Single use.

		REF	Description	Color	Width	Length	Qty
*Top	D	TC200	foam pad with black abrasive surface	blue	50mm	50mm	100 pcs

Procedural Support – Scrub Brushes and Safety Pins

A

B
C

D

HAND AND NAIL BRUSHES

Scrub brushes with a molded block handle to provide secure grip when wet.

	REF	Description	Qty
A	BR4300	medium textured bristles	12 pcs
B	BR4310	hard textured bristles	12 pcs
C	BR4320	medium textured bristles	12 pcs
	BR4200	fine and stiff bristles	1 pcs
*Top D	09391	scrub brush with sponge	40 pcs

SAFETY PINS

Key Surgical safety pins are made of stainless steel and are available in lengths of 25, 38, and 50mm. They are packaged into pairs. Sterile.

	REF	Length	Qty
E	06007	25mm	100 pcs
	06008	38mm	100 pcs
	06009	50mm	100 pcs

E

INSTRUMENT CLEANING & MAINTENANCE

The Key Surgical Instrument Cleaning line is designed to provide you with the tools needed to clean your surgical instruments.

With bristles available in nylon or stainless steel, we also provide an incredible variety of lengths and diameters to fit your needs.

For organization of your cleaning brushes, our brush organizer is perfect for hanging in the department. Our stainless steel organizer is easy to keep clean and helps your team choose the right brush in a more efficient manner.

With our vast assortment of brushes - from channel cleaning to endoscope cleaning to sterilizer cleaning - we can help you match the right brush to the right cleaning task at hand.

Toothbrush-Style Brushes

Sterilizer Cleaning Brushes

Channel Cleaning Brushes

Pipe Cleaners

Endoscope Brush

Cleaning Products

Preparation Aids

Instrument Cleaning & Maintenance -Toothbrush-Style Brushes

TOOTHBRUSH-STYLE CLEANING BRUSHES

Key Surgical® toothbrush-style brushes are ideal for cleaning the outside of the surfaces of instruments before automated disinfection and sterilization. Regardless of the stubbornness of the soiling of your instruments to be cleaned, you are sure to find the right solution thanks to the varying degrees of hardness, sizes, and shapes of the brushes. Even coagulated blood residues can be easily removed due to specially developed nylon bristles. Key Surgical specialized brushes are also suitable for cleaning pan burrs and removing residues in the joints of needle holders and scissors.

TOOTHBRUSH-STYLE CLEANING BRUSHES

		REF	Description	Brush head length (mm)	Bristle length (mm)	Working length (mm)	Qty
	A	09320	plastic bristles for stubborn contamination - extra hard	30/45	12/12	165	10 pcs
	B	09325	stainless steel bristles for stubborn contamination - extra hard	40	15	180	1 pc
*Top		S210050	stainless steel, three rows				50 pcs
	C	09459	plastic bristles for stubborn contamination - extra hard	40/30	10/10	175	2 pcs
		N222150	extra rigid nylon, double-ended, three rows/one row				50 pcs
	D	09478	plastic bristles - soft	75	15	215	1 pc
*Top	E	09485	plastic bristles for stubborn contamination, angled handle - hard	75	15	235	2 pcs
*Top	F	N2200	extra rigid nylon, angled handle				2 pcs
	G	26491	plastic bristles - medium soft	75	15	215	1 pc
*Top	H	26492	plastic bristles - hard	75	15	215	1 pc
		09488	plastic bristles	40	15	180	1 pc
		N210050	nylon, three rows				50 pcs

Instrument Cleaning & Maintenance -Toothbrush-Style Brushes

A

B

C

D

E

F

TOOTHBRUSH-STYLE CLEANING BRUSHES

Brushes with nylon or stainless steel bristles on a sturdy, plastic handle. Designed for external cleaning.

		REF	Description	Bristle length (mm)	Working length (mm)	Qty
	A	N3000	made of nylon	9.5	178	1 pc
*Top	B	N4000	made of nylon	9.5	184	1 pc
*Top	C	N212150	nylon, double-ended, three rows/one row	10/5	175	50 pcs
	D	09098	hard nylon bristles	10/5	175	2 pcs
	E	S212150	stainless steel, double-ended, three rows/one row	40	177	50 pcs

CLEANING BRUSH

	REF	Description	Bristle length (mm)	Brush head length (mm)	Working length (mm)	Qty
F	BR5450	brush bristles made of nylon, stainless steel wire	13/25	50/82	300	1 pc

Instrument Cleaning & Maintenance - Sterilizer Cleaning Brushes

A

B

C

D

STERILIZER CLEANING BRUSHES

Nylon bristles on twisted stainless steel handle with rosebud tip or on a sturdy plastic handle.

	REF	Description	Format Ø (mm)	Length (mm)	Qty
A	BR5455	finger loop brush, made of nylon	25 x 270	267	1 pc
B	BR5500	sterilizer cleaning brush, made of nylon with a plastic handle	35 x 710	710	1 pc
C	BR4000	with nylon bristles, plastic handle	41 x 200	410	1 pc
D	BR5000	sterilizer cleaning brush, made of polyester	152 x 127	800	1 pc

Instrument Cleaning & Maintenance - Channel Cleaning Brushes

H



A



B



C

D

E

F

G

CHANNEL CLEANING BRUSHES

Nylon bristles, twisted stainless steel wire.

	REF	Color	Ø (mm)	Brush head length (mm)	Working length (mm)	Qty
A	09095	-	1	13	450	2 pcs
B	09319	-	1.8	13	450	2 pcs
C	45906	white	1.6	22	215	3 pcs
D	45908	black	2	21	215	3 pcs
E	45910	bright pink	2.5	21	215	3 pcs
F	45912	orange	3	18	215	3 pcs
G	45914	blue	4	19	215	3 pcs
H	BR0808750		2.2	13	200	50 pcs



BRUSH TIP DETAILS SHOWN ACTUAL SIZE

Instrument Cleaning & Maintenance - Channel Cleaning Brushes

CHANNEL CLEANING BRUSHES

Channel cleaning brushes featuring nylon bristles on a twisted stainless steel handle with loop end.

	REF	Ø (mm)	Brush head length (mm)	Working length (mm)	Qty
A	BR0603950	1	6.35	152	50 pcs
B	BR0803950	1	12.7	203.2	50 pcs
	BR1803950	1	6.35	457	50 pcs
C	BR0606250	1.58	12.7	152	50 pcs
	BR1806250	1.58	12.7	457	50 pcs
D	BR0807050	1.77	12.7	203.2	50 pcs
	BR1807050	1.77	12.7	457	50 pcs
	BR2407050	1.77	12.7	609.6	50 pcs
E	BR0607950	2	12.7	152	50 pcs
F	BR0807950	2	19.05	203.2	50 pcs
	BR1207950	2	19.05	305	50 pcs
G	BR2408050	2	25.4	609.6	50 pcs
H	BR0808750	2.2	12.7	203.2	50 pcs
	BR1808750	2.2	12.7	457	50 pcs
I	BR0809250	2.3	12.7	203.2	50 pcs
J	BR2409850	2.49	12.7	609.6	50 pcs
K	BR0810550	2.67	25.4	203.2	50 pcs
	BR1810550	2.67	25.4	457	50 pcs
L	BR0811850	3	38.1	203.2	50 pcs
M	BR1211850	3	69.85	305	50 pcs



BRUSH TIP DETAILS SHOWN ACTUAL SIZE

Instrument Cleaning & Maintenance - Channel Cleaning Brushes

CHANNEL CLEANING BRUSHES

Channel cleaning brushes featuring nylon bristles on a twisted stainless steel handle with loop end.

		REF	Ø (mm)	Brush head length (mm)	Working length (mm)	Qty
*Top	A	BR1812550	3.18	50.8	457	50 pcs
	B	BR0813150	3.3	19.05	203.2	50 pcs
	C	BR0814450	3.66	19.05	203.2	50 pcs
	D	BR0815850	4	19.05	203.2	50 pcs
*Top		BR1215850	4	19.05	305	50 pcs
		BR1815850	4	19.05	457	50 pcs
	E	BR1219750	5	76.2	305	50 pcs
		BR1619750	5	76.2	406	50 pcs
		BR1819750	5	76.2	457	50 pcs
		BR2419750	5	76.2	609.6	50 pcs
	F	BR2420050	5.08	50.8	609.6	50 pcs
	G	BR1223650	6	50.8	305	50 pcs
		BR1623650	6	50.8	406	50 pcs
		BR2423650	6	50.8	609.6	50 pcs





BRUSH TIP DETAILS SHOWN ACTUAL SIZE

CHANNEL CLEANING BRUSHES

Channel cleaning brushes featuring antimicrobial nylon bristles on a twisted stainless steel handle with loop end.

		REF	Ø (mm)	Brush head length (mm)	Working length (mm)	Qty
	A	BR0625050	6.35	50.8	152	50 pcs
		BR0825050	6.35	50.8	203.2	50 pcs
*Top		BR1825050	6.35	50.8	457	50 pcs
	B	BR1627650	7	76.2	406	50 pcs
		BR2427650	7	76.2	609.6	50 pcs
	C	BR2431250	7.9	76.2	609.6	50 pcs
	D	BR0637550	9.5	38.1	152	50 pcs
	E	BR2437550	9.5	76.2	609.6	50 pcs
	F	BR1639350	10	76.2	406	50 pcs
		BR1839350	10	76.2	457	50 pcs
		BR2439350	10	76.2	609.6	50 pcs
	G	BR2442550	10.8	76.2	609.6	50 pcs

BRUSH TIP DETAILS SHOWN ACTUAL SIZE

CHANNEL CLEANING BRUSHES

Channel cleaning brushes featuring nylon bristles on a twisted stainless steel handle with loop end.

	REF	Ø (mm)	Brush head length (mm)	Working length (mm)	Qty
A	BR0844050	11.18	76.2	203.2	50 pcs
	BR2444050	11.18	76.2	609.6	50 pcs
B	BR1644350	11.25	76.2	406	50 pcs
	BR2444350	11.25	76.2	609.6	50 pcs
C	BR1647250	12	76.2	406	50 pcs
D	BR0650050	12.7	50.8	152	50 pcs
E	BR1659150	15	50.8	406	50 pcs
	BR1859150	15	50.8	457	50 pcs

Instrument Cleaning & Maintenance - Channel Cleaning Brushes

BRUSH TIP DETAILS SHOWN ACTUAL SIZE

CHANNEL CLEANING BRUSHES

Channel cleaning brushes featuring nylon bristles on a twisted stainless steel handle with loop end.

	REF	Ø (mm)	Brush head length (mm)	Working length (mm)	Qty
A	BR0863050	16	50.8	203	50 pcs
B	BR1678750	20	50.8	406	50 pcs
C	BR1888050	22.35	88.9	457	50 pcs
D	BR2488050	22.35	107.95	609.6	50 pcs

Instrument Cleaning & Maintenance - Channel Cleaning Brushes



CHANNEL CLEANING BRUSHES

Channel cleaning brushes featuring nylon bristles on a twisted stainless steel handle with loop end (pull through style excluded).

	REF	Description	Ø (mm)	Brush head length (mm)	Working length (mm)	Qty
A	BR3044	nylon	0.5	6.35	76	10 pcs
B	BR3045	nylon	0.5	6.35	203.2	10 pcs
C	BR3047	nylon	0.9	12.7	101.6	10 pcs
D	BR412050	nylon, centered (pull through)	6.35 to 15.24	50.8	457.2	50 pcs
E	BR4140	nylon, centered (pull through)	12.7	76.2	609.6	6 pcs

(PULL THROUGH)

(PULL THROUGH)

BRUSH TIP DETAILS SHOWN ACTUAL SIZE



BRUSH TIP DETAILS SHOWN ACTUAL SIZE

Instrument Cleaning & Maintenance - Channel Cleaning Brushes

CHANNEL CLEANING BRUSHES

Channel cleaning brushes featuring nylon bristles on a twisted stainless steel handle with loop end.

	REF	Ø (mm)	Brush head length (mm)	Working length (mm)	Qty
A	BR0811850	3	38	200	50 pcs
B	BR1812550	3	51	450	50 pcs
C	BR0814450	3.7	19	203	50 pcs
D	BR1815850	4	19	450	50 pcs
E	BR2419750	5	76	610	50 pcs
F	BR1888050	22	108	450	50 pcs
G	BR2488050	22	108	610	50 pcs

Instrument Cleaning & Maintenance - Channel Cleaning Brushes



BRUSH TIP DETAILS SHOWN ACTUAL SIZE

CHANNEL CLEANING BRUSHES

Channel cleaning brushes featuring nylon bristles on a twisted stainless steel handle with loop end.

	REF	Ø (mm)	Brush head length (mm)	Working length (mm)	Qty
A	BR811050	9.5	25	95	50 pcs
B	BR8115	13	101	203	3 pcs
C	BR821050	4.8	13	178	50 pcs
D	BR8410	13	76	152	3 pcs

Instrument Cleaning & Maintenance - Cleaning Brushes



BRUSH TIP DETAILS SHOWN ACTUAL SIZE

CHANNEL CLEANING BRUSHES

Nylon bristles, twisted stainless steel wire and protective tip.

	REF	Description	Ø (mm)	Brush head length (mm)	Working length (mm)	Qty
A	09303	nozzle brush, made of nylon	10	45	140	5 pcs
B	09490	leaning brush for medullary reamer brush tip deburred, V2A wire	3	100	800	3 pcs
C	09491	for medullary reamers, V2A stainless wire tip with cap	7	100	800	3 pcs
D	09492	for medullary reamers, stainless steel wire (V2A), tip with end cap	5	100	800	3 pcs

PULL THROUGH

PULL THROUGH

BRUSH TIP DETAILS SHOWN ACTUAL SIZE

CHANNEL CLEANING BRUSHES

Nylon bristles, twisted stainless steel wire.

	REF	Description	Ø (mm)	Brush head length (mm)	Working length (mm)	Qty
A	09331	for rectoscopes	20	150	450	5 pcs
B	09366	front 90 mm without trim	0.6	8	450	5 pcs
C	09388	front 90 mm without trim	1.4	8	450	5 pcs
D	09338	with plastic handle, not suitable for washer-disinfectors	3.5	60	265	2 pcs



BRUSH TIP DETAILS SHOWN ACTUAL SIZE

Instrument Cleaning & Maintenance - Cleaning Brushes

CLEANING BRUSHES FOR MINIMALLY INVASIVE SURGICAL INSTRUMENTS

Nylon bristles, twisted stainless steel wire with protective tip.

		REF	Description	Ø (mm)	Brush length (mm)	Working length (mm)	Qty
	A	09050	nozzle brush, made of nylon	2.5	30	500	5 pcs
	B	09051	nozzle brush, made of nylon	7	80	350	5 pcs
*Top	C	09052	nozzle brush, made of nylon	4	100	300	5 pcs
*Top	D	09053	nozzle brush, made of nylon	6	100	300	5 pcs
*Top	E	09054	nozzle brush, made of nylon	8	100	300	5 pcs
	F	09055	nozzle brush, made of nylon	10	100	300	5 pcs
*Top	G	09056	nozzle brush, made of nylon	15	100	300	5 pcs
*Top	H	09059	nozzle brush, made of nylon	30	80	300	5 pcs
	I	09058	nozzle brush, made of nylon	7	50	405	5 pcs

GENERAL INSTRUMENT CLEANING BRUSH

With nylon bristles, non heat-resistant, not suitable for washer-disinfectors.

	REF	Description	Ø (mm)	Brush length (mm)	Working length (mm)	Qty
J	09064	double-sided	10/15	30/12-15	155	10 pcs



BRUSH TIP DETAILS SHOWN ACTUAL SIZE

Instrument Cleaning & Maintenance - Cleaning Brushes

CLEANING BRUSHES FOR MINIMALLY INVASIVE SURGICAL INSTRUMENTS

Nylon bristles, twisted stainless steel wire with protective tip (where applicable).

		REF	Ø (mm)	Brush length (mm)	Working length (mm)	Qty
	A	09308	2.5	50	300	5 pcs
*Top	B	09313	2.5	50	610	5 pcs
	C	09306	5	100	300	5 pcs
	D	09312	5	100	610	5 pcs
*Top	E	09311	7	100	610	5 pcs
	F	09316	7	100	650	5 pcs
	G	09068	10	100	500	5 pcs
*Top	H	09310	10	100	610	5 pcs
	I	09315	10	100	650	5 pcs
*Top	J	09309	12	100	610	5 pcs
	K	09314	12	100	650	5 pcs
*Top	L	09083	50	100	1400	5 pcs



BRUSH TIP DETAILS SHOWN ACTUAL SIZE

Instrument Cleaning & Maintenance - Cleaning Brushes

CLEANING BRUSHES FOR MINIMALLY INVASIVE SURGICAL INSTRUMENTS

Nylon bristles, twisted stainless steel wire with protective tip (where applicable).

	REF	Ø (mm)	Brush length (mm)	Working length (mm)	Qty
A	09339	2	100	300	5 pcs
B	09342	2	60	350	5 pcs
C	09340	2.5	100	300	5 pcs
D	09343	2.5	80	400	5 pcs
E	09341	3	100	300	5 pcs
F	09344	3	100	450	5 pcs
G	09335	3.5	100	250	5 pcs
H	09346	3.5	35	500	5 pcs
I	09345	4	100	500	5 pcs
J	09317	5	100	650	5 pcs
K	09318	5	80	405	5 pcs
L	09324	5	35	500	5 pcs
M	09336	5	100	250	5 pcs
N	09332	20	100	500	5 pcs
O	09334	40	60	500	5 pcs



Instrument Cleaning & Maintenance - Cleaning Brushes

CLEANING BRUSHES WITH FAN TIP

Channel cleaning brushes featuring a fan tip to assist with cleaning closed-end channels. Nylon bristles on a twisted stainless steel handle with loop end. Also available as a pack of 50.

	REF	Ø (mm)	Brush head length (mm)	Working length (mm)	Qty
A	FT12197	5	50	300	2 pcs
A	FT18197	5	50	460	2 pcs
A	FT24197	5	50	610	2 pcs
B	FT12250	6.4	50	300	2 pcs
B	FT18250	6.4	50	460	2 pcs
B	FT24250	6.4	50	610	2 pcs
C	FT12276	7	50	300	2 pcs
C	FT18276	7	50	460	2 pcs
C	FT24276	7	50	610	2 pcs
D	FT12375	9.5	76	300	2 pcs
D	FT18375	9.5	76	460	2 pcs
D	FT24375	9.5	76	610	2 pcs
E	FT12440	11	76	300	2 pcs
E	FT18440	11	76	460	2 pcs
E	FT24440	11	76	610	2 pcs

BONE REAMER BRUSHES

Channel cleaning brushes featuring nylon bristles on a rigid stainless steel handle with loop end.

	REF	Ø (mm)	Brush head length (mm)	Working length (mm)	Qty
F	BR31118	3	76	780	3 pcs
G	BR31197	5	76	780	3 pcs
H	BR31276	7	76	780	3 pcs

ACETABULAR REAMER BRUSH

Designed for cleaning acetabular bone reamer heads. Rigid with nylon bristles. Double-ended. Round pigtail style brush on one end, straight precision style brush on the other.

	REF	Ø (mm)	Brush head length (mm)	Working length (mm)	Qty
*Top I	26023	40	45	190	3 pcs
	N20003	40	45	190	3 pcs

Instrument Cleaning & Maintenance - Cleaning Brushes

PULL THROUGH

CLEANING BRUSHES FOR INSTRUMENT CAVITIES

Nylon bristles on a twisted stainless steel handle with loop end (pull through style excluded), and single use plastic shaft brushes.

	REF	Ø (mm)	Shaft diameter (mm)	Working length (mm)	Qty
A	26475	5 x 50	3.2	610	5 pcs
B	26476	7 x 50	3.2	610	5 pcs
C	26478	15 x 50	4	610	5 pcs
D	BR412050	6 15	NA	46	50 pcs
E	BR4140	13	NA	610	6 pcs



Instrument Cleaning & Maintenance - Cleaning Brushes

ACRYLIC TIP CLEANING BRUSHES

Channel cleaning brushes featuring a protective acrylic tip for an extra level of protection during cleaning. Nylon bristles on a flexible handle. No loop end.

	REF	Ø (mm)	Brush head length (mm)	Working length (mm)	Qty
A	AT12062	1.6	25	300	2 pcs
	AT18062	1.6	25	457	2 pcs
	AT24062	1.6	25	610	2 pcs
B	AT12087	2.2	25	300	2 pcs
C	AT18087	2.2	25	457	2 pcs
	AT24087	2.2	25	610	2 pcs
	AT12105	2.7	25	300	2 pcs
D	AT18105	2.7	25	457	2 pcs
	AT24105	2.7	25	610	2 pcs
E	AT12118	3	25	300	2 pcs
F	AT18118	3	25	457	2 pcs
G	AT24118	3	25	610	2 pcs
	AT12125	3.2	25	300	2 pcs
H	AT18125	3.2	25	457	2 pcs
	AT24125	3.2	25	610	2 pcs
	AT12131	3.3	25	300	2 pcs
I	AT18131	3.3	25	457	2 pcs
	AT24131	3.3	25	610	2 pcs
J	AT12158	4	38	300	2 pcs
K	AT18158	4	38	457	2 pcs
	AT24158	4	38	610	2 pcs
L	AT12197	5	51	300	2 pcs
M	AT18197	5	51	457	2 pcs
	AT24197	5	55	610	2 pcs
N	AT12250	6.4	51	300	2 pcs
	AT18250	6.4	51	457	2 pcs
	AT24250	6.4	55	610	2 pcs
O	AT12276	7	51	300	2 pcs
P	AT18276	7	51	457	2 pcs
	AT24276	7	55	610	2 pcs
Q	AT12375	9.5	76	300	2 pcs
	AT18375	9.5	76	457	2 pcs
	AT24375	9.5	76	610	2 pcs
R	AT12440	11	76	300	2 pcs
	AT18440	11	76	457	2 pcs
	AT24440	11	76	610	2 pcs

Instrument Cleaning & Maintenance – Pipe Cleaners

FLEXISTEM AND MICROCLENE

Flexistem and Microclene are unique cleaners for all small-bore cannula. Various diameters from 3mm to 15mm are available, constructed from very soft to hard bristles. Single use.
Flexistem FLEX007A and FLEX007B has a wavy bristle configuration to reduce buckling which can occur in long instruments.

FLEXISTEM

		REF	Type	Material	Ø (mm)	Length (cm)	Qty
	A	FLEX001	soft cleaner	cotton	3	1000	1 reel
		FLEX003	double ended	polyester/nylon	3	30	100 pcs
*Top	B	FLEX004	fleece	polyester	9	30	50 pcs
*Top	B	FLEX005	fleece	polyester	12	30	50 pcs
	C	FLEX006	bristle stem	polyester	15	30	20 pcs
	D	FLEX007	bristle stem	polyester/nylon	15	500	1 reel
		FLEX007A	bristle stem	polyester/nylon	15	500	1 reel
	E	FLEX033	fleece	polyester	3	30	50 pcs

MICROCLENE

	REF	Type	Material	Ø (mm)	Length (cm)	Qty
F	FLEX021	super fine	polyester/nylon	3	750	1 reel
G	FLEX022	medium fine	polyester/nylon	6	750	1 reel
H	FLEX023	super brush	polyester/nylon	3	750	1 reel
I	FLEX024	medium brush	polyester/nylon	6	750	1 reel

Instrument Cleaning & Maintenance – Endoscope Brush

A



ENDOSCOPE BRUSH

Use our DuoSwift Combination Squeegee Brush to work smarter, not harder, during flexible endoscope reprocessing. Designed to clean endoscope channel diameters from 2.8mm - 7.0mm, the unique design of DuoSwift features a tapered, nylon-bristled brush on one end and a series of flexible disks (squeegees) on the other. This brush does the heavy lifting for you; the combination of bristle brush and squeegee provides cleaning action that removes more soil in a single pass.

	REF	Description	Bristle Ø (mm)	Squeegee Ø (mm)	Stubby Brush (mm)	Overall length (mm)	Qty
A	BX00711618	DuoSwift combination squeegee brush	5 – 7 (tapered)	2.5 – 5.2	n/a	230	50/box
	BX00711619	DuoSwift combination squeegee brush with stubby brush	5 – 7 (tapered)	2.5 – 5.2	10	230	50/box

Instrument Cleaning & Maintenance - Preparation Aids

A


B


C

D

E

F

G

H

I

J

PREPARATION AIDS - FOR MULTIPLE USE

Holders and band clamps to facilitate cleaning of instruments by holding open the instruments.

	REF	Description	Color	Material	Diameter (mm)	Qty
A	20413	holder for microclip	-	stainless steel	4.8	1 pc
B	20409	holder for clamps	-	stainless steel	6	5 pcs
C	20429	holder for clamps	-	stainless steel	8.4	5 pcs
D	20410	holder for clamps	-	stainless steel	10	5 pcs
E	20430	holder for clamps	-	stainless steel	14	5 pcs
F	20460	clamp	white	stainless steel with silicone cover	40	1 pc
G	20411	clamp	yellow	stainless steel with silicone cover	50	1 pc
H	20408	clamp	blue	stainless steel with silicone cover	60	1 pc
I	20406	clamp	red	stainless steel with silicone cover	70	1 pc
J	20412	clamp	green	stainless steel with silicone cover	80	1 pc
K	20407	holder for instruments with a ring handle	-	stainless steel	-	1 pc

K

Instrument Cleaning & Maintenance - Preparation Aids

A



B



C

TRAY ORGANIZATION MATS

Suitable for washer-disinfectors, silicone or stainless steel designed to provide support for instruments during high level disinfection. Heat resistant 134 °C.

		REF	Description	Outer dimensions (mm)	Inner dimensions (mm)	Qty
*Top	A	09020	for 1/1 strainer baskets, frames rigid made of silicone	445 x 230	425 x 210	1 pc
	B	08847	stainless steel, rigid mesh	445 x 230	-	1 pc

PREPARATION ACCESSORIES

	REF	Description	Format (mm)	Qty
C	20459	Rack, fitting 8 kidney dishes	460 x 220 x 165	1 pc

WRAPS & LINERS

Key Surgical wraps and liners are available in a wide variety of sizes but can also be customized to your specific needs.

Our Barrier Wraps provide a bacterial barrier and protect the contents of a set or pack from contamination. When classed as alcohol repellent, barrier wraps can be used within the sterile field.

Choice Wrap is designed to reduce the risk of rips, tears, and wet packs. Choice SMS are made of polypropylene. Choice Wraps can be interleaved in blue or green to meet the sterilization service user requirements.

All Transport Wraps must be used in conjunction with one compliant Barrier Wrap to completely prevent the ingress of microorganisms. Use of a single barrier layer with Transport Wrap can be a cost-effective solution that reduces damage in handling and transport. If adopted, changes to both wrapping and unwrapping procedures may be required to ensure aseptic opening.

- Choice Wrap
- Double Wrap
- Crepe Wrap
- Tray Liners
- Soaker Sheets
- Indicator Tape and Dispenser
- Transport Wrap

A

B

CHOICE WRAP 55gsm

A fully synthetic SMS product designed to offer flexibility and enable users to pack conventionally or with 'two layers' at once. Choice Wrap is strong and available with alcohol repellence in both green and blue for use within the sterile field. Wraps are also available with blue and green interleaved. Compatible with steam sterilization. Single use.

A CHOICE WRAP BLUE

	REF	Format (cm)	Qty
	CB060	60 x 60	350 pcs
*Top	CB075	75 x 75	300 pcs
*Top	CB090	90 x 90	300 pcs
	CB100	100 x 100	200 pcs
*Top	CB120	120 x 120	120 pcs
	CB1315	130 x 150	100 pcs

B CHOICE WRAP GREEN

REF	Format (cm)	Qty
CG075	75 x 75	300 pcs
CG100	100 x 100	200 pcs
CG120	120 x 120	120 pcs
CG1315	130 X 150	100 pcs

CHOICE WRAP COMBINATION (GREEN /BLUE)

	REF	Format (cm)	Qty
	CGCB060	60 x 60	500 pcs
	CGCB075	75 x 75	200 pcs
	CGCB090	90 x 90	200 pcs
*Top	CGCB100	100 x 100	200 pcs
	CGCB120	120 x 120	100 pcs
	CGCBU075	75 X 75	300 pcs

RELIANCE® CREPE WRAP 60gsm

Crepe wrap is suitable for lighter instruments and sets. Manufactured from 100% medical quality cellulose fibers and combines the most economical wrapping with good drapability. Compatible with steam and EO sterilization. Single use.

	REF	Color	Format (cm)	Qty
C	GRNCREPE060N	green	60 x 60	750 pcs
*Top	GRNCREPE075NU	green	75 x 75	174 pcs
	GRNCREPE090U	green	90 x 90	126 pcs
*Top	GRNCREPE100U	green	100 x 100	126 pcs
	GRNCREPE120U	green	120 x 120	126 pcs
D	WHCREPE050N	white	50 x 50	750 pcs
	WHCREPE060N	white	60 x 60	750 pcs
	WHCREPE100U	white	100 x 100	252 pcs

C

D

A

A **TRAY LINERS**

Key Surgical® Tray Liners have high absorbency and rapid dispersion to remove condensation, encouraging dry packs and improving the efficacy of the sterilization process. To be used above or beneath trays. 80 gsm thickness. Compatible with steam sterilization. Single use.

	REF	Format (mm)	Qty
	TLC004	200 x 305	2000 pcs
	TLC005	250 x 250	2400 pcs
*Top	TLC006	250 x 500	1200 pcs
	TLC007	305 x 410	1000 pcs
*Top	TLC008	457 x 550	800 pcs
	TLC009	305 x 305	2000 pcs
	TLC010	305 x 457	1000 pcs
*Top	TLC011	305 x 610	1000 pcs
	TLC012	457 x 457	1000 pcs
	TLC013	457 x 610	600 pcs
	TLC027	350 x 500	1000 pcs
	TLC036	305 x 500	1000 pcs
	TLC045	400 x 500	1000 pcs
	TLC051	250 x 305	2000 pcs
	TLC055	250 x 550	1200 pcs
	TLC085	250 x 480	1000 pcs
	TLC100	305 x 350	1000 pcs
	TLC110	150 x 250	2000 pcs
	TLC340	250 x 340	2000 pcs

A

SOAKER SHEETS

140gsm Soaker Sheets are for use under trays to protect inner wraps from sharp corners and feet on trays and to absorb condensate during sterilization. Soaker Sheets can also be used as a shelf liner for added protection. Single use.

	REF	Size	Qty
A	SOK001SS	750 x 500mm	50 sheets
*Top	SOK002SS	500 x 375mm	100 sheets
	SOK003SS	610 x 305mm	100 sheets
	SOK004SS	500 x 200mm	100 sheets
	SOK005SS	500 x 500mm	100 sheets
	SOK006SS	250 x 250mm	100 sheets
	SOK007SS	500 x 280mm	100 sheets
	SOK008SS	1219 x 560mm	50 sheets
	SOK009SS	1524 x 560mm	50 sheets

Wraps & Liners – Indicator Tape

Key Surgical tapes are ideal for sealing sterilization packaging, such as fleece, paper, and crepe. They are offered with and without an indicator and are used to visually check whether the sterilization process has been carried out.

INDICATOR TAPES

For single use.

		REF	Format (mm)	Adhesive	Color	Indicator	Color change	Qty
	A	01506	25 x 50	strong	blue	steam	green to dark	1 roll
	B	01500	19 x 50	strong	blue	steam	green to dark	1 roll
	C	01505	24 x 50	standard	white	steam	green to dark	1 roll
*Top	D	01130	18 x 50	standard	white	steam	green to black	1 roll
*Top	E	01131	19 x 50	standard	beige	EO	red to green	1 roll
	F	01151	19 x 50	standard	white	steam	green to brown	1 roll
*Top	G	LF25TAPE-3390PLAS	25 x 25	standard	white	H2O2	purple/blue to pink/red	1 roll

ADHESIVE TAPES

Adhesive tapes without indicator are ideal for sealing sterilization packaging or marking, such as fleece, paper, and crepe. For single use.

		REF	Format (mm)	Adhesive	Color	Qty
*Top	A	01132	19 x 50	standard	white	1 roll
	B	01507	25 x 50	standard	white	1 roll
	C	01501	19 x 50	strong	blue	1 roll
	D	01508	25 x 50	strong	blue	1 roll

A

B

C

TAPE DISPENSERS

	REF	Description	Qty
A	09001	table dispenser for 1 roll of indicator tape	1 pc
B	09002	table dispenser for 2 rolls of indicator tape	1 pc
	09008	replacement knife for table dispenser REF 09002	1 pc
C	09035	table dispenser for indicator tape up to 25mm strip length	1 pc

A

A TRANSPORT COVER BAGS

Our Transport Cover Bags are made of the same material as the Dry Transport Cover Wraps and can alternatively be sealed with indicator tape. Available in different sizes.

REF	Format (mm)	Qty
TCOVER001	400 x 700 x 90	200 pcs
TCOVER002	500 x 700 x 90	200 pcs
TCOVER003	600 X 700 X 90	100 pcs
TCOVER008	550 X 800 X 90	100 pcs

B TRANSPORT WRAP DRY 60gsm

Protection against damaged packs, with strength and tear resistance with a patented absorbent layer. Particularly suitable for use when handling heavy orthopaedic sets. Available in purple, to distinguish from barrier wraps and also helps to support identification during transport and storage. Compatible with steam sterilization. Single use.

	REF	Format (cm)	Qty
	TDRY090	90 x 90	300 pcs
	TDRY120	120 x 120	120 pcs
*Top	TWRAP100	100 x100	200 pcs
*Top	TWRAP120	120 x 120	120 pcs

B



CHOICE BLUE AND TRANSPORT WRAP COMBINATIONS

Our combination of Choice Wrap and Transport Wrap offers high strength materials to protect instruments after sterilization while providing optimum steam penetration with excellent drapeability.

REF	Format (cm)	Qty
CB/TDRY120	120 x 120	120 pcs

INSTRUMENT PROTECTION

The protection of instruments has never been more important. As a result of increasing centralization, the merger of CSSDs and external reprocessing, transport routes are becoming ever longer. This means that sensitive and complex instruments have to be protected not only within your own hospital, but often when being transported off-site.

Instrument Sleeves are made of special cardboard or transparent film and are used to protect high-quality instruments from damage during preparation, transport and storage. The shape of the protectors is not directly adapted to the respective instrument. This has the advantage that these protective sleeves are suitable for the most common instruments as well as for special shapes (such as hooks or knives).

Instrument Tip Caps are designed to extend the life of your instruments. Our tip caps protect your valuable instruments from unnecessary wear or damage, helping reduce repair costs while giving you the peace of mind that your instrument investment is being protected. In addition to protecting and extending the life of your valuable instruments, tip caps also help to protect sterilization packs from puncture and protect employees from sharp instruments.

Available in a variety of shapes and sizes to fit all your instrument protection needs, we have the perfect tip cap for each of your various instruments, from flat caps to twin caps to instrument holders, and they are available with or without perforations, depending on your preference. Our tip caps are radiopaque, single use, and compatible with steam sterilization.

Instrument Sleeves

Instrument Protection Caps Round

Instrument Protection Caps Fat

Special Instrument Protection Caps

Instrument Organizer

Instrument Protection – Instrument Sleeves

A

B

INSTRUMENT SLEEVES

Protection sleeves are used to protect high-quality instruments from damage during preparation, transport, and storage. They are therefore suitable for the most common instruments such as hooks or knives. Single use.

		REF	Description	Material	Format* (mm)	Qty
*Top	A	01455	hybrid instrument sleeve	cardboard/ film	120 x 32	100 pcs
*Top	B	01457	hybrid instrument sleeve	cardboard/ film	160 x 40	100 pcs
*Top	C	01476	instrument sleeve	film	60 x 10	1000 pcs
*Top	D	01471	folding borders can be folded inwards to prevent narrow instruments from slipping out	cardboard	105 x 25	1000 pcs
	E	01477	folding borders can be folded inwards to prevent narrow instruments from slipping out	film	140 x 50	100 pcs
	F	01479	for amputation knives, with 8 holes	cardboard	123 x 33	100 pcs
	G	01478	for amputation knives, with 8 holes	cardboard	246 x 33	100 pcs
		PPT001	white card		160 x 50	2000 pcs
		PPT002	white card		160 x 50	1000 pcs
		PPT004	white card		160 x 50	1000 pcs

* Useful length x max. instrument width

C

D

E

F

G

PRODUCTS SHOWN ACTUAL SIZE

Instrument Protection – Round Caps

Guards and caps are used to protect premium instruments from damage during transportation, handling and sterilization. Furthermore, they help to protect personnel from cut wounds and minimize reprocessing costs caused by rips or punctures in sterilization packaging. Standard vinyl protective tip guards are also available in a range of shapes.

ROUND CAPS

For single use.

		REF	Description	Color	Format (mm) Ø	Qty
	A	30401	perforated	clear	1.6 x 19	100 pcs
*Top	B	30801	perforated	white transparent	1.6 x 19	100 pcs
	C	31501	perforated	white	1.6 x 19	100 pcs
	D	30402	perforated	clear	2.0 x 19	100 pcs
*Top	E	30802	perforated	blue transparent	2.0 x 19	100 pcs
	F	31502	perforated	blue	2.0 x 19	100 pcs
	G	30403	perforated	clear	2.8 x 19	100 pcs
*Top	H	30803	perforated	green transparent	2.8 x 19	100 pcs
	I	31503	perforated	green	2.8 x 19	100 pcs
	J	30404	perforated	clear	3.2 x 25	100 pcs
*Top	K	30804	perforated	red transparent	3.2 x 25	100 pcs
	L	31504	perforated	red	3.2 x 25	100 pcs
	M	30499	perforated	clear	4.7 x 38	100 pcs
	N	30405	perforated	clear	5.0 x 25	100 pcs
*Top	O	30805	perforated	yellow transparent	5.0 x 25	100 pcs
	P	31505	perforated	yellow	5.0 x 25	100 pcs
	Q	30406	perforated	clear	10 x 19	100 pcs
	R	30806	perforated	purple transparent	10 x 19	100 pcs
	S	30703	for MIS instruments	green	4.3 x 29	50 pcs
	T	30705	for MIS instruments	yellow	4.3 x 51	50 pcs
	U	01858	for obturators	clear	5.0 x 43	20 pcs
	V	30709	for MIS instruments	clear	66 x 9.0	50 pcs

PRODUCTS SHOWN ACTUAL SIZE

Instrument Protection – Tapered Caps

TAPERED CAPS

Radiopaque and compatible with steam sterilization. For single use.

		REF	Color	Format (mm) Ø	Qty
*Top	A	31101	white transparent	2.0 - 3.0 x 38	70 pcs
	B	31201	white	2.0 - 3.0 x 51	70 pcs
*Top	C	31102	blue transparent	3.0 - 4.0 x 38	70 pcs
	D	31202	blue transparent	3.0 - 4.0 x 51	70 pcs
	E	31103	green transparent	4.0 - 5.0 x 51	70 pcs
	F	31203	green transparent	4.0 - 5.0 x 38	70 pcs
	G	31104	red transparent	5.0 - 6.0 x 51	70 pcs
	H	31204	red transparent	5.0 - 6.0 x 38	70 pcs
	I	31105	yellow transparent	6.0 - 7.0 x 38	70 pcs
	J	31205	yellow transparent	6.0 - 7.0 x 51	70 pcs
	K	31106	purple transparent	7.0 - 8.0 x 38	70 pcs
	L	31206	purple transparent	7.0 - 8.0 x 51	70 pcs
	M	31107	orange transparent	8.0 - 9.0 x 38	70 pcs
	N	31207	orange transparent	8.0 - 9.0 x 51	70 pcs
	O	31108	brown transparent	9.0 - 10 x 38	70 pcs
	P	31208	brown transparent	9.0 - 10 x 51	70 pcs
	Q	31109	black transparent	10 - 11 x 38	70 pcs
	R	31209	black transparent	10 - 11 x 51	70 pcs
	S	31303	green transparent	13 - 14 x 38	50 pcs
	T	31403	green transparent	15 - 16 x 51	50 pcs
	U	31305	yellow transparent	15 - 16 x 38	50 pcs
	V	31405	yellow transparent	19 - 20 x 51	50 pcs
	W	31307	orange transparent	15 - 16 x 38	50 pcs
	X	31407	orange transparent	19 - 20 x 51	50 pcs

PRODUCTS SHOWN ACTUAL SIZE

Instrument Protection – Flat Caps

FLAT CAPS

Radiopaque and compatible with steam sterilization. For single use.

		REF	Description	Color	Format (mm)	Qty
*Top	A	30407	for osteotomes	clear	2.0 x 9.0 x 25	100 pcs
	B	30807	for osteotomes	orange transparent	2.0 x 9.0 x 25	100 pcs
	C	31507	for osteotomes	orange	2.0 x 9.0 x 25	100 pcs
*Top	D	30408	for osteotomes	clear	2.0 x 16 x 25	100 pcs
	E	30808	for osteotomes	brown transparent	2.0 x 16 x 25	100 pcs
	F	31508	for osteotomes	brown	2.0 x 16 x 25	100 pcs
*Top	G	30409	for osteotomes	clear	3.0 x 25 x 25	100 pcs
	H	30809	for osteotomes	black transparent	3.0 x 25 x 25	100 pcs
	I	31509	for osteotomes	black	3.0 x 25 x 25	100 pcs
*Top	J	30411	for osteotomes	clear	6.4 x 19	50 pcs
	K	30811	for osteotomes	white transparent	6.4 x 19	100 pcs
	L	30812	for osteotomes	blue transparent	9.5 x 25	100 pcs
	M	30813	for osteotomes	green	13 x 25	100 pcs
	N	30815	for osteotomes	yellow	18 x 25	100 pcs
	O	30415	for osteotomes	clear	19 x 25	50 pcs
	P	30409	for osteotomes	clear	25 x 25	50 pcs
	Q	30417	for osteotomes	clear	32 x 32	50 pcs
	R	30817	for osteotomes	purple transparent	32 x 32	100 pcs
	S	30418	for osteotomes	clear	38 x 38	50 pcs
	T	30818	for osteotomes	red	38 x 38	100 pcs
	U	30419	for osteotomes	clear	45 x 32	100 pcs
	V	30819	for osteotomes	orange	45 x 32	100 pcs

PRODUCTS SHOWN ACTUAL SIZE

SKIN HOOK CAPS

Protect delicate single and double prong skin hook instrumentation. Radiopaque. Compatible with sterilization. Single use.

		REF	Description	Color	Format (mm)	Qty
	A	31003	double prong. 2mm apart	clear	4.0 x 19	100 pcs
	B	31001	single prong. 2.53.5mm hook	clear	4.8 x 19	100 pcs
	C	31002	single prong. 5mm hook	clear	6.3 x 19	100 pcs
	D	31004	double prong. 5mm apart	clear	6.7 x 19	100 pcs
	E	31005	double prong. 7mm apart	clear	9.1 x 19	100 pcs

SELF-RETAINING AND GELPI RETRACTOR CAPS

Protect a variety of self-retaining retractors including Weitlaner, D'Errico-Adson, Beckman, and Adson retractors. Radiopaque. Compatible with steam sterilization. Single use.

		REF	Description	Color	Format (mm)	Qty
*Top	F	30907	selfretaining retractor cap	blue transparent	22 x 20	100 pcs
*Top	G	30908	selfretaining retractor cap	purple	25 x 25	100 pcs
*Top	H	30909	selfretaining retractor cap	orange	25 x 32	100 pcs
	I	30910	selfretaining retractor cap	green	45 x 13	100 pcs
	J	30903	For Gelpi retractors	clear	51	100 pcs
	K	30904	For Gelpi retractors	clear	76	100 pcs
	L	30905	For Gelpi retractors	clear	38	100 pcs

A

B

C

D

E

F

G

H

I

J

K

PRODUCTS SHOWN ACTUAL SIZE

TWIN CAPS

Protect instruments while keeping them in an open position for cleaning. Perfect for scissors and forceps. Radiopaque. Single use. Compatible with steam sterilization.

		REF	Color	Format (mm) Ø	Qty
	A	30601	white transparent	1.6 x 19	50 pcs
	B	30602	blue transparent	2.0 x 19	50 pcs
*Top	C	30603	green transparent	2.8 x 19	50 pcs
*Top	D	30607	orange transparent	2.0 x 25	50 pcs
*Top	E	30604	red transparent	3.2 x 25	50 pcs
*Top	F	30605	yellow transparent	5.0 x 25	50 pcs
		30650	clear	-	1 set

AIRFLOW CAPS™

An alternative to perforated caps, grips on the inside of the cap allow more airflow during sterilization process and assist in easy removal. Radiopaque. Compatible with steam sterilization. Single use.

	REF	Color	Format (mm)	Qty
G	31608	clear	2.0 x 16 x 25	100 pcs
H	31605	clear	4.8 x 25	100 pcs
I	31606	clear	10 x 20	100 pcs
J	31607	clear	9.5 x 25	100 pcs
K	31609	clear	25 x 25	100 pcs

Instrument Protection – Instrument Organizer

A



CAN BE CUT AT SEALED SEAMS
FOR THREE INDIVIDUAL PIECES

B



C



D



INSTRUMENTS
NOT INCLUDED

INSTRUMENT ORGANIZER

Designed to help protect and organize your delicate surgical instruments within a wrapped set or container system. Single use. Compatible with steam sterilization.

		REF	Description	Length (mm)	Width (mm)	Qty
*Top	A	CSDH100	2 rows of 6 pockets	444.5	292.1	100 pcs
*Top	B	CSDH102	2 rows of 6 pockets with slots in pocket	444.5	292.1	100 pcs
	C	CSDH200	2 rows of 6 notched pockets with tape closure strips	470	260	100 pcs
	D	CSDH300	2 rows of 6 pockets	460	410	100 pcs
	E	CSDH505	single pocket	140	133	100 pcs
	F	CSDH512	single pocket	127	305	100 pcs

E

F

TAGS

Our tags allow you to indicate special handling instructions, secure trays and carts from tampering and quickly identify priority instruments for repair and sterilization. Tags are available in a wide range of styles, colors and locking configurations. Printed tags with special handling instructions, as well as uniquely numbered tags, are available as a standard product. Need a customized tag? We can do that for you!

Write-On Tags allow you to write specific handling instructions on each tag when more detailed communication is necessary. These tags attach to instruments and trays with ties, and are larger and more visible than other tags, ensuring that detailed instructions will be seen easily.

Metal Tray Tags clip onto the edge of a tray and provide ample space for identification, tracking and barcoding needs. Made with stainless steel for durability.

Plastic Tray Tags

Clamp Tag Holders

Metal Tray Tags

Tags Accessories

One-Loop Tags

Self-Tie Tags

Write-On Tag

FIRST TAG SHOWN ACTUAL SIZE

TRAY TAGS FOR COLOR CODING

Durable, plastic tags designed for use on instrument trays. Tray tags provide a flat surface for barcode placement. Great for color coding. Compatible with steam and H_2O_2 sterilization. Designed to be attached to a tray using a fastener such as a ring or clip.

	REF	Color	Format (mm)	Qty
A	01900	red	90 x 33	100 pcs
B	01901	green	90 x 33	100 pcs
C	01902	light blue	90 x 33	100 pcs
D	01904	white	90 x 33	100 pcs
E	01905	orange	90 x 33	100 pcs
F	01912	black	90 x 33	100 pcs
G	01956	brown	90 x 33	100 pcs
H	01962	dark blue	90 x 33	100 pcs
I	01976	pink	90 x 33	100 pcs
J	01977	purple	90 x 33	100 pcs





FIRST TAG SHOWN ACTUAL SIZE

Tags - Plastic Tray Tags

TAGS FOR BASKET IDENTIFICATION WITH 2 HOLES

Durable, plastic tags designed for use on instrument trays. Tray tags provide a flat surface for barcode placement. Great for color coding. Compatible with steam and H_2O_2 sterilization. The tags are designed to be attached to a tray using a fastener such as a ring or clip.

		REF	Color	Format (mm)	Qty
*Top	A	01948	white	60 x 40	100 pcs
*Top	B	01949	red	60 x 40	100 pcs
*Top	C	01950	green	60 x 40	100 pcs
	D	01969	dark blue	60 x 40	100 pcs
	E	01951	light blue	60 x 40	100 pcs
	F	01952	orange	60 x 40	100 pcs
	G	01953	black	60 x 40	100 pcs
*Top	H	01954	yellow	60 x 40	100 pcs
	I	01990	pink	60 x 40	100 pcs
	J	01991	purple	60 x 40	100 pcs
	K	02278	brown	60 x 40	100 pcs
	L	02279	ochre yellow	60 x 40	100 pcs

PLASTIC TRAY TAGS

Tray tags simplify the identification of sets or instruments and provide a useful means of labelling items for tracking and tracing. All tags are produced to withstand the rigorous decontamination cycle. Available in 18 colors. Tray tags can be attached to trays using either a split ring or a cable tie.

		REF	Color	Format (mm)	Qty
	A	TAG020	black	90 x 38	100 pcs
	B	TAG018	gray	90 x 38	100 pcs
	C	TAG026	royal blue	90 x 38	100 pcs
	D	TAG023	turquoise	90 x 38	100 pcs
*Top	E	TAG017	green	90 x 38	100 pcs
	F	TAG021	lime	90 x 38	100 pcs
*Top	G	TAG013	yellow	90 x 38	100 pcs
	H	TAG014	orange	90 x 38	100 pcs
*Top	I	TAG015	red	90 x 38	100 pcs
	J	TAG012	brown	90 x 38	100 pcs
*Top		TAG011	white	90 x 38	100 pcs
*Top		TAG016	blue	90 x 38	100 pcs
		TAG019	purple	90 x 38	100 pcs
		TAG022	pink	90 x 38	100 pcs
		TAG024	mustard	90 x 38	100 pcs
		TAG025	terracotta	90 x 38	100 pcs

A

B

C



FIRST TAG SHOWN ACTUAL SIZE

PTL TIE-ON TAGS WITH 4 HOLES

PTL tie-on tags are designed for multiple use. They can be attached to the tray by using REF 01589. These are compatible with P-touch and laser inscribed including text and barcode.
Heat-resistant up to 134 °C.

	REF	Color	Format (mm)	Qty
A	02253	light blue	90 x 40	100 pcs
B	02254	white	90 x 40	100 pcs

MESH TRAY TAGS

Mesh tray tags are not suitable for P-touch, and laser marking is not possible. Heat-resistant up to 134 °C.

	REF	Description	Format (mm)	Qty
C	01421	metallic	90 x 50	150 pcs
	01422	metallic	90 x 33	200 pcs



FIRST TAG SHOWN ACTUAL SIZE

PLASTIC TRAY TAGS

Durable, plastic tags designed for use on instrument trays. Tray tags provide a flat surface for barcode placement. Great for color coding. Compatible with steam and H_2O_2 sterilization. Tags include a built-in clip on the back.

	REF	Color	Format (mm)	Qty
A	01563	yellow	30 x 30	25 pcs
B	01913	white	30 x 30	25 pcs
C	01914	red	30 x 30	25 pcs
D	01915	green	30 x 30	25 pcs
E	01916	light blue	30 x 30	25 pcs
F	01917	orange	30 x 30	25 pcs
G	01919	ochre yellow	30 x 30	25 pcs
H	01961	brown	30 x 30	25 pcs
I	01981	purple	30 x 30	25 pcs
J	01561	yellow	55 x 30	25 pcs
K	01920	white	55 x 30	25 pcs
L	01921	red	55 x 30	25 pcs
M	01922	green	55 x 30	25 pcs
N	01923	light blue	55 x 30	25 pcs
O	01924	orange	55 x 30	25 pcs
P	01925	black	55 x 30	25 pcs
Q	01926	ochre yellow	55 x 30	25 pcs
R	01965	dark blue	55 x 30	25 pcs
S	01982	pink	55 x 30	25 pcs
T	01983	purple	55 x 30	25 pcs



FIRST TAG SHOWN ACTUAL SIZE

Tags - Plastic Tray Tags

PLASTIC TRAY TAGS

Durable, plastic tags designed for use on instrument trays. Tray tags provide a flat surface for barcode placement. Great for color coding. Compatible with steam and H_2O_2 sterilization. Tags include a built-in clip on the back.

	REF	Color	Format (mm)	Qty
A	01927	white	70 x 30	25 pcs
B	01928	red	70 x 30	25 pcs
C	01929	green	70 x 30	25 pcs
D	01930	light blue	70 x 30	25 pcs
E	01931	orange	70 x 30	25 pcs
F	01932	black	70 x 30	25 pcs
G	01933	ochre yellow	70 x 30	25 pcs
H	01966	dark blue	70 x 30	25 pcs
I	01985	purple	70 x 30	25 pcs
J	01564	yellow	90 x 30	25 pcs
K	01934	white	90 x 30	25 pcs
L	01935	red	90 x 30	25 pcs
M	01936	green	90 x 30	25 pcs
N	01937	light blue	90 x 30	25 pcs
O	01938	orange	90 x 30	25 pcs
P	01939	black	90 x 30	25 pcs
Q	01940	ochre yellow	90 x 30	25 pcs
R	01958	brown	90 x 30	25 pcs
S	01967	dark blue	90 x 30	25 pcs









FIRST TAG SHOWN ACTUAL SIZE

PTL INSERT LABELS

PTL insert labels are reusable. They are suitable for REF 01548, 01497, 01498 and 01995 as well as container holders. These are P-touch compatible and laser labeling including text and barcode is possible. Compatible with steam sterilization and heat-resistant up to 134 °C.

	REF	Color	Format (mm)	Qty
A	01566	white	55 x 35	25 pcs
B	01567	red	55 x 35	25 pcs
C	01568	green	55 x 35	25 pcs
D	01569	light blue	55 x 35	25 pcs
E	01570	yellow	55 x 35	25 pcs
F	01571	orange	55 x 35	25 pcs
G	01573	dark blue	55 x 35	25 pcs
H	01575	pink	55 x 35	25 pcs
I	01576	purple	55 x 35	25 pcs
J	01550	white	56 x 18	25 pcs
K	01551	red	56 x 18	25 pcs
L	01552	green	56 x 18	25 pcs
M	01553	light blue	56 x 18	25 pcs
N	01554	yellow	56 x 18	25 pcs
O	01555	orange	56 x 18	25 pcs
P	01556	black	56 x 18	25 pcs
Q	01970	dark blue	56 x 18	25 pcs
R	01992	pink	56 x 18	25 pcs
S	01993	purple	56 x 18	25 pcs
T	01547	gray	56 x 18	25 pcs
U	01971	coral red	56 x 18	25 pcs
V	02215	white	70 x 35	25 pcs
W	02216	red	70 x 35	25 pcs
X	02217	green	70 x 35	25 pcs
Y	02219	dark blue	70 x 35	25 pcs
Z	02220	yellow	70 x 35	25 pcs
AA	01598	black	70 x 35	25 pcs
BB	02221	white	90 x 35	25 pcs
CC	02222	red	90 x 35	25 pcs
DD	02223	green	90 x 35	25 pcs
EE	02224	light blue	90 x 35	25 pcs
FF	02225	dark blue	90 x 35	25 pcs
GG	02226	yellow	90 x 35	25 pcs
	01599	black	90 x 35	25 pcs

A

B

C

CLAMP HOLDER MADE OF STAINLESS STEEL

Durable and reusable holders made of stainless steel and heat-resistant.

	REF	Description	Format (mm)	Qty
A	01548	tag holder with side flap, suitable for PTL insertion labels	60 x 40	25 pcs
B	01497	tag holder, suitable for PTL insert and aluminum tags	50 x 20	25 pcs
C	01498	tag holder, suitable for PTL tag	60 x 40	25 pcs

ALUMINUM LABELS

Suitable for narrow inserts on containers and laser marking.

	REF	Color	Format (mm)	Qty
D	28500	silver	18 x 50	25 pcs
E	28501	blue	18 x 50	25 pcs
F	28502	red	18 x 50	25 pcs

D E F



TAGS SHOWN ACTUAL SIZE

TAGS MADE OF STAINLESS STEEL FOR SIEVE TRAY LABELING

Durable tags made of stainless steel. Reusable and heat-resistant.

		REF	Description	Format (mm)	Qty
	A	01444	label	90 x 50	50 pcs
	B	01445	label	90 x 33	50 pcs
	C	01452	tag with hole (4 x 9mm)	Ø 25	50 pcs
	D	01453	tag with hole (4 x 9mm)	Ø 50	50 pcs
	E	01588	tie-on tag with hole (6 x 10mm)	65 x 24	50 pcs
*Top	F	01449	clip label	90 x 30	50 pcs
	G	01454	clip label	90 x 50	50 pcs
	H	01559	clip label	55 x 30	50 pcs
*Top	I	01493	clip label	30 x 30	50 pcs
	J	01590	clip label, suitable for double frame	75 x 35	50 pcs
	K	01520	clip label, suitable for double frame	42 x 36	50 pcs

FRONT

BACK

A

B

C

STOPPERS FOR TRAY ACCESSORIES

Stoppers designed to secure tray accessories such as labels, tags, corner protectors, among others.

	REF	Material	Color	Qty
A	09097	silicone	uncolored	100 pcs

ACCESSORIES TO SECURE TRAY ACCESSORIES

		REF	Description	Format (mm)	Qty
*Top	B	01589	clipper for tie-on tag; with holes REF 01588 and in particular REF 02253 - 02255	40	5 pcs
	C	01458	key ring for affixing sieve tray tags	Ø 20	100 pcs

A
B
C
D
E
F



G



PLASTIC TRAY LABELS BLANK

Designed to loop around tray handles to identify through color coding or providing a flat surface for barcode placement. Compatible with steam and EO sterilization. Single use.

		REF	Color	Format (mm)	Qty
*Top	A	09634	white	160 x 35	250 pcs
*Top	B	09637	red	160 x 35	250 pcs
*Top	C	09636	green	160 x 35	250 pcs
*Top	D	09638	yellow	160 x 35	250 pcs
	E	09676	brown	160 x 35	250 pcs
	F	09635	blue	160 x 35	250 pcs
*Top	G	09268	white	206 x 110	250 pcs
		09751	white	240 x 50	250 pcs



PLASTIC TRAY LABELS BLANK

For single use, heat-resistant up to 134 °C, suitable for washer-disinfectors.

	REF	Color	Format (mm)	Qty
A	09264	blue	236 x 50	250 pcs
	09566	blue one-sided	240 x 50	250 pcs
B	09267	yellow	236 x 50	250 pcs
	09569	yellow one-sided	240 x 50	250 pcs
C	09265	green	236 x 50	250 pcs
	09567	green one-sided	240 x 50	250 pcs
D	09269	orange	236 x 50	250 pcs
E	09266	red	236 x 50	250 pcs
	09568	red one-sided	240 x 50	250 pcs
F	09244	white	236 x 50	250 pcs
G	08338	pink one-sided	240 x 50	250 pcs

A

B

C

D

SELF-TIE TAGS

Self-Tie Tags are designed for the identification of trays that are to be steam sterilized. Plain tag with dumbbell self-tie. Single use.

	REF	Description	Format (mm)	Qty
A	09691	reel 5,000 pcs	160 x 19	1 roll

POLYPROPYLENE TRAY TAGS

Compatible with steam sterilization and heat-resistant up to 134 °C, suitable for washer-disinfectors.

	REF	Color	Lettering field size (mm)	Length (mm)	Qty
B	09679	white	50 x 30	200	100 pcs
C	09681	green	50 x 30	200	100 pcs
D	09683	yellow	50 x 30	200	100 pcs

A

B

C

D

E

F

DOUBLE-SIDED

G

WRITE-ON TAGS

Durable and economical. Identify and record specific instructions with these versatile tags. Tamper-resistant. Compatible with steam and H_2O_2 sterilization. Customizable. 76 x 127mm. Each package includes 100 cable ties and a lab marker. Single use.

	REF	Description	Color	Qty
A	WT-0009	BLANK	black	100 pcs
B	WT-0102	VENDOR	blue	100 pcs
C	WT-0203	LOANER	green	100 pcs
D	WT-0304	PRIORITY	red	100 pcs
E	WT-0405	RE-RUN	yellow	100 pcs
F	WT-0507	BROKEN	orange	100 pcs
G	WT-1911	MISSING	pink	100 pcs
H	RT-100	BROKEN DO NOT USE	white	100 pcs
I	RT-200	BLANK	white	100 pcs

H

I

A

DOUBLE-SIDED



B

DOUBLE-SIDED

WRITE-ON TAGS

Durable and economical. Identify and record specific instructions with these versatile tags. Tamper-resistant. Compatible with steam and H_2O_2 sterilization. Customizable. 76 x 127mm. Each package includes 100 cable ties and a lab marker. Single use.

	REF	Description	Color	Qty
A	WT-2614	LOANER	light green	100 pcs
B	WT-3217	QUICK TURNOVER	blue	100 pcs

TRAYS & ACCESSORIES

Strict requirements have to be met when it comes to the reprocessing of various instruments and medical devices. Key Surgical offers a wide range of these for optimizing individual procedures and keeping instrument turnaround times to a minimum.

In order to meet the needed requirements, we offer sieve baskets and sterilization trays in a variety of designs, sizes and made of premium material for versatile use (e.g., ophthalmology).

In the Key Surgical product portfolio you will also find comprehensive sieve tray accessories for multiple applications and to protect your sensitive instruments.

Wire Containers

Perforated Plate Mesh Trays

Wire Baskets

Special Sieve Trays

Plastic Sterilization Trays

Instrument Clips

Silicone Inserts and Sieve Organization

Key Surgical supplies a wide range of stainless steel sieve trays which satisfy the highest of standards in order to guarantee optimal and efficient processes. Our wire containers made in Germany (Kögel sieve baskets) with a long shelf life are available in DIN and ISO formats in the most widely used sizes, with different mesh grid size and designs.

SIEVE TRAY WITH DROP HANDLES

Made of high quality stainless steel.

	REF	Lid	Format (mm)	Mesh size (mm)	Qty
A	08909	no	250 x 240 x 50	6.0 x 6.0	1 pc
B	08951	no	280 x 160 x 30	5.0 x 5.0	1 pc
	08908	no	400 x 250 x 70	6.0 x 6.0	1 pc

A

B

A

B

C

D

E

F

G

H

I

SMALL PARTS SIEVES WITH LID

Wire containers with lid. Made of stainless steel.

		REF	Format (mm)	Mesh size (mm)	Qty
*Top	A	08910	40 x 40 x 25	1.0 x 1.0	1 pc
	B	08896	40 x 40 x 25	3.0 x 3.0	1 pc
	C	08897	80 x 40 x 20	3.0 x 3.0	1 pc
*Top	C	08935	80 x 40 x 25	1.0 x 1.0	1 pc
	D	08435	80 x 40 x 30	1.6 x 1.6	1 pc
	E	08900	80 x 40 x 40	3.0 x 3.0	1 pc
	F	08901	80 x 80 x 40	3.0 x 3.0	1 pc
		08902	90 x 90 x 50	3.0 x 3.0	1 pc
		08903	140 x 110 x 20	3.0 x 3.0	1 pc
*Top	G	08911	80 x 80 x 40	1.0 x 1.0	1 pc
		08931	150 x 110 x 20	1.0 x 1.0	1 pc
	H	08912	160 x 40 x 20	1.0 x 1.0	1 pc
	I	08898	160 x 40 x 20	3.0 x 3.0	1 pc
		08904	180 x 130 x 20	3.0 x 3.0	1 pc

A

B

C

D



E

F

G

SMALL PARTS SIEVES

Wire containers with lid. Made of stainless steel.

		REF	Format (mm)	Mesh size (mm)	Qty
*Top	A	08936	200 x 40 x 40	1.0 x 1.0	1 pc
	B	08899	200 x 40 x 40	3.0 x 3.0	1 pc
	C	08948	200 x 60 x 40	3.0 x 3.0	1 pc
	D	08772	210 x 80 x 40	5.0 x 5.0	1 pc
	E	08905	210 x 170 x 20	3.0 x 3.0	1 pc
*Top	F	08957	230 x 150x 50	1.0 x 1.0	1 pc
		08906	250 x 200 x 20	3.0 x 3.0	1 pc
		08875	300 x 150 x 70	1.0 x 1.0	1 pc
	G	08950	300 x 150 x 70	4.0 x 4.0	1 pc

A



B

KÖGEL SYSTEM SIEVE TRAYS AND SETS, COMPLYING WITH DIN-STE STANDARD

Wire container with lid. Made of chromium-nickel steel 18/10 (1.4301), electrolytically polished, burr-free, with double peripheral safety frame (DBGM).

	REF	Description	DIN StE standard	Format (mm)	Mesh size	Qty
A	08400	1 x system small parts sieve with clamps lid for variable partitioning: 1 x lengthwise divider 1/1 1 x crosswise divider 1/1 1 x crosswise divider 2/3 1 x crosswise divider 1/3 8 x T-clamps	1/1	480 x 250 x 57	2.5 x 2.5 x 0.7	1 set
B	08469	1 x system small parts sieve with clamps lid	1/3	466 x 74 x 28	1.0 x 1.0 x 0.5	1 set

A

B

KÖGEL SYSTEM SIEVE COMPLYING WITH DIN AND ISO STANDARD

Wire containers without lid.lid. Made of chromium-nickel steel.

	REF	DIN StE standard	Format (mm)	Mesh size (mm)	Qty
A	08415	1/2	240 x 250 x 50	4.0 x 4.0	1 pc
B	08416	1/1	480 x 250 x 50	4.0 x 4.0	1 pc
	08809	XL	560 x 250 x 50	4.0 x 4.0	1 pc
	08810	XL	560 x 250 x 70	5.0 x 5.0	1 pc

A

B

C

D

KÖGEL SYSTEM SMALL PARTS SIEVE, COMPLYING WITH DIN-STE STANDARD

Wire container with lid. Made of chromium-nickel steel electrolytically polished, burr-free, with a safe double frame (DBGM).

	REF	Description	Lid	DIN StE standard	Format (mm)	Mesh size (mm)	Qty
A	08463	set with lid and clamps	yes	1/4	236 x 121 x 28	1.0 x 1.0 x 0.5	1 set
B	08404	set with lid and clamps	yes	1/4	236 x 121 x 46	2.5 x 2.5 x 0.7	1 set
C	08454	set with lid and clamps	yes	1/6	236 x 121 x 28	1.0 x 1.0 x 0.5	1 set
D	08457	without lid and clamps	no	1/6	236 x 73.5 x 28	1.0 x 1.0 x 0.5	1 pc

A

B

C

KÖGEL SYSTEM SMALL PARTS SIEVE, COMPLYING WITH DIN-STE STANDARD

Wire container with lid. Made of chromium-nickel steel electrolytically polished, burr-free, and double peripheral safety frame (DBGM).

	REF	Description	DIN StE standard	Format (mm)	Mesh size (mm)	Qty
A	08406	set with lid and clamps	1/8	121 x 121 x 29	2.5 x 2.5 x 0.7	1 set
B	08408	set with lid and clamps	1/16	121 x 73 x 29	1.0 x 1.0 x 0.5	1 set
C	08442	set with lid and clamps	1/32	63 x 63 x 23.4	1.0 x 1.0 x 0.5	1 set

A



B

SIEVE TRAYS FOR SPECIAL APPLICATIONS

	REF	Description	Lid	Format (mm)	Qty
A	08774	sieve basket with lid for Da Vinci arms, mesh size: 5.5 x 5.5 mm, made of stainless steel, suitable for: Silicone holder REF A327593, suitable for Da Vinci systems 470006 and 470179	yes	635 x 95 x 60	1 pc
B	64/5DVXLSLIM	sieve tray for Da Vinci XI system	no	640 x 340 x 100	1 pc
	79DVXL1	sterilization tray for rigid-flexible endoscope	yes	670 x 80 x 52	1 pc

STERILIZATION TRAYS AND CASSETTES

Trays and cassettes exclusively for sterilization and instrument storage. Made of plastic.

	REF	Description	Format (mm)	Heat resistance	Qty
C	08892	with lid and silicone studded mat	185 x 75 x 20	up to 134 °C	1 pc
	08890	with lid and silicone studded mat	190 x 100 x 20	up to 134 °C	1 pc

C



D

INSTRUMENT CLIPS

These clips can be used to bundle ring instruments so that instrument groups are stored together tidily in the sieve tray. Made of stainless steel.

	REF	Total Length (mm)	Qty
A	20403	75	1 pc
B	20404	100	1 pc
C	20405	135	1 pc

SILICONE INSERTS

With pins for fastening in the wire mesh, ideally suited for a mesh size of 5 x 5mm to 6 x 6mm.

	REF	Description	Format (mm)	O opening (mm)	Qty
D	08949	round opening (5-slots)	125 x 25	4	6 pcs



SILICONE NUB MATS

Silicone mats designed to provide support to instruments during high level disinfection. Suitable for washer-disinfectors, flexible.

	REF	Color	Format (mm)	Heat resitstance	Qty
A	08698	pink	245 x 1000	up to 230 °C	1 pc
*Top B	08321	blue	500 x 320	up to 40 °C	1 pc
	08609	blue	470 x 250 x 3.5	up to 230 °C	1 pc

A



B

C



D

CORNER PROTECTORS

Corner protectors are designed to protect the soft packaging from the sharp edges of the sterilization tray.

		REF	Description	Color	Format (mm)	Qty
*Top	A	CS9113	Silicone corner protector	lime green	71.12 x 71.12 x 30.48	80 pcs
*Top	B	CS9125C	foam corner protector	blue	152.4 x 152.4 x 31.75	80 pcs
	C	CC002	crepe corner protector for single use	white	200 x 150	100 pcs
*Top	D	CC001	cardboard corner protector for single use	white	200 x 150	200 pcs
		42007	cardboard corner protector for single use	white	100 x 100 x 50	600 pcs
*Top		42010	cardboard corner protector for single use	white	100 x 100 x 50	600 pcs

A



B



C



D



E



GRID INSERTS AND MATS

Silicone grids and mats designed to provide support to instruments during high level disinfection. Suitable for washer-disinfectors, honeycomb structure and flexible.

	REF	Description	Color	Format (mm)	Heat resistance	Qty
A	08602	honeycomb structure	dark blue	238 x 248	up to 230 °C	1 pc
B	08608	honeycomb structure	light green	270 x 120	up to 230 °C	1 pc
C	08601	honeycomb structure	dark blue	480 x 250	up to 230 °C	1 pc
D	08110	silicone grid insert, thickness 6mm	white	600 x 324	up to 134 °C	1 pc
E	08605	silicone grid insert, thickness 2mm	blue	600 x 400	-40° C up to +230°	1 pc
E	08600	silicone grid insert, thickness 2mm	blue	540 x 320	-60° C to +300 °C	1 pc

CONTAINER ACCESSORIES

Containers are used worldwide to provide a protective barrier during the sterilization, handling and storage of surgical instruments. Regardless of which container model you are using, Key Surgical has just the right accessories.

Container filters are available in various shapes and sizes for a variety of container systems in accordance with the applicable standards.

Colored plastic seals in various shapes that can be used for color coding and as a sustainable container closure option, paper seals are perfect for easy handling.

Container Filters

Plastic Locking Seals

Paper Locking Seals

Insert Labels

Attachment Labels





Container Accessories – Container Filters

CONTAINER FILTERS

We offer a variety of filters for containers compliant with DIN EN ISO 11607 standard. These paper filters are available with or without process indicator and come in different sizes and shapes. Single use.

CONTAINER FILTERS SIZE MATCHES THE SIZES OF AESCULAP FILTERS

		REF	Description	Format (mm)	Qty
*Top	A	01152	round filter with steam indicator, central hole punching Ø 6mm	Ø 190	500 pcs
*Top	B	01141	round filter without indicator, central hole punching Ø 6mm, white	Ø 190	500 pcs
*Top	C	01148	small set filter with steam indicator, rectangular, white	118 x 235	200 pcs
	D	01186	small set filter without indicator, rectangular, white	118 x 235	200 pcs
	E	01317	rectangular filter with steam indicator	170 x 230	500 pcs
*Top	F	01153	square filter with steam indicator, white	230 x 230	500 pcs
	G	01142	square filter without indicator, white	230 x 230	500 pcs
	H	01149	square filter without indicator, white	230 x 230	500 pcs
	I	01330	square filter with steam indicator	104 x 104	250 pcs
	J	01158	rectangular filter with steam indicator	110 x 240	200 pcs
	K	01143	rectangular filter with steam indicator	180 x 270	500 pcs
	L	01321	rectangular filter with steam indicator	180 x 255	500 pcs

A

B

C

CONTAINER FILTERS

Rectangular, white. Compliant with DIN EN ISO 11607 standard. Single use.

	REF	Description	Format (mm)	Qty
A	01144	rectangular, without indicator	240 x 240	250 pcs
	01198	rectangular, without indicator	230 x 540	250 pcs
B	01304	rectangular, without indicator	210 x 490	100 pcs

NON-WOVEN CONTAINER FILTERS

Round and square format container filters, 67gsm according to DIN EN ISO 11607. Single use.

		REF	Description	Format (mm)	Qty
*Top	C	01145	square, green, with steam indicator,	225 x 225	500 pcs
*Top	D	01378	round, blue, for H_2O_2 sterilization, with steam indicator	190 x 6.0	500 pcs
		01365	round, blue, with steam indicator	190 x 6.0	500 pcs
	E	01368	round, green, without indicator, no filter imprint	Ø 92	1000 pcs

D

E



A

B

D



C

E

F

G

CONTAINER FILTERS

For single use.

		REF	Description	Format (mm)	Qty
	A	01314	rectangular filter, with indicator	145 x 205	100 pcs
	B	01315	square filter, with indicator	240 x 240	250 pcs
*Top	C	01327	rectangular filter, with indicator	240 x 540	100 pcs

CONTAINER FILTERS FOR ALL WAGNER CONTAINERS

Round and rectangular, white, with indicator. Single use.

	REF	Description	Format (mm)	Qty
D	01355	round, central hole punching Ø 10mm	Ø 190	500 pcs
E	01369	round, central hole punching Ø 10mm	Ø 75	1000 pcs
F	01363	rectangular	245 x 400	100 pcs
G	01323	rectangular	96 x 212	250 pcs









PLASTIC LOCKING SEALS

We offer a wide range of different designs to suit all type of containers. Our seals are available both with and without process indicators. They are used as a tamper free lock and have a predetermined breaking point for easy opening. We have options for all common container makes and a wide range of colors. We also offer numbered security seals (REF 02639) for the sealed return of loan instruments, implants, and containers. Single use.

LOCKING SEAL - ANGULAR BRIDGE

Bridge length 19mm.

		REF	Description	Color	Qty
*Top	A	01020	without indicator	dark blue	1000 pcs
*Top	B	01021	without indicator	green	1000 pcs
*Top	C	01022	without indicator	white	1000 pcs
*Top	D	01023	without indicator	red	1000 pcs
*Top	E	01024	without indicator	yellow	1000 pcs
	F	01234	without indicator	orange	1000 pcs
	G	01286	without indicator	black	1000 pcs
	H	02623	without indicator	light blue	1000 pcs
	I	01228	with steam indicator	dark blue	1000 pcs
*Top	J	01229	with steam indicator	green	1000 pcs
	K	01230	with steam indicator	white	1000 pcs
*Top	L	01231	with steam indicator	red	1000 pcs
	M	01232	with steam indicator	yellow	1000 pcs
	N	01235	with steam indicator	orange	1000 pcs
	O	02670	with steam indicator	light blue	1000 pcs



Container Accessories – Plastic Locking Seals

UNIVERSAL LOCKING SEALS UNILOCK - ANGULAR BRIDGE

Bridge length 19mm. Single use.

	REF	Description	Color	Qty
A	01240	without indicator	blue	1000 pcs
B	01241	without indicator	green	1000 pcs
C	01242	without indicator	white	1000 pcs
D	01246	with steam indicator	green	1000 pcs
E	01248	with steam indicator	red	1000 pcs
F	01249	with steam indicator	yellow	1000 pcs

UNIVERSAL LOCKING SEALS UNILOCK XL - SQUARE BRIDGE

Bridge length 27mm. Single use.

	REF	Description	Color	Qty
G	01250	without indicator	blue	1000 pcs
H	01251	without indicator	green	1000 pcs
I	01252	without indicator	white	1000 pcs
J	01254	without indicator	yellow	1000 pcs
K	02514	without indicator	violet	1000 pcs
L	02515	without indicator	orange	1000 pcs
M	01255	with steam indicator	blue	1000 pcs
N	01256	with steam indicator	green	1000 pcs
O	01257	with steam indicator	white	1000 pcs
P	01258	with steam indicator	red	1000 pcs
Q	01259	with steam indicator	yellow	1000 pcs



UNIVERSAL LOCKING SEALS - ANGULAR BRIDGE

Suitable for Aesculap and Wagner containers. Bridge length 34mm. Single use.

	REF	Description	Color	Qty
A	01025	without indicator	dark blue	1000 pcs
B	01026	without indicator	red	1000 pcs
C	01027	without indicator	green	1000 pcs
D	01028	without indicator	yellow	1000 pcs
E	01029	without indicator	white	1000 pcs
F	02624	without indicator	orange	1000 pcs
G	02625	without indicator	violet	1000 pcs
H	01220	with steam indicator	dark blue	1000 pcs
I	01221	with steam indicator	red	1000 pcs
J	01233	with steam indicator	green	1000 pcs
K	01238	with steam indicator	yellow	1000 pcs
L	01239	with steam indicator	white	1000 pcs



'AW' SEALS - ROUND BAR

Suitable for Aesculap and Wagner containers. Bridge length 19mm. Single use.

		REF	Description	Color	Qty
*Top	M	02612	without indicator	red	1000 pcs
*Top	N	02613	without indicator	blue	1000 pcs
*Top	O	02614	without indicator	green	1000 pcs
	P	02615	without indicator	yellow	1000 pcs
	Q	02661	without indicator	white	1000 pcs
	R	02662	without indicator	black	1000 pcs
	S	02632	with steam indicator	red	1000 pcs
	T	02633	with steam indicator	blue	1000 pcs
	U	02634	with steam indicator	green	1000 pcs
	V	02635	with steam indicator	yellow	1000 pcs





UNIVERSAL SEALS - ROUND BRIDGE

Length 195mm. Single use.

	REF	Description	Color	Qty
A	01204	without indicator	dark blue	1000 pcs
B	02643	without indicator	yellow	1000 pcs
C	01205	with steam indicator	dark blue	1000 pcs

UNIVERSAL SEALS - ANGULAR BRIDGE

Bridge length 80mm. Single use.

		REF	Description	Color	Qty
	D	01014	without indicator	blue	1000 pcs
	E	01216	without indicator	red	1000 pcs
	F	01217	without indicator	green	1000 pcs
	G	01218	without indicator	yellow	1000 pcs
	H	01219	without indicator	black	1000 pcs
*Top	I	01013	with steam indicator	blue	1000 pcs
	J	01212	with steam indicator	red	1000 pcs
*Top	K	01214	with steam indicator	yellow	1000 pcs

A

B



C

PLASTIC SEALS FOR MARTIN CONTAINERS

	REF	Description	Color	Qty
A	01011	without indicator	white	1000 pcs
B	01012	with steam indicator	white	1000 pcs

SECURITY SEALS

	REF	Description	Color	Qty
C	02639	290mm long, usable length 220mm	yellow	400 pcs

A

B

C

D

E

LOCKING TAGS

Versatile, durable, and economical. Tamper-resistant. Compatible with steam and H_2O_2 sterilization. Single use. Customizable. 25.4mm length.

		REF	Details	Color	Qty
	A	LT100N	uniquely numbered	white	100 pcs
		LT100N1000			1000 pcs
*Top	B	LT300N	uniquely numbered	green	100 pcs
		LT300N1000			1000 pcs
*Top	C	LT400N	uniquely numbered	red	100 pcs
		LT400N1000			1000 pcs
	D	LT500N	uniquely numbered	yellow	100 pcs
		LT500N1000			1000 pcs
	E	LT900N	uniquely numbered	black	100 pcs
		LT900N1000			1000 pcs





Container Accessories – Paper Seals

PAPER SEALS

We offer you an environmentally friendly way of closing containers. The seals can be attached to almost all common containers and follow a simple principle. With our paper seals you ensure safe closure for transport and storage due to thermal closure of the components. Available in different versions with and without documentation fields. In some cases, it is also possible to stick on labels. Single use.

		REF	Description	Color	Format (mm)	Qty
	A	01010	bridge width 3mm	white	100 x 18	1000 pcs
	B	01003	with indicator, bridge width 3mm	white	105 x 30	1000 pcs
	C	01004	with indicator, with grip tab, bridge width 4mm	white	117 x 38	500 pcs
	D	01005	with pull tab, self-adhesive	white	117 x 38	500 pcs
	E	02638	with indicator, bridge width 2mm	white	105 x 30	1000 pcs
	F	04120	with indicator, with grip tab, bridge width 4mm	white	132 x 38	500 pcs
*Top	G	04179	with indicator, self-adhesive	white	145 x 35	750 pcs
	H	01006	with indicator, with documentation field, self-adhesive, insertion from the right	white	35 x 74	1000 pcs
	I	04114	see 01006, blank	white	35 x 74	1000 pcs
*Top	J	01008	with indicator, with documentation field, not self-adhesive, insertion from the right	white	35 x 74	1000 pcs
*Top	K	01009	with indicator, with documentation field, self-adhesive, insertion from the left	white	35 x 74	1000 pcs
*Top	L	04108	with indicator, with documentation field, not self-adhesive, insertion from the left	white	35 x 74	1000 pcs
*Top	M	04113	with indicator, with documentation field, self-adhesive, insertion from the right	white	35 x 80	1000 pcs
		61006	closure label, with indicator, self-adhesive, insert from the right, with documentation field	white	74 x 35	1000 pcs



A



B



C



D



E



F



G



H

INSERT LABELS

Insert labels make documentation easier for you, they can simply be pushed into the opening provided on the container. Available in different designs suitable for Aesculap, Martin, or other container systems. We also offer blank versions and with documentation fields in which sterilization data, batch numbers, and sieve names can be noted. Key Surgical insert labels are made of special cardboard compatible with sterilization. Single use.

DOCUMENTATION LABELS FOR WAGNER CONTAINERS

With indicator and documentation field.

		REF	Self-adhesive	Format (mm)	Qty
	A	01133	no	40 x 59	1000 pcs
	B	01134	yes	40/10 x 59	1000 pcs
*Top	C	01169	yes	40 x 59/74	1000 pcs

DOCUMENTATION LABELS FOR MISCELLANEOUS CONTAINERS

	REF	Description	Format (mm)	Qty
D	04067	with indicator, with documentation field, self-adhesive; for Geuder containers	23 x 60	1000 pcs
E	04116	with indicator, with documentation field, not self-adhesive; for CBM containers	39 x 55	1000 pcs
F	04112	with indicator, with documentation field, self-adhesive; for Microstop containers	39 x 63	1000 pcs
G	01116	with indicator, with documentation field, not self-adhesive; for sterilization containers	38 x 67	1000 pcs
H	04003	set label with indicator, self-adhesive, carrier material slotted from special cardboard 280gsm	40 x 80	1000 pcs

A



B

C



D



E



F



G



H



I



J

K



L

DOCUMENTATION LABELS FOR AESCULAP CONTAINERS

For single use.

		REF	Description	Format (mm)	Qty
	A	04102	blank, not self-adhesive	39 x 68	1000 pcs
*Top	B	01400	with indicator, with documentation field, not self-adhesive	35 x 80	1000 pcs
	C	04184	without indicator, blank, not self-adhesive	35 x 80	1000 pcs
*Top	D	01135	with indicator, with documentation field, not self-adhesive	39 x 68	1000 pcs
	E	01136	with indicator, with documentation field, self-adhesive	39 x 67	1000 pcs
*Top	F	04000	with indicator, with documentation field, self-adhesive	18 x 60	1000 pcs
	G	04005	with indicator, with documentation field, not self-adhesive, 100 pieces each packed	18 x 50	1000 pcs
		04107	with indicator 'STERILE', without frame, self-adhesive	39 x 67	1000 pcs

DOCUMENTATION LABELS FOR MARTIN CONTAINERS

With steam indicator and documentation field. Single use.

	REF	Self-adhesive	Format (mm)	Qty
H	01139	yes	46 x 50	1000 pcs
I	01122	yes	46 x 60	1000 pcs

DOCUMENTATION LABELS FOR MARTIN CONTAINERS

For single use.

		REF	Description	Format (mm)	Qty
*Top	J	01120	with indicator, with documentation field, self-adhesive	36 x 67	1000 pcs
	K	04123	blank, not self-adhesive	36 x 67	1000 pcs
	L	01121	with indicator, with documentation field, not self-adhesive	36 x 64	1000 pcs

A

B

C

TAG LABELS

Key Surgical tags help you to quickly label your containers and trolleys. They are heat-resistant up to 134 °C, not self-adhesive. Single use.

		REF	Description	Format (mm)	Qty
*Top	A	04162	with hole, white, made of polyester	90 x 50 x 20	1000 pcs
	B	04192	with hole, red on one side, made of polyester	90 x 50 x 20	1000 pcs
	C	04193	with hole, blue on one side, made of polyester	90 x 50 x 20	1000 pcs
		04216	with hole, white, made of polyester	110 x 60 x 20	1000 pcs
		04289	with hole, red on both sides, made of polyester	110 x 60 x 20	1000 pcs
	D	04172	with cross-cut, white, made of polyester	75 x 40 x 20	1000 pcs

D

INSTRUMENT IDENTIFICATION

The KeyDot® is a small, laser-etched, 2D Data Matrix barcode label that can be applied directly to an instrument's surface. Tested for sterilization efficacy and bio-compatibility for use on stainless steel surgical instruments, it has been conveniently incorporated into most of the instrument tracking software applications available today. With the KeyDot there is no specialized training or intricate equipment needed so application can be done on-site, eliminating the hassle of sending your instrument sets out for this tracking solution.

Our Identification Tape is designed to help you organize and identify instruments as they move between sterile processing and various departments. Using tape can help save you time, effort, and money by offering effective organization and identification of your surgical instrumentation. It is easy to apply and is compatible with steam and H_2O_2 sterilization. We have the broadest selection of tape available and it is colorful, easy to use, and economical. Adhesive Remover is designed to dissolve tape residue on instruments, trays, basins, and other surfaces. Adhesive Remover is the citrus based solution you need to remove residue without causing any damage.

Color Coding

Adhesive Remover

Roll Tape

Sheet Tape

KeyDot

Repair Tags

Cable Binders

Bundling Strings

Silicone Tubes



Instrument Identification – Color Coding

Color coding simplifies the assignment of individual products to different application or specialist areas or stations. We offer a wide range of identification options that can be selected according to preference or circumstances.

COLORED BEADS

Our colored beads made of silicone are ideal for marking instruments and are heat-resistant up to 134 °C. Available in different sizes and colors. Single use.

	REF	Color	Max. Ø (mm)	Qty
A	09652	turquoise	20	100 pcs
B	09653	green	20	100 pcs
C	09654	blue	20	100 pcs
D	09655	yellow	20	100 pcs
E	09656	black	20	100 pcs
F	09657	red	20	100 pcs
G	09658	white	20	100 pcs
H	09659	orange	20	100 pcs
I	09660	brown	20	100 pcs
J	09661	gray	20	100 pcs
K	09662	violet	20	100 pcs

COLORCURLS®

ColorCurls made of polypropylene (PP) are ideal for marking instruments and are heat resistant up to 134 °C. Available on request in various colors. For single use.

	REF	Color	Ring handle Ø (mm)	Qty
A	09639	light blue	up to approx. 6	500 pcs
B	09640	dark blue	up to approx. 6	500 pcs
C	09641	light green	up to approx. 6	500 pcs
D	09642	dark green	up to approx. 6	500 pcs
E	09643	white	up to approx. 6	500 pcs
F	09645	dark red	up to approx. 6	500 pcs
G	09646	light yellow	up to approx. 6	500 pcs
H	09647	orange	up to approx. 6	500 pcs
I	09648	brown	up to approx. 6	500 pcs
J	09649	black	up to approx. 6	500 pcs
K	09651	turquoise	up to approx. 6	500 pcs

FIXING RINGS

Developed with an easy-to-use lock for marking sieve baskets and instruments or for attaching basket labels. These are made of plastic and are heat resistant up to 134 °C. For single use.

	REF	Color	Inside Ø (mm)	Qty
A	09418	blue	10	100 pcs
B	09419	green	10	100 pcs
C	09420	white	10	100 pcs
D	09421	red	10	100 pcs
E	09422	yellow	10	100 pcs
F	09423	orange	10	100 pcs
G	09424	violet	10	100 pcs
H	09425	black	10	100 pcs
I	09426	transparent	10	100 pcs
J	09585	pink	10	100 pcs

A

ADHESIVE REMOVER

Our adhesive remover is designed to dissolve tape residue on instruments, trays, basins, or other surfaces. Biodegradable solution with citrus scent. Product availability and local country registration varies by market. Please contact your sales representative for information.

	REF	Description	Qty
*Top A	BC2006	adhesive remover 250ml bottle	6 bottles per case

KEY FEATURES:

- Removes adhesive residue from most surfaces
- 250ml bottle
- Citrus scent
- CE-marked
- pH 6 - 6.5
- Storage: place the item in a cool, dry area in its original container.
  Keep container tightly closed when not in use
- Shelf life: 24 months from date of manufacture
- Transport hazard class 9

ROLL TAPE

Available in different colors and widths. Compatible with steam sterilization up to 134 °C and H_2O_2.
Single use.

		REF	Color	Format (mm)	Qty
	A	T0102	blue	3.2 x 6350	1 roll
*Top		T0202	blue	6.4 x 6350	1 roll
		T0302	blue	9.4 x 6350	1 roll
	B	T0108	brown	3.2 x 6350	1 roll
		T0208	brown	6.4 x 6350	1 roll
		T0308	brown	9.4 x 6350	1 roll
	C	T0105	yellow	3.2 x 6350	1 roll
*Top		T0205	yellow	6.4 x 6350	1 roll
		T0305	yellow	9.4 x 6350	1 roll
	D	T0103	green	3.2 x 6350	1 roll
*Top		T0203	green	6.4 x 6350	1 roll
		T0303	green	9.4 x 6350	1 roll
	E	T0107	orange	3.2 x 6350	1 roll
		T0207	orange	6.4 x 6350	1 roll
		T0307	orange	9.4 x 6350	1 roll
	F	T0104	red	3.2 x 6350	1 roll
*Top		T0204	red	6.4 x 6350	1 roll
		T0304	red	9.4 x 6350	1 roll
	G	T0109	black	3.2 x 6350	1 roll
		T0209	black	6.4 x 6350	1 roll
		T0309	black	9.4 x 6350	1 roll
	H	T0106	violet	3.2 x 6350	1 roll
		T0206	violet	6.4 x 6350	1 roll
		T0306	violet	9.4 x 6350	1 roll
	I	T0101	white	3.2 x 6350	1 roll
*Top		T0201	white	6.4 x 6350	1 roll
		T0301	white	9.4 x 6350	1 roll

SOLID COLOR SHEET TAPE – 3.17MM WIDTH

Compatible with steam and H_2O_2 sterilization. Customizable.

Each 216mm x 279.4mm sheet includes:
462 pieces of 3.17mm x 25.4mm
88 pieces of 3.17mm x 38.1mm
22 pieces of 3.17mm x 50.8mm
22 pieces of 3.17mm x 127mm
(total of 1,899cm of tape)



	Number	Color
A	T11001	white
B	T11002	blue
C	T11003	green
D	T11004	red
E	T11005	yellow
F	T11006	purple
G	T11007	orange
H	T11008	brown
I	T11009	black
J	T11010	bright orange
K	T11011	pink
L	T11012	gray
M	T11013	lime green
N	T11014	light blue
O	T11015	lavender
P	T11016	beige
Q	T11017	plum



SOLID COLOR SHEET TAPE – 6.35MM WIDTH

Compatible with steam and H_2O_2 sterilization. Customizable.

Each 216mm x 279.4mm sheet includes:
231 pieces of 6.35mm x 25.4mm
44 pieces of 6.35mm x 38.1mm
11 pieces of 6.35mm x 50.8mm
11 pieces of 6.35mm x 127mm
(total of 950cm of tape)



		Number	Color
	A	T12001	white
*Top	B	T12002	blue
*Top	C	T12003	green
*Top	D	T12004	red
*Top	E	T12005	yellow
	F	T12006	purple
	G	T12007	orange
	H	T12008	brown
	I	T12009	black
	J	T12010	bright orange
	K	T12011	pink
	L	T12012	gray
	M	T12013	lime green
	N	T12014	light blue
	O	T12015	lavender
	P	T12016	beige
	Q	T12017	plum
	R	T12021	emerald green



PATTERNED SHEET TAPE – 6.35MM WIDTH

Compatible with steam and H_2O_2sterilization. Customizable. One 216mm x 279.4mm sheet pre-cut into 25.4mm, 38.1mm, 50.8mm and 127mm lengths. Cut as illustrated on page 196.

- T3200102 white/blue
- T3200103 white/green
- T3200104 white/red
- T3200105 white/yellow
- T3200106 white/purple
- T3200107 white/orange
- T3200108 white/brown
- T3200109 white/black
- T3200110 white/ bright orange
- T3200111 white/pink
- T3200113 white/lime green
- T3200114 white/light blue
- T3200115 white/lavender
- T3200203 blue/green
- T3200204 blue/red
- T3200205 blue/yellow
- T3200206 blue/purple
- T3200207 blue/orange
- T3200211 blue/pink
- T3200503 yellow/green
- T3200504 yellow/red
- T3200506 yellow/purple
- T3200507 yellow/orange
- T3200511 yellow/pink
- T3200513 yellow/lime green
- T3200903 black/green
- T3200904 black/red
- T3200905 black/yellow
- T3200906 black/purple
- T3200907 black/orange
- T3200910 black/ bright orange
- T3200911 black/pink
- T3200912 black/gray

PATTERNED SHEET TAPE – 6.35MM WIDTH

Compatible with steam and H_2O_2 sterilization. Customizable. One 216mm x 279.4mm sheet pre-cut into 25.4mm, 38.1mm, 50.8mm and 127mm lengths. Cut as illustrated on page 196.

- T3200913 black/lime green
- T3200914 black/light blue
- T3200915 black/lavender
- T3200916 black/beige
- T2200102 white/ blue squares
- T2200103 white/ green squares
- T2200104 white/ red squares
- T2200105 white/ yellow squares
- T2200106 white/ purple squares
- T2200107 white/ orange squares
- T2200109 white/ black squares
- T2200111 white/ pink squares
- T2200113 white/ lime green squares
- T330010304 white/green/red
- T330010902 white/black/blue
- T330020503 blue/yellow/green
- T330020504 blue/yellow/red
- T330020703 blue/orange/green
- T330030104 green/white/red
- T330030504 green/yellow/red
- T330040102 red/white/blue
- T330040109 red/white/black
- T330040203 red/blue/green
- T330040309 red/green/black
- T330040509 red/yellow/black
- T330070103 orange/white/green

PATTERNED SHEET TAPE – 6.35MM WIDTH

Compatible with steam and H_2O_2 sterilization. Customizable. One 216mm x 279.4mm sheet pre-cut into 25.4mm, 38.1mm, 50.8mm and 127mm lengths. Cut as illustrated on page 196.

ER ER ER ER T50202 blue/ER	ER ER ER ER T50203 green/ER	ER ER ER ER T50204 red/ER	ER ER ER ER T50206 purple/ER	ER ER ER ER T50207 orange/ER
GI GI GI GI T5031609 beige/GI	OB OB OB OB T50411 pink/OB	OB OB OB OB T50414 light blue/OB	OR OR OR OR T52303 green/OR	OR OR OR OR T52307 orange/OR
DEN DEN DEN DEN T6030109 white/DEN	DEN DEN DEN DEN T60304 red/DEN	ENT ENT ENT ENT T60402 blue/ENT	ENT ENT ENT ENT T60403 green/ENT	ENT ENT ENT ENT T60404 red/ENT
ENT ENT ENT ENT T60407 orange/ENT	ENT ENT ENT ENT T60415 lavender/ENT	TX TX TX TX T50602 blue/TX	EYE EYE EYE EYE T60502 blue/EYE	EYE EYE EYE EYE T60503 green/EYE
EYE EYE EYE EYE T60504 red/EYE	EYE EYE EYE EYE T60506 purple/EYE	GEN GEN GEN GEN T60602 blue/GEN	GEN GEN GEN GEN T60603 green/GEN	GEN GEN GEN GEN T60604 red/GEN
GEN GEN GEN GEN T60606 purple/GEN	GEN GEN GEN GEN T60607 orange/GEN	GEN GEN GEN GEN T60609 black/GEN		

PATTERNED SHEET TAPE – 6.35MM WIDTH

Compatible with steam and H_2O_2 sterilization. Customizable. One 216mm x 279.4mm sheet pre-cut into 25.4mm, 38.1mm, 50.8mm and 127mm lengths. Cut as illustrated on page 196.

GYN GYN GYN GYN T60703 green/GYN	GYN GYN GYN GYN T60704 red/GYN	GYN GYN GYN GYN T60706 purple/GYN	GYN GYN GYN GYN T60707 orange/GYN	GYN GYN GYN GYN T60719 fuchsia/GYN
GYN GYN GYN GYN T60720 medical blue/GYN	ICU ICU ICU ICU T60803 green/ICU	ICU ICU ICU ICU T60804 red/ICU	L&D L&D L&D L&D T60903 green/L&D	L&D L&D L&D L&D T60904 red/L&D
L&D L&D L&D L&D T60911 pink/L&D	L&D L&D L&D L&D T60914 light blue/ L&D	NEU NEU NEU NEU T61002 blue/NEU	NEU NEU NEU NEU T61003 green/NEU	NEU NEU NEU NEU T61004 red/NEU
NEU NEU NEU NEU T61006 purple/NEU	NEU NEU NEU NEU T61007 orange/NEU	NEU NEU NEU NEU T61011 pink/NEU	PLA PLA PLA PLA T61203 green/PLA	PLA PLA PLA PLA T61204 red/PLA
SPD SPD SPD SPD T61403 green/SPD	SPD SPD SPD SPD T61407 orange/SPD	SPD SPD SPD SPD T61417 plum/SPD	PED PED PED PED T61114 light blue/PED	PED PED PED PED T61118 baby pink/PED
PED PED PED PED T6111309 lime green/ PED	PLA PLA PLA PLA T6120509 yellow/PLA	RAD RAD RAD RAD T6130709 orange/RAD	SPN SPN SPN SPN T61402 blue/SPN	

PATTERNED SHEET TAPE – 6.35MM WIDTH

Compatible with steam and H_2O_2 sterilization. Customizable. One 216mm x 279.4mm sheet pre-cut into 25.4mm, 38.1mm, 50.8mm and 127mm lengths. Cut as illustrated on page 196.



PATTERNED SHEET TAPE – 6.35MM WIDTH

Compatible with steam and H_2O_2 sterilization. Customizable. One 216mm x 279.4mm sheet pre-cut into 25.4mm, 38.1mm, 50.8mm and 127mm lengths. Cut as illustrated on page 196.



PATTERNED SHEET TAPE – 6.35MM WIDTH

Compatible with steam and H_2O_2 sterilization. Customizable. One 216mm x 279.4mm sheet pre-cut into 25.4mm, 38.1mm, 50.8mm and 127mm lengths. Cut as illustrated on page 196.

- T70406 purple/dots
- T70419 fuchsia/dots
- T70420 medical blue/dots
- T70421 emerald green/ dots
- T70506 purple/triangles
- T70519 fuchsia/triangles
- T70520 medical blue/ triangles
- T70521 emerald green/ triangles
- T70602 blue/ smiley faces
- T70603 green/ smiley faces
- T70604 red/ smiley faces
- T70606 purple/ smiley faces
- T7060509 yellow/ smiley faces
- T7060709 orange/ smiley faces
- T7061109 pink/ smiley faces
- T7061309 lime green/ smiley faces
- T7061409 light blue/ smiley faces
- T70702 blue/diamonds
- T70704 red/diamonds
- T70717 plum/diamonds
- T7080104 white/no
- T7090103 white/clovers
- T70903 green/clovers
- T7100118 Key Surgical logo
- T7110109 white/yin yang
- T7120104 white/lips
- T71302 blue/footprints
- T71303 green/footprints
- T71304 red/footprints
- T71306 purple/footprints
- T71307 orange/footprints
- T7131109 pink/footprints

PATTERNED SHEET TAPE – 6.35MM WIDTH

Compatible with steam and H_2O_2sterilization. Customizable. One 216mm x 279.4mm sheet pre-cut into 25.4mm, 38.1mm, 50.8mm and 127mm lengths. Cut as illustrated on page 196.

- T7140504 yellow/nuclear
- T7150109 white/music notes
- T71603 green/crosses
- T71604 red/crosses
- T72002 blue/handprints
- T72004 red/handprints
- T7170103 white/pine trees
- T7180111 white/ribbon
- T71904 red/biohazard
- AAAAAAA T4010509 yellow/A
- BBBBBBB T4020509 yellow/B
- CCCCCC T4030509 yellow/C
- DDDDDDD T4040509 yellow/D
- EEEEEEE T4050509 yellow/E
- GGGGGG T4070509 yellow/G
- LLLLLLLL T4120509 yellow/L
- NNNNNN T4140509 yellow/N
- PPPPPPP T4160509 yellow/P
- PPPPPPP T4161009 bright orange/P
- TTTTTTTT T4200509 yellow/T
- UUUUUU T4210509 yellow/U
- 00000000 T8000509 yellow/0
- 00000000 T8001009 bright orange/0
- 1111111111 T8010509 yellow/1
- 22222222 T8020509 yellow/2
- 33333333 T8030509 yellow/3
- 44444444 T8040509 yellow/4
- 55555555 T8050509 yellow/5
- 66666666 T8060509 yellow/6
- 77777777 T8070509 yellow/7
- 88888888 T8080509 yellow/8

PATTERNED SHEET TAPE – 6.35MM WIDTH

Compatible with steam sterilization. Customizable. One 216mm x 279.4mm sheet pre-cut into 25.4mm, Cut as illustrated on page 200. 38.1mm, 50.8mm and 127mm lengths. Each sheet contains numbers 1-44.



T92002
blue/1-44



T92004
red/1-44

PATTERNED SHEET TAPE – 6.35MM WIDTH

Compatible with steam and H_2O_2 sterilization. Customizable. One 216mm x 279.4mm sheet pre-cut into 25.4 and 127mm lengths. Cut as illustrated below.

Each 216mm x 279.4mm sheet includes:
216mm x 279.4mm 08 pieces of 950cm x 6.35mm x 25.4mm
44 pieces of 6.35mm x 38.1mm
(total of 950cm of tape)





PATTERNED SHEET TAPE – 6.35MM WIDTH

Compatible with steam and H_2O_2 sterilization. Customizable. One 216mm x 279.4mm sheet pre-cut into 25.4mm and 127mm lengths. Cut as illustrated on page196.



T90101
white/Jan
pink/Feb
light blue/Mar

T90201
green/Apr
orange/May
blue/Jun

T90301
red/Jul
brown/Aug
purple/Sep

T90401
lime green/Oct
yellow/Nov
lavender/Dec

T91002
blue/alphabet

T91004
red/alphabet

T91019
fuchsia/alphabet

T91003
green/alphabet



T9100109
white/alphabet

PATTERNED SHEET TAPE – 6.35MM WIDTH

Compatible with steam and H_2O_2 sterilization. Customizable. One 216mm x 279.4mm sheet pre-cut into 25.4mm and 127mm lengths. Cut as illustrated on page 196.



T40119
red/A



T720040109
black/red/card suits



T9000109
white/0-8



T90003
green/0-8

T90006
purple/0-8

T90007
orange/0-8

T90019
fuchsia/0-8

T90020
medical blue/0-8

T90021
emerald green/0-8

HOW DOES KEYDOT WORK?

The KeyDot works like a license plate. It links a specific instrument to a data file within a software application, allowing that instrument to be tracked throughout the complete instrument processing cycle. Instruments marked with the KeyDot are scanned using a two-dimensional barcode reader. Scanners and software applications not available through Key Surgical.

THE KEYDOT IS EFFICIENT

KeyDot provides you with the convenience to decide what to mark and when to mark it – you're in control. Since there are no equipment requirements or complicated procedures and training involved, instruments can be marked with a KeyDot on a continuous basis by anyone in your department, starting with critical instruments and expanding at an individual pace.

KEYDOT®

With the KeyDot there is no specialized training or intricate equipment required. Applying a KeyDot to a surgical instrument is quick and easy: simply clean, lift, place, and press. The instrument then needs to be sterilized to cure the adhesive and assure firm adhesion.

1 clean application area

2 lift KeyDot from sheet

3 place KeyDot on instrument

4 apply firm pressure and sterilize to secure adhesive

FREQUENTLY ASKED QUESTIONS

IS KEYDOT SAFE FOR OUR SURGICAL INSTRUMENTS?

Yes. A licensed, independent medical testing laboratory has scientifically evaluated the KeyDot and found that the instrument surfaces under the KeyDot are completely sterilized during processing.

HOW LONG WILL OUR KEYDOT LAST?

KeyDot labels will remain readable for at least 200 processing cycles or two years, whichever comes first. The radial design of the KeyDot means there are no corners to lift up. The Data Matrix barcode is also highly redundant – even if up to 60% of the barcode is destroyed, the KeyDot is still readable. The KeyDot is designed to withstand harsh environmental and temperature conditions. If a KeyDot needs to be replaced, anyone can do it at a convenient time in a matter of seconds.

DO I HAVE TO PROGRAM KEYDOT WITH MY OWN NUMBERS?

No. All KeyDots are manufactured and shipped with a unique number. We guarantee that there will be no duplicate numbers in the labeling sequence. Custom sequences can also be requested. Simply apply the KeyDot and easily link it to the appropriate data file in your software application.

KEYDOT GUARANTEE

Key Surgical guarantees that our KeyDot labels will remain readable for at least 200 processing cycles or two years, whichever comes first. Simply send us the supporting documentation from your instrument tracking system and we will replace, free of charge, any KeyDot that does not meet our performance benchmark.



KEYDOTS SHOWN ACTUAL SIZE

KEYDOT®

	REF	Ø (mm)	Qty
*Top A	ID40501	3.2	1 sheet
	ID40502	3.2	2 sheets
	ID40505	3.2	5 sheets
	ID40510	3.2	10 sheets
*Top B	ID40001	4.8	1 sheet
	ID40002	4.8	2 sheets
	ID40005	4.8	5 sheets
	ID40010	4.8	10 sheets
*Top C	ID41001	6.4	1 sheet
	ID41002	6.4	2 sheets
	ID41005	6.4	5 sheets
	ID41010	6.4	10 sheets
*Top D	ID42001	9.5	1 sheet
	ID42002	9.5	2 sheets
	ID42005	9.5	5 sheets
	ID42010	9.5	10 sheets

CUSTOM NUMBERED KEYDOTS AVAILABLE ON REQUEST.

A B C

D E F

LOCKING TAGS

Versatile, durable, and economical. Tamper-resistant. Compatible with steam and H_2O_2 sterilization. Single use. Customizable. 25.4mm length.

		REF	Details	Color	Qty
	A	LT150	CLEAN	white	100 pcs
		LT1501000			1000 pcs
	B	LT210	QUICK TURNOVER	blue	100 pcs
		LT2101000			1000 pcs
	C	LT310	LOANER	green	100 pcs
		LT3101000			1000 pcs
*Top	D	LT450	REPAIR	red	100 pcs
		LT4501000			1000 pcs
	E	LT550	SHARPEN	yellow	100 pcs
		LT5501000			1000 pcs
	F	LT720	BROKEN	orange	100 pcs
		LT7201000			1000 pcs



REPAIR TAGS

These repair tags are available in plastic or Tyvek and are designed to mark defective instruments. We offer them blank or pre-printed (multilingual). Single use.

	REF	Description	Color	Imprint	Qty
A	04132	made of Tyvek, washable up to 90 °C, 105 g/m ², not suitable for steam sterilizer	white	blank	1000 pcs
	04121	made of Tyvek, washable up to 90 °C, not suitable for steam sterilizer	white	blank	1000 pcs

Cable binders can be used to bundle different instruments. They can also be used to affix sieve basket labels or for quick visual identification of instruments, sets, and trays due to the unique properties. Our silicone products offer excellent fixation properties and at the same time protect the bundled objects. These facilitate the organization of the sieve during the packing process in the central sterile services department (CSSD) and during removal in the operating theatre. Available in different shapes, colors, lengths, and closure variants or different needs, such as in the operating theatre for marking instruments for repair or replacement. Tear-resistant. Single use.

CABLE BINDERS MADE OF SILICONE

Heat resistant up to 134 °C.

		REF	Color	Length (mm)	Qty
*Top	A	09246	white	60	100 pcs
	B	09252	green	60	100 pcs
	C	09253	blue	60	100 pcs
	D	09254	yellow	60	100 pcs
	E	09255	black	60	100 pcs
	F	09256	red	60	100 pcs
	G	09258	orange	60	100 pcs
	H	09261	violet	60	100 pcs



SILICONE CABLE BINDERS FOR BUNDLING INSTRUMENTS

Heat resistant up to 134 °C. Single use.

	REF	Color	Length (mm)	Qty
A	09231	white	110	100 pcs
B	09235	red	110	100 pcs
C	09236	yellow	110	100 pcs
D	09237	green	110	100 pcs
E	09238	blue	110	100 pcs
F	09369	violet	110	100 pcs
G	09370	black	110	100 pcs
H	09373	white	110	100 pcs
I	09374	red	110	100 pcs
J	09375	yellow	110	100 pcs
K	09376	green	110	100 pcs
L	09377	blue	110	100 pcs
M	09378	orange	110	100 pcs
N	09379	black	110	100 pcs



CABLE BINDERS MADE OF SILICONE

Heat-resistant up to 134 °C. For single use.

		REF	Color	Length (mm)	Qty
	A	09282	white	190	100 pcs
	B	09283	red	190	100 pcs
	C	09284	green	190	100 pcs
	D	09285	blue	190	100 pcs
	E	09286	yellow	190	100 pcs
	F	09381	orange	190	100 pcs
	G	09382	black	190	100 pcs
*Top	H	09239	red	210	100 pcs
*Top	I	09240	yellow	210	100 pcs
*Top	J	09241	green	210	100 pcs
	K	09242	blue	210	100 pcs
	L	09371	violet	210	100 pcs
	M	09372	black	210	100 pcs
	N	09586	white	210	100 pcs

PLASTIC CABLE BINDERS

Heat-resistant up to 134 °C. For single use.

	REF	Color	Format (mm)	Qty
O	09482	white	200 x 3.5	100 pcs

INSTRUMENT BUNDLING STRING

Made of silicone and heat-resistant up to 134 °C. Further dimensions on request.

	REF	Form	Color	Format (mm)	Qty
A	09143	flat	blue	300	100 pcs
	09144	flat	yellow	300	100 pcs
	09161	flat	yellow	500	100 pcs
	09164	flat	gray	500	100 pcs
	09039	flat	green	300	100 pcs
	09139	flat	green	500	100 pcs
	09146	flat	red	300	100 pcs
	09163	flat	red	500	100 pcs
	09145	flat	black	300	100 pcs
	09010	round	red-brown	Ø 3.0 x 700	100 pcs

TUBE BUNDLERS

	REF	Color	Ø (mm)	Qty
B	09158	white	25	100 pcs



A

A SILICONE TUBES

REF	Description	Ø inside x wall thickness (mm)	Qty
09043	transparent	1.0 x 0.3	25m/reel
09029	transparent	1.5 x 0.5	25m/reel
09037	transparent	1.5 x 0.8	25m/reel
09042	transparent	2.0 x 0.5	25m/reel
09028	transparent	2.0 x 0.8	25m/reel
09021	opaque red	2.0 x 1.0	25m/reel
09024	transparent	2.0 x 1.0	25m/reel
09149	transparent	2.5 x 1.0	25m/reel
09023	transparent	4.0 x 1.0	25m/reel
09115	transparent	4.0 x 1.0	25m/reel
09154	opaque blue	3.0 x 2.0	25m/reel
09022	transparent	5.0 x 1.0	25m/reel
09015	transparent green	5.0 x 1.0	25m/reel
09014	transparent	5.0 x 2.0	25m/reel
09041	transparent	6.0 x 3.0	25m/reel
09018	transparent	7.0 x 2.0	25m/reel





SILICONE TUBES

	REF	Description	Ø inside x wall thickness (mm)	Cross-section	Qty
A	09116	transparent	7.0 x 3.0	none	25m/reel
	09044	transparent	8.0 x 2.0	none	25m/reel
	09701	transparent	8.0 x 2.0	none	25m/reel
	09047	transparent	10 x 1.0	none	25m/reel
	09700	transparent	10 x 2.0	none	25m/reel
B	09710	transparent green, 6 ribs of 0.5mm each	2.5 x 0.5	6	25m/reel
	09706	transparent, 6 ribs of 0.5mm each	2.5 x 0.5	6	25m/reel
	09183	transparent, 6 ribs of 0.5mm each	2.5 x 1.2	6	25m/reel
	09233	transparent, 6 ribs of 1.0mm each	4.0 x 0.5	6	25m/reel
	09150	transparent, 6 ribs of 1.0mm each	4.0 x 1.2	6	25m/reel
	09151	transparent, 6 ribs of 1.0mm each	6.0 x 1.2	6	25m/reel
	09712	transparent green, 6 ribs of 1.0mm each	6.0 x 1.2	6	25m/reel
	09152	transparent, 6 ribs of 1.0mm each	8.0 x 1.2	6	25m/reel
C	09142	transparent, 8 ribs of 1.0mm each	11 x 1.2	8	25m/reel
	09153	transparent, 8 ribs of 1.0mm each	12 x 1.2	8	25m/reel
	09713	transparent green, 8 ribs of 1.0mm each	8.0 x 1.2	8	25m/reel
D	09705	transparent, 16 ribs of 1.0mm each	20 x 1.0	16	25m/reel

QUALITY MONITORING & ASSURANCE

Process monitoring and documentation have grown in importance in the field of medical device reprocessing over the past years which, in turn, has led to a significant increase in quality.

Routine controls in between annual maintenance and validation cycles provide consistent procedures and help to guarantee compliance with the applicable guidelines and standards. The Key Surgical product portfolio in this segment is growing continuously to enable you to maintain high quality standards.

- Ink-based seam seal integrity tests or color analysis with indicator strips
- Hollow load process challenge tests for routine monitoring – reusable and single use options
- Batch controls for all widely used sterilization methods such as steam, low temperature (EO, FO, H_2O_2)
- Test materials for quality control of medical instruments (functional capacity, cleaning outcome, information on diameter, length and weight) and for workplace optimization

Bowie-Dick Tests

Sterilization Monitoring

Monitoring Equipment



STEAM STERILIZATION BOWIE-DICK TEST

The Bowie-Dick test is a steam penetration test used as a routine check for the fractional vacuum process in steam sterilizers. It meets EN ISO 11140-4 tests for quality assurance of steam sterilization processes.

		REF	Description	Content	Qty
*Top	A	08122	BDpro set	1x test body 1x bracket 1x screw with sealing ring for self-test	1 Set
	B	08126	BDpro tube	1x test body 1x bracket 1x sealing ring screw with sealing ring for self-test	1 Set
*Top	C	08123	indicator refill pack for 121 °C – 15 min. / 134 °C – 5 min. (suitable for REF 08122 and 08126)	250 strips of 6-level indicators 1x sealing ring	250 pcs

Quality Monitoring & Assurance - Monitoring Equipment

Our test equipment is designed to help you in a wide variety of areas in the CSSD to maintain a high quality standard. The test aid set is an innovative all-in-one solution designed to support routine checks of surgical instruments.

TEST AID SET IN ACCORDANCE WITH DIN 58298

For testing the functionality of surgical instruments.

	REF	Description	Qty
A	08500	test - equipment includes: • for bone splitters, hollow chisel forceps and bone punches: cardboard 160 gsm • for traumatic clamps, paper 30 gsm, polybag 50 µm • for surgical scissors, latex strap, styrene-butadiene rubber • for chisels, raspatories, bone curettes and sharp spoons: plastic round profile • for needle holder, wire 0.4 / 0.6 / 0.8 / 1.0mm, PTFE strap 0.2 mm • for non-cutting conchotome, synthetic film with a strength of 300 µm • for forceps, plates made of synthetic material 1.0 / 1.5 / 2.0 / 2.5 / 3.0 / 4.0mm • for scalpels, knives and cutting conchotome, synthetic film with a strength of 100-µm test drum made of synthetic material • magnifying glass with 5X zoom	1 set

REFILL ITEMS FOR TEST AID SET

According to DIN 96298-3.

REF	Description	Qty
95172	cardboard, 160 gsm	50 pcs
95141	synthetic foil with a strength of 100 µm	100 pcs
95140	test drum	1 pc
08502	red latex tape, 100% latex, powdered with talc	1 pc
95169	round profile with a diameter of 6mm	1 pc
95154	plates made of synthetic material 1.0 / 1.5 / 2.0 / 2.5 / 3.0 / 4.0mm, each	3 pcs
95143	paper pack, 30 gsm	1 pc
95155	wire 0.4 / 0.6 / 0.8 / 1.0mm each	10 pcs
95139	synthetic foil with a strength of 300 µm	50 pcs
08534	styrene-butadiene rubber NR-SBR	1 pc
09912	polybag 50 µm	1000 pcs
1904180	hand magnifying glass, 4X zoom with led	1 pc

A



B

C

Quality Monitoring & Assurance – Monitoring Equipment for Sealing Devices & Accessories

INKCHECK® SEAL TIGHTNESS TEST

Suitable for routine testing of sealed seams in accordance with DIN EN ISO 11607-1, Annex B. Each set of InkCheck consists of 50 ampules with 2 ml indicator solution and a magnifying glass card (REF 08529). InkCheck offers easy handling twist-off cap aiming to reduce spills and drips, suitable for all standard packaging paper/Tyvek®. The new generation of the seal seam tightness test InkCheck Plus provides simple and clean handling in one step. Single use.

	REF	Description	Qty
A	08101	InkCheck	50 pcs
B	08116	InkCheck Plus	30 pcs
	08124	InkCheck Plus Tyvek	30 pcs

C SEAL PROOF

Seal Proof helps you validate sealers. Single use. Deviations in the sealing process, temperature and the contact pressure are shown on the indicator strip. All this in three simple steps:

1. Place Seal Proof in a cling-free clear pouch
2. Run through the sealing device once
3. Evaluate color change

REF	Description	Format (mm)	Qty
08011	for transparent bags (paper foil)	173 x 91	250 pcs
08017	for Tyvek bags (Tyvek film)	172 x 90	100 pcs

DOCUMENTATION

Ever stricter standards mean that complete documentation is now part of everyday routine when reprocessing instruments. Key Surgical offers a vast array of labels for identification of your sterile goods. Our range includes both paper labels for single use and longlasting foil-based labels. Take advantage of our comprehensive range and label your medical devices to meet your specific requirements.

Our foil and paper labels are available in almost all formats, and for paper labels you can choose between those with and without indicators for reliable identification in ongoing production for all common sterilization processes.

In our product range you will also find labels for low-temperature processes, such as H_2O_2 and thermo transfer foil in a selection of qualities.

Paper Labels

Foil Labels

Thermo Transfer Foil

Labellers and Labelling Accessories

Markers

Miscellaneous Documentation Items

Documentation – Paper Labels

Document the contents of your packaged medical devices using our high-quality paper labels. The labels are compatible with virtually all label printers, so you can print them according to your requirements and are thus always sure of finding the most important information at a glance. In the Key Surgical portfolio you will find labels in common formats. The duplex self-adhesive labels are particularly suitable for documentation in patient files. You will also find in our portfolio labels wound on the inside or outside and on various reel cores. Labels without tear-off perforations are ideal for cut-off printers.

A

B

C

D

E

SINGLE LABELS AND ENDLESS LABELS - WITHOUT INDICATOR

Duplex self-adhesive, blank without indicator, wound outside. For single use.

	REF	Description	Tear-off perforation	Format (mm)	Core-Ø (mm)	Qty
A	04208	roll of 1000 labels	yes	50 x 33	40	1 roll
B	04084	suitable for non-woven materials, roll of 1000 labels	yes	70 x 33	40	1 roll
C	04152	roll of 1000 labels	yes	60 x 34	40	1 roll
D	04187	divided into 3 individual labels, roll of 2000 labels	yes	102 x 34 51 x 22 51 x 22	76	1 roll
	04348	divided into 3 individual labels, roll of 500 labels	yes	102 x 34 51 x 22 51 x 22	40	1 roll
E	04188	roll of 2000 labels	yes	75 x 35	76	1 roll
	04284	with slots, heat-resistant up to 134 °C, roll of 2000 labels	no	75 x 35	76	1 roll
	04161	roll of 2000 labels	no	63 x 40	76	1 roll

A

B

C



D

E

F

G

SINGLE LABELS - WITH STEAM INDICATOR (PINK TO BROWN)

Wound on the outside and duplex self-adhesive with tear-off perforation. Blank with steam indicator.

		REF	Description	Format (mm)	Core-Ø (mm)	Qty
	A	04010	with red colored corner - roll of 1000 labels	60 x 33	40	1 roll
	B	04086	roll of 1000 labels	60 x 33	40	1 roll
	C	04214	roll of 1000 labels	59 x 35	40	1 roll
	D	04209	upper material with horizontal slits - roll of 1000 labels	59 x 35	40	1 roll
	E	04290	roll of 1000 labels	58 x 38	40	1 roll
*Top	F	04141	roll of 1000 labels	57 x 40	40	1 roll
		04167	with slit in the upper material - roll of 660 labels	72 x 48	40	1 roll
	G	04287	with slit in the upper material - roll of 660 labels	72 x 48	76	1 roll

A

B

C

D



E

F

SINGLE LABELS - WITH STEAM INDICATOR SUITABLE FOR NON-WOVEN MATERIAL

Blank with steam indicator (pink to brown). Wound outside and duplex self-adhesive.

		REF	Description	Tear-off perforation	Format (mm)	Core-Ø (mm)	Qty
	A	04160	roll of 1000 labels	yes	60 x 31	25	1 roll
	B	04207	roll of 1000 labels	yes	50 x 33	40	1 roll
*Top	C	04089	roll of 1000 labels	no	70 x 33	40	1 roll
	D	04295	roll of 1000 labels	no	70 x 33	76	1 roll
	E	04301	with information on standards and color change roll of 1000 labels	yes	70 x 33	40	1 roll
		04336	with information on standards and color change, steam indicator left - roll of 1000 labels	yes	70 x 35	40	1 roll
	F	04183	steam indicator right - roll of 1000 labels	yes	70 x 35	40	1 roll

A

B

D



C

E

F

SINGLE LABELS - WITH STEAM INDICATOR SUITABLE FOR NON-WOVEN MATERIAL

Blank with steam indicator (pink to brown). Wound outside and duplex self-adhesive.

		REF	Description	Tear-off perforation	Format (mm)	Core-Ø (mm)	Qty
	A	04250	roll of 1000 labels	yes	70 x 35	40	1 roll
*Top	B	04242	roll of 1000 labels	yes	70 x 35	76	1 roll
	C	04273	with information on standards and color change, color bar red - roll of 1000 labels	yes	70 x 35	76	1 roll
		04275	with information on standards and color change, green color bar - roll of 1000 labels	yes	70 x 35	76	1 roll
		04276	with information on standards and color change, yellow color bar - roll of 1000 labels	yes	70 x 35	76	1 roll
		04274	with information on standards and color change, blue color bar - roll of 1000 labels	yes	70 x 35	76	1 roll
	D	04280	with information on standards and color change, vapor indicator left - roll of 1000 labels	yes	75 x 35	76	1 roll
	E	04241	roll of 1000 labels	yes	83 x 40	76	1 roll
	F	04093	endless labels, wrapped outside, double self-adhesive, also sticks to non-woven materials	no	70 x 80	50	1 roll
	G	04311	with information on standards and color change – roll of 1000 labels	yes	100 x 60	76	1 roll

G



A

B



C

D

E

F

SINGLE LABELS - WITH STEAM INDICATOR (PINK TO BROWN)

Wound on the outside and single self-adhesive.

	REF	Description	Format (mm)	Core-Ø (mm)	Qty
A	04190	suitable for non-woven material - roll of 1000 labels	60 x 31	40	1 roll
B	04094	suitable for non-woven material - roll of 2000 labels	60 x 31	40	1 roll
C	04265	roll of 1000 labels	60 x 33	40	1 roll
D	04198	for non-woven material - roll of 1000 labels	70 x 35	40	1 roll
E	04256	for non-woven material, indicator left - roll of 1000 labels	70 x 35	76	1 roll
F	04021	red, for non-woven material - roll of 2000 labels	90 x 35	40	1 roll

A

B

C



D

E



F

SINGLE LABELS - WITH STEAM INDICATOR (PINK TO BROWN)

Wound on the outside and single self-adhesive with tear-off perforation. With steam indicator.

	REF	Description	Format (mm)	Core-Ø (mm)	Qty
A	04299	for non-woven material, with information on standards - roll of 2000 labels	90 x 35	76	1 roll
*Top B	04133L	for non-woven material and for longer warmth indicator left - roll of 750 labels	70 x 38	76	1 roll
C	04038	roll of 2000 labels	63 x 40	40	1 roll

ENDLESS LABELS - WITH STEAM INDICATOR (PINK TO BROWN)

Wound outside. Single use.

	REF	Description	Self-adhesive	Roll length	Width (mm)	Core-Ø (mm)	Qty
D	04085	suitable for non-woven material	duplex	80	70	50	1 roll
	04145	suitable for non-woven material	duplex	80	70	76	1 roll
	04142	with special adhesive (minimizes soiling of the cutting knife in the label printer)	duplex	80	70	50	1 roll
	04268	with special adhesive	duplex	80	70	76	1 roll
E	04181	suitable for non-woven material, with free border on both sides	duplex	80	70	50	1 roll
F	04098	continuous label on reel with steam indicator	single	100	60	76	1 roll

A



B

C



D

E

F

LABELS - WITH FO/EO AND STEAM INDICATOR

	REF	Description	Format (mm)	Core-Ø (mm)	Qty
A	04065	individual labels for Webeco, wound outside, perforated in the middle, with tear-off perforation, with back slit - roll of 1000 labels	86 x 36	40	1 roll
B	04045	continuous labels (EO = white, DI = pink), wound outside, double self-adhesive	70	50	1 roll

LABELS WITH H_2O_2 AND STEAM INDICATOR

With tear-off perforation, for single use, folded self-adhesive.

		REF	Description	Format (mm)	Core-Ø (mm)	Qty
	C	04135	single labels, wound outside	70 x 35	40	1 roll
*Top	D	04279	single Tyvek labels, wound inside	70 x 35	76	1 roll
	E	04097	continuous labels, wound outside	70	50	1 roll

OTHER SINGLE LABELS - WITH PUNCHED EDGE

With steam indicator (pink to brown), zigzag fold, with tear-off perforation. Single use.

	REF	Description	Format (mm)	Qty
F	04004	duplex self-adhesive, universal adhesive, printing: content, name, sterile date and patient.	99 x 37	2500 pcs



A



B

C

D

Documentation – Foil Labels

Foil labels allow you to identify your containers and sieve trays. They offer durability and adhesion to smooth surfaces, even after the cleaning and disinfection process. Key Surgical offers you different versions in numerous sizes compatible with the most common label printers.

FOIL LABELS - BLANK - WITHOUT INDICATOR

Heat-resistant up to 134 °C, suitable for washer-disinfectors, wound outside, single self-adhesive and tear-off perforation.

	REF	Description	Format (mm)	Core-Ø (mm)	Qty
A	04255	yellow, suitable for washer-disinfectors and dryers, strong adhesive	60 x 25	40	1 roll
	04222	green, suitable for washer-disinfectors, strong adhesive	60 x 25	40	1 roll
	04221	red, not washable, strong adhesive	60 x 25	40	1 roll
	04227	white, suitable for washer-disinfectors, strong adhesive	50 x 23	40	1 roll
*Top B	04176	white, suitable for washer-disinfectors, strong adhesive	60 x 25	40	1 roll
	04186	suitable for washer-disinfectors, with one-sided barrel flap, can be removed without leaving any residue	55 x 35	50	1 roll

FOIL LABELS FOR IDENTIFYING AND SEALING CONTAINERS

Can be removed without any residue, single self-adhesive, wound outside. Single use.

	REF	Description	Format (mm)	Core-Ø (mm)	Qty
*Top C	01001	with steam indicator	102 x 25	76	1 roll
	01002	without steam indicator	102 x 25	76	1 roll
D	04096	without steam indicator	75 x 35	76	1 roll

A





B

A

THERMO TRANSFER FOILS

Thermal transfer reels with various coatings and features, suitable for your printer and labels. We recommend the premium resin which is particularly suitable for film carrier material (except 09858, which is only for paper). Wax/resin features are suitable for the most common requirements of the central sterile services department (CSSD) and especially for paper labels, and the wax feature is suitable for simple applications without thermal requirements. Coated on the outside or inside, so you are guaranteed to find the right foil reel for your printer in our range.

REF	Coating	Quality	Format (mm)	Sleeve length (mm)	Sleeve-Ø (mm)	Autoclave resistant	Qty
09476	outside	resin	85 x 74	110	12.5	up to 150 °C	1 roll
09213	outside	wax	85 x 74	110	12.5	yes	1 roll
09452	outside	wax/resin	85 x 74	110	12.5	no	1 roll
09212	outside	wax	110 x 74	110	25	yes	1 roll
09853	outside	wax/resin	110 x 74	110	12.5	no	1 roll
09080	outside	wax	70 x 300	70	25	yes	1 roll
09270	outside	wax/resin	70 x 300	70	25	yes	1 roll
09069	inside	wax	76 x 300	76	25	yes	1 roll
09852	inside	wax/resin	76 x 300	76	25	no	1 roll
09486	outside	resin	80 x 300	80	25	up to 150 °C	1 roll
09854	outside	wax/resin	80 x 300	80	25	no	1 roll

ADHESIVE LABELS

Adhesive labels come in a DIN format. Single, self-adhesive.

	REF	Description	Indicator	Format (mm)	Qty
B	04016	for laser printers, signle, self-adhesive - 25 x 44-label DIN A4 sheets	steam	48 x 25	1100 pcs

A

B



C



D

SINGLE LABELS FOR LABELLING DEVICES

	REF	Description	Color	Format (mm)	Qty
A	04072	METO - for labelling device 04019, with steam indicator	blue	29 x 28	12 rolls
	04073	METO - for labelling device 04019, with steam indicator	yellow	29 x 28	12 rolls
	04071	METO - for labelling device 04019, with steam indicator	green	29 x 28	12 rolls
	04068	METO - for labelling device 04019, with steam indicator	orange	29 x 28	12 rolls
	04070	METO - for labelling device 04019, with steam indicator	red	29 x 28	12 rolls
	04069	METO - for labelling device 04019, with steam indicator	white	29 x 28	12 rolls
B	04054	for labelling device REF 04014, without indicator	blank	23 x 31	12 rolls
C	04041	for labelling device REF 04014, without indicator	blue	23 x 31	12 rolls
	04040	for labelling device REF 04014, without indicator	green	23 x 31	12 rolls
D	04052	for labelling device REF 04014, with steam indicator	blue	23 x 31	12 rolls
	04053	for labelling device REF 04014, with steam indicator	yellow	23 x 31	12 rolls
	04048	for labelling device REF 04014, with steam indicator	orange	23 x 31	12 rolls
	04050	for labelling device REF 04014, with steam indicator	red	23 x 31	12 rolls
	04049	for labelling device REF 04014, without indicator	white	23 x 31	12 rolls

A

B

C

D

E

F

LABELLERS AND ACCESSORIES

	REF	Description	Qty
A	04018	MONARCH - ink refill for “Monarch” labeller REF 04014	2 pcs
B	04119	METO ink refill for “Meto” labeller REF 04019	2 pcs
C	04014	MONARCH “Monarch” labeller – 3 lines	1 pc
D	04019	METO “Meto” labeller – 3 lines (12 characters per line (figures only); optionally available with text and special characters)	1 pc
E	04231	labeller for manual marking – 2 lines (10 characters per line -figures only)	1 pc
F	04230	labeller for manual marking – 3 lines (11 characters per line -figures only)	1 pc

A

B

C

D

E

F

G

H

I

J

K

L

MARKERS

		REF	Description	Ink color	Line thickness (mm)	Qty
	A	05504	edding 8400 permanent marker, lightfast	black	0.5 – 1	10 pcs
		05513	permanent marker, sterilization-proof	red	0.75	10 pcs
	B	05505	permanent marker, sterilization-proof	black	0.75	10 pcs
	C	09089	edding 8010 X-ray marker	white	0.8	10 pcs
	D	09087	edding 400 permanent marker, lightfast	blue	1	10 pcs
	E	09170	edding 400 permanent marker, lightfast	red	1	10 pcs
	F	09086	edding 400 permanent marker, lightfast	black	1	10 pcs
	G	09091	edding 8020 skin marker, with round tip, not water resistant	blue	1	10 pcs
	H	09090	edding 8020 skin marker, with round tip, not water resistant	red	1	10 pcs
*Top	I	05514	SteriLiner permanent marker, sterilization-proof	black	1	10 pcs
*Top	J	05515	SteriLiner XL permanent marker, with chisel tip, sterilization-proof	black	2 – 5	10 pcs
	K	RT209P	Sharpie lab marker	black		12 pcs

BROTHER P-TOUCH

	REF	Model	Description	Qty
L	09500	PTD600VP	• German QWERTZ keyboard • color display, 3 lines x 20 characters • up to 24mm tape width • 280 displayable characters, phrase memory with 2800 characters • automatic saving of the last entry • 14 fonts, 10 print styles, 6 - 48 point size, 99 frame types and background patterns • vertical print, multiple printouts up to 99 times, multiline printouts up to 7 lines, mirror writing, tabulator function • 25 pre-programmed label templates (+ downloadable template), adjustable label length, 9 standard barcodes, multi-block printing up to 5 blocks • automatic cutter • recognizes the color of the inserted tape • USB Interface Layout design on the PC • logo and symbol printing in up to 180 x 360 dpi	1 pc

A

B

C

D

E

F

G

H

Achtung defektes Instrument/Gerät!

Containernummer: _____

Instrument: _____ Nr: ____

Art des Defektes

Instrument ( ) stumpf ( ) verbogen ( ) gebrochen
( ) schwergängig ( ) ausgeleiert ( ) abgenutzt
( ) Hartmetalleinlage beschädigt ( ) Oberfläche beschädigt

Maschine ( ) läuft nicht an ( ) läuft nicht rund ( ) undicht
( ) keine Kraft

Druckluftschlauch ( ) undicht ( ) Wandanschluß
( ) Maschinenanschluß

Sonstiges: _____

Datum: _____ Unterschrift:: _____

Art.Nr. 09079 LOT

J

ZSVA

Name: _____ Datum: _____
fehlende Instrumente, z. Zt. kein Ersatz: _____
dafür geliefert: _____

OP-SAAL

Name: _____ Datum: _____
Sieb-Nr: _____ Kontakt-Sieb-Nr: _____
Siebart: _____
fehlende Instrumente, Beanstandungen: _____

ZSVA

Name: _____ Datum: _____
fehlende Instrumente, nach Rücklauf: _____

REF 09071

K

LABELLING TAPES FOR THE P-TOUCH LABELLING MACHINE

Heat-resistant up to 134 °C, washable, only suitable for steam sterilization. Run length 8 meters.

	REF	Tape width (mm)	Laminated	Ribbon color	Font color	Qty
A	09511	18	yes	white	black	1 pc
B	09514	18	yes	yellow	black	1 pc
C	09544	18	no	white	black	1 pc
D	09543	24	no	white	black	1 pc
E	09502	24	yes	white	black	1 pc
F	09503	24	yes	red	black	1 pc
G	09505	24	yes	yellow	black	1 pc
H	09506	24	yes	green	black	1 pc

STENCIL TAPES FOR FOR CHEMICAL ETCHING

	REF	Font color	Ribbon color	Format (mm)	Run length (m)	Qty
J	09536	black	white	24	3	1 pc

STATUS DOCUMENTATION

With tear-off perforation, for single use, double self-adhesive.

	REF	Description	Format (mm)	Qty
K	09072	tray documentation block with steam indicator - block of 100 sheets	100 x 100	1 block

CSSD EQUIPMENT

On the following pages you will find various products for equipping your CSSD.

The importance of hospital logistics should not be underestimated when it comes to the reprocessing of medical devices and instruments. Short and long distances, safe transport and the avoidance of nosocomial (hospital-acquired) infections are all issues which need to be taken into account. Our UN certified transport boxes offer a safe system to protect personnel from used instruments during transport as well as sterile devices.

Dustproof bags protect the sterile barrier, making them perfectly suited for transporting and storing sterile supplies. Key Surgical provides dustproof bags in various sizes and material strengths and with various sealing systems.

Dustproof Bags

Transport and Disposal

Cable Ties

A



B

C

DUSTPROOF BAGS WITH FLAP AND ADHESIVE SEAL

Solid design LDPE flat pouches. Transparent. Single use. Not suitable for sterilization.

	REF	Description	Format (mm)	Material thickness µ	Qty
A	03004	unprinted	100 x 150	50	500 pcs
	03023	unprinted	150 x 270	50	100 pcs
	03025	unprinted	150 x 380	50	100 pcs
*Top	03029	unprinted	200 x 300	50	100 pcs
	03028	unprinted	200 x 650	80	100 pcs
	03007	unprinted	300 x 400	60	100 pcs
	03030	unprinted	300 x 500	50	100 pcs
*Top	03032	unprinted	600 x 750	50	100 pcs
	03037	unprinted	630 x 820	60	100 pcs
	03049	unprinted	700 x 1050	50	50 pcs
B	03033	unprinted	245 x 345	60	100 pcs
	03036	unprinted	300 x 600	60	100 pcs
	03017	unprinted	400 x 600	50	100 pcs
	03031	unprinted	420 x 700	50	100 pcs
	03022	unprinted	450 x 480	30	100 pcs
	03035	unprinted	460 x 750	60	100 pcs
	03034	unprinted	640 x 770	60	100 pcs
	03040	with printing in German, English, IItalian and French	500 x 500	60	100 pcs

DUSTPROOF BAGS WITH SLIDER, RESEALABLE - UNPRINTED

Solid design made of LDPE, flat pouch transparent. Single use. Not suitable for sterilization.

	REF	Format (mm)	Material thickness µ	Qty
C	03041	320 x 230	75	100 pcs
	03046	480 x 640	70	50 pcs
	03045	320 x 440	70	100 pcs
	03044	170 x 120	60	100 pcs
	03043	200 x 150	60	100 pcs

A

B

LDPE SECURITY BAG

For the hygienic storage after disinfection. The security closure is 40mm high and the tear-off label 50mm, with serial number with anti-tamper closure. For single use.

	REF	Format (mm)	Internal dimensions (mm)	Qty
A	03077	520 x 500	500 x 500	100 pcs
	03078	770 x 500	750 x 500	100 pcs

FLAT POUCHES / DUSTPROOF BAGS - UNPRINTED

For single use.

	REF	Description	Format (mm)	Material thickness µ	Qty
B	09916	cleanroom quality, in secondary packaging	70 x 700	50	250 pcs

A

B

C

D

E

F

G

Transport and Disposal – Transportation Boxes

TRANSPORTATION BOXES

Stackable boxes that can be custom printed with text on the box and lid. They can withstand washer-disinfectors for decontamination purposes. BTB005 must be used with trolley BTB005TROL.

BTB001	suitable for transporting packing group I dangerous substances
BTB002	suitable for tansporting packing group II dangerous substances
BTB003	suitable for transporting packing group I dangerous substances
BTB004A	suitable for transporting packing group II dangerous substances
BTB005	suitable for transporting packing group II dangerous substances

		REF	Weight (Kg)	Capacity (liters)	Color	Size (external)	Qty
*Top	A	BTB001	0.6	4	blue	300 x 200 x 120mm	1 pc
	B	BTB002	0.9	7	blue	300 x 200 x 170mm	1 pc
*Top	C	BTB003	1.4	16	blue	400 x 300 x 220mm	1 pc
*Top	D	BTB004A	3.3	49	blue	600 x 400 x 320mm	1 pc
		BTB005	10.2	170	blue	800 x 600 x 600mm	1 pc
	E	RTB002	0.9	7	red	300 x 200 x 170mm	1 pc
*Top	F	RTB003	1.4	16	red	400 x 300 x 220mm	1 pc
*Top	G	RTB004A	3.3	49	red	600 x 400 x 320mm	1 pc

INNER BASKETS

Powder-coated aluminum inner baskets designed to fit transportation boxes.

REF	Description	Qty
BTB003BASK	inner basket to fit BTB003 and RTB003	1 pc
BTB004BASK	inner basket to fit BTB004A and RTB004A	1 pc

A

B

C

D

TRANSPORTATION BOX OPENER

Stainless steel opener suitable for all BTB and RTB boxes.

	REF	Description	Qty
A	BTBOPENER	box opener for BTB and RTB boxes, stainless steel	1 pc

TRANSPORTATION BOX TROLLEYS

Painted steel trolley with wheels for BTB and RTB boxes. Suitable for washer-disinfectors.

	REF	Description	Qty
B	BTB004TROL	trolley to fit BTB004A and RTB004A	1 pc
C	BTB005TROL	trolley to fit BTB005	1 pc

TRANSPORTATION BOX LABELS

A selection of labels for 'BIOHAZARD' or 'USED MEDICAL DEVICE' to be inserted in plastic sleeves of transportation boxes. Our biohazard labels conform to the requirements for 6.2 hazard infectious substances.

	REF	Description	Size (mm)	Qty
D	BTBLABEL003	biohazard, laminated label	125 x 40	20 pcs
	BTBLABEL004	biohazard, laminated label	150 x 70	20 pcs
E	BTB232LRG	used medical device, laminated label	150 x 70	100 pcs

A

B

C

D

E

F

G

Transport and Disposal – Cable Ties

SECURITY CABLE TIES

Plastic cable ties in a range of colors for use during transportation and identification.

	REF	Color	Size (mm)	Qty
A	BTBREDTIE	red	3.6 x 145	100 pcs
B	BTBYELTIE	yellow	3.6 x 145	100 pcs
*Top C	TIE001	blue	3.5 x 145	100 pcs
D	TIE006	clear	1.5 x 125	500 pcs
E	TIE010	red	4.8 x 300	100 pcs

CABLE TIES

Plastic cable ties in a range of colors for use during transportation. Colored cable ties help identification, along with numbered cable ties.

	REF	Description	Color	Size (mm)	Qty
F	TIE003	individually numbered	green	2 x 200	100 pcs
	TIE005	individually numbered	red	2 x 200	100 pcs

TRANSPORTATION TRAYS & STRAP

Transportation Trays reduce the risk of damage to wrapped packs due to poor handling and racking-during transport and storage. Can be used with a strap or interlocked to form a lidded box.

	REF	Material	Size	Qty
*Top G	TTRAY002	polypropylene	500 x 270 x 70mm	1 pc
	TTRAY003	cardboard	500 x 540 x 70mm	1 pc
	STR004	blue strap	1400mm	1 pc