

Plant records 2018

Explanatory notes

The following list contains all species that are newly recorded for a 10km grid square within Wiltshire. In this list 'new' refers to records gathered since the early 1980's and the publication of the 1993 Wiltshire Flora. In addition, the word 'recent' refers to this period also.

The information contains both scientific and common names based on the *New Flora of the British Isles 3rd edition*. (Stace); together with site, brief information where supplied and the initials of the recorder. First County or Vice-county records appear in bold italics. For interest some species may have the IUCN threat criteria attached as documented in *A Vascular Plant Red List for England (BSBI:2014)*.

Initials of Recorders

AA - Anne Appleyard
ABy - Andrew Bray
ARb - Alison Robinson
CK - Clare Kitchen
CPu - C.Puddy
DG - Dave Green
DMo - David Morris
DP - David Pickering
HCr - Helena Crouch
HD - Heather Dixon
JAN - John A Norton
JAS - Jean A Smith
JBe - Jenny Bennett
JBr - Jane Brown
JRM - John Moon
JWs - Jasmine Walters
KC - K.Crow
LMo - Lindsay Moore
MBu - Martin Buckland
MK - Mark Kitchen
NBr - Nigel Brown
NC - Nigel Cope
NQ - Nicola Quinn
NYB - N.Yeatman-Biggs
PCa - Patrick Cashman
PD - Paul Darby
PDS - Paul Stanley
PK - Paul Kennedy

PLe - Penny Lee
PM - Peter Marren
PMW - Pat Woodruffe
PQ - Phil Quinn
RAi - Richard Aisbitt
RDu - Rosemary Duckett
SFi - Sue Fitzpatrick
SG - Sarah Grinstead
SJJ - Steve Jackson
SPi - Sharon Pilkington
TCGR - Tim Rich
TS - T.Smith
U3AK - Kennet Flora & Fauna Group
VW - Vanessa Williams
WBS - Wiltshire Botanical Society

Qualifying initials

SPTA - Salisbury Plain Training Area

IUCN - International Union for the Conservation of Nature
NS - Nationally scarce
CR - Critically endangered
EN - Endangered
VU - Vulnerable
NT - Near Threatened

VC7

Aegopodium podagraria (Ground-elder); Shire Hill (ST77), DG.

Alchemilla mollis (Garden Lady's-mantle); Manor Farm, Winterbourne Monkton (SU07); Yatesbury (SU07), both MBu; A4 Froxfield (SU36), RAi; Ramsbury (SU27), RAi & U3AK.

Alisma lanceolatum (Narrow-leaved Water-plantain); Cocklemore Brook near Lackham (ST97); throughout the length of disused canal, DG.

Allium subhirsutum (Hairy Garlic); Corsham (ST8606170173), six clumps along a footpath, an increasingly recorded species, DG.

1st Wiltshire record.

Allium vineale (Wild Onion); East of Yatesbury Field (SU07), ARb; Breach Lane, Royal Wootton Bassett; Nebo Farm, Clyffe Pypard; Calne; (SU07), all MBu.

Alopecurus myosuroides (Black-grass); Froxfield, (SU36), RAi; Shire Hill; Down Farm, Tormarton, (ST77), DG.

Amaranthus retroflexus (Common Amaranth); Roves Farm, Sevenhampton (SU28), two plants on track, RAi.

Anacamptis pyramidalis (Pyramidal Orchid); Blunsdon, (SU19), on land south of High Street, PK.

Anemone x hybrida (Japanese Anemone); Box Bridge, Kingsdown (ST86); on dumped soil in derelict marshalling yard, DG.

Anemanthele lessoniana (New Zealand Wind-grass); Beanacre (ST96); four plants at kerbside, DG.

Angelica archangelica (Garden Angelica); West of Melksham (ST86); a single plant on streamside bank by road, DG.

Anthriscus caucalis (Bur Chervil); Bradford-on-Avon (ST86); a single plant spontaneously appeared in recorder's garden, DG.

Antirrhinum majus (Snapdragon); Cricklade (SU19); WBS.

Aphanes arvensis (Parsley-piert); Calne (SU07), MBu; Chippenham (ST97), DG; Kingston Langley (ST97), SPi, MBu & JWs; Langley Burrell (ST97), SFi & PMW; Hullavington Airfield (ST98), SPi; Froxfield (SU36), RAi; Rodbourne Bottom (ST98), RAi; Kingston St. Michael (ST97), MBu & DG.

Arabidopsis thaliana (Thale Cress); Royal Wootton Bassett (SU08), MBu; Pike Corner (SU09), MBu & DG.

Arctium minus ssp. minus (Lesser Burdock); Highway Hill (SU07); DMO & TS.

Arenaria leptoclados (Slender Sandwort); Kingston St. Michael (ST97); Shire Hill (ST77), both DG.

Arenaria serpyllifolia (Thyme-leaved Sandwort); Hullavington Airfield (ST98), SPi; Shire Hill (ST77); Littleton Dew west (ST88), both DG.

Armoracia rusticana (Horse-radish); Hinton Parva (SU28), RAi.

Asplenium adiantum-nigrum (Black Spleenwort); Aldbourne Village (SU27), RAi; Beanacre (ST96), two records of which one was a refind by the recorder on a blue brick rail bridge from 1984, both DG.

Asplenium ceterach (Rustyback); Aldbourne Village (SU27), two records both RAi.

Asplenium trichomanes (Maidenhair Spleenwort); Aldbourne Village (SU27), RAi.

Asplenium trichomanes ssp. quadrivalens (Maidenhair Spleenwort); Highway Hill (SU07), DMO & TS.

Aster x salignus (Common Michaelmas Daisy); Lower Foxhanger (ST96), DG.

Atriplex prostrata (Spear-leaved Orache); Aldbourne Village (SU27), RAi; Shire Hill (ST77), DG.

Aubrieta deltoidea (Aubrietia); Tockenham (SU07); Calne (ST97), both MBu.

Avena fatua (Wild-oat); Down Farm near Tormarton (ST77), DG.

Azolla filiculoides (Water-fern); In River Avon, Chippenham (ST97), DG; also in River Avon, Chippenham Centre (ST97) where frequent, HCr & DG; Calne (ST97), 50m² in closed-up section of Wilts & Berks Canal, MBu.

Ballota nigra (Black Horehound); Acorn Bridge, Bourton (SU28), RAi.

Berula erecta (Lesser Water-parsnip); Thingley Bridge (ST86); Cocklemore Brook, Lackham (ST97), both DG.

Brassica napus (Rape); Swindon (SU18), kerbs and pavement edges, RAi.

Brassica napus ssp. oleifera (Oil-seed Rape); Hullavington Airfield (ST98), crop relict, SPI; Monkton Field east (SU07), ARb.

Brassica nigra (Black Mustard); Calne (SU07), MBu.

Brassica rapa (Turnip); Corsham (ST87), DG; Somerford Keynes lakes (SU09), MBu & DG.

Brassica rapa ssp. campestris (Wild Turnip); Chippenham central (ST97), native alongside Avonside, HCr & DG. Of interest is that several records exist from other parts of the Avon catchment as well.

Bromus racemosus (Smooth Brome); Down Farm near Tormarton (ST77), DG.

Bromus secalinus (Rye Brome) [GB:VU Eng:NT]; Vastern Wood, Royal Wootton Bassett (SU043811), a small patch in an 'abandoned' arable field, MBu.

Brunnera macrophylla (Great Forget-me-not); Ramsbury Village (SU27), RAi & U3AK; Kingsdown near Bath (ST86), HCr & DG; Winsley west (ST76); Corsham Lake (ST87), both DG.

Buddleja davidii (Butterfly-bush); Colerne Airfield (ST77), LMo & HD; Shire Hill (ST77), DG.

Calendula officinalis (Pot-marigold); Yatesbury (SU07), MBu; Staverton (ST86), DG.

Callitriche obtusangula (Blunt-fruited Water-starwort); Roves Farm, Sevenhampton (SU28), RAi.

Calystegia pulchra (Hairy Bindweed); Chiseldon (SU17), RAi & U3AK; Sutton Benger (ST97); Ivy House Lakes near Royal Wootton Bassett (SU08), both MBu.

Calystegia silvatica (Large Bindweed); Shire Hill (ST77), DG.

Campanula persicifolia (Peach-leaved Bellflower); Royal Wootton Bassett (SU08), MBu.

Campanula portenschlagiana (Adria Bellflower); Devizes (ST96), MBu; Chippenham (ST97), DG; Aldbourne Village (SU27), RAi.

Campanula poscharskyana (Trailing Bellflower); Alderton (ST88), DG.

Campanula trachelium (Nettle-leaved Bellflower); Wootton Rivers (SU16), JBr; Broad Blunsdon (SU19), RAi.

Carduus crispus (Wetted Thistle); Colerne Airfield (ST77), LMo & HD; Shire Hill (ST77), DG.

Carduus crispus ssp. multiflorus (Wetted Thistle); RAF Fairford (SU19), TCGR.

Carduus nutans (Musk Thistle); Fox Covert (ST99), MBu; Shire Hill, (ST77), DG.

Carex acutiformis (Lesser Pond-sedge); Dundas Viaduct (ST96), DG.

Carex demissa (Common Yellow-sedge); Staverton (ST86), DG.

Carex disticha (Brown Sedge); Stitchcombe (SU26), abundant in wet area of meadow, RAi.

Carex divulsa (Grey Sedge); Rodbourne Bottom (ST98), DG.

Carex divulsa ssp. divulsa (Grey Sedge); Pewsham (ST97); Sutton Benger (ST97), both MBu.

Carex otrubae (False Fox-sedge); By-Brook, Bathford (ST76), DG.

Carex spicata (Spiked Sedge); Cake Wood, Froxfield (SU36); Brickkiln Copse, Chilton Foliat (SU36), both RAi; Winsley west (ST76), DG.

Carex strigosa (Thin-spiked Wood-sedge); Kemble Wood (ST99), MBu.

Catabrosa aquatica (Whorl-grass) [GB:LC Eng:VU]; Staverton (ST8530461072), about 10 flowering plants in a recently cleared 5m length of ditch adjacent a culvert of the B3105, DG. "Possibly to be the only extant occurrence in the VC" - Sharon Pilkington.

The only previous records for this species in VC7 are 2006 and before that 1993 - ed.

Catapodium rigidum (Fern-grass); Dundas Aqueduct (ST76); Kingston St. Michael (ST97); Chippenham (ST97), and Littleton Drew west (ST88), all DG; Chippenham central (ST97), HCr & DG; Yatesbury (SU07), and Sutton Benger (ST97), both MBu.

Centaurea scabiosa (Greater Knapweed); RAF Fairford (SU19), TCGR; Swanborough (SU19), RAi.

Centranthus ruber (Red Valerian); Aldbourne Village (SU27), RAi; Ramsbury Village (SU27), RAi & U3AK.

Cerastium glomeratum (Sticky Mouse-ear); A4 Froxfield (SU36), on roadside verge, RAi.

Cerastium semidecandrum (Little Mouse-ear); Milk Hill, Pewsey Downs NNR (SU16), two patches on grassy anthill. "Many anthills searched!", RAi.

Ceratochloa carinata (California Brome); Ditteridge (ST86), in derelict arable, DG.

Ceratophyllum demersum (Rigid Hornwort); Cocklemore Brook near Lackham (ST97); Lackham House (ST97), both DG.

Cerinthe major (Greater Honeywort); Bradford-on-Avon (ST8265461824), on a roadside verge, DG, **1st VC7 record**. Holt, south (ST86), in two locations well away from gardens, both DG. **2nd & 3rd VC7 records**.

Chara vulgaris var. vulgaris (Common Stonewort); Great Western Hospital, Swindon (SU18), in a pond between a car park and the A419 dual carriageway, RAi.

Chelidonium majus (Greater Celandine); Seagry Wood (ST98), DG.

Chenopodium ficifolium (Fig-leaved Goosefoot); Down Farm near Tormarton (ST77); Shire Hill (ST77), both DG.

Chenopodium polyspermum (Many-seeded Goosefoot); Acorn Bridge, Bourton; Lower Earls court Farm, Bourton; Roves Farm, Sevenhampton (all SU28), all RAi.

Cichorium intybus (Chicory); Aldbourne Village (SU27), RAi.

Cochlearia danica (Danish Scurvygrass); Lyneham (SU07); Inwoods (ST76), both DG.

Colchicum autumnale (Meadow Saffron) [GB:NT Eng:LC]; Prickmoor Wood (ST94586597), forty clumps close to the recorder's finds during the Flora 1984-1991, DG.

Consolida orientalis (Eastern Larkspur); Great Cumberwell (ST82246295), Nine plants both blue and white on landfill area, DG. **1st Wiltshire record**. Before the Wiltshire Flora the earliest record was 1956.

Conyza floribunda (Bilbao's Fleabane); New Park Street, Devizes (SU06), several robust plants growing at the wall to pavement angle,

SPi; Chippenham central (ST97), HCr & DG; Chippenham NE (ST97), industrial site, DG.

Conyza sumatrensis (Guernsey Fleabane); Chippenham central (ST97), HCr & DG; Chippenham (ST97), DG; Melksham east (ST96), DG.

Cornus sanguinea ssp. sanguinea (Dogwood); Highway Hill (SU0474), DMO & TS. **1st Wiltshire record**.

Cotoneaster horizontalis (Wall Cotoneaster); Brickkiln Copse, Chilton Foliat (SU36); A4 Froxfield (SU36), both RAi.

Cotoneaster integrifolius (Entire-leaved Cotoneaster); Chippenham central (ST97), HCr & DG.

Cyclamen hederifolium (Sowbread); Newnton House (ST99), garden escape, MBu; Langley Burrell (ST97), naturalised in churchyard, SFi & PMW.

Cymbalaria muralis (Ivy-leaved Toadflax); Hinton Parva (SU28); Froxfield (SU36), both RAi.

Cyrtomium fortunei (Fortune's Holly-fern); Turleigh (ST80866022), a single plant in Bellcombe Lane, DG. Determined by H. Crouch. **1st Wiltshire record**.

Dactylorhiza incarnata ssp. incarnata (Early Marsh-orchid); Stitchcombe (SU26), Three spikes in wet meadow, RAi. (Determined at sub-species level by SPi).

Daphne laureola (Spurge-laurel); Martinsell Hill (SU16), several plants on bank of holloway JBr.

Datura stramonium (Thorn-apple); Calne (SU07), a single plant in disturbed soil of roadside verge, MBu.

Dianthus armeria (Deptford Pink) [GB:EN Eng:EN]; Marlborough (SU16), Fifty-three plants on a bank opposite Water Meadows car park, NBr; determined by Peter Marren.

Doronicum pardalianches (Leopard's-bane); Charlton Park (ST98), two square metres on roadside verge, MBu.

Dryopteris borreri (Scaly Male-fern); Box Bridge, Kingsdown (ST86), HCr; Kington Langley (ST97), SPi, MBu & JWs.

Echinochloa esculenta (Japanese Millet); Littleton Drew west (ST8261180080), large

numbers in Pheasant crop, DG. **1st Wiltshire record.**

Echinochloa frumentacea (White Millet); Littleton Drew west (ST8261180080), large numbers in Pheasant crop, DG. **1st Wiltshire record.**

Echium vulgare (Viper's Bugloss); Hullavington Airfield (ST98), SPi; Calne (SU07), MBu.

Eleocharis palustris (Common Spike-rush); Freeman's Marsh (SU36), RAi.

Elodea nuttallii (Nuttall's Waterweed); Roves Farm, Sevenhampton (SU28), in a stream, RAi.

Epilobium ciliatum (American Willowherb); Aldbourne Village (SU27), RAi.

Erigeron karvinskianus (Mexican Fleabane); Aldbourne Village (SU27), RAi.

Erodium cicutarium (Common Stork's-bill); Tockenham (SU07), MBu.

Erodium moschatum (Musk Stork's-bill); Chippenham (ST97), a single plant on lawn edge in a municipal park, DG.

Erysimum cheiri (Wallflower); Chippenham (ST97), DG.

Eschscholzia californica (Californian Poppy); Calne (ST97), MBu.

Euphorbia characias (Mediterranean Spurge); Box Bridge, Kingsdown (ST802671), several plants on dumped soil within derelict marshalling yard, HCr & DG. **1st Wiltshire record**; Chippenham NE (ST97), a single plant in secondary woodland, DG. **2nd VC7 record.**

Euphorbia cyparissias (Cypress Spurge); Corsham Lake (ST87), Corsham Court churchyard, DG.

Euphorbia dulcis (Sweet Spurge); Corsham Lake (ST87), Corsham Court churchyard, DG.

Euphorbia exigua (Dwarf Spurge) [GB:NT Eng:VU]; Vastern Wood, Royal Wootton Bassett (SU043811), Thousands in neglected arable field, MBu.

Euphorbia lathyris (Caper Spurge); Shaw, Swindon (SU18), Sutton Bengier (ST97), both MBu; Chippenham (ST97), DG; Chippenham central, (ST97), HCr & DG.

Euphorbia oblongata (Balkan Spurge); Calne (SU07), MBu.

Euphorbia peplus (Petty Spurge); Aldbourne Village (SU27), RAi.

Fallopia convolvulus (Black-bindweed); Rodbourne Bottom (ST98), DG.

Foeniculum vulgare (Fennel); Holt west (ST86), Henley (ST86), both DG.

Fragaria ananassa (Garden Strawberry); Kington Langley (ST97), SPi, MBu & JWs.

Fumaria officinalis (Common Fumitory); Froxfield (SU36), RAi; RAF Fairford (SU19), TCGR; Hullavington Airfield (ST98), SPi.

Galega officinalis (Goat's-rue); Hat Gate (SU26), on road verge north of Hat gate entrance, JBr; Box Bridge, Kingsdown (ST86), on dumped soil within derelict marshalling yard, DG; Hat Gate (SU26), abundant on east bank of roadside and present on west side; just north of demolished railway bridge, RAi.

Galium palustre ssp. palustre (Common Marsh-bedstraw); Grittenham and Ivy House Farm (SU08), MBu.

Galium uliginosum (Fen Bedstraw); Rodbourne Bottom (ST98), DG.

Geranium columbinum Long-stalked Crane's-bill); Down Farm near Tormarton (ST77), DG.

Geranium lucidum (Shining Crane's-bill); Shire Hill (ST77), DG.

Geranium molle (Dove's-foot Crane's-bill); Colerne Airfield (ST77), LMo & HD; Down Farm near Tormarton (ST77); Shire Hill (ST77), both DG.

Geranium pusillum (Small-flowered Crane's-bill); Cricklade (SU09), WBS.

Geranium sanguineum (Bloody Crane's-bill); Mouldon Hill Country Park, Swindon (SU18), on rubble heap near car park; garden escape, RAi, MBu & DG.

Geranium oxonianum (Druce's Crane's-bill); Rodbourne Bottom (ST98), DG.

Glyceria fluitans (Floating Sweet-grass); Shire Hill (ST77), DG.

Glyceria notata (Plicate Sweet-grass); Dundas Viaduct (ST76), DG.

Glyceria x pedicellata (Hybrid Sweet-grass); Shire Hill (ST77), DG.

Groenlandia densa (Opposite-leaved Pondweed) [GB:VU Eng:VU]; Ladbroughshire,

Corsham (ST88746933), in a stream near bridge, DG. This is a refind of a record by Rob Randall of 1985.

Hedera helix (Common Ivy); Shire Hill (ST77), DG.

Helleborus orientalis (Lenten-rose); Kingston St. Michael (ST97), a seedling in pavement, MBu & DG.

Hieracium argillaceum (Southern Hawkweed); Alderton Grove Farm (ST88), in limestone ballast on raised railway land, DG.

Hieracium exotericum sens. lat. (a hawkweed); Somerford Keynes lakes (SU0111794429), approximately 100 plants on almost pure limestone gravel on bank of gravel pit. DG & MBu. Record determined by David McCosh, Hieracium Referee. **1st VC7 record.**

Hieracium maculatum agg. (Spotted Hawkweed agg.) Town Gardens park, Swindon (SU18). Around 20 plants, some in seed and in flower in dry stone walls in sunken garden, RAi. This is a refind of Martin Buckland's record of 1974.

Hieracium salticola (Bluish-leaved Hawkweed); By Brook, Bathford (ST76), Two plants, DG.

Hieracium scotostictum (Dappled Hawkweed); Corsham SE (ST86), Twenty plants along base of wall, DG. First ST86 record since 1939 when JD Grose recorded presence at Kingsdown, Bath (ST8167).

Hieracium spilophaeum (A Hawkweed); Alderton Grove Farm (ST88), in limestone ballast on raised railway land, DG; Chippenham central (ST97), on railway ballast, HCr & DG.

Hirschfeldia incana (Hoary Mustard); Chippenham (ST97), Thirty plus plants at recently demolished factory site, DG.

Hordeum distichon (Two-rowed Barley); Highway Hill (SU07), DMo & TS.

Hyacinthoides x massartiana (Hybrid Bluebell); Kington Langley (ST97), SPi, MBu & JWs.

Hydrocharis morsus-ranae (Frogbit) [GB:VU Eng:VU]; Cocklemore Brook near Lackham (ST9363370896), fifteen clumps stretching from the bottom lock of Pewsham Locks into the adjacent pound, DG. The first record for this species was in 1949, VC7 ST86 with the

only other accepted record at Great Chalfield Manor (ST860633) in 1987 by J. Bowker and Ellen McDouall.

Hypericum androsaemum (Tutsan); Kingston St. Michael (ST97), MBu & DG; Aldbourne Village (SU27), RAi; Calne (ST97), MBu.

Hypericum hircinum (Stinking Tutsan); Somerford Keynes lakes (SU09), MBu & DG; Avebury (SU16), MBu.

Hypericum hirsutum (Hairy St. John's-wort); Hannington Wick (SU19); Broad Blunsdon (SU19), both RAi.

Hypericum maculatum (Imperforate St. John's-wort); Hopton Industrial Estate, Devizes (SU06), MBu.

Hypericum maculatum ssp. obtusiusculum (Imperforate St. John's-wort); Chippenham NE (ST9274), in pasture near Rawlings Farm Cottage represents the 2nd VC record; Chippenham (ST9374), a large clump growing at side of a road representing the 3rd VC record, both DG. The 1st record for this ssp. was at Alderton Grove (ST8281) in 2017, DG.

Hypericum tetrapterum (Square-stalked St. John's-wort); Shire Hill (ST77), DG.

Impatiens capensis (Orange Balsam); Grittenham and Ivy House Farm (SU08), MBu.

Inula conyzae (Ploughman's Spikenard); Fox Covert (ST99), MBu.

Kickxia spuria (Round-leaved Fluellin); Hullavington Airfield (ST98), SPi.

Lactuca virosa (Great Lettuce); Chippenham (ST97), two plants at base of wall, adjacent to the A420, DG.

Lamiastrum galeobdolon ssp. argentatum (Garden Yellow-archangel); Lackham Wood (ST96), DG.

Lamiastrum galeobdolon ssp. montanum (Yellow Archangel); Highway Hill, DMo & TS.

Lamium hybridum (Cut-leaved Dead-nettle); Kemble Wood (ST99), very numerous in sown bird crop, MBu.

Lamium maculatum (Spotted Dead-nettle); Corsham SE (ST86), DG.

Legousia hybrida (Venus's Looking-glass); Avenue Lodge (ST86), DG.

Lemna trisulca (Ivy-leaved Duckweed); Lackham Wood, (ST96), DG.

Lepidium campestre (Field Pepperwort)
[GB:LC Eng:NT]; Hannington Wick
(SU16769497), At the edge of a harvested
cereal field; many green and flowering plants
with developing seed pods as well as dried-up
specimens, RAi.

Lepidium coronopus (Swine-cress); Froxfield
(SU36), RAi; Shire Hill (ST77); Down Farm
near Tormarton (ST77), both DG.

Lepidium draba (Hoary Cress); Bradford-on-
Avon (ST86), SPI.

Leycesteria formosa (Himalayan
Honeysuckle); Sutton Bengier (ST97), MBu.

Linum usitatissimum (Flax); Hinton Parva
(SU28), RAi; Plucking Grove (ST97), DG.

Lithospermum officinale (Common
Gromwell); Brickkiln Copse, Chilton Foliat
(SU36); Cake Wood, Froxfield (SU36), both
RAi; Fox Covert (ST99), MBu.

Lunaria annua (Honesty); Calne (ST97), MBu.

Luzula luzuloides (White Wood-rush);
Tetbury VC7, a few plants at the base of a
large planter containing parent plants at Old
Station yard, CK & MK.

Malva moschata (Musk-mallow); Conkwell
Grange Farm, Winsley (ST76), DG.

Malva neglecta (Dwarf Mallow); Mouldon Hill
Country Park, Swindon (SU18), on rubble at
end of railway line, RAi, MBu & DG; Pike
Corner (SU09), MBu & DG; Rodbourne Bottom
(ST98), DG.

Meconopsis cambrica (Welsh Poppy);
Chippenham (ST97); Corsham (ST87), both
DG; Aldbourne Village (SU27), naturalised in
mown grass at road corner, orange coloured.
Also orange and yellow forms scattered in
village, RAi.

Medicago sativa ssp. sativa (Lucerne);
Corsham SE (ST86); Thingley Bridge (ST86),
both crop relics and both DG; Down Farm near
Tormarton (ST77), DG.

Melilotus albus (White Melilot); Wadswick
(ST86), many thousands of flowering plants,
DG.

Melilotus altissimus (Tall Melilot); By Brook,
Bathford (ST76), DG.

Melissa officinalis (Balm); Corsham (ST87),
DG.

Mentha spicata (Spear Mint); Corsham Lake
(ST87), DG.

Mentha x piperta (Peppermint); Kingston St.
Michael (ST97), garden escape, MBu & DG.

Mentha x verticillata (Whorled Mint); Braydon
Fields Farm (SU08), MBu.

Mentha x villosa (Apple-mint); Langley Burrell
(ST97), SFi & PMW.

Mercurialis annua (Annual Mercury);
Chippenham (ST97); Chippenham NE (ST97),
both DG; Chippenham central (ST97) HCr &
DG; Calne (ST97); Calne two sites (SU07);
Sutton Bengier (ST97), all MBu.

Mimulus guttatus (Monkeyflower); Seend
Cleeve (ST96), single plant at canal edge, DG.

Miscanthus x giganteus (Giant Silver-grass);
Somerford Keynes lakes (SU09), small clump
at gateway to gravel pit, MBu & DG.

Muscari armeniacum (Garden Grape-
hyacinth); Corsham (ST87), DG.

Myosotis sylvatica (Wood Forget-me-not);
Kemble Wood (ST99), MBu.

Myosoton aquaticum (Water Chickweed);
Roves Farm, Sevenhampton (SU28), beside a
stream, RAi.

Myriophyllum spicatum (Spiked Water-
milfoil); Braydon Fields Farm, (SU08), MBu.

Nasturtium officinale (Water-cress); Crudwell
(ST99); Calne (SU07); Tockenham (SU07), all
MBu.

Nectaroscordum siculum (Honey Garlic);
Bedwyn Common east (SU26), Hundreds of
flower spikes; with *Allium ursinum* and
presumed a result of garden waste dumping,
RAi.

Nigella damascena (Love-in-a-mist); Calne
(SU07), two sites; prolific along pavement
edge at Penn Hill road and hundreds of
seedlings base of wall near Churchill Close,
both MBu.

Nymphaea alba (White Water-lily);
Nightingale Wood (SU28), RAi,

Oenothera biennis (Common Evening-
primrose); Crudwell (ST99); Avebury (SU16)
both MBu.

Orobanche minor (Common Broomrape);
Winsley Hill (ST76), several plants in pasture

near Winsley Hill; Shire Hill (ST77), both DG; Hullavington Airfield, SPi.

Oxalis corniculata (Procumbent Yellow-sorrel); Cricklade (SU09), WBS.

Paeonia officinalis (Garden Peony); Pike Corner (SU09), a single plant, MBu & DG.
1st VC7 record.

Panicum capillare (Witch-grass); Corsham Lake (ST87), ten or more plants in gateway of maize crop, DG.

Panicum miliaceum (Common Millet); Littleton Drew (ST88), in disused Pheasant crop, DG and determined by O.L. Pescott; Littleton Drew west (ST88), part of Pheasant crop in large numbers, DG.

Papaver lecoqii (Yellow-juiced Poppy); Winsley west (ST76), DG.

Pastinaca sativa ssp. sylvestris (Wild Parsnip); Braydon PRV (ST98), RAi.

Pentaglottis sempervirens (Green Alkanet); Crudwell (ST99), MBu.

Persicaria bistorta (Common Bistort); Mildenhall (SU26), roadside verge in Mildenhall Village, RAi.

Persicaria hydropiper (Water-pepper); Brickkiln Copse, Chilton Foliat, (SU36), seedlings in wet ruts; Roves Farm, Sevenhampton (SU28), in stream, both RAi.

Persicaria lapathifolia (Pale Persicaria); Acorn Bridge, Bourton (SU28); Lower Earlscounty Farm, Bourton (SU28), both RAi; Littleton Drew west (ST88), DG.

Petasites fragrans (Winter Heliotrope); Ramsbury Village (SU27), an extensive colony in churchyard, RAi & U3AK; Calne (SU07), MBu; Froxfield (SU36), RAi.

Petasites japonicus (Giant Butterbur); Draycot Park (ST93398748), over 20 sq.m. patch on both banks of a stream, DG & MBu.

Phleum bertolonii (Smaller Cat's-tail); Shire Hill (ST77), DG.

Phragmites australis (Common Reed); Shipton Wood and Oak Covert (ST99), MBu.

Plantago coronopus (Buck's-horn Plantain); Hungerford (SU36), growing on central reservation of A4, RAi.

Poa compressa (Flattened Meadow-grass); Sutton Benger (ST97), atop brick wall, MBu;

Kington St. Michael (ST97), large colony on garden wall, DG.

Poa humilis (Spreading Meadow-grass); Cricklade (SU09); Cricklade (SU19), pavement cracks, atop wall and kerb edge, both WBS; Shaw, Swindon (SU18), roadside verge, MBu; Froxfield (SU36), roadside verge, RAi; Bradford-on-Avon (ST86), on a wall, DG; Shockerwick (ST86), HCr & DG.

Polygonum arenastrum (Equal-leaved Knotgrass); Dundas Aqueduct (ST76), DG.

Polypodium interjectum (Intermediate Polypody); Shire Hill (ST77), DG; Broad Blunsdon (SU19) Great Rose Lane, epiphytic on Crack Willow, RAi.

Polypodium vulgare (Polypody); Breach Lane (SU07), MBu.

Polypogon monspeliensis (Annual Beard-grass); Shaw, Swindon (SU18), a single plant in weed covered Council shrub bed, MBu.

Polypogon viridis (Water Bent); Corsham (ST87), DG; Pewsham (ST97), MBu; Chippenham central (ST97), HCr & DG; Lackham House (ST97); Chippenham (ST97), both DG.

Polystichum tsus-simense (Korean Rock-fern); Chippenham central (ST97), growing in a mature *Acer pseudoplatanus* area of rough woodland within park land. No other planted species nearby, HCr. Determined by Fred Rumsey.

Potamogeton crispus (Curled Pondweed); Calne (SU07), frequent in Abberd Brook, MBu.

Potamogeton natans (Broad-leaved Pondweed); Nightingale Wood, RAi.

Potentilla indica (Yellow-flowered Strawberry); Hinton Parva (SU28), two sites; a churchyard and separate graveyard, plants recorded in flower and fruit, both RAi; Lackham House (ST97), two sites; large population along base of stone-work in formal garden plus single plants growing in urban areas, both DG.

Potentilla recta (Sulphur cinquefoil); Sutton Benger (ST97), a single plant growing in grassy edge of arable field, MBu.

Poterium sanguisorba ssp. balearicum (Fodder Burnet); Cricklade, Dance Common (SU09), a single plant below dry stone wall, RAi & KC.

Prunus domestica (Wild Plum); A4 Froxfield (SU36), RAi; Swillbrook Farm (SU09), DG; Somerford Keynes lakes (SU09), MBu & DG.

Prunus lusitanica (Portugese Laurel); Shipton Wood and Oak Covert (ST99), several plants self-layering, MBu.

Pseudofumaria lutea (Yellow Corydalis); Tockenham (SU07), MBu; Hinton Parva (SU28); Froxfield (SU26), both RAi.

Pteridium aquilinum (Bracken); Swanborough (SU19), RAi.

Pyracantha coccinea (Firethorn); Beanacre (ST96) Ten plants well established in hedge well away from housing, DG; Somerford Keynes lakes (SU09), MBu & DG.

Pyrus communis (Pear); Highway Hill (SU07), DMo & TS; Langley Burrell (ST97), SFi & PMW; Stapler's Lane, Swanborough (SU19), RAi; Corsham (ST87), DG.

Quercus x rosacea (Q. petraea x robur); Highway Hill (SU07), DMo & TS.

Ranunculus circinatus (Fan-leaved Water-crowfoot); Cocklemore Brook near Lackham (ST97), recorded at five sites but occurring frequently along part-renovated Wilts & Berks canal between ST9334770208 and ST9357770760, all DG.

Ranunculus flammula (Lesser Spearwort) [GB:LC Eng:VU]; Stock Common, Great Bedwyn (SU26), RAi.

Ranunculus fluitans (River Water-crowfoot); Sopworth east (ST88), DG.

Ranunculus lingua (Greater Spearwort) (SU18), Rushy Platt pond, RAi.

Ranunculus pencillatus (Stream Water-crowfoot); Calne (SU07), two sites, both MBu.

Raphanus raphanistrum (Radish); Langley Burrell (ST97), SFi & PMW.

Reseda lutea (Wild Mignonette); Hullavington Airfield (ST98), SFi.

Reseda luteola (Weld); Colerne Airfield (ST77), LMo & HD; Swanborough (SU19), RAi; Hullavington Airfield (ST98), SFi; Roves Farm, Sevenhampton (SU28), RAi.

Rorippa islandica (Northern Yellow-cress); Winsley (ST80286128), two plants in pavement, DG and determined by Tim Rich.
1st VC7 record.

Rosa micrantha (Small-flowered Sweet-briar); Bewley Crescent south (ST96), a single plant, DG.

Rosa stylosa (Short-styled Field-rose); Kingston St. Michael (ST97), MBu & DG; Swillbrook Farm south, DG.

Rubus ulmifolius (Elm-leaved Bramble); Swanborough (SU19), RAi.

Rumex hydrolapthum (Water Dock); Crudwell (ST99), MBu.

Ruscus aculeatus (Butcher's-broom); Broad Blunsdon (SU19), at roadside in village, RAi.

Sagina apetala (Annual Pearlwort); Draycot Park north (ST97); Kingston St. Michael (ST97); Conkwell Grange Farm, Winsley (ST96); Lackham House (ST97), all DG; Draycot Park (ST97), MBu & DG; Calne (SU07), MBu.

Sagina filicaulis (Upright Pearlwort); Pewsham (ST97); Sutton Benger (ST97); Calne (SU07), all MBu; Froxfield (SU36), RAi.

Salix cinerea ssp. oleifolia (Rusty Willow); A4 Froxfield (SU36); Froxfield (SU36), both RAi.

Salix pentandra (Bay Willow); Axford (SU26), RAi.

Salix purpurea (Purple Willow), Avoncliff (ST86), Barton Farm Country Park, DG.

Salix viminalis (Osier); Colerne Airfield (ST77), LMo & HD.

Salix x holostea (Silky-leaved Osier); Lackham Wood (ST96), DG; Somerford Keynes lakes (SU0194), occurring throughout this square, MBu & DG.

Salix x reichardtii (S.caprea x cinerea); Bewley Crescent south (ST96); Plucking Grove (ST97); Lower Foxhangar (ST96), all DG.

Salix x sepulcralis (S.alba x babylonica); Highway Hill (SU07), DMo & TS.

Salix x smithiana (Broad-leaved Osier); Kingston St. Michael (ST97); Widley's Copse (ST88), both DG; Somerford Keynes lakes (SU0194), occurring throughout this square, MBu & DG.

Salvia viridis (Annual Clary); Mouldon Hill Country Park, Swindon (SU118878) garden escape in rubble at end of railway line, RAi, MBu & DG. **1st Wiltshire record.**

Sambucus ebulus (Dwarf Elder); Little Bedwyn (SU26), dense stand of two metre high plants in bud growing between footpath and railway line, RAi.

Sanicula europaea (Sanicle); Pike Corner (SU09), MBu & DG.

Saxifraga tridactylites (Rue-leaved Saxafrage); Royal Wootton Bassett (SU08), High Street pavement weed, MBu.

Scandix pecten-veneris (Shepherd's-needle) [GB:CR Eng:EN]; Stanmore Copse (SU0722675151), many plants densely packed in two sq.m. of ground at edge of arable field, MBu; confirmed by SPi.

Schoenoplectus tabernaemontani (Grey Club-rush); Shockerwick (ST86), single clump in managed pond, possibly planted but expanding, HCr & DG.

Scutellaria altissima (Somerset Skullcap), Holt, south (ST86), a single plant atop a NT garden wall, DG.

Sedum album (White Stonecrop); A4 Noke Wood (SU26), RAi; Ramsbury (SU27), JBr; Colerne Airfield (ST77), LMo & HD; Calne (SU07) two sites, both MBu.

Sedum anglicum (English Stonecrop); Crudwell (ST99); Hopton Industrial Estate, Devizes (SU06), both MBu.

Sedum dasyphyllum (Thick-leaved Stonecrop); Ramsbury Village (SU27), two wall sites both RAi & U3AK; Chippenham (ST97) single plant at wall to pavement angle, DG.

Sedum rupestre (Reflexed Stonecrop); Pewsham (ST97), MBu; Axford (SU26), RAi; Kingston St. Michael (ST97); Chippenham (ST97), both DG.

Sedum spurium (Caucasian Stonecrop); Manor Farm, Winterbourne Monkton (SU07), several patches in derelict farmyard and with shallow verge edge to road, MBu.

Sedum telephium (Orpine); Thingley Bridge (ST86), believed escape from cultivation, DG.

Senecio erucifolius (Hoary Ragwort); Colerne Airfield (ST77), LMo & HD.

Senecio squalidus (Oxford Ragwort); Littleton Drew west (ST88), DG.

Senecio x albescens (*S. cineraria* x *jacobaea*); Kingsdown (ST80916711), HCr.

Determined by Fred Rumsey. **1st Wiltshire record.**

Setaria pumila (Yellow Bristle-grass); Hannington Wick (SU19) abundant in arable near Bydemill Brook; Swindon east (SU18) uncropped field corner, both RAi; Swanborough (SU19), edge of stubbles; Corsham Lake (ST87), hundreds in gateway to maize crop, both DG.

Silene latifolia (White Campion); Shire Hill (ST77), DG.

Silene x hampeana (Pink Campion); Shire Hill (ST77), DG.

Sinapis alba (White Mustard); Plucking Grove (ST97), DG.

Sinapis arvensis (Charlock); A4 Froxfield (SU36), RAi.

Sison amonum (Stone Parsley); Roves Farm, Sevenhampton, (SU28); Mount Pleasant Farm, Bourton (SU28), both RAi.

Sisymbrium officinale (Hedge Mustard); Shire Hill (ST77), DG.

Solanum nigrum (Black Nightshade); Hannington Wick (SU19) two sites, both RAi; Colerne Airfield (ST77), LMo & HD; Littleton Drew west (ST88), DG.

Solanum tuberosum (Potato); Mouldon Hill Country Park, Swindon (SU18) with rubble at end of railway line, RAi, MBu & DG.

Soleirolia soleirolii (Mind-your-own-business); Avebury Manor (SU07), MBu.

Sonchus oleraceus (Smooth Sow-thistle); Shire Hill (ST77), DG.

Sorbus aucuparia (Rowan); Froxfield (SU36), RAi.

Sparganium emersum (Unbranched Bur-reed); Chippenham (ST97); Lackham House (ST97); Plucking Grove (ST97), all DG; Chippenham central (ST97), HCr & DG.

Sparganium erectum (Branched Bur-reed); Shire Hill (ST77), DG.

Spergula arvensis (Corn Spurrey) [GB:VU Eng:VU]; Avenue Lodge (ST86), DG.

Spirodela polyrhiza (Greater Duckweed); Kemble Wood (ST99), dominant on pond within wood, MBu; Chippenham central (ST97), HCr & DG; Lackham House (ST97); Plucking Grove (ST97), both DG.

Stachys arvensis (Field Woundwort) [GB:NT Eng:NT]; Monkton Field east (SU0972), ARb.

Stachys byzantina (Lamb's-ear); Alderton (ST88), several plants along edge of recently made-up track. First VC7 record since 1999, DG.

Stachys x ambigua (Hybrid Woundwort); Littleton Drew west (ST88), large colony stretching 30m along greenway, DG.

Stellaria alsine (Bog Stitchwort); Swillbrook Farm south (SU09), DG.

Stellaria pallida (Lesser Chickweed); Kington Langley (ST97), two plants flowering in sediment at edge of road, SPi, MBu & JWs.

Symphoricarpos x chenaultii (Pink Snowberry); Crudwell (ST99), var Hancock; spontaneous in low wall, MBu; Holt south (ST86), self-replicating by rooting at branch ends to create new plants, DG.

Symphytum caucasicum (Caucasian Comfrey); Box Bridge, Kingsdown (ST76), HCr & DG. Only the second VC7 record; the first at Haugh (ST86), 2005 by John Presland.

Symphytum grandiflorum (Creeping Comfrey); Kington Langley (ST97), RAi & ARb; Mildenhall (SU26), RAi.

Symphytum x hidcotense 'Hidcote Blue' (Hidcote Comfrey) (ST97) Kington Langley (ST97), SPi, MBu & JWs.

Tanacetum parthenium (Feverfew); Rodbourne Bottom (ST98), DG.

Tellima grandiflora (Fringecups); Kington Langley (ST97), near pond, possible garden escape, RAi & ARb; Ramsbury (SU27), in flower at edge of footpath, RAi & U3AK.

Teucrium scorodonia (Wood Sage); Somerford Keynes lakes (SU09), MBu & DG; Chippenham central (ST97), HCr & DG.

Thalictrum flavum (Common Meadow-rue); Braydon PRV (ST98), a single plant on verge adjacent to new water installation, RAi.

Thlapsi arvense (Field Penny-cress); By Brook, Bathford (ST76); DG.

Thymus polytrichus (Wild Thyme); Tockenham Reservoir (SU08), DG.

Torilis nodosa (Knotted Hedge-parsley); Corsham (ST87), two sites, five hundred plus plants at edge of lawn; fifty plants edge of C-road, both DG; Corsham SE (ST86), several

thousand seedlings on urban roadside bank, DG.

Trifolium campestre (Hop Trefoil); Brickkiln Copse, Chilton Foliat (SU36), RAi.

Trifolium dubium (Lesser Trefoil); Shire Hill (ST77), DG.

Trifolium fragiferum (Strawberry Clover) [GB:LC Eng:VU]; Kington Langley (ST92677699), many plants in roadside verge, SPi, MBu & JWs.

Trifolium micranthum (Slender Trefoil); Aldbourne Village (SU27); Froxfield (SU36), both RAi.

Tulipa sylvestris (Wild Tulip); Clench Common (SU173655), a single flowering plant in road verge, JBr. Only the second recent VC7 record.

Typha angustifolia (Lesser Bulrush); Ford Copse (ST86), expanding from planted specimens, DG; Coate Water (SU18), RAi.

Typha x glauca (T.angustifolia x latifolia); Broughton Gifford (ST87496321), small population in a relatively newly created fishing pond. Possibly originally planted but expanding. **1st Wiltshire record**; Pockeridge (ST86056968), in pond, both DG and both determined by R.V.Lansdown. 2nd VC7 record.

Ulex gallii (Western Gorse); Seagry Wood (ST98), a single plant, DG.

Ulmus glabra (Wych Elm); Shire Hill (ST77), DG.

Ulmus minor (Small-leaved Elm); Conkwell Grange Farm, Winsley (ST79296109), a number of trees fringing the road, DG. Determined Dr M Colman.

Valerianella carinata (Keel-fruited Cornsalad); Royal Wootton Bassett (SU08), two sites, both MBu.

Valerianella locusta (Common Cornsalad); Thornhill Farm (ST97); Calne (ST97), both MBu.

Verbascum nigrum (Dark Mullein); Crudwell (ST99), Quermerford Gate (SU06), both MBu.

Verbena bonariensis (Argentinian Vervain); Crudwell (ST99), MBu.

Verbena officinalis (Vervain); Conkwell Grange Farm, Winsley (ST76), DG; Aldbourne Village (SU27), RAi.

Veronica anagallis-aquatica (Blue Water-speedwell), Shire Hill (ST77), DG.

Veronica arvensis (Wall Speedwell); Shire Hill (ST77), DG.

Veronica filiformis (Slender Speedwell); Broad Blunsdon (SU19), RAi.

Veronica polita (Grey Field-speedwell); Avebury Trusloe (SU06), common in paths and open borders at Avebury Manor, MBu.

Vicia sativa ssp. segetalis (Common Vetch); Highway Hill (SU07), DMo & TS.

Vicia tetrasperma (Smooth Tare); Wootton Rivers (SU16), JBr & PD.

Vinca major (Greater Periwinkle); Chippenham (ST97), DG; Kingston St. Michael (ST97); Draycot Park (ST86), both MBu & DG.

Viola arvensis (Field Pansy); Pike Corner (SU09), MBu & DG.

Viola riviniana (Common Dog-violet); Swanborough (SU19), RAi.

Vulpia bromoides (Squirreltail Fescue); Aldbourne Village (SU27), RAi.

VC8

Acanthus mollis (Bear's-breech); Middle Winterslow (SU23), three sites, all escapes and/or naturalised, all AA & SFi; Whaddon (SU12), SFi & VW.

Achillea ptarmica (Sneezewort); Hanging Langford (SU03), Garden escape, Var. 'Flore Pleno', SFi; Langford Lakes Reserve (SU03), SFi & VW.

Aconitum napellus (Monk's-hood); Porton (SU13) garden escape, AA & PMW; Fosbury (SU35), escape from planting adj., SFi & VW.

Aethusa cynapium (Fool's Parsley); Lower Chute and Chute Standen (SU35) three sites, all JRM.

Agrimonia procera (Fragrant Agrimony); Figsbury Ring SSSI (SU13), AA & SFi.

Agrostis curtisii (Bristle Bent); Whaddon (SU12), on bank in woodland, SFi & VW.

Agrostis gigantea (Black Bent); Knook (ST94), two sites, both SFi.

Aira caryophyllea (Silver Hair-grass); Clay Street, Whiteparish (SU22), driveway, PMW.

Alcea rosea (Hollyhock); Stratford-sub-Castle (SU13), SFi.

Alchemilla filicaulis (Hairy Lady's-mantle); Porton (SU13), appeared in garden lawn, AA & SFi.

Alchemilla mollis (Garden Lady's-mantle); Lower Chute and Chute Cadley (SU35); Lower Chute and Chute Standen (SU35), both JRM; Tollard Royal (ST91); Fittleton (SU14), both SFi; Oxenwood (SU35), SFi & VW.

Allium cristophii (Star of Persia); Idmiston (SU13), escaped and/or naturalised in verge, AA & SFi. **1st Wiltshire record.**

Allium triquetrum (Three-cornered Garlic); Martin (SU01), garden escape, SFi; Lower Chute and Chute Cadley (SU35), by village pond, JRM.

Alopecurus geniculatus (Marsh Foxtail); Damerham (SU11), SFi.

Alopecurus pratensis (Meadow Foxtail); Damerham (SU11); Martin Down (SU01), both SFi; Lopshill Common (SU01), two sites, both SFi & VW.

Anacamptis pyramidalis (Pyramidal Orchid); Quarry Bottom, Tollard Royal (ST91), SJJ.

Anchusa azurea (Garden Anchusa); Newton Tony (SU24), abundant in lay-by, spreading from old dump, AA & SFi.

Anemone x hybrida (Japanese Anemone); Downton (SU12); Bowerchalke (SU02), both SFi & VW; Middle Winterslow (SU23), two sites, both AA & SFi. All escapes and naturalising.

Anisantha diandra (Great Brome); North Newnton (SU15); Salisbury Plain, Upavon (SU15) two sites, all SFi; Fyfield Down, Pewsey (SU15), SFi & VW; A36 verge, Upton Lovell Crop Research Station, JBe.

Anthemis cotula (Stinking Chamomile); Bulkington (ST95), SPi.

Antirrhinum majus (Snapdragon); Middle Winterslow (SU23), AA & SFi; Edington (ST95), PQ; Hill Deverill (ST84), SFi & VW.

Aphanes arvensis (Parsley-piert); Shalbourne (SU36), RAi, MBu, SFi & VW.

Aphanes australis (Slender Parsley-piert); Horningsham, East Common (ST84), JBE & SPi.; Wincombe (ST82), SFi & VW.

Aquilegia vulgaris (Columbine); Lower Chute and Chute Standen (SU35); Lower Chute and Chute Cadley (SU35), both JRM; Damerham (SU11), SFi; Whitsbury (SU11), two sites, both SFi & VW. All garden escapes.

Arabidopsis thaliana (Thale Cress); Wincombe (ST82); Oxenwood (SU35), both SFi & VW; Everleigh (SU25), SFi.

Arctium minus ssp. minus (Lesser Burdock); Lower Chute and Chute Standen (SU35); Chute Forest Churchyard (SU35), both JRM.

Arenaria leptoclados (Slender Sandwort); Pincombe Down, Berwick St. John (ST92), SPi.

Arenaria serpyllifolia ssp. serpyllifolia (Thyme-leaved Sandwort); Great Cheverell Hill (ST95); Westbury Down (ST85), both SPi; Kidnapper's Hole, Warminster (ST84), SG & SPi.

Arum italicum (Italian Lords-and-Ladies); Tollard Green (ST91); Castle Hill, Salisbury (SU13), both SFi; Pitton (SU23), three sites, all SFi, VW & PMW; Wincombe (ST82); Whitbury (SU11), both SFi & VW; Little Cheverell (ST95), SFi & PMW. All garden escapes.

Asplenium adiantum-nigrum (Black Spleenwort); Bemerton Heath, Salisbury (SU13), on cemetery wall; Netton (SU13), on bridge, both SFi.

Asplenium ceterach (Rustyback); Bowerchalke (SU02), two sites, both SFi & VW; Homington (SU12), SFi; Farley Church (SU22), PMW.

Asplenium ruta-muraria (Wall-rue); Whitsbury (SU11); Oxenwood (SU35); Fosbury (SU35), all SFi & VW; Freemans Marsh (SU36), RAi.

Asplenium trichomanes (Maidenhair Spleenwort); Fosbury (SU35); Oxenwood (SU35), Both SFi & VW.

Aster novi-belgii (Confused Michaelmas-daisy); Clarendon Road, Alderbury (SU12), PMW.

Aster x salignus (Michaelmas Daisy); Woodlands Hill, Mere Down (ST83), SFi; Little Cheverell (ST95), SFi & PMW; Longbridge Deverill (ST84), SFi & VW.

Athyrium filix-femina (Lady-fern); Clarendon (SU13), SFi & VW; Haxton (SU14), SFi; Farm Down, Salisbury Plain (ST95), SPi.

Atriplex patula (Common Orache); Ham Hill (SU36), two sites, both RAi; Shalbourne (SU36), RAi, MBu, SFi & VW.

Aubrieta deltoidea (Aubrietia); Bowerchalke (SU02), two sites, naturalised on walls, SFi & VW.

Berula erecta (Lesser Water-parsnip); West Lavington (SU05), SFi & PMW; Damerham (SU01); Berwick St. John (ST92), both SFi.

Bidens cernua (Nodding Bur-marigold); Freemans Marsh (SU36), RAi.

Borago officinalis (Borage); Bowerchalke (SU02), SFi & VW.

Brachypodium rupestre (Tor-grass); Wilsford Down (SU05); Chirton Down (SU05), two sites; all SPi.

Brassica napus (Rape); Chirton Hill (SU05); Everleigh (SU15), both SFi; West Lavington (SU05), SFi & PMW; Shalbourne (SU36), RAi, MBu, SFi & VW; Pertwood (ST83), PLe; Hill Deverill (ST84), SFi & VW.

Brassica napus ssp. oleifera (Oil-seed Rape); Dean Hill north, (SU22), both PMW.

Brassica nigra (Black Mustard); Clouds Walled Garden (ST83), MBu; Edington (ST95), PQ.

Bromus commutatus (Meadow Brome); Damerham (SU11), five sites, all SFi; Rivar Hill (SU36), RAi.

Bromus hordeaceus (Soft-brome); Little Bradley Wood (ST74), JBe & SPi.

Bromus hordeaceus ssp. longipedicellatus (Soft-brome); Lower Westwood (ST829589), SPi. *1st Wiltshire record.*

Bromus racemosus (Smooth Brome); Etchilhampton Water (SU06), MBu.

Brunnera macrophylla (Great Forget-me-not); Idmiston (SU13), AA & SFi; Horningsham (ST94), SFi.

Buddleja davidii (Butterfly-bush); Shalbourne (SU36), RAi, MBu, SFi & VW; Whitsbury (SU11), two sites, both SFi & VW; Chute Cadley (SU35), SFi & VW.

Callitriche obtusangula (Blunt-fruited Water-starwort); Broad Chalke (SU02), two sites,

both SFi & VW; Bishopstone (Su02), two sites, both SFi.

Callitriche platycarpa (Various-leaved Water-starwort); River Avon, Salisbury (SU12), SFi; Broad Chalke (SU02), two sites; Downton (SU12), three sites; Croucheston (SU02), all SFi & VW.

Calystegia pulchra (Hairy Bindweed).
Another bumper year for this species with records for twenty-three new 10k squares:

Odstock (SU12), two sites; Chilmark Down (ST93), two sites; Harnham (SU12), two sites; Sutton Veny (ST93); Teffont Down (ST93); Knook (ST94); Britford (SU12), two sites; River Nadder, Salisbury (SU12); Tytherington (ST94), two sites; Higher Pertwood (ST93), two sites; ALL SFi; Pitton (SU23); Middle Winterslow (SU23), both AA & SFi; Hospital Road, Westbury (ST85); Heywood (SU35); Stourton B2092 (ST73); Penleigh (ST85); Erlestoke (ST95), all SPi.

Calystegia sepium (Hedge Bindweed); Lower Chute and Chute Standen (SU35); Redhouse Farm, Wilts (SU35), both JRM.

Campanula persicifolia (Peach-leaved Bellflower); Easterton Sands (SU05), SFi.

Campanula portenschlagiana (Adria Bellflower); Fonthill Bishop, SFi; Corsley Heath west (ST84), RAi, MBu & PD.

Campanula poscharskyana (Trailing Bellflower); Whitsbury (SU11), SFi & VW; Damerham (SU11), SFi.

Campanula trachelium (Nettle-leaved Bellflower); Easterton Sands (SU05), SFi.

Capsella rubra (Pink Shepherd's-purse); Stratford-sub-Castle (SU13), campsite, PDS.
1st Wiltshire record.

Cardamine flexuosa (Wavy Bitter-cress); Chute Cadley (SU35); Chute Standen (SU35), both SFi & VW; Lower Chute and Chute Standen (SU35), JRM.

Cardamine hirsuta (Hairy Bitter-cress); Fosbury (SU35); Oxenwood (SU35); Chute Cadley (SU35), all SFi & VW.

Cardamine pratensis (Cuckooflower); Oxenwood (SU35); Lower Chute (SU35), both SFi & VW; Redhouse Farm, Wilts (SU35), JRM.

Carduus acanthoides (Broad-winged Thistle); Edington (ST95), PQ. **1st Wiltshire record.**

Carduus x stangii (C.crispus x nutans); Berwick St. John (ST92), SFi; Maiden Bradley (ST83), SFi & VW.

Carex acutiformis (Lesser Pond-sedge); Lower Chute and Chute Cadley, JRM.

Carex disticha (Brown Sedge); Freemans Marsh (SU36), RAi.

Carex divulsa (Grey Sedge); Chapmanslade (ST84); Hisomley (ST84); Minchington Down (ST91), all SFi; Lower Chute (SU35), SFi & VW.

Carex elata (Tufted-sedge) [GB:LC Eng:NT]; Damerham (SU11), SFi.

Carex laevigata (Smooth-stalked Sedge); East Common, Horningsham (ST84), plentiful in springline in wood, JBe & SPi.

Carex pendula (Pendulous Sedge); Lower Chute and Chute Cadley (SU35), JRM; Lopshill Common (SU01) two sites; Oxenwood (SU35), all SFi & VW.

Carex remota (Remote Sedge); Minchington Down (ST91); Tollard Green (ST91), both SFi.

Carex riparia (Greater Pond-sedge); Winsley-west (ST76), DG; Croucheston (SU02), SFi & VW.

Carex spicata (Spiked Sedge); Lower Chute and Chute Cadley (SU35); Lower Chute and Chute Standen (SU35); Soper's Bottom, Wilts (SU35), all JRM.

Catapodium rigidum (Fern-grass); Moot Lane Downton (SU12), driveway of Gilbert's Barn, PMW; Fonthill Bishop (ST93), abundant on top of wall, SFi.

Centaurea debeauxii (Chalk Knapweed); Rivar, Ashley Down (SU36); Rivar Down, east (SU36); Rivar Hill (SU36); Ham Hill (SU36), all RAi; Westbury Hill, Westbury (ST85), SPi.

Centaurea montana (Perennial Cornflower); Westbury (ST85), garden escape, SPi.

Centaurea scabiosa var. succisifolia (Greater Knapweed); SPTE Haxton Down (SU2050), JRM.

Centranthus ruber (Red Valerian); Whitsbury (SU11), SFi & VW; Tollard Royal (ST91), SFi; Lower Chute & Chute Standen (SU35), JRM.

Cerastium diffusum (Sea Mouse-ear); Salisbury Plain, Warden's Down (ST95), plants in flower on track, SPi.

Cerastium glomeratum (Sticky Mouse-ear); Winchcombe (ST82), two sites, SFi & VW.

Cerastium tomentosum (Snow-in-summer); Horningsham (ST84), two sites; Woodborough (SU15); Damerham (SU11); Potterne (ST95), all SFi; Chapmanslade (ST84), SPi; Idmiston (SU23); Middle Winterslow (SU23), both AA & SFi; Pitton (SU23), SFi, VW & PMW. All garden escapes and many naturalising.

Ceratochloa carinata (California Brome); Heywood (ST85), large clump on verge near farm, SPi.

Chaenorhinum minus (Small Toadflax); Longleat Estate (ST84), WBS.

Chara globularis (Fragile Stonewort); Langford Lakes Reserve (SU03), SFi & VW. **1st VC8 record.**

Chara vulgaris (Common Stonewort); Bentley Wood, Rowley Pond, SFi & PMW.

Chelidonium majus (Greater Celandine); Horningsham (ST84), SFi; Hill Deverill (ST84), SFi & VW; Corsley Heath east (ST84); Corsley Heath west (ST84), both RAi, MBU & PD.

Chenopodium ficifolium (Fig-leaved Goosefoot); West Dean Station (SU22), several plants near slurry heap, DLe.

Chenopodium glaucum (Oak-leaved Goosefoot) [GB:VU Eng:VU]; Great Hinton (ST95), two plants at edge of a maize field, PQ. Confirmed by SPi. **1st VC8 record.**

Chenopodium hybridum (Maple-leaved Goosefoot); Hill Deverill (ST84), SFi & VW.

Chenopodium polyspermum (Many-seeded Goosefoot); Whaddon (SU12); Martin Down NNR (SU02), both SFi; Whaddon (SU12), SFi & VW.

Choisya ternata (Mexican Orange); Middle Winterslow (SU23), naturalised on path, AA & SFi. **1st Wiltshire record.**

Chrysosplenium oppositifolium (Opposite-leaved Golden-saxafrage); Broad Chalke (SU02), SFi & VW; Haxton (SU14), SFi; Haxton (SU14), JRM.

Cicerbita macrophylla (Common Blue-sow-thistle); Oxenwood (SU35), spread onto verge from garden, SFi & VW.

Cichorium intybus (Chicory) [GB:LC Eng:VU]; Ham Hill (SU36), RAi; Shalbourne (SU36), RAi, MBu, SFi & VW.

Claytonia siberica (Pink Purslane); Lower Chute and Chute Standen (SU35), around a dozen plants on rough overgrown bank adjacent garden, JRM; West Wood, Easterton (SU05), two sites; hundreds. Doubtless originally planted in local garden but spread into adjacent woodland, both MBu.

Clinopodium acinos (Basil Thyme) [GB:VU Eng:VU]; Bemerton Heath, Salisbury (SU13), abundant over two sq.m., SFi.

Clinopodium ascendens (Common Calamint); Alderbury (SU12), two sites. At one it is established over a 130m length, both SFi & VW; Edington, Long Hollow (ST95), possibly of garden origin, PQ; Iford (ST85), single plant by roadside wall. Interestingly this species was last found in the adjacent square in 1978 by the same recorder, DG.

Cochlearia danica (Danish Scurvygrass); Upton Lovell Crop Research Station (ST94), two sites, both JBe.

Conyza floribunda (Bilbao's Fleabane); Manor Farm, Erlestoke (ST95), on road verge, SPi; Franchises Lodge, Pylon Line (SU21), on old tip, SFi & VW; Franchises Wood, Fishpond Birches (SU21), cleared area to east of pond that usually lies wet, SFi, VW & PMW.

Conyza sumatrensis (Guernsey Fleabane); Langford Lakes Reserve (SU03), on disturbed ground, SFi & VW; Warminster (ST84), DG; Corsley Heath west (ST84), roadside block paving, RAi, MBu & PD; Dilton Marsh (ST84), SPi.

Cornus mas (Cornelian-cherry); Odstock Rd, Salisbury (SU12), six bushes in hedge PMW.

Cornus sericea (Red-osier Dogwood); Franchises Lodge, Pylon Line (SU21), on old tip, SFi & PMW; Sutton Veny (ST84), JBe.

Cotoneaster rehderi (Bullate Cotoneaster); Collingbourne Ducis Centre (SU25), along old railway line, JRM. **1st Wiltshire record.**

Cotoneaster simonsii (Himalayan Cotoneaster); Haxton (SU14), JRM.

Cotoneaster x watereri (Waterer's Cotoneaster); Chute Forest east (SU35), JRM.

Crepis biennis (Rough Hawk's-beard); Little Cheverell (ST95), three sites, all SFi & PMW.

Crococsmia x crocosmiiflora (Montbretia); Dinton (SU03), naturalised in field with other

species, SFi; Newton Tony (SU24), naturalised, AA & SFi.

Cyclamen coum (Eastern Sowbread); Eastern Chute North (SU2954), naturalised and spreading on verge outside Upper Chute church, JRM. *1st Wiltshire record.*

Cyclamen hederifolium (Sowbread); Hill Deverill (ST84); Whitsbury (SU11), both SFi & VW; Middle Winterslow (SU23), two sites; Firsdown (SU23), all AA & SFi; Pitton (SU23), SFi, VW & PMW; Edington (ST95), PQ; Shalbourne (SU36), two sites, RAi, MBu, SFi & VW. All garden escapes and most naturalised.

Cyclamen repandum (Spring Sowbread); Whitsbury (SU11), naturalised in churchyard, SFi & VW.

Cymbalaria muralis (Ivy-leaved Toadflax); Fosbury (SU35); Oxenwood (SU35), both SFi & VW; Damerham (SU11), SFi.

Cynoglossum officinale (Hound's-tongue) [GB:NT Eng:NT]; Farm Down, Salisbury Plain (ST95), SPi.

Cyperus eragrostis (Pale Galingale); Corsley Heath west (ST81864516), on a stream bank with a garden paddock, RAi, MBu & PD. *1st VC8 record.*

Cyperus longus (Galingale) [GB:NT Eng:NT]; Longbridge Deverill (ST8723040696), roadside ditch, SFi & VW.

Cytisus scoparius (Broom); Pitton (SU23), SFi, VW & PMW.

Daucus carota ssp. carota (Wild Carrot); White Sheet Hill, Berwick St. John (ST92); Win Green, Tollard Royal (ST92); Quarry Bottom, Tollard Royal (ST91), all SJJ.

Dipsacus fullonum (Wild Teasel); Mankhorn, Wilts (SU35); Redhouse Farm, Wilts (SU35); Chute Forest west (SU35), all JRM.

Dittrichia graveolens (Stinking Fleabane); Whaddon (SU12), abundant on A36 verge and slip roads, SFi & VW.

Dryopteris affinis (Scaly Male-fern); Tollard Royal (ST91); Wilton (SU13), both SFi; Clarendon (SU13), SFi & VW.

Dryopteris borreeri (Borrer's Scale Male-fern); Maiden Bradley (ST83), JBe & SPi.

Dryopteris carthusiana (Narrow Buckler-fern); Clarendon (SU13), SFi & VW.

Echinochloa crus-galli (Cockspur); Winterbourne Dauntsey (SU13), SFi & VW.

Eleocharis palustris (Common Spike-rush); Lower Chute and Chute Cadley (SU35), Chute Cadley village pond, JRM.

Elodea canadensis (Canadian Waterweed); Wylve (SU03), SFi.

Epilobium hirsutum (Great Willowherb); Oxenwood (SU35); Chute Cadley (SU35), both SFi & VW; Roughmoor Down (SU35), RAi.

Epilobium obscurum (Short-fruited Willowherb); Urchfont (SU05), two sites, both SFi.

Epipactis helleborine (Broad-leaved Helleborine); Silk Hill west (SU1846), single large plant on edge of plantation, JRM.

Equisetum fluviatile (Water Horsetail); Dinton (SU03), SFi & VW.

Eranthis hyemalis (Winter Aconite); Fittleton (SU14), naturalising, SFi.

Erigeron karvinskianus (Mexican Fleabane); Woodborough (SU15); Wylve (SU03), both SFi; Chapmanslade (ST84) SPi; Haxton (SU14), JRM; Burcombe (SU03); Wincombe (ST82); Broad Chalke (SU02); Bowerchalke (SU02), all SFi & VW.

Erodium cicutarium ssp. cicutarium (Common Stork's-bill); Haxton Down (SU25), JRM.

Erodium maritimum (Sea Stork's-bill); Bramshaw: RSPB Franchise Lodge (SU2348016770), numerous plants found in a dense patch along ballast in wood, JAN. confirmed SPi. *1st Wiltshire record.*

Erodium moschatum (Musk Stork's-bill); Stratford-sub-Castle (SU139319), campsite, PDS. *1st VC8 record.*

Erophila verna (Common Whitlowgrass); Little Bedwyn (SU26); Wootton Rivers (SU26); Crofton, K&A Canal (SU26), All RAi.

Eschscholzia californica (Californian Poppy); Devizes, MBu.

Euphorbia coralloides (Coral Spurge); Middle Winterslow (SU23); several plants at field entrance, AA & SFi. *1st Wiltshire record.*

Euphorbia cyparissias (Cypress Spurge); Steeple Langford (SU03), SFi; Chute Forest east (SU35); Collingbourne Ducis centre

(SU25), both JRM; Bowerchalke (SU02); Hill Deverill (ST84), both SFi & VW.

Euphorbia exigua (Dwarf Spurge) [GB:NT Eng:VU]; Cradle Hill, Warminster (ST84), disturbed ground by perimeter fence, SG & SPi.

Euphorbia lathyris (Caper Spurge); Chapmanslade (ST84), SFi; Hill Deverill (ST84); Lopshill Common (SU01), both SFi & VW.

Euphorbia oblongata (Balkan Spurge); Middle Winterslow (SU23), AA & SFi.

Euphorbia peplus (Petty Spurge); Oxenwood (SU35); Chute Cadley (SU35), both SFi & VW.

Fallopia baldschuanica (Russian-vine); Middle Winterslow (SU23), AA & SFi.

Fallopia convolvulus (Black-bindweed); Shalbourne (SU36), RAi, MBu, SFi & VW.

Foeniculum vulgare (Fennel); Franchises Lodge, Pylon Line (SU21), old tip, SFi & PMW.

Forsythia x intermedia (Forsythia); Shalbourne (SU36), two young plants, garden escape, RAi, MBu, SFi & VW.

Fragaria ananassa (Garden Strawberry); Wincombe (ST82), naturalised on verges, SFi & VW.

Fritillaria meleagris (Fritillary); Ansty (ST92), escape on roadside bank from planted bank of house, SFi & VW.

Fumaria densiflora (Dense-flowered Fumitory); Chilmark Down (ST93), SFi.

Fumaria muralis (Common Ramping-fumitory); Langford Lakes Reserve (SU03), on disturbed bank near stream dipping area, SFi & VW; Westbury (ST85), established on bank by PROW for many years, SPi.

Fumaria officinalis ssp. officinalis (Common Fumitory); Hougomont Farm (SU25), JRM.

Genista tinctoria (Dyer's Greenweed) [GB:LC Eng:VU]; Martin Down (SU0521219014), on two adjacent anthills, SFi; Winterbourne Downs (SU220392), PCa.

Geranium columbinum (Long-stalked Crane's-bill); Lower Westwood (ST85), SPi.

Geranium dissectum (Cut-leaved Crane's-bill); Little Bradley Road (ST74), JBe & SPi.

Geranium lucidum (Shining Crane's-bill); Oxenwood (SU35); Fosbury (SU35), both SFi & VW.

Geranium macrorrhizum (Rock Crane's-bill); Franchises Lodge, Pylon Line (SU21), on old tip, SFi & PMW.

Geranium phaeum (Dusky Crane's-bill); Lower Chute and Chute Cadley (SU3153), on edge of footpath, garden escape, JRM.

Geranium pratense (Meadow Crane's-bill); Little Bradley Wood (ST74), JBe & SPi.

Geranium pusillum (Small-flowered Crane's-bill); Chute Forest east (SU3151) within grassland at Soper's Bottom; Soper's Bottom, Wilts (SU3150), also in Soper's Bottom grass land, both JRM.

Geranium pyrenaicum (Hedgerow Crane's-bill); Damerham (SU11), SFi; Soper's Bottom, Wilts (SU35), JRM.

Geranium sylvaticum (Wood Crane's-bill); Collingbourne Ducis Centre, Ludgershall Road verge, outside garden, JRM.

Geranium x oxonianum (Druce's Crane's-bill); Knook (ST94); Berwick St. John (ST92), probably dumped but naturalised, both SFi; Hill Deverill (ST84), naturalised on road verge, SFi & VW.

Geum x intermedium (G. rivale x urbanum); Damerham (SU11), two sites, near Geum rivale, both SFi.

Glyceria declinata (Small Sweet-grass); Sidbury Hill (SU25), JRM, determined Mr N Brown; Bishopstone (SU02), SFi & VW.

Glyceria maxima (Reed Sweet-grass); Roughmoor Down (SU35), pond, RAi.

Glyceria notata (Plicate Sweet-grass); Freemans Marsh (SU36), RAi; Bury Hill Plantation, Franchises Wood, SFi, VW & PMW.

Gnaphalium uliginosum (Marsh Cudweed); Shalbourne (SU36), RAi, MBu, SFi & VW.

Hedera hibernica (Atlantic Ivy); Shermel Gate (ST91), Foxbury, Lower Hedge, JAS; Bratton (ST95), garden escape, SPi.

Helleborus niger (Christmas-rose); Newton Tony (SU24), naturalised, AA & SFi.

Helleborus orientalis (Lenten-rose); Teffont (ST93), escape by roadside, SFi.

Helminthotheca echioides (Bristly Oxtongue); Whitsbury (SU11), SFi & VW.

Heracleum sphondylium ssp. sphondylium (Hogweed); Beacon Hill Aerials (SU14); Netheravon west (SU14); Netheravon east (SU14); Haxton (SU14); Coombe (SU14), all JRM.

Hesperis matronalis (Dame's-violet); Martin Down (SU01), SFi.

Heuchera sanguinea (Coralbells); Chute Standen (SU35), escape on verge; Ansty (ST92), beside track presumed from garden waste, both SFi & VW; Pitton (SU23), garden escape, SFi, VW & PMW. **1st Wiltshire record.**

Hieracium sabaudum (Autumn Hawkweed); Trowbridge (ST85), a single plant at Trowbridge Station car park, DG. Determined by D. McCosh.

Hieracium scotostichum (Dappled Hawkweed); Trowbridge (ST85), Fifty plus plants at entrance to builder's merchants, DG. Determined by D McCosh. **1st VC8 record.**

Himantoglossum hircinium (Lizard Orchid) [GB:NT Eng:LC]; Lime Kiln Way, Harnham, Salisbury (SU0128), A single, robust spike, one metre tall in long grassland / scrub, SFi. First found and reported by Gillian Hawkins.

Hirschfeldia incana (Hoary Mustard); Langford Lakes Reserve (SU03), on heap by disturbed ground, SFi & VW.

Hordeum murinum (Wall Barley); Winsley west (ST76), DG.

Hordeum secalinum (Meadow Barley); Winsley west (ST76), DG; Cholderton (SU24), extensive in meadow near winterbourne, AA & SFi.

Hyacinthoides hispanica (Spanish Bluebell); Whitsbury (SU11), SFi & VW.

Hyacinthoides x massartiana (Hybrid Bluebell); Thirty-three records. Lower Chute and Chute Standen (SU35); Lower Chute and Chute Cadley (SU35); Chute Forest west (SU35); Mankhorn, Wilts (SU35); Redhouse Farm, Wilts (SU35), all JRM.

Chilmark Down (ST93); Coombe (SU15), two sites; Potterne (ST95); Woodborough (SU15); Teffont Magna (ST93); Boyton (ST93); West Knoyle (ST83); Damerham (SU11), three sites;

Everleigh (SU25), two sites; Chicksgrove (ST92), all SFi.

Chute Cadley (SU35); Lower Chute (SU35); Ansty (ST92); Pitton (SU23); Oxenwood (SU35), two sites; Wincombe (ST82), all SFi & VW.

Little Cheverell (ST95), two sites, Collingbourne Ducis (SU25), all SFi & PMW. Pitton (SU23), SFi, VW & PMW. Roundstone Wood, Great Cheverell (ST95); SPTA west (ST95); Imber Ranges Perimeter Path (ST95), all SPi.

Hypericum androsaemum (Tutsan); Redhouse Farm, Wilts (SU35), JRM; Edington (ST95), PQ; Little Cheverell (ST95), SFi & PMW; Whitsbury (SU11), SFi & VW; Bratton (ST95), SPi; Devizes (SU06), MBu.

Hypericum calycinum (Rose-of-Sharon); Chute Forest east (SU35), JRM; Little Cheverell (ST95), SFi & PMW; Horningsham (ST84); Bemerton Heath, Salisbury (SU13); Bishopdown Farm, Salisbury (SU13), all SFi; Winterbourne Gunner (SU13), AA & SFi. All garden escapes or from dumping.

Impatiens parviflora (Small Balsam); Chalcot Wood (ST84), HD; Dilton Marsh:Stormore (ST84), numerous flowering plants in woodland, SPi.

Iris foetidissima (Stinking Iris); Chute Forest west (SU35), JRM; Oxenwood (SU35), SFi & VW.

Iris pseudacorus (Yellow Iris); Damerham (SU01), SFi.

Juncus conglomeratus (Compact Rush); Great Cheverell and Pear Tree Hill, SPi.

Juncus tenuis (Slender Rush); Ansty (ST92), SFi & VW.

Kickxia elatine (Sharp-flowered Fluellin); Erlestoke (ST95), many plants in fodder maize field, SPi.

Lactuca serriola (Prickly Lettuce); Ham Hill (SU36), RAi.

Lamiastrum galeobdolon (Yellow Archangel); Franchises Wood, Quar Hill (SU21), SFi, VW & PMW.

Lamiastrum galeobdolon ssp. argentatum (Garden Yellow-archangel), Lower Chute and Chute Standen (SU35); Lower Chute and Chute Cadley (SU35), both JRM; Whitsbury (SU11), two sites; Chute Cadley (SU35);

Boulsbury (SU01), all SFi & VW; Martin (SU01); Damerham (SU11), both SFi; Buttermere Wood (SU36), RAI; Shalbourne (SU36), RAI, MBU, SFi & VW.

Lamiastrum galeobdolon ssp. montanum (Yellow Archangel); Lavington Sands (SU05), two sites; West Knoyle (ST83), three sites, all SFi; Maiden Bradley (ST83), SFi & VW.

Lamium amplexicaule (Henbit Dead-nettle); Pewsey Allotments (SU16), large amount of flowering plants on disturbed plot, JBr.

Lapsana communis ssp. communis (Nipplewort); Beacon Hill Aerials (SU14); Netheravon west (SU14); Haxton (SU14); Netheravon east (SU14); Coombe (SU15); all JRM.

Larix kaempferi (Japanese Larch); Great Ridge (ST93), seedlings amongst mature trees, SFi.

Lathyrus latifolius (Broad-leaved Everlasting-pea); Middle Winterslow (SU23), AA & SFi.

Laurus nobilis (Bay); Pitton (SU23), well established escape, SFi, VW & PMW; Middle Winterslow (SU23), naturalised, AA & SFi; Middle Winterslow (SU23), within hedgerow, AA & SFi. **1st VC8 record.**

Legousia hybrida (Venus's-looking-glass); Teffont Down (ST93), a single plant at field headland, SFi.

Lemna gibba (Fat Duckweed); Eighteen records. Bishopstone (SU02); Knook (ST94), both SFi.

Longbridge Deverill (ST84); Lopshill Common (SU01), two sites; Bowerchalke (SU02), two sites; Hill Deverill (ST84); Broad Chalke (SU02); Damerham (SU11); Crouchston (SU02), all SFi & VW.

Bentley Wood (SU22), four sites, all SFi & PMW; Middle Winterslow (SU23), AA & SFi; Corsley Heath east (ST84), RAI, MBu & PD; Dilton Marsh: Stormore (ST84), SPi.

Lemna minor (Common Duckweed); Damerham (SU11), SFi & VW; Lower Chute and Chute Cadley (SU35), JRM.

Lemna minuta (Least Duckweed); Coombe (SU15), JRM.

Lemna trisulca (Ivy-leaved Duckweed); Bishopstone (SU02), SFi.

Lepidium didymum (Lesser Swine-cress); Wootton Rivers (SU26); K&A Canal, Crofton (SU26), both RAI.

Lepidium draba (Hoary Cress); Chilmark Down (ST93), SFi.

Leucojum aestivum ssp. pulchellum (Summer Snowflake); Dinton (SU03), in field with other naturalised species, SFi; Wincombe (ST82), naturalised on verge from planting, SFi & VW.

Linaria purpurea (Purple Toadflax); Whitsbury (SU11), SFi & VW; Lower Chute and Chute Cadley (SU35), JRM; Shalbourne (SU36), RAI, MBu, SFi & VW; West Knoyle (ST83), SFi.

Linum bienne (Pale Flax); Longleat Estate (ST84), WBS.

Linum usitatissimum (Flax); Hill Deverill (ST84), at roadside, SFi & VW.

Lithospermum officinale (Common Gromwell); Haxton (SU14), SFi.

Lonicera henryi (Henry's Honeysuckle); Tidworth NW (SU24), garden escape, JRM. **1st Wiltshire record.**

Lotus pedunculatus (Greater Bird's-foot-trefoil); Upton Lovell Crop Research Station, JBe.

Lunaria annua (Honesty); Shalbourne (SU36), RAI; Oxenwood (SU35), SFi & VW; Shalbourne (SU36), two sites, RAI, MBu, SFi & VW.

Luzula forsteri (Southern Wood-rush); Collingbourne Woods central (SU25), two sites, both JRM; Chute Cadley (SU35), SFi & VW.

Lycium barbarum (Duke of Argyll's Teaplant); Corsley Heath west (ST84), RAI, MBU, SFi & VW.

Lysimachia nemorum (Yellow Pimpernel); Bratton (ST95), SPi.

Lysimachia nummularia (Creeping-Jenny); Chute Cadley (SU35), SFi & VW.

Lysimachia punctata (Dotted Loosestrife); Teffont Magna (ST93), in field with other naturalised species; Knook (ST94), both SFi; Firsdow (SU23), naturalised, AA & SFi; Edington (ST95), PQ.

Mahonia aquifolium (Oregon-grape); Chute Cadley (SU35); Whitsbury (SU11), both escapes, both SFi & VW.

Malva moschata (Musk-mallow); Kingston Deverill (ST83), SFi & VW; Winsley west (ST76), DG; Ashfield Bottom, Mere Down (ST83), SFi.

Matricaria chamomilla (Scented Mayweed); Fyfield Down, Pewsey (SU15), SFi & VW.

Meconopsis cambrica (Welsh Poppy); Horningsham (ST84); Knook (ST94); Corton (ST94), all SFi; Edington (ST95), PQ; Lower Chute and Chute Standen (SU35); Chute Forest east (SU35), both JRM; Longbridge Deverill (ST84), SFi & VW.

Medicago arabica (Spotted Medick); Little Bedwyn (SU26), within mown verge beside Little Bedwyn Lock, RAi.

Melampyrum pratense (Common Cow-wheat) [GB:LC Eng:NT]; Whitsbury (SU11), abundant on roadside bank for fifty metres, SFi & VW.

Melilotus altissimus (Tall Melilot); Tytherington (ST93); Higher Pertwood (ST93), both SFi.

Melilotus officinalis (Ribbed Melilot); Higher Pertwood (ST93), SFi.

Melissa officinalis (Balm); Longbridge Deverill (ST84), naturalised, SFi & VW; Horningsham (ST84), garden escape, SFi.

Mentha suaveolens (Round-leaved Mint); Franchises Wood, Pylon Line (SU21), SFi & PMW.

Mentha x piperta (Peppermint); Bowerchalke (SU02), SFi & VW.

Mentha x verticillata (Whorled Mint); Porton (SU13), AA & SFi; Bishopstone (SU02); Little Durnford (SU13), both SFi.

Mentha x villosa (Apple Mint); North Newton (SU15), SFi; Wincombe (ST82), SFi & VW.

Mercurialis annua (Annual Mercury); Chapmanslade (ST84); Bulkington (ST95), both SPi; Hill Deverill (ST84), SFi & VW; Horningsham (ST84), two sites, both SFi.

Mimulus guttatus (Monkeyflower); Devizes (SU06), self-seeded into kerb edge, MBu.

Muscari armeniacum (Garden Grape-hyacinth); Idmiston (SU23), AA & SFi; Easterton Sands (SU05); Teffont Magna

(ST93), both SFi; Pitton (SU23), SFi, VW & PMW; Ridge (ST93), SFi & VW; West Lavington (SU05), SFi & PMW. All garden escapes.

Mycelis muralis (Wall Lettuce); Lower Chute (SU35); Chute Standen (SU35), both SFi & VW.

Myosotis ramosissima (Early Forget-me-not); Tollard Royal (ST91), SFi; Whitsbury (SU11), SFi & VW; Great Cheverell Hill (ST95), on ant hill, NC & ABy.

Myosotis sylvatica (Wood Forget-me-not); Bouldsbury (SU01), SFi & VW; Damerham (SU11), two sites, both escapes, both SFi.

Narcissus pseudonarcissus (Wild Daffodil); Cheverell Wood, HD.

Nepeta cataria (Cat-mint) [GB:VU Eng:VU]; Collingbourne Ducis Centre (SU25), on verge outside garden, JRM.

Nitella flexilis sens. lat. (Smooth Stonewort); Langford Lakes Reserve (SU03), SFi & VW.

Nitella translucens (Translucent Stonewort); Franchises Wood, Fishpond (SU230190), large clump in decoy pond, SFi, VW & PMW. **1st Wiltshire record.**

Nymphaea alba (White Water-lily); Chilmark Down (ST93), SFi.

Nymphaea alba ssp. alba (White Water-lily); Lower Chute and Chute Cadley (SU35), Chute Cadley village pond, JRM.

Nymphoides peltata (Fringed Water-lily); Whaddon (SU12), abundant on three sides of lake, SFi & VW.

Oenanthe crocata (Hemlock Water-dropwort); Hougomont Farm (SU25), JRM.

Oenothera biennis (Common Evening-primrose); Longbridge Deverill (ST84), escape, SFi & VW.

Oenothera glazioviana (Large-flowered Evening-primrose); Whaddon (SU12), SFi & VW.

Omphalodes verna (Blue-eyed-Mary); Wincombe (ST82), escape on bank by house, SFi & VW.

Onobrychis vicifolia (Sainfoin); Oxenwood (SU35); in field margin, SFi & VW.

Ophrys insectifera (Fly Orchid); Maiden Bradley (ST83), SFi & VW.

Oreopteris limbosperma (Lemon-scented Fern); Longleat Estate (ST84524264), about five plants by woodland track; Longleat Estate (ST84684267), two young plants on bank with young sori present; Aucombe Marsh, Longleat (ST844427), two plants by woodland track. All WBS; all determined by SPi.

Orobanche minor (Common Broomrape); Martin Down NNR (SU01), Stone Curlew plot, SFi; Stockton Earthwork Down (ST93), LMo & NYB; Stockton Down 2 (ST93), LMo.

Oxalis articulata (Pink-sorrel); Damerham (SU11), naturalised on verge, SFi.

Oxalis corniculata (Procumbent Yellow-sorrel); Bishopstone (SU02), SFi; Crouchston (SU02), SFi & VW.

Oxalis exilis (Least Yellow-sorrel); Hill Deverill (ST84); Bowerchalke (SU02), both SFi & VW; Shalbourne (SU36), RAi, MBu, SFi & VW.

Paeonia mascula (Peony); Netheravon (SU14), garden escape, SFi.

Panicum capillare (Witch-grass); Maiden Bradley (ST83), one flowering plant in field gateway, JBe & SPi.

Papaver dubium (Long-headed Poppy); Salisbury Plain, Upavon (SU15), intermittent along a 250m stretch of field edge, SFi.

Papaver lecoqii (Yellow-juiced Poppy); Higher Pertwood (ST83), SFi.

Papaver orientale (Oriental Poppy); Coombe (SU15), garden dumping or escape, SFi.
1st Wiltshire record.

Papaver somniferum (Opium Poppy); Pitton (SU23), volunteers in field, SFi, VW & PMW; Tollard Royal (ST91), garden escape, SFi.

Parietaria judaica (Pellitory-of-the-wall); Tollard Royal (ST91), SFi.

Parthenocissus inserta (False Virginia-creeper); Dinton (SU03); Hill Deverill (ST84), both SFi & VW; Firsdown (SU23), AA & SFi; All garden escapes and/or naturalising.

Parthenocissus quinquefolia (Virginia-creeper); West Knoyle (ST83), garden escape, SFi; Erlestoke (ST95), naturalised outside garden, SPi.

Passiflora caerulea (Blue Passionflower); Bunny Lane to Ash Hill House (SU22), a large plant, garden escape, trailing up to 10m into arable field, PMW.

Pentaglottis sempervirens (Green Alkanet); Horningsham (ST84); Tollard Green (ST91), both SFi; Chute Cadley (SU35); Wincombe (ST82); Whitsbury (SU11); Chute Standen (SU35); Hill Deverill (ST84); Lower Chute (SU35), all SFi & VW; Temple (ST84), RDu & PLe; Lower Chute and Chute Cadley (SU35); Lower Chute and Chute Standen (SU35), both JRM.

Persicaria amplexicaulis (Red Bistort); Dean Hill (SU22), garden throw-out at side of road, rooted and growing well, PMW.

Persicaria bistorta (Common Bistort); Lower Chute and Chute Cadley (SU35), Chute Cadley village pond, JRM.

Persicaria lapathifolia (Pale Persicaria); Ham Hill (SU36), two sites, RAi; Shalbourne (SU36), RAi, MBu, SFi & VW.

Petasites fragrans (Winter Heliotrope); Bratton (ST95); Great Cheverell and Pear Tree Hill (ST95), both SPi; Little Cheverell (ST95), two sites, both SFi & PMW.

Petroselinum segetum (Corn Parsley); Longleat (ST84), growing with other lime loving plants such as *Primula veris*, DG.

Phacelia tanacetifolia (Phacelia); Ham Hill (SU36), RAi; Bratton (ST95); Heywood (ST85), both SPi.

Phalaris arundinacea (Reed Canary-grass); Tollard Royal (ST91), SFi.

Picris hieracioides (Hawkweed Oxtongue); Martin Down NNR (SU01), SFi.

Pimpinella saxifraga (Burnet-saxifrage); Wincombe (ST82), SFi & VW.

Plantago coronopus (Buck's-horn Plantain); Figheldean (SU14), several plants in gravelly car park area, PD.

Plantago major ssp. major (Greater Plantain); Beacon Hill Aerials (SU14); Netheravon West (SU14); Netheravon East (SU14); Haxton (SU14); Coombe (SU15), all JRM.

Poa angustifolia (Narrow-leaved Meadow-grass); Winterbourne Gunner (SU13), at kerbside, AA & SFi; Old Sarum (SU13); Woodlands Hill, Mere Down (ST83), on anthill; Kingston Deverill (ST83), on wall; White Sheet Hill, Donhead St. Andrew (ST92), on wall, all SFi.

Poa chaixii (Broad-leaved Meadow-grass); Franchises Wood NE of Solar Farm (SU22781875), many plants in ditch close to byway; Franchises Wood N of Solar Farm (SU21), many plants in silted pond, both SFi, VW & PMW. Determined by SPi. **1st Wiltshire record.**

Poa compressa (Flattened Meadow-grass); Corsley Heath west (ST84), within roadside block paving, RAi, MBu & PD; Sutton Veny (ST84), JBe.

Poa humilis (Spreading Meadow-grass); twenty-one records. Burcombe Downs (SU02); Burcombe Downs (SU03), SFi & VW; Idmiston (SU13), two sites, AA & SFi.

Whitesheet Hill, Donhead St. Andrew (ST92), three sites; Knook (ST94); Chilmark Down (ST93); Fonthill Bishop (ST93), two sites; Alvediston (ST92); four sites; Ansty Down (ST92); Old Sarum (SU13); two sites, all SFi.

Langford Lakes Reserve (SU03); Alvediston (ST92); Pincombe Down, Berwick St. John (ST92), all SPi.

Poa infirma (Early Meadow-grass); Stratford-sub-Castle (SU13), many thousands at campsite, PDS.

Poa nemoralis (Wood Meadow-grass); Franchises Lodge, Burnt Ground (SU21); Franchises Wood, Pimlico Firs (SU21), both SFi, VW & PMW.

Polygonatum x hybridum (Garden Solomon's-seal); Grants Farm (ST95), garden escape or throw-out in wood, SPi.

Polygonum arenastrum (Equal-leaved Knotgrass); Shalbourne (SU36), three sites, RAi, MBu, SFi & VW; Rivar, Ashley Down (SU36); Rivar (SU36); Ham Hill (SU36), two sites, all RAi.

Polygonum rurivagum (Cornfield Knotgrass); Pepperbox west of A36 (SU22), in field margins, PMW.

Polypodium interjectum (Intermediate Polypody); Little Knoll Wood (ST83), PLe; Martin Wood near Tidpit (SU01), SFi; Bratton (ST95), SPi.

Polypodium vulgare (Polypody); Martin Wood near Tidpit (SU01), SFi.

Polypogon monspeliensis (Annual Beard-grass); Westbury Cement Works (ST85), SPi.

Polypogon viridis (Water Bent); Tisbury (ST92), in pavement cracks front of shops, SPi; Clouds Walled Garden (ST83), within gravelled driveway; Devizes (SU06), at wall to pavement angle in accumulated dirt, both MBu.

Polystichum aculeatum (Hard Shield-fern); Shalbourne (SU36), RAi; Whitsbury (SU11), SFi & VW.

Polystichum setiferum (Soft Shield-fern); Shalbourne (SU36), RAi; Shalbourne (SU36), two sites, RAi, MBu, SFi & VW.

Populus tremula (Aspen); Tidworth NW (SU24) increasing from planted stock, JRM.

Populus x canescens (Grey Poplar); Stype Wood, Little Bedwyn (SU36), RAi; Knook (ST94), SFi.

Potamogeton lucens (Shining Pondweed); Bishopdown Farm, Salisbury (SU13), SFi.

Potentilla recta (Sulphur Cinquefoil); Knook (ST94), by roadside; Knook (ST94), abundant in apparent abandoned garden by road, both SFi. **1st VC8 record.**

Poterium sanguisorba ssp. balearicum (Fodder Burnet); Little Cheverell (ST95), on probably seeded roadside verge, SFi & PMW; Porton (SU13), probably seeded roadside verge, AA & SFi.

Primula veris (Cowslip); Damerham (SU11), SFi.

Primula x polyantha (False Oxlip); Little Cheverell (ST95), SFi & PMW.

Prunus domestica (Wild Plum); Damerham (SU11), SFi; Freemans Marsh (SU36); Shalbourne (SU36), both RAi; Shalbourne (SU36), two sites, both RAi, MBu, SFi & VW; Westbury (ST85); Westbury Down (ST85); Southwick (ST85), two sites, all SPi.

Prunus domestica ssp. insititia (Damson/Bullace); Bulford (SU1643), var. Syrica. Half a dozen trees in hedgerow possibly linked by suckers, JRM.

Pseudofumaria alba (Pale Corydalis); Easterton Sands (SU05), on stone gatepost, SFi. **1st VC8 record.**

Pseudofumaria lutea (Yellow Corydalis); Horningsham (ST84); Everleigh (SU25); Corton (ST94), all SFi; Whitsbury (SU11); Bohemia (SU21); Longbridge Deverill (ST84),

all SFi & VW; Pitton (SU23), SFi, VW & PMW; Chapmanslade (ST84), SPi.

Pseudosasa japonica (Arrow Bamboo); Chute Forest east (SU3151), on verge in Chute Forest, JRM.

Pulmonaria officinalis (Lungwort); Damerham (SU11), naturalised on bank, SFi; Shalbourne (SU36), garden escape, RAi, MBu, SFi & VW; Forest Road, Little Bradley Wood (ST74), JBe & SPi.

Pyrus communis (Pear); Damerham (SU11); Hilcott (SU15), both SFi.

Quercus petraea (Sessile Oak); Whaddon (SU12), SFi & VW.

Quercus rubra (Red Oak); Newton Tony (SU24), a seedling, AA & SFi.

Quercus x rosacea (Q. petraea x robur); Bohemia (SU21), SFi & VW; Grovely Wood (SU03), two sites, both SFi.

Ranunculus aquatilis (Common Water-crowfoot); Bowerchalke (SU02), SFi & VW.

Ranunculus auricomus (Goldilocks Buttercup); Potterne Wick (SU05), on tree-lined path together with other ancient woodland indicators, SFi; Damerham (SU01), three sites all with many plants alongside trackways, SFi & VW; SPTA West (ST95), large patch of flowering plants in broadleaved plantation, SPi.

Ranunculus flammula (Lesser Spearwort) [GB:LC Eng:VU]; Ridge (ST93), SFi & VW; Lower Chute and Chute Cadley (SU35), JRM; Bedwyn Brail (SU26), four sites, All RAi.

Raphanus raphanistrum (Radish); Urchfont (SU05), two sites; Conock (SU05), all SFi.

Raphanus raphanistrum ssp. raphanistrum (Wild Radish); Wootton Rivers (SU26), a single plant at edge of arable field, RAi.

Rhus typhina (Stag's-horn Sumach); Stratford Tony (SU02); Urchfont (SU05); Bishopstone (SU02), all SFi; Oxenwood (SU35); Bowerchalke (SU02); Wilton (SU03), two sites; Stapleford (SU03); Whitsbury (SU11), all SFi & VW; Little Cheverell (ST95), SFi & PMW. All from garden escapes, dumping and suckering!

Ribes sanguineum (Flowering Currant); Little Cheverell (ST95), on heap in farmyard, SFi & PMW.

Rorippa amphibia (Great Yellow-cress); Freemans Marsh (SU36), in River Dun, RAi; Franchises Wood, Solar Farm North (SU21), SFi, VW & PMW.

Rosa obtusifolia (Round-leaved Dog-rose); Fyfield Down, Pewsey, SFi & VW.

Rosa sherardii (Sherard's Downy-rose); Warminster: Cradle Hill (ST84), several bushes on sloping downland with ripe hips, SG & SPi.

Rosa spinosissima (Burnet Rose); Longbridge Deverill (ST84), suckered out from hedge into verge, SFi & VW.

Rosmarinus officinalis (Rosemary); Westbury (ST85), seedling in pavement crack, SPi.

Rubus tricolor (Chinese Bramble); Coombe Bisset (SU12), escaped along track, SFi; Broadchalke (SU02); Ugford (SU03), both naturalised, both SFi & VW.

Rumex acetosa ssp. acetosa (Common Sorrel); Sherrington Down (ST93), PLe.

Ruscus aculeatus (Butcher's-broom); Wincombe (ST82), three clumps, SFi & VW.

Sagina apetala (Annual Pearlwort); Potterne Wick (SU05), SFi.

Sagina procumbens (Procumbent Pearlwort); Chute Cadley (SU35), SFi & VW.

Salix alba (White Willow); Shalbourne (SU36); RAi, MBu, SFi & VW.

Salix cinerea ssp. oleifolia (Rusty Willow); Freemans Marsh (SU36), RAi; Shalbourne (SU36), RAi, MBu, SFi & VW.

Salix pentandra (Bay Willow); Knook (ST94), SFi.

Salix triandra (Almond Willow); Trindledown Copse (SU36), JBr & PD.

Salix x reichardtii (S. caprea x cinerea); Horse Shoe Bridge, Dinton (SU03), SFi & VW.

Sanicula europaea (Sanicle); Rivar Firs (SU36), abundant on road verge, RAi; Netheravon (SU14), SFi.

Saponaria officinalis (Soapwort); Alderbury (SU12), naturalised on road verge, SFi & VW.

Saxifraga granulata (Meadow Saxifrage); Fyfield Down, Pewsey (SU15), two sites, both with several patches in vicinity, SFi & VW.

Scandix pecten-veneris (Shepherd's-needle) [GB:CR Eng:EN]; Oxenwood (SU3086856922) about six plants in field headland; Oxenwood (SU3081457042), intermittent plants in stony edge of cereal field for 35m; Oxenwood (SU3077757170), intermittent plants in over 100m of stony edge of cereal field; Oxenwood (SU3077457240), abundant in stony edge of cereal field for 95m and some in crop; many hundreds of plants. All SFi & VW.

Securigera varia (Crown Vetch); Southwick (ST85), large flowering clump naturalised at edge of field, SPi.

Sedum acre (Biting Stonecrop); Easterton Sands (SU05), SFi; Hound and Haxton Plantation (SU15), JRM.

Sedum album (White Stonecrop); Potterne Wick (SU05), SFi; Wilton (SU26), RAi; Bohemia (SU21); Whitsbury (SU11), both SFi & VW.

Sedum spectabile (Butterfly Stonecrop); West Lavington (SU05), SFi & PMW.

Sedum spurium (Caucasian-stonecrop); Middle Winterslow (SU23), naturalised on village bank, AA & SFi; Horningsham (ST84), naturalised along 100m of hedge bank, SFi; Ridge (ST93), escaped at roadside, SFi & VW.

Sedum telephium (Orpine); Trindledown Copse (SU36), three clumps on road verge near copse, JBr & PD; Forest Road, Little Bradley Wood (ST74), extensive patch in roadside hedge bank at least 15m long and with other ancient woodland indicators, JBe & SPi.

Senecio erucifolius (Hoary Ragwort); Damerham (SU11), two sites, both SFi.

Senecio squalidus (Oxford Ragwort); Crouchston (SU02), SFi & VW; Martin Down (SU02); Stratford Tony (SU02); Bishopstone (SU02), all SFi; Devizes (SU06), MBu; Franchises Lodge, Pylon Line (SU21), SFi & PMW.

Senecio vulgaris ssp. vulgaris (Groundsel); SPTA Bourne Bottom (SU14), JRM.
1st Wiltshire record.

Setaria pumila (Yellow Bristle-grass); Newton Tony (SU24), escapes on path, AA & SFi; Corsley Heath east (ST84), at field edge, RAi, MBu & PD.

Silaum silaus (Pepper-saxafrage); Damerham (SU11), SFi & VW; Bulkington (ST95), a couple of large plants in semi-improved grassland over ridge and furrow, SPi.

Silene x hampeana (Pink Champion); Maiden Bradley (ST83); Bohemia (SU21); Fyfield Down, Pewsey (SU15), all SFi & VW; Chirton Hill (SU05), SFi.

Sinapis alba (White Mustard); Odstock (SU12), two sites, both SFi; Newton Tony (SU24), sown field margin plus escapes, AA & SFi.

Sinapis arvensis (Charlock); Shalbourne (SU36), RAi, MBu, SFi & VW.

Sison amonum (Stone Parsley); Old Sarum (SU13), SFi.

Solanum lycopersicum (Tomato); Urchfont (SU05), on muck heap, SFi.

Solanum physalifolium (Green Nightshade); Chapmanslade (ST84), in arable field, SPi.
1st VC8 record.

Soleirolia soleirolii (Mind-your-own-business); Corton (ST94), SFi; Whitsbury (SU11), SFi & VW; Temple (ST84), RAi, MBu & PD.

Solidago gigantea (Early Goldenrod); Middle Winterslow (SU23), naturalised in field corner, Newton Tony (SU23), both AA & SFi; Chilmark Down (ST93), two patches on roadside, Homington (SU12), both SFi; Wilton (SU26), RAi.

Sorbus aria (Common Whitebeam); Chirton Hill (SU05), Marden Down (SU05), both SFi; West Lavington, SFi & PMW.

Sorbus aucuparia (Rowan); Great Cheverell and Pear Tree Hill (ST95), self-sown seedling, SPi; Shalbourne (SU36), RAi, MBu, SFi & VW.

Sparganium erectum (Branched Bur-reed); SPTA, north of Sidbury Hill (SU2151), beside a large puddle on track, JRM.

Spergula arvensis (Corn Spurrey) [GB:VU Eng:VU]; Shalbourne (SU322629), widespread in harvested organic cereal field, RAi, MBu, SFi & VW.

Spergula rubra (Sand Spurrey); Stratford-sub-Castle (SU13), in campsite, PDS.

Stachys arvensis (Field Woundwort) [GB:NT Eng:NT]; Perham Ranges (SU247494), in field

north of Tidworth-Perham in cultivated but uncropped strip at northern edge, JRM.

Stachys byzantina (Lamb's-ear); Franchises Lodge, Pylon Line (SU21), on old tip, SFi & PMW.

Stachys palustris (Marsh Woundwort); Damerham (SU01), SFi.

Stellaria neglecta (Greater Chickweed); Upper Westwood (ST75), flowering plants on lane bank, SPi.

Symphoricarpos albus (Snowberry); Damerham (SU11); Chase Woods (ST91), both SFi; Shalbourne (SU36), RAi, MBu, SFi & VW.

Symphytum caucasicum (Caucasian Comfrey); Hilcott (SU15), escape on trackside, SFi. *1st VC8 record.*

Symphytum grandiflorum (Creeping Comfrey); Hill Deverill (ST84), SFi & VW; Corton (ST94); Fittleton (SU14); Alderbury (SU12); Tollard Green (ST91), all SFi.

Symphytum officinale (Common Comfrey); Newton Tony (SU24), AA & SFi.

Symphytum orientale (White Comfrey); Pitton (SU23), naturalised in winterbourne outside churchyard, SFi, VW & PMW.

Symphytum x hidcotense 'Hidcote Blue' (Hidcote Comfrey); Ridge (ST93); Bowerchalke (SU02), both SFi & VW; Westbury (ST85), SPi; Little Cheverell (ST95), SFi & PMW; Woodborough (SU15); Lavington Sands (SU05); Tytherington (ST94), all SFi; Idmiston (SU13), AA & SFi; Forest Road, Little Bradley Wood (ST74), JBe & SPi. All naturalised garden escapes.

Syringa vulgaris (Lilac); Whitsbury (SU11), two sites; Oxenwood (SU35); Wilton (SU03); Burcombe (SU03); Great Wishford (SU03); all SFi & VW; Redhouse Farm, Wilts (SU35), JRM; Bishopstone (SU02); Hanging Langford (SU03); Stratford Tony (SU02), all SFi. All naturalised garden escapes.

Tanacetum parthenium (Feverfew); Hill Deverill (ST84); Whitsbury (SU11), both SFi & VW; Shalbourne (SU36), two sites, both RAi, MBu, SFi & VW; Horningsham (ST84), SFi; Middle Winterslow (SU23), two sites, both AA & SFi; Corsley Heath west (ST84), RAi, MBu & PD.

Tellima grandiflora (Fringecups); Ram Alley (SU26), a single plant on footpath near houses, RAi.

Teucrium scorodonia (Wood Sage); Tollard Green (ST91), SFi.

Thlapsi arvense (Field Penny-cress); North Newton (SU15), SFi.

Trachystemon orientalis (Abraham-Issac-Jacob); Collingbourne Ducis Centre (SU25), along eastern end of bank at Mill Lane, JRM.

Trifolium fragiferum (Strawberry Clover) [GB:LC Eng:VU]; Warminster: Cradle Hill (ST880463), very small amount in chalk grassland, SG & SPi.

Trifolium hybridum (Alsike Clover); Homington (SU12), two sites, both SFi; Trindledown Copse (SU36), JBr & PD; Wilton (SU26), RAi.

Trifolium micranthum (Slender Trefoil); Horningsham: East Common (ST84); Little Bradley Wood (ST74), both JBe & SPi.

Triticum aestivum (Bread Wheat); Burcombe (SU03), at roadside, SFi & VW.

Ulmus x hollandica (Dutch Elm: U.glabra x minor); Chute Forest east (SU3151), beside footpath to church, JRM *1st recent Wiltshire record*; Heywood (ST849530 and ST850530), two sites of which one had many trees in hedgerow, both SPi. *2nd & 3rd records.*

Umbilicus rupestris (Navelwort); Wincombe (ST82), many plants on 25m of wall, SFi & VW.

Valerianella carinata (Keel-fruited Cornsalad); Oxenwood (SU35); Whitsbury (SU11); both SFi & VW.

Verbascum nigrum (Dark Mullein); Devizes (SU06), MBu; Franchises Lodge, Pylon Line, SFi & PMW.

Verbascum thapsus (Great Mullein); Shalbourne (SU36), RAi, MBu, SFi & VW.

Verbena bonariensis (Argentinian Vervain); Bowerchalke (SU02), naturalised by Church, SFi & VW; Langford Lakes Reserve (SU03), escape, SFi & VW.

Veronica filiformis (Slender Speedwell); Shalbourne (SU36), RAi, MBu, SFi & VW; Fosbury (SU35); Chute Cadley (SU35); Oxenwood (SU35), all SFi & VW.

Veronica hederifolia (Ivy-leaved Speedwell);
Rivar Firs (SU33), RAi.

Veronica scutellata (Marsh Speedwell)
[GB:LC Eng:NT]; Bedwyn Brail (SU28286335
and SU28476294), two pond sites, both RAi.

Veronica x lackschewitzii (Hybrid Water-
speedwell); Bishopstone (SU02), SFi.

Vicia faba (Broad Bean); Lower Chute and
Chute Standen (SU35), crop residue, JRM.

Vicia sativa ssp. nigra (Narrow-leaved
Vetch); Salisbury Plain, Everleigh (SU25), two
sites, both SFi.

Vicia sativa ssp. segetalis (Common Vetch);
Salisbury Plain, Everleigh (SU25), two sites,
both SFi.

Vicia tetrasperma (Smooth Tare); Coombe
Bisset Down (SU12), SFi.

Vinca major (Greater Periwinkle); Lopshill
Common (SU01), SFi & VW; Damerham
(SU01), SFi; Whitsbury (SU11), escaped onto
track, SFi & VW; Shalbourne (SU36), garden
escape, RAi, MBu, SFi & VW; Upton Lovell
Crop Research Station (ST94), JBe.

Vinca minor (Lesser Periwinkle); Little
Cheverell (ST95), garden escape, SFi & PMW;
Buttermere (SU36), on road verge near
houses, RAi; Tollard Green (ST91), SFi.

Viola reichenbachiana (Early Dog-violet);
Rivar Firs (SU36), abundant on road verge,
RAi.

Viola x wittrockiana (Garden Pansy); Devizes
(SU06), self-sown into pavement edge, MBu.

