

imagine[®]

your home reinvented.



Discover your style with a distinctive Clopay[®] garage door.



America's Favorite Garage Doors[®]



Canyon Ridge® Carriage House 4-Layer, Design 21; Shown in Ultra-Grain® Cypress
Slate Finish with Clear Cypress Overlays and SQ23 Window Design

Clopay

the right choice for your home.

- Clopay is North America's largest and most trusted residential garage door brand.
- A garage door can represent as much as 30% of your home's front façade, which makes choosing the right design especially important — and Clopay has the widest selection available.
- Clopay garage doors are designed and manufactured in the USA.



table of contents



Door Imagination System™ from Clopay 4



The Difference is in the Details 6



Intellicore® Insulation Technology 7



Avante® 8



Canyon Ridge® Carriage House 5-Layer 10



Canyon Ridge® Carriage House 4-Layer 12




Canyon Ridge® Louver 14



Canyon Ridge® Modern 16



Coachman® 18



Grand Harbor® 20



Gallery® Steel 22



Bridgeport™ Steel 24



Modern Steel™ 26

 Available in Ultra-Grain® Finish



Classic™ Steel Premium 28

 Available in Ultra-Grain® Finish



Classic™ Steel Value Plus Value 30



Windows 32

Multiple window options available.



Discover Ultra-Grain 34



Reserve® Wood Limited Edition Custom 36




Reserve® Wood Modern 38



Reserve® Wood Semi-Custom 40



Classic™ Wood 42




Wood Factory Finishes 44

Multiple finishes available.



Specialty Glass 45

Multiple glass types available.



Decorative Hardware 46

Multiple hardware options available.

If you haven't looked at garage doors lately, prepare to be pleasantly surprised. Clopay has taken them from functional to fashionable.





imagine[®]
a beautiful transformation.

DOOR IMAGINATION
SYSTEM[™] from Clopay



OPEN CAMERA
AND POINT!



See what inspires you with the Clopay Door Imagination System™. Upload a photo of your own home and see what style offers you the look you want. With just a few simple clicks, you can visualize the transformation and make it a reality!

To get started, open your camera and point at the QR code or visit dis.clopay.com.

Whether you choose a door that features the beauty of natural wood or the low maintenance of a composite or metal door, the Door Imagination System™ will help you find your dream door.



Bridgeport™ Steel



Coachman®



Canyon Ridge®



the DIFFERENCE

is in the details.

beautiful stylistic options

DEEP-EMBOSSSED PANELS




Natural woodgrain texture and detailed raised panel designs enhance the door's beauty.

COPED EDGES



Coachman® garage doors are designed with stylish beveled, coped edges and decorative center grooves.

HANDCRAFTED WOOD



Premium-quality wood harvested from sustainable and naturally fallen forestry provides exceptional beauty and durability.

ULTRA-GRAIN® FINISHES



Faux-woodgrain steel door paint coatings offer the beauty of wood with far less upkeep.

FAUX WOOD



Unique composite overlay doors combine the realism and beauty of real wood with the strength and energy efficiency of insulated steel.

DESIGNER WINDOWS



Allow natural light into your garage and complement your home's exterior with beautiful window designs. Clopay's decorative inserts are removable for easy cleaning or to change designs.



reliable, safe and durable construction

RUST-PREVENTION SYSTEM



Steel skins are protected through a tough, layered coating system, including a hot-dipped galvanized layer, a protective metal oxide pretreatment and a baked-on primer and top coat.

SEAL OUT THE ELEMENTS




Replaceable bottom weatherseal in a corrosion-resistant retainer helps seal out the elements.

CLOPAY'S SAFE-T-BRACKET[®]



Helps prevent serious injury that could occur if the bottom bracket were removed with the garage door closed and under tension.

HEAVY-DUTY HARDWARE



2" thick polystyrene doors and all Intellicore[®] polyurethane insulation doors come standard with 10-ball nylon rollers and heavy-duty 14 gauge steel hinges.



Reserve[®] Wood Custom;
Factory Stain Finished in Dark Oak



WARMER

Industry-leading R-values of up to 20.4 provide year-round comfort and energy savings.



QUIETER

Just open a non-insulated garage door and then an Intellicore door, and you'll hear a huge difference.



STRONGER

A Clopay garage door featuring Intellicore is nearly twice as strong as a polystyrene door of the same thickness, so it will look better, longer.




Look for this symbol on select products that feature Intellicore.



MODERN design, natural LIGHT

STYLE AND CONSTRUCTION



- Aluminum frame provides a virtually maintenance-free, long-lasting door.
- Intellicore® polyurethane insulated rails and stiles. (Model AXU)
- R-value 3.8/U-factor 0.86. (Model AXU when glazed with clear insulated glass)
- Many glass and panel options available.
- Section joint seal helps keep out air and water.
- Heavy-duty steel ball bearing rollers with nylon tires provide quiet operation.

See your Clopay Dealer for WINDCODE® availability.
Calculated door section R-value is in accordance with DASMA TDS-163.

FRAME/SOLID PANEL COLOR OPTIONS

Clear Aluminum (Anodized)	Standard White (Painted)	Bronze (Painted)
Chocolate (Painted)	Bronze (Anodized)	Black (Anodized)
Dark Bronze (Anodized)	<p>Due to the anodizing process, color variation may occur. The use of "Bronze (Painted)" is recommended for a more consistent bronze finish color.</p>	

CUSTOM PAINT OPTIONS

Custom colors make Avante® garage doors personal. Choose a Color Blast® finish or RAL Powder Coating to create the perfect door. The only limit is your imagination! See your Clopay Dealer for details.



Model AXU not available with RAL Powder Coat finish.



Avante® Bronze (Anodized) Frame with Frosted Tempered Glass; Smooth Fiberglass Collection Entry Door with Clarion™ Frost Glass in Custom Complementing Finish

AVANTE®

Avante® garage doors are designed with architects, contractors and homeowners in mind. With a sleek aesthetic and section seal, these doors are the perfect choice to modernize any home. Not only can they transform garages, they can also be used as an indoor loft partition or as versatile solarium doors. Many glass options are available to control the degree of light transmission and privacy.

GLASS/PANEL OPTIONS



Clear Glass*



Gray Tinted Glass*




Bronze Tinted Glass*



Mirrored Glass*



Obscure Glass*



White Laminate Glass



Black Laminate Glass



Frosted Glass*
(Satin Etched)




Frosted Acrylic



Clear Acrylic




Gray Acrylic



White Acrylic



Clear Polygal™



Bronze Polygal™




Clear Anodized
(Color-matched to frame)

- Glass available in single pane or insulated (laminated and mirrored glass not available insulated).
- Panels can be aluminum to match the aluminum frame. Glass/acrylic panels may be combined with aluminum panels. Custom glass and colors available.

*Glass is tempered.

See your Clopay Dealer for details.

Acrylic windows require special cleaning. Never use products that contain ammonia or petroleum products to clean acrylic. Please visit www.clopaydoor.com/acrylic for complete details.



HARDWARE

Attractive color-matched aluminum grip handles.

Available in all standard color options.

WARRANTIES

<small>FINISH</small> LIMITED 5YR <small>WARRANTY</small>	<small>HARDWARE</small> LIMITED 3YR <small>WARRANTY</small>
--	--



Canyon Ridge® Carriage House 5-Layer, Design 13; Shown in Dark Finish with Pecky Cypress Cladding, Clear Cypress Overlays and ARCH13 Window Design

faux wood.
REAL BEAUTY.

CANYON RIDGE®

carriage house

5-LAYER CONSTRUCTION

Beautiful and unique, Canyon Ridge® Carriage House garage doors are constructed with an energy-efficient, Intellicore® polyurethane insulated steel base and finished with faux-wood composite cladding and overlays. The appearance is that of authentic swing-out doors but with the convenience of modern, upward operation.

The cladding and overlay materials are molded from actual wood to reproduce the natural texture and grain patterns of the species that they emulate. The result is a distinctive wood-look door that is often indistinguishable from the real thing.



CUSTOM PAINT OPTION



Color Blast® finish offers more than 1,500 Sherwin-Williams® color options to complement your home. Clopay's durable two-part paint system has been thoroughly tested and is backed by a five-year warranty.



- 5 LAYER CONSTRUCTION**
- 1 COMPOSITE OVERLAY
 - 2 COMPOSITE CLADDING
 - 3 STEEL
 - 4 2" INTELLIPORE® POLYURETHANE INSULATION
 - 5 STEEL

STYLE AND CONSTRUCTION

- 5-layer, composite, faux-wood doors with Intellipore® polyurethane insulation. 20.4 R-value.
- Multiple door designs and window options. Many custom designs also available. See your Clopay Dealer for more information.
- Insulated glass options include clear, frosted, seeded, rain and obscure. See page 45 for specialty glass options.
- Attractive beveled-edge, clip-in window grilles are removable for easy cleaning.
- Comes complete with spade lift handles and step plates. See pages 46–47 for details.

Calculated door section R-value is in accordance with DASMA TDS-163.

Canyon Ridge® doors not applicable for new construction in California areas designated as "Fire Hazard Severity Zones".

DOOR DESIGNS

SERIES 1



Design 01 Design 11 Design 12 Design 13

SERIES 3



Design 31 Design 32 Design 33 Design 34

SERIES 2



Design 21 Design 22 Design 23



Design 35 Design 36 Design 37 Design 38

Doors shown in Dark Finish with Clear Cypress cladding and Clear Cypress overlays. Design 01 does not have overlays.

WINDOW/TOP SECTIONS



Additional double width door designs available.

MATERIAL DESIGN OPTIONS

CLADDING



Clear Cypress




Mahogany



Clear Cypress



Pecky Cypress



Composite cladding and overlay material options may be mixed and matched.



Mahogany

COLORS



Medium Finish



Dark Finish



Walnut Finish



Slate Finish

**Black and White Finish available only on Mahogany cladding and overlays. Two-tone doors are available. To see all available options go to: cls.clopay.com.*



Black Finish*



White Finish*



Primed (No Finish)

Doors can be ordered primed for those homeowners wishing to custom paint or stain their doors. Door stain color will vary slightly within a door due to finishing process. Due to the printing process, above colors may vary.



Canyon Ridge® Carriage House 4-Layer, Design 21; Shown in Ultra-Grain® Cypress Slate Finish with Clear Cypress Overlays and SQ24 Window Design; Rustic Collection Cherry Grain Fiberglass Entry Door with Clarion™ Clear Glass and SDL Grilles in Slate Finish

CLASSIC and
REFINED

CANYON RIDGE®

carriage house

4-LAYER CONSTRUCTION

Beautiful and unique, Canyon Ridge® Carriage House garage doors are constructed with an energy-efficient, Intellicore® polyurethane insulated steel base and topped with faux wood overlays. The appearance is that of authentic swing-out doors but with the convenience of modern, upward operation. The steel base is available in Ultra-Grain® finish and solid colors for the perfect complement to your home. The overlay materials are molded from actual wood to reproduce the natural texture and grain patterns of the species that they emulate. The combination of steel and overlay creates a distinct look.

COMPOSITE OVERLAY
DELAMINATION
**LIMITED
5YR
WARRANTY**

HARDWARE
**LIMITED
5YR
WARRANTY**

STEEL
PAINT SYSTEM
**LIMITED
LIFE
WARRANTY**

CUSTOM PAINT OPTION



Color Blast® finish offers more than 1,500 Sherwin-Williams® color options to complement your home. Clopay's durable two-part paint system has been thoroughly tested and is backed by a five-year warranty.



4 LAYER CONSTRUCTION

- 1 COMPOSITE OVERLAY
- 2 STEEL WITH ULTRA-GRAIN® PAINT FINISH (SHOWN) OR SOLID COLOR STEEL
- 3 2" INTELICORE® POLYURETHANE INSULATION
- 4 STEEL

STYLE AND CONSTRUCTION


- 4-layer, faux-wood steel doors with Intellicore® polyurethane insulation. 18.4 R-value.
- Multiple door designs and window options. Many custom designs also available. See your Clopay Dealer for more information.
- Insulated glass options include clear, frosted, seeded, rain and obscure. See page 45 for specialty glass options.
- Attractive beveled-edge, clip-in window grilles are removable for easy cleaning.
- Comes complete with spade lift handles and step plates. See pages 46–47 for details.

Calculated door section R-value is in accordance with DASMA TDS-163.

Canyon Ridge® doors not applicable for new construction in California areas designated as "Fire Hazard Severity Zones".

DOOR DESIGNS

SERIES 1



Design 11

Design 12

Design 13

SERIES 3



Design 31

Design 32

Design 33

Design 34

SERIES 2



Design 21

Design 22

Design 23



Design 35


Design 36

Design 37

Design 38

All doors shown in Medium Finish with Clear Cypress overlays.

WINDOW/TOP SECTIONS



Additional double width door designs available.

MATERIAL DESIGN OPTIONS

STEEL BASE



Ultra-Grain® Finish Clear Cypress or Solid Color Steel

Composite cladding is not present on Carriage House 4-Layer doors.

OVERLAY



Clear Cypress



Mahogany

COLORS



Ultra-Grain® Cypress Medium Finish

Ultra-Grain® Cypress Walnut Finish



Ultra-Grain® Cypress Slate Finish

Black Finish*



White Finish*

Primed (No Finish)

*Black and White Finish available only on Mahogany overlays.

Two-tone doors are available. To see all available options go to: dis.clopay.com.

Steel surfaces have woodgrain texture.

Doors can be ordered primed for those homeowners wishing to custom paint their doors.

Note: Primed solid steel base is a brown color. Door stain color will vary slightly within a door due to finishing process. Due to the printing process, above colors may vary.

SHUTTER STYLE for any home



Canyon Ridge® Louver, Design 54; Shown in Black Finish with Louver Mahogany Cladding and Mahogany Overlays

CANYON RIDGE® louver

Versatile and unique, the plantation shutter style Canyon Ridge® Louver garage doors are a perfect complement to coastal beach homes or colonial estates. They can also be a standout piece on traditional exteriors or modern farmhouses. Whatever your style, these doors add “wow” factor to your home. As with all Canyon Ridge doors, they are constructed with a strong, Intellicore® polyurethane insulated, steel door base with the added beauty of faux wood. The result is a low maintenance door that is a perfect way to add flare to your home.

COMPOSITE OVERLAY
DELAMINATION
LIMITED
5YR
WARRANTY

HARDWARE
LIMITED
5YR
WARRANTY

CUSTOM PAINT OPTION



Color Blast® finish offers more than 1,500 Sherwin-Williams® color options to complement your home. Clopay's durable two-part paint system has been thoroughly tested and is backed by a five-year warranty.



- 5 LAYER CONSTRUCTION**
- 1 COMPOSITE OVERLAY
 - 2 COMPOSITE CLADDING
 - 3 STEEL
 - 4 2" INTELLICORE® POLYURETHANE INSULATION
 - 5 STEEL

STYLE AND CONSTRUCTION

- Faux-wood doors with IntellCore® polyurethane insulation. R-values from 18.4 to 20.4.
- Multiple door designs and window options. Many custom designs also available. See your Clopay Dealer for more information.
- Insulated glass options include clear, frosted, seeded, rain and obscure. See page 45 for specialty glass options.
- Attractive beveled-edge, clip-in window grilles are removable for easy cleaning.
- Comes complete with spade lift handles and step plates. See pages 46–47 for details.


Calculated door section R-value is in accordance with DASMA TDS-163. Canyon Ridge® doors not applicable for new construction in California areas designated as "Fire Hazard Severity Zones".

DOOR DESIGNS

SERIES 4



SERIES 5



Doors shown in Slate Finish.

WINDOW/TOP SECTIONS



Window grilles are Mahogany texture. Windows available only on Louver Design 52. Standard windows available on the following widths only: 6'2", 8'0", 9'0", 10'0", 10'2", 12'0", 12'2", 13'6", 15'0", 15'2", 15'6", 15'8", 16'0", 16'2", 18'0", 18'2", 20'0", 20'2". Impact windows available on the following widths only: 8'0", 9'0", 10'0", 12'2", 16'2", 18'2".



Design 52 with REC11 Windows

MATERIAL DESIGN OPTIONS

CLADDING/STEEL BASE



Louver Mahogany



Ultra-Grain® Finish Clear Cypress or Solid Color Steel

OVERLAY



Clear Cypress



Mahogany

COLORS



Medium Finish



Dark Finish*



Walnut Finish



Slate Finish



Black Finish†



White Finish†



Primed (No Finish)

**Dark Finish not available as a base steel color on Designs 41, 42, 43, 44, 45, 46 and 47.*

†Black and White Finish available only on Mahogany cladding and overlays.

Two-tone doors are available. To see all available options go to: dis.clopay.com.

Steel surfaces have woodgrain texture. Doors can be ordered primed for those homeowners wishing to custom paint or stain their doors. Note: Primed solid steel base is a brown color. Door stain color will vary slightly within a door due to finishing process. Due to the printing process, above colors may vary.

Note: Cladding and overlay material options may be mixed and matched.



Canyon Ridge® Modern Plank Design; Shown in Dark Finish with Mahogany Cladding and 35" x 6" Windows Down Right Side (from inside garage looking out)

faux wood.
REAL MODERN.

CANYON RIDGE®

modern

Canyon Ridge® Modern faux-wood garage doors are constructed from a durable, low-maintenance, composite material that won't rot, warp or crack. As versatile and realistic-looking as natural wood but requiring far less upkeep, the Modern garage door designs feature key elements of contemporary architecture: clean, horizontal lines with mid-century appeal, sleek window styles and aluminum accents. These faux-wood doors are a perfect complement to other natural materials and textures on your home's exterior.

CUSTOM PAINT OPTION




Color Blast® finish offers more than 1,500 Sherwin-Williams® color options to complement your home. Clopay's durable two-part paint system has been thoroughly tested and is backed by a five-year warranty.



- 4 LAYER CONSTRUCTION**
- 1 COMPOSITE OVERLAY
 - 2 STEEL
 - 3 2" INTELICORE® POLYURETHANE INSULATION
 - 4 STEEL


DOOR DESIGNS



Plank Design

3" Plank

6" Plank



Metal (Aluminum) Inlay Design

Full-View Design

STYLE AND CONSTRUCTION

- Plank design: Faux-wood doors with Intellicore® polyurethane insulation. 20.4 R-value.
- Metal Inlay design: Faux-wood doors with Intellicore® polyurethane insulation. 18.4 R-value.
- Full-View design: Faux-wood doors with Intellicore® polyurethane insulation. 6.3 R-value.
- Multiple window configurations available for Plank doors. See your Clopay Dealer for more information.
- Many glass options available including clear, frosted, rain and obscure as well as insulated. See page 45 for specialty glass options.
- Comes complete with spade lift handles and step plates. Optional aluminum grip handles are also available. See pages 46–47 for details.

Calculated door section R-value is in accordance with DASMA TDS-163. Weighted average calculations using insulated glass windows in all sections, all panels. Canyon Ridge® doors not applicable for new construction in California areas designated as "Fire Hazard Severity Zones".

WINDOWS

Available only on Plank door designs.




14" × 6"

35" × 6"

Both window sizes are available on single car and double car doors.

PLANK WINDOW CONFIGURATIONS



14" × 6"

Windows down right side

35" × 6"

Windows in all panel locations

Note: Configurations are illustrated from outside garage. When ordering, window locations are identified from inside garage looking out. Please keep in mind to avoid windows ordered in incorrect location.

MATERIAL DESIGN OPTIONS

PLANK CLADDING



Clear Cypress

Mahogany

METAL (ALUMINUM) INLAY CLADDING



Clear Cypress

Mahogany

FULL-VIEW OVERLAY



Clear Cypress

Mahogany

COLORS



Medium Finish

Dark Finish

Walnut Finish

Slate Finish

Black Finish*

White Finish*

Primed (No Finish)

*Black and White Finish available only on Mahogany cladding and overlays.

Doors can be ordered primed for those homeowners wishing to custom paint or stain their doors.

Door stain color will vary slightly within a door due to finishing process. Due to the printing process, above colors may vary.

WARRANTIES



COACHMAN®

The perfect blend of beauty and practicality, these carriage house doors look like wood, but they are actually crafted of multiple layers of durable, low-maintenance steel and insulation topped with a woodgrain-textured composite overlay.

Accented with decorative black wrought iron hardware, Coachman® garage doors have the charming appearance of an old-fashioned swing-out door, but offer the built-in convenience of modern upward operation.




Complete overlay and true arch window designs provide an authentic carriage house look, setting Clopay's Coachman® garage doors above the rest.



Coachman® Design 11 with REC13 Window Design; Craftsman Collection Fir Grain Fiberglass Entry Door with Clarion™ Frost Glass and SDL Grilles in Walnut Finish


DOOR DESIGNS



Coachman doors can be painted using a high-quality exterior latex paint. **IMPORTANT:** For doors being painted black and very dark colors (having an LRV of 12 or less), please order Canyon Ridge Carriage House 4-Layer in Black or primed. For colors having an LRV of 13 to 38 we require the use of tested and approved paints. A list of tested and approved paints can be found at: <http://info.garagedoors.com/lrv>.

Not all panel and window options available in all model widths and heights. See your Clopay Dealer for more details or go to www.clopaydoor.com.

WINDOW/TOP SECTIONS



Additional double width door designs available.



the look of **WOOD**,
the ease of **STEEL**

COLORS

STEEL BASE/COMPOSITE OVERLAY COLORS



Standard White Almond Desert Tan Sandtone

Overlay and base colors can be mixed to achieve desired look. Interior steel is always White.

Due to the printing process, colors may vary.

CUSTOM PAINT OPTION



Color Blast® finish offers more than 1,500 Sherwin-Williams® color options to complement your home. Clopay's durable two-part paint system has been thoroughly tested and is backed by a five-year warranty.

WARRANTIES

PAINT SYSTEM LIMITED LIFE WARRANTY	WINDOW & OVERLAY DISCOLORATION LIMITED 10 YEAR WARRANTY	OVERLAY DELAMINATION LIMITED 5 YEAR WARRANTY	HARDWARE LIMITED 5 YEAR WARRANTY
---	---	--	---

STYLE AND CONSTRUCTION

- 2" Intellicore® polyurethane, 2" or 1-3/8" bonded polystyrene insulation. R-values from 6.5 to 18.4.
- Woodgrain-embossed, insulated, steel base door painted front and back.
- Composite overlay with beveled, coped edge and center groove creates a detailed carriage house look.
- Many glass options available including clear, frosted, seeded, rain and obscure as well as insulated. Grilles are removable for easy cleaning. See page 45 for specialty glass options.
- Comes complete with spade lift handles and step plates. See pages 46–47 for details.



4
LAYER
CONSTRUCTION

- 1 COMPOSITE OVERLAY
- 2 STEEL
- 3 INTELICORE® POLYURETHANE OR POLYSTYRENE INSULATION
- 4 STEEL

Calculated door section R-value is in accordance with DASMA TDS-163.

carriage house
LOOKS
 for **LESS**



Grand Harbor® Model GH12 with S022 Window Design

GRAND HARBOR®

When budget is the deciding factor, this low-maintenance, insulation-optional steel frame carriage house style garage door combines clean lines and classic charm to provide a popular style at a great value.

Accented with decorative black wrought iron hardware, these doors have the appearance of a swing-out door, but offer the convenience of modern upward operation.

PAINT SYSTEM LIMITED LIFE WARRANTY	WINDOW & OVERLAY DISCOLORATION LIMITED 10 YEAR WARRANTY	OVERLAY DELAMINATION LIMITED 5 YR WARRANTY	HARDWARE LIMITED 3 YR WARRANTY
---	---	--	---

*Not all panel and window designs are available in all widths and heights.
 See your Clopay Dealer or for more details go to www.clopaydoor.com.*



Grand Harbor® Model GH13
 with S024 Window Design;
 Door painted by consumer



STYLE AND CONSTRUCTION

- Woodgrain-embossed, 24 gauge steel frame construction with 1/2" smooth composite overlay creates authentic carriage house styling.
- Optional 1-5/8" vinyl-backed polystyrene insulation improves energy efficiency. 6.3 R-value.
- Glass available in clear or obscure and acrylic wrought iron designs. Unique faux-window top section also an option.



3 or 2
LAYER
CONSTRUCTION

- COMPOSITE OVERLAY
- STEEL
- POLYSTYRENE INSULATION

- Comes complete with spade lift handles and step plates. See pages 46–47 for details.

Calculated door section R-value is in accordance with DASMA TDS-163.

DOOR DESIGNS


SERIES 1



GH11



GH12



GH13

SERIES 2



GH21




GH22

SERIES 3



GH31



GH36

SERIES 4



GH41

WINDOW/TOP SECTIONS

WINDOWS



Plain Short



Plain Long



ARCH1



XA24



REC12



REC14



Vertical Grille on ARCH1



XG14



SQ22



SQ24



Grille on ARCH1



XG24



Wrought Iron Short



Wrought Iron Long

FAUX WINDOWS

SOLID PANELS – SERIES 1 & SERIES 2



TOP11



TOP13



TOP12



ARCH1

SOLID PANELS – SERIES 3 & SERIES 4



TOP11



ARCH1

Additional double width door designs available.

Acrylic windows require special cleaning. Never use products that contain ammonia or petroleum products to clean acrylic. Please visit www.clopaydoor.com/acrylic for complete details.

COLORS



Standard White Almond Desert Tan Sandtone

Note: Overlay available in Standard White only. Due to the printing process, colors may vary.

Can be painted using a high-quality exterior latex paint.

CUSTOM PAINT OPTION



Color Blast® finish offers more than 1,500 Sherwin-Williams® color options to complement your home. Clopay's durable two-part paint system has been thoroughly tested and is backed by a five-year warranty.

GALLERY® STEEL

We've taken the iconic raised panel steel garage door and given it a vintage feel by adding a grooved panel design, optional decorative windows and wrought iron hardware with many unique color choices including Ultra-Grain® finish, Clopay's exclusive faux-woodgrain paint finish. The result is classic, versatile styling and durability at a price that bridges the gap between simply being on your wish list and reality.



2" or 1 3/8"
POLYURETHANE
INSULATION
3
LAYER
CONSTRUCTION

2" or 1 3/8"
POLYSTYRENE
INSULATION
3
LAYER
CONSTRUCTION

1 5/16"
POLYSTYRENE
INSULATION
2
LAYER
CONSTRUCTION

1
LAYER
CONSTRUCTION

STYLE AND CONSTRUCTION

- 1-layer, 2-layer and 3-layer construction with short or long vertical grooved steel panels.
- Intellicore® polyurethane or polystyrene insulation. R-values from 6.3 to 18.4.
- Hot-dipped galvanized steel skin with a baked-on primer and top coat helps ensure durability and long-lasting beauty.
- Many glass options available including clear, frosted, seeded, rain, obscure and wrought iron designs as well as insulated. Grilles are removable for easy cleaning. See page 45 for specialty glass options.
- Comes complete with spade lift handles and step plates. See pages 46–47 for details.

Calculated door section R-value is in accordance with DASMA TDS-163.



Gallery® Steel Long Panel; Shown in Ultra-Grain® Oak Dark Finish with SQ22 Windows

COLORS



*See Product Selection Chart (back cover) for color and finish availability. Not available on all models.

†Popular in select markets, Glacier White is a brighter white.

*Additional charges apply.

Doors with standard colors have woodgrain-textured steel surface. See pages 34–35 for more information regarding Ultra-Grain® finishes.

CUSTOM PAINT OPTION



Color Blast® finish offers more than 1,500 Sherwin-Williams® color options to complement your home. Clopay's durable two-part paint system has been thoroughly tested and is backed by a five-year warranty.



VINTAGE style with updated APPEAL

DOOR DESIGNS



Short



Long

DETAIL

Deep-embossed panels with woodgrain or stucco (Ultra-Grain only) surface texture improve appearance close-up and from the curb.



WARRANTIES

PAINT SYSTEM LIMITED LIFE WARRANTY*	PAINT SYSTEM LIMITED 15YR WARRANTY*	WINDOW LIMITED 10YR WARRANTY	HARDWARE LIMITED 3YR WARRANTY
--	--	---	--

* Lifetime Paint System warranty on most models. 15-Year Paint System warranty on 25 gauge, 2 and 1-layer models.

See your Clopay Dealer for full details.

WINDOWS

GLASS

*Complements Clopay Entry Door glass.



Plain Short



REC12



SQ22



Plain Long



REC14



SQ24



ARCH1



Vertical Grille on ARCH1



Grille on ARCH1



ARCH2



Vertical Grille on ARCH2



Grille on ARCH2



Trenton® Short*



Trenton® Long*



Kristin® Short*



Kristin® Long*



Clayton™ Short*



Clayton™ Long*

ACRYLIC



Wrought Iron Short*



Wrought Iron Long*



Wrought Iron Arch*

Additional double width door designs available.

Acrylic windows require special cleaning. Never use products that contain ammonia or petroleum products to clean acrylic. Please visit www.clopaydoor.com/acrylic for complete details.


TRADITIONAL shaker style
versatile design CHOICES



Bridgeport™ Steel Extended Panel:
Shown in Sandtone with S024 Windows

BRIDGEPORT™ STEEL

Bridgeport™ Steel garage doors combine the traditional symmetry of wood stile and rail door designs. Available with or without insulation, it is virtually maintenance-free, so the first fabulous impression becomes a lasting one.



STYLE AND CONSTRUCTION

- 1-layer, 2-layer and 3-layer construction with narrow and extended, recessed steel panels.
- Intellicore® polyurethane or polystyrene insulation. R-values ranging from 6.3 to 18.4.
- Hot-dipped galvanized steel skin with a baked-on primer and top coat helps ensure durability and long-lasting beauty.
- Many glass options available including clear, frosted, seeded, rain, obscure and wrought iron designs as well as insulated. Grilles are removable for easy cleaning. See page 45 for specialty glass options.
- Comes complete with color-matched lift handles. See pages 46–47 for details.

Calculated door section R-value is in accordance with DASMA TDS-163.

DOOR DESIGNS



Narrow



Extended

DETAIL

A true recessed stamp replicates the timeless look of a rail and stile built wood door.



COLORS



Due to the printing process, colors may vary. Doors can be painted to match the home's exterior.

*See Product Selection Chart (back cover) for color and finish availability. Not available on all models.

[†]Popular in select markets, Glacier White is a brighter white.

[‡]Additional charges apply.

Doors with standard colors have woodgrain-textured steel surface.

See pages 34–35 for more information regarding Ultra-Grain® finishes.

WARRANTIES



*Lifetime Paint System warranty on most models. 15-Year Paint System warranty on 25 gauge, 2 and 1-layer models.

See your Clopay Dealer for full details.

CUSTOM PAINT OPTION



Color Blast® finish offers more than 1,500 Sherwin-Williams® color options to complement your home. Clopay's durable two-part paint system has been thoroughly tested and is backed by a five-year warranty.

WINDOWS

GLASS



Plain Short



REC12



SQ22



Trenton® Short*



Trenton® Long*



Plain Long



REC14



SQ24



Kristin® Short*



Kristin® Long*



ARCH1



Vertical Grille on ARCH1



Grille on ARCH1



Clayton™ Short*



Clayton™ Long*



ARCH2



Vertical Grille on ARCH2



Grille on ARCH2

ACRYLIC



Wrought Iron Short*



Wrought Iron Long*



Wrought Iron Arch*

*Complements Clopay Entry Door glass.

Additional double width door designs available.

Acrylic windows require special cleaning. Never use products that contain ammonia or petroleum products to clean acrylic. Please visit www.clopaydoor.com/acrylic for complete details.

CONTEMPORARY BEAUTY.



Modern Steel™ Modern Grooved Panel; Shown in Black
with Plain Short Windows Down Left Side (from inside the garage looking out)


simple upkeep.

MODERN STEEL™

Modern Steel™ garage doors complement contemporary and mid-century modern home styles. Doors are available with or without windows and with or without grooves in the panels. All are available in multiple paint, Ultra-Grain® and Lustra™ finishes to create the perfect look for your home.



Modern Steel™ Modern Flush Panel; Shown in Black
with Plain Long Windows in all Panel Locations



STYLE AND CONSTRUCTION


- Intellicore® polyurethane or polystyrene insulation with R-values ranging from 6.3 to 18.4.
- Exterior steel on Modern Flush and Grooved doors have a smooth, stucco or woodgrain texture.

Calculated door section R-value is in accordance with DASMA TDS-163.


COLORS

Standard White	Glacier White**	Almond	Desert Tan	Sandtone	Bronze*
Chocolate	Mocha Brown*	Hunter Green*	Gray*	Charcoal*	Black**
			<i>Due to the printing process, colors may vary. Doors can be painted to match the home's exterior. *See Product Selection Chart (back cover) for color and finish availability. Not available on all models.</i>		
Lustra™ Black**	Lustra™ Charcoal**	Lustra™ Silver**			
				<i>Popular in select markets, Glacier White is a brighter white. *Additional charges apply. See pages 34–35 for more information regarding Ultra-Grain® finishes.</i>	
Ultra-Grain® Cypress Medium Finish**	Ultra-Grain® Cypress Cherry Finish**	Ultra-Grain® Cypress Walnut Finish**	Ultra-Grain® Cypress Slate Finish**		

DOOR DESIGNS



Modern Flush



Modern Grooved

WARRANTIES

PAINT SYSTEM LIMITED LIFE WARRANTY	WINDOW LIMITED 10YR WARRANTY
HARDWARE LIMITED 3YR WARRANTY	

WINDOWS

See pages 32–33 for window options.

CUSTOM PAINT OPTION



Color Blast® finish offers more than 1,500 Sherwin-Williams® color options to complement your home. Clopay's durable two-part paint system has been thoroughly tested and is backed by a five-year warranty.

CONTEMPORARY WINDOWS

Modern Steel™ doors offer contemporary window configurations that are available in many design options, including windows in each section and down one side, short, long and slim windows or windows in all sections. For doors with multiple window sections, the window locations must be the same in every section.

Door models offering these configurations utilize 24" and 21" section heights. See your Clopay Dealer for full details.

Note: Contemporary window configurations are described from inside the garage looking out.



Short Plain Windows down right side



Long Plain Windows in all panel locations




Slim Windows down left side

CLASSIC™ STEEL


PREMIUM

Available in a wide range of looks and colors, Clopay's Classic™ Steel Premium insulated steel doors complement every home so there's no sacrificing style for strength, durability and comfort.



ENERGY SAVER
in every season

Premium Long Elegant Panel with Madison 611 Window Design



STYLE AND CONSTRUCTION

- 3-layer, steel construction for energy efficiency, quiet operation and maximum durability.
- 2" or 1-3/8" Intellicore® polyurethane or bonded polystyrene insulation. R-values from 6.5 to 18.4.
- Insulated steel door painted front and back for a virtually maintenance-free door.

Calculated door section R-value is in accordance with DASMA TDS-163.

COLORS



Due to the printing process, colors may vary. Doors can be painted to match the home's exterior. Doors with standard colors have woodgrain-textured steel surface.

**See Product Selection Chart (back cover) for color and finish availability. Not available on all models.*

***Popular in select markets, Glacier White is a brighter white.*

****Additional charges apply.*

See pages 34–35 for more information regarding Ultra-Grain® finishes.

DOOR DESIGNS



Short Elegant



Long Elegant

DETAIL



Decorative panel edging and natural-embossed woodgrain or stucco (Ultra-Grain only) texture improve appearance close-up and from the curb.

WINDOWS

Available with insulated or non-insulated windows.

See pages 32–33 for window options.


WARRANTIES



CUSTOM PAINT OPTION



Color Blast® finish offers more than 1,500 Sherwin-Williams® color options to complement your home. Clopay's durable two-part paint system has been thoroughly tested and is backed by a five-year warranty.



Premium Short Elegant Panel in Ultra-Grain® Classic Cherry Finish; Rustic Collection Cherry Grain Fiberglass Entry Door with Prescott™ Wrought Iron Glass in Cherry Finish

CLASSIC™ STEEL

VALUE PLUS AND VALUE

Value Plus heavy-duty, two-layer, steel construction with insulation adds comfort, energy efficiency and quiet operation. Value single-layer, non-insulated construction provides beauty and durability at an economical price.



Value Short Panel, Shown in Standard White

DOOR DESIGNS



Short Traditional



Long Traditional

DETAIL



Decorative panel edging and natural-embossed woodgrain texture improve appearance close-up and from the curb.

STYLE AND CONSTRUCTION

- Quality 24 or 25 gauge steel construction for durability and longevity.
- Polystyrene, vinyl-backed insulation for improved energy efficiency. 6.3 R-value.
- Woodgrain-textured, short and long raised panel designs complement many home styles.

Calculated door section R-value is in accordance with DASMA TDS-163.

WINDOWS

See pages 32–33 for window options.

WARRANTIES

PAINT SYSTEM	PAINT SYSTEM	PAINT SYSTEM	WINDOW	HARDWARE
LIMITED LIFE WARRANTY	LIMITED 25YR WARRANTY	LIMITED 15YR WARRANTY	LIMITED 10YR WARRANTY	LIMITED 3YR WARRANTY
24 gauge	25 gauge 2-layer	25 gauge 1-layer		

See your Clopay Dealer for warranty details.

COLORS Doors can be painted to match the home's exterior.



Standard White Almond Desert Tan Sandtone Chocolate Black*

**See Product Selection Chart (back cover) for color availability. Not available on all models. Due to the printing process, colors may vary.*

CUSTOM PAINT OPTION



Color Blast® finish offers more than 1,500 Sherwin-Williams® color options to complement your home. Clopay's durable two-part paint system has been thoroughly tested and is backed by a five-year warranty.

DESIGN & CONSTRUCTION

CONSIDERATIONS
FOR SELECTING
YOUR PERFECT
GARAGE DOOR



DOOR DESIGNS	PREMIUM				VALUE PLUS	VALUE	
	GLASS & ALUMINUM	3-LAYER 2" Polyurethane	3-LAYER 1-3/8" Polyurethane	3-LAYER 2" Bonded Polystyrene	3-LAYER 1-3/8" Bonded Polystyrene	2-LAYER Polystyrene	1-LAYER Non-Insulated
	✓						
		✓					
		✓		✓	✓		
					✓	✓	
		✓	✓	✓	✓	✓	
		✓	✓	✓	✓	✓	
		✓	✓		✓	✓	
		✓	✓		✓	✓	
		✓	✓	✓	✓	✓	
		✓	✓	✓			
		✓	✓	✓	✓	✓	
		✓	✓	✓			
CONSIDERATIONS							
WARMER	R-VALUE / ENERGY EFFICIENCY	3.8 [†]	18.4 [‡]	12.9	9.0	6.5	6.3
QUIETER	NOISE CONTROL						
STRONGER	DENT RESISTANCE						
	SECURITY						
	PAINT SYSTEM WARRANTY	LIMITED LIFE	LIMITED LIFE	LIMITED LIFE	LIMITED LIFE	LIMITED LIFE 25 YEAR	LIMITED LIFE 15 YEAR

*Lustra™ finish options available on select 2" polyurethane Modern Steel™ garage doors.

†Polyurethane insulated rails and stiles available on Avante® Model AXU. R-value 3.8/U-factor 0.86 when glazed with clear insulated glass.

‡Canyon Ridge® R-values range from 6.3 to 20.4. See pages 11, 13, 15 and 17 for more information.

Calculated door section R-value is in accordance with DASMA TDS-163.

Windows

FOR MODERN STEEL™ AND CLASSIC™ STEEL GARAGE DOORS

DECORATIVE INSERT SERIES*

Clopay Decorative Insert Series is made of tough UV-protected cellular plastic. Glass available in clear, obscure, acrylic and insulated options. Inserts are removable for easy cleaning.



Colonial 509



Charleston 508



Prairie 510



Stockton 612



Charleston 608



Prairie 610



Madison 611



Madison Arch 613



Sunset 501*
(8', 9', 12', 16', 17', 18', 20' widths only)



Sunset 502* (7', 7'6", 12' widths only)



Sunset 601*



Sunset 503* (8', 9', 16', 17', 18' widths only)



Sunset 504* (14', 15', 15'6" widths only)



Sunset 505* (16', 17', 18' widths only)



Sunset 506* (10', 20' widths only)



Sunset 603*



Sunset 605* (15', 15'6", 16', 17', 18' widths only)

CONTEMPORARY/ARCHITECTURAL SERIES (GLASS)

Featuring a larger viewing area, these windows are available on 2" and 1-3/8" Modern Steel™ and Classic™ Steel Premium Intellicore® polyurethane insulation doors. They are also available on select 2" and 1-3/8" Modern Steel™ and Classic™ Steel polystyrene doors. Insulated glass is available. See your Clopay Dealer for full model availability.

****Complements Clopay Entry Door glass. *Wrought Iron acrylic windows not available insulated. Additional double width door designs available.**

PLAIN

Plain Short Plain Long ARCH2 ARCH1

REC12 REC14 Vertical Grille on ARCH2 Vertical Grille on ARCH1

SQ22 SQ24 Grille on ARCH2 Grille on ARCH1

Trenton® Short** Trenton® Long**

(ACRYLIC)

Wrought Iron Short**† Wrought Iron Long**† Wrought Iron Arch**†

Clayton™ Short** Clayton™ Long**

Kristin® Short** Kristin® Long**

Acrylic windows require special cleaning. Never use products that contain ammonia or petroleum products to clean acrylic. Please visit www.clopaydoor.com/acrylic for complete details.

CONTEMPORARY SLIM (GLASS)

Contemporary Slim windows are designed to further enhance the clean aesthetic common to modern architecture. Contemporary Slim windows are 37" x 8" with aluminum frames available in anodized silver or powder coated black on select insulated 2" thick Modern Steel™ doors. See your Clopay Dealer for full model availability.



Glass is available in different designs depending on door model. Options include acrylic, clear, frosted, seeded, obscure and rain, as well as insulated versions for a more energy efficient door.



See page 45 for specialty glass options.

love the look of wood but not the upkeep?



Gallery® Steel Short Panel Garage Door in Ultra-Grain® Oak Walnut Finish; Rustic Collection Cherry Grain Fiberglass Entry Door in Walnut Finish

discover ULTRA-GRAIN

Clopay's Ultra-Grain® finish is a durable, natural-looking, stained woodgrain finish designed specifically for steel garage doors. The Ultra-Grain® finish is an attractive, long-lasting and lower maintenance alternative to real wood.



Canyon Ridge® Carriage House 4-Layer, Design 22; Shown in Ultra-Grain® Cypress Slate Finish with Clear Cypress Overlays and REC14 Window Design

Ultra-Grain® finish is available on these products:

CANYON RIDGE®



Faux wood on an Ultra-Grain® finish steel door creates the look of a wood carriage house door without the added maintenance.



Cypress Grain, Medium Finish



Cypress Grain, Walnut Finish



Cypress Grain, Slate Finish

GALLERY® STEEL



Stamped steel carriage house doors offer many vintage-style design options.



Oak Grain, Medium Finish



Oak Grain, Dark Finish



Oak Grain, Walnut Finish



Oak Grain, Slate Finish

BRIDGEPORT™ STEEL



A true recessed stamp replicates the timeless look of a rail and stile built wood door.



Oak Grain, Medium Finish



Oak Grain, Dark Finish



Oak Grain, Walnut Finish



Oak Grain, Slate Finish

MODERN STEEL™



Horizontal grain pattern offers both a rustic and contemporary design option.



Cypress Grain, Medium Finish



Cypress Grain, Cherry Finish



Cypress Grain, Walnut Finish



Cypress Grain, Slate Finish

CLASSIC™ STEEL



Elegant raised panel designs complement most traditional home styles.



Cherry Grain, Medium Finish



Cherry Grain, Cherry Finish



Cherry Grain, Walnut Finish



WINDOW FRAME DETAILS

Window frames on Classic™ Steel, Gallery® Steel, Bridgeport™ Steel and Modern Steel™ Ultra-Grain® finish garage doors are a solid color, designed to complement colors in the grain pattern.



DIRECTIONAL GRAIN PATTERN

On Gallery® Steel, Bridgeport™ Steel and Classic™ Steel doors, the oak woodgrain pattern runs horizontal along the rails and vertical along the stiles and panels for an authentic, natural look, while on the Canyon Ridge® and Modern Steel™ doors, the woodgrain runs uni-directional for an authentic, architecturally accurate look.



COMPLEMENTING ENTRY DOORS

Ultra-Grain® finish colors complement Clopay's ENERGY STAR® qualified entry doors as well as other exterior stained wood products including shutters, columns and railings.



warm, distinctive,
TIMELESS.

Reserve® Wood Limited Edition

RESERVE® WOOD

limited edition and custom

Both stunning and substantial, every Clopay® Reserve® Wood garage door embodies our total commitment to timeless design, detail and craftsmanship with the warmth and character no other material can match.


Design a door specific to your home style with our Custom garage doors, or select a preconfigured style from our Limited Edition garage doors. Add our factory stain or paint option to provide a beautiful and durable finish.

STYLE AND CONSTRUCTION

- Both Limited Edition and Custom styles are handcrafted with 5 or 4 layers and insulated with polystyrene for improved energy efficiency. 5.9 R-value.
- All Reserve® Wood garage doors are built with a swing-out appearance and convenient upward operation.
- Custom doors feature unlimited design options and unlimited wood species. You dream it, we build it.
- Windows are available in true divided or simulated divided designs. Glass available in clear, obscure and insulated options. Custom options also available. See page 45 for specialty glass options.
- Premium grade hardware, rollers and track assure smooth, quiet, long-lasting operation.
- Optional replaceable bottom weatherseal in a corrosion-resistant retainer helps seal out the elements.
- All doors can be factory primed or finish painted White. Factory stain available for stained grade wood species. Custom stain and paint colors also available.
- See Clopay's Wood brochure or go to www.clopaydoor.com for more wood door details.

**5 or 4
LAYER
CONSTRUCTION**

- WOOD OVERLAY
- OPTIONAL BASE MATERIAL
- BASE MATERIAL
- POLYSTYRENE INSULATED HEMLOCK FRAME
- 2" LUAN INSIDE SKIN



*Drip cap is available exclusively on tongue-and-groove (5-layer) and grooved Extira® wood (4-layer) configurations.

**LIMITED EDITION
LIMITED
5 YR
WARRANTY**

**CUSTOM
LIMITED
5 YR
WARRANTY**

DOOR DESIGNS

All doors shown 8' wide x 7' high with tongue-and-groove, 5-layer material.



WINDOW/TOP SECTIONS



Additional double width door arch designs available.

MATERIAL OPTIONS


OVERLAYS



Extira® wood base and overlays cannot be stained. On tongue-and-groove (T&G) base doors, the wood species of the tongue-and-groove must match the wood species of the overlay.

Custom configurations available for custom doors.

BASE FACE MATERIAL



See page 44 for stain colors available. See pages 46–47 for available decorative hardware options. Note: Printed color shown here may vary from actual product colors. See your Clopay Dealer for wood samples.



Reserve® Wood Modern Accent Strip Design
in Light Cedar; Factory Stain Finished in Teak

CONTEMPORARY
yet classic

RESERVE® WOOD

modern

Clean lines and simple forms let the beauty of natural wood stand out. Clopay's versatile Modern doors let you mix materials, shape and tone to create a stunning contemporary garage door that blends beautifully with other woods and materials on your exterior.


STYLE AND CONSTRUCTION

- Handcrafted, 4-layer construction with polystyrene insulation for improved energy efficiency. 5.9 R-value.
- Built with a sleek contemporary style and convenient upward-acting operation.
- Offset Window models feature a variety of short and long window options that come standard with clear tempered glass. Other glass options include frosted and obscure. Custom options also available. See page 45 for specialty glass options.
- Accent Strip models feature decorative flush aluminum accent strips to provide a beautiful contrast of materials. The result is a look that is modern as well as elegant.
- Heavy-duty hinges, rollers and track provide smooth, quiet, long-lasting operation.
- Optional replaceable bottom weatherseal in a corrosion-resistant retainer helps seal out the elements.
- All doors can be factory primed or finish painted White. Factory stain available for stained grade wood species. Custom stain and paint colors also available.
- Doors come standard with spade lift handles and step plates. Optional decorative hardware shown on pages 46–47.

Calculated door section R-value is in accordance with DASMA TDS-163.

4
LAYER
CONSTRUCTION

- 1 CLADDING
- 2 BASE MATERIAL
- 3 POLYSTYRENE INSULATED HEMLOCK FRAME
- 4 LUAN INSIDE SKIN



MODERN
LIMITED
5 YR
WARRANTY

DOOR DESIGNS



Offset Window

Accent Strip


Horizontal Cladding

Doors shown 8' wide × 7' high.

Accent Strip and Horizontal Cladding models are available spliced and unspliced.

Unspliced models are available up to 10' wide.

MATERIAL OPTIONS



Light Cedar

Dark Cedar

Mixed Cedar

Redwood

Fir

Meranti

OFFSET WINDOW CONFIGURATIONS

Note: All designs shown are illustrated from the exterior of the garage.



Design 1*

Design 2

Design 3

Design 4

Design 5

Design 6*

Design 7

Door designs must be ordered based on the view from the interior of the garage. All right-hand designs are shown. Designs 1, 3, 5 and 6 are also available left-handed.

**Not available 10'1" to 13'6". Special order only.*



Reserve® Wood Modern Horizontal Cladding Design
in Meranti; Factory Stain Finished in Dark Oak

RESERVE® WOOD

semi-custom

A natural wood carriage house door is the kind of door that gets people talking – one that transforms “just another pretty façade” into a neighborhood style icon. With our semi-custom line, you may be surprised to learn that this exclusive look doesn’t necessarily exclude your budget.



the beauty of
natural WOOD


Reserve® Wood Semi-Custom Design 4 in Mixed Cedar with REC14 Window Design;
Factory Stain Finished in Dark Oak

STYLE AND CONSTRUCTION

- Handcrafted, 2-layer, non-insulated wood doors in authentic carriage house designs.
- All Reserve® Wood garage doors are built with a swing-out appearance and convenient upward operation.
- Available in three wood species. All stain-grade wood rails, stiles and panels are made from Redwood, Cedar or Hemlock. Paint-grade Extira® wood panels (smooth and grooved) are available with Hemlock stiles and rails.
- 1/4" thick imported Luan interior backer glued to stiles and rails.
- True divided windows are standard. Glass available in clear, obscure and insulated options. Custom options also available. See page 45 for specialty glass options.
- All doors can be factory primed or finish painted White. Factory stain available for stained grade wood species. Custom stain and paint colors also available.


2
LAYER
CONSTRUCTION

- 1 WOOD FRAME AND PANELS
- 2 LUAN BACKER



SEMI-CUSTOM
LIMITED
1 YR
WARRANTY

DOOR DESIGNS All doors shown 8' wide × 7' high.



WINDOW/TOP SECTIONS



Additional double width door designs available.

MATERIAL OPTIONS

	STAIN GRADE			PAINT GRADE	
STILE/RAILS	Redwood	Cedar	Hemlock	Hemlock	Hemlock
PANELS	Redwood	Cedar	Hemlock	Smooth Extira®	Grooved Extira®

Paint grade and grooved doors cannot be stained.

See page 44 for stain colors available for Reserve® Wood doors.
 See pages 46–47 for available decorative hardware options for Reserve® Wood doors.
 Note: Printed color shown here may vary from actual product colors. See your Clopay Dealer for wood samples.

CLASSIC™ WOOD



Model 44HC Short Raised Panel with Short Stockton Window Design

RAISED PANEL

MODEL 44

1
LAYER
CONSTRUCTION

1 WOOD FRAME
AND PANELS









MODEL 44
**LIMITED
1YR
WARRANTY**

MODEL 44 STYLE AND CONSTRUCTION

- 1-3/8" heavy-duty, stile and rail construction. Wood species include Redwood, Cedar, Hemlock and Extira® wood.
- Handcrafted, short or long raised panels in Redwood, Cedar, Hemlock (stain grade) or Extira® wood (paint grade).
- Multiple panel and section configurations available. See your Clopay Dealer for details.
- All doors can be factory primed or finish painted White. Factory stain available for stained grade wood species.

MATERIAL OPTIONS


	STAIN GRADE				PAINT GRADE	
STILE/RAILS	Redwood	Cedar	Hemlock		Hemlock	Extira®
PANELS						
	Redwood	Cedar	Hemlock	Cedar	Redwood	Smooth Extira®
					Smooth Extira®	Smooth Extira®

See page 44 for stain colors available.
Note: Printed color shown here may vary from actual product colors.
See your Clopay Dealer for wood samples.

RECESSED PANEL




MODEL 20



Hemlock Frame,
Luan Panel.
Paint or Stain
Grade Available.

MODEL 10



Hemlock Frame,
Hardboard Panel.
Paint Grade Only.



STYLE AND CONSTRUCTION

- 1-3/8", stile and rail construction in Hemlock.
- Flat panels available in Luan, Okoume and Hardboard. Available in stain grade or paint grade options.
- Multiple panel and section configurations available. See your Clopay Dealer for details.
- All doors can be factory primed or finish painted White. Factory stain available for stained grade wood species. Custom stain and paint colors also available.



FLUSH PANEL



MODEL 33



Smooth Luan



Okoume



STYLE AND CONSTRUCTION


- 3-layer construction with polystyrene sandwiched between interior and exterior boards. Interior Luan. 5.9 R-value.
- Heavy-duty 1-5/8" section thickness.
- Exterior wood options include smooth Luan and Okoume.
- All doors can be factory primed or finish painted White. Factory stain available for stained grade wood species. Custom stain and paint colors also available.



WINDOWS

See page 45 for specialty glass options.

MODEL 44/MODEL 20



Plain Short



Plain Long



Cathedral Short



Cathedral Long



Stockton Short



Stockton Long



Horizon



Sherwood

Designer inserts constructed of carved wood.

MODEL 33



Plain Short



Plain Long

Clopay windows come standard with SSB glass. Choose from other options such as DSB, acrylic or obscure. See your Clopay Dealer for availability.

MODEL 10



Plain Short



Plain Long



Cathedral Short



Sunset

Decorative inserts constructed of White ABS with UV resistant capstock.



factory FINISHES

Clopay stain-grade wood doors of any species are available in nine beautiful stain colors. Custom stain and paint color finishes are available upon request. See your Clopay Dealer for the Clopay Wood brochure or to view stained wood samples in person.



Natural



Natural Oak




Cedar



Teak



Mahogany



Butternut




Dark Oak



Ebony Wash




Dark Oak Ebony



Painted White*

*Note: Printed colors shown here may vary from actual product colors. Clopay stain colors shown on Hemlock wood.
Custom colors are available.

3-LAYER STAIN PROCESS



3-LAYER PAINT PROCESS



WOOD DOOR CARE

- Proper care and maintenance are imperative to the appearance, longevity and performance of all wood doors.
- Doors must be painted or stained on all six sides prior to installation. Failure to follow the installation and maintenance instructions will void the warranty.
- Please refer to the installation and maintenance manual or go to www.clopaydoor.com for additional information about caring for a wood door.



CANYON RIDGE®, COACHMAN®, GALLERY® STEEL, BRIDGEPORT™ STEEL AND CLASSIC™ STEEL



Frosted



Seeded



Obscure



Rain

MODERN STEEL™



Frosted



Obscure



Narrow Reed



Rain

RESERVE® WOOD AND CLASSIC™ WOOD



Frosted



Seeded



Obscure



Narrow Reed



Rain



Frosted Gluechip



Delta Frost

*Seeded not available on Canyon Ridge® Modern doors.
Additional charges for optional glass apply.*

DECORATIVE HARDWARE AVAILABILITY CHART





Hardware Description Numbers below correspond with images on page 47	Availability											
	AVANTE®	CANYON RIDGE® CARRIAGE HOUSE 5-LAYER	CANYON RIDGE® CARRIAGE HOUSE 4-LAYER	CANYON RIDGE® LOUVER	CANYON RIDGE® MODERN	COACHMAN®	GRAND HARBOR®	GALLERY® STEEL	BRIDGEPORT™ STEEL	RESERVE® WOOD LIMITED EDITION	RESERVE® WOOD MODERN	RESERVE® WOOD SEMI-CUSTOM
1 Spade Lift Handles		✓	✓	✓	✓	✓		✓	✓	✓	✓	✓
2 Spade Lift Handles							✓					
3 Spade Step Plate		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
4 Spade Strap Hinge*		✓	✓	✓		✓	✓	✓	✓	✓		✓
5 Twisted "L" Handles		✓	✓	✓		✓		✓	✓	✓		✓
6 Twisted "T" Handle							✓	✓	✓			
7 Escutcheon Plate(s)		✓	✓	✓		✓	✓	✓	✓	✓		✓
8 Spear Lift Handles		✓	✓	✓		✓		✓	✓	✓		✓
9 Spear Step Plate		✓	✓	✓		✓		✓	✓	✓		✓
10 Spear Strap Hinge*		✓	✓	✓		✓		✓	✓	✓		✓
11 Colonial Lift Handles		✓	✓	✓		✓		✓	✓	✓		✓
12 Colonial Step Plate		✓	✓	✓		✓		✓	✓	✓		✓
13 Colonial Strap Hinge*		✓	✓	✓		✓		✓	✓	✓		✓
14 Decorative Handles with Keyhole		✓	✓	✓		✓				✓		✓
15 Ring Door Knocker		✓	✓	✓		✓				✓		✓
16 Aluminum Grip Handles	✓				✓						✓	
17 Color-matched Lift Handles								✓				

*Door may not open properly if installed near the top depending on opening dimensions and lift type. See your Clopay Dealer for more details and/or hardware dimensions.

decorative HARDWARE

Attractive black powder coated handles and step plates come standard on select Clopay garage doors. To further enhance the design of your door, optional decorative hardware – including handles, operable L-keylocks and strap hinges – is available.



**Complements Spade Lift Handles and Spade Step Plate.*



- ☉ = Steel Construction
- Ⓜ = Cast Iron Construction
- Ⓐ = Aluminum Construction
- Ⓟ = Color-matched Plastic Construction

PRODUCT SELECTION CHART

Garage Door	Type	Model / Design	Door / Panel Style	Construction / Material	Colors
Avante®		AXU/AX with Section Joint Seal	Contemporary	Aluminum Frame + Glass/Acrylic Panels Aluminum Frame + Aluminum Panels	Clear Aluminum Anodized, Standard White, Bronze Painted, Chocolate Painted, Bronze Anodized, Black Anodized, Dark Bronze Anodized or Powder Coated Custom Colors
Canyon Ridge®	Carriage House 5-Layer	15 Door Designs, 14 Window or Solid Top Section Designs	Carriage House	5 Layers: Clear Cypress, Mahogany and Pecky Cypress textures; Steel + 2" Intelllicore® Polyurethane Insulation + Steel + Cladding + Overlay ^{§§}	Medium Finish, Dark Finish, Walnut Finish, Slate Finish, Black Finish, White Finish, Primed (for those wishing to custom paint or stain their door)
Canyon Ridge®	Carriage House 4-Layer	14 Door Designs, 14 Window or Solid Top Section Designs	Carriage House	4 Layers: Clear Cypress, Mahogany and Ultra-Grain®/Solid Steel textures; Steel + 2" Intelllicore® Polyurethane Insulation + Steel + Overlay ^{§§}	Ultra-Grain® Cypress: Medium, Walnut and Slate Finishes, Black Finish, White Finish, Primed (for those wishing to custom paint or stain their door)
Canyon Ridge®	Louver	12 Door Designs, 6 Window or Solid Top Section Designs	Plantation Shutter	5 Layers: Clear Cypress, Mahogany, Ultra-Grain®/Solid Steel and Lower Mahogany textures; Steel + 2" Intelllicore® Polyurethane Insulation + Steel + Cladding + Overlay ^{§§}	Medium Finish, Dark Finish, Walnut Finish, Slate Finish, Black Finish, White Finish, Primed (for those wishing to custom paint or stain their door)
Canyon Ridge®	Modern	3 Door Designs	Contemporary	4 Layers: Clear Cypress and Mahogany textures; Steel + 2" Intelllicore® Polyurethane Insulation + Steel + Cladding or Overlay ^{§§}	Medium Finish, Dark Finish, Walnut Finish, Slate Finish, Black Finish, White Finish, Primed (for those wishing to custom paint or stain their door)
Coachman®		15 Door Designs, 10 Window or Solid Top Section Designs	Carriage House	4 Layers: Steel + 2" Intelllicore® Polyurethane Insulation + Steel + Composite ^{§§} Steel + 2" Bonded Polystyrene Insulation + Steel + Composite ^{§§} Steel + 1-3/8" Bonded Polystyrene Insulation + Steel + Composite	Base: Standard White, Almond, Desert Tan, Sandtone Overlay: Standard White, Almond, Desert Tan, Sandtone
Grand Harbor®		8 Door Designs, 16 Window or Solid Top Section Designs	Carriage House	3 or 2 Layers: Composite + Steel + Insulation, Composite + Steel	Base: Standard White, Almond, Desert Tan, Sandtone Overlay: Standard White
Gallery® Steel	Three-Layer	2 Door Designs, 25 Window or Solid Top Section Designs	Carriage House	3 Layers: Steel + 2" Intelllicore® Polyurethane Insulation + Steel ^{§§} Steel + 1-3/8" Intelllicore® Polyurethane Insulation + Steel ^{§§} Steel + 2" Bonded Polystyrene Insulation + Steel ^{§§} Steel + 1-3/8" Bonded Polystyrene Insulation + Steel	Standard White, Glacier White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charcoal, Black, Ultra-Grain® Oak: Medium, Dark, Walnut and Slate Finishes
Gallery® Steel	Two-Layer and One-Layer	2 Door Designs, 25 Window or Solid Top Section Designs	Carriage House	2 or 1 Layer: Steel + 1-5/16" Polystyrene Insulation; Steel	Standard White, Almond, Desert Tan, Sandtone, Chocolate*, Black** Ultra-Grain® Oak: Walnut and Slate Finishes**
Bridgeport™ Steel	Three-Layer	2 Door Designs, 25 Window or Solid Top Section Designs	Shaker (Narrow and Extended Recessed)	3 Layers: Steel + 2" Intelllicore® Polyurethane Insulation + Steel ^{§§} Steel + 1-3/8" Intelllicore® Polyurethane Insulation + Steel ^{§§}	Standard White, Glacier White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charcoal, Black, Ultra-Grain® Oak: Medium, Dark, Walnut and Slate Finishes
Bridgeport™ Steel	Two-Layer and One-Layer	2 Door Designs, 25 Window or Solid Top Section Designs	Shaker (Narrow and Extended Recessed)	2 or 1 Layer: Steel + 1-5/16" Polystyrene Insulation; Steel	Standard White, Almond, Desert Tan, Sandtone, Chocolate*, Black** Ultra-Grain® Oak: Walnut and Slate Finishes**
Garage Door	Type	Model / Design	Door / Panel Style	Construction / Material	Colors
Modern Steel™	Premium	9202, 9201 No Panel	Modern Flush	3 Layers: Steel + 2" Intelllicore® Polyurethane Insulation + Steel ^{§§}	Standard White, Glacier White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charcoal, Black, Hunter Green*, Gray, Ultra-Grain® Cypress: Medium, Cherry, Walnut and Slate Finishes†
Modern Steel™	Premium	9208 No Panel	Modern Flush	3 Layers: Steel + 2" Intelllicore® Polyurethane Insulation + Steel ^{§§}	Standard White, Glacier White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charcoal, Black, Gray, Lustra™ Black, Lustra™ Charcoal, Lustra™ Silver, Ultra-Grain® Cypress: Medium, Cherry, Walnut and Slate Finishes
Modern Steel™	Premium	9205 No Panel	Modern Grooved	3 Layers: Steel + 2" Intelllicore® Polyurethane Insulation + Steel ^{§§}	Standard White, Glacier White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charcoal, Black, Gray, Ultra-Grain® Cypress: Medium, Cherry, Walnut and Slate Finishes
Modern Steel™	Premium	9209 No Panel	Modern Grooved	3 Layers: Steel + 2" Intelllicore® Polyurethane Insulation + Steel ^{§§}	Standard White, Glacier White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charcoal, Black, Gray, Ultra-Grain® Cypress: Medium, Cherry, Walnut and Slate Finishes
Modern Steel™	Premium	9132, 9131, 9138 No Panel	Modern Flush	3 Layers: Steel + 1-3/8" Intelllicore® Polyurethane Insulation + Steel ^{§§}	Standard White, Glacier White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charcoal, Black, Hunter Green*, Gray, Ultra-Grain® Cypress: Medium, Cherry, Walnut and Slate Finishes†
Modern Steel™	Premium	9139 No Panel	Modern Grooved	3 Layers: Steel + 1-3/8" Intelllicore® Polyurethane Insulation + Steel ^{§§}	Standard White, Glacier White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charcoal, Black, Gray, Ultra-Grain® Cypress: Medium, Cherry, Walnut and Slate Finishes
Modern Steel™	Premium	4302, 4301, 4308 No Panel	Modern Flush	3 Layers: Steel + 2" Bonded Polystyrene Insulation + Steel ^{§§}	Standard White, Glacier White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charcoal, Black, Hunter Green*, Gray, Ultra-Grain® Cypress: Medium, Cherry, Walnut and Slate Finishes†
Modern Steel™	Premium	4305, 4309 No Panel	Modern Grooved	3 Layers: Steel + 2" Bonded Polystyrene Insulation + Steel ^{§§}	Standard White, Glacier White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charcoal, Black, Gray, Ultra-Grain® Cypress: Medium, Cherry, Walnut and Slate Finishes
Modern Steel™	Premium	4132 No Panel	Modern Flush	3 Layers: Steel + 1-3/8" Bonded Polystyrene Insulation + Steel	Standard White, Glacier White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charcoal, Black, Gray, Ultra-Grain® Cypress: Medium, Cherry, Walnut and Slate Finishes
Modern Steel™	Premium	4051 No Panel	Modern Flush	3 Layers: Steel + 1-3/8" Bonded Polystyrene Insulation + Steel	Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Hunter Green, Gray
Modern Steel™	Premium	4138 No Panel	Modern Flush	3 Layers: Steel + 1-3/8" Bonded Polystyrene Insulation + Steel	Standard White, Glacier White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charcoal, Black, Gray, Ultra-Grain® Cypress: Medium, Cherry, Walnut and Slate Finishes.
Modern Steel™	Value Plus	T42F No Panel	Modern Flush	2 Layers: Steel + 1-5/16" Polystyrene Insulation	Standard White, Almond, Desert Tan, Sandtone, Chocolate, Black
Modern Steel™	Value	T40F No Panel	Modern Flush	1 Layer: Steel	Standard White, Almond, Desert Tan, Sandtone, Chocolate, Black
Classic™ Steel	Premium	9200 Raised Panel	Short Elegant	3 Layers: Steel + 2" Intelllicore® Polyurethane Insulation + Steel ^{§§}	Standard White, Glacier White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charcoal, Black, Hunter Green, Gray, Ultra-Grain® Classic: Medium, Cherry and Walnut Finishes
Classic™ Steel	Premium	9203 Raised Panel	Long Elegant	3 Layers: Steel + 2" Intelllicore® Polyurethane Insulation + Steel ^{§§}	Standard White, Glacier White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charcoal, Black, Hunter Green, Gray, Ultra-Grain® Classic: Medium, Cherry and Walnut Finishes
Classic™ Steel	Premium	9130 Raised Panel	Short Elegant	3 Layers: Steel + 1-3/8" Intelllicore® Polyurethane Insulation + Steel ^{§§}	Standard White, Glacier White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charcoal, Black, Hunter Green, Gray, Ultra-Grain® Classic: Medium, Cherry and Walnut Finishes
Classic™ Steel	Premium	9133 Raised Panel	Long Elegant	3 Layers: Steel + 1-3/8" Intelllicore® Polyurethane Insulation + Steel ^{§§}	Standard White, Glacier White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charcoal, Black, Hunter Green, Gray, Ultra-Grain® Classic: Medium, Cherry and Walnut Finishes
Classic™ Steel	Premium	4300 Raised Panel	Short Elegant	3 Layers: Steel + 2" Bonded Polystyrene Insulation + Steel ^{§§}	Standard White, Glacier White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charcoal, Black, Hunter Green, Gray, Ultra-Grain® Classic: Medium, Cherry and Walnut Finishes
Classic™ Steel	Premium	4310 Raised Panel	Long Elegant	3 Layers: Steel + 2" Bonded Polystyrene Insulation + Steel ^{§§}	Standard White, Glacier White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Mocha Brown, Charcoal, Black, Hunter Green, Gray, Ultra-Grain® Classic: Medium, Cherry and Walnut Finishes
Classic™ Steel	Premium	4050 Raised Panel	Short Elegant	3 Layers: Steel + 1-3/8" Bonded Polystyrene Insulation + Steel	Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Hunter Green, Gray
Classic™ Steel	Premium	4053 Raised Panel	Long Elegant	3 Layers: Steel + 1-3/8" Bonded Polystyrene Insulation + Steel	Standard White, Almond, Desert Tan, Sandtone, Bronze, Chocolate, Hunter Green, Gray
Classic™ Steel	Value Plus	T42S Raised Panel	Short Traditional	2 Layers: Steel + 1-5/16" Polystyrene Insulation	Standard White, Almond, Desert Tan, Sandtone, Chocolate, Black
Classic™ Steel	Value Plus	1500, T52S Raised Panel	Short Traditional	2 Layers: Steel + 1-5/16" Polystyrene Insulation	Standard White, Almond, Desert Tan, Sandtone, Chocolate
Classic™ Steel	Value Plus	T42L Raised Panel	Long Traditional	2 Layers: Steel + 1-5/16" Polystyrene Insulation	Standard White, Almond, Desert Tan, Sandtone, Chocolate, Black
Classic™ Steel	Value Plus	76V, T52L Raised Panel	Long Traditional	2 Layers: Steel + 1-5/16" Polystyrene Insulation	Standard White, Almond, Desert Tan, Sandtone, Chocolate
Classic™ Steel	Value [§]	94, T40S Raised Panel	Short Traditional	1 Layer: Steel	Standard White, Almond, Desert Tan, Sandtone, Chocolate, Black
Classic™ Steel	Value [§]	73, T50S Raised Panel	Short Traditional	1 Layer: Steel	Standard White, Almond, Desert Tan, Sandtone, Chocolate
Classic™ Steel	Value [§]	T40L Raised Panel	Long Traditional	1 Layer: Steel	Standard White, Almond, Desert Tan, Sandtone, Chocolate, Black
Classic™ Steel	Value [§]	76, T50L Raised Panel	Long Traditional	1 Layer: Steel	Standard White, Almond, Desert Tan, Sandtone, Chocolate
Garage Door	Type	Model / Design	Door / Panel Style	Construction / Material	Finishing Options
Reserve® Wood	Custom	Custom	Carriage House	5 or 4 Layers: Specified Wood; Insulated	Stained, Finish Painted White, Primed, Unfinished
Reserve® Wood	Limited Edition	8 Door Designs, 13 Window or Solid Top Section Designs	Carriage House	5 or 4 Layers: Meranti, Cedar, Redwood, Fir, Extra [®] , Luan; Insulated	Stained, Finish Painted White, Primed, Unfinished
Reserve® Wood	Modern	3 Door Designs	Contemporary	4 Layers: Light Cedar, Dark Cedar, Mixed Cedar, Redwood, Fir, Meranti	Stained, Finish Painted White, Primed, Unfinished
Reserve® Wood	Semi-Custom	6 Door Designs, 10 Window or Solid Top Section Designs	Carriage House	2 Layers: Hemlock, Cedar, Redwood, Extra [®]	Stained, Finish Painted White, Primed, Unfinished
Classic™ Wood	Traditional Wood	44, 20, 10, 33	Raised, Recessed and Flush	Hemlock, Cedar, Redwood, Extra [®] , Okoume, Luan	Stained and Painted Options Available (see pages 42 and 43 for complete product details and option availability)

*Not available on long panel and 24 gauge extended panel models.

**Not available on 25 gauge models.

†Not available on Models 9201, 9131 and 4301.

‡Not available on Models 9202, 9132, 9138, 4302, 4308.

§Not all models available in all regions. See your Clopay Dealer for model availability in your region.

§§Models come standard with 10-ball nylon rollers and heavy-duty 14 gauge steel hinges.

These models also comply with 2015 IECC air infiltration requirement of 0.40 cfm/ft² or less (IECC, Section C402.5.2).



Visit clopaydoor.com or call 1-800-2CLOPAY (225-6729) for more information on Clopay, America's Favorite Garage Doors.

Follow us on



©2022 Clopay Corporation. All rights reserved.

RSRD-IMAGINE-14_REV0422

imagine



DESIGN YOUR DOOR
OPEN CAMERA
AND POINT!