

# Architectural Review Guidelines Manual

St. Andrews At The Eagles

JULY 2025

Created by:  
Plansource, Inc.  
*Copyright 2007 Plansource, Inc.*

## TABLE OF CONTENTS

| <u>Section</u>                                                                                  | <u>Page #</u> |
|-------------------------------------------------------------------------------------------------|---------------|
| Statement of Purpose & Frequently Asked Questions.....                                          | 04            |
| 1. New home construction.....                                                                   | 08            |
| 3. Driveways, sidewalks, entry walkways & side yard walkways.....                               | 08            |
| 4. Mailboxes.....                                                                               | 09            |
| 5. Home additions.....                                                                          | 09            |
| 5.a Sunrooms.....                                                                               | 11            |
| 5.b Front Yard Porches.....                                                                     | 11            |
| 6&7. Screen Enclosures, Pools & other screening.....                                            | 12            |
| 8. Roofing.....                                                                                 | 12            |
| 9.a&b Stone & Brick Accents; banding, trim and foam products.....                               | 13            |
| 9.c Window film and window treatments.....                                                      | 13            |
| 9.d Roof utilities.....                                                                         | 14            |
| 9.e Solar Panels.....                                                                           | 14            |
| 9.f Exterior lighting.....                                                                      | 14            |
| 9.g Awnings.....                                                                                | 15            |
| 9.h Wall Art.....                                                                               | 15            |
| 9.i Shutters.....                                                                               | 15            |
| 9.j Signs.....                                                                                  | 15            |
| 9.k Service units.....                                                                          | 15            |
| 9.l Flagpoles.....                                                                              | 15            |
| 9.m House Repainting/colors.....                                                                | 15            |
| 9.n Balustrades, railings & columns.....                                                        | 16            |
| 9.o Entry doors.....                                                                            | 16            |
| 9.p Front Door wreaths.....                                                                     | 16            |
| 9.q Gutters & downspouts.....                                                                   | 16            |
| 9.r Garage doors.....                                                                           | 16            |
| 9.s Garbage Bin enclosure.....                                                                  | 17            |
| 10. Construction contractors.....                                                               | 17            |
| 11.a Landscape – edging.....                                                                    | 17            |
| 11.b Landscape – arbors and trellis.....                                                        | 17            |
| 11.c Landscape – permanent yard ornaments.....                                                  | 17            |
| 11.d Landscape – front door wreaths.....                                                        | 18            |
| 11.e Landscape – bench swings.....                                                              | 18            |
| 11.f Landscape – benches.....                                                                   | 18            |
| 11.g Landscape – mulch.....                                                                     | 18            |
| 11.h Landscape – dead trees & vegetation.....                                                   | 18            |
| 11.i Landscape – retaining walls.....                                                           | 18            |
| 11.j Landscape – site distances.....                                                            | 18            |
| 11.k Landscape – sprinklers.....                                                                | 18            |
| 11.l Landscape – artificial vegetation.....                                                     | 18            |
| 11.m Landscape – grass.....                                                                     | 18            |
| 11.n Landscape – trees.....                                                                     | 18            |
| 11.o Landscape – vegetable gardens.....                                                         | 19            |
| 11.p Landscape – Florida Friendly.....                                                          | 19            |
| 12. Hurricane protection.....                                                                   | 21            |
| 13. Detached accessory structures.....                                                          | 21            |
| 14.a Play equipment and structures – swing sets/play complexes/trampolines<br>/jungle gyms..... | 21            |

## TABLE OF CONTENTS

| <u>Section</u>                                                          | <u>Page #</u> |
|-------------------------------------------------------------------------|---------------|
| 14.b Tree houses.....                                                   | 22            |
| 14.c Skateboard ramps/portable hockey goals/other gaming equipment..... | 22            |
| 14.d Basketball hoop & anchoring/weighting.....                         | 22            |
| 15.a Window air conditioning units.....                                 | 22            |
| 15.b House numbers.....                                                 | 22            |
| 15.c Propane tanks & generators.....                                    | 22            |
| 15.d Permanent fire pits.....                                           | 22            |
| 16. Fences, walls & hedges.....                                         | 23            |
| Exhibits                                                                |               |
| Exhibit “A” – fence locations.....                                      | 24            |
| Fence Resolution.....                                                   | 25            |
| Pre-Approved Paint Colors (text form).....                              | 26            |
| Mailbox standard.....                                                   | 29            |
| For Sale Sign standard & specs.....                                     | 30            |
| Indemnity Agreement (for playsets & trampolines).....                   | 31            |

## Statement of Purpose

### St. Andrews at The Eagles

The purpose of this Architectural Review Guidelines Manual is to assist home purchasers to understand the criteria used to review and approve all new homes as well as exterior alterations to all existing homes and lots within St. Andrews. Standards have been established to maintain a measure of quality and consistency throughout the development, and as the community matures, a standard to which the community should always meet. These standards are not intended to stifle individual creativity.

This Manual provides a means to preserve the environment of St. Andrews as well as the exclusiveness of homes to be created within the neighborhoods to which this Manual applies. Adherence to the standards contained within this Manual will contribute to the continuation of the inherent and natural attributes of the community as a highly desirable place to live and to the protection of property values.

Member's obligation with respect to Architectural Control is outlined to both Associations as follows:

#### Eagles Master Association:

Article VIII of Amended and Restated Declaration of Covenants, Restrictions and Easements for the Eagles Master Association affirm an Architectural Control Committee (ACC) and that all owners of property shall be bound by the decisions of the ACC. Furthermore, approval by the ACC is required for any improvement or structure of any kind, including, without limitation, any building, fence, wall, swimming pool, tennis court or other grass court or structure, screened enclosure, water or sewer lines, drain, mailbox, solar energy device, decorative building, landscaping, landscape device or object or other improvements planned to be commenced, erected, placed, or maintained upon any lot or dwelling unit. Any addition, change or alteration thereof or thereto may not be made unless and until the plans, specifications and location of the same shall have been submitted to, and approved in writing by the ACC of the Eagles Master Association. The Master Association has a Design Review Manual (latest edition is available on the website or from The Property Group of Central Florida (813) 855-4860.

#### St. Andrews Village Association:

Architectural Control was handed to the Association by The Eagles Ltd.  
ACC shall mean the Architectural Control Committee.

The Board or ACC shall have the absolute right to approve or disapprove said plans which must be sent to the Association at the address on the Application Form.

The community was developed with the intent that homes harmonize with each other and present a pleasing and consistent style. Except as required by the governing documents, this style is not the result of a formal architectural code but rather the result of the vision of the original developers. In response to recent legislative changes, this community has adopted more detailed guidelines and standards.

To ensure the preservation of the existing harmonious design and to prevent the introduction of design that is not in keeping with the community, the Board of Directors and ACC hereby recognizes and adopts the style and form of the existing, as built (and properly approved as otherwise required by the governing documents) as the standard, which is now confirmed in this Design Review Manual which is subject to change and expansion as and when needed.

Properly exercised, this design review manual shall control, create and preserve an attractive livable community, as well as protect property values.

All authorized exterior changes are delineated in separate policies and procedures found in this manual. Each homeowner must refer to the respective policies and procedures of The Eagles Master Association and St. Andrews at the Eagles when submitting requests for exterior changes.

**ALL HOMEOWNER APPLICATIONS MUST BE IN WRITING AND BE ACCOMPANIED BY  
THE RELEVANT SUPPORT DOCUMENTATION:**

- a) exterior house paint colors including repainting with the same color
- b) installation of skylights or roof exhaust devices
- c) satellite dishes/antennas
- d) gutters/downspouts
- e) curbscaping or other landscaped bed border
- f) changes to originally installed driveways
- g) resurfacing, painting or staining of driveways, walkways or sidewalks
- h) water softeners
- i) generators
- j) propane tanks
- k) solar panels
- l) replacement of originally installed landscaping inclusive of trees
- m) major changes to landscaping
- n) addition of lawn ornaments
- o) wooden play structures
- p) pavers for entryways or walkways
- q) decorative shutters & awnings and permanent mountings/bolts which are affixed to home for hurricane shutter “easy install” process
- r) erection of lattice work, barriers, fences, walls, hedges or trellises
- s) portable flag poles (in accordance with Florida Statutes)
- t) changes to windows and installation of protective film
- u) swimming pools & spas
- v) screen enclosures
- w) installation of front door screens
- x) front door replacement
- y) lanais and conversion of lanais
- z) patios and other concrete pads
- aa) extensions or the additions of rooms or porches
- bb) changes to the roof

Any subsequent changes to submissions before or during construction shall follow the same submittal guidelines (application with support documentation & materials) as a new submission and be approved prior to commencing with the change. Any contradiction between building jurisdiction requirements and this document shall be governed by the stricter of the two requirements. Any contradiction between the Master Association Design Review Manual document and St. Andrews Village Design Review Manual document shall be governed by the stricter of the two documents.

Neither the ACC, nor any member thereof, nor its duly authorized ACC representative, shall be liable to St. Andrews At The Eagles Association or to any owner or any other person or entity for any loss, damage or injury arising out of or in any way connected with the performance or non-

performance of the ACC's duties, unless such damage or injury is due to the willful misconduct or bad faith of a member.

Applicants are solely responsible for determining whether the completed improvements described in the approval comply with all applicable laws, rules, regulations, easements, codes and ordinances; including without limitation, zoning ordinances, subdivision regulations and building codes. The St. Andrews Board of Directors and ACC shall have no liability or obligation to determine whether such improvements comply with any such laws, rules, regulations, codes or ordinances.

If, following its review of the plans and specifications submitted to it the ACC disapproves such plans and specifications, the ACC shall advise the lot owner of the portion or items thereof which are found to be objectionable. In the event the lot owner corrects the objectionable portions, such owner may resubmit the plans and specifications, as corrected, for approval. Should the ACC fail to either approve, disapprove or request additional information to process the request, the plans and specifications submitted to it by a lot owner within thirty (30) days after submission, then ACC approval shall not be deemed to be required in such instance; provided, however, that no building or structure shall be erected or be allowed to remain on any lot which violates any of the Covenants or Restrictions contained in the St. Andrews at the Eagles Declaration or The Eagles Master Association Declaration.

Applicants who receive a "denied" result may appeal in writing to the Board of Directors of St. Andrews at the Eagles Association whose decision is final and binding as long as it is consistent with the guidelines as outlined in this manual.

Omnibus Rule (as Adopted by the ACC/Board of Directors July 11, 2007)

*"This community was developed with the intent that homes harmonize with each other and present a pleasing and consistent style. Except as required by the sets of Governing Documents, this style is not the result of a formal architectural code but rather the result of the vision of the original developers. In response to recent legislative changes, this community is in the process of adopting more detailed guidelines and standards.*

*To ensure the preservation of the existing harmonious design and to prevent the introduction of design that is not in keeping with the community, the Board of Directors [or ACC] hereby recognizes and adopts the style and form of the existing, as-built (and properly approved as otherwise required by the Governing Documents) as the standard. This standard shall continue in effect until the adoption and publication of new guidelines and standards.*

*Owners shall be permitted to use any of the architectural styles, setbacks, colors and color combinations, materials, roof pitches and doors and windows that are already in use, except for variances granted, within the community for comparable lot types. If the community is divided into neighborhoods of distinctive character or style, choices may be limited to those in the surrounding neighborhood."*

## Frequently Asked Questions:

*I have approval in writing for a modification on my Lot which is not compliant with this Manual?*

If you have received past approval for a modification on your Lot that is not compliant with this Design Review Manual and you have in hand the approval documentation, then the modification as existing will be honored as approved for the lifetime of the modification. When it is time for replacement of the modification, then it will have to be replaced in a manner that complies with the Design Review Manual at the time of application.

*I have a modification on my Lot and I don't OR no longer have in my possession written approval for it and it is not compliant with this Manual?*

If you have a modification on your Lot that is not compliant with the Design Review Manual and you do not have any approval documentation, then you have 90 days from the date that the Design Review Manual is adopted to obtain approval consideration from the ACC. If the modification is approved within this time frame, then it will be approved contingent that when the modification needs to be replaced that it be replaced in a manner that complies with the Design Review Manual at the time of application.

*I note that there are many modifications which exist on other Lots which are/have always been in violation of the Village Declaration OR the Covenants, Conditions and Restrictions of The Eagles Master Association e.g. rear fencing within 20ft of a lake, pond or golf course. Why is that?*

The Developer has the right to grant variances and these have to be honored by the Association for the lifetime of the modification if they were not approved by the Developer to "run with the land".

*Are there any guidelines in this manual which homeowners are expected to implement and if so is approval process necessary?*

The Association certainly encourages all homeowners to attend to "small ticket" items to bring their Lots up to code with this manual. Specifically the following:-

- (i) Reference 9.(e)...reduce ornamental lanterns in front yard (post light) or similar to one only & change out all non-white light bulbs existing in front yard;
- (ii) Reference 9.(i)...service units (air conditioners, water softeners, pool equipment etc.) should be landscaped to obscure street view;
- (iii) Reference 11.(b)...reduce number of trellis and arbors visible from street view to one trellis or arbor only, remove any "easy to remove" potted plants from street view, remove any free-standing trellises & ensure that no more than two in total yard ornaments are displayed and/or are visible from street view;
- (iv) Reference 14...all guidelines under this heading are easily corrected with minimal expense involved;
- (v) Reference 15...all guidelines under this heading are easily corrected with minimal expense involved.

As long as the above referenced modifications are implemented in accordance with the guidelines there is no need to submit a request. It is fair and reasonable to expect homeowners to bring their Lots into compliance with the above guidelines as defined in this manual by the end of 2008.

*As this is a living document...How will homeowners be made aware of changes?*

The Association shall maintain a current Design Review Manual on the website at eaglesmaster.org and in the event owners do not have access to internet then it is obtainable from the management office.

"Modification" as used in the above applies to all exterior modifications, changes, alterations & additions.

**A REFUNDABLE DEPOSIT OF \$500 IS REQUIRED FOR ALL MAJOR CONSTRUCTION PROJECTS (see attachment)**

## Requirements

1. All new homes (in the event of destruction) must follow the master site plan as placed on file with the building department. No dwelling shall have a floor square foot area of less than one thousand five hundred (1,500) square feet, exclusive of screened area, open porches, terraces, patios and garages. All dwellings shall have at least a two (2) car garage attached to and made part of the dwelling. No dwelling shall exceed two and one-half (2 ½) stories nor thirty (30) feet in height and be constructed with a minimum of a two-car enclosed garage (with doors), and not exceed a four-car garage and said garage shall be attached to the main structure. All residences shall have at least two bedrooms, two full inside baths and the enclosed living space shall be centrally air conditioned. All dwellings shall be constructed with concrete (or other approved) driveways.
2. Existing homes may not change the grade of their lot in any way in which to interfere or change drainage as originally designed for their particular lot. Any additions, pools, or other improvements must be designed to protect the original intent of the land planners.
3. Driveways, sidewalks, & entry walkways:

All driveways and walkways (defined as sidewalks from driveways to residence) must be paved in its entirety either with concrete or pavers. At the location where the driveway meets the street, sidewalk or curb, the materials must be flush with each other, with no change in height. Gravel, dirt, stepping stones, mulch, asphalt, grass or any other live ground cover, may not be used as paving materials. Driveway coatings including those that can create colors and patterns (as long as the color is a “brown” or “grey” hue); painted concrete, or stained concrete are allowed, with the approval of the ACC, except that the driveway concrete paint Behr, Solid Color Concrete Stain is pre-approved for concrete surfaces. All driveways, entry walkways, and street sidewalks are to be maintained weed free and clean. Driveways may only be as wide as the garage. Street sidewalks must be maintained as originally installed four (4) foot wide, four (4) inch thick, concrete sidewalk seven (7) feet from the edge of the curb extending all the way across the front of the lot from lot line to lot line. Entry walkways must be 2 to 3 ft wide.



Two different materials for driveway and walkway is acceptable as long as one of them is concrete and the other is pavers.



Acceptable: driveway material may extend to sidewalk or to street curb



Unacceptable installation: paver material not flush with curb and street sidewalk. The paver material itself is acceptable.



Design is Acceptable : driveway has a coating/veneer on it that creates colors and patterns without representing anything specific (person, place or animal).  
Color is Unacceptable : only brown or grey hue colors are acceptable



3. (a) Side yard property walkway(s):  
Solid concrete, asphalt or permanently installed contiguous pavers are not permitted. Only the following materials may be used for side yard walkways : gravel, dirt, stepping stones, mulch or similar other non-contiguous impervious surface material. Side yard walkways shall not exceed half the width of the side yard or be greater than 4ft wide. Side yard walkways must also be maintained in a clean and weed-free condition.
3. (b) Circular driveways (Note: most Lots do not qualify) Added Jan 26, 2016  
Circular driveways are permitted on lots contingent:
- (i) Front yard space can accommodate
  - (ii) The lawn area represents at least 50% of the front yard area after the driveway addition
  - (iii) The circular driveway section is added from the original driveway
  - (iv) Original driveway may not exceed width of garage footprint
  - (v) The circular driveway section to be added is no wider than 12ft from the driveway and no wider than 17.5ft where it flares from the sidewalk to the roadway
  - (vi) The circular driveway may only flare in the section from the sidewalk to the roadway
  - (vii) The circular driveway is made of same material as driveway and entry walkway (either pavers or concrete)

#### 4. Mailboxes:

All mailboxes must have a wood or vinyl post (4"x4") (vinyl posts must be identical to a white painted wood post) and a standard (regular) size box. No thematic, concrete, stucco, brick, or pictorial decorative mailboxes are allowed. White or black standard mailboxes with natural wood or semi-transparent stain or white posts is the general standard. The house number must be displayed on the post and/or the mailbox and the pre-approved Eagles logo is optional. Permanent mailbox thematic coverings are not permitted but seasonal removable coverings are allowed. Vendors who manufacture and install approved mailbox and mail posts are available upon request. White Vinyl Mailbox & Post with address numbers and logo is the preferred standard (order by email at: [orders@creativemailboxdesigns.com](mailto:orders@creativemailboxdesigns.com)/Tel 813-818-7100 ext 373)



Acceptable: wood post, single color, standard size box, contrasting house numbers



Acceptable: wood post stained natural wood stain with black standard size mailbox



Unacceptable: Large stucco, brick and/or stone mailbox structure

Refer to attached exhibit for pre-approved Developer originally installed standard cedar post, streamliner mailbox & numbering available from local hardware outlets.

#### 5. Additions:

Any addition to a house must have the following criteria: all materials, roofing, stucco, colors, fascia, trim, doors, windows, roof pitch, and wall height must be identical to the existing residence. It cannot be obvious that an addition was created.

All additions that can be seen from the Front Street (and side street if on a corner lot) must follow all of the above criteria plus the following additional consideration:

A second story addition on a one-story house may not create a “side heavy” or “lopsided” front elevation. If the addition is over the garage, the front upper wall of the addition must be pushed back from the front face of the garage at least 36”. Upper floor additions are preferable if they are situated toward the rear of the home.

All additions must be constructed of permanent materials with no pre-fabricated units such as carports, screen porches, or other rooms that are not *site-built* utilizing similar materials as the original home. This does not apply to screen cages that are for swimming pools and sunrooms which are addressed separately.



Unacceptable: entry and garage out of proportion to rest of house



Unacceptable: “lopsided” upper floor on one side



Acceptable: upper floor placed at rear of one story home.



Acceptable: upper floor pushed back from front of garage.



Unacceptable: prefabricated screen room.

Any additions to the front of a house that is not an upper floor addition on a one-story house must be in proportion to the existing residence and follow all of the guidelines as set forth in this section and section 9 of this manual and meet all setback requirements.

Additions & other approved structures shall not be erected nearer than twenty (20) feet from a front Street Line or side Street Line. No structure shall be erected nearer than six (6) feet from a Side Yard Line or nearer than fifteen (15) feet from a Rear Yard Line or nearer than twenty (20) feet from the top of the bank of any lakes or other body of water. The terms “structure”, “Street Line”, and “Front Yard” shall have the meanings ascribed by the Hillsborough County Zoning Regulations


in effect as of the date of the recording of the Declaration; provided, however, the term “structure” shall not include a fence. The terms, “Side Yard Line” and “Rear Yard Line” are as used in Exhibit attached hereto.

a. Sunrooms


All sunrooms must be only on the rear of the home. The wall height shall not be higher than the wall it is connected to, nor shall the roof be higher than the roof of the house. No flat roof or domed roof (solarium type) sunrooms are permitted. The sunroom must be manufactured and installed by a contractor licensed to conduct business in the state of Florida. The sunroom must meet all hurricane requirements as set forth in the state building code.



Unacceptable: Flat roof sunroom



Acceptable sunroom



Unacceptable: Solarium domed roof sunroom

b. Front Yard Porches

Other than developer approved or builder installed front porches:

1. Application is required and County permit may be applicable.
2. Front porches are not permitted to exceed the parameter of the home entrance area as original designed.
3. Front porches may be no wider than 15' and no deeper than 8';
4. Front porches are only permitted if the total front yard impervious surface area and landscaped beds does not exceed 50% (50% of the visible portions of the lot must be sodded);
5. Front porches must be finished with floor of concrete, pavers, tiles, stamped concrete or similar which shall complement home exterior coloring and walkway and/or driveway;
6. Front porches may be enclosed with a porch balustrade/decorative fencing which shall not exceed 3ft in height and material shall be restricted to precast stone or similar, black aluminum, wrought iron, landscape pvc OR shrubs/bushes which shall be maintained at a height of 2ft-3ft. All porch enclosing balustrades/decorative fencing or similar must be anchored to the home;
7. Front porches may be furnished with a 4-6 piece set of outdoor appropriate neutral color furniture which shall be maintained in a first-class condition at all times.
8. If space is available a single hanging bench swing is permitted on a front porch, provided it is anchored to the structure Hammocks are allowed in rear yards only.

#### 6. Screen Enclosures (cages)/Pools: *(updated February 2022)*

- a) Above-ground pools are not permitted and in ground pools are restricted to the rear yard
- b) All pools on lots which abut a golf course or waterway must be screen enclosed and the screen enclosure which is required to attach to the home must be constructed at the same time the pool is constructed
- c) Unscreened pools are permitted for other lots where rear yard fencing is permitted.
- d) Screen enclosures are permitted for backyard pools, backyard covered porches, and backyard open patios. Screens must be black or charcoal.
- e) The visibility of any screened enclosure shall have minimum exposure and visibility from any public right-of-way and no raw aluminum screening is permitted.
- f) All screen enclosures must be manufactured by a contractor licensed to conduct business in the state of Florida. All screen enclosures must meet all hurricane requirements as set forth in the current Florida Building Code.
- g) Acceptable screen enclosure frame colors are black, bronze, and white.
- h) All screen enclosures must be attached to the dwelling.
- i) The screen enclosure wall height may not exceed the wall height of the house where it is attached and may not exceed the height of the house roof.
- j) A pan roof shall only be considered for approval on a case-by case basis and shall be subject to, although not limited to, the following criteria: it shall only be installed between original roof and a screen enclosure.

#### 7. Other screening:

Any portion of the front of a home that faces the street may not be screened except for a screened front door.

Unacceptable: screened in front porch



Unacceptable: screened in over garage



#### 8. Roofing:

*(updated Nov 19, 2024)*

Acceptable roofing types include: Acceptable roofing types include:

- a. The composition of all pitched roofs shall have cement tile, cedar shake shingles, slate or three (3) dimensional shingles. No residence shall have flat or built-up roof except on the rear of the residence over a lanai, porch or patio.
- b. All tile roof paint colors or stains must be approved by the ACC.
- c. Colors: Any color that complements the color of the house is acceptable. However, no bright, glossy, or pastel colors are acceptable. Blacks, brown hues, dark greens, and grays are acceptable. Roofing material that has a mix of color is also acceptable, but there must be a distinguishable main color to the approved material.
- d. All flashing and drip edges are to be painted or pre-finished a matching color to the surface it is adjacent to. These materials are not to be left in their galvanized state.



- e. A pan roof shall only be considered for approval on a case-by-case basis and shall be subject to, although not limited to, the following criteria:
  - (i) shall only be installed between an original roof and a screen enclosure;
  - (ii) shall comply with 8.a above.
  - (ii) shall comply with 8.e above.
- f. All roof applications must specify the drip edge color selected (white is preapproved)



Acceptable: flat tile roofing



Acceptable: barrel tile or "S" tile roofing



Acceptable: Minimum 30-year asphalt dimensional shingle



Unacceptable roofing:  
20-year non-dimensional  
shingles. (Shingles are flat and  
have no shadow or thickness to  
them)



Unacceptable: unpainted  
flashing and roof drip edge

## 9. Exterior ornamentation

- a. Stone and Brick Accents: may be added to the home. They must not cover more than 50% of the front surface of a home (not including the surface of the garage doors). Man made stone and brick facing is acceptable. Stucco brick is not allowed. All facing must be installed by a licensed professional per the Florida Building Code. Colors are to complement the existing or proposed colors of the home.
- b. Banding, trim, and foam products: Additional banding and other foam trim and accents (brackets, dimensional bands, keystones, etc.) may be added to the home. Cultured stone trim products may also be used. No score lines in stucco are allowed unless the home was originally created with score lines as accents. All banding around openings (windows, doors, garage doors, archways, porch openings) may not exceed 8" in width and 4" in depth. All banding and other accents must be painted the trim color of the home, unless it is a cultured stone product, in which it can be left in its natural state.
- c. Windows: Visible Window replacement requires approval and visible windows should be uniform. Windows may be replaced with or without gridlines. Other than the front door entry area, windows shall be glass only. However, bathrooms may have frosted glass. UV protective film is permitted to be applied to windows on the condition that approval on color is obtained. No window tint is permitted to black out the window completely. No

newspaper, aluminum foil, nor any other material, other than usual and customary window treatments, shall be placed over the windows of any Dwelling. Protective window coverings (golf course lot golf ball protection): Exterior protective window covers must be approved. No homemade protective shields are permitted. Awnings and shutters which are being used for window protection are approved contingent color complements with preapproved house, trim or third color now identified as accent paint colors (*updated Nov 1, 2024*).

- d. Roof Utilities: Skylights, pool heating panels and piping, roof vents, shall be installed in a manner least obtrusive from street view. Antennas, TV and satellite dishes are permitted in strict accordance with FCC regulation only and preferred to be attached to the rear or side of the home least obtrusive from street view. Visible wiring must be professionally installed onto the exterior wall of the home and must be painted the same color as the body paint on which the wiring is attached (*added August 2<sup>nd</sup> 2022*).
- e. Solar Panels: Solar panels require approval and all solar panels and related equipment must be installed by a licensed and insured professional. Solar panels are to be stationary and installed on the roof of a dwelling only. Solar equipment, including pipes or lines, extending up the outer wall of a dwelling must be painted the same color as the dwelling wall.
- f. Exterior lighting: (*updated Nov 19, 2024*) All exterior lighting, including but not limited to garage mounted lights, motion or other spotlights, house perimeter lights, yard ornamental coach lights or lanterns, walkway lights, landscape lighting and fence lighting are permitted in white or yellow only as indicated (*soft white, daylight, bright white, warm white, flickering gas light look which is yellow, bug lights which is yellow*) (holiday exceptions are identified below).

No exterior lighting shall be permitted to direct light at a neighbor or cause annoyance to a neighboring property because of brightness.

Garage mounted accent lights: lamp color may be changed from white (or yellow as allowed) for holidays as specified below.

Motion detecting or similar house mounted spotlights: lamp must be white.

House perimeter soffit lights: may be changed from white as specified below. House perimeter soffit lighting must be installed in a recessed manner illuminating downwards e.g., under soffit, and no wiring shall be visible from street view.

Yard ornamental coach/lantern lights and walkway lighting: may be changed from white (or yellow as allowed) for holidays as specified below.

Landscape lighting: is permitted in white and green only and may be changed for holidays as specified below.

Visible fencing lighting: requires approval and is restricted to low voltage cap lighting and permission from affected homeowners is to be secured by the applicant

Visible Holiday color lighting is permitted as follows:

Valentine's Day through February 21st

St. Paddy's Day through March 24th

Easter through the week after Easter Sunday

Cinco de Mayo through May 12th

Memorial Day through week after

Independence Day July 4<sup>th</sup> through July 11th

Halloween through November 7<sup>th</sup>

Diwali through January 15th

Thanksgiving through January 15<sup>th</sup> (incl Christmas, Hanukkah and Kwanzaa)

This guideline excludes all lighting within the confines of a screen enclosure except same should be installed in consideration of neighboring homes.

- g. Awnings: Only canvas awnings are allowed, and approval is needed. Color, proportion, and size must complement the home and be maintained in a clean and undamaged condition.
- h. Wall art, specifically, attached objects to the front façade of the dwelling, is permitted subject to the following specifications: A maximum of 3 is permitted and no one piece shall exceed thirty-six inches in height, thirty-six inches in width or ten inches in depth (36" height / 36" width / 10" depth). No "graffiti-type murals" are allowed to be painted directly onto any façade of the home.
- i. Shutters: Vinyl or wood faux, or genuine wooden shutters (not stucco, score lines, or foam) are permitted and approval applies. Color, proportion, and size must complement the home and be maintained in a clean and undamaged condition.
- j. Signs: No advertising signage is permitted. Only one pre-approved For Sale sign or For Rent sign ("Eagles" green & white) is permitted on the lot and may not be installed in the area between the sidewalk and roadway. For Sale or For Rent signs shall contain no wording other than "For Sale" or "For Rent", the name and address of one (1) registered real estate broker and a phone number of Owner or his agent. Only one campaign sign is permitted per lot two (2) weeks prior to Election Day and may not be displayed between the sidewalk and roadway. Campaign signs must be promptly removed after Election Day. In accordance with Florida Statutes, owners may display a sign provided by their security company within ten (10) feet of any entrance. Under no circumstances can any sign be larger than 2'x3'. Lots with invisible fencing for dogs must prominently display one pre-approved "Invisible Fence In Use" sign of size 8.5x11" when front yard invisible fence is activated. Only one school issued graduation sign per child may be displayed between the sidewalk and the house for no longer than 2 weeks from last day of school (based on Hillsborough County school calendar). All approved signs must be professionally made.
- k. Service Units: Air Conditioner units, pool equipment, water softeners, generators, above ground propane tanks and other similar equipment shall be screened from street front (or side in the case of corner lots) view by use of approved fencing or landscaping.
- l. Flags, Banners & Flagpoles: In accordance with Florida Statute 720.304.2 a homeowner may display two flags as follows: 1. The United States of America; 2. An official flag of the State of Florida or the United States Army, Navy, Air force, Marines or Coast Guard, or a POW-MIA flag. In lieu of any flag as described in 2. above, a homeowner may display one official flag of their favorite sports team or their university flag. In addition to the above 2 flags a homeowner may display one yard banner approximately 12"x18" on a stand not more than 36"-38" high. The yard banner must be seasonal or sport themed. (*Jan 26, 2021*)
- m. House Painting/Colors: All repaint applications require approval and painters' COI. The list of the pre-approved colors is available from management. All house color combinations must coordinate (roof, fascia, soffit, wall, trim, window and door colors). If Sherwin Williams paint is not used then the paint manufacturer must match the approved Sherwin Williams colors.  
 Selecting pre-approved colors obtains a faster decision turnaround.  
 No house colors excluding all shades of white, off-white or cream should be the same as the neighboring homes.  
Pre-approved colors: Specifically the main house body is trimmed with a lighter or darker pre-approved color on the same palette page or with any white or cream color.  
 If the main house body color is to be repainted white or cream then a trim color other than black, browns or greys is subject to ACC review and samples may be required to be painted on a visible portion of the home or a rendering must be produced.  
 The front door may be painted an unapproved color but must complement the body and trim scheme and must be approved.  
 A third preapproved color which includes the front door color is permitted as follows:

- (i) The entire body of the dwelling must consist of only one authorized color.
- (ii) The trim of the dwelling may consist of two authorized colors if white or shades of white/off whites/creams are included as a color. If a dark trim is requested the applicant must identify all the trim elements to be painted and the Committee has the right to request a rendering and to deny some elements particularly in the case of window trim, quoins, corbels, brackets, shutters (faux or real), or locations where multiple trim bands are present..
- (iii) The front door may be painted a third color as long as the Committee agrees it complements the body and trim colors and it is not pink or purple. For front doors all tones of black, gray, brown, blue, red, yellow, green or orange are preapproved to submit to the Committee. Front doors finished with a natural wood varnish/stain finish are excluded and preapproved.
- (iv) The garage doors and front door of the dwelling may be painted a third color as long as the Committee agrees it complements the body and trim colors and colors are restricted to hues of black, gray or brown only.
- (v) All house colors must coordinate.

Unapproved colors: Colors within the tones of the preapproved colors will be considered by the ACC. For the ACC to consider any color scheme which includes unapproved colors the applicant must provide a rendering of the applicant's home with the desired colors on each of the exterior elements of the home. Sherwin Williams offers a visualizer program to facilitate such a rendering. If the ACC is not unanimous with their decision to approve or deny then the application must go before the Board of Directors for a majority vote. (Revised July 16, 2025)

- n. Balustrades, Railings & Columns: Balustrades and railings are permitted. Design must complement the home, be proportional to the residence, and maintained in a clean and undamaged condition. Aluminum, iron, faux stone, or real stone are all acceptable. The railings must meet the applicable section of the Florida Building Code. Column size shall be at least 12" square or round, and may be tapered. Columns are to be in proportion to the structure they are supporting.
- o. Entry Doors: Wood, fiberglass, or steel doors are permitted. Glass inserts are permitted. Wood doors may be stained or clear coated. Fiberglass doors may be stained (approval required). Contingent they complement the house colors the following are preapproved main front door colors: Natural wood stained colors, black, white, body or trim color. All other colors require approval *(added July 11, 2023)*
- p. Front Door Wreaths: Wreaths are permitted on the front door of any dwelling all year except that seasonal wreaths shall only be displayed during the allowable season timeframe (see holiday décor section). Artificial vegetation is permitted on front door wreaths only.
- q. Gutters and downspouts: All non-white gutters and downspouts require approval. All gutter installation shall use splash blocks at the downspout unless underground drains are installed. Roof runoff must be diverted onto drainage easement or street, not onto neighboring property. No dwelling shall allow water runoff or drainage to cause erosion to any neighbor or Association
- r. Garage doors: *(updated Nov 19, 2024)* All 3 car Garage doors must be replaced at the same time unless an exact match can be obtained. Garage doors may be solid or have a single row at the top of the garage door of clear glass or home matching approved tint. Any other style of glass inserts requires approval. White is a pre-approved color for garage doors. Garage doors must be painted a single color only. White or the approved body, trim or accent color of the home are preapproved garage door colors. Any other color must be approved. All custom prefabricated garage doors with a built-in color require approval including wood grain/color finish garage doors. Decorative ornamentation, specifically hardware such as



strap hinges and handle sets whether magnetic or affixed is permitted contingent magnetic ornamentation is maintained in a straight and uniform manner.

s. Garbage & Recycle Bin Enclosure:

1. a block and stucco wall painted the same color as the body color of the house. Wall shall not exceed 5ft in height, not be constructed in an easement and not affect neighboring property's drainage. Depending on location and visibility from street view the ACC may require some or all of the enclosure to be landscaped;
2. privacy style pvc or similar material, fencing in white or color to closely match body color of house. Fencing shall not exceed 6ft in height, not be forward of a front building line (see fence restrictions), not be constructed in an easement and not affect neighboring property's drainage. Depending on location and visibility from street view the ACC may require some or all of the enclosure to be landscaped;
3. landscape hedge plants (eg. logustrum, podocarpus, viburnum or similar) which shall be minimum 4ft high at time of planting and maintained at a maximum height of 5ft. Hedges must not be forward of a front building line (see fence restrictions) and maintained in neat, healthy and manicured manner.
4. a free standing lattice frame is not permitted to obscure garbage & recycle bins

10. Construction

All contractors must be licensed to conduct the work in which they are completing. All permits as required by the local building jurisdiction shall be obtained. All construction shall meet the current building code as required. No advertising signs of the contractors are allowed during or after construction.

11. Landscaping

- a. Street(s) visible landscaping curbs and edging: brick, concrete, metal, heavy plastic, or stone may be used as edging material to create an edge between planting beds and grass or adjacent to paved areas (driveway/walkways) if part of a planting bed. The edging material must be continuous from one end of a planting bed to the other end. They must be maintained in good and neat condition and any broken or otherwise damaged or discolored edging has to be removed or replaced. Originally installed and/or existing beds may not be altered in size without approval.
- b. Arbor and Trellis: A single wall trellis or arbor in a front or side yard is allowed per lot. The wall trellis or arbor can be made from pressure treated wood, metal or vinyl. If it is painted, it must be kept in good condition. Any rotting, rusting, mildewing or otherwise unsightly wall trellis or arbor is not allowed. If plants are growing on the wall trellis or arbor, they must be kept trimmed close to the trellis. The largest wall trellis allowed in a front or side yard is four (4) feet wide by seven (7) feet tall and largest arbor is same plus by three (3) feet deep. The wall trellis or arbor must be level and properly secured to the ground or adjacent wall. No free standing trellises are permitted.
- c. Permanent Yard Ornaments: Yard ornaments include planters and/or pots, statues, decorative benches and fountains. No more than a total of 5 yard ornaments larger than 1ft in height are permitted in the visible portion of a lot. The maximum size of a yard ornament is limited to 3 feet wide, 3 feet deep and 5 feet tall and only one yard ornament of this size or close to this size may be displayed in the visible portion of a lot. No ornament that is of questionable taste or otherwise offensive to religious, racial or other social issues is allowed. Nursery or growing pots are not permitted. All yard ornaments are to be level, secured in place, and kept in clean and, if applicable, working condition. Flags and Holiday Décor & Holiday Lighting are separately addressed.

- d. Front Door Wreaths: Wreaths are permitted on the front door of any dwelling all year except that seasonal wreaths shall only be displayed during the allowable season timeframe (see holiday décor section). Artificial vegetation is permitted on front door wreaths only.
- e. Bench swings are only permitted in rear yards.
- f. Benches (other than a decorative bench) and other outdoor chairs or tables are not permitted in landscape beds in the front yard
- g. Mulch: Cypress mulch, pine bark or pine straw, earthtone or black rubber mulch or lava rock or red or white stone can be used for mulching of the plant beds. The mulch beds have to be kept weed free. Mulch that has been reduced due to erosion, rotting, or other factors, must be replenished in a timely manner. No bare dirt shall be visible around the plantings. Approved mulch types is to be used as a surrounding effect in the planting beds and is not to be used to replace the plants themselves.
- h. Dead trees and vegetation shall be removed immediately from the premises and properly disposed. Dead trees and vegetation must be replaced “like with like” within 30 days.
- i. Retaining walls: If a retaining wall was created with the initial development of a house, it cannot be removed, and must be kept in good repair. If a retaining wall is required to be added in the rear yard to create a level surface for pool construction, one may be added that is only as large as the area of the screen enclosure. All retaining walls must not impede or otherwise change the drainage of the property.
- j. Site distances at intersections: no landscaping, lawn ornament, fence or other obstruction shall be placed on a corner lot that will impede the site distance for any driver from any direction from which he is driving from or to. Existing trees shall be maintained and pruned to limit the impediment it would otherwise cause.
- k. Sprinklers are required per deed restrictions. They must be maintained in good working order.
- l. Artificial vegetation of any type is not allowed.
- m. Grass is to be St. Augustine sod throughout all yards. Any dead or weed-filled grass is to be replaced or treated in a timely manner. A minimum of 50% of each front yard lot must be grassed. Grass shall not be permitted to exceed 6” in height when measured from the top of the soil to the top of the highest portion of the plant. Grass shall not extend over concrete more than 2”. Lawns shall be kept free from weeds and shall be fertilized and watered as needed. Lawns shall be cut, trimmed, and edged in their entirety. Grass clippings shall be swept up or blown back into the yard. Clippings shall not be blown into the street.
- n. Trees: Each lot shall have not less than five (5) specimen hardwood trees on each lot. No Owner shall remove, damage, trim, prune or otherwise alter any tree in the Properties, the trunk of which tree is four (4) inches or more in diameter at a point four (4) feet above the adjacent ground level except as follows: (i) for normal and customary trimming and pruning which does not substantially alter the shape or configuration of the tree; (ii) with the express written consent of the Association; (iii) if trimming and pruning of such tree is necessary because the tree or a portion thereof creates an eminent danger to person or property and there is insufficient time to contact the Association for approval. Article VIII Section 16 states that it is the express intention that the trees existing on the Properties at the time of the recording of the Declaration, and those permitted to grow on the Properties after said time, be preserved and maintained as best as possible in their natural state and condition. All “street” trees and others adjacent to sidewalks shall be lifted (branches trimmed) to a minimum of 7’ where located over sidewalks and 12’ where located over streets. Branches below 5’ above grade shall be removed. No homeowner shall be permitted to plant trees which bear fruit or nuts, so as to be visible from the street or in a location where fruit or nuts will fall beyond the homeowner’s property line. All such trees shall be planted in the rear of the home, and shall only be allowed where the tree is surrounded by a fence.

- o. Vegetable gardens are only permitted within an approved screen enclosure.
- p. Applications for Florida Friendly Landscaping shall be submitted to the ACC for review (a special application form may apply), and such review shall utilize the following guidelines which are in accordance with the following: Guide to Florida Friendly Landscaping: Florida Yards & Neighborhoods Handbook available at [www.FloridaYards.org](http://www.FloridaYards.org) or [www.WaterMatters.org](http://www.WaterMatters.org) or <http://extension.ifas.ufl.edu>

#### A. Background

This addition to the Architectural Review Guidelines Manual is made to meet the legal intentions, to promote FL Friendly conditions, and to ensure aesthetic continuity within the community.

#### B. What is “Florida Friendly”?

“Florida friendly landscape” is one where the right plants are in the right place, watering is done efficiently, fertilizing is done appropriately, mulch is used, wildlife is attracted, yard pests are managed responsibly, yard waste is recycled, storm water runoff is significantly reduced, and the waterfront is protected from pollutants.

#### C. What is the intention of the law?

The FL Friendly landscape law encourages community associations to incorporate Florida Friendly principles into commonly managed properties and to encourage owners of private properties in the community to do the same. An association should provide guidelines to residents on how to incorporate FL Friendly principles without negatively impacting the aesthetic continuity of the association. The new statutes DO NOT cancel, negate or make invalid, community standards for appearance or provisions for water runoff established by the developer. There should be a sound understanding that FL Friendly Landscape is not “xeriscape” and it is not “rock and cacti”; it is a landscape developed through deliberate and thoughtful design. An association may continue to enforce its landscaping standards consistent with FL Friendly Landscaping concepts.

#### D. What is the impact on The Eagles deed restrictions, architectural standards, rules or regulations?

**Shrubs and Trees:** Existing Eagles standards neither prescribe nor proscribe shrubs or trees except for conservation area planting which must be consistent with EPC and SWFWMD which already promotes and requires FL Friendly planting activities. Some Villages may be more specific on amount of hardwood trees to be maintained on a lot and size and type of easement tree (“Easement” shall mean the area between the sidewalk and roadway which is the sole responsibility of the homeowner to maintain).

**Turf:** Existing Eagles standards do govern turf usage; the current standards already permit and/or require a turf identified as a FL Friendly turf – St. Augustine.

**Water:** Reclaimed water is available to all lot owners within The Eagles. Therefore maintaining a good working irrigation system and watering efficiently is achievable and promotes FL Friendly principles.

*Since these existing standards are already compliant with the spirit and the letter of the FL Friendly law, those previously enacted standards continue to apply and shall be upheld.*

#### E. New Landscape Guidelines effective May 23<sup>rd</sup>, 2013

These additions or changes to existing landscape standards have been made to promote FL Friendly landscaping:

1. Easements: The property between the sidewalk and the adjacent roadway on homeowners individual lots
  - a) This area shall be fully-sodded with approved turf with the following exceptions: (i) If applicable Village guidelines shall apply to Easement tree requirements; (ii) an area no larger than 2ft radius from the mailbox structure may be planted with plantings which shall be maintained continuously no higher than the bottom of the mailbox (subject to post office restrictions). All plantings or installations within the easement area require ACC approval.
2. Yard areas adjacent to a roadway (e.g. front and side yards): The landscape area inside the sidewalk and driveway and the house on homeowners individual lots

- a) This area shall be no less than 50% sod. Other than pre-existing trees, the area adjacent to the interior side of the sidewalk should be fully sodded at a minimum width equal to the width of the sidewalk e.g. planting beds not permitted within 4 feet of sidewalk.
3. Yard areas not adjacent to a roadway (e.g. side and back yards): The landscape area located in the side and backyards which are not visible from the street on homeowners individual lots
  - a) Homeowners may follow the Covenants and Landscaping Guidelines and Fl. Friendly Landscaping principles. But in no case may the homeowner:
    - (i) increase the storm water runoff of the property, alter the government approved drainage pattern, or force water onto adjacent properties;
    - (ii) have dirt areas except that plant and play equipment areas are permitted but must be mulched;
4. Irrigation supply lines on homeowners individual lots
  - a) Drip lines must be hidden. Watering hoses must be removed from view after use or maintained on a hose tidy secured to the side of the home.
5. Easement Hardscape on easement area under homeowner's responsibility
  - a) NO permanently poured hardscape is allowed in easement areas (driveway section in easement and c) below are areas excluded from this restriction. This hardscape is not compatible with the roots of most hardwood trees;
  - b) NO hardscape such as boulders, benches, vases and similar are permitted within the easement area. These hardscape items pose a liability to individual homeowners;
  - c) A 6" high border is allowed around the 2ft radius plant area surrounding the mail post
6. Rain Barrels on homeowners individual lots
  - a) One rain barrel per lot is permitted in a fenced in rear yard contingent that ACC approval has been secured and that it shall not be visible to neighboring properties. Rain barrels must match the color of the house or be neutral in color. Rain barrels must be maintained in a manner that does not create a condition capable of breeding mosquitoes, so as not to constitute a health or nuisance problem.
7. Composting on homeowners individual lots
  - a) Compost bins are permitted contingent they are located in the rear yard in an area as unobtrusive as possible. No more than 2 compost bins are permitted per lot. All plant material discards shall follow all applicable state and local ordinances. Bins must be maintained odor free and in accordance with recommendations found in the referenced sources. ACC approval is required for compost bins.
8. Plant/Shrub Density in plant beds on homeowners individual lots
  - a) All plants beds must be planted with at least one plant (not including annuals) for every 6 square feet. Groundcover must be spaced using the densest recommended spacing for a particular groundcover, to cover the bare surface the quickest and prevent erosion.
9. Mulch on homeowners individual lots
  - a) All plant beds must be kept mulched with clean, organic mulch at the depth recommended for the particular soil conditions. The proper amount of mulch (2" to 3" deep) will suppress weeds, conserve water, maintain soil temperatures, and improve soil composition as it decomposes. It will also give the landscape a "finished" look.
10. Turf clippings from homeowners individual lots
  - a) Unless the turf is diseased, turf clippings shall be left on turf areas or composted on-site to recycle nutrients.
  - b) Any clippings or landscape material that fall on impervious surfaces such as sidewalks, driveways or roads shall be swept onto turf areas or composted.
  - c) Turf clippings or landscape material shall not be deposited in any swales, storm drains or water bodies.
  - d) Homeowners shall not sweep or blow organic debris, such as leaves or grass into roadways, storm drains, curbs or water bodies.
11. Invasive Plants: invasive plants as determined by <http://extension.ifas.ufl.edu> are not permitted to be planted on individual lots.

## 12. Hurricane Shutters

To accommodate easy installation of hurricane protection materials, permanently installed anchoring bolts and/or trackings are permitted if painted the same color of the house surface to which they are installed. Other permanently installed hurricane shutters or similar for window protection must be approved by the ACC except that accordion style hurricane shutters are permitted to be installed permanently on homes with the following conditions:

- a) Approval is obtained
- b) The shutters are manufactured to the exact shape and size of each window they will protect.
- b) The color complements the home exterior colors.
- c) The shutters are maintained in a mildew-free condition.
- d) The shutters must be kept in the open position.

Approved shutters may only be in the closed position from a named storm warning through to the end of a named storm. Any covering used to attach to the allowable bolts and/or trackings during a named storm warning must be stored out of sight by the homeowner after the threat of the named storm. Plywood protection may only be used in accordance with The Eagles Master Restriction see Covenants Article III Section 22.



Acceptable: anchor bolts permanently attached to home



Unacceptable: plastic panels permanently attached to home.

## 13. Detached accessory structures: (generally all separate structures are not permitted)

- a. Storage: not allowed
- b. Guest houses: not allowed
- c. Detached garages: not allowed
- d. Gazebos, trellis structures, pool cabanas not permitted unless within a screen enclosure.
- e. Tents, shacks, barns, utility sheds or detached buildings: not allowed permanently or temporarily at any time.

## 14. Play equipment and structures; Playhouses and Trampolines

- a. Swing sets/play complexes/playhouses/trampolines/jungle gyms: all are not permitted in front yards. They are permitted at the rear of the home except not in drainage or other easements that exist on the property. For homes located on a corner lot, play equipment, playhouses and trampolines shall only be located on the interior-most side of the back yard (the side farthest from the street). No part of the play equipment structure or trampoline shall be higher than twelve (12) feet from the original lot grade. The combined support beams may not exceed fourteen (14) feet in length. No platform shall be higher than five (5) feet from the original grade at rest. The total platform area may not exceed 6'x6' or 36 sq. ft. in area. Playhouses must not exceed 70"x54"x71" in size and must be wood/or a combination of wood and wood composite only in natural wood colors. Only commercially available/manufactured playhouses are permitted. Play equipment and playhouses must be maintained in good condition and appearance at all times. The equipment must be compliant with the safety regulations at the time of purchase, and maintained in such a manner. Landscaping or fencing may be required. A



waiver to exclude Association liability shall apply during the approval process for these units (see Form).

Bench swings are only permitted in rear yards.

- b. Tree houses: not allowed
- c. Skateboard ramps/Portable hockey goals/Other gaming equipment: must only be used within the confines of a driveway and are to be removed from public view when not in use.
- d. Basketball hoop: One portable basketball hoop is permitted per lot with the following stipulations: they must not be located to promote play in the street or hinder sidewalk access; they must be maintained in like-new condition at all times and must be stored away during the time of an imminent severe storm. No exterior base weighting is permitted for basketball hoops displayed in public view. Pre-approved anchoring is as follows (*updated June 2022*) All other anchoring/weighting requires approval:



15. Miscellaneous (*updated February 2022*)

- a. Window air conditioning units are not allowed at any time except during power outages when generators' power is activated. Windows least visible from street view are preferred to be used and window air conditioning units must be promptly removed once power is restored.
- b. House numbers must be affixed to the front façade of the house visible from the street in compliance with the 911 Street Number Ordinance.
- c. Above-ground propane tanks and generators must be landscaped from street view.
- d. Permanent Fire Pits

Approval is required and submissions must show the proposed location, provide dimensions of the proposed features to all property lines and structures, show that proposed item is in compliance of required clearances to combustible construction and show the proposed dimensions of the fire pit.

  - Are permitted in rear yard only.
  - Must comply with the Rear Yard Setback requirement (ten feet (10') of a rear lot line).
  - They are not permitted to be installed within an easement.
  - Fire Pits are intended for recreational use and shall be limited to clean wood, gas or charcoal fuel.

- The fuel area of a wood burning recreational fire pit is limited to 3 feet in diameter and 2 feet in height.
- Materials used must be rated to withstand heat.
- The floor of the pit should be comprised of heat resistant ceramic brick.
- Walls should use the same type of brick but may be clad with a stone or brick veneer.
- Wood and charcoal fueled fire pits must have a screen cover over the flame when in use to suppress flying embers.
- Wood and charcoal fueled fire pits must not be located closer than 25 feet to a structure or combustible material.
- A garden hose or type 4-A extinguisher is required to be located in the vicinity of the fire pit.
- At no time shall fire pits be used to burn trash, leaves, garbage, household refuse, tree limbs, yard waste, or yard debris.
- Prohibited Burning - Burning that is offensive or objectionable due to smoke or odor emissions shall be prohibited.
- The use of fire pits utilizing wood or charcoal shall be prohibited within 30 feet of any forest, grasslands, woods, conservation areas, wetlands or marsh areas in The Eagles.

#### 16. Fences, Walls or Hedges:



Fence restriction/resolution – Refer to exhibit

- a. No fence shall front a golf course or pond/waterway except that a fence may extend off a screen enclosure facing the golf course or pond/waterway if the screen enclosure is more than 20ft from the golf course and or pond/waterway. Side property line fencing may be installed 20ft from the golf course and or pond/waterway. If a home does not front a pond/waterway or golf course then fencing may extend from the most recessed front building line, along the side property lines to the rear property line except corner lots (see fence locations exhibit).
- b. Except as to fences, walls or hedges originally constructed or planted by U.S. Homes, no fences, walls or hedges of any nature may be erected, constructed or maintained upon any Lot within any areas of a Lot designated as “areas where fences are prohibited” in Exhibit.
- c. No fence, wall or hedge may be permitted on any lot in front of the front or side street building line.
- d. PVC (color is also subject to approval) or anodized aluminum fencing is preferred. Chain link fencing is not permitted.
- e. If wooden fence is approved it must sealed with a clear coat seal or stained a natural wood color within 6 months of installation and must be resealed or restained once every 18months.
- f. No chain link fences are permitted.
- g. Fences may not be higher than six (6) feet.
- h. Fencing for lots abutting Nine Eagles Drive must be privacy style white vinyl i.e. identical to what is existing (in style and height).
- i. No hedging is permitted front of the home building line. Hedging alongside homes shall not exceed 1’ higher than the utilities installed on the sides of homes. All hedges on or close to a side property line or behind a screen enclosure must be maintained 6’ or less in height.
- j. Fencing must be maintained in plumb and good condition at all times.
- k. The good side of the fence must face outwards.
- l. No double fencing is allowed. Double fencing shall be defined as parallel fencing that is less than three (3) feet apart. Parallel fencing shall not be permitted if installed less than three (3) feet apart.



- m. All corner lots which back onto a developed or buildable lot shall adhere to the fence location exhibit stipulating 5' off the far house corner. Allowance, subject to size of side yard facing the corner, may be granted to corner lots which do not back onto a developed or buildable lot.

Exhibit "A" – Fence Locations



**RESOLUTION OF THE BOARD OF DIRECTORS AND  
ARCHITECTURAL CONTROL COMMITTEE  
OF  
EAGLES MASTER ASSOCIATION, INC.**

**WITNESSETH:**

WHEREAS, Article III, Section 8 of the Declaration provides that no fence, wall or hedge shall front a golf course, lake or pond, but in side fences are allowed; and

WHEREAS, Article III, Section 8 of the Declaration regulates fences along golf courses, lakes or ponds; and

WHEREAS, the set back from the pond, lake and golf course is 20 feet from the frontage of the pond, lake or golf course; and

WHEREAS, the Board of Directors and Architectural Control Committee have adopted an interpretation of the documents as they relate to this issue:

NOW THEREFOR, the Board and Architectural Control Committee resolve as follows:

1. The above recitations are true and correct and are incorporated herein.
2. Attached hereto as Exhibit "A" is a drawing which shows the areas in which a fence may be allowed and is not allowed as it relates to the language concerning fences on the frontage of ponds, lakes and the golf course. Said drawing is hereby adopted as the standard by which all fences will be analyzed as it relates to this issue.

IN WITNESS WHEREOF, the Board and Architectural Control Committee have respectively approved of this resolution at independent meetings thereof as shown in the minutes of said Committee and the Board.

| Pond /Lake /Golf Course           |                                |   |
|-----------------------------------|--------------------------------|---|
|                                   | +                              | + |
|                                   | +                              | + |
|                                   | +                              | + |
| I NO FENCES ALLOWED ON FRONTAGE I |                                |   |
| I                                 |                                | I |
| I                                 | side fences only are allowed   | I |
| I                                 | within 20ft from rear lot line | I |

## Pre-Approved House Colors

Sherwin William reference numbers are used but Owners are under no obligation to use this product – all paint suppliers are able to match suppliers' colors.

| Body/Trim | Body/Trim | Body/Trim | Body/Trim<br>T=trim only | Body/Trim | Body/Trim |
|-----------|-----------|-----------|--------------------------|-----------|-----------|
| SW 6385   | SW 7042   | SW 7104   | SW 6029                  | SW 6075   | SW 6120   |
| SW 6119   | SW 7043   | SW 7105   | SW 6030                  | SW 6077   | SW 6121   |
| SW 7000   | SW 7044   | SW 7106   | SW 6031                  | SW 6078   | SW 6122   |
| SW 7001   | SW 7045   | SW 7114   | SW 6032                  | SW 6079   | SW 6123   |
| SW 7002   | SW 7046   | SW 7115   | SW 6033                  | SW 6080   | SW 6124   |
| SW 7003   | SW 7047   | SW 7116   | SW 6035                  | SW 6081   | SW 6125   |
| SW 7004   | SW 7049   | SW 7117   | SW 6036                  | SW 6082   | SW 6126   |
| SW 7005   | SW 7050   | SW 7118   | SW 6037                  | SW 6083   | SW 6127   |
| SW 7006   | SW 7051   | SW 7119   | SW 6038                  | SW 6084   | SW 6128   |
| SW 7007   | SW 7052   | SW 7120   | SW 6039                  | SW 6085   | SW 6129   |
| SW 7008   | SW 7053   | SW 7121   | SW 6040                  | SW 6086   | SW 6130   |
| SW 7009   | SW 7054   | SW 7122   | SW 6042                  | SW 6087   | SW 6131   |
| SW 7010   | SW 7056   | SW 7123   | SW 6043                  | SW 6088   | SW 6132   |
| SW 7011   | SW 7057   | SW 7124   | SW 6044                  | SW 6089   | SW 6133   |
| SW 7012   | SW 7058   | SW 7125   | SW 6045                  | SW 6091   | SW 6134   |
| SW 7013   | SW 7059   | SW 7126   | SW 6046                  | SW 6092   | SW 6135   |
| SW 7014   | SW 7060   | SW 7127   | SW 6047                  | SW 6093   | SW 6136   |
| SW 7015   | SW 7061   | SW 6000   | SW 6049                  | SW 6094   | SW 6137   |
| SW 7016   | SW 7063   | SW 6001   | SW 6050                  | SW 6095   | SW 6138   |
| SW 7017   | SW 7064   | SW 6002   | SW 6051                  | SW 6096   | SW 6140   |
| SW 7018   | SW 7065   | SW 6003   | SW 6052                  | SW 6098   | SW 6141   |
| SW 7019   | SW 7066   | SW 6004   | SW 6053                  | SW 6099   | SW 6142   |
| SW 7021   | SW 7067   | SW 6005   | SW 6056                  | SW 6100   | SW 6143   |
| SW 7022   | SW 7068   | SW 6007   | SW 6057                  | SW 6101   | SW 6144   |
| SW 7023   | SW 7070   | SW 6008   | SW 6058                  | SW 6102   | SW 6145   |
| SW 7024   | SW 7071   | SW 6009   | SW 6059                  | SW 6103   | SW 6146   |
| SW 7025   | SW 7072   | SW 6010   | SW 6060                  | SW 6105   | SW 6147   |
| SW 7026   | SW 7073   | SW 6011   | SW 6061                  | SW 6106   | SW 6148   |
| SW 7028   | SW 7074   | SW 6012   | SW 6062 (T)              | SW 6107   | SW 6149   |
| SW 7029   | SW 7075   | SW 6014   | SW 6063                  | SW 6108   | SW 6150   |
| SW 7030   | SW 7077   | SW 6015   | SW 6064                  | SW 6109   | SW 6151   |
| SW 7031   | SW 7078   | SW 6016   | SW 6065                  | SW 6110   | SW 6152   |
| SW 7032   | SW 7079   | SW 6017   | SW 6066                  | SW 6111   | SW 6154   |
| SW 7033   | SW 7080   | SW 6018   | SW 6067                  | SW 6112   | SW 6155   |
| SW 7035   | SW 7081   | SW 6021   | SW 6068 (T)              | SW 6113   | SW 6156   |
| SW 7036   | SW 7082   | SW 6022   | SW 6070                  | SW 6114   | SW 6157   |
| SW 7037   | SW 7100   | SW 6023   | SW 6071                  | SW 6115   | SW 6158   |
| SW 7038   | SW 7101   | SW 6024   | SW 6072                  | SW 6116   | SW 6159   |
| SW 7039   | SW 7102   | SW 6025   | SW 6073                  | SW 6117   | SW 6161   |
| SW 7040   | SW 7103   | SW 6028   | SW 6074                  | SW 6119   | SW 6162   |

| Body/Trim | Body/Trim | Body/Trim | Body/Trim | Body/Trim |  |
|-----------|-----------|-----------|-----------|-----------|--|
| SW 6163   | SW 6206   | SW 6336   | SW 6379   | SW 6673   |  |
| SW 6164   | SW 6207   | SW 6337   | SW 6380   | SW 6674   |  |
| SW 6165   | SW 6210   | SW 6338   | SW 6381   | SW 6675   |  |
| SW 6168   | SW 6211   | SW 6339   | SW 6382   | SW 6679   |  |
| SW 6169   | SW 6212   | SW 6340   | SW 6385   | SW 6680   |  |
| SW 6170   | SW 6213   | SW 6343   | SW 6386   | SW 6681   |  |
| SW 6171   | SW 6214   | SW 6344   | SW 6387   | SW 6682   |  |
| SW 6172   | SW 6222   | SW 6345   | SW 6388   | SW 6686   |  |
| SW 6173   | SW 6231   | SW 6350   | SW 6389   | SW 6687   |  |
| SW 6175   | SW 6232   | SW 6351   | SW 6390   | SW 6688   |  |
| SW 6176   | SW 6233   | SW 6352   | SW 6392   | SW 6693   |  |
| SW 6177   | SW 6234   | SW 6353   | SW 6393   | SW 6694   |  |
| SW 6178   | SW 6235   | SW 6354   | SW 6394   | SW 6695   |  |
| SW 6179   | SW 6245   | SW 6357   | SW 6395   |           |  |
| SW 6182   | SW 6246   | SW 6358   | SW 6644   |           |  |
| SW 6183   | SW 6247   | SW 6359   | SW 6645   |           |  |
| SW 6184   | SW 6248   | SW 6360   | SW 6646   |           |  |
| SW 6185   | SW 6249   | SW 6361   | SW 6647   |           |  |
| SW 6186   | SW 6252   | SW 6362   | SW 6651   |           |  |
| SW 6189   | SW 6253   | SW 6364   | SW 6652   |           |  |
| SW 6190   | SW 6254   | SW 6365   | SW 6653   |           |  |
| SW 6191   | SW 6255   | SW 6366   | SW 6654   |           |  |
| SW 6192   | SW 6256   | SW 6367   | SW 6658   |           |  |
| SW 6193   | SW 6259   | SW 6368   | SW 6659   |           |  |
| SW 6196   | SW 6260   | SW 6369   | SW 6660   |           |  |
| SW 6197   | SW 6261   | SW 6371   | SW 6661   |           |  |
| SW 6198   | SW 6262   | SW 6372   | SW 6665   |           |  |
| SW 6199   | SW 6273   | SW 6373   | SW 6666   |           |  |
| SW 6200   | SW 6274   | SW 6374   | SW 6667   |           |  |
| SW 6203   | SW 6275   | SW 6375   | SW 6668   |           |  |
| SW 6204   | SW 6276   | SW 6376   | SW 6669   |           |  |
| SW 6205   | SW 6277   | SW 6378   | SW 6672   |           |  |

The following colors were added July 11, 2023:

The following HGSW colors were added to the preapproved color wheel:

HGSW #

1446 Latitude

1447 Olympus White

1455 Saxon Grey

1456 Stone Eagle

1457 Icicle (SW6238)

1501 Wormwood

1507 Lapland Ice

2445 Intuitive Gray


2446 Essential Shade

2452 Minimalist Grey

2453 Kinley Gray  
2454 Fawn Brindle  
2455 Into the Gloaming  
2456 Gracious Greige  
2457 Basalt Powder  
2473 Lite Ledgestone  
2474 Terminal Taupe  
2495 Lambskin Beige  
2496 Bungalow Beige  
2497 Calico Cream  
3036 Sweet Beige  
3037 Soft Putty  
3045 Carlsbad Bluff  
3047 Pink Phenomenon  
3055 Intimate Tan  
3056 Classic Beige  
3065 Baltic Birch  
3066 Social Call  
3067 White Timbre  
3075 Serene Tan  
3076 Quiet Moments  
3095 Tweed Jacket  
3096 Straw Tote  
3097 Hit the Beach  
3125 Trailside Tan  
3126 Naturelle  
3127 Laid-Back Beige  
3135 Dry Creek  
3136 Almeria  
3137 Almondine  
3155 Tangled Tan  
3156 Cloth & Stone  
3157 Vanilla Sugar  
3445 Stone Lion  
3446 Loggia  
3447 Sackcloth  
3495 Woolen Cap  
3496 Woodsmoke = total of 48 colors


- Pre-approved colors receive immediate approval
- Paint colors which are not pre-approved must be reviewed by the ACC (2'x2' sample swatches must be painted on a visible portion of the house for ACC review)
- Garage doors must be painted the approved body or trim color (or white)
- Front doors may be painted a complementing accent color (orange, purple, pink etc are not approved)
- Onus is on homeowner to ensure that the chosen colors are not repeated within a 4 house radius
- House numbers must be re-installed on the home after painting

ACCEPTABLE STANDARD AS ORIGINALLY INSTALLED BY DEVELOPER IN MOST VILLAGES  
The Eagles Mailbox Specifications






**Option #1**



5' x 5' x 6' PVC post (White)  
5' x 5' PVC arm (White)  
T-1 Aluminum mailbox with red flag (White)  
New England PVC Finial and End Caps (White)  
Green/White vinyl address plaque & logo

\$130.00 FOR ORDERS 10 OR MORE  
\$185.00 FOR ORDERS OF 1-9 UNITS  
PRICE INCLUDES TAX, INSTALLATION  
& REMOVAL OF EXISTING MAILBOXES OR POSTS


**Option #2**



4' x 4' x 6' square aluminum (White)  
4' x 4' square aluminum arm (White)  
T-1 Aluminum mailbox with red flag (White)  
New England PVC Finial and End Caps (White)  
Green/White vinyl address plaque & logo

\$190.00 FOR ORDERS 10 OR MORE  
\$225.00 FOR ORDERS OF 1-9 UNITS  
PRICE INCLUDES TAX, INSTALLATION  
& REMOVAL OF EXISTING MAILBOXES OR POSTS

**Option #3**



4' x 4' x 6' PT posts (White)  
4' x 4' PT arm (White)  
T-1 Aluminum mailbox with red flag (White)  
Logo & address numbers routed into post & arm

\$280.00 FOR ORDERS 10 OR MORE  
\$380.00 FOR ORDERS OF 1-9 UNITS  
PRICE INCLUDES TAX, INSTALLATION  
& REMOVAL OF EXISTING MAILBOXES OR POSTS

Please look over this proof carefully. Checking sizes, colors, spelling, logo (if used), materials, quantities, and any other specifications noted for accuracy. Your artwork will be manufactured according to the exact specifications on this approval sheet. Please sign below if all address meet your approval.

☐ This layout is approved as is  
☐ This layout is approved with changes noted  
☐ New proof needed

I have read and checked all of the above information and specifications of the job and approve and accept financial responsibility for the same.

Approved: \_\_\_\_\_  
Date: \_\_\_\_\_

**Creative Mailbox Designs, LLC Service Agreement**

Creative Mailbox Designs, LLC commits to install this product within 4 weeks of customer approval and receipt of an approved site plan from the US Postal Service. If approved site plan is not received, any orders called in will be processed, however, customer will be responsible for any relocation charge mandated by the U.S. postal service. We will accommodate requests for earlier product installation and/or installation of temporary mailboxes but these requests may be subject to a minimum trip charge of \$50.

Contact management to obtain an order form for the above PVC standard mailbox & post

### FOR SALE/FOR RENT SIGN STANDARD & SPECS



### **Indemnity and Hold Harmless Agreement**

This Indemnity and Hold Harmless Agreement ("Agreement") is entered into by and between:

\_\_\_\_\_  
("Owner")

\_\_\_\_\_  
(print name and address)

and The Eagles Master Association, Inc. & Village of \_\_\_\_\_

on \_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_ for the purpose of approving the installation of the following recreational equipment fully within the boundaries of Owner's Lot:

\_\_\_\_\_  
("Recreational Equipment").

In consideration for receiving permission to install the Recreational Equipment from The Eagles Master Association, Inc. & applicable Village Association, Owner agrees:

1. That he/she is solely responsible and liable for all maintenance, repairs and upkeep of the Recreation Equipment.
2. To indemnify, hold harmless and to assume all liability for death or injury to any persons and all liability for loss, damage, or injury to any property incurred or sustained by reason of, arising from, growing out of or resulting from Owner's installation of the Recreation Equipment or any person's use of the Recreation Equipment, including costs, attorney's fees, and other expenses incurred by The Eagles Master Association, Inc. and/or applicable Village Association in defending any such claim.
3. Owner waives and releases all claims against The Eagles Master Association, Inc. and/or applicable Village Association, its officers, directors, agents, employees, and servants, and agrees that they shall not be liable for injury to any person or damage to any property sustained by Owner or by any other person resulting directly or indirectly from the installation of the Recreation Equipment, the use of the Recreation Equipment, the present or future condition of the Recreation Equipment, any defect, matter, or thing in the Recreation Equipment (or any part of it) or from its equipment or appurtenance which becomes out of repair, or from any occurrence, act, negligence or omission of the Owner or any user of the Recreation Equipment or of any other person related in any way to the Recreation Equipment.

Further it is understood and agreed that the approval of The Eagles Master Association and/or applicable Village Association for the installation of the Recreational Equipment shall not constitute or be construed as The Eagles Master Association, Inc. and/or applicable Village Association making any representation, guarantee, comment or warranty as to the safety of the Recreational Equipment, compliance with any applicable law or regulation as to the use or installation of the Recreational Equipment, or the fitness of the Recreational Equipment for any purpose.

In the event that either party to this agreement files suit in a court of law to interpret or enforce the terms of this Agreement, the party prevailing in such action shall be entitled to attorney's fees and costs.

For the Board of Directors of  
The Eagles Master Association, Inc.

For the Board of Directors of  
Village \_\_\_\_\_

\_\_\_\_\_  
"Owner"

\_\_\_\_\_  
(print name and title)

\_\_\_\_\_  
(print name and title)

\_\_\_\_\_  
(print name)

\_\_\_\_\_  
(signature)

\_\_\_\_\_  
(signature)

\_\_\_\_\_  
(signature)