



WIND RIVER



WIND RIVER

At Wind River, our mission is to craft ceiling fans that combine thoughtful design, innovative materials, and dependable performance—delivering lasting comfort and style to every home.

Feel the breeze...






Easily manage fan speed, lighting, and more from your smartphone, Amazon Alexa, or Google Assistant.



Hey Google



SmartThings



Symbol Guide



Smart Fan Technology

Smart fans are equipped with a Smart by Bond™ receiver with built-in Wi-Fi, allowing control through the Bond Home app and compatibility with Amazon Alexa, Google Home, and Samsung SmartThings.



DC Motors

Ceiling fans equipped with DC motors offer exceptionally quiet operation and are up to 70% more energy efficient than traditional AC motor ceiling fans.



Damp Rated

Damp rated ceiling fans are designed for use in high-humidity environments such as covered porches, patios, and sunrooms. These fans are suitable for areas exposed to moisture and condensation but should not be installed in direct contact with water or rain.



Wet Rated

Wet rated ceiling fans are designed for outdoor environments where direct exposure to moisture is possible, such as pergolas and open porches. These fans are built to withstand rain and water exposure when installed in appropriate outdoor locations.



CCT LED

Correlated Color Temperature (CCT) LED lighting allows users to adjust the light color of the ceiling fan to match existing lighting throughout the home (warm, neutral, or cool white).




Integrated LED


Integrated LED light sources provide high energy efficiency, long service life, and dimmable illumination, delivering reliable lighting without the need for traditional light bulbs.

CCT LED

Our CCT LED offers three fixed color temperature options along with full-range dimming, making it easy to tailor the lighting to your space. Choose the warmth or coolness that best suits your décor, coordinates with existing fixtures, or enhances comfort throughout the day.




Room Size




Room Size: 100 square feet or less

Blade Sweep: 44”- 52”



Room Size: 100 - 150 square feet

Blade Sweep: 52”- 62”




Room Size: 150 square feet or greater

Blade Sweep: 62”- 80”

Downrod Length

Ceiling Height	Downrod Length
20 ft	72 in
18 ft	60 in
16 ft	48 in
14 ft	36 in
12 ft	24 in
10 ft	18 in
9 ft	12 in
8 ft	Included Downrod or Flushmount



Visual Index

AERIS

WR1602 - PG. 68



AERIS JOB

WR1603 - PG. 70



ARMAND

WR2056 - PG. 30



ATLAS

WR2119 - PG. 26



COLDWATER

WR2028 - PG. 32



CONCHO

WR2306 - PG. 10



CYLON

WR1638 - PG. 56



DALTON

WR1422 - PG. 82



DALTON

WR1423 - PG. 86



DALTON

WR1472 - PG. 84



DALTON

WR1972 - PG. 90



DALTON

WR2123 - PG. 88



DELTA

WR2118 - PG. 28



DROID LED

WR1462 - PG. 52



DROID XL

WR1697 - PG. 54



Visual Index

ELAN

WR1760 - PG. 46



ELLISON

WR2260 - PG. 14



ELLISON

WR2280 - PG. 16



EXO

WR1755 - PG. 48



FRIIO

WR2225 - PG. 78



FRISCO

WR1453 - PG. 94



JOPLIN

WR1520 - PG. 76



KURVE

WR1804 - PG. 40



McKENZIE

WR2009 - PG. 36



MODELO

WR1426 - PG. 92



NEOPOLIS

WR1473 - PG. 60



NEOPOLIS

WR1476 - PG. 58



NIVA

WR1746 - PG. 50



NOLAN

WR2014 - PG. 72



NOVATO

WR1466 - PG. 62



Visual Index

PECOS

WR2024 - PG. 80



REYA

WR1765 - PG. 44



RICHLAND

WR2120 - PG. 24



RYAN

WR2115 - PG. 74



SIRIUS

WR2010 - PG. 34



SOLERO

WR1440 - PG. 66



SORA

WR1766 - PG. 42



SWEETWATER

WR2305 - PG. 12



THE MINI

WR2008 - PG. 38



VICE

WR2252 - PG. 18



WILLOW

WR1801 - PG. 20



WILLOW XL

WR2121 - PG. 22



ZORION

WR1464 - PG. 64



Visual Index

DOWNRODS

PG. 101



FINISHES

PG. 100



HARDWIRED CONTROLS

PG. 97



LIGHT KITS

PG. 98



REMOTE CONTROLS

PG. 96



SLOPE ADAPTERS


PG. 100





CONCHO

56" Indoor LED Smart Ceiling Fan

MOTOR SIZE	DC — 145 x 18
CFM (Max)	5600
BLADE PITCH	13°
LUMENS	1350
LIGHT SOURCE	17W — 3000K LED
REVERSE TYPE	Remote Reverse
CONTROL TYPE	Handheld Remote Control
CEILING DROP DIMENSIONS	 A: 10.6" B: 8.4" C: 6.3"
LOCATION RATING	Dry Rated



WR2306MB || Matte Black Finish | Matte Black Blades



WR2306MW || Matte White Finish | Matte White Blades






SWEETWATER

44" Indoor LED Ceiling Fan

MOTOR SIZE	AC — 153 x 12
CFM (Max)	2600
BLADE PITCH	12°
LUMENS	1190
LIGHT SOURCE	17W — 3000K LED
REVERSE TYPE	Manual Reverse
CONTROL TYPE	Dual Fan and Light Wall Control (WSC4403W)

CEILING DROP DIMENSIONS



LOCATION RATING

Dry Rated



WR2305MB || Matte Black Finish | Reversible Matte Black / Espresso Blades



WR2305MW || Matte White Finish | Reversible Matte White / Vintage Oak Blades




WR2305N || Nickel Finish | Reversible Silver / Vintage Oak Blades






ELLISON

60" Indoor/Outdoor LED Smart Ceiling Fan

MOTOR SIZE	DC — 172 x 25
CFM (Max)	6200
BLADE PITCH	12°
LUMENS	2054
LIGHT SOURCE	30W — 3000K LED
REVERSE TYPE	Remote Reverse
CONTROL TYPE	Handheld Remote Control
CEILING DROP DIMENSIONS	 A: 15.1" B: 11.1" C: 10.2" D: 6.1"
LOCATION RATING	Wet Rated



WR2260MB || Matte Black Finish | Matte Black Blades




WR2260MW || Matte White Finish | Matte White Blades





ELLISON XL


80" Indoor/Outdoor LED Smart Ceiling Fan

MOTOR SIZE	DC — 172 x 25
CFM (Max)	8547
BLADE PITCH	12°
LUMENS	2054
LIGHT SOURCE	30W — 3000K LED
REVERSE TYPE	Remote Reverse
CONTROL TYPE	Handheld Remote Control
CEILING DROP DIMENSIONS	 A: 15.1" B: 10.2" C: 10.2" D: 6.1"
LOCATION RATING	Wet Rated





WR2280MB || Matte Black Finish | Matte Black Blades




WR2280MW || Matte White Finish | Matte White Blades





VICE

52" Indoor/Outdoor CCT LED Ceiling Fan

MOTOR SIZE	AC — 153 x 15
CFM (Max)	4614
BLADE PITCH	10°
LUMENS	4614
LIGHT SOURCE	18W — 3000K, 4000K, 5000K CCT LED
REVERSE TYPE	Manual Reverse
CONTROL TYPE	Handheld Remote Control
CEILING DROP DIMENSIONS	 A: 14.0" B: 11.1" C: 7.2" D: 6.1"
LOCATION RATING	Wet Rated



WR2252MB || Matte Black Finish | Matte Black Blades



WR2252MW || Matte White Finish | Matte White Blades




WR2252PBN || Painted Brushed Nickel Finish | Silver Blades





WILLOW

60" Indoor/Outdoor LED Smart Ceiling Fan

MOTOR SIZE	DC — 172 x 12
CFM (Max)	6131
BLADE PITCH	Variable Pitch Blades
LUMENS	1368
LIGHT SOURCE	17W — 3000K LED
REVERSE TYPE	Remote Reverse
CONTROL TYPE	Handheld Remote Control
CEILING DROP DIMENSIONS	 A: 13.7" B: 10.6" C: 7.5" D: 6.1"
LOCATION RATING	Wet Rated



WR1801MB || Matte Black Finish | Matte Black Blades



WR1801MBVO || Matte Black Finish | Vintage Oak Blades




WR1801NWAL || Nickel Finish | Walnut Blades





WILLOW XL

70" Indoor/Outdoor LED Smart Ceiling Fan

MOTOR SIZE	DC — 172 x 25
CFM (Max)	7667
BLADE PITCH	Variable Pitch Blades
LUMENS	1368
LIGHT SOURCE	17W — 3000K LED
REVERSE TYPE	Remote Reverse
CONTROL TYPE	Handheld Remote Control
CEILING DROP DIMENSIONS	 A: 14.2" B: 11.7" C: 7.5" D: 6.3"
LOCATION RATING	Wet Rated



WR2121MB || Matte Black Finish | Matte Black Blades



WR2121MBVO || Matte Black Finish | Vintage Oak Blades




WR2121NWAL || Nickel Finish | Walnut Blades






RICHLAND

65" Indoor/Outdoor LED Smart Ceiling Fan

MOTOR SIZE	DC — 172 x 25
CFM (Max)	6634
BLADE PITCH	10°
LUMENS	1264
LIGHT SOURCE	17W — 3000K LED
REVERSE TYPE	Remote Reverse
CONTROL TYPE	Handheld Remote Control
CEILING DROP DIMENSIONS	 A: 13.2" B: 9.4" C: 7.3" D: 5.9"
LOCATION RATING	Damp Rated



WR2120MB || Matte Black Finish | Matte Black Blades



WR2120MW || Matte White Finish | Matte White Blades




WR2120TB || Textured Brown Finish | Brown Blades





ATLAS

52" Indoor CCT LED Ceiling Fan

MOTOR SIZE	AC — 153 x 17
CFM (Max)	4402
BLADE PITCH	13.5°
LUMENS	1355
LIGHT SOURCE	18W — 3000K, 4000K, 5000K CCT LED
REVERSE TYPE	Manual Reverse
CONTROL TYPE	Handheld Remote Control
CEILING DROP DIMENSIONS	 A: 14.1" B: 12.3" C: 8.2" D: 5.9"
LOCATION RATING	Dry Rated



WR2119BB || Brushed Brass Finish | Matte Black Blades



WR2119MB || Matte Black Finish | Matte Black Blades




WR2119MW || Matte White Finish | Matte White Blades






DELTA

52" Indoor/Outdoor LED Smart Ceiling Fan

MOTOR SIZE	AC — 153 x 17
CFM (Max)	4594
BLADE PITCH	Variable Pitch Blades
LUMENS	1345
LIGHT SOURCE	17W — 3000K LED
REVERSE TYPE	Manual Reverse
CONTROL TYPE	Handheld Remote Control
CEILING DROP DIMENSIONS	 A: 9.5" B: 8.4" C: 7.9"
LOCATION RATING	Damp Rated



WR2118MB || Matte Black Finish | Matte Black Blades



WR2118MBWAL || Matte Black Finish | Walnut Blades



WR2118MW || Matte White Finish | Matte White Blades




WR2118NWAL || Nickel Finish | Walnut Blades





ARMAND

56" Indoor CCT LED Ceiling Fan

MOTOR SIZE	AC — 172 x 16
CFM (Max)	5162
BLADE PITCH	12°
LUMENS	836
LIGHT SOURCE	18W — 3000K, 4000K, 5000K CCT LED
REVERSE TYPE	Manual Reverse
CONTROL TYPE	Handheld Remote Control
CEILING DROP DIMENSIONS	 A: 13.9" B: 11.3" C: 7.7" D: 5.1"
LOCATION RATING	Dry Rated



WR2056MB || Matte Black Finish | Dark Walnut Blades




WR2056N || Nickel Finish | Dark Walnut Blades





COLDWATER

52" Indoor/Outdoor LED Smart Ceiling Fan

MOTOR SIZE	AC — 153 x 17
CFM (Max)	4294
BLADE PITCH	12°
LUMENS	1190
LIGHT SOURCE	17W — 3000K LED
REVERSE TYPE	Manual Reverse
CONTROL TYPE	Handheld Remote Control
CEILING DROP DIMENSIONS	 A: 10.4" B: 8.7" C: 7.9"
LOCATION RATING	Damp Rated



WR2028MB || Matte Black Finish | Reversible Matte Black / Espresso Blades



WR2028MW || Matte White Finish | Reversible Matte White / Vintage Oak Blades




WR2028N || Nickel Finish | Reversible Silver / Vintage Oak Blades





SIRIUS

52" Indoor LED Smart Ceiling Fan

MOTOR SIZE	AC — 188 x 15
CFM (Max)	5192
BLADE PITCH	Variable Pitch Blades
LUMENS	1347
LIGHT SOURCE	17W — 3000K LED
REVERSE TYPE	Manual Reverse
CONTROL TYPE	Handheld Remote Control
CEILING DROP DIMENSIONS	 A: 12.2" B: 11.1" C: 9.8" D: 5.9"
LOCATION RATING	Dry Rated



WR2010MB || Matte Black Finish | Matte Black Blades



WR2010MBWAL || Matte Black Finish | Walnut Blades



WR2010NWAL || Nickel Finish | Walnut Blades





McKenzie

48" Indoor CCT LED Ceiling Fan

MOTOR SIZE	AC — 153 x 12
CFM (Max)	3894
BLADE PITCH	13.5°
LUMENS	1630
LIGHT SOURCE	18W — 3000K, 4000K, 5000K CCT LED
REVERSE TYPE	Manual Reverse
CONTROL TYPE	Handheld Remote Control
CEILING DROP DIMENSIONS	 A: 12.4" B: 11.1" C: 8.1" D: 5.9"
LOCATION RATING	Dry Rated



WR2009MB || Matte Black Finish | Matte Black Blades




WR2009N || Nickel Finish | Walnut Blades





THE MINI

36" Indoor/Outdoor CCT LED Ceiling Fan

MOTOR SIZE	AC — 153 x 12
CFM (Max)	2804
BLADE PITCH	14°
LUMENS	836
LIGHT SOURCE	18W — 3000K, 4000K, 5000K CCT LED
REVERSE TYPE	Manual Reverse
CONTROL TYPE	Handheld Remote Control
CEILING DROP DIMENSIONS	 A: 14.8" B: 12.1" C: 8.3" D: 5.9"
LOCATION RATING	Damp Rated



WR2008GI || Galvanized Iron Finish | Vintage Oak Blades



WR2008MB || Matte Black Finish | Espresso Blades




WR2008MW || Matte White Finish | Vintage Oak Blades





KURVE

60" Indoor LED Smart Ceiling Fan

MOTOR SIZE	AC — 188 x 15
CFM (Max)	5940
BLADE PITCH	Variable Pitch Blades
LUMENS	1570
LIGHT SOURCE	17W — 3000K LED
REVERSE TYPE	Manual Reverse
CONTROL TYPE	Handheld Remote Control
CEILING DROP DIMENSIONS	
LOCATION RATING	Dry Rated





WR1804MB || Matte Black Finish | Matte Black Blades




WR1804WAL || Walnut Finish | Walnut Blades





SORA

56" Indoor/Outdoor CCT LED Ceiling Fan

MOTOR SIZE	AC — 188 x 15
CFM (Max)	5655
BLADE PITCH	14°
LUMENS	1310
LIGHT SOURCE	18W — 3000K, 4000K, 5000K CCT LED
REVERSE TYPE	Remote Reverse
CONTROL TYPE	Handheld Remote Control
CEILING DROP DIMENSIONS	 A: 14.2" B: 11.7" C: 8.4" D: 5.1"
LOCATION RATING	Wet Rated



WR1766GI || Galvanized Iron Finish | Vintage Oak Blades



WR1766MB || Matte Black Finish | Matte Black Blades




WR1766TB || Textured Brown Finish | Walnut Blades





REYA

56" Indoor CCT LED Ceiling Fan

MOTOR SIZE	AC — 188 x 15
CFM (Max)	5655
BLADE PITCH	14°
LUMENS	1310
LIGHT SOURCE	18W — 3000K, 4000K, 5000K CCT LED
REVERSE TYPE	Remote Reverse
CONTROL TYPE	Handheld Remote Control
CEILING DROP DIMENSIONS	 A: 14.2" B: 11.7" C: 8.4" D: 5.1"
LOCATION RATING	Dry Rated



WR1765N || Nickel Finish | Vintage Oak Blades



WR1765NWAL || Nickel Finish | Walnut Blades



WR1765OB || Oiled Bronze Finish | Walnut Blades




WR1765W || White Finish | Vintage Oak Blades





ELAN

60" Indoor LED Ceiling Fan

MOTOR SIZE	DC — 172 x 12
CFM (Max)	5922
BLADE PITCH	Variable Pitch Blades
LUMENS	1518
LIGHT SOURCE	17W — 3000K LED
REVERSE TYPE	Remote Control
CONTROL TYPE	Handheld Remote Control
CEILING DROP DIMENSIONS	 A: 11.3" B: 9.2" C: 6.3" D: 6.3"
LOCATION RATING	Dry Rated





WR1760VO || Vintage Oak Finish | Vintage Oak Blades




WR1760WAL || Walnut Finish | Walnut Blades





EXO

72" Indoor LED Ceiling Fan

MOTOR SIZE	DC — 172 x 25
CFM (Max)	8979
BLADE PITCH	15°
LUMENS	1056
LIGHT SOURCE	17W — 3000K LED
REVERSE TYPE	Remote Control
CONTROL TYPE	Handheld Remote Control
CEILING DROP DIMENSIONS	 A: 12.8" B: 11.3" C: 11.0" D: 5.9"
LOCATION RATING	Dry Rated



WR1755OB || Oiled Bronze Finish | Oiled Bronze Blades




WR1755SS || Stainless Steel Finish | Silver Blades





NIVA

54" Indoor CCT LED Ceiling Fan

MOTOR SIZE	AC — 153 x 17
CFM (Max)	4519
BLADE PITCH	12°
LUMENS	1603
LIGHT SOURCE	17W — 3000K, 4000K, 5000K CCT LED
REVERSE TYPE	Remote Reverse
CONTROL TYPE	Handheld Remote Control
CEILING DROP DIMENSIONS	 A: 9.2" B: 7.8" C: 12.7"
LOCATION RATING	Dry Rated





WR1746OB || Oiled Bronze Finish | Reversible Oiled Bronze / Dark Walnut Blades



WR1746SS || Stainless Steel Finish | Painted Silver Blades





DROID LED

52" Indoor CCT LED Ceiling Fan

MOTOR SIZE	AC — 172 x 14
CFM (Max)	5982
BLADE PITCH	Variable Pitch Blades
LUMENS	1500
LIGHT SOURCE	18W — 3000K, 4000K, 5000K CCT LED
REVERSE TYPE	Manual Reverse
CONTROL TYPE	Handheld Remote Control
CEILING DROP DIMENSIONS	A: 13.1" B: 10.4" C: 8.0" D: 5.9"
LOCATION RATING	Dry Rated



WR1462MB || Matte Black Finish | Matte Black Blades



WR1462MW || Matte White Finish | Matte White Blades



WR1462N || Nickel Finish | Silver Blades




WR1462NWAL || Nickel Finish | Walnut Blades





DROID XL

62" Indoor CCT LED Ceiling Fan

MOTOR SIZE	AC — 188 x 20
CFM (Max)	6480
BLADE PITCH	Variable Pitch Blades
LUMENS	1500
LIGHT SOURCE	18W — 3000K, 4000K, 5000K CCT LED
REVERSE TYPE	Manual Reverse
CONTROL TYPE	Handheld Remote Control
CEILING DROP DIMENSIONS	 A: 13.4" B: 9.6" C: 8.0" D: 6.1"
LOCATION RATING	Dry Rated



WR1697MB || Matte Black Finish | Matte Black Blades



WR1697MW || Matte White Finish | Matte White Blades



WR1697N || Nickel Finish | Silver Blades




WR1697NWAL || Nickel Finish | Walnut Blades





CYLON

52" Indoor LED Ceiling Fan

MOTOR SIZE	AC — 172 x 14
CFM (Max)	5654
BLADE PITCH	11°
LUMENS	1055
LIGHT SOURCE	17W — 3000K LED
REVERSE TYPE	Manual Reverse
CONTROL TYPE	Handheld Remote Control
CEILING DROP DIMENSIONS	 A: 15.5" B: 8.1" C: 7.5" D: 6.1"
LOCATION RATING	Dry Rated



WR1638SS || Stainless Steel Finish | Silver Blades




WR1638SSWAL || Stainless Steel Finish | Walnut Blades





NEOPOLIS

52" Indoor/Outdoor CCT LED Ceiling Fan

MOTOR SIZE	AC — 153 x 17
CFM (Max)	4794
BLADE PITCH	12°
LUMENS	10004
LIGHT SOURCE	17W — 3000K, 4000K, 5000K CCT LED
REVERSE TYPE	Manual Reverse
CONTROL TYPE	Handheld Remote Control
CEILING DROP DIMENSIONS	 A: 15.2" B: 12.0" C: 9.2" D: 6.1"
LOCATION RATING	Damp Rated



WR1476MB || Matte Black Finish | Matte Black Blades



WR1476PBN || Painted Brushed Nickel Finish | Silver Blades





NEOPOLIS

52" Indoor CCT LED Ceiling Fan

MOTOR SIZE	AC — 153 x 17
CFM (Max)	4971
BLADE PITCH	12°
LUMENS	1004
LIGHT SOURCE	17W — 3000K, 4000K, 5000K CCT LED
REVERSE TYPE	Manual Reverse
CONTROL TYPE	Handheld Remote Control
CEILING DROP DIMENSIONS	 A: 15.2" B: 12.0" C: 9.2" D: 6.1"
LOCATION RATING	Dry Rated



WR1473SS || Stainless Steel Finish | Silver Blades




WR1473OB || Oiled Bronze Finish | Reversible Medium Maple / Dark Walnut Blades





NOVATO

70" Indoor LED Ceiling Fan

MOTOR SIZE	DC — 172 x 25
CFM (Max)	6876
BLADE PITCH	12°
LUMENS	943
LIGHT SOURCE	17W — 3000K LED
REVERSE TYPE	Remote Control
CONTROL TYPE	Handheld Remote Control
CEILING DROP DIMENSIONS	 A: 15.9" B: 9.7" C: 13.8" D: 5.9"
LOCATION RATING	Dry Rated



WR1466N || Nickel Finish | Reversible Medium Maple / Dark Walnut Blades




WR1466OB || Oiled Bronze Finish | Reversible Medium Maple / Dark Walnut Blades





ZORION

54" Indoor CCT LED Ceiling Fan

MOTOR SIZE	AC — 153 x 15
CFM (Max)	3473
BLADE PITCH	12°
LUMENS	943
LIGHT SOURCE	17W — 3000K, 4000K, 5000K CCT LED
REVERSE TYPE	Remote Reverse
CONTROL TYPE	Handheld Remote Control
CEILING DROP DIMENSIONS	 A: 10.7" B: 7.5" C: 10.2"
LOCATION RATING	Dry Rated



WR1464N || Nickel Finish | Reversible Medium Maple / Dark Walnut Blades




WR1464W || White Finish | White Blades





SOLERO

52" Indoor CCT LED Ceiling Fan

MOTOR SIZE	AC — 188 x 15
CFM (Max)	4866
BLADE PITCH	12°
LUMENS	1165
LIGHT SOURCE	18W — 3000K, 4000K, 5000K CCT LED
REVERSE TYPE	Manual Reverse
CONTROL TYPE	Handheld Remote Control
CEILING DROP DIMENSIONS	 A: 15.7" B: 13.0" C: 11.0" D: 5.9"
LOCATION RATING	Dry Rated



WR1440MB || Matte Black Finish | Matte Black Blades



WR1440MW || Matte White Finish | Matte White Blades




WR1440N || Nickel Finish | Silver Blades







AERIS

52" Indoor CCT LED Ceiling Fan

MOTOR SIZE	AC — 153 x 15
CFM (Max)	4624
BLADE PITCH	12°
LUMENS	1612
LIGHT SOURCE	18W — 3000K, 4000K, 5000K CCT LED
REVERSE TYPE	Manual Reverse
CONTROL TYPE	Handheld Remote Control
CEILING DROP DIMENSIONS	 A: 13.4" B: 10.9" C: 8.2" D: 5.1"
LOCATION RATING	Dry Rated



WR1602BB || Brushed Brass Finish | Matte Black Blades



WR1602MB || Matte Black Finish | Matte Black Blades



WR1602MW || Matte White Finish | Matte White Blades




WR1602SS || Stainless Steel Finish | Silver Blades





AERIS JOB

52" Indoor LED Ceiling Fan

MOTOR SIZE	AC — 153 x 15
CFM (Max)	4624
BLADE PITCH	12°
LUMENS	1612
LIGHT SOURCE	18W — 3000K
REVERSE TYPE	Manual Reverse
CONTROL TYPE	Dual Fan and Light Wall Control (WSC4403W)
CEILING DROP DIMENSIONS	 A: 13.4" B: 10.9" C: 8.2" D: 5.1"
LOCATION RATING	Dry Rated



WR1603MB || Matte Black Finish | Matte Black Blades



WR1603MW || Matte White Finish | Matte White Blades




WR1603SS || Stainless Steel Finish | Painted Silver Blades





NOLAN

52" Indoor LED Ceiling Fan

MOTOR SIZE	AC — 153 x 12
CFM (Max)	4192
BLADE PITCH	12°
LUMENS	916
LIGHT SOURCE	17W — 3000K LED
REVERSE TYPE	Manual Reverse
CONTROL TYPE	Pull Chain
CEILING DROP DIMENSIONS	 A: 14.6" B: 10.8" C: 7.5" D: 5.9"
LOCATION RATING	Dry Rated



WR2014MB || Matte Black Finish | Matte Black Blades



WR2014MW || Matte White Finish | Matte White Blades




WR2014N || Nickel Finish | Silver Blades





RYAN

52" Indoor LED Energy Star Ceiling Fan

MOTOR SIZE	DC — 145 x 18
CFM (Max)	5125
BLADE PITCH	12°
LUMENS	1758
LIGHT SOURCE	17W — 3000K LED
REVERSE TYPE	Manual Reverse
CONTROL TYPE	Pull Chain
CEILING DROP DIMENSIONS	 A: 15.6" B: 11.5" C: 8.0" D: 5.9"
LOCATION RATING	Dry Rated



WR2115MB || Matte Black Finish | Matte Black Blades



WR2115MW || Matte White Finish | Matte White Blades




WR2115N || Nickel Finish | Silver Blades





JOPLIN

52" Indoor LED Ceiling Fan

MOTOR SIZE	AC — 153 x 15
CFM (Max)	4350
BLADE PITCH	12°
LUMENS	1007
LIGHT SOURCE	17W — 3000K LED
REVERSE TYPE	Manual Reverse
CONTROL TYPE	Dual Fan and Light Wall Control (WSC4403W)
CEILING DROP DIMENSIONS	 A: 15.3" B: 12.2" C: 7.7" D: 5.9"
LOCATION RATING	Dry Rated



WR1520MB || Matte Black Finish | Matte Black Blades



WR1520MW || Matte White Finish | Matte White Blades




WR1520N || Nickel Finish | Painted Silver Blades





FRIO

52" Indoor LED Ceiling Fan

MOTOR SIZE	AC — 153 x 12
CFM (Max)	4246
BLADE PITCH	12°
LUMENS	1428
LIGHT SOURCE	17W — 3000K LED
REVERSE TYPE	Manual Reverse
CONTROL TYPE	Dual Fan and Light Wall Control (WSC4402W)
CEILING DROP DIMENSIONS	 A: 17.8" B: 10.9" C: 11.1" D: 5.1"
LOCATION RATING	Dry Rated



WR2225MB || Matte Black Finish | Reversible Matte Black / Espresso Blades



WR2225MW || Matte White Finish | Reversible Matte White / Vintage Oak Blades




WR2225N || Nickel Finish | Reversible Silver / Vintage Oak Blades





PECOS

52" Indoor 4-Light LED Ceiling Fan

MOTOR SIZE	AC — 153 x12
CFM (Max)	3653
BLADE PITCH	12°
LUMENS	1521
LIGHT SOURCE	24W (4*6W) — E27 LED Bulbs
REVERSE TYPE	Manual Reverse
CONTROL TYPE	Pull Chain
CEILING DROP DIMENSIONS	 A: 18.6" B: 10.5" C: 11.5" D: 5.1"
LOCATION RATING	Dry Rated



WR2024MB || Matte Black Finish | Reversible Matte Black / Espresso Blades



WR2024MW || Matte White Finish | Reversible Matte White / Vintage Oak Blades




WR2024N || Nickel Finish | Reversible Vintage Oak / Dark Walnut Blades





DALTON

52" Indoor 3-Light LED Ceiling Fan

MOTOR SIZE	AC — 153 x 12
CFM (Max)	4680
BLADE PITCH	12°
LUMENS	2289
LIGHT SOURCE	27W (3*9W) — E27 LED Blubs
REVERSE TYPE	Manual Reverse
CONTROL TYPE	Pull Chain
CEILING DROP DIMENSIONS	 A: 17.8" B: 10.9" C: 11.1" D: 5.1"
LOCATION RATING	Dry Rated



WR1422MB || Matte Black Finish | Reversible Matte Black / Espresso Blades



WR1422N || Nickel Finish | Reversible Vintage Oak / Dark Walnut Blades



WR1422OB || Oiled Bronze Finish | Reversible Vintage Oak / Dark Walnut Blades




WR1422W || White Finish | Reversible White / Vintage Oak Blades





DALTON

52" Indoor Ceiling Fan

MOTOR SIZE	AC — 153 x 12
CFM (Max)	4680
BLADE PITCH	12°
LUMENS	N/A
LIGHT SOURCE	N/A
REVERSE TYPE	Manual Reverse
CONTROL TYPE	Pull Chain
CEILING DROP DIMENSIONS	 A: 12.9" B: 10.9" C: 11.1" D: 5.1"
LOCATION RATING	Dry Rated



WR1472MB || Matte Black Finish | Reversible Matte Black / Espresso Blades



WR1472N || Nickel Finish | Reversible Medium Maple / Dark Walnut Blades




WR1472W || White Finish | White Blades





DALTON

52" Indoor 2-Light LED Bowl Kit Ceiling Fan

MOTOR SIZE	AC — 153 x 12
CFM (Max)	4680
BLADE PITCH	12°
LUMENS	1381
LIGHT SOURCE	18W (2*9W) — E27 LED Blubs
REVERSE TYPE	Manual Reverse
CONTROL TYPE	Pull Chain
CEILING DROP DIMENSIONS	 A: 19.2" B: 10.9" C: 11.1" D: 5.1"
LOCATION RATING	Dry Rated



WR1423MB || Matte Black Finish | Reversible Matte Black / Espresso Blades



WR1423MW || Matte White Finish | Reversible Matte White / Vintage Oak Blades



WR1423N || Nickel Finish | Reversible Vintage Oak / Dark Walnut Blades




WR1423OB || Oiled Bronze Finish | Reversible Vintage Oak / Dark Walnut Blades





DALTON

52" Indoor/Outdoor LED Ceiling Fan

MOTOR SIZE	AC — 153 x 12
CFM (Max)	4597
BLADE PITCH	12°
LUMENS	1600
LIGHT SOURCE	2*9W — E27 LED Bulbs
REVERSE TYPE	Manual Reverse
CONTROL TYPE	Pull Chain
CEILING DROP DIMENSIONS	 A: 19.7" B: 11.5" C: 11.1" D: 5.1"
LOCATION RATING	Wet Rated



WR2123MB || Matte Black Finish | Matte Black Blades



WR2123MW || Matte White Finish | Matte White Blades




WR2123PBN || Painted Brushed Nickel Finish | Silver Blades





DALTON

52" Indoor/Outdoor Ceiling Fan

MOTOR SIZE	AC — 153 x 12
CFM (Max)	4597
BLADE PITCH	12°
LUMENS	N/A
LIGHT SOURCE	N/A
REVERSE TYPE	Manual Reverse
CONTROL TYPE	Pull Chain
CEILING DROP DIMENSIONS	 A: 13.4" B: 11.4" C: 11.1" D: 5.1"
LOCATION RATING	Wet Rated



WR1972MB || Matte Black Finish | Matte Black Blades



WR1972PBN || Painted Brushed Nickel Finish | Silver Blades




WR1972W || White Finish | White Blades





MODELO

52" Indoor 2-Light LED Bowl Kit Ceiling Fan

MOTOR SIZE	AC — 153 x 15
CFM (Max)	4783
BLADE PITCH	12°
LUMENS	1304
LIGHT SOURCE	18W (2*9W) — E27 LED Blubs
REVERSE TYPE	Manual Reverse
CONTROL TYPE	Pull Chain
CEILING DROP DIMENSIONS	 A: 16.9" B: 10.9" C: 11.8" D: 5.9"
LOCATION RATING	Dry Rated



WR1426MB || Matte Black Finish | Reversible Matte Black / Espresso Blades




WR1426N || Nickel Finish | Reversible Vintage Oak / Dark Walnut Blades





FRISCO

44" Indoor 2-Light LED Bowl Kit Ceiling Fan

MOTOR SIZE	AC — 153 x 12
CFM (Max)	2944
BLADE PITCH	12°
LUMENS	1206
LIGHT SOURCE	18W (2*9W) — E27 LED Bulbs
REVERSE TYPE	Manual Reverse
CONTROL TYPE	Pull Chain
CEILING DROP DIMENSIONS	 A: 12.3" B: 6.9" C: 10.2"
LOCATION RATING	Dry Rated



WR1453MB || Matte Black Finish | Reversible Matte Black / Espresso Blades



WR1453MW || Matte White Finish | Reversible Matte White / Vintage Oak Blades



WR1453N || Nickel Finish | Reversible Vintage Oak / Dark Walnut Blades



Controls

H3100



FULL FUNCTION HANDHELD REMOTE CONTROL

- Three speed fan control
- On/off plus full range dimmer for light control
- Includes one handheld remote control and wall holster
- Provides reliable communication with an operating range of up to 40 feet

HR3600



FULL FUNCTION HANDHELD REMOTE CONTROL SYSTEM

- Three speed fan control
- On/off plus full range dimmer for light control
- Includes one handheld remote control, wall holster, and canopy mounted receiver
- Provides reliable communication with an operating range of up to 40 feet

WR4000



IN-WALL REMOTE CONTROL

- Three speed fan control
- On/off plus full range dimmer for light control
- Includes on in-wall remote control and wall cover plate
- Provides reliable communication with an operating range of up to 40 feet

WR4500



IN-WALL REMOTE CONTROL SYSTEM

- Three speed fan control
- On/off plus full range dimmer for light control
- Includes on in-wall remote control, wall cover plate, and canopy mounted receiver
- Provides reliable communication with an operating range of up to 40 feet

Controls

WSC4401W



FAN SPEED WALL CONTROL

- **4-speed sliding fan control** with off position for precise airflow adjustment
- **Easy 2-wire installation** with a sleek white or almond wall plate included.
- **Compact design** (1.77"W x 4.134"H x 1.97"D) for seamless integration in dry locations.

WSC4402W



DUAL FAN/LIGHT WALL CONTROL

- **4-speed fan control and full-range dimmer** for versatile lighting and airflow adjustment.
- **Easy 3-wire installation** with a sleek white or almond wall plate included
- **Compact design** (1.77"W x 4.134"H x 1.97"D) for seamless integration in dry locations.

WSC4403W



DUAL FAN/LIGHT WALL CONTROL

- **3-speed fan control with off position** and an **on/off toggle light switch** for simple operation.
- **Easy 3-wire installation** with a sleek white or almond wall plate included
- **Compact design** (1.77"W x 4.134"H x 1.97"D) for seamless integration in dry locations.

Light Kits

KG250 - Outdoor Bowl Light Kit

- Height: 7.3"
- Width: 10.7"
- 2*9W E27 LED Bulbs

KG250MB



KG250PBN



KG250TB



KG250W



KG300 - Outdoor Schoolhouse Light Kit

- Height: 7.9"
- Width: 8.3"
- 1*9W E27 LED Bulb

KG300MB



KG300PBN



KG300TB



KG300W



Light Kits

KG100 - Indoor Bowl Light Kit

- Height: 3.5"
- Width: 10.1"
- 2*9W E27 LED Bulbs

KG100FB



KG100N



KG100OB



KG100W



KG400 - Indoor 3-Light, Light Kit

- Height: 7.9"
- Width: 14.6"
- 3*9W E27 LED Bulbs

KG400N



KG400OB



KG400W



KG500 - Indoor Universal LED Bowl Light Kit

- Height: 4.0"
- Width: 11.0"
- 17W LED Bulb

KG500N



KG500OB



KG500W



Finishes



Brushed Brass



French Beige



Galvanized Iron



Iced Gold



Matte Black



Matte White



Nickel



Oiled Bronze



Painted Brushed Nickel



Stainless Steel



Textured Brown



Vintage Oak




Walnut



White

Slope Adapters



V5000 - VERTRU SLOPE ADAPTER KIT

- Sloped ceiling adaptor kit for up to a **max of 35° with a receiver.**
- Sloped ceiling adaptor kit for up to a **max of 45° without a receiver.**
- Easy installation and available in all finishes.

Downrods

FINISH	12"	18"	24"	36"	48"	60"	72"
Brushed Brass (BB)	R12BB	R18BB	R24BB	R36BB	R48BB	N/A	N/A
French Beige (FB)	R12FB	R18FB	R24FB	R36FB	R48FB	R60FB	R72FB
Galvanized Iron (GI)	R12GI	R18GI	R24GI	R36GI	R48GI	R60GI	R72GI
Iced Gold (IG)	R12IG	R18IG	R24IG	R36IG	R48IG	R60IG	R72IG
Matte Black (MB)	R12MB	R18MB	R24MB	R36MB	R48MB	R60MB	R72MB
Matte White (MW)	R12MW	R18MW	R24MW	R36MW	R48MW	R60MW	R72MW
Nickel (N)	R12N	R18N	R24N	R36N	R48N	R60N	R72N
Oiled Bronze (OB)	R12OB	R18OB	R24OB	R36OB	R48OB	R60OB	R72OB
Painted Brushed Nickel (PBN)	R12PBN	R18PBN	R24PBN	R36PBN	R48PBN	N/A	N/A
Silver Bronze (SB)	R12SB	R18SB	R24SB	R36SB	R48SB	N/A	N/A
Stainless Steel (SS)	R12SS	R18SS	R24SS	R36SS	R48SS	R60SS	R72SS
Textured Brown (TB)	R12TB	R18TB	R24TB	R36TB	R48TB	R60TB	R72TB
Vintage Oak (VO)	R12VO	R18VO	R24VO	R36VO	R48VO	R60VO	R72VO
Walnut (WAL)	R12WAL	R18WAL	R24WAL	R36WAL	R48WAL	R60WAL	R72WAL
White (W)	R12W	R18W	R24W	R36W	R48W	R60W	R72W



All hanging models use a 3/4" threaded downrod.

WIND RIVER

Feel the breeze...

Address:

1500 N Western Blvd
Suite 260
Denton, TX 76207

Phone: 855-817-WIND (9463)

Fax: 866-406-4713

Email: service@windriverus.com

www.windriver.shop

