FRAMELESS HARDWARE COMPANY

Sealants and Supplies

WEB-S3
SEALANTS





The Glazing Supply Company

EXPERIENCE AND INNOVATION

FHC-USA.COM

Who We Are...

Frameless Hardware Company LLC (FHC) is a manufacturer and supplier to the glass, glazing, and fenestration industries. We provide a complete range of tools, supplies, and innovative architectural hardware for frameless shower doors, all-glass entrances, aluminum storefronts and entrances, architectural railings, and transaction windows.

As a privately owned, American based company, our mission is built upon the core principles of customer service, product innovation, and entrepreneurship. Our products, services, and ethics are backed by a team of highly knowledgeable industry veterans that effectively combine technical competency, product expertise, and small business ideologies.





FHC MANUFACTURING, DISTRIBUTION & SALES OFFICE CAMPUS 2323 Firestone Blvd. South Gate, CA 90280
Toll Free: (888) 295-4531 | Direct: (323) 763-1366



FHC SOUTHWEST SERVICE CENTER 2926 Skyway Cir. S, Irving TX 75038 Toll Free: (888) 295-4531 | Direct: (214) 550-5008

FHC HEADQUARTERS 4361 Firestone Blvd. South Gate, CA 90280 Toll Free: (888) 295-4531 | Direct: (323) 968-2031



FHC EAST COAST SERVICE CENTER
1630 Old Dunbar Rd. West Columbia, SC 29172
Toll Free: (888) 295-4531 | Direct: (704) 882-3534



VIDEO








The Glazing Supply Company

EXPERIENCE AND INNOVATION



FHC Manufacturing

Custom Fabrication & Technical Support: Best of Both Worlds

We know that every project is different, so in addition to our core capabilities we have many flexible services around product design, engineering, and manufacturing. FHC offers free technical advice to help you decide which products will accomplish your project requirements and walk you through each step. We have a variety of processes to provide a true one-stop solution to fit our customer's needs. We have also just increased our manufacturing and bi-coastal distribution footprint to a combined 450,000 square feet in Southern California, Kent Washington, West Columbia South Carolina, and Irving Texas enabling us to serve you better. As we continue to grow, we make significant investments to increase production and inventory levels, shorten lead times, and improve technical/customer support. Contact FHC today to speak to a Technical Service Representative about your next project!





Visit fhc-usa.com to search for

Locations



Q



FHC's Online Catalogs

The FHC Online Catalogs is an innovative and convenient online resource that provides a comprehensive overview of our product offerings. This new resource is exclusively available online and offers a product-specific catalog, making it easy for users to find the products they need and explore related items. The catalog features clickable product items that directly link to the corresponding product offerings, ensuring a seamless shopping experience. With full-color pages, the catalog also includes installation images for inspiration and illustrations to facilitate easy understanding. Furthermore, FHC Online Catalogs are accessible 24/7, allowing users to view and explore our products at their convenience.



PROFESSIONAL GRADE

Introduction to Sealants

Being fully informed is a major part of being prepared for any glazing, waterproofing, or sealing project. However, gathering material from manufacturers of competing products can be a time and labor-intensive struggle. After all that effort, you may be faced with an overwhelming number of options.

Recognizing this challenge, FHC has been heavily involved in the sealants industry for many years. We have consolidated the most complete and comprehensive sealant information available. Our database includes information from major sealant suppliers like Dow Corning®, General Electric®, Tremco®, and our own FHC Brand. We cover a full range of technologies, from the original patent silicone to the modern neutral cure system. Additionally, we provide information on high-performance polyurethanes, acrylics, butyl, latex caulking compounds, and other sealant and adhesive products.

With FHC, you can save time and effort by accessing all the information you need in one place for your glazing, waterproofing, or sealing projects.



- FHC Shims
- FHC Caulking Guns
- FHC Caulking Accessories
- FHC Deglazing and Cut-Out Tools
- FHC Knives and Blades
- FHC Scrapers and Removal Tools
- FHC Cleaners







- FHC Silicone Sealants
- FHC Silicone Acetic Cure
- FHC Silicone Neutral Cure
- FHC Polyurethane Sealants
- FHC Acrylic Latex With Silicone
- FHC Butyl Sealant
- FHC Clear Partition Joint Strips

Dow Corning is a registered trademark of Dow Corning Corporation

- FHC Backer Rod



THE GLAZING SUPPLY COMPANY **EXPERIENCE AND INNOVATION**



Visit fhc-usa.com to search for

Sealants



Enter the Item Number or scan QR code with your smartphone for complete product details

FHC Sealants

Bulk Quantities Available Click to Chat With Us

CLICK ANY FHC ITEM NUMBER
To Buy Now or Get Additional Product Information

All Digital Resources



Professional Resources and Information

- SDS Safety Data Sheet
- TDS Technical Data Sheet
- Sealant LEED® Information
- Sealant Guidelines Comparison Chart







CL42NG SUPPL	res commo.	The Glazing Supply Com	SAMPLE .	MALAGHATOWATE (STOREFFORTS & EN	TRANSPORT TRANSPORT	TON HATCHARD MET	Tal. EXTRAGONS C	NOX STORE PATUR
FHC	OF	our	DOW COMMIS	GE MOMENTIVO	os	PECONA	BKA	ECHNEDORN	THENCO
SUCCES	-	-	_			_		_	_
\$150	238	100% SLICOM	999.A 732 759 Glasing General Purpose	1000 Cambraston. 1200 Cambrastian	HW 270	860 863	Shall or	GeoPlus	Proglame Stample EE4
\$150C	SSIMPC		786 Nate, Title and Committee	1790 Saniary					
\$450	MTV408	TITAMUMP	208 Contraction Weatherpreading Visyl Windown, Blaing & Dear	Biglase II 2800 Contactors N 1800	VP-275	ans.	Shalli' Alflus		Sweet 600 Sweet're 665
S790	90C		791 796	Elprod		864 895	DASP WERE	Omnibus	Specime 2 Specime 3
POCUSETHER	4	_	_		_	_		_	_
PGS/PGS	MM4	Premium Poljumbana			PR-265	Dynamics 135.	Ethelier* M. Ethelier* 2011/E Ethelier* 76.M Ethelier* 210.M	NPT	Dymenie Valem 921 TrenGlare UNIO
PSSPW	MEN	Sale Windows				Pre-Sil 1		Executación 160	SweGlave 6363
PRSTX	MEE						Sheller* 201 Testured		Value 116 Transfer 626
ACRYLICLETE	_	_			_				_
\$50	321 ar 800	ALEX PLUSP ALEX Fair Dry** DYNAPLEX 230**			SA-167 Polysosmeni Pro-Silli	AC-30+	1	Service	E34 SrenGlave SKTI SrenPro ESS

Limitations of Warranties

The terms and conditions specified in FHC publications apply to all products and materials. FHC recommendations regarding these products are based on reliable tests and examinations. However, FHC does not guarantee or warrant the accuracy or completeness of these recommendations. It is the sole responsibility of the user to determine the suitability of FHC's products or materials for each intended use, and the user assumes all risks and liability associated with their use.


Regarding defects in material or workmanship, FHC provides a warranty. Within thirty (30) days of receiving the product or material, if any portion is proven to be defective upon inspection, FHC agrees to replace it or, at their sole discretion, refund the purchase price. It is important to note that no salesperson, agent, employee, or representative of FHC has the authority to alter or expand upon the terms of this warranty.

Please note that FHC shall not be held responsible for any special, indirect, consequential, or incidental damages or loss, including but not limited to loss of profits or revenues, economic losses, or loss of use, whether statutory or based on theories of contract or tort. This warranty and the terms specified herein constitute the entirety of the agreement between the parties and supersede any other agreements, express or implied, including any relating to merchantability or fitness for a particular purpose.

Visit fhc-usa.com to search for

Sealants









FHC Silicone Sealants





FHC Silicone Sealants

- Excellent Adhesion to Glass, Tile, Marble, Vinyl, Aluminum & Metal
- Window and Door Approved
- Mildew Resistant (Only S150 Series)
- For Interior and Exterior Use
- Non-Sag, Easy Tooling and Cleaning
- 24 Month Shelf Life / 10 Year Warranty

Silicone sealants offer a wide range of applications due to their excellent resistance to UV and weather. They can be easily applied in various temperature conditions, ranging from -35°F to 130°F (-37°C to 54.4°C). These sealants exhibit remarkable stability at very high and low temperatures, ranging from -80°F to 400°F (-62°C to 204°C). They also provide strong adhesion, particularly to glass and have excellent joint movement capabilities, allowing for flexibility from ± 25% to ± 50%. Additionally, silicone sealants typically come with warranties of 10 years and have a life expectancy of over 25 years. They also have a shelf life lasting between one to two years. It's important to note, however, that silicone sealants cannot be painted, as paint tends to bead up when applied to cured silicone.

Chat With FHC On Our Website to Get Real Time Expert Support from Knowledgeable Reps



MII DEW

RESISTANT



ADHESION



INTERIOR/ EXTERIOR USE



Shower Enclosures and Tubs



Conventional Structural Glazing of Gaps and Sealing



Sealing Joints



Fabricating Insulating Glass



Wide Variety of Application as Adhesive







Visit fhc-usa.com to search for

Silicone Sealants

FHC Silicone - Acetic Cure

Bulk Quantities Available Click to Chat With Us





FHC S150 Series Acetic Cure Silicone Sealant

- Excellent Adhesion to Glass Windows and Doors
- Mildew Resistant, for Interior and Exterior Use
- Non-Sag & Slump-Easy Tooling and Easy Cleaning
- Available in Six Colors
- Professional Grade Acetic Cure Sealant
- 10.1 Fl. Oz. Cartridge
- 30 Cartridges Per Case

Silicone sealants are versatile in their applications, boasting exceptional resistance to UV and weather. They can be effortlessly used across a wide range of temperature conditions, spanning from -35°F to 130°F (-37°C to 54.4°C). These sealants demonstrate remarkable stability even in extreme temperatures, ranging from -80°F to 400°F (-62°C to 204°C). Furthermore, they offer robust adhesion, particularly on glass surfaces, and exhibit impressive joint flexibility, accommodating movements in the range of $\pm 25\%$ to $\pm 50\%$. In addition to their performance, silicone sealants typically feature 10-year warranties and have a lifespan of over 25 years. It's worth noting that they have a shelf life of one to two years, but it's important to remember that painting is not a suitable option for silicone sealants, as paint tends to bead up when applied to cured silicone.

FHC S150 Silicone Sealant In Bulk Packing



Twist-On Nozzle Included

AVAILABLE IN SIX COLORS

10.1 FL. OZ. CARTRIDGE ITEM NO.	4.5 GALLON ITEM NO.	52 GALLON ITEM NO.	COLOR
S150C	S150C5	S150C52	Clear
S150W	S150W5	S150W52	White
S150BL	S150BL5	S150BL52	Black
S150AL	S150AL5	S150AL52	Aluminum
S150BRZ	S150BRZ5	S150BRZ52	Bronze
S150T	S150T5	S150T52	Tan

Minimum order: 1 each.

Save More On Pallet Quantity

By Purchasing S150 in Pallet

Can Save More!





CLEAR









BLACK

ALUMINUM





BRONZE

TAN





FHC

52 Gallon Drum

4 5 Gallon Pail

Visit fhc-usa.com to search for

Silicone Sealants





Enter the Item Number or scan QR code with your smartphone for complete product details

FHC Silicone Sealants

FHC TRU-Clear Series Silicone Sealant (Acetic Cure)

- Offers Exceptional Clarity
- Quick Cure Waterproof Sealant
- For Interior Non-Paintable Use
- Ideal for Shower Door Applications and Specialty Projects
- Sold by the Cartridge
- 30 Cartridges Per Case



Twist-On Nozzle Included

	ITEM NO.	COLOR	CONTENTS
	S1000C	Clear	10.3 Fl. Oz.
S1005C		Clear	5.0 Fl. Oz.

Minimum order: 1 each.

FHC Black Insulating Glass Silicone Sealant

- Specially Formulated for the Manufacturing of Dual Seal Insulating Glass Units With PIB Primary Seal
- Excellent Glass-to-Glass Adhesion and Resistance to UV Light and Weather Extremes
- Tack Free in 30 Minutes and Full Cure in 24 Hours
- Allow Seven Days for Sealant to Achieve Full Strength Prior to Installation of the Unit
- 30 Cartridges Per Case



ITEM NO.	COLOR	CONTENTS		
1G9542	Black	10.3 Fl. Oz.		
1G9542B	Black	52 Gallons		
Minimum order: 1 each.				

FHC Black Insulating Glass Silicone Foam/Metal Spacer Sealant

- Specially Formulated to be Compatible With Super Spacer®
- Black Single Component Urethane
- Low Sealant, Quick Curing Formula
- Does Not Require a Primary Polyisobutylene Seal
- 10.3 Fl. Oz. Cartridge
- 30 Cartridges Per Case



ITEM NO. 1G877 Minimum Order: 1 Each.

Super Spacer is a registered trademark of Quanex Products Corporation.



THE GLAZING SUPPLY COMPANY
EXPERIENCE AND INNOVATION



Visit fhc-usa.com to search for

Silicone Sealants



Enter the Item Number or scan QR code with your smartphone for complete product details

FHC Silicone - Acetic Cure

FHC Dow Corning® 999-A Silicone Sealant

- General Purpose Silicone Glazing Sealant
- Resistant to UV and Weather Extremes
- Seals Remain Watertight and Weather Proof After Years of Exposure
- Available in Five Colors
- 12 Cartridges Per Case



Bulk Quantities Available



CLICK ANY FHC ITEM NUMBER

10.3 FL. OZ. CARTRIDGES

	ITEM NO.	COLOR		
DC999AC		Clear		
DC999AW		White		
	DC999ABL	Black		
	DC999AAL	Aluminum		
	DC999ABRZ	Bronze		

Minimum order: 1 each.

FHC Dow Corning® Glazing Silicone Sealant

- Excellent UV and Weather Extreme Resistance
- 100% Silicone Remains Flexible
- Formulated to Meet General **Glazing Applications**
- 12 Cartridges Per Case





10.3 FL. OZ. CARTRIDGES

ITEM NO.	COLOR	
DCSGCL	Clear	
DCSGW	White	
DCSGBL	Black	
DCSGAL	Aluminum	
DCSGBRZ	Bronze	

Minimum order: 1 each.

FHC Tremco® Tremsil® 200 Silicone Sealant

- Produces a Long-Life, Weathertight Seal
- Mildew Resistant Formula is Ideal for Bath, Kitchen, and Spa
- For Use on Glass, Metal, Porcelain. Ceramic, and Most Painted Surfaces
- 10.1 Fl. Oz. Cartridge
- Clear Color
- 25 Cartridges Per Case





ITEM NO. 971800C Minimum Order: 1 Each.

FHC Tremco® Proglaze® Silicone

- Quick-Cure Flexible Seal
- Excellent Seal for Metal-to-Metal Joints
- Selected Colors are USDA Acceptable for Indirect Contact of Edible Products in Federally Inspected Meat and Poultry Plants
- 30 Cartridges Per Case





10.1 FL. OZ. CARTRIDGES


ITEM NO.	COLOR	
942800	Clear	
942802	Black	
942806	White	
942810	Aluminum	
942857	Bronze	

Minimum order: 1 each

Dow Corning is a registered trademark of Dow Corning Corporation. Tremco, Tremsil, and Proglaze are registered trademarks of Tremco Incorporated.

Visit fhc-usa.com to search for











FHC Construction Sealants





FHC Construction Sealants

FHC Construction Sealants offer a diverse selection of options tailored for various construction needs. This lineup encompasses Structural and Non-Structural Silicones, Polyurethanes, Acrylic Latex with Silicone, and Butyl Rubber Sealants.

Structural Silicone Glazing, for instance, is a technique that employs silicone to securely attach glass or other panels to supporting frames, eliminating the need for external retainers or covers. These joints in structural silicone glazing must withstand forces stemming from wind, thermal expansion, and building shifts. Over time, this method has seen advancements in materials, performance, and sustainability.

Non-Structural Building Silicones, on the other hand, may feature low VOC emissions, making them safe for use in sensitive indoor settings like hospitals and schools.

Polyurethanes, recognized for their high-performance attributes, exhibit joint flexibility of up to ± 25% and more, rendering them ideal for various applications, including perimeter caulking around windows and doors (excluding glass). They often come at a more budget-friendly cost compared to silicones, providing excellent adhesion to diverse surfaces and the option for painting.

Acrylic Latex with Silicone Caulk, being water-based, facilitates easy cleanup. These sealants find common use in residential and light commercial construction projects, both indoors and outdoors, thanks to their relatively lower movement capability. They can usually be painted shortly after application.

Butyl Rubber Sealants excel in adhering to most substrates and demonstrate impressive weather resistance. However, due to their limited movement capability, they are best suited for applications with minimal movement, such as lap seams of metal panels and concealed window frame joints. Similar to the other sealants mentioned, Butyl Rubber Sealants can be painted after they have fully cured.

Chat With FHC On Our Website to Get Real Time Expert Support from Knowledgeable Reps





EXCELLENT ADHESION



INTERIOR **EXTERIOR USE**



NON-SAG

Sealing Joints



Weatherproofing



Metal Panels



Perimeter Caulking







Visit fhc-usa.com to search for

FHC Silicone - Neutral Cure

FHC S450 Neutral Cure Construction Silicone

- Excellent Adhesion to Most Surfaces
- UV Resistant
- Compatible for Use With Insulated and Laminated Glass
- AAMA Approved Low-Odor Formula Available in Five Colors
- 20 Year Limited Warranty

FHC S450 Series Neutral Cure Sealant cures rapidly when exposed to atmospheric moisture to form a durable, tight bond. The product's design is ideal for back-bedding as well as other glazing applications. Preferred by trade professionals, because it doesn't leave the odors associated with other silicones. Compatible with the installation of insulated glass, laminated glass, and mirror perimeter edge sealing.



CLICK ANY FHC ITEM NUMBER

Buy Now or Get Additional Product Information

10.1 FL. OZ. CARTRIDGE ITEM NO.	4.5 GALLON ITEM NO.	52 GALLON ITEM NO.	COLOR
S450C	S450C5	S450C52	Clear
S450W	\$450W5	S450W52	White
S450BL	S450BL5	S450BL52	Black
S450AL	S450AL5	S450AL52	Aluminum
S450BRZ	S450BRZ5	S450BRZ52	Bronze

Bulk Quantities Available Click to Chat With Us

Minimum order: 1 each.

AVAILABLE IN FIVE COLORS





CLEAR

WHITE







BLACK

AL ALUMINUM



BRONZE

FHC S450 Silicone Sealant In Bulk Packing







52 Gallon Drum



4.5 Gallon Pail

Visit fhc-usa.com to search for

Silicone Sealants

Q

Enter the Item Number or scan QR code with your smartphone for complete product details





CLICK ANY FHC ITEM NUMBER

FHC Silicone - Neutral Cure

FHC S790 Silicone Building Sealant

- Excellent Primerless Adhesion
- Waterproofing Applications
- Plus/Minus 50% Joint Width Movement
- Interior/Exterior Use, Non-Paintable
- Extended Tooling Time
- AAMA Approved Neutral Cure Silicone Sealant
- 20 Year Limited Warranty
- 30 Cartridges Per Case

S790 is a one part, medium modulus, neutral cure formulation, that creates a durable, and flexible, silicone building joint seal. It can accommodate ±50% joint movement in properly designed joints. It is designed for sealing expansion and control joints, precast concrete panels, and metal curtain walls. As well as non-structural glazing of glass, metal and plastic, and waterproofing applications; including perimeter sealing of doors and windows



Bulk Quantities Available Click to Chat With Us

10.1 FL. OZ. CARTRIDGE ITEM NO.	4.5 GALLON ITEM NO.	COLOR
S790W	S790W5	White
S790BL	S790BL5	Black
S790BRZ	S790BRZ5	Bronze

Minimum order: 1 each.

AVAILABLE IN THREE COLORS







WHITE

BL BLACK

BRONZE

FHC S790 Silicone Sealant In Bulk Packing



By Purchasing S790 in Pallet Quantity of 1440 in One Color You Can Save More!





4.5 Gallon Pail







Visit fhc-usa.com to search for

Silicone Sealants

FHC Silicone - Neutral Cure

FHC Dow Corning® 795 Silicone Building Sealant

- High Performance Structural Glazing and Weather Sealant
- Excellent Weatherability Virtually Unaffected by Sunlight
- Excellent Unprimed Adhesion to a Wide Variety of Construction Materials
- One-Part, Neutral Cure, RTV Silicone Sealant
- Weather Sealing of Most Common Construction Materials Including Glass, Aluminum, Steel, Painted Metal, Synthetic Stucco (EIFS), Granite and Other Stone, Concrete, Brick and Plastics
- 12 Cartridges Per Case
- 16 Sausages Per Case



NEW









10.3 FL. OZ. CARTRIDGE ITEM NO.	20 FL. OZ. SAUSAGE ITEM NO.	COLOR
DC795W	DC795WS	White
DC795BL	DC795BLS	Black
DC795BRZ	DC795BRZS	Bronze
DC795GRY	DC795GRYS	Gray

Minimum order: 1 each

FHC Dow Corning® 995 Silicone

Structural Adhesive

- Odorless, Non-Corrosive Cure System
- Excellent Weatherability and High Resistance to Ultraviolet Radiation, Heat and Humidity, Ozone and Temperature Extremes
- Cures to Form an Extremely Tough Elastomeric Rubber Ensuring a Durable,Flexible, Watertight Bond
- 12 Cartridges Per Case





10.3 FL. OZ. CARTRIDGES

ITEM NO.	COLOR
DC995W	White
DC995BL	Black

Minimum order: 1 each.

FHC Tremco[®] Spectrem[®] 2 Silicone Sealant

- Ideal for a Variety of Perimeter Caulking and Glazing Applications, Including 2-Sided Structural Glazing
- Greenguard Gold Certified Ensures Safe Use in Sensitive Indoor Environment Including Hospitals and Schools
- Used on Aluminum, Glass, Steel, Painted Metal, Plastic, Stone, Concrete, and Brick
- ASTM C920, C1248 LEED Compliant
- 30 Cartridges Per Case





10.1 FL. OZ. CARTRIDGES

ITEM NO.	COLOR
947800C	Clear
947806W	White
947802BL	Black
947853G	Gray
947878AL	Anodized Aluminum

Minimum order: 1 each.

FHC Tremco® Tremsil® 600 Silicone Sealant

- Excellent Adhesion to Glass, Aluminum, Stainless Steel, Wood Brick and Concrete, Painted or Raw
- Greenguard Gold Certified Ensures Safe Use in Sensitive Indoor Environments Including Hospitals and Schools
- 30 Cartridges Per Case





10.1 FL. OZ. CARTRIDGES


ITEM NO.	COLOR
944800C	Clear
944806W	White

Minimum order: 1 each.

Dow Corning is a registered trademark of Dow Corning Corporation Tremco, Spectrem, and Tremsil are registered trademarks of Tremco Incorporated

Visit **fhc-usa.com** to search for









CLICK ANY FHC ITEM NUMBER

FHC Polyurethane Sealants

FHC P95 Polyurethane Construction Sealant

- Smooth and Grainy Textured Sealants Available
- Primerless Adhesion on Most Common Construction Surfaces Including KYNAR® Coated Metals
- AAMA Approved
- VOC Compliant Only 9 g/L
- UV Resistant/Non-Yellowing

P95 is a multi-purpose, advanced, polymer sealant. The product's one component design ensures that it cures rapidly when exposed to atmospheric moisture, to form a durable bond, and can be applied in a wide range of temperature and weather conditions (-40° F to 140° F). It is engineered to deliver an aggressive, watertight, adhesion, with moving joints in most common construction substrates like concrete, masonry, metal, vinyl, wood, stucco, asphalt, and flashing. It is also ideal for sealing perimeters of storefronts, doors, and curtainwall framing. P95 is compatible with insulated glass sealants, painted metal finishes like KYNAR®, and powder coat. It is not recommended for ground applications. P95 contains no solvents and very low volatile organic compounds (VOCs) making it an environmentally conscious product choice.



SMOOTH TEXTURE

10.1 OZ CARTRIDGE ITEM NO.	20.3 OZ SAUSAGE ITEM NO.	COLOR
P95W	P95SW	White
P95PW		Perma White
P95GRY	P95SGRY	Gray
P95BL	P95SBL	Black
P95BRZ	P95SBRZ	Bronze
	P95SALM	Almond

GRAINY TEXTURE 10.1 FL. OZ. CARTRIDGES

ITEM NO.	COLOR
P95TXW	White
P95TXBL	Black
P95TXGRY	Gray
P95TXBRZ	Bronze

Minimum order: 1 each.

Bulk Quantities Available

Click to Chat With Us

Chat With FHC On Our Website to Get Real Time Expert Support from Knowledgeable Reps



Minimum order: 1 each for cartridges, 15 each for sausages.

FHC P95 Polyurethane Construction Sealant In Bulk Packing



AVAILABLE IN SIX COLORS



KYNAR is a registered trademark of Arkema Inc.



THE GLAZING SUPPLY COMPANY EXPERIENCE AND INNOVATION



Visit **fhc-usa.com** to search for





Enter the Item Number or scan QR code with your smartphone for complete product details

FHC Polyurethane Sealants

FHC Tremco® Vulkem® 116 Polyurethane Sealant

- Primerless Adhesion to Most **Porous Construction Surfaces**
- One-Part Grainy Textured Finish Blend in With Masonry, Poured and Precast Concrete Finishes
- Designed for Exterior Expansion Joints
- 30 Cartridges Per Case









10.1 FL. OZ. CARTRIDGES

ITEM NO.	COLOR
VK116BL	Black
VK116W	White
VK116BRZ	Bronze
VK116GRY	Gray
VK116L	Limestone
VK116T	Tan
Minimum order: 1 each.	

FHC Tremco® Vulkem® 45 SSL One-Part **Semi Self Leveling Polyurethane**

- Formulated for Use in Expansion Joints in Sidewalks, Swimming Pool Decks, Plazas, Floors and Any Other Horizontal Surfaces With Slopes up to 6%
- Suitable for Continuous Immersion in Non-Chlorinated Water
- Traffic Rated
- Low Modulus
- Quart Size Cartridge (30 Fl. Oz.)
- 12 Cartridges Per Case



Minimum order: 1 each.

445805

COLOR

Black

White

Buff

Limestone

FHC Tremco® Dymonic® FC **Polyurethane Sealant**

- Hybrid Formulation Offers Superior Adhesion and Longevity
- For Expansion and Control Joints on Precast Panels and Concrete
- Additional Uses Include Perimeter Door and Window Caulking With Aluminum, Masonry, and Vinyl Siding
- ASTM C920, C1248 LEED Compliant
- 30 Cartridges Per Case



10.1 FL. OZ. CARTRIDGES

ITEM NO.	COLOR
960802	Black
960806	White
960801	Bronze
960805	Limestone
960807	Buff
960851	Aluminum Stone
960878	Aluminum

Minimum order: 1 each.

Wide Variety of Applications

Concrete Repair and Patching



Precast or Poured Tilt-Up Building Panels



Tremco, Vulkem, and Dymonic are registered trademarks of Tremco Incorporated

Visit fhc-usa.com to search for





FRAMELESS HARDWARE COMPANY LLC P.O. Box 1906 South Gate, CA 90280 Toll Free: (888) 295-4531 | Direct: (323) 968-2031 Fax: (323) 336-8307 | fhc-usa.com



Enter the Item Number or scan QR code with your smartphone for complete product details

CLICK ANY FHC ITEM NUMBER

FHC Acrylic and Butyl Sealants

FHC S50 Series Acrylic Latex With Silicone

- Paintable With Increased Silicone Adhesion and Longevity
- Quick Curing Mildew Resistant Multi-Purpose Formula
- Easy Tooling and Easy Clean-Up/Odor Free
- Window and Door Frame Approved
- Suitable for Installing Insulated Glass in Wood Frames
- Excellent Flexibilty, Kitchen and Bath Approved
- Interior and Exterior Use
- Available in Two Colors
- 10.1 Fl. Oz. Cartridge
- 30 Cartridges Per Case



Bulk Quantities Available

Click to Chat With Us

Minimum order: 1 each

FHC Premium Butyl Sealant

- Single Component, Butyl-Based Sealant in 10.1 Oz. Standard Cartridge
- Remains Permanently Flexible With **Excellent Adhesion and UV Resistance**
- Delivers Solid Durability Over Extended Periods Without Sagging or Slumping
- Paintable and Non-Staining
- Structural Bonding and Insulation of Metal Building Panels
- Exterior Use
- 30 Cartridges Per Case



ITEM NO.	COLORS
BS15W	White
BS15BL	Black

Minimum order: 1 each

FHC Non-Skinning Butyl Sealant

- Single Component, Butyl-Based Sealant in 10.1 Oz. Standard Cartridge
- Non-Skinning Formulation Remains Permanently Pliable With Excellent Adhesion and UV Resistance
- Provides Moisture and Sound Barrier Protection
- Non-Paintable and Non-Staining
- Ideal Choice in Applications Where Moisture and Cold Temperatures Would Cause the Break-Down of Other Sealants
- Excellent Choice for Insulated Metal Panels for Walk-In Coolers, Freezers, and Refrigeration Trailers
- Works Well to Apply Flooring in Residential, Commercial, and **Remodel Construction**
- 30 Cartridges Per Case



ITEM NO. BS15NS Minimum Order: 1 Each.

Q



Visit fhc-usa.com to search for





THE GLAZING SUPPLY COMPANY **EXPERIENCE AND INNOVATION**

FHC Clear Partition Joint Strips

FHC Clear Partition Joint Strips

- Clean Alternative to Using Silicone
- Fits Both 1/2" Tempered and 9/16" Laminated Glass
- Provides a Clean Finished **Look for Glass Partition Systems**
- Pre-Applied Clear Adhesive Tape
- Fast and Easy to Install
- Sold in Increments of 5 Only






CLICK ANY FHC ITEM NUMBER Buy Now or Get Additional Product Information



FHC Clear Partition Strip 180 Degree Glass-to-Glass Joint

Use Between Two Glass Panels In-Line at 180 Degrees




ITEM NO. CPS12C Minimum Order: 5 Each.



FHC Clear Partition Strip 90 Degree Corner Joint

Use Between Two Glass Panels at 90 Degree Corner








FHC Clear Partition Strip Abutment Joint


Use Between Two Glass Panels Meeting at 90 Degrees





FHC Clear Partition Strip 3-Way Joint

Use to Connect Three Glass Panels at 90 Degree "T" Joints




ITEM NO. CPS12T Minimum Order: 5 Each.




FHC Clear Partition Strip 135 Degree Joint


Use Between Two Glass Panels In-Line at 135 Degrees



ITEM NO. CPS12V Minimum Order: 5 Each.



Joint Strips





FRAMELESS HARDWARE COMPANY LLC P.O. Box 1906 South Gate, CA 90280 Toll Free: (888) 295-4531 | Direct: (323) 968-2031

Fax: (323) 336-8307 | fhc-usa.com





FHC Backer Rod

FHC Backer Rod

- Backer Rod is a Flexible Foam Product Used in Construction and Sealing Applications
- Used to Fill Gaps and Joints in Buildings, Providing Insulation and Preventing the Passage of Air, Water, and Other Substances
- It Reduces the Amount of Sealant Required and Helps the Sealant Adhere Properly
- Use in Various Construction Projects, Including Windows, Doors, Expansion Joints, and Concrete Cracks
- Using Backer Rod Can Improve the Longevity and Durability of the Seal

cks

Bulk Quantities Available

Click to Chat With Us

FHC Backer Rod Open Cell

- Diameter Should be 25% 50% Larger than the Joint
- Can Be Used With Hot or Cold Applied Sealants
- Will Not Out-Gas Which Causes Sealant Failure



Closed Cell

FHC Backer Rod



ITEM NO.	DIAMETER	TOTAL FEET
CCBR14C	1/4"	100'
CCBR14B	1/4"	6400'
14: 1	IIII N. 66000146	4 (1)

Minimum order: 1 roll Item No. CCBR14C, or 1 case of Item No. CCBR14B.

FHC Backer Rod Sof Bi-Cellular

CLICK ANY FHC ITEM NUMBER

Buy Now or Get Additional Product Information

- Diameter Should be 25% 50%
 Larger than the Joint
- Water-Resistant Closed Cell Characteristics Without the Possibility of Out-Gassing
- Inert Material is Compatible With All Cold Applied Sealants



ITEM NO.	DIAMETER	TOTAL FEET
S0FBR58	5/8"	550'
S0FBR78	7/8"	330'
S0FBR118	1-1/8"	500'
S0FBR112	1-1/2"	552'
S0FBR2	2"	360'

Minimum order: 1 box.

ITEM NO. TOTAL FE **0CBR58** 5/8" 500' 7/8" 350' **0CBR78** 1-1/8 300 **0CBR118** 0CBR112 1-1/2" 350' OCBR2 2001 2"

Minimum order: 1 pack.

FHC Sealant Bond Breaker Tape

- Use to Prevent 3-Point Adhesion in Shallow Caulk Joints and Where Backer Rod Can't be Used
- Tape Prevents Sealants From Adhering to the Tape Backing
- Available in Clear and Black Colors, 0.2mm Thick



FHC SEALANT BOND BREAKER TAPE

CLEAR ITEM NO.	BLACK ITEM NO.	WIDTH	ROLL LENGTH
502T14	502B14	1/4"	108'
502T38	502B38	3/8"	108'
502T12	502B12	1/2"	108'
502T34	502B34	3/4"	108'
502T1	502B1	1"	108'
502T2	502B2	2"	108'

Minimum order: 1 roll.



THE GLAZING SUPPLY COMPANY
EXPERIENCE AND INNOVATION



Visit fhc-usa.com to search for

Backer Rod



Enter the Item Number or scan QR code with your smartphone for complete product details

FHC Backer Rod

Bulk Quantities Available Click to Chat With Us





FHC Backer Rod Guidelines for Properly Moving Dynamic Joints: DO's and DON'Ts

Prevents Adhesions on Three Sides

The sealants inability to bond with the joint's underside will increase movements (Figure 2).

Control the Sealants Bead Depth


The sealant bead conforms to the manufacturer's design recommendations, enhancing the sealant's capacity for movement (Figure 2)

Provides Resistance to Tool Against

When tooled, the sealant is pressed against the backer rod, ensuring optimal adhesion to the joint's side walls (Figure 3). To achieve this, the backer rod must be intentionally oversized, ensuring a secure fit within the joint (Figure 4).







Ensure that the minimum A to B ratio is 2:1.


A and C dimensions must not be less than 1/4".

The joint surface should have a concave tooling.

It is recommended that dimension B does not exceed 3/8".




Regulates the Sealant Bead Depth



A deep sealant bead hinders flexibility and

Excessive sealant depth leads to slower curing.

B dimension exceeds the suggested 3/8' maximum.




Silicone Weather-Seal Sealant

Silicone Structural Adhesive

The silicone weather seal bead hovers above the backer rod, enabling maximum movement.




Prevents adhesion on three sides.



Silicone Weather-Seal Sealant

Silicone Structural Adhesive

The silicone weather seal bead remains immobile as it is adhered to the joint's bottom.




Sealant Spatula


> To ensure uniform strength and adhesion along the bond line, the sealant is pressed firmly and evenly against the sidewalls using a spatula tool.

FIGURE 3:

Offers resistance when using a tool.



Uneven gaps between the sealant and the wall result in an irregular joint, leading to weak areas in the bond line that are prone to failure under stress.



Open Cell Backer Rod

FIGURE 4.


An oversized rod keeps things in position.

RECOMMENDED BACKER ROD DIAMETER SIZES

JOINT WIDTH	FHC CLOSED CELL	FHC OPEN CELL
3/16"	1/4"	
1/4"	3/8"	
3/8"	1/2"	5/8"
1/2"	5/8"	7/8"
5/8"	3/4"	1-1/8"
3/4"	1"	1-1/8"
1"	1-1/4"	1-1/2
1-1/4"	1-1/2"	2"
1-1/2"	2"	

Visit fhc-usa.com to search for

Q **Backer Rod**





FRAMELESS HARDWARE COMPANY LLC P.O. Box 1906 South Gate, CA 90280

Toll Free: (888) 295-4531 | Direct: (323) 968-2031 Fax: (323) 336-8307 | fhc-usa.com







FHC Setting Blocks


FHC Clear Plastic Setting Blocks

- Extremely Clear
- Shim and Level Glass Easily
- Will Not Discolor Overtime
- Pre-Cut 1/4" Wide X 2" Long Lengths in Six Different Thicknesses
- Great for Applications Where Traditional Black Setting Blocks are Visible
- Sold in 100 Per Pack



Great for Frameless Shower and Mirror Installations

ITEM NO.	SIZE (T X W X L)
CSB040	.040" x 1/4" x 2"
CSB080	.080" x 1/4" x 2"
CSB125	1/8" x 1/4" x 2"
CSB156	5/32" x 1/4" x 2"
CSB250	1/4" x 1/4" x 2"
CSB375	3/8" x 1/4" x 2"
Minimum order: 1 pack. (100 per pack)	




FHC Neoprene Setting Blocks

- 80±5 Durometer Hardness
- Withstands Heavy Wind Loads, Vibration, and Building Movements
- Designed To Shim and Level Glass in a Wide Variety of Applications
- Wide Range of Stock Sizes Available
- Special Hardness and Sizes Also Available Upon Request
- 100 Per Box



2" LENGTH ITEM NO.	4" LENGTH ITEM NO.	SIZE (T X W)
NSB569	NSB596	1/16" x 1/4"
NSB561	NSB578	1/16" x 1/2"
NSB550	NSB590	1/16" x 1-1/8"
NSB568	NSB570	1/8" x 1/4"
NSB562	NSB579	1/8" x 1/2"
	NSB574	1/8" x 3/4"
NSB587	NSB576	1/8" x 1"
NSB566	NSB572	1/4" x 3/8"
NSB563	NSB580	1/4" x 1/2"
	NSB575	1/4" x 3/4"
NSB584	NSB577	1/4" x 1"
NSB798		5/16" x 5/8"
NSB564		3/8" x 1/2"
	NSB594	1/2" x 1-1/8"
NSB565	NSB581	1/2" x 1/2"
	NSB595	5/8" x 1-1/8"
Minimum order: 1 box. (100 per box)		





FHC Adjustable Setting Blocks

- 3/8" to 11/16" Thickness/ Height Adjustment
- Wide Range of Uses
- High Impact Engineered Plastic
- For Use With Monolithic and Laminated Tempered Glass
- Each Box Contains 100 Pairs of Setting Blocks




VD IBI K38 3/8" 2.3/8"	ITEM NO.	WIDTH	LENGTH
ADJULKJO 3/0 2-3/0	ADJBLK38	3/8"	2-3/8"
ADJBLK12 1/2" 2-3/8"	ADJBLK12	1/2"	2-3/8"

Minimum order: 1 box. (100 pairs per box)

FHC Wedgit Glass Centering Springs

- Centers the Glass Lite and Prevents Glass Rattle in Loose Fitting Channels
- Available in Three Sizes to Accommodate Different Channel Pocket Depths
- Promotes a More Even Wet Glaze Application
- 100 Per Box





ITEM NO.	WIDTH
WD516	5/16"
WD318	3/8"
WD316	3/16"

Minimum order: 1 box. (100 per box)



THE GLAZING SUPPLY COMPANY
EXPERIENCE AND INNOVATION



Visit fhc-usa.com to search for





Enter the Item Number or scan QR code with your smartphone for complete product details

FHC Setting Blocks







FHC Tapered Setting Blocks for Use With Roll-In Vinyl EPDM

- Pre-Notched to Accept the Glazing Vinyl and Prevent Vinyl Waves
- 85/86 Durometer **EPDM Provide** Resistance to the Effects of Weather and

- 100 Pe	•			3/8" X
ITEM NO	D. WIDTH	HEIGHT	LENGTH	* W
TPVS2	3/8"	1/2"	2"	. 1
TPVS4	3/8"	1/2"	4"	

Minimum order: 1 pack. (100 per pack)

FHC 1/2" Glass Rail Self Centering **Setting Blocks**

- Made of EPDM Rubber
- Used With Traditional Series Base Shoe to Keep Glass Centered in Pocket
- Used in Wet Glazed **Applications**
- 4" Long Setting Blocks
- 20 Per Pack



ITEM NO. BSSB12 Minimum Order: 1 Pack.

FHC Silicone Setting Blocks

- Glazier Approved
- Compatible With Most Silicone Sealants and Won't Discolor
- Neoprene Durometer Hardness & UV Resistant
- Can Withstand Heavy Wind Loads, Vibration, and Building Movement
- Designed to Shim and Level Glass in a Wide Variety of Applications
- Special Hardness and Sizes Also Available
- Wide Range of Stock Sizes Available
- 100 Per Box



ITEM NO.	SIZE (T X W X L)
SSBN1	1/16" x 1-1/8" x 4"
SSBN2	1/8" x 1-1/8" x 4"
SSBN3	3/16" x 1-1/8" x 4"
SSBN4	1/4" x 1-1/8" x 4"
SSBN5	3/8" x 1-1/8" x 4"
SSBN6	1/2" x 1-1/8" 4"
SSBN7	1/2" x 7/16" 4"

Minimum order: 1 box. (100 per box)

FHC Thermoplastic Rubber Setting Blocks

- FHC "TPR" Thermoplastic **Rubber Setting Blocks**
- Compatible With Polyurethane, Silicone, and Butyl Sealants
- Includes UV Inhibitors That Will not Discolor
- Designed to Shim and Level Glass in a Wide Variety of Applications
- Special Sizes Can Be **Custom Ordered**
- Wide Range of Stock Sizes Available
- Excellent Chemical **Resistance Properties**
- 100 Per Box

ITEM NO.	SIZE (T X W X L)
TSB569	1/16" x 1/4" x 2"
TSB561	1/16" x 1/2" x 2"
TSB568	1/8" x 1/4" x 2"
TSB560	1/8" x 3/8" x 2"
TSB562	1/8" x 1/2" x 2"
TSB559	3/16" x 3/8" x 2"
TSB566	1/4" x 3/8" x 2"
TSB567	1/4" x 1/4" x 2"
TSB563	1/4" x 1/2" x 2"
TSB564	3/8" x 1/2" x 2"
TSB565	1/2" x 1/2" x 2"
TSB576	1/8" x 1" x 4"
TSB577	1/4" x 1" x 4"
TSB578	5/8" x 1" x 4"

Minimum order: 1 box. (100 per box)

FHC Aluminum/Neoprene Setting Blocks Setting Block

- Supports and Protects 3/8" or 1/2" Glass in Width Deep Channels

- is 10 Each



Visit fhc-usa.com to search for

Q **Setting Blocks**

Enter the Item Number or scan QR code with your smartphone for complete product details



FHC Traditional Spacer Block with Adhesive







SBA5 1/4" x 15/16" x 3' 1/4" x 1-1/4" x 3" SBA7

Minimum order: 1 box. (100 per box)



FHC Shims







FHC Shims

FHC Plastic Horseshoe Shims

- Color Coded Thickness for Easy Identification
- Use When Installing Windows, Doors, Storefronts, Curtain Walls, etc.
- Three Different Lengths Available Per Color
- 100 Shims Per Pack





ITEM NO.	COLOR	SIZE (T x L x W)
HSS6	Blue	1/16" x 2" x 1-1/2"
HSS26	Blue	1/16" x 3" x 2-1/4"
HSS16	Blue	1/16" x 3-1/2" x 1-1/2"
HSS8	Red	1/8" x 2" x 1-1/2"
HSS28	Red	1/8" x 3" x 2-1/4"
HSS18	Red	1/8" x 3-1/2" x 1-1/2"
HSS4	Black	1/4" x 2" x 1-1/2"
HSS24	Black	1/4" x 3" x 2-1/4"
HSS14	Black	1/4" x 3-1/2" x 1-1/2"

Minimum order: 1 pack, (100 Per Pack)

FHC Jumbo Size Plastic Horseshoe Shims

- Color Coded Thicknesses for Easy Identification
- Large 4" x 3" Size
- 100 Shims Per Pack





Thickness


ITEM NO.	COLOR	SIZE (T x L x W)
HSS36	Blue	1/16" x 4" x 3"
HSS38	Red	1/8" x 4" x 3"
HSS34	Black	1/4" x 4" x 3"

Minimum order: 1 pack. (100 per pack)

FHC Vers-A-Shim Plastic Load Bearing Shim

- High Compressive Strength Maintains Uniform Thickness
- Color Coded for Convenience

- Minimum Order 100 Each



Blue 1/16" Thick





Black 1/4" Thick




ITEM NO.	COLOR	SIZE (T x W x L)
PBS6	Blue	1/16" x 2" x 4"
PBS8	Red	1/8" x 2" x 4"
PBS4	Black	1/4" x 2" x 4"

Minimum order: 100 each

FHC Shimstack Shims

- Adjustable Lengths and Thickness
- Unaffected by Ground Chemicals and Will Not Rust, Rot, Stain or Leach
- Excellent Comprehensive Strength
- Two Lengths: 3-1/2" and 4-1/8" Available
- Thickness 1/16" to 1" (Stacked)
- 1000 Shims Per Pack



ITEM NO. PSS16S Size 1/16" x 3-1/2" x 1-7/8" Minimum Order: 1 Pack.



4-1/8" ITEM NO. PSS16L Size 1/16" x 4-1/8" x 1-7/8"

Minimum Order: 1 Pack. Visit fhc-usa.com to search for





Q Enter the Item Number or scan QR code with



THE GLAZING SUPPLY COMPANY **EXPERIENCE AND INNOVATION**

FHC Shims








FHC Wood Shims

- Best Snap of Any Wood Shim
- Easy to Cut and Resists Splitting When Nailed or Screwed
- Clean, Consistent, Dependable Quality
- 100% Kiln Dried Shims No Mold or Rot
- Thin-Feathered Tips
- Used When Installing Doors, Windows, Cabinets, Counter-tops, and Other Building Applications
- Shims are Available in 7-3/4" and 11-3/8" Lengths

Chat With FHC On Our Website to Get Real Time Expert Support from Knowledgeable Reps


Chat With Us!





FHC Wood Composite Tapered Shims

- Excellent for External Use
- Composite Shims are Waterproof and Resist Mold and Mildew
- Cleaner and Easier to Snap Than Traditional Wood Shims



FHC Aluminum Horseshoe Shims


- 3" Long Aluminum Shims are Available in 1/16", 1/8" and 1/4" Thickness
- These Fireproof Aluminum Shims Will Not Rust
- Use When Plastic Shim is Restricted by Building Codes
- 100 Shims Per Pack

l L	
	March 11-2

FHC Clear Horseshoe Shims

- Available in 1/6", 1/8", and 1/4" Thickness
- Clear Plastic Hides Shim
- 100 Shims Per Pack


ITEM NO.	SIZE (T x L x W)
HSSC16	1/16" x 3-1/2" x 1-1/2"
HSSC18	1/8" x 3-1/2" x 1-1/2"
HSSC14 1/4" x 3-1/2" x 1-1/2"	
Minimum order: 1 pack. (100 per pack)	



ITEM NO.	SIZE (T x L x W)
HSSA66	1/16" x 3" x 2"
HSSA68	1/8" x 3" x 2"
HSSA64	1/4" x 3" x 2"

Minimum order: 1 pack. (100 per pack)

Visit **fhc-usa.com** to search for












FHC Caulking Guns

- Used to Dispense Caulking Material Such as Silicone or Acrylic Sealants
- Various Thrust Ratio to Accommodate Different Viscosity of Sealants
- High Quality Steel Construction With Steel Frame or Rotating Barrel
- Comes in Various Sizes and can Accommodate Different Types of Caulk Cartridge or Sausage
- Manual or Battery Operated
- Dripless Feature That Stops the Flow of Caulk When the Trigger is Released, Reducing Mess and Waste
- Wide Selection to Suit Specific Application for Your Next Project

Typical Caulking Gun Components



Barrel Casing for Sausage and Cartridge Application

Built-In Seal Puncture Tool for Opening Caulking Tube

Understanding the Significance of Caulking Gun Ratios

In the realm of modern, high-viscosity sealants, caulking guns with Force-to-Handle-Cartridge ratios play a pivotal role. Understanding these ratios is straightforward: they act as multipliers for user applied pressure, increasing the force on the cartridge plunger.

For instance, a 12:1 Ratio Caulking Gun amplifies the user's pressure by a factor of 12. This enhanced thrust streamlines the application of high-viscosity sealants.



FHC Lightweight Composite Body Dripless Caulking Guns

- 18:1 Thrust Ratio Helps Reduce Arm Fatigue When Gunning Thicker Sealants
- Available for 10 oz. Cartridges
- Drip Switch Allows You to Choose Between Automatic Drip Free or Continuous Caulking
- Engineered Composite Construction Makes This Gun Lightweight and Stronger Than Steel



18:1 Ratio Caulking Gun



THE GLAZING SUPPLY COMPANY
EXPERIENCE AND INNOVATION



Visit **fhc-usa.com** to search for

Caulking Guns



Enter the Item Number or scan QR code with your smartphone for complete product details

FHC Rugged Steel Body Dripless Caulking Guns

- 18:1 Thrust Ratio Helps Reduce Arm Fatigue When Gunning Thicker Sealants
- High Quality Steel Construction With **Rotating Barrel**
- For 10 oz. Cartridges
- Drip Switch Allows You to Choose Between Automatic Drip Free or Continuous Caulking
- Seal Puncture Device Built Into the Barrel



ITEM NO. DCG300S

Use With Standard

10 Oz. Caulking Cartridges Minimum Order: 1 Each.








FHC Albion® 7:1 Ratio **Caulking Gun Skelton Frame**

- Lightweight 7:1 Ratio for Low Viscosity Sealants
- Smooth and Comfortable Trigger
- Tool Features: Seal Puncture Tool, Ladder Hook, and No Drip Operation



FHC COX® Chilton PowerFlow 12:1 Ratio Deluxe Strap Frame **Caulking Gun**

- 12:1 Ratio Makes for an Ideal Choice With Medium and High Viscosity Sealants
- For Standard Caulk Cartridges
- Seal Puncture Device Built Into the Handle
- Rotating Barrel



FHC COX® Chilton PowerFlow **HP 18:1 Ratio Deluxe Frame Caulking Gun**

- 18:1 Ratio Makes for an Ideal Choice With Medium and High Viscosity Sealants
- Convenient Pressure Relief Device
- Seal Puncture Device Built Into the Handle

Albion is a registered trademark of Albion Engineering Company Cox is a registered trademark of Sulzer Mixpac AG

Visit fhc-usa.com to search for

Caulking Guns

Enter the Item Number or scan QR code with your smartphone for complete product details



Q

FRAMELESS HARDWARE COMPANY LLC P.O. Box 1906 South Gate, CA 90280 Toll Free: (888) 295-4531 | Direct: (323) 968-2031 Fax: (323) 336-8307 | fhc-usa.com

ITEM NO. CC41XT

Use With Standard

10 Oz. Caulking Cartridges

Minimum Order: 1 Each.





18:1 Ratio

Caulking Gun

Thumb Activated

Pressure Release

Seal Puncture Tool

Bulk Quantities Available Click to Chat With Us





FHC COX® Ascot Ultra Flow 25:1 Ratio Strap Frame Caulking Gun

- 25:1 Ratio Provides Effortless Dispensing of High Viscosity Sealants
- Epoxy Coated Aluminum Handle and Anodized Rotating Frame for Increased Durability
- Thumb Activated Pressure Release and Ladder Hook for User Convenience



25:1 Ratio Caulking Gun


FHC COX® Wexford Easiflow 7:1 Ratio Caulking Gun

- 7:1 Ratio Provides Effortless Dispensing Low Viscosity of Sealants
- Exceptional Quality at Economical Price
- Thumb Activated Pressure Release
- Retractable Seal Puncture Tool



FHC Ergo 7:1 Ratio Adjustable Caulking Gun

- Ideal for Low Viscosity Materials
- Locking Slide Grip and Fold-Up Arm Support Clip Combine for a Perfect Balanced Application
- Reduces Arm and Wrist Fatigue
- Perfect for Single Handed Applications
 From Ladders and Scaffolding



FHC Albion® 12V Cordless Caulking Gun

- 400 Lbs. of Dispensing Force
- Dispenses a 10 oz. Cartridge in 16 Seconds
- Long Lasting 12 Volt Lithium-Ion Battery
- One Charge Dispenses Up to 40 Cartridges
- Dial With Various Speeds and Auto-Reverse for No Drip
- Features Cartridge Puncture Tool, Swivel Carriage, Ladder Hook, and Battery Gauge
- Includes Gun, Charger and 12V Lithium-Ion Battery



Albion is a registered trademark of Albion Engineering Company Cox is a registered trademark of Sulzer Mixpac AG



THE GLAZING SUPPLY COMPANY EXPERIENCE AND INNOVATION



Visit fhc-usa.com to search for

Caulking Guns



Enter the Item Number or scan QR code with your smartphone for complete product details

FHC COX® Avon 300 Series 10 Oz Sausage/Cartridge/Bulk Caulking Gun

- 12:1 Ratio Provides Effortless Dispensing of Medium Viscosity Sealants
- Can Be Used for 10 Oz. Sausage Packs, Cartridges or Bulk
- Its Versatility Makes this a Very Popular Gun
- Includes Six Extra Nozzles









12:1 Ratio Caulking Gun

FHC COX® Avon 600 Series 20 Oz Sausage/Cartridge **Caulking Gun**

- 12:1 Ratio Provides Effortless Dispensing of Medium Viscosity Sealants
- Used With Standard Cartridges or Sausage Packs
- Lightweight Aluminum
- Includes Six Item No. CCYC1 Nozzles



12:1 Ratio Caulking Gun



ITEM NO. CCYC1 FHC Cox® Yellow Cone Plastic Nozzle for Sausage Guns

5 Per Pack Minimum Order: 1 Pack.

FHC Dripless Caulking Gun

- 16:1 Thrust Ratio Helps Reduce Arm Fatigue When **Gunning Thicker Sealants**
- Drip Switch Allows You to Choose Between Automatic Drip-Free or Continuous Caulking
- Lightweight Aluminum Body
- Versatile Gun For Standard 20 Oz. Sausages or 10 Oz. Cartridges





Use With 20 Oz. Sausages or 10 Oz. Cartridges Minimum Order: 1 Each.



Caulking Gun

16:1 Ratio

FHC Lightweight Composite Body Dripless Caulking Guns

- 18:1 Thrust Ratio Helps Reduce Arm Fatigue When Gunning Thicker Sealants
- Versatile Gun for 10 oz. Cartridges or 20 oz. Sausages
- Drip Switch Allows You to Choose Between Automatic Drip-Free or Continuous Caulking
- Engineered Composite Construction Makes This Gun Lightweight and Stronger Than Steel

Cox is a registered trademark of Sulzer Mixpac AG




ITEM NO. DCG6000

Use With 20 Oz. Sausages or 10 Oz. Cartridges Minimum Order: 1 Each.



Visit fhc-usa.com to search for

Caulking Guns





Q

FRAMELESS HARDWARE COMPANY LLC P.O. Box 1906 South Gate, CA 90280 Toll Free: (888) 295-4531 | Direct: (323) 968-2031


Fax: (323) 336-8307 | fhc-usa.com







FHC Caulking Accessories





FHC Nozzle Cutter

- Safely and Precisely Cut Sealant Nozzles and Cartridge Tips

- Suitable for Use on All Plastic Sealant and Adhesive Cartridges



Cuts Threaded Tips



ITEM NO. NC123 Minimum Order: 1 Each.

FHC Screw-On Sealant Nozzles

- Extra Nozzles for Silicone Cartridges
- Cut Tip for Desired **Bead Size**
- Sold in Packages of 24

ITEM NO.	SIZE
NOZS1L2	2-3/4" Length
NOZS1L	4" Length

Minimum order: 1 pack



With #LRNC Cap (Shown Below)



FHC COX® Yellow Cone Plastic Nozzle for Caulk Sausage Guns

- Ideal When Wider Beads are Needed
- 1/8" to 1-5/16" **Bead Sizes**

Minimum Order: 1 Each.

- Easy Clean Up
- 4-1/2" Length
- Sold 5 Per Pack



ITEM NO. CCYC1 Minimum Order: 1 Pack.

FHC 7-1/2" Sealant **Nozzle 45 Degree Bent Angle**

- Easy Clean Up "Angle Shot" Nozzle
- Used for Dispensing 1/10 Gallon Cartridges
- Extend Any Plastic Cartridge Nozzle to Dispense in Difficult Situations
- Total Length is 7" Base is 4.5" Then Turns 45 Degrees and Extends Another 2.5"
- Fits on Top of Many Standard 1/10th Gallon and Quart Cartridge Nozzles
- 1/8" to 1/2" Bead Sizes

ITEM NO. A9351 Minimum Order: 1 Each.

FHC Little Red Nozzle Caps

- Reduces Sealant Waste
- Seals Air and Dirt Out to Preserve Open Sealant Quality
- 35 Caps Per Pack
- Reusable



ITEM NO. LRNC Minimum Order: 1 Pack.

FHC Empty Sealant Dispensing Cartridge

- 1/10 Gallon Fluid **Dispensing Cartridge**
- For Use With Most Low to Medium Modulus Sealants
- Fits Standard Caulking Guns

NEW

- Includes Plunger Cap Plunger Сар

ITEM NO. SC103 Minimum Order: 1 Each.

Cox is a registered trademark of Sulzer Mixpac AG



THE GLAZING SUPPLY COMPANY **EXPERIENCE AND INNOVATION**



Visit fhc-usa.com to search for

Caulking Tools



Enter the Item Number or scan QR code with your smartphone for complete product details

NEW

FHC Caulking Accessories







FHC Sealant Spreaders and Spatulas

FHC Multi Profile Sealant Tooler

- Multi-Use Glazier's Finishing Tool
- Tool Sealants and Putties
- Smooth Edges and Multi-Profiled Corners Will Leave a Professional Finish



ITEM NO. FHC55 Minimum Order: 1 Each.

FHC Mini Soft Spreader

- Ideal for Spreading Adhesives, Sealants, Resins, and Putties
- Small and Highly Flexible for Tight-Space Applications
- Spreads on Curved or Straight Lines
- 2-1/4" x 3" Overall



ITEM NO. MST32 Minimum Order: 1 Each.

FHC Soft Spreader

- Flexible for Uneven Substrates
- For Applying and Spreading, Various Materials Including Sealants and Putties
- Convenient 3" x 4" Size



ITEM NO. **STRC4**Minimum Order: 1 Each.

FHC Rigid Spreader

- 3" x 4" Easily Allows for One Hand Application
- Excellent With High Viscosity Sealants and Putties



ITEM NO. **FST34** Minimum Order: 1 Each.

FHC Plastic Glaziers Stick With Tapered Ends

NEW

- Tapered Ends on Both Sides With Endless Uses
- Won't Scratch or Harm Glass or Metal Surfaces
- Great for Tooling Silicone, Pushing Vinyl, Mixing, Prying, and Adjusting Glass

ITEM NO. FHC778
Minimum Order: 1 Each.



A Glaziers Must Have With Endless Uses On Job Sites

FHC Wood Handle Sealant Spatula 3/4" Radius Tip

- Professional Grade Caulk Joint Finishing/Tooling Spatula
- Durable 4" Long Stainless Steel Blades, Ground for Optimal Flex for Perfectly Finished Joints
- Polished to Smooth Finish for Minimum Drag



ITEM NO. **A2584** Minimum Order: 1 Each.

FHC Wood Handle Sealant Spatula 1" Radius Tip

- Professional Grade Caulk Joint Finishing/Tooling Spatula
- Durable 6" Long Stainless Steel Blade, Ground for Optimal Flex for Perfectly Finished Joints
- Polished to Smooth Finish for Minimum Drag

ITEM NO. **A2586**Minimum Order: 1 Each.

FHC Wood Handle Sealant Spatula 1-1/4" Radius Tip

- Professional Grade Caulk Joint Finishing/Tooling Spatula
- Durable 8" Long Stainless Steel Blade, Ground for Optimal Flex for Perfectly Finished Joints
- Polished to Smooth Finish for Minimum Drag

ITEM NO. **A2588**Minimum Order: 1 Each.

FHC Sealant Spatula Set

- Set of Seven with Variable Sizes
- Curved Handles for a Easy Handling
- Stainless Steel Makes for Easy Clean Up



ITEM NO. **A958G01**Minimum Order: 1 Set.

Visit fhc-usa.com to search for

Caulking Tools



Enter the Item Number or scan QR code with your smartphone for complete product details







FHC Caulking Accessories







FHC Hyde® Flexible Putty Knives

- For Applying Compounds, Smoothing and Scraping
- High-Quality Putty Knife With Comfort Grip
- Full Shank and Hammer Head For Setting Nails and Screws



ITEM NO.	WIDTH
PK112	1-1/2"
PK2	2"
PK3	3"
Minimum orde	er: 1 each

FHC Red Devil® 1-1/4" **Putty Knives**

- Black Nylon Solvent-Resistant Handle
- High-Carbon, Precision-Ground Steel Blade
- Lacquered to Prevent Rust
- Stiff or Flexible Blade Available





ITEM NO. RD4201

FHC Red Devil® 1-1/4" Stiff Putty Knife Minimum Order: 1 Each.



ITEM NO. RD4202

FHC Red Devil® 1-1/4" Flexible Putty Knife Minimum Order: 1 Each.

FHC Hyde® Stiff **Chisel Putty Knife**

- 3/4" Stiff Blade Scraping and Removing **Putty and Sealants**
- Small Blade for Working in Tight Spaces
- Full-Tang and Hammer Head or Setting Nails and Screw
- Chisel End and Hammer Head Combine to Remove Roch-Hard Compounds

ITEM NO. PK34 Minimum Order: 1 Each.

FHC Hyde® 1-1/4" Bent Stiff Putty Knife

- Bent Blade to Get Under the Compound for Easy Removal
- Full-Tang Heavy-Duty Construction With **Durable Nylon Handle**



ITEM NO. PK114B Minimum Order: 1 Each.

FHC Soft-Grip Square Point Knife

- 15 Gauge Hardened High-Carbon Steel Blade
- 4" x 1" x .072"



ITEM NO. SPK102 Minimum Order: 1 Each.

FHC All-Purpose Putty

- Glazes Wood, Metal, and Aluminum Sash
- Available in Off White or Gray
- 1 Gallon Size
- 2 Per Case



ITEM NO. COLOR APP1W Off White APP1G Gray Minimum order: 1 each

FHC Wood Sash Putty

- High Quality Formulation for Face Glazing of Wood Sash
- Goes on Smoothly and Evenly
- Available in Off White
- 1 Gallon Size
- 2 Per Case





ITEM NO. WSP1W Minimum Order: 1 Each.

FHC Metal Sash Putty

- Use for Steel, Aluminum, or Galvanized Window Sash
- Available in Gray
- 1 Gallon Size
- 2 Per Case





ITEM NO. MSP1G Minimum Order: 1 Each.

Hyde is a registered trademark of Hyde Tools, Inc. Red Devil is a registered Trademark of Red Devil, Inc.



THE GLAZING SUPPLY COMPANY **EXPERIENCE AND INNOVATION**



Visit fhc-usa.com to search for

Putty Knives



Enter the Item Number or scan QR code with your smartphone for complete product details

FHC De-Glazing and Cut Out Tools

Bulk Quantities Available Click to Chat With Us





FHC Glazier's De-Glazing Tool

- Simplifies De-Glazing Process of Glass Bedded With Silicone, Foam or Butyl Tapes and Other Pliable Material
- The De-Glazing Blade Wheel Self Guides Itself Through the Glazing Pocket Making This Tool Very Simple to Use
- The Protective Hand Guard Helps to Shield the Installer From Glass Breakage, Framing Splinters and Knuckle Burns



ITEM NO. **EZ10B**Replacement Blade For
EZ10 De-Glazing Tool
Minimum Order: 1 Each.



Minimum Order: 1 Each.



Glazier's De-Glazing Tool Minimum Order: 1 Each.

FHC Sawtooth De-Glazing Tool

 Saws Paint, Silicone, and Glazing from Between Frame and Sash of Windows that are Painted Shut

 Tubular Metal Handle With Plastic Hand Grip



ITEM NO. 4046ST Minimum Order: 1 Each.

FHC General Purpose Hacking Knife

- 1-1/4" X 4-1/4" Rugged Blade For General Cutting
- Leather Handle and Triple Rivited Construction

ITEM NO. HK414 Minimum Order: 1 Each.

FHC Non-Marring De-Glazing Wedge

- Hi-Impact Material Assists in Separating Glass From Its Channel or Framework
- Hi-Strength Commercial Plastic Will Not Scratch Glass or Framing
- Self-Lubricating Characteristic
- Ideal Tool to Straighten and Clean Channels

ITEM NO. **AF102** Minimum Order: 1 Each.

FHC PipeKnife® With Blade Storage In Handle

- Used to Remove Sealant and Caulk
- Provides Extra Reach and Power in Tight Spaces
- Blade Storage in Handle
- Replacement Blades: ITEM NO. HD2UB

ITEM NO.	LENGTH
0PK14	14"
OPK18XL	18"
Minimum order: 1 each.	



FHC The Claw De-Glazing Tool

- Universal Deglazing Tool
- Pull-Grip Feature Provides the Extra Leverage For Tough Cut-Outs
- For Hard to Reach Joints




ITEM NO. 1CLAW

Minimum Order: 1 Each.

Pipeknife is a registered trademark of PHC, Inc.

Visit fhc-usa.com to search for Deglazing Tools







FHC 3-1/2" Hook Blade Knife

- Cut Vinyl, Sealants and Other Light-Weight Materials
- Hooked Blade Increases Leverage When Cutting
- Great for Cutting Between Door and Window Frames



ITEM NO. **HBK312** Minimum Order: 1 Each.



FHC Knives and Blades







FHC Single Edge Razor Blades



- .09 Premium Carbon Steel Construction
- Famous Duro Edge
- Individually Wrapped Blades
- 100 Razor Blades Per Pack

Premium .09 Carbon Steel

ITEM NO. RB9 Minimum Order: 1 Pack.

FHC Heavy-Duty Single Edge Razor Blades

- .12 Heavy-Duty Carbon Steel Construction
- Famous Duro Edge
- Individually Wrapped Blades
- 100 Razor Blades Per Pack

Heavy-Duty
.12 Thick Carbon Stee

ITEM NO. RB12 Minimum Order: 1 Pack

FHC Heavy-Duty Utility Blades

- .12 Heavy-Duty Carbon Steel Construction
- For Professional Use
- Safety Dispenser Included
- Sold in Packs of 100





ITEM NO. **HD2UB** Minimum Order: 1 Pack

FHC Universal Scraper Blade

- Replacement Scrape Blades For SCR412
- Pack of Five Blades



ITEM NO. SCR412 Scraper Blade Not to Be Used Without Universal Scraper Minimum Order: 1 Each.



ITEM NO. **SCR412B** Minimum Order: 1 Pack

FHC Double Edge Plastic Blades

- Durable and Will Not Rust
- Pliable, Non-Marring Blade to Prevent Surface Damage
- 25 Blades Per Pack



ITEM NO. **DSPB9** Minimum Order: 1 Pack

FHC Autoloading Retractable Utility Knife

- Automatic Blade Loading Mechanism
- Heavy-Duty Zinc Alloy Material
- Five Double Ended Heavy-Duty Blades Included Within the On Board Spare Blade Compartment
- Variable Blade Length Settings
- Simply Press Slide Mechanism to Expose the Blade



ITEM NO. FHCUK1
Minimum Order: 1 Fach

FHC Folding Quick Change Blade Utility Knife

- Quick Blade Change
- Fixed Blade Design
- Folds for Convenient Storage
- Includes Six Blades



ITEM NO. FRUK1
Minimum Order: 1 Each.

FHC Traditional Retractable Utility Knife

- Traditional Metal Handle Design
- Fully Retractable
- Overlap Nose for Safety
- Includes One Blade




ITEM NO. MRUK1
Minimum Order: 1 Each.

Visit fhc-usa.



Visit **fhc-usa.com** to search for







THE GLAZING SUPPLY COMPANY
EXPERIENCE AND INNOVATION

FHC Scrapers and Removal Tools







FHC Retractable Safety Scraper

- Safety Lock Secures the Single Edge Blade In Place
- Safety Blade Feature Allows For Blade Removal Without Touching the Blade
- Extra Blade Storage in the Handle
- Uses FHC RB9 Single Edge Blades



ITEM NO. RBSS1 Minimum Order: 1 Each.

FHC Mini Glass Scraper

- Convenient Small Size
- Ideal for Scraping in Hard to reach places
- Uses FHC RB9 Single Edge Blades



ITEM NO. MGS5 Minimum Order: 1 Each.

FHC Deluxe Single Edge Scraper

- A Safe Option When Using a Razor Blade
- Ideal for Scraping Windows, Paints, Labels and Walls
- Essential Tool for Most Glaziers
- Durable and Easy to Use
- Uses FHC RB9 Single Edge Razor Blades (Sold Separately)



ITEM NO. RBSCR1 Minimum Order: 1 Each.

FHC Deluxe Single Edge Scraper

- Removes Sealants, Paint and Putty From Glass and Mirrors
- Retractable Blade With Positive Lock Helps to Prevent on Job Accidents
- 1/16" Sash Guide Maintains Putty/Glass Seal
- Uses FHC HD2UB Utility Blades

ITEM NO. HDGS1 Minimum Order: 1 Each.

FHC Deluxe Single Edge Scraper

- 2-1/2" Scraper Blade for Removing and Spreading Putty and Other Compounds
- Set Nails and Screws With The Hammer Head
- On-Board Bit Holder and Four Bits Assure a Screwdriver is Always at Hand



NEW



in Handle

FHC Universal Scraper

- 3-1/4" Angled Blade an 12" Overall Length Combine to Make Easy Work of Glass Clean-up
- Cushioned Foam Grip Help To Reduce Hand Fatigue
- Use Replacement Blade **#SCR412B**



ITEM NO. SCR412 Minimum Order: 1 Fach



ITEM NO. SCR412B Use Replacement Scraper Blade Minimum Order: 1 Pack.

FHC Big Blade Sealant and Adhesive Removers

- Jumbo Sized (3" x 4") Plastic Razor Blade
- Double-Edged, Will Not **Damage Substrates**
- Available in Firm or Flexible Models

ITEM NO.	RIGIDITY	COLOR
RRT34	Firm	Green
FRT34	Flexible Blue	

Minimum order: 1 each.





FHC Chizzler Sealant and Adhesive Removal Tool

- Convenient Pocket-Sized
- Removes Sealants, Adhesives and Vinyls Without Damaging Substrates

ITEM NO. CHO2 Minimum Order: 1 Each.



Visit fhc-usa.com to search for



Enter the Item Number or scan QR code with your smartphone for complete product details







FHC Cleaners







FHC Cleaners, Degreasers, and Wipes

Prior to any sealant application, it is imperative that the substrate is clean and void of any foreign substance including dirt, dust, grease and oils. FHC Cleaners, Degreasers and Wipes are your choice to help ensure good sealant adhesions.



FHC Glass Cleaners

- Ammonia-Free / Clean Fresh Fragrance
- Ammoniated / No Hazing or Streaking
- The Glass Industry's Preferred Glass Cleaner
- Great for Windows. Showcase, Mirrors, Windshields, and Other Surfaces
- 12 Cans Per Case



DESCRIPTION
Ammonia-Free 19 oz.
Ammoniated Formula 19 oz.

Minimum order: 1 case



FHC All Purpose Solvent

- Great for General Purpose Cleaning
- Softens and Removes Uncured Urethane, Tar, Adhesive, Oil, Grease, **Body Sealer and** Undercoating
- Contents One Quart (.9461)

ITEM NO. APS1

Minimum Order: 1 Each.



Citrus Based Solvent - Citrus Based Heavy Duty,

Non-Chlorinated Degreaser - Effective for Removal of

FHC All Purpose

- Grease, Oil, Ink, Adhesive, Tar, Wax and Certain Graffiti
- Use to Replace Products Containing Harsh Chlorinated Solvents

ITEM NO. SW909

Minimum Order: 1 Each.



Pre-Moistened Towels

FHC Scrubs In-A-Bucket

- Easy Pop and Pull on Demand Dispenser with 72 Towels
- Removes Grease. Paint, Caulk, Tar, Oils. Dirt. Ink.Dve. Sealants and More
- Rough Texture Aids to Clean-Up and Trap Industrial Soil
- Pleasant Citrus Scent

ITEM NO. SB422 Minimum Order: 1 Each.

FHC Heavy-Duty Glass Wipes

- Heavy-Duty, Lint Free and Highly Absorbent
- High Performance Wipes Maintain Their Strength Wet or Dry
- Convenient Interfold Pop-Up Dispenser
- Each Box Has 150 Wipes
- Master Pack 6 Boxes Per Case



ITEM NO. FHC3255 Minimum Order: 1 Box.

FHC Lint-Free Glass Wipes

- Absorbent and Virtually Lint-Free
- 4 Ply Nylon Reinforced Scrim Wipes
- Each Box Has 150 9-3/4" x 16-3/4" Wipes
- 6 Boxes Per Case



ITEM NO. WX15 Minimum Order: 1 Box.

FHC 5 Pound Box of Rags White Knit

- Cut from New White T-Shirt Material

- No Seams. Soft Low Linting and Absorbing



ITEM NO.	DESCRIPTION
T1055	5 Lbs.
T10525	25 Lbs.

Minimum order: 1 box



Visit fhc-usa.com to search for

Cleaners

Q

Enter the Item Number or scan QR code with your smartphone for complete product details



THE GLAZING SUPPLY COMPANY **EXPERIENCE AND INNOVATION**

A to Z Product Index



CLICK ANY FHC ITEM NUMBER To Buy Now or Get Additional Product Information

7-N-1 Multi-Use Sealant ToolWS26
A Acetic Cure Silicone
B Backer Rod
C Caulking Accessories WS26—WS29 Caulking Guns WS22-WS25 Claw De-Glazing Tool WS29 Cleaners WS32 Clear Partition Joint Strips WS15 Clear Plastic Horseshoe Shims WS21 Clear Setting Blocks WS18 Closed Cell Backer Rod WS16 Composite Shims WS21 Construction Sealants WS08-WS13 Cordless Caulking Gun WS24
D Deglazing Tools
E Empty Sealant CartridgeWS26
G Glass Cleaners

H Hacking Knife Heavy-Duty Blades. Heavy-Duty Glass Wipes. Hook Blade Knife Horseshoe Shims.	WS30 WS32 WS29
I Insulating Glass Silicone	WS06
J Jumbo Horseshoe Shims	WS20
K Knives and Blades	WS29-WS31
L Lint Free Wipes Load Bearing Shims	
M Metal Sash Putty Mini Glass Scraper	
N Neoprene Setting Blocks Neutral Cure Silicone Nozzle Caps Nozzle Cutter	WS09-WS11 WS26
Open Cell Backer Rod	WS16
P Partition Joint Strips	WS29 WS27 WS30-WS31 WS12-WS13 WS28

R Razor Blades	WS30-WS3
Sausage Caulking Guns	W\$26 W\$30-W\$3 W\$26-W\$3 W\$32 W\$27-W\$26 W\$18-W\$19 W\$20-W\$2 W\$20-W\$2 W\$20-W\$2
T Tapered Setting Blocks Tapes Thermoplastic Rubber Setting Blocks. Tremco* SealantsWS07, TRU-Clear Silicone	WS16 WS19 WS11, WS13
U Utility BladesUtility Knives	
V Vers-A-Shims Vulkem® Polyurethane Sealants	
W Wedgit Glass Centering Springs Wood Sash Putty Wood Shims	WS28

FHC Online Web Catalog Library

- The Newest & Most Innovative Web Catalogs in the Industry
- Find What You Need Fast and Easy
- Simply Click On Item Numbers to Buy Now or Get Additional Product Information
- Utilize FHC's "Live Chat" for Any Product or General Inquiries
- View or Download Any Web Catalog for FREE

To View Our Complete FHC Library Catalog, Flyers & Brochures

Scan QR Code with your smartphone to view FHC Catalogs and Brochure Library at FHC-USA.COM.



Specialty Catalogs for Each Specific Product Line





WEB-S3 SEALANTS & SUPPLIES



WEB-A3
TAPES, ADHESIVES &
SUPPLIES



WEB-M3
MIRROR HARDWARE &
SUPPLIES



WEB-D3 SCREEN, WINDOW & PATIO DOOR HARDWARE

Visit fhc-usa.com to search for

Catalogs



Enter the Item Number or scan QR code with your smartphone for complete product details



FRAMELESS HARDWARE COMPANY LLC
P.O. Box 1906 South Gate, CA 90280

Toll Free: (888) 295-4531 | Direct: (323) 968-2031 Fax: (323) 336-8307 | fhc-usa.com



Sealants and Supplies

Glazing | Showers | Architectural | Storefronts & Entrances | Transaction | Railing





FHC Tidewater Series

180 Degree Soft Stop Sliding Shower Door Kit

Our FHC Tidewater Series 180 Degree Sliding Shower Door Kit is a single-sliding door with our new Soft Stop technology. The Soft Stop innovation prevents the sliding glass door panel from slamming open or closed when engaged, and adds an extra dimension of safety. Available in four designer finishes, the Tidewater offers a sleek appearance without exposed rollers. Extra wide and heavy doors are no obstacle for the FHC Tidewater, handling 3/8" thick glass doors up to 132 pounds. The header length is 84", allowing for the possibility of using a sliding door in excess of 40" wide! There is no glass fabrication required for the roller carriers. With components to design a 90 degree return enclosure (sold separately), the FHC Tidewater is a superior choice when making a high quality, safety conscious frameless shower enclosure.

MORE ABOUT TIDEWATER



FHC Manufacturing, Distribution & Sales Office Campus 2323 Firestone Blvd. South Gate, CA 90280
Toll Free: (888) 295-4531 | Direct: (323) 763-1366



SC02 FHC SOUTHWEST SERVICE CENTER 2926 Skyway Cir S, Irving, TX 75038 Toll Free: (888) 295-4531 | Direct: (214) 550-5008



SC10 FHC NORTHWEST SERVICE CENTER 25811 74th Ave S Kent, WA 98032 Toll Free: (888) 295-4531 | Direct: (253) 852-1399



SC01
FHC HEADQUARTERS
4361 Firestone Blvd. South Gate, CA 90280
Toll Free: (888) 295-4531 | Direct: (323) 968-2031



SC22
FHC EAST COAST SERVICE CENTER
1630 Old Dunbar Rd. West Columbia, SC 29172
Toll Free: (888) 295-4531 | Direct: (704) 882-3534



THE GLAZING SUPPLY COMPANY EXPERIENCE AND INNOVATION

FRAMELESS HARDWARE COMPANY LLC
4361 Firestone Blvd. South Gate, CA 90280
Toll Free: (888) 295-4531 | Direct: (323) 968-2031
Fax: (323) 336-8307 | Email: glazing@fhc-usa.com





