


LWS & I
WINDOWS AND DOORS

HINGED GARAGE DOORS CATALOGUE





HINGED GARAGE DOORS

The traditional way to secure a garage is with hinged garage doors. Nowadays they are mainly used in places where the use of sectional garage doors is impossible. This economically efficient and versatile product makes it possible to achieve satisfactory thermal performance, if required. This is made possible, among other things, by the thermal breaks found in selected systems. All hinged doors are in the familiar sectional door design and their panels are filled with insulating polyurethane foam.



PRESTO STEEL HINGED GARAGE DOORS

The classic design and elegance makes Presto swinging steel an irresistible proposition for detached garages, warehouses and various outbuildings where maintaining a high interior temperature is not a priority. Although equipped with polyurethane foam-filled sectional door panels 40 mm thick, their main advantages are timeless elegance and high durability. The use of reliable steel profiles means many years of reliable operation and perfect appearance from Presto doors. Their negligible requirements in terms of the structure of the building in which they appear make them the best option for customers looking to replace garage doors in older structures. When you also consider their ease of use and the wealth of equipment included as standard, Presto hinged garage doors become an extremely attractive proposition.



profiles painted
in RAL colours



1.5 mm
steel profiles



40 mm panel
with thermal insulation

UNICO STEEL HINGED GARAGE DOORS

When building conditions do not allow the use of sectional garage doors and where customers expect traditional elegance, Unico swinging steel doors presents an interesting alternative. The classic appearance, minimal requirements in terms of technical garage conditions and extensive finishing options make Unico doors a universal solution that can be chosen for almost any application. All you need is a small amount of free space in front of the garage for the movement of their wings. Unico doors are primarily intended for use in garages connected to houses. This is due to the fact that they have thermal breaks in the profiles and are filled with the warm panels used in sectional doors. Their installation is undemanding and, together with the standard equipment package available as standard, they are a convenient option for any investor.



profiles painted
in RAL colours



1.5-2.0 mm
steel profiles



40 mm panel
with thermal insulation

31.01.2026



LWS&I Windows and Doors Limited