


**ABRAZADERAS** HOSES CLAMPS  
BRASS FITTINGS **CONEXIONES**  
**PUSH IN** ABRAZADERAS DE LATON  
PNEUMATIC COUPLERS **ACOPLES**  
**CONECTORES NEUMÁTICOS**  
**FLEXIBLES** FLEXIBLE HOSES  
**ABRAZADERAS** HOSES CLAMPS  
BRASS FITTINGS **CONEXIONES**  
**PUSH IN** ABRAZADERAS DE LATON  
PNEUMATIC COUPLERS **ACOPLES**  
**CONECTORES NEUMÁTICOS**  
**FLEXIBLES** FLEXIBLE HOSES  
**ABRAZADERAS** HOSES CLAMPS  
BRASS FITTINGS **CONEXIONES**  
**PUSH IN** ABRAZADERAS DE LATON



**GENERAL PRODUCTS**

# CENTRO DE DISTRIBUCIÓN

## DISTRIBUTION CENTER



El centro de distribución está localizado en Colón, Panamá, corazón del continente y nuestra infraestructura está capacitada para suplir eficientemente las demandas de todos los clientes.



The distribution center is strategically located in Panamá, the heart of the continent and our infrastructure is able to efficiently meet our customers demands, requests or needs.

**COVOLCA**  
FLUID CONNECTORS

# NUESTROS MERCADOS

## Our Markets



**COVALCA**  
**CV** FLUID CONNECTORS

CV-01- GP

# General Index

# INDICE

## CONEXIONES DE BRONCE

Brass Fittings

- A.1 Flared / Flare
- A.7 Compresión / Compression
- A.12 Tubería / Pipe
- A.19 Para Mangueras / Hose Barb
- A.24 Frenos de Aire / Air Brake
- A.27 Abocinadas Invertidas / Inverted Flare
- A.30 Misceláneos / Miscellaneous
- A.31 Gavetero / Display
- A.32 Empaque / Packaging

## ABRAZADERAS

Hose Clamps

- B.1 Estándar Galvanizada / Standard Galvanized
- B.2 Estándar Banda Acero Inoxidable Tornillo Acero al Carbón / Standard Stainless Steel Band and Plated Hex Screw
- B.3 100% Acero Inoxidable con tornillo Inoxidable / 100% Stainless Steel
- B.4 Industrial Galvanizada / Industrial Clamp Galvanized
- B.5 Industrial 100% Acero Inoxidable 316 / Industrial Stainless Steel 316 Grade
- B.6 Industrial 100% Acero Inoxidable 304 / Industrial Stainless Steel 304 Grade
- B.7 Sistema de Tensado en Acero Inoxidable / Stainless Steel Clamping System
- B.8 Exhibidor / Display
- B.9 Empaque / Packing

## CONECTORES FLEXIBLES

Flexible Hoses

- C.1 Para Lavamanos / For lavatory
- C.2 Para Fregadero / For Kitchen Sinks
- C.3 Para Sanitarios / For Toilets
- C.4 Para Lavamanos y Fregaderos Monomando / For Mixed Taps Lavatory and kitchen sinks
- C.5 Para Gas Pigtail / For Gas Pigtail
- C.6 Para Gas uso General / For Gas Utility
- C.7 Para Fabricador de Hielo / For Ice Maker
- C.8 Para Lavadora / For Washer Machine

## MANGUERAS DE POLIETILENO, NYLON, FRENS DE AIRE

Polyethylene. Nylon, Air Brake Hoses

- D.1 Para Frenos de Aire / For Air Brake
- D.2 Tubo de Poliuretano / Polyurethane Tubing
- D.3 Tubo de Polietileno / Polyethylene Tubing
- D.4 Tubing de Nylon para Frenos de Aire / Air Brake Tubing

## ACOPLES PUSH IN

Push In Couplers

- E.1 Macho Recto Milimétrico y SAE / Straight Adapter MM & SAE
- E.2 Reductor Milimétrico y SAE / Reducer MM & SAE

## ACOPLES PUSH IN

Push In Couplers

- E.3 Codo Macho a 90° Milimétrico y SAE / 90° Male Elbow MM & SAE
- E.4 Silenciadores Milimétricos y SAE / Silencers MM & SAE
- E.5 Macho Tipo T Milimétricos y SAE / Branch Tee Male MM & SAE
- E.6 Unión Recta Milimétricas y SAE / Straight Union MM & SAE
- E.6 Unión Codo 90° Milimétricas y SAE / 90° Union Elbow MM & SAE
- E.7 Unión T Milimétricas y SAE / Tee Union MM & SAE
- E.7 Unión "Y" Milimétricas y SAE / Union "Y" MM & SAE
- E.8 Macho tipo "Y" Milimétrico y SAE / "Y" Type Male MM & SAE
- E.9 Codo de Control de Velocidad Milimétrico y SAE / Speed Controller Elbow MM & SAE
- E.10 Unión Recta de Control de Velocidad Milimétrica y SAE / Straight Speed Controller Union MM & SAE

## ACOPLES PARA SISTEMAS NEUMÁTICOS

Coupler for Pneumatic Systems

- F.1 Acople Rápido Neumático Macho 1/4" / Pneumatic Quick Coupling Male 1/4"
- F.1 Acople Rápido Neumático Hembra 1/4" / Pneumatic Quick Coupling Female 1/4"
- F.1 Acople Rápido Neumático Espiga 1/4" / Pneumatic Quick Coupling Barb 1/4"
- F.2 Acople Rápido Neumático Macho 3/8" / Pneumatic Quick Coupling Male 3/8"
- F.2 Acople Rápido Neumático Hembra 3/8" / Pneumatic Quick Coupling Female 3/8"
- F.2 Acople Rápido Neumático Macho 1/2" / Pneumatic Quick Coupling Male 1/2"
- F.2 Acople Rápido Neumático Hembra 1/2" / Pneumatic Quick Coupling Female 1/2"
- F.3 Conector Rápido Macho 1/4" / Pneumatic Quick Connector Male 1/4"
- F.3 Conector Rápido Hembra 1/4" / Pneumatic Quick Connector Female 1/4"
- F.3 Conector Rápido Espiga 1/4" / Pneumatic Quick Connector Barb 1/4"
- F.3 Conector Rápido Macho 3/8" / Pneumatic Quick Connector Male 3/8"
- F.3 Conector Rápido Hembra 3/8" / Pneumatic Quick Connector Female 3/8"
- F.4 Conector Rápido Espiga 3/8" / Pneumatic Quick Connector Barb 3/8"
- F.4 Conector Rápido Macho 1/2" / Pneumatic Quick Connector Male 1/2"
- F.4 Conector Rápido Hembra 1/2" / Pneumatic Quick Connector Female 1/2"
- F.4 Conector Rápido Espiga 1/2" / Pneumatic Quick Connector Barb 1/2"
- F.5 Juego Acople- Conector para Hidrojets / Coupling Plug Set for Hydrojets
- F.5 Adaptador de Acople Rápido Hembra para Hidrojets 3/8" / Quick Coupling Female Adapter for Hydrojets 3/8"
- F.5 Juego de Acople Rápido para hidrojets con hembra NPT 3/8" / Coupling Plug Set Female NPT Hydrojets 3/8"

**CONEXIONES**

---

**DE BRO**

---



# NCE

**Brass Fittings**

<b>Flared /</b> <i>Flare</i> .....	A.1
<b>Compresión /</b> <i>Compression</i> .....	A.7
<b>Tubería /</b> <i>Pipe</i> .....	A.12
<b>Para Mangueras /</b> <i>Hose Barb</i> .....	A.19
<b>Frenos de Aire /</b> <i>Air Brake</i> .....	A.24
<b>Abocinadas Invertidas /</b> <i>Inverted Flare</i> .....	A.27
<b>Misceláneos /</b> <i>Miscellaneous</i> .....	A.30
<b>Gavetero /</b> <i>Display</i> .....	A.31
<b>Empaque /</b> <i>Packaging</i> .....	A.32



# ÍNDICE VISUAL

## Visual Index

### Conexiones de Bronce

#### BRASS FITTINGS

### Conexiones Flared / Flare Fittings



### Conexiones de Compresión / Compression Fittings





## Conexiones para Tubería / Pipe Fittings



# INDICE VISUAL

## Visual Index

### Conexiones de Bronce

#### BRASS FITTINGS



### Conexiones para Mangueras / Hose Bars





## Conexiones para Frenos de Aire / Air Brake Fittings



## Conexiones Abocinadas Invertidas / Inverted Flare Fittings



# INDICE VISUAL

## Visual Index

### Conexiones de Bronce

#### BRASS FITTINGS



### Misceláneos / Miscellaneous



### Gavetero y Empaque / Brass Fitting Display and Packaging



# **CONEXIONES DE BRONCE**

## **Brass Fittings**





## CONEXIONES ABOCINADAS (FLARED) FLARE FITTINGS



TAPÓN FLARED / Flare Plug Seal **639F**

Código Code	Medida Size	Rosca Threads
	in	in
639F-04	1/4"	7/16" - 20 H
639F-05	5/16"	1/2" - 20 H
639F-06	3/8"	5/8" - 18 H
639F-08	1/2"	3/4" - 16 H
639F-10	5/8"	7/8" - 14 H
639F-12	3/4"	1-1/16" - 14 H



TAPA FLARED / Flare Nut Cap **640FB**

Código Code	Medida Size	Rosca Threads
	in	in
640FB-04	1/4"	7/16" - 20 H
640FB-05	5/16"	1/2" - 20 H
640FB-06	3/8"	5/8" - 18 H
640FB-08	1/2"	3/4" - 16 H
640FB-10	5/8"	7/8" - 14 H
640FB-12	3/4"	1-1/16" - 14 H



COPA CORTA / Standard Nut (Short) **41FS**

Código Code	Medida Size	Rosca Threads
	in	in
41FS-02	1/8"	5/16" - 24 H
41FS-03	3/16"	3/8" - 24 H
41FS-04	1/4"	7/16" - 20 H
41FS-05	5/16"	1/2" - 20 H
41FS-06	3/8"	5/8" - 18 H
41FS-08	1/2"	3/4" - 16 H
41FS-10	5/8"	7/8" - 14 H
41FS-12	3/4"	1-1/16" - 14 H



COPA DE  
REDUCCIÓN  
CORTA / Reduction Nut (Short) **41FR**

Código Code	Medida Size	Rosca Threads
	in	in
41FR-05X04	5/16" x 1/4"	1/2" - 20 H
41FR-06X04	3/8" x 1/4"	5/8" - 18 H
41FR-06X05	3/8" x 5/16"	5/8" - 18 H
41FR-08X06	1/2" x 3/8"	3/4" - 16 H
41FR-10X08	5/8" x 1/2"	7/8" - 14 H



## Conexiones de Bronce

BRASS FITTINGS



UNIÓN FLARED / Flare Union

42F

## CONEXIONES ABOCINADAS (FLARED)

FLARE FITTINGS

Código Code	Medida Size	Rosca Threads
	in	in
42F-02	1/8"	5/16" - 24 H
42F-03	3/16"	3/8" - 24 H
42F-04	1/4"	7/16" - 20 H
42F-05	5/16"	1/2" - 20 H
42F-06	3/8"	5/8" - 18 H
42F-08	1/2"	3/4" - 16 H
42F-10	5/8"	7/8" - 14 H
42F-12	3/4"	1-1/16" - 14 H

UNIÓN  
FLARED  
REDUCTORA / Flare Reducing Union 42FR

Código Code	Medida Size	Rosca Threads
	in	in
42FR-05X04	5/16" x 1/4"	1/2" - 20 H x 7/16" - 20 H
42FR-06X04	3/8" x 1/4"	5/8" - 18 H x 7/16" - 20 H
42FR-06X05	3/8" x 5/16"	5/8" - 18 H x 1/2" - 20 H
42FR-08X06	1/2" x 3/8"	3/4" - 16 H x 5/8" - 18 H
42FR-10X06	5/8" x 3/8"	7/8" - 14 H x 5/8" - 18 H
42FR-10X08	5/8" x 1/2"	7/8" - 14 H x 3/4" - 16 H
42FR-12X08	3/4" x 1/2"	1 1/16" - 14 H x 3/4" - 16 H
42FR-12X10	3/4" x 5/8"	1 1/16" - 14 H x 7/8" - 14 H



UNIÓN TEE FLARED / Flare Union Tee

44F

Código Code	Medida Size	Rosca Threads
	in	in
44F-02	1/8"	5/16" - 24 H
44F-03	3/16"	3/8" - 24 H
44F-04	1/4"	7/16" - 20 H
44F-05	5/16"	1/2" - 20 H
44F-06	3/8"	5/8" - 18 H
44F-08	1/2"	3/4" - 16 H
44F-10	5/8"	7/8" - 14 H
44F-12	3/4"	1-1/16" - 14 H



## CONEXIONES ABOCINADAS (FLARED) FLARE FITTINGS

UNIÓN TEE  
FLARED /  
NPT MACHO / Flare-NPT Male Branch Tee **45F**



## Conexiones de Bronce BRASS FITTINGS

Código Code	Medida Size	Rosca Threads
	in	in
<b>45F-02X02</b>	1/8" x 1/8"	5/16" - 24 H x 1/8" NPT
<b>45F-03X02</b>	3/16" x 1/8"	3/8" - 24 H x 1/8" NPT
<b>45F-04X02</b>	1/4" x 1/8"	7/16" - 20 H x 1/8" NPT
<b>45F-04X04</b>	1/4" x 1/4"	7/16" - 20 H x 1/4" NPT
<b>45F-05X02</b>	5/16" x 1/8"	1/2" - 20 H x 1/8" NPT
<b>45F-05X04</b>	5/16" x 1/4"	1/2" - 20 H x 1/4" NPT
<b>45F-06X02</b>	3/8" x 1/8"	5/8" - 18 H x 1/8" NPT
<b>45F-06X04</b>	3/8" x 1/4"	5/8" - 18 H x 1/4" NPT
<b>45F-06X06</b>	3/8" x 3/8"	5/8" - 18 H x 3/8" NPT
<b>45F-06X08</b>	3/8" x 1/2"	5/8" - 18 H x 1/2" NPT
<b>45F-08X06</b>	1/2" x 3/8"	3/4" - 16 H x 3/8" NPT
<b>45F-08X08</b>	1/2" x 1/2"	3/4" - 16 H x 1/2" NPT
<b>45F-10X08</b>	5/8" x 1/2"	7/8" - 14 H x 1/2" NPT
<b>45F-12X08</b>	3/4" x 1/2"	1 1/16" - 14 H x 1/2" NPT
<b>45F-12X12</b>	3/4" x 3/4"	1 1/16" - 14 H x 3/4" NPT

CONECTOR  
Hembra Macho  
FLARED / Male - Flare Female Connector **46F**



Código Code	Medida Size	Rosca Threads
	in	in
<b>46F-02X02</b>	1/8" x 1/8"	5/16" - 24 H x 1/8" NPT
<b>46F-03X02</b>	3/16" x 1/8"	3/8" - 24 H x 1/8" NPT
<b>46F-04X02</b>	1/4" x 1/8"	7/16" - 20 H x 1/8" NPT
<b>46F-04X04</b>	1/4" x 1/4"	7/16" - 20 H x 1/4" NPT
<b>46F-04X06</b>	1/4" x 3/8"	7/16" - 20 H x 3/8" NPT
<b>46F-04X08</b>	1/4" x 1/2"	7/16" - 20 H x 1/2" NPT
<b>46F-05X02</b>	5/16" x 1/8"	1/2" - 20 H x 1/8" NPT
<b>46F-05X04</b>	5/16" x 1/4"	1/2" - 20 H x 1/4" NPT
<b>46F-06X02</b>	3/8" x 1/8"	5/8" - 18 H x 1/8" NPT
<b>46F-06X04</b>	3/8" x 1/4"	5/8" - 18 H x 1/4" NPT
<b>46F-06X06</b>	3/8" x 3/8"	5/8" - 18 H x 3/8" NPT
<b>46F-06X08</b>	3/8" x 1/2"	5/8" - 18 H x 1/2" NPT
<b>46F-08X04</b>	1/2" x 1/4"	3/4" - 16 H x 1/4" NPT
<b>46F-08X06</b>	1/2" x 3/8"	3/4" - 16 H x 3/8" NPT
<b>46F-08X08</b>	1/2" x 1/2"	3/4" - 16 H x 1/2" NPT
<b>46F-08X12</b>	1/2" x 3/4"	3/4" - 16 H x 3/4" NPT
<b>46F-10X08</b>	5/8" x 1/2"	7/8" - 14 H x 1/2" NPT
<b>46F-10X12</b>	5/8" x 3/4"	7/8" - 14 H x 3/4" NPT
<b>46F-12X08</b>	3/4" x 1/2"	1 1/16" - 14 H x 1/2" NPT
<b>46F-12X12</b>	3/4" x 3/4"	1 1/16" - 14 H x 3/4" NPT



## Conexiones de Bronce

BRASS FITTINGS

## CONEXIONES ABOCINADAS (FLARED)

FLARE FITTINGS



CONECTOR  
MACHO RECTO / Male Connector

48F

Código Code	Medida Size	Rosca Threads
	in	in
48F-02X02	1/8" x 1/8"	5/16" - 24 H x 1/8" NPT
48F-03X02	3/16" x 1/8"	3/8" - 24 H x 1/8" NPT
48F-04X02	1/4" x 1/8"	7/16" - 20 H x 1/8" NPT
48F-04X04	1/4" x 1/4"	7/16" - 20 H x 1/4" NPT
48F-04X06	1/4" x 3/8"	7/16" - 20 H x 3/8" NPT
48F-04X08	1/4" x 1/2"	7/16" - 20 H x 1/2" NPT
48F-05X02	5/16" x 1/8"	1/2" - 20 H x 1/8" NPT
48F-05X04	5/16" x 1/4"	1/2" - 20 H x 1/4" NPT
48F-06X02	3/8" x 1/8"	5/8" - 18 H x 1/8" NPT
48F-06X04	3/8" x 1/4"	5/8" - 18 H x 1/4" NPT
48F-06X06	3/8" x 3/8"	5/8" - 18 H x 3/8" NPT
48F-06X08	3/8" x 1/2"	5/8" - 18 H x 1/2" NPT
48F-08X04	1/2" x 1/4"	3/4" - 16 H x 1/4" NPT
48F-08X06	1/2" x 3/8"	3/4" - 16 H x 3/8" NPT
48F-08X08	1/2" x 1/2"	3/4" - 16 H x 1/2" NPT
48F-08X12	1/2" x 3/4"	3/4" - 16 H x 3/4" NPT
48F-10X06	5/8" x 3/8"	7/8" - 14 H x 3/8" NPT
48F-10X08	5/8" x 1/2"	7/8" - 14 H x 1/2" NPT
48F-10X12	5/8" x 3/4"	7/8" - 14 H x 3/4" NPT
48F-12X08	3/4" x 1/2"	1 1/16" - 14 H x 1/2" NPT
48F-12X12	3/4" x 3/4"	1 1/16" - 14 H x 3/4" NPT



CONECTOR MACHO 90° / 90° Male Elbow 49F

Código Code	Medida Size	Rosca Threads
	in	in
49F-02X02	1/8" x 1/8"	5/16" - 24 H x 1/8" NPT
49F-03X02	3/16" x 1/8"	3/16" - 24 H x 1/8" NPT
49F-04X02	1/4" x 1/8"	7/16" - 20 H x 1/8" NPT
49F-04X04	1/4" x 1/4"	7/16" - 20 H x 1/4" NPT
49F-04X06	1/4" x 3/8"	7/16" - 20 H x 3/8" NPT
49F-05X02	5/16" x 1/8"	1/2" - 20 H x 1/8" NPT
49F-05X04	5/16" x 1/4"	1/2" - 20 H x 1/4" NPT
49F-06X02	3/8" x 1/8"	5/8" - 18 H x 1/8" NPT
49F-06X04	3/8" x 1/4"	5/8" - 18 H x 1/4" NPT
49F-06X06	3/8" x 3/8"	5/8" - 18 H x 3/8" NPT
49F-06X08	3/8" x 1/2"	5/8" - 18 H x 1/2" NPT
49F-08X04	1/2" x 1/4"	3/4" - 16 H x 1/4" NPT
49F-08X06	1/2" x 3/8"	3/4" - 16 H x 3/8" NPT
49F-08X08	1/2" x 1/2"	3/4" - 16 H x 1/2" NPT
49F-08X12	1/2" x 3/4"	3/4" - 16 H x 3/4" NPT
49F-10X06	5/8" x 3/8"	7/8" - 14 H x 3/8" NPT
49F-10X08	5/8" x 1/2"	7/8" - 14 H x 1/2" NPT
49F-10X12	5/8" x 3/4"	7/8" - 14 H x 3/4" NPT
49F-12X08	3/4" x 1/2"	1 1/16" - 14 H x 1/2" NPT
49F-12X12	3/4" x 3/4"	1 1/16" - 14 H x 3/4" NPT



**CONEXIONES ABOCINADAS (FLARED)  
FLARE FITTINGS**

**Conexiones de Bronce  
BRASS FITTINGS**



CONECTOR  
MACHO HEMBRA  
90° / 90° Male - Female Elbow

50F

Código Code	Medida Size	Rosca Threads
	in	in
50F-04X02	1/4" x 1/8"	7/16" - 20 H x 1/8" NPT
50F-04X04	1/4" x 1/4"	7/16" - 20 H x 1/4" NPT
50F-05X02	5/16" x 1/8"	1/2" - 20 H x 1/8" NPT
50F-05X04	5/16" x 1/4"	1/2" - 20 H x 1/4" NPT
50F-06X02	3/8" x 1/8"	5/8" - 18 H x 1/8" NPT
50F-06X04	3/8" x 1/4"	5/8" - 18 H x 1/4" NPT
50F-06X06	3/8" x 3/8"	5/8" - 18 H x 3/8" NPT
50F-06X08	3/8" x 1/2"	5/8" - 18 H x 1/2" NPT
50F-06X12	3/8" x 3/4"	5/8" - 18 H x 3/4" NPT
50F-08X06	1/2" x 3/8"	3/4" - 16 H x 3/8" NPT
50F-08X08	1/2" x 1/2"	3/4" - 16 H x 1/2" NPT
50F-08X12	1/2" x 3/4"	3/4" - 16 H x 3/4" NPT
50F-10X06	5/8" x 3/8"	7/8" - 14 H x 3/8" NPT
50F-10X08	5/8" x 1/2"	7/8" - 14 H x 1/2" NPT
50F-12X08	3/4" x 1/2"	1 1/16" - 14 H x 1/2" NPT



TEE  
FLARED NPT / Flare Male Run Tee

51F

Código Code	Medida Size	Rosca Threads
	in	in
51F-04X02	1/4" x 1/8"	7/16" - 20 H x 1/8" NPT
51F-05X02	5/16" x 1/8"	1/2" - 20 H x 1/8" NPT
51F-05X04	5/16" x 1/4"	1/2" - 20 H x 1/4" NPT
51F-06X02	3/8" x 1/8"	5/8" - 18 H x 1/8" NPT
51F-06X04	3/8" x 1/4"	5/8" - 18 H x 1/4" NPT
51F-06X06	3/8" x 3/8"	5/8" - 18 H x 3/8" NPT
51F-08X06	1/2" x 3/8"	3/4" - 16 H x 3/8" NPT
51F-08X08	1/2" x 1/2"	3/4" - 16 H x 1/2" NPT
51F-10X08	5/8" x 1/2"	7/8" - 14 H x 1/2" NPT
51F-12X12	3/4" x 3/4"	1 1/16" - 14 H x 3/4" NPT



## Conexiones de Bronce

**BRASS FITTINGS**

## CONEXIONES ABOCINADAS (FLARED)

**FLARE FITTINGS**



CONECTOR  
MACHO 45° / 45° Male Elbow

**54F**

Código <b>Code</b>	Medida <b>Size</b>	Rosca <b>Threads</b>
	in	in
<b>54F-04X02</b>	1/4" x 1/8"	7/16" - 20 H x 1/8" NPT
<b>54F-04X04</b>	1/4" x 1/4"	7/16" - 20 H x 1/4" NPT
<b>54F-05X02</b>	5/16" x 1/8"	1/2" - 20 H x 1/8" NPT
<b>54F-05X04</b>	5/16" x 1/4"	1/2" - 20 H x 1/4" NPT
<b>54F-06X04</b>	3/8" x 1/4"	5/8" - 20 H x 1/4" NPT
<b>54F-06X06</b>	3/8" x 3/8"	5/8" - 18 H x 3/8" NPT
<b>54F-08X06</b>	1/2" x 3/8"	3/4" - 16 H x 3/8" NPT
<b>54F-08X08</b>	1/2" x 1/2"	3/4" - 16 H x 1/2" NPT



UNIÓN  
CODO FLARED 90° / 90° Union Elbow

**55F**


Código <b>Code</b>	Medida <b>Size</b>	Rosca <b>Threads</b>
	in	in
<b>55F-04</b>	1/4"	7/16" - 20 H
<b>55F-05</b>	5/16"	1/2" - 20 H
<b>55F-06</b>	3/8"	5/8" - 18 H
<b>55F-08</b>	1/2"	3/4" - 16 H
<b>55F-10</b>	5/8"	7/8" - 14 H
<b>55F-12</b>	3/4"	1 1/16" - 14 H



## CONEXIONES DE COMPRESIÓN COMPRESSION FITTINGS



ANILLO  
DE COMPRESIÓN / Compression Sleeve **60F**



TUERCA  
DE COMPRESIÓN / Compression Nut **61F**



UNIÓN  
DE COMPRESIÓN / Compression Union **62F**

## Conexiones de Bronce BRASS FITTINGS

Código Code	Medida Size	Rosca Threads
	in	in
<b>60F-02</b>	1/8"	-
<b>60F-03</b>	3/16"	-
<b>60F-04</b>	1/4"	-
<b>60F-05</b>	5/16"	-
<b>60F-06</b>	3/8"	-
<b>60F-08</b>	1/2"	-
<b>60F-10</b>	5/8"	-
<b>60F-12</b>	3/4"	-

Código Code	Medida Size	Rosca Threads
	in	in
<b>61F-02</b>	1/8"	5/16" - 24 H
<b>61F-03</b>	3/16"	3/8" - 24 H
<b>61F-04</b>	1/4"	7/16" - 24 H
<b>61F-05</b>	5/16"	1/2" - 24 H
<b>61F-06</b>	3/8"	9/16" - 24 H
<b>61F-08</b>	1/2"	11/16" - 20 H
<b>61F-10</b>	5/8"	13/16" - 18 H
<b>61F-12</b>	3/4"	1" - 18 H

Código Code	Medida Size	Rosca Threads
	in	in
<b>62F-02</b>	1/8"	5/16" - 24 H
<b>62F-03</b>	3/16"	3/8" - 24 H
<b>62F-04</b>	1/4"	7/16" - 24 H
<b>62F-05</b>	5/16"	1/2" - 24 H
<b>62F-06</b>	3/8"	9/16" - 24 H
<b>62F-08</b>	1/2"	11/16" - 20 H
<b>62F-10</b>	5/8"	13/16" - 18 H
<b>62F-12</b>	3/4"	1" - 18 H
<b>62FL-04</b>	1/4"	7/16" - 24 H
<b>62FL-06</b>	3/8"	9/16" - 24 H

\* 62 FL - Unión de Compresión Larga / Long Compression Union



## Conexiones de Bronce

**BRASS FITTINGS**



UNIÓN DE  
COMPRESIÓN  
REDUCCIÓN / Compression Reducing Union

**62FR**



UNIÓN TEE DE  
COMPRESIÓN / Compression Union Tee

**64F**



UNIÓN CONECTOR DE COMPRESIÓN 90°  
90° Compression Union Elbow

**65F**

## CONEXIONES DE COMPRESIÓN

**COMPRESSION FITTINGS**

Código Code	Medida Size	Rosca Threads
	in	in
<b>62FR-04X02</b>	1/4" x 1/8"	7/16" - 24 H x 5/16" - 24 H
<b>62FR-04X03</b>	1/4" x 3/16"	7/16" - 24 H x 3/8" - 24 H
<b>62FR-05X04</b>	5/16" x 1/4"	1/2" - 24 H x 7/16" - 24 H
<b>62FR-06X04</b>	3/8" x 1/4"	9/16" - 24 H x 7/16" - 24 H
<b>62FR-06X05</b>	3/8" x 5/16"	9/16" - 24 H x 1/2" - 24 H
<b>62FR-08X06</b>	1/2" x 3/8"	11/16" - 20 H x 9/16" - 24 H
<b>62FR-10X08</b>	5/8" x 1/2"	13/16" - 18 H x 11/16" - 20 H

Código Code	Medida Size	Rosca Threads
	in	in
<b>64F-02</b>	1/8"	5/16" - 24 H
<b>64F-03</b>	3/16"	3/8" - 24 H
<b>64F-04</b>	1/4"	7/16" - 24 H
<b>64F-05</b>	5/16"	1/2" - 24 H
<b>64F-06</b>	3/8"	9/16" - 24 H
<b>64F-08</b>	1/2"	11/16" - 20 H
<b>64F-10</b>	5/8"	13/16" - 18 H
<b>64F-12</b>	3/4"	1" - 18 H

Código Code	Medida Size	Rosca Threads
	in	in
<b>65F-02X02</b>	1/8" x 1/8"	5/16" - 24 H
<b>65F-03X03</b>	3/16" x 3/16"	3/8" - 24 H
<b>65F-04X04</b>	1/4" x 1/4"	7/16" - 24 H
<b>65F-05X05</b>	5/16" x 5/16"	1/2" - 24 H
<b>65F-06X06</b>	3/8" x 3/8"	9/16" - 24 H
<b>65F-08X08</b>	1/2" x 1/2"	11/16" - 20 H
<b>65F-10X10</b>	5/8" x 5/8"	13/16" - 18 H
<b>65F-12X12</b>	3/4" x 3/4"	1" - 18 H



## CONEXIONES DE COMPRESIÓN COMPRESSION FITTINGS



CONECTOR  
HEMBRA DE COMPRESIÓN RECTA  
Compression Female Connector

**66F**

## Conexiones de Bronce BRASS FITTINGS

Código Code	Medida Size	Rosca Threads
		in
66F-02X02	1/8" x 1/8"	5/16" - 24 H x 1/8" NPT
66F-03X02	3/16" x 1/8"	3/8" - 24 H x 1/8" NPT
66F-04X02	1/4" x 1/8"	7/16" - 24 H x 1/8" NPT
66F-04X04	1/4" x 1/4"	7/16" - 24 H x 1/4" NPT
66F-04X06	1/4" x 3/8"	7/16" - 24 H x 3/8" NPT
66F-05X02	5/16" x 1/8"	1/2" - 24 H x 1/8" NPT
66F-05X04	5/16" x 1/4"	1/2" - 24 H x 1/4" NPT
66F-05X06	5/16" x 3/8"	1/2" - 24 H x 3/8" NPT
66F-06X02	3/8" x 1/8"	9/16" - 24 H x 1/8" NPT
66F-06X04	3/8" x 1/4"	9/16" - 24 H x 1/4" NPT
66F-06X06	3/8" x 3/8"	9/16" - 24 H x 3/8" NPT
66F-06X08	3/8" x 1/2"	9/16" - 24 H x 1/2" NPT
66F-08X06	1/2" x 3/8"	11/16" - 20 H x 3/8" NPT
66F-08X08	1/2" x 1/2"	11/16" - 20 H x 1/2" NPT
66F-10X06	5/8" x 3/8"	13/16" - 18 H x 3/8" NPT
66F-10X08	5/8" x 1/2"	13/16" - 18 H x 1/2" NPT
66F-12X12	3/4" x 3/4"	1" - 18 H x 3/4" NPT



CONECTOR  
MACHO DE COMPRESIÓN  
Compression Male Connector

**68F**

Código Code	Medida Size	Rosca Threads
		in
68F-02X02	1/8" x 1/8"	5/16" - 24 H x 1/8" NPT
68F-03X02	3/16" x 1/8"	3/8" - 24 H x 1/8" NPT
68F-04X02	1/4" x 1/8"	7/16" - 24 H x 1/8" NPT
68F-04X04	1/4" x 1/4"	7/16" - 24 H x 1/4" NPT
68F-04X06	1/4" x 3/8"	7/16" - 24 H x 3/8" NPT
68F-04X08	1/4" x 1/2"	7/16" - 24 H x 1/2" NPT
68F-05X02	5/16" x 1/8"	1/2" - 24 H x 1/8" NPT
68F-05X04	5/16" x 1/4"	1/2" - 24 H x 1/4" NPT
68F-05X06	5/16" x 3/8"	1/2" - 24 H x 3/8" NPT
68F-06X02	3/8" x 1/8"	9/16" - 24 H x 1/8" NPT
68F-06X04	3/8" x 1/4"	9/16" - 24 H x 1/4" NPT
68F-06X06	3/8" x 3/8"	9/16" - 24 H x 3/8" NPT
68F-06X08	3/8" x 1/2"	9/16" - 24 H x 1/2" NPT
68F-08X04	1/2" x 1/4"	11/16" - 20 H x 1/4" NPT
68F-08X06	1/2" x 3/8"	11/16" - 20 H x 3/8" NPT
68F-08X08	1/2" x 1/2"	11/16" - 20 H x 1/2" NPT
68F-08X12	1/2" x 3/4"	11/16" - 20 H x 3/4" NPT
68F-10X06	5/8" x 3/8"	13/16" - 18 H x 3/8" NPT
68F-10X08	5/8" x 1/2"	13/16" - 18 H x 1/2" NPT
68F-10X12	5/8" x 3/4"	13/16" - 18 H x 3/4" NPT
68F-12X08	3/4" x 1/2"	1" - 18 H x 1/2" NPT
68F-12X12	3/4" x 3/4"	1" - 18 H x 3/4" NPT



## Conexiones de Bronce

**BRASS FITTINGS**



CONECTOR  
MACHO DE  
COMPRESIÓN 90° / 90° Compression Male Elbow

**69F**

## CONEXIONES DE COMPRESIÓN

**COMPRESSION FITTINGS**

Código <b>Code</b>	Medida <b>Size</b>	Rosca <b>Threads</b>
	in	in
<b>69F-02X02</b>	1/8" x 1/8"	5/16" - 24 H x 1/8" NPT
<b>69F-03X02</b>	3/16" x 1/8"	3/8" - 24 H x 1/8" NPT
<b>69F-04X02</b>	1/4" x 1/8"	7/16" - 24 H x 1/8" NPT
<b>69F-04X04</b>	1/4" x 1/4"	7/16" - 24 H x 1/4" NPT
<b>69F-04X06</b>	1/4" x 3/8"	7/16" - 24 H x 3/8" NPT
<b>69F-05X02</b>	5/16" x 1/8"	1/2" - 24 H x 1/8" NPT
<b>69F-05X04</b>	5/16" x 1/4"	1/2" - 24 H x 1/4" NPT
<b>69F-05X06</b>	5/16" x 3/8"	1/2" - 24 H x 3/8" NPT
<b>69F-06X02</b>	3/8" x 1/8"	9/16" - 24 H x 1/8" NPT
<b>69F-06X04</b>	3/8" x 1/4"	9/16" - 24 H x 1/4" NPT
<b>69F-06X06</b>	3/8" x 3/8"	9/16" - 24 H x 3/8" NPT
<b>69F-06X08</b>	3/8" x 1/2"	9/16" - 24 H x 1/2" NPT
<b>69F-08X04</b>	1/2" x 1/4"	11/16" - 20 H x 1/4" NPT
<b>69F-08X06</b>	1/2" x 3/8"	11/16" - 20 H x 3/8" NPT
<b>69F-08X08</b>	1/2" x 1/2"	11/16" - 20 H x 1/2" NPT
<b>69F-08X12</b>	1/2" x 3/4"	11/16" - 20 H x 3/4" NPT
<b>69F-10X06</b>	5/8" x 3/8"	13/16" - 18 H x 3/8" NPT
<b>69F-10X08</b>	5/8" x 1/2"	13/16" - 18 H x 1/2" NPT
<b>69F-10X12</b>	5/8" x 3/4"	13/16" - 18 H x 3/4" NPT
<b>69F-12X08</b>	3/4" x 1/2"	1" - 18 H x 1/2" NPT
<b>69F-12X12</b>	3/4" x 3/4"	1" - 18 H x 3/4" NPT



CONECTOR  
HEMBRA DE  
COMPRESIÓN 90° / 90° Compression Female Elbow

**70F**

Código <b>Code</b>	Medida <b>Size</b>	Rosca <b>Threads</b>
	in	in
<b>70F-04X02</b>	1/4" x 1/8"	7/16" - 24 H x 1/8" NPT
<b>70F-04X04</b>	1/4" x 1/4"	7/16" - 24 H x 1/4" NPT
<b>70F-05X02</b>	5/16" x 1/8"	1/2" - 24 H x 1/8" NPT
<b>70F-06X04</b>	3/8" x 1/4"	9/16" - 24 H x 1/4" NPT
<b>70F-06X06</b>	3/8" x 3/8"	9/16" - 24 H x 3/8" NPT
<b>70F-08X06</b>	1/2" x 3/8"	11/16" - 20 H x 3/8" NPT
<b>70F-08X08</b>	1/2" x 1/2"	11/16" - 20 H x 1/2" NPT



## CONEXIONES DE COMPRESIÓN COMPRESSION FITTINGS

## Conexiones de Bronce BRASS FITTINGS



UNIÓN TEE  
DE COMPRESIÓN  
Compression Male Run Tee

71F

Código Code	Medida Size	Rosca Threads
	in	in
71F-04X02	1/4" x 1/8"	7/16" - 24 H x 1/8" NPT
71F-05X02	5/16" x 1/8"	1/2" - 24 H x 1/8" NPT
71F-06X02	3/8" x 1/8"	9/16" - 24 H x 1/8" NPT
71F-06X04	3/8" x 1/4"	9/16" - 24 H x 1/4" NPT
71F-08X06	1/2" x 3/8"	11/16" - 20 H x 3/8" NPT
71F-08X08	1/2" x 1/2"	11/16" - 20 H x 1/2" NPT
71F-10X08	5/8" x 1/2"	13/16" - 18 H x 1/2" NPT



UNIÓN TEE DE COMPRESIÓN  
Compression Male Branch Tee

72F

Código Code	Medida Size	Rosca Threads
	in	in
72F-03X02	3/16" x 1/8"	3/8" - 24 H x 1/8" NPT
72F-04X02	1/4" x 1/8"	7/16" - 24 H x 1/8" NPT
72F-04X04	1/4" x 1/4"	7/16" - 24 H x 1/4" NPT
72F-05X02	5/16" x 1/8"	1/2" - 24 H x 1/8" NPT
72F-05X04	5/16" x 1/4"	1/2" - 24 H x 1/4" NPT
72F-06X04	3/8" x 1/4"	9/16" - 24 H x 1/4" NPT
72F-08X06	1/2" x 3/8"	11/16" - 20 H x 3/8" NPT
72F-08X08	1/2" x 1/2"	11/16" - 20 H x 1/2" NPT
72F-10X08	5/8" x 1/2"	13/16" - 18 H x 1/2" NPT
72F-12X08	3/4" x 1/2"	1" - 18 H x 1/2" NPT



## Conexiones de Bronce BRASS FITTINGS

## CONEXIONES PARA TUBERÍA PIPE FITTINGS



CODO  
HEMBRA NPT 90° / 90° NPT Female Elbow **100B**

Código Code	Medida Size	Rosca Threads
	in	in
100B-02	1/8"	1/8" NPT
100B-04	1/4"	1/4" NPT
100B-06	3/8"	3/8" NPT
100B-08	1/2"	1/2" NPT
100B-12	3/4"	3/4" NPT



TEE HEMBRA NPT / NPT Female Tee **101B**

Código Code	Medida Size	Rosca Threads
	in	in
101B-02	1/8"	1/8" NPT
101B-04	1/4"	1/4" NPT
101B-06	3/8"	3/8" NPT
101B-08	1/2"	1/2" NPT
101B-12	3/4"	3/4" NPT



CRUZ HEMBRA  
NPT / NPT Pipe Cross Female **102B**

Código Code	Medida Size	Rosca Threads
	in	in
102B-02	1/8"	1/8" NPT
102B-04	1/4"	1/4" NPT
102B-06	3/8"	3/8" NPT
102B-08	1/2"	1/2" NPT
102B-12	3/4"	3/4" NPT



UNIÓN HEMBRA  
NPT / NPT Pipe Coupling Female **103B**

Código Code	Medida Size	Rosca Threads
	in	in
103B-02	1/8"	1/8" NPT
103B-04	1/4"	1/4" NPT
103B-06	3/8"	3/8" NPT
103B-08	1/2"	1/2" NPT
103B-12	3/4"	3/4" NPT



**CONEXIONES PARA TUBERÍA**  
**PIPE FITTINGS**



UNIÓN HEMBRA  
UNIVERSAL NPT  
NPT Universal Female Union

104B

**Conexiones de Bronce**  
**BRASS FITTINGS**

Código Code	Medida Size	Rosca Threads
	in	in
104B-02	1/8"	1/8" NPT
104B-04	1/4"	1/4" NPT
104B-06	3/8"	3/8" NPT
104B-08	1/2"	1/2" NPT
104B-12	3/4"	3/4" NPT



TAPÓN ALLEN  
Allen Plug

107B

Código Code	Medida Size	Rosca Threads
	in	in
107B-02	1/8"	1/8" NPT
107B-04	1/4"	1/4" NPT
107B-06	3/8"	3/8" NPT
107B-08	1/2"	1/2" NPT
107B-12	3/4"	3/4" NPT



TAPA HEMBRA NPT  
NPT Cap

108B

Código Code	Medida Size	Rosca Threads
	in	in
108B-02	1/8"	1/8" NPT
108B-04	1/4"	1/4" NPT
108B-06	3/8"	3/8" NPT
108B-08	1/2"	1/2" NPT
108B-12	3/4"	3/4" NPT



TAPÓN CABEZA  
CUADRADA  
Square Plug

109B

Código Code	Medida Size	Rosca Threads
	in	in
109B-02	1/8"	1/8" NPT
109B-04	1/4"	1/4" NPT
109B-06	3/8"	3/8" NPT
109B-08	1/2"	1/2" NPT
109B-12	3/4"	3/4" NPT



## Conexiones de Bronce

**BRASS FITTINGS**

## CONEXIONES PARA TUBERÍA

**PIPE FITTINGS**



BUSHING  
REDUCCIÓN NPT  
MACHO - HEMBRA/  
NPT Male-Female Reducing Bushing

**110B**

Código Code	Medida Size	Rosca Threads
	in	in
110B-04X02	1/4" x 1/8"	1/4" NPT x 1/8" NPT
110B-06X02	3/8" x 1/8"	3/8" NPT x 1/8" NPT
110B-06X04	3/8" x 1/4"	3/8" NPT x 1/4" NPT
110B-08X02	1/2" x 1/8"	1/2" NPT x 1/8" NPT
110B-08X04	1/2" x 1/4"	1/2" NPT x 1/4" NPT
110B-08X06	1/2" x 3/8"	1/2" NPT x 3/8" NPT
110B-12X02	3/4" x 1/8"	3/4" NPT x 1/8" NPT
110B-12X04	3/4" x 1/4"	3/4" NPT x 1/4" NPT
110B-12X06	3/4" x 3/8"	3/4" NPT x 3/8" NPT
110B-12X08	3/4" x 1/2"	3/4" NPT x 1/2" NPT
110B-16X08	1" x 1/2"	1" NPT x 1/2" NPT
110B-16X12	1" x 3/4"	1" NPT x 3/4" NPT



TUERCA HEXAGONAL  
Lock Nut

**111B**

Código Code	Medida Size	Rosca Threads
	in	in
111B-02	1/8"	1/8" NPT
111B-04	1/4"	1/4" NPT
111B-06	3/8"	3/8" NPT
111B-08	1/2"	1/2" NPT



NIPPLE CORRIDO  
Close Nipple

**112B**

Código Code	Medida Size	Rosca Threads
	in	in
112B-02	1/8"	1/8" NPT
112B-04	1/4"	1/4" NPT
112B-06	3/8"	3/8" NPT
112B-08	1/2"	1/2" NPT
112B-12	3/4"	3/4" NPT



**CONEXIONES PARA TUBERÍA**  
PIPE FITTINGS



NIPPLE LARGO  
Long Nipple

113B

**Conexiones de Bronce**  
BRASS FITTINGS

Código Code	Medida Size	Rosca Threads
	in	in
113B-02X24	1/8" x 1 1/2"	1/8" NPT x 1 1/2"
113B-02X32	1/8" x 2"	1/8" NPT x 2"
113B-02X40	1/8" x 2 1/2"	1/8" NPT x 2 1/2"
113B-02X48	1/8" x 3"	1/8" NPT x 3"
113B-02X56	1/8" x 3 1/2"	1/8" NPT x 3 1/2"
113B-02X64	1/8" x 4"	1/8" NPT x 4"
113B-04X24	1/4" x 1 1/2"	1/4" NPT x 1 1/2"
113B-04X32	1/4" x 2"	1/4" NPT x 2"
113B-04X40	1/4" x 2 1/2"	1/4" NPT x 2 1/2"
113B-04X48	1/4" x 3"	1/4" NPT x 3"
113B-04X56	1/4" x 3 1/2"	1/4" NPT x 3 1/2"
113B-04X64	1/4" x 4"	1/4" NPT x 4"
113B-06X24	3/8" x 1 1/2"	3/8" NPT x 1 1/2"
113B-06X32	3/8" x 2"	3/8" NPT x 2"
113B-06X40	3/8" x 2 1/2"	3/8" NPT x 2 1/2"
113B-06X48	3/8" x 3"	3/8" NPT x 3"
113B-06X56	3/8" x 3 1/2"	3/8" NPT x 3 1/2"
113B-06X64	3/8" x 4"	3/8" NPT x 4"
113B-08X24	1/2" x 1 1/2"	1/2" NPT x 1 1/2"
113B-08X32	1/2" x 2"	1/2" NPT x 2"
113B-08X40	1/2" x 2 1/2"	1/2" NPT x 2 1/2"
113B-08X48	1/2" x 3"	1/2" NPT x 3"
113B-08X56	1/2" x 3 1/2"	1/2" NPT x 3 1/2"
113B-08X64	1/2" x 4"	1/2" NPT x 4"
113B-12X24	3/4" x 1 1/2"	3/4" NPT x 1 1/2"
113B-12X32	3/4" x 2"	3/4" NPT x 2"
113B-12X40	3/4" x 2 1/2"	3/4" NPT x 2 1/2"
113B-12X48	3/4" x 3"	3/4" NPT x 3"
113B-12X56	3/4" x 3 1/2"	3/4" NPT x 3 1/2"
113B-12X64	3/4" x 4"	3/4" NPT x 4"



CODO NPT  
MACHO - HEMBRA 90° / 90° NPT  
Street Male Elbow NPT Female

116B

Código Code	Medida Size	Rosca Threads
	in	in
116B-02	1/8"	1/8" NPT
116B-04	1/4"	1/4" NPT
116B-06	3/8"	3/8" NPT
116B-08	1/2"	1/2" NPT
116BR-04X02	1/4" x 1/8"	1/4" NPT x 1/8" NPT



## Conexiones de Bronce

**BRASS FITTINGS**

## CONEXIONES PARA TUBERÍA

**PIPE FITTINGS**



ANILLO DE  
REDUCCIÓN HEMBRA  
Female Reducing Union

**119B**

Código Code	Medida Size	Rosca Threads
	in	in
119B-04X02	1/4" x 1/8"	1/4" NPT x 1/8" NPT
119B-06X02	3/8" x 1/8"	3/8" NPT x 1/8" NPT
119B-06X04	3/8" x 1/4"	3/8" NPT x 1/4" NPT
119B-08X02	1/2" x 1/8"	1/2" NPT x 1/8" NPT
119B-08X04	1/2" x 1/4"	1/2" NPT x 1/4" NPT
119B-08X06	1/2" x 3/8"	1/2" NPT x 3/8" NPT
119B-12X06	3/4" x 3/8"	3/4" NPT x 3/8" NPT
119B-12X08	3/4" x 1/2"	3/4" NPT x 1/2" NPT



ADAPTADOR  
HEMBRA - MACHO  
Female - Male Adaptor

**120B**

Código Code	Medida Size	Rosca Threads
	in	in
120B-02X02	1/8" x 1/8"	1/8" NPT x 1/8" NPT
120B-04X02	1/4" x 1/8"	1/4" NPT x 1/8" NPT
120B-04X04	1/4" x 1/4"	1/4" NPT x 1/4" NPT
120B-06X02	3/8" x 1/8"	3/8" NPT x 1/8" NPT
120B-06X04	3/8" x 1/4"	3/8" NPT x 1/4" NPT
120B-06X06	3/8" x 3/8"	3/8" NPT x 3/8" NPT
120B-08X04	1/2" x 1/4"	1/2" NPT x 1/4" NPT
120B-08X06	1/2" x 3/8"	1/2" NPT x 3/8" NPT
120B-08X08	1/2" x 1/2"	1/2" NPT x 1/2" NPT
120B-12X06	3/4" x 3/8"	3/4" NPT x 3/8" NPT
120B-12X08	3/4" x 1/2"	3/4" NPT x 1/2" NPT
120B-12x12	3/4" x 3/4"	3/4" NPT x 3/4" NPT



TAPÓN HEX  
Hex Plug

**121B**

Código Code	Medida Size	Rosca Threads
	in	in
121B-02	1/8"	1/8" NPT
121B-04	1/4"	1/4" NPT
121B-06	3/8"	3/8" NPT
121B-08	1/2"	1/2" NPT
121B-12	3/4"	3/4" NPT



**CONEXIONES PARA TUBERÍA**  
**PIPE FITTINGS**

**Conexiones de Bronce**  
**BRASS FITTINGS**



NIPLE DE  
TUERCA NPT  
NPT Hex Nipple

122B

Código Code	Medida Size	Rosca Threads
	in	in
122B-02	1/8"	1/8" NPT
122B-04	1/4"	1/4" NPT
122B-06	3/8"	3/8" NPT
122B-08	1/2"	1/2" NPT
122B-12	3/4"	3/4" NPT



NIPLE DE  
TUERCA REDUCTOR  
Reducing Hex Nipple

123B

Código Code	Medida Size	Rosca Threads
	in	in
123B-04X02	1/4" x 1/8"	1/4" NPT x 1/8" NPT
123B-06X02	3/8" x 1/8"	3/8" NPT x 1/8" NPT
123B-06X04	3/8" x 1/4"	3/8" NPT x 1/4" NPT
123B-08X04	1/2" x 1/4"	1/2" NPT x 1/4" NPT
123B-08X06	1/2" x 3/8"	1/2" NPT x 3/8" NPT
123B-12X08	3/4" x 1/2"	3/4" NPT x 1/2" NPT



CODO 45°  
NPT MACHO - HEMBRA  
Street Male - 45° Female Elbow

124B

Código Code	Medida Size	Rosca Threads
	in	in
124B-02	1/8"	1/8" NPT
124B-04	1/4"	1/4" NPT
124B-06	3/8"	3/8" NPT
124B-08	1/2"	1/2" NPT
124B-12	3/4"	3/4" NPT



UNIÓN TEE  
HEMBRA - MACHO  
NPT Street Tee

127B

Código Code	Medida Size	Rosca Threads
	in	in
127B-02	1/8"	1/8" NPT
127B-04	1/4"	1/4" NPT
127B-06	3/8"	3/8" NPT
127B-08	1/2"	1/2" NPT
127B-12	3/4"	3/4" NPT



## Conexiones de Bronce BRASS FITTINGS

## CONEXIONES PARA TUBERÍA PIPE FITTINGS



CODO  
REDUCCIÓN HEMBRA NPT  
NPT Reducing Female Elbow

128B

Código Code	Medida Size	Rosca Threads
	in	in
128B-04X02	1/4" x 1/8"	1/4" NPT x 1/8" NPT



PASAMUROS  
Bulkhead

130B

Código Code	Medida Size	Rosca Threads
	in	in
130B-04x04x16	1/4" x 1/4" x 1"	1/4" NPTx1/4" NPTx3/4"x 16H
130B-08x04x48	1/2" x 1/4" x 3"	1/2" NPTx1/4" NPTx3/16"x 18H



## CONEXIONES ESPIGA PARA MANGUERAS HOSE BARBS

## Conexiones de Bronce BRASS FITTINGS



UNIÓN  
PARA MANGUERA  
Hose Union

KF-RM



ESPIGA TRES VIAS  
Three Way Barb

KF-RMT



GIRATORIO PARA  
MANGUERA DE ACETILENO  
Hose Barb to Swivel Female  
Acetylene (Left Handed)

KF-RE



GIRATORIO PARA  
MANGUERA DE OXÍGENO  
Hose Barb to Swivel Female  
Oxygen (Right Handed)

KF-PE

Código Code	Medida Size
	in
KF02-02RM	1/8" x 1/8"
KF03-03RM	3/16" x 3/16"
KF04-04RM	1/4" x 1/4"
KF05-05RM	5/16" x 5/16"
KF06-06RM	3/8" x 3/8"
KF08-08RM	1/2" x 1/2"

Código Code	Medida Size
	in
KF02-RMT	1/8" x 1/8"
KF03-RMT	3/16" x 3/16"
KF04-RMT	1/4" x 1/4"
KF05-RMT	5/16" x 5/16"
KF06-RMT	3/8" x 3/8"
KF08-RMT	1/2" x 1/2"

Código Code	Medida Size	Rosca Threads
	in	in
KF04-05RE	1/4" x 5/16"	9/16"- 18 H

Código Code	Medida Size	Rosca Threads
	in	in
KF04-05PE	1/4" x 5/16"	9/16"- 18 H



## Conexiones de Bronce BRASS FITTINGS

## CONEXIONES ESPIGA PARA MANGUERAS HOSE BARBS



FERRULES  
PARA MANGUERAS  
Ferrules for Barbs Inserts

KF



CONECTOR  
HEMBRA  
GIRATORIA P/ MANGUERA  
Hose Barb to Swivel Ball/End Female KF-RV

Código Code	Medida Size
in	
KF-14	1/4"
KF-15	5/16"
KF-18	3/8"
KF-20	H01402
KF-22	1/2"

Código Code	Medida Size	Rosca Threads
in		in
KF02-02RV	1/8" x 1/8""	1/8" NPT
KF03-02RV	3/16" x 1/8"	1/8" NPT
KF03-04RV	3/16" x 1/4"	1/4" NPT
KF04-02RV	1/4" x 1/8"	1/8" NPT
KF04-04RV	1/4" x 1/4"	1/4" NPT
KF04-06RV	1/4" x 3/8"	3/8" NPT
KF05-04RV	5/16" x 1/4"	1/4" NPT
KF06-04RV	3/8" x 1/4"	1/4" NPT
KF06-06RV	3/8" x 3/8"	3/8" NPT
KF06-08RV	3/8" x 1/2"	1/2" NPT
KF08-06RV	1/2" x 3/8"	3/8" NPT
KF08-08RV	1/2" x 1/2"	1/2" NPT
KF12-12RV	3/4" x 3/4"	3/4" NPT



## CONEXIONES ESPIGA PARA MANGUERAS HOSE BARBS

## Conexiones de Bronce BRASS FITTINGS



CONECTOR  
RECTO MACHO  
PARA MANGUERA  
Hose Barb to Male Pipe

KF-PS

Código Code	Medida Size	Rosca Threads
	in	in
KF02-02PS	1/8" x 1/8"	1/8" NPT
KF02-04PS	1/8" x 1/4"	1/4" NPT
KF03-02PS	3/16" x 1/8"	1/8" NPT
KF03-04PS	3/16" x 1/4"	1/4" NPT
KF04-02PS	1/4" x 1/8"	1/8" NPT
KF04-04PS	1/4" x 1/4"	1/4" NPT
KF04-06PS	1/4" x 3/8"	3/8" NPT
KF04-08PS	1/4" x 1/2"	1/2" NPT
KF05-02PS	5/16" x 1/8"	1/8" NPT
KF05-04PS	5/16" x 1/4"	1/4" NPT
KF05-06PS	5/16" x 3/8"	3/8" NPT
KF05-08PS	5/16" x 1/2"	1/2" NPT
KF06-02PS	3/8" x 1/8"	1/8" NPT
KF06-04PS	3/8" x 1/4"	1/4" NPT
KF06-06PS	3/8" x 3/8"	3/8" NPT
KF06-08PS	3/8" x 1/2"	1/2" NPT
KF06-12PS	3/8" x 3/4"	3/4" NPT
KF08-02PS	1/2" x 1/8"	1/8" NPT
KF08-04PS	1/2" x 1/4"	1/4" NPT
KF08-06PS	1/2" x 3/8"	3/8" NPT
KF08-08PS	1/2" x 1/2"	1/2" NPT
KF08-12PS	1/2" x 3/4"	3/4" NPT
KF08-16PS	1/2" x 1"	1" NPT
KF10-04PS	5/8" x 1/4"	1/4" NPT
KF10-06PS	5/8" x 3/8"	3/8" NPT
KF10-08PS	5/8" x 1/2"	1/2" NPT
KF10-12PS	5/8" x 3/4"	3/4" NPT
KF10-16PS	5/8" x 1"	1" NPT
KF12-06PS	3/4" x 3/8"	3/8" NPT
KF12-08PS	3/4" x 1/2"	1/2" NPT
KF12-12PS	3/4" x 3/4"	3/4" NPT
KF12-16PS	3/4" x 1"	1" NPT
KF16-08PS	1" x 1/2"	1/2" NPT
KF16-12PS	1" x 3/4"	3/4" NPT
KF16-16PS	1" x 1"	1" NPT



## Conexiones de Bronce BRASS FITTINGS



CODO  
ESPIGA MACHO 90°  
Hose Barb to 90° Male Elbow

KF-PS90

## CONEXIONES ESPIGA PARA MANGUERAS HOSE BARBS

Código Code	Medida Size	Rosca Threads
	in	in
KF03-01PS90	3/16" x 1/16"	1/16" NPT
KF04-02PS90	1/4" x 1/8"	1/8" NPT
KF04-04PS90	1/4" x 1/4"	1/4" NPT
KF05-02PS90	5/16" x 1/8"	1/8" NPT
KF05-04PS90	5/16" x 1/4"	1/4" NPT
KF05-06PS90	5/16" x 3/8"	3/8" NPT
KF06-02PS90	3/8" x 1/8"	1/8" NPT
KF06-04PS90	3/8" x 1/4"	1/4" NPT
KF06-06PS90	3/8" x 3/8"	3/8" NPT
KF06-08PS90	3/8" x 1/2"	1/2" NPT
KF08-04PS90	1/2" x 1/4"	1/4" NPT
KF08-06PS90	1/2" x 3/8"	3/8" NPT
KF08-08PS90	1/2" x 1/2"	1/2" NPT
KF10-06PS90	5/8" x 3/8"	3/8" NPT
KF10-08PS90	5/8" x 1/2"	1/2" NPT
KF12-08PS90	3/4" x 1/2"	1/2" NPT



CONECTOR  
RECTO HEMBRA  
PARA MANGUERA  
Hose Barb to Female Pipe

KF-RS

Código Code	Medida Size	Rosca Threads
	in	in
KF02-02RS	1/8" x 1/8"	1/8" NPT
KF02-04RS	1/8" x 1/4"	1/4" NPT
KF03-02RS	3/16" x 1/8"	1/8" NPT
KF03-04RS	3/16" x 1/4"	1/4" NPT
KF04-02RS	1/4" x 1/8"	1/8" NPT
KF04-04RS	1/4" x 1/4"	1/4" NPT
KF04-06RS	1/4" x 3/8"	3/8" NPT
KF05-02RS	5/16" x 1/8"	1/8" NPT
KF05-04RS	5/16" x 1/4"	1/4" NPT
KF05-06RS	5/16" x 3/8"	3/8" NPT
KF05-08RS	5/16" x 1/2"	1/2" NPT
KF06-02RS	3/8" x 1/8"	1/8" NPT
KF06-04RS	3/8" x 1/4"	1/4" NPT
KF06-06RS	3/8" x 3/8"	3/8" NPT
KF06-08RS	3/8" x 1/2"	1/2" NPT
KF08-04RS	1/2" x 1/4"	1/4" NPT
KF08-06RS	1/2" x 3/8"	3/8" NPT
KF08-08RS	1/2" x 1/2"	1/2" NPT
KF10-06RS	5/8" x 3/8"	3/8" NPT
KF10-08RS	5/8" x 1/2"	1/2" NPT
KF12-12RS	3/4" x 3/4"	3/4" NPT
KF16-12RS	1" x 3/4"	3/4" NPT



## CONEXIONES ESPIGA PARA MANGUERAS HOSE BARBS

## Conexiones de Bronce BRASS FITTINGS

FLARED  
INVERTIDO  
PARA MANGUERA  
Hose Barb to Rigid  
Inverted Flare Female



KA-NG

Código Code	Medida Size	Rosca Threads
	in	in
KA04-04NG	1/4" x 1/4"	7/16" - 24 H
KA04-05NG	1/4" x 5/16"	1/2" - 20 H
KA06-06NG	3/8" x 3/8"	5/8" - 18 H

CONECTOR  
HEMBRA  
FLARED GIRATORIO  
Hose Barb to Swivel Flare Female



KF-NL

Código Code	Medida Size	Rosca Threads
	in	in
KF04-04NL	1/4" x 1/4"	7/16" - 20 H



## Conexiones de Bronce BRASS FITTINGS

## CONEXIONES PARA FRENO DE AIRE AIR BRAKE FITTINGS



INSERTO PARA  
MANGUERA DE NYLON-POLIETILENO  
Insert

**459F**

Código Code	Medida Size
in	
459F-02	1/8"
459F-03	3/16"
459F-04	1/4"
459F-05	5/16"
459F-06	3/8"
459F-08	1/2"
459F-10	5/8"
459F-12	3/4"



TUERCA PARA  
FRENOS DE AIRE  
Air Brake Nut

**461F**

Código Code	Medida Size	Rosca Threads
in		in
461F-04	1/4"	7/16" - 24 H
461F-06	3/8"	17/32" - 24 H
461F-08	1/2"	11/16" - 20 H
461F-10	5/8"	13/16" - 18 H
461F-12	3/4"	1" - 18 H



UNION PARA  
FRENOS DE AIRE  
Air Brake Union

**462F**

Código Code	Medida Size	Rosca Threads
in		in
462F-04	1/4"	7/16" - 24 H
462F-06	3/8"	17/32" - 24 H
462F-08	1/2"	11/16" - 20 H
462F-10	5/8"	13/16" - 18 H
462F-12	3/4"	1" - 18 H



TEE  
PARA MANGUERA  
FRENOS DE AIRE  
Air Brake Tee

**464F**

Código Code	Medida Size	Rosca Threads
in		in
464F-04	1/4"	7/16" - 24 H
464F-06	3/8"	17/32" - 24 H
464F-08	1/2"	11/16" - 20 H
464F-10	5/8"	13/16" - 18 H
464F-12	3/4"	1" - 18 H



## CONEXIONES PARA FRENOS DE AIRE AIR BRAKE FITTINGS



CONECTOR  
HEMBA PARA  
MANQUERA DE  
FRENOS DE AIRE  
Air Brake Female Connector

**466F**



CONECTOR  
MACHO PARA  
FRENOS DE AIRE  
Air Brake Male Connector

**468F**



CONECTOR  
MACHO 90° PARA  
FRENOS DE AIRE  
Air Brake 90° Male Elbow

**469F**

## Conexiones de Bronce BRASS FITTINGS



Código Code	Medida Size	Rosca Threads
	in	in
466F-04X02	1/4" X 1/8"	7/16" - 24 H x 1/8" NPT
466F-04X04	1/4" X 1/4"	7/16" - 24 H x 1/4" NPT
466F-06X02	3/8" X 1/8"	17/32" - 24 H x 1/8" NPT
466F-06X04	3/8" X 1/4"	17/32" - 24 H x 1/4" NPT
466F-06X06	3/8" X 3/8"	17/32" - 24 H x 3/8" NPT
466F-08X06	1/2" X 3/8"	11/16" - 20 H x 3/8" NPT
466F-08X08	1/2" X 1/2"	11/16" - 20 H x 1/2" NPT
466F-10X06	5/8" X 3/8"	13/16" - 18 H x 3/8" NPT
466F-10X08	5/8" X 1/2"	13/16" - 18 H x 1/2" NPT

Código Code	Medida Size	Rosca Threads
	in	in
468F-04X02	1/4" x 1/8"	7/16" - 24 H x 1/8" NPT
468F-04X04	1/4" x 1/4"	7/16" - 24 H x 1/4" NPT
468F-06X02	3/8" x 1/8"	17/32" - 24 H x 1/8" NPT
468F-06X04	3/8" x 1/4"	17/32" - 24 H x 1/4" NPT
468F-06X06	3/8" x 3/8"	17/32" - 24 H x 3/8" NPT
468F-06X08	3/8" x 1/2"	17/32" - 24 H x 1/2" NPT
468F-08X04	1/2" x 1/4"	11/16" - 20 H x 1/4" NPT
468F-08X06	1/2" x 3/8"	11/16" - 20 H x 3/8" NPT
468F-08X08	1/2" x 1/2"	11/16" - 20 H x 1/2" NPT
468F-08X12	1/2" x 3/4"	11/16" - 20 H x 3/4" NPT
468F-10X06	5/8" x 3/8"	13/16" - 18 H x 3/8" NPT
468F-10X08	5/8" x 1/2"	13/16" - 18 H x 1/2" NPT
468F-10X12	5/8" x 3/4"	13/16" - 18 H x 3/4" NPT
468F-12X12	3/4" x 3/4"	1" - 18 H x 3/4" NPT

Código Code	Medida Size	Rosca Threads
	in	in
469F-04X02	1/4" x 1/8"	7/16" - 24 H x 1/8" NPT
469F-04X04	1/4" x 1/4"	7/16" - 24 H x 1/4" NPT
469F-06X02	3/8" x 1/8"	17/32" - 24 H x 1/8" NPT
469F-06X04	3/8" x 1/4"	17/32" - 24 H x 1/4" NPT
469F-06X06	3/8" x 3/8"	17/32" - 24 H x 3/8" NPT
469F-06X08	3/8" x 1/2"	17/32" - 24 H x 1/2" NPT
469F-08X04	1/2" x 1/4"	11/16" - 20 H x 1/4" NPT
469F-08X06	1/2" x 3/8"	11/16" - 20 H x 3/8" NPT
469F-08X08	1/2" x 1/2"	11/16" - 20 H x 1/2" NPT
469F-08X12	1/2" x 3/4"	11/16" - 20 H x 3/4" NPT
469F-10X06	5/8" x 3/8"	13/16" - 18 H x 3/8" NPT
469F-10X08	5/8" x 1/2"	13/16" - 18 H x 1/2" NPT
469F-10X12	5/8" x 3/4"	13/16" - 18 H x 3/4" NPT
469F-12X08	3/4" x 1/2"	1" - 18 H x 1/2" NPT
469F-12X12	3/4" x 3/4"	1" - 18 H x 3/4" NPT



## Conexiones de Bronce BRASS FITTINGS

## CONEXIONES PARA FRENOS DE AIRE AIR BRAKE FITTINGS



CONECTOR PARA  
FRENOS DE AIRE  
Air Brake Connector

KF-RVA

Código Code	Medida Size	Rosca Threads
	in	in
KF06-08RVA	3/8" x 1/2"	3/4" - 20 H



ADAPTADOR PARA  
FRENOS DE AIRE  
Air Brake Adapter

KF-08

Código Code	Medida Size	Rosca Threads
	in	in
KF08-04	1/2" x 1/4"	3/4" - 20 H x 1/4" NPT
KF08-06	1/2" x 3/8"	3/4" - 20 H x 3/8" NPT



## CONEXIONES ABOCINADAS INVERTIDAS INVERTED FLARE FITTINGS



TAPÓN FLARED INVERTIDA  
Inverted Flare Plug

39W



TUERCA  
FLARED INVERTIDA  
Inverted Flare Nut

41W



TUERCA FLARED  
INVERTIDA LARGA  
Inverted Flare Long Nut

41WL



UNIÓN FLARED INVERTIDA  
Inverted Flare Union

42W

## Conexiones de Bronce BRASS FITTINGS

Código Code	Medida Size	Rosca Threads
	in	in
39W-03	3/16"	3/8" - 24 H
39W-04	1/4"	7/16" - 24 H
39W-05	5/16"	1/2" - 20 H
39W-06	3/8"	5/8" - 18 H
39W-08	1/2"	3/4" - 18 H

Código Code	Medida Size	Rosca Threads
	in	in
41W-02	1/8"	5/16" - 28 H
41W-03	3/16"	3/8" - 24 H
41W-04	1/4"	7/16" - 24 H
41W-05	5/16"	1/2" - 20 H
41W-06	3/8"	5/8" - 18 H
41W-08	1/2"	3/4" - 18 H
41WMM1	10mm * 1.0	M10 - 1.0
41WMM2	12mm * 1.0	M12 - 1.0
41WR-04X03	1/4" x 3/16"	7/16" - 24 H
41WR-05X03	5/16" x 3/16"	1/2" - 20 H
41WR-05X04	5/16" x 1/4"	1/2" - 20 H

Código Code	Medida Size	Rosca Threads
	in	in
41WL-03	3/16"	3/8" - 24 H
41WL-04	1/4"	7/16" - 24 H
41WL-05	5/16"	1/2" - 20 H

Código Code	Medida Size	Rosca Threads
	in	in
42W-02	1/8"	5/16" - 28 H
42W-03	3/16"	3/8" - 24 H
42W-04	1/4"	7/16" - 24 H
42W-05	5/16"	1/2" - 20 H
42W-06	3/8"	5/8" - 18 H
42W-08	1/2"	3/4" - 18 H



## Conexiones de Bronce BRASS FITTINGS



TEE FLARED INVERTIDA  
Inverted Flare Tee

44W

### CONEXIONES ABOCINADAS INVERTIDAS INVERTED FLARE FITTING

Código Code	Medida Size	Rosca Threads
	in	in
44W-03	3/16"	3/8" - 24 H
44W-04	1/4"	7/16" - 24 H
44W-05	5/16"	1/2" - 20 H



CONECTOR HEMBRA  
FLARED INVERTIDA  
Inverted Flare Female Connector

46W

Código Code	Medida Size	Rosca Threads
	in	in
46W-04X02	1/4" x 1/8"	7/16" - 24 H x 1/8" NPT
46W-04X04	1/4" x 1/4"	7/16" - 24 H x 1/4" NPT
46W-05X02	5/16" x 1/8"	1/2" - 20 H x 1/8" NPT
46W-06X04	3/8" x 1/4"	5/8" - 18 H x 1/4" NPT
46W-08X06	1/2" x 3/8"	3/4" - 18 H x 3/8" NPT



CONECTOR HEMBRA -  
MACHO FLARED INVERTIDA  
Inverted Flare Adapter

47W

Código Code	Medida Size	Rosca Threads
	in	in
47W-03X04	3/16" x 1/4"	3/8" - 24 H x 7/16" - 24 H
47W-03X05	3/16" x 5/16"	3/8" - 24 H x 1/2" - 20 H
47W-03X06	3/16" x 3/8"	3/8" - 24 H x 5/8" - 18 H
47W-03X09	3/16" x 9/16"	3/8" - 24 H x 9/16" - 18 H
47W-04X03	1/4" x 3/16"	7/16" - 24 H x 3/8" - 24 H
47W-04X04	1/4" x 1/4"	7/16" - 24 H x 7/16" - 24 H
47W-04X05	1/4" x 5/16"	7/16" - 24 H x 1/2" - 20 H
47W-04X06	1/4" x 3/8"	7/16" - 24 H x 5/8" - 18 H
47W-04X09	1/4" x 9/16"	7/16" - 24 H x 9/16" - 18 H
47W-05X03	5/16" x 3/16"	1/2" - 20 H x 3/8" - 24 H
47W-05X04	5/16" x 1/4"	1/2" - 20 H x 7/16" - 24 H
47W-05X05	5/16" x 5/16"	1/2" - 20 H x 1/2" - 20 H
47W-05X06	5/16" x 3/8"	1/2" - 20 H x 5/8" - 18 H
47W-05X09	5/16" x 9/16"	1/2" - 20 H x 9/16" - 18 H
47W-06X04	3/8" x 1/4"	5/8" - 18 H x 7/16" - 24 H
47W-06X05	3/8" x 5/16"	5/8" - 18 H x 1/2" - 20 H
47W-06X06	3/8" x 3/8"	5/8" - 18 H x 5/8" - 18 H
47W-06X09	3/8" x 9/16"	5/8" - 18 H x 9/16" - 18 H
47W-09X03	9/16" x 3/16"	9/16" - 18 H x 3/8" - 24 H
47W-09X04	9/16" x 1/4"	9/16" - 18 H x 7/16" - 24 H
47W-09X05	9/16" x 5/16"	9/16" - 18 H x 1/2" - 20 H
47W-09X06	9/16" x 3/8"	9/16" - 18 H x 5/8" - 18 H



## CONEXIONES ABOCINADAS INVERTIDAS INVERTED FLARE FITTINGS

## Conexiones de Bronce BRASS FITTINGS



ADAPTADOR HEMBRA FLARED  
INVERTIDO MACHO NPT / Inverted  
Flared Female NPT Male Adapter **48W**

Código Code	Medida Size	Rosca Threads
	in	in
48W-02X02	1/8" x 1/8"	5/16" - 28 H x 1/8" NPT
48W-03X02	3/16" x 1/8"	3/8" - 24 H x 1/8" NPT
48W-04X02	1/4" x 1/8"	7/16" - 24 H x 1/8" NPT
48W-04x04	1/4" x 1/4"	7/16" - 24 H x 1/4" NPT
48W-05X02	5/16" x 1/8"	1/2" - 20 H x 1/8" NPT
48W-05X04	5/16" x 1/4"	1/2" - 20 H x 1/4" NPT
48W-06X02	3/8" x 1/8"	5/8" - 18 H x 1/8" NPT
48W-06X04	3/8" x 1/4"	5/8" - 18 H x 1/4" NPT
48W-06X06	3/8" x 3/8"	5/8" - 18 H x 3/8" NPT
48W-08X04	1/2" x 1/4"	3/4" - 18 H x 1/4" NPT
48W-08X06	1/2" x 3/8"	3/4" - 18 H x 3/8" NPT
48W-08x08	1/2" x 1/2"	3/4" - 18 H x 1/2" NPT



CONECTOR MACHO  
90° FLARED INVERTIDO  
Inverted Flared 90° Male Elbow **49W**

Código Code	Medida Size	Rosca Threads
	in	in
49W-02X02	1/8" x 1/8"	5/16" - 28 H x 1/8" NPT
49W-03X02	3/16" x 1/8"	3/8" - 24 H x 1/8" NPT
49W-04X02	1/4" x 1/8"	7/16" - 24 H x 1/8" NPT
49W-04X04	1/4" x 1/4"	7/16" - 24 H x 1/4" NPT
49W-05X02	5/16" x 1/8"	1/2" - 20 H x 1/8" NPT
49W-05X04	5/16" x 1/4"	1/2" - 20 H x 1/4" NPT
49W-06X02	3/8" x 1/8"	5/8" - 18 H x 1/8" NPT
49W-06X04	3/8" x 1/4"	5/8" - 18 H x 1/4" NPT
49W-06X06	3/8" x 3/8"	5/8" - 18 H x 3/8" NPT
49W-08X06	1/2" x 3/8"	3/4" - 18 H x 3/8" NPT



ADAPTADOR PARA  
CARBURADOR 4K  
Adapter for Carburetor 4k **KF-M12PS**

Código Code	Medida Size	Rosca Threads
	in	in
KF04-M12PS	1/4" x 12 mm	12 X 1.0 mm



## Conexiones de Bronce BRASS FITTINGS

## MISCELÁNEOS / MISCELLANEOUS



VÁLVULAS DE PURGA  
Drain Cocks

321E

Código Code	Medida Size	Rosca Threads
	in	in
321E-02	1/8"	1/8" NPT
321E-04	1/4"	1/4" NPT
321E-06	3/8"	3/8" NPT



TUBERÍA DE  
COBRE OD ASTMB280  
OD ASTMB280 Copper Tube

H04000

Código Code	Diámetro Interno I.D.	Diámetro Externo O.D.	Espesor Thickness	Longitud Length	Peso Weight
	in	mm	mm	mm	Kg/pc
H04000-03	3/16"	.76	4.76	0.76	15.00
H04000-04	1/4"	.76	6.35	0.76	15.00
H04000-05	5/16"	.81	7.94	0.81	15.00
H04000-06	3/8"	.81	9.52	0.81	15.00
H04000-08	1/2"	.81	12.7	0.81	15.00
H04000-10	5/8"	.89	15.88	0.89	15.00
H04000-12	3/4"	.89	19.05	0.89	15.00

### Construcción / Construction:

Material / Material:	Cobre purgado con nitrógeno para evitar la oxidación. / Purged copper with nitrogen to prevent oxidation.
Norma / Norm:	ASTM B280.

### Aplicación / Application:

- Se utiliza en equipos de Refrigeración y Aire Acondicionado. / Refrigeration and Air Conditioning uses.



## EXHIBIDOR DISPLAY

## Conexiones de Bronce BRASS FITTINGS

### Características:

- 48 gavetas con 3 divisiones c/u.
- Cómodo y práctico exhibidor / despachador.
- Diseño moderno y decorativo.
- Posee etiquetas para la identificación de las piezas.

### Medidas:

- 116 cm de alto x 58,5 cm de ancho.

### Features:

- 48 drawers with 3 divisions each one.
- Comfortable and practical display / dispenser.
- Modern and decorative design.
- Has identifying parts labels.

### Measures:

- 116 cm high x 58,5 cm wide.

CV01





## Conexiones de Bronce BRASS FITTINGS

EMPAQUES / PACKAGING



**CONEXIONES  
ABOCINADAS FLARED**  
Brass Flare Fittings



**CONEXIONES  
DE COMPRESIÓN**  
Compression Fittings



**CONEXIONES ESPIGA  
PARA MANGUERAS**  
Hose Barbs



**CONEXIONES  
PARA TUBERÍA**  
Pipe Fittings

Covalca, con la finalidad de prestar un mejor servicio y diferenciarse en todos los aspectos con sus productos, ha diseñado un empaque único en el mercado, el cual le permitirá identificar y almacenar eficientemente el producto seleccionado.

La mayoría de las medidas convencionales de las abrazaderas Covalca vienen en bolsas elaboradas con materiales resistentes para así poder obtener un almacenaje y una exhibición eficiente. Estas bolsas están totalmente identificadas por medida y por tipo de conexión.

In order to provide a better service and differentiate into all aspects of its products, Covalca has designed an unique package on the market, allowing you to identify and efficiently store the selected product.

Most of the Covalca's brass fittings sizes are packed in fully identified resistant bags in order to offer an efficient storage and effective exhibition.

# ABRAZAD



# ERAS

---

## Hose Clamps

<b>Galvanizada /</b> <i>Galvanized .....</i>	<b>B.1</b>
<b>Banda de Acero Tornillo Acero al Carbón /</b> <i>Stainless Steel Band and Ploted Hex Screw .....</i>	<b>B.2</b>
<b>100% Acero Inoxidable /</b> <i>100% Stainless Steel .....</i>	<b>B.3</b>
<b>Industrial Galvanizada /</b> <i>Industrial Galvanized .....</i>	<b>B.4</b>
<b>Industrial 100% Acero Inoxidable Grado 316 /</b> <i>Industrial 100% Stainless Steel 316 Grade .....</i>	<b>B.5</b>
<b>Industrial 100% Acero Inoxidable Grado 304 /</b> <i>Industrial 100% Stainless Steel 304 Grade .....</i>	<b>B.6</b>
<b>Sistema de Tensado en Acero Inoxidable /</b> <i>Stainless Steel Clamping System .....</i>	<b>B.7</b>
<b>Exhibidor /</b> <i>Display .....</i>	<b>B.8</b>
<b>Empaque /</b> <i>Packaging .....</i>	<b>B.9</b>



# INDICE VISUAL

## Visual Index

### Abrazaderas

#### HOSE CLAMPS



CV-G B.1

ABRAZADERA ESTÁNDAR GALVANIZADA  
Standar Clamp Galvanized



# **ABRAZADERAS**

## **Hose Clamps**





## ABRAZADERAS HOSE CLAMPS

## Abrazaderas HOSE CLAMPS



ABRAZADERA  
ESTÁNDAR GALVANIZADA /  
Standard Clamp Galvanized

CV-G

Código Code	Ancho Width	Rango de Apertura Aperture Range	
		mm	in
CV3500-G	8	5/32" - 15/32"	3.97 - 11.91
CV3504-G	8	7/32" - 5/8"	5.6 - 16
CV3506-G	8	7/16" - 3/4"	11 - 20
CV62008-G	13	1/2" - 7/8"	13 - 23
CV62010-G	13	9/16" - 1-1/16"	14 - 27
CV62012-G	13	11/16" - 1-1/4"	17 - 32
CV62016-G	13	13/16" - 1-1/2"	21 - 38
CV62020-G	13	13/16" - 1-3/4"	21 - 44
CV62024-G	13	1-1/16" - 2"	27 - 51
CV62028-G	13	1-5/16" - 2-1/4"	33 - 57
CV62032-G	13	1-9/16" - 2-1/2"	40 - 64
CV62036-G	13	1-13/16" - 2-3/4"	46 - 70
CV62040-G	13	2-1/16" - 3"	52 - 76
CV62044-G	13	2-5/16" - 3-1/4"	59 - 83
CV62048-G	13	2-9/16" - 3-1/2"	65 - 89
CV62052-G	13	2-13/16" - 3-3/4"	71 - 95
CV62056-G	13	3-1/16" - 4"	78 - 102
CV62060-G	13	3-5/16" - 4-1/4"	84 - 108
CV62064-G	13	3-9/16" - 4-1/2"	91 - 114
CV62072-G	13	4 1/8" - 5"	103 - 127
CV62080-G	13	4 5/8" - 5-1/2"	64 - 140
CV62088-G	13	5 1/8" - 6"	129 - 152
CV62096-G	13	5-5/8" - 6-1/2"	92 - 165
CV62104-G	13	6-1/8" - 7"	105 - 178



## Abrazaderas HOSE CLAMPS

## ABRAZADERAS HOSE CLAMPS



ABRAZADERA ESTÁNDAR- BANDA DE ACERO INOXIDABLE-TORNILLO ACERO AL CARBÓN /  
Standard Clamp - Stainless Steel Band and Ploted Hex Screw

**CV**

Código Code	Ancho Width	Rango de Apertura Aperture Range	
		mm	in
CV3504	8	7/32" - 5/8"	5.6 - 16
CV3506	8	7/16" - 3/4"	11 - 20
CV62008	13	1/2" - 7/8"	13 - 23
CV62010	13	9/16" - 1-1/16"	14 - 27
CV62012	13	11/16" - 1-1/4"	17 - 32
CV62016	13	13/16" - 1-1/2"	21 - 38
CV62020	13	13/16" - 1-3/4"	21 - 44
CV62024	13	1-1/16" - 2"	27 - 51
CV62028	13	1-5/16" - 2-1/4"	33 - 57
CV62032	13	1-9/16" - 2-1/2"	40 - 64
CV62036	13	1-13/16" - 2-3/4"	46 - 70
CV62040	13	2-1/16" - 3"	52 - 76
CV62044	13	2-5/16" - 3-1/4"	59 - 83
CV62048	13	2-9/16" - 3-1/2"	65 - 89
CV62052	13	2-13/16" - 3-3/4"	71 - 95
CV62056	13	3-1/16" - 4"	78 - 102
CV62060	13	3-5/16" - 4-1/4"	84 - 108
CV62064	13	3-9/16" - 4-1/2"	91-114
CV62072	13	4 1/8" - 5"	103 - 127
CV62080	13	4 5/8" - 5-1/2"	64 - 140
CV62088	13	5 1/8" - 6"	129 - 152
CV62096	13	5-5/8" - 6-1/2"	92 - 165
CV62104	13	6-1/8" - 7"	105 - 178
CV62128	13	5-5/8" - 8-1/2"	143 - 216
CV62152	13	7 1/8" - 10"	182 - 254
CV62188	13	9-3/8" - 12-1/4"	238 - 311



## ABRAZADERAS HOSE CLAMPS

## Abrazaderas HOSE CLAMPS



ABRAZADERA 100%  
INOXIDABLE CON TORNILLO INOXIDABLE /  
100% Stainless Steel Clamp

CV-SS

Código Code	Ancho Width	Rango de Apertura Aperture Range	
		mm	in
CV3504-SS	8	7/32" - 5/8"	5.6 - 16
CV3506-SS	8	7/16" - 3/4"	11 - 20
CV62008-SS	13	1/2" - 7/8"	13 - 23
CV62010-SS	13	9/16" - 1-1/16"	14 - 27
CV62012-SS	13	11/16" - 1-1/4"	17 - 32
CV62016-SS	13	13/16" - 1-1/2"	21 - 38
CV62020-SS	13	13/16" - 1-3/4"	21 - 44
CV62024-SS	13	1-1/16" - 2"	27 - 51
CV62028-SS	13	1-5/16" - 2-1/4"	33 - 57
CV62032-SS	13	1-9/16" - 2-1/2"	40 - 64
CV62036-SS	13	1-13/16" - 2-3/4"	46 - 70
CV62040-SS	13	2-1/16" - 3"	52 - 76
CV62044-SS	13	2-5/16" - 3-1/4"	59 - 83
CV62048-SS	13	2-9/16" - 3-1/2"	65 - 89
CV62052-SS	13	2-13/16" - 3-3/4"	71 - 95
CV62056-SS	13	3-1/16" - 4"	78 - 102
CV62060-SS	13	3-5/16" - 4-1/4"	84 - 108
CV62064-SS	13	3-9/16" - 4-1/2"	91 - 114
CV62072-SS	13	4 1/8" - 5"	103 - 127
CV62080-SS	13	4 5/8" - 5-1/2"	64 - 140
CV62088-SS	13	5 1/8" - 6"	129 - 152
CV62096-SS	13	5-5/8" - 6-1/2"	92 - 165
CV62104-SS	13	6-1/8" - 7"	105 - 178
CV62128-SS	13	5-5/8" - 8-1/2"	143 - 216
CV62152-SS	13	7 1/8" - 10"	182 - 254
CV62188-SS	13	9-3/8" - 12-1/4"	238 - 311



## Abrazaderas HOSE CLAMPS

## ABRAZADERAS HOSE CLAMPS



ABRAZADERA INDUSTRIAL GALVANIZADA /  
Industrial Clamp Galvanized

UCG

Código Code	Ancho Width	Rango de Apertura Aperture Range	
		in	mm
UCG29-31	20-0.8	1-5/32"- 1-7/32"	29 - 31
UCG30-33	20-0.8	1-3/16"- 1-19/64"	30 - 33
UCG32-35	20-0.8	1-17/64"- 1-3/8"	32 - 35
UCG34-37	20-0.8	1-11/32"- 1-29/64"	34 - 37
UCG36-39	20-0.8	1-27/64"- 1-17/32"	36 - 39
UCG38-41	20-0.8	1-1/2"- 1-39/64"	38 - 41
UCG40-43	20-0.8	1-9/16"- 1-11/16"	40 - 43
UCG43-46	20-0.8	1-11/16"- 1-13/16"	43 - 46
UCG44-47	22-1.2	1-47/64"- 1-27/32"	44 - 47
UCG48-51	22-1.2	1-57/64"- 2-1/64"	48 - 51
UCG52-55	22-1.2	1-3/64"- 2-11/64"	52 - 55
UCG56-59	22-1.2	2-13/64"- 2-21/64"	56 - 59
UCG60-63	22-1.2	2-23/64"- 2-31/64"	60 - 63
UCG64-67	22-1.2	2-33/64"- 2-41/64"	64 - 67
UCG68-73	24-1.5	2-11/16"- 3-7/8"	68 - 73
UCG74-79	24-1.5	2-29/32"- 3-7/64"	74 - 79
UCG76-80	24-1.5	2-63/64"- 3-5/32"	76 - 80
UCG80-85	24-1.5	3-5/32"- 3-11/32"	80 - 85
UCG86-91	24-1.5	3-25/64"- 3-37/64"	86 - 91
UCG92-97	24-1.5	3-5/8"- 3-13/16"	92 - 97
UCG98-103	24-1.5	3-55/64"- 4-1/16"	98 - 103
UCG104-112	24-1.5	4-3/32"- 4-3/8"	104 - 112
UCG110-118	24-1.5	4-21/64"- 4-41/64"	110 - 118
UCG113-121	24-1.5	4-29/64"- 4-49/64"	113 - 121
UCG122-130	24-1.5	4-51/64"- 5-1/8"	122 - 130
UCG131-139	26-1.7	5-5/32"- 5-15/32"	131 - 139
UCG140-148	26-1.7	5-33/64"- 5-53/64"	140 - 148
UCG149-161	26-1.7	5-55/64"- 6-11/32"	149 - 161
UCG162-174	26-1.7	6-3/8"- 6-7/8"	162 - 174
UCG175-187	26-1.7	6-57/64"- 7-23/64"	175 - 187
UCG188-200	26-1.7	7-13/32"- 7-7/8"	188 - 200
UCG195-210	26-1.7	7-43/64"- 8-17/64"	195 - 210
UCG201-213	26-1.7	7-29/32"- 8-25/64"	201 - 213
UCG214-226	26-1.7	8-27/64"- 8- 57/64"	214 - 226



## ABRAZADERAS HOSE CLAMPS

## Abrazaderas HOSE CLAMPS



ABRAZADERA INDUSTRIAL 100% INOXIDABLE GRADO 316  
Industrial Clamp 100% Stainless Steel 316 Grade **UCS**

Código Code	Ancho Width	Rango de Apertura Aperture Range	
		in	mm
UCS29-31	20-0.8	1-5/32"- 1-7/32"	29 - 31
UCS30-33	20-0.8	1-3/16"- 1-19/64"	30 - 33
UCS32-35	20-0.8	1-17/64"- 1-3/8"	32 - 35
UCS34-37	20-0.8	1-11/32"- 1-29/64"	34 - 37
UCS36-39	20-0.8	1-27/64"- 1-17/32"	36 - 39
UCS38-41	20-0.8	1-1/2"- 1-39/64"	38 - 41
UCS40-43	20-0.8	1-9/16"- 1-11/16"	40 - 43
UCS43-46	20-0.8	1-11/16"- 1-13/16"	43 - 46
UCS44-47	22-1.2	1-47/64"- 1-27/32"	44 - 47
UCS48-51	22-1.2	1-57/64"- 2-1/64"	48 - 51
UCS52-55	22-1.2	1-3/64"- 2-11/64"	52 - 55
UCS56-59	22-1.2	2-13/64"- 2-21/64"	56 - 59
UCS60-63	22-1.2	2-23/64"- 2-31/64"	60 - 63
UCS64-67	22-1.2	2-33/64"- 2-41/64"	64 - 67
UCS68-73	24-1.5	2-11/16"- 3-7/8"	68 - 73
UCS74-79	24-1.5	2-29/32"- 3-7/64"	74 - 79
UCS76-80	24-1.5	2-63/64"- 3-5/32"	76 - 80
UCS80-85	24-1.5	3-5/32"- 3-11/32"	80 - 85
UCS86-91	24-1.5	3-25/64"- 3-37/64"	86 - 91
UCS92-97	24-1.5	3-5/8"- 3-13/16"	92 - 97
UCS98-103	24-1.5	3-55/64"- 4-1/16"	98 - 103
UCS104-112	24-1.5	4-3/32"- 4-3/8"	104 - 112
UCS110-118	24-1.5	4-21/64"- 4-41/64"	110 - 118
UCS113-121	24-1.5	4-29/64"- 4-49/64"	113 - 121
UCS122-130	24-1.5	4-51/64"- 5-1/8"	122 - 130
UCS131-139	26-1.7	5-5/32"- 5-15/32"	131 - 139
UCS140-148	26-1.7	5-33/64"- 5-53/64"	140 - 148
UCS149-161	26-1.7	5-55/64"- 6-11/32"	149 - 161
UCS162-174	26-1.7	6-3/8"- 6-7/8"	162 - 174
UCS175-187	26-1.7	6-57/64"- 7-23/64"	175 - 187
UCS188-200	26-1.7	7-13/32"- 7-7/8"	188 - 200
UCS195-210	26-1.7	7-43/64"- 8-17/64"	195 - 210
UCS201-213	26-1.7	7-29/32"- 8-25/64"	201 - 213
UCS214-226	26-1.7	8-27/64"- 8- 57/64"	214 - 226



## Abrazaderas HOSE CLAMPS

## ABRAZADERAS HOSE CLAMPS



ABRAZADERA INDUSTRIAL 100% INOXIDABLE GRADO 304  
Industrial Clamp 100% Stainless Steel 304 Grade **UCM**

Código Code	Ancho Width	Rango de Apertura Aperture Range	
		mm	in
<b>UCM29-31</b>	20-0.8	1-5/32"- 1-7/32"	29 - 31
<b>UCM30-33</b>	20-0.8	1-3/16"- 1-19/64"	30 - 33
<b>UCM32-35</b>	20-0.8	1-17/64"- 1-3/8"	32 - 35
<b>UCM34-37</b>	20-0.8	1-11/32"- 1-29/64"	34 - 37
<b>UCM36-39</b>	20-0.8	1-27/64"- 1-17/32"	36 - 39
<b>UCM38-41</b>	20-0.8	1-1/2"- 1-39/64"	38 - 41
<b>UCM40-43</b>	20-0.8	1-9/16"- 1-11/16"	40 - 43
<b>UCM43-46</b>	20-0.8	1-11/16"- 1-13/16"	43 - 46
<b>UCM44-47</b>	22-1.2	1-47/64"- 1-27/32"	44 - 47
<b>UCM48-51</b>	22-1.2	1-57/64"- 2-1/64"	48 - 51
<b>UCM52-55</b>	22-1.2	1-3/64"- 2-11/64"	52 - 55
<b>UCM56-59</b>	22-1.2	2-13/64"- 2-21/64"	56 - 59
<b>UCM60-63</b>	22-1.2	2-23/64"- 2-31/64"	60 - 63
<b>UCM64-67</b>	22-1.2	2-33/64"- 2-41/64"	64 - 67
<b>UCM68-73</b>	24-1.5	2-11/16"- 3-7/8"	68 - 73
<b>UCM74-79</b>	24-1.5	2-29/32"- 3-7/64"	74 - 79
<b>UCM76-80</b>	24-1.5	2-63/64"- 3-5/32"	76 - 80
<b>UCM80-85</b>	24-1.5	3-5/32"- 3-11/32"	80 - 85
<b>UCM86-91</b>	24-1.5	3-25/64"- 3-37/64"	86 - 91
<b>UCM92-97</b>	24-1.5	3-5/8"- 3-13/16"	92 - 97
<b>UCM98-103</b>	24-1.5	3-55/64"- 4-1/16"	98 - 103
<b>UCM104-112</b>	24-1.5	4-3/32"- 4-3/8"	104 - 112
<b>UCM110-118</b>	24-1.5	4-21/64"- 4-41/64"	110 - 118
<b>UCM113-121</b>	24-1.5	4-29/64"- 4-49/64"	113 - 121
<b>UCM122-130</b>	24-1.5	4-51/64"- 5-1/8"	122 - 130
<b>UCM131-139</b>	26-1.7	5-5/32"- 5-15/32"	131 - 139
<b>UCM140-148</b>	26-1.7	5-33/64"- 5-53/64"	140 - 148
<b>UCM149-161</b>	26-1.7	5-55/64"- 6-11/32"	149 - 161
<b>UCM162-174</b>	26-1.7	6-3/8"- 6-7/8"	162 - 174
<b>UCM175-187</b>	26-1.7	6-57/64"- 7-23/64"	175 - 187
<b>UCM188-200</b>	26-1.7	7-13/32"- 7-7/8"	188 - 200
<b>UCM195-210</b>	26-1.7	7-43/64"- 8-17/64"	195 - 210
<b>UCM201-213</b>	26-1.7	7-29/32"- 8-25/64"	201 - 213
<b>UCM214-226</b>	26-1.7	8-27/64"- 8- 57/64"	214 - 226



## SISTEMA DE TENSADO EN ACERO INOXIDABLE STAINLESS STEEL CLAMPING SYSTEM

## Flejes y Hebillas BAND & BUCKLE



### Bandas 304 SS / Standar Band 304 SS



Código Code	Medida Size		Espesor Thickness	Empaque Packing
	mm	in		
CV3004	6.4 mm	1/4"	0.60 mm	30.5 mts
CV3006	9.7 mm	3/8"	0.60 mm	30.5 mts
CV3008	12.7 mm	1/2"	0.76 mm	30.5 mts
CV3010	15.8mm	5/8"	0.80 mm	30.5 mts
CV3012	19.5 mm	3/4"	0.76 mm	30.5 mts

### Hebillas 304 SS / Buckle 304 SS



Código Code	Medida Size		Espesor Thickness	Cantidad Quantity
	mm	in		
CV3104	6.4 mm	1/4"	0.80 mm	100 pcs
CV3106	9.7 mm	3/8"	1.00 mm	100 pcs
CV3108	12.7 mm	1/2"	1.20 mm	100 pcs
CV3110	15.8 mm	5/8"	1.20 mm	100 pcs
CV3112	19.5 mm	3/4"	1.80 mm	100 pcs



## SISTEMA DE TENSADO EN ACERO INOXIDABLE STAINLESS STEEL CLAMPING SYSTEM

**Flejes y Hebillas**  
**BAND & BUCKLE**

### Tensor de Flejes / Band Tensioning Tool

Código Code	Cantidad Quantity
CV3000	1



- La flejadura es una herramienta para tensionar el fleje al poste, cuenta con un sistema mecánico para la sujeción, tensión y corte de la banda de acero, de forma fácil y rápida. Este sistema de tensión, es esencial para muchas industrias, desde telecomunicaciones, petróleo, gas y muchos otros sectores.

*The band tensioning or strapping is a tool to tighten the band to the post, it has a mechanical system for holding and tensioning. The steel band it can be cut of easily and quickly. Strapping tools are essential to many industries, from telecommunications to oil, gas and many in between.*

Covalca ofrece el sistema de banda de sujeción flexible, para adaptarse a una amplia gama de aplicaciones y entornos. Una de las principales ventajas, es la disminución de un gran stock de diferentes tamaños de abrazaderas, debido a que este sistema permite producirlas individualmente a la medida necesaria.

#### Características:

- Bandas Profesionales: Rápidas - Fáciles - Convenientes – Rentables
- Bajo costo – Alta Calidad
- Duradero- No es afectada por la humedad

Covalca offers a flexible band clamping system to suit a broad range of applications and environments. One of the key benefits of this system is the fact that the production is individual. Strong and tailor-made clamps eliminate the need for a large stock of different sized clamps.

#### Features:

- Professional Banding: Quick - Easy - Convenient - Cost Effective
- Low Cost - High Quality
- Durable - Not affected by moisture



## ABRAZADERAS / HOSE CLAMPS

**Abrazaderas  
HOSE CLAMPS**

### EXHIBIDOR DE ABRAZADERAS Clamps Display



### Carga del Exhibidor / Display Load

Cant. Qty	Código Code	Rango de Apertura Aperture Range	Medidas Size
30	CV3504	Abrazadera/Clamp 5.6-16 DI	7/32" - 5/8"
30	CV3506	Abrazadera/Clamp 11-20 DI	7/16" - 25/32"
20	CV62010	Abrazadera/Clamp 14-27 DI	9/16" - 1-1/16"
20	CV62012	Abrazadera/Clamp 17-32 DI	11/16" - 1-1/4"
20	CV62016	Abrazadera/Clamp 21-38 DI	13/16" - 1-1/2"
20	CV62020	Abrazadera/Clamp 21-44 DI	13/16" - 1-3/4"
20	CV62024	Abrazadera/Clamp 27-51 DI	1-1/16" - 2"
20	CV62028	Abrazadera/Clamp 33-57 DI	1-5/16" - 2-1/14"
20	CV62032	Abrazadera/Clamp 40-64 DI	1-9/16" - 2-1/2"
20	CV62036	Abrazadera/Clamp 46-70 DI	1-13/16" - 2-3/4"



### CARACTERÍSTICAS

- Cómodo exhibidor / despachador. Ideal para colocar en pared o sobre el mostrador.
- Por su tamaño ahorra espacio en el local.
- Elaborado en estructura metálica de gran resistencia.
- Es fácil de reabastecer, gracias a su práctico diseño.
- Ordene las abrazaderas por el código reflejado en la parte superior del exhibidor.

### FEATURES

- Comfortable display, ideal for placing on wall or countertop.
- Its size saves space in the store.
- Made it in heavy-duty metal.
- Practical design. Easy to refill.
- Order the clamps by the code reflected in the top of the display.



## Abrazaderas HOSE CLAMPS

## EMPAQUES / PACKAGING



### EMPAQUES DE ABRAZADERAS COVALCA

COVALCA'S Clamps Packing



Hose Clamp Size Chart  
Diameter Range

Size	Min.		Max.	
	In.	mm	In.	mm
32	1-9/16"	40	2-1/2"	64
36	1-13/16"	46	2-3/4"	70
40	2-1/16"	52	3"	76
44	2-5/16"	59	3-1/4"	83
48	2-9/16"	65	3-1/2"	89
52	2-13/16"	71	3-3/4"	95
56	3-1/16"	78	4"	102

The #1 Choice  
for Quality Clamps

10 Hose Clamps

### EN EL EMPAQUE SE INDICA LA MEDIDA Y EL CÓDIGO DEL CONTENIDO INTERNO DE ABRAZADERAS.

The package indicates the size and code of the  
hose clamps.

Covalca, con la finalidad de prestar un mejor servicio y diferenciarse en todos los aspectos con sus productos, ha diseñado un empaque único en el mercado, el cual le permitirá identificar y almacenar eficientemente el producto seleccionado.

La mayoría de las medidas convencionales de las abrazaderas Covalca vienen en bolsas elaboradas con materiales resistentes para así poder obtener un almacenaje y una exhibición eficiente. Estas bolsas están totalmente identificadas por medida y por tipo de abrazadera.

In order to provide a better service and differentiate into all aspects of its products, Covalca has designed an unique package on the market, allowing you to identify and efficiently store the selected product.

Most of the Covalca's clamps sizes are packed in fully identified resistant bags in order to offer an efficient storage and effective exhibition.

**CONECTORES**

**FLEXIB**



**LES**

**Flexible Hoses**

<b>Lavamanos /</b> <i>Lavatory .....</i>	<b>C.1</b>
<b>Fregadero /</b> <i>Kitchen Sinks .....</i>	<b>C.2</b>
<b>Sanitarios /</b> <i>Toilets .....</i>	<b>C.3</b>
<b>Monomando /</b> <i>Mixed Taps .....</i>	<b>C.4</b>
<b>Gas Pigtail /</b> <i>Pigtail .....</i>	<b>C.5</b>
<b>Gas Uso General /</b> <i>Gas Utility .....</i>	<b>C.6</b>
<b>Fabricador de Hielo /</b> <i>Ice Maker .....</i>	<b>C.7</b>
<b>Lavadora /</b> <i>Washer Machine .....</i>	<b>C.8</b>



# INDICE VISUAL

## Visual Index

### Conectores Flexibles

#### FLEXIBLE HOSES

H03A40



CONECTOR FLEXIBLE DE ACERO INOXIDABLE PARA LAVAMANOS/ Flexible Hose for Lavatory

C.1

H03B30



CONECTOR FLEXIBLE DE ACERO INOXIDABLE PARA LAVAMANOS/ Flexible Hose for Lavatory

C.1

H03B40



CONECTOR FLEXIBLE DE ACERO INOXIDABLE PARA LAVAMANOS/ Flexible Hose for Lavatory

C.1

H03C40



CONECTOR FLEXIBLE DE ACERO INOXIDABLE PARA LAVAMANOS / Flexible Hose for Lavatory

C.1

H03A55



CONECTOR FLEXIBLE DE ACERO INOXIDABLE PARA FREGADERO/ Flexible Hose for Kitchen Sinks

C.2

H03B55



CONECTOR FLEXIBLE DE ACERO INOXIDABLE PARA FREGADERO/ Flexible Hose for Kitchen Sinks

C.2

H03E40 H03F30 H03F55



CONECTOR FLEXIBLE DE ACERO INOXIDABLE PARA SANITARIO / Flexible Hose for Toilets

C.3

H03G40



CONECTOR FLEXIBLE DE ACERO INOXIDABLE PARA SANITARIOS/ Flexible Hose for Toilets

C.3

H03M40 H03M60



CONECTOR FLEXIBLE DE ACERO INOXIDABLE PARA LAVAMANOS Y FREGADERO MONOMANDO / Flexible Hose for Mixed Taps Lavatory and Kitchen Sinks

C.4

H03N40  
H03N60



CONECTOR FLEXIBLE DE ACERO INOXIDABLE PARA LAVAMANOS Y FREGADERO MONOMANDO / Flexible Hose for Mixed Taps Lavatory and Kitchen Sinks

C.4

H03D50



CONECTOR FLEXIBLE DE ACERO INOXIDABLE PARA GAS (Pigtail) / Flexible Hose for Gas (Pigtail)

C.5

H03K100



CONECTOR FLEXIBLE DE ACERO INOXIDABLE PARA GAS/ Flexible Hose for Gas

C.6

H03H150



CONECTOR FLEXIBLE DE ACERO INOXIDABLE PARA GAS/ Flexible Hose for Gas

C.6

H03I150



CONECTOR FLEXIBLE DE ACERO INOXIDABLE PARA FABRICADOR DE HIELO / Flexible Hose for Ice Maker

C.7

H03W150




CONECTOR FLEXIBLE DE VINILO REFORZADO PARA LAVADORA/ Flexible Hose for Washer Machines

C.8

# **CONECTORES FLEXIBLES**

## **Flexible Hoses**





## LAVAMANOS / LAVATORY

## Conectores Flexibles FLEXIBLE HOSES



H03A40

Código Code	Medida Measure	Empaque Packing Unidades / Units
H03A40	1/2" x 1/2" (40cm)	50



H03B30

Código Code	Medida Measure	Empaque Packing Unidades / Units
H03B30	3/8" x 1/2" (30cm)	50



H03B40

Código Code	Medida Measure	Empaque Packing Unidades / Units
H03B40	3/8" x 1/2" (40cm)	50



H03C40

Código Code	Medida Measure	Empaque Packing Unidades / Units
H03C40	1/2 M x 1/2" F.I.P (40cm)	50

### MATERIAL DE FABRICACIÓN

- **Trenzado:** Acero Inoxidable
- **Manguera:** EPDM para Conducción de Agua Potable
- **Espiga:** Bronce
- **Ferrúl:** Acero Inoxidables
- **Tuerca:** Latón Niquelado
- **Empacadura:** Goma Sintética EPDM

### DATOS TÉCNICOS

- **Temperatura:** 0-90 °C
- **Presión de Trabajo:** 230 PSI

### CARACTERÍSTICAS

- Para Agua Fría y Caliente
- Resistentes a Materiales Corrosivos y a la Presión Constante
- Resistentes a Cambios de Temperatura
- Evite el Contacto con Productos Químicos

### CONSTRUCCIÓN

- **Braid:** Stainless Steel
- **Hose:** EPDM Rubber
- **Barb:** Brass Insert
- **Ferrule:** Stainless Steel
- **Nut:** Nickel Plated Brass
- **Washer:** EPDM Rubber

### TECHNICAL DATA

- **Maximun Temperature:** 0-90 °C
- **Working Pressure:** 230 PSI

### FEATURES

- Hot and Cold Water
- Corrosive Materials and Constant Pressure Resistant
- Temperature Changes Resistant
- Avoid Contact With Chemicals



## Conectores Flexibles FLEXIBLE HOSES

FREGADERO / KITCHEN SINKS



H03A55

Código Code	Medida Measure	Empaque Packing Unidades / Units
H03A55	1/2" x 1/2" (55cm)	50



H03B55

Código Code	Medida Measure	Empaque Packing Unidades / Units
H03B55	3/8" x 1/2" (55cm)	50

### MATERIAL DE FABRICACIÓN

- **Trenzado:** Acero Inoxidable
- **Manguera:** EPDM para Conducción de Agua Potable
- **Espiga:** Bronce
- **Ferrúl:** Acero Inoxidable
- **Tuerca:** Latón Niquelado
- **Empacadura:** Goma Sintética EPDM

### DATOS TÉCNICOS

- **Temperatura:** 0-90 °C
- **Presión de Trabajo:** 230 PSI

### CARACTERÍSTICAS

- Para Agua Fría y Caliente
- Resistentes a Materiales Corrosivos y a la Presión Constante
- Resistentes a Cambios de Temperatura
- Evite el Contacto con Productos Químicos

### CONSTRUCCIÓN

- **Braid:** Stainless Steel
- **Hose:** EPDM Rubber
- **Barb:** Brass Insert
- **Ferrule:** Stainless Steel
- **Nut:** Nickel Plated Brass
- **Washer:** EPDM Rubber

### TECHNICAL DATA

- **Maximum Temperature:** 0-90 °C
- **Working Pressure:** 230 PSI

### FEATURES

- Hot and Cold Water
- Corrosive Materials and Constant Pressure Resistant
- Temperature Changes Resistant
- Avoid Contact With Chemicals



## SANITARIO / TOILETS

## Conectores Flexibles FLEXIBLE HOSES



H03E40  
H03F30  
H03F40  
H03F55

Código Code	Medida Measure	Empaque Packing Unidades / Units
H03E40 / H03F30 H03F40 / H03F55	1/2" x 7/8" (40cm) 3/8" x 7/8" (30cm) 3/8" x 7/8" (40cm) 3/8" x 7/8" (55cm)	50



H03G40

Código Code	Medida Measure	Empaque Packing Unidades / Units
H03G40	1/2 M x 7/8" F.I.P (40cm)	50

### MATERIAL DE FABRICACIÓN

- **Trenzado:** Acero Inoxidable
- **Manguera:** EPDM para Conducción de Agua Potable
- **Espiga:** Bronce
- **Ferrúl:** Acero Inoxidable
- **Tuerca:** Latón Niquelado
- **Empacadura:** Goma Sintética EPDM

### DATOS TÉCNICOS

- **Temperatura:** 0-90 °C
- **Presión de Trabajo:** 230 PSI

### CARACTERÍSTICAS

- Para Agua Fría y Caliente
- Resistentes a Materiales Corrosivos y a la Presión Constante
- Resistentes a Cambios de Temperatura
- Evite el Contacto con Productos Químicos

### CONSTRUCCIÓN

- **Braid:** Stainless Steel
- **Hose:** EPDM Rubber
- **Barb:** Brass Insert
- **Ferrule:** Stainless Steel
- **Nut:** Nickel Plated Brass
- **Washer:** EPDM Rubber

### TECNICAL DATA

- **Maximun Temperature:** 0-90 °C
- **Working Pressure:** 230 PSI

### FEATURES

- Hot and Cold Water
- Corrosive Materials and Constant Pressure Resistant
- Temperature Changes Resistant
- Avoid Contact With Chemicals



## Conectores Flexibles

FLEXIBLE HOSES

## LAVAMANOS Y FREGADERO MONOMANDO

MIXED TAPS LAVATORY AND KITCHEN SINKS



H03M40  
H03M60

Código Code	Medida Measure	Empaque Packing Unidades / Units
H03M40 / H03M60	1/2 M x M10" (40/60cm)	50



H03N40  
H03N60

Código Code	Medida Measure	Empaque Packing Unidades / Units
H03N40 / H03N60	3/8 M x M10" (40/60cm)	50

### MATERIAL DE FABRICACIÓN

- **Trenzado:** Acero Inoxidable
- **Manguera:** EPDM para Conducción de Agua Potable
- **Espiga:** Bronce
- **Ferrúl:** Acero Inoxidable
- **Tuerca:** Latón Niquelado
- **Empacadura:** Goma Sintética EPDM

### DATOS TÉCNICOS

- **Temperatura:** 0-90 °C
- **Presión de Trabajo:** 230 PSI

### CARACTERÍSTICAS

- Para Agua Fría y Caliente
- Resistentes a Materiales Corrosivos y a la Presión Constante
- Resistentes a Cambios de Temperatura
- Evite el Contacto con Productos Químicos

### CONSTRUCCIÓN

- **Braid:** Stainless Steel
- **Hose:** EPDM Rubber
- **Barb:** Brass Insert
- **Ferrule:** Stainless Steel
- **Nut:** Nickel Plated Brass
- **Washer:** EPDM Rubber

### FEATURES

- Hot and Cold Water
- Corrosive Materials and Constant Pressure Resistant
- Temperature Changes Resistant
- Avoid Contact With Chemicals

### TECHNICAL DATA

- **Maximun Temperature:** 0-90 °C
- **Working Pressure:** 230 PSI



GAS ( PIGTAIL) GAS USO GENERAL  
GAS ( PIGTAIL) GAS UTILITY



Conectores Flexibles  
FLEXIBLE HOSES



H03D50

Código Code	Medida Measure	Empaque Packing Unidades / Units
H03D50	7/16" x 7/8" (50cm)	50

#### MATERIAL DE FABRICACIÓN

- **Trenzado:** Acero Inoxidable
- **Manguera:** Termoplástico
- **Espiga:** Bronce
- **Ferrúl:** Acero Inoxidable
- **Tuerca:** Latón Niquelado
- **Maneral:** Resina Plástica
- **O-ring:** Neopreno

#### CARACTERÍSTICAS

- Para Gas LP regulador 2 vías
- Tuerca de Resina para Ajuste Manual Sin Uso de Herramienta
- Fácil y Rápida Instalación
- Resistente a Cambios de Temperatura y la Presión Constante

#### DATOS TÉCNICOS

- **Temperatura:** 0-60 °C
- **Presión de Trabajo:** 350 PSI

#### CONSTRUCCIÓN

- **Braid:** Stainless Steel
- **Hose:** Thermoplastic
- **Barb:** Brass Insert
- **Ferrule:** Stainless Steel
- **Nut:** Nickel Plated Brass
- **Handle:** Plastic Resing
- **O-ring:** Neoprene

#### TECHNICAL DATA

- **Maximun Temperature:** 0-60 °C
- **Working Pressure:** 350 PSI

#### FEATURES

- For LP Gas Regulator 2 Ways
- Handle Adjustment
- Easy and Quick Installation
- Temperature Changes Resistant



## Conectores Flexibles

FLEXIBLE HOSES

GAS USO GENERAL  
GAS UTILITY



H03K100

Código Code	Medida Measure	Empaque Packing Unidades / Units
H03K100	3/8" Flared x 1/2" F.I.P (100cm)	25



H03H150

Código Code	Medida Measure	Empaque Packing Unidades / Units
H03H150	3/8" Flared x 3/8" Flared (150cm)	25

### MATERIAL DE FABRICACIÓN

- **Trenzado:** Acero Inoxidable
- **Manguera:** Nitrilo
- **Espiga:** Bronce
- **Ferrúl:** Latón Niquelado
- **Tuerca:** Latón Niquelado

### CARACTERÍSTICAS

- Fácil y Rápida Instalación
- Resistente a Cambios de Temperatura y a la Presión Constante
- Instalación Segura
- Larga Vida Útil

### DATOS TÉCNICOS

- **Temperatura:** 0-60 °C
- **Presión de Trabajo:** 70 PSI

### CONSTRUCCIÓN

- **Braid:** Stainless Steel
- **Hose:** Nitrile
- **Barb:** Brass
- **Ferrule:** Nickel Plated Brass
- **Nut:** Nickel Plated Brass

### FEATURES

- Quick and Easy Installation
- Temperature Changes and Constant Pressure Resistant
- Safe Installation
- Long Life

### TECHNICAL DATA

- **Maximun Temperature:** 0-60 °C
- **Working Pressure:** 70 PSI



## FABRICADOR DE HIELO ICE MAKER

## Conectores Flexibles FLEXIBLE HOSES



H03I150

Código Code	Medida Measure	Empaque Packing Unidades / Units
H03I150	1/4"comp x 1/4" comp (150cm)	25

### MATERIAL DE FABRICACIÓN

- **Trenzado:** Acero Inoxidable / Vinilo Reforzado
- **Manguera:** EPDM
- **Espiga:** Cobre
- **Ferrul:** Acero Inoxidable
- **Tuerca:** Latón Niquelado

### CARACTERÍSTICAS

- Especial para Refrigerador con suministro de Agua Potable y Hielo

### CONSTRUCCIÓN

- **Braid:** Stainless Steel / Reinforced Vinyl
- **Hose:** EPDM
- **Barb:** Cooper
- **Ferrule:** Stainless Steel
- **Nut:** Brass

### FEATURES

- Special for Cooler With Drinking Water and Ice Maker

### DATOS TÉCNICOS

- **Temperatura:** 0-65 °C
- **Presión de Trabajo:** 125 PSI

### TECHNICAL DATA

- **Maximum Temperature:** 0-65 °C
- **Working Pressure:** 125 PSI



## Conectores Flexibles

FLEXIBLE HOSES

LAVADORA / WASHER MACHINE



H03W150

Código Code	Medida Measure	Empaque Packing Unidades / Units
H03W150	3/4" x 3/4" (150cm)	25

### MATERIAL DE FABRICACIÓN

- **Trenzado:** Vinilo Reforzado Color Blanco
- **Manguera:** EPDM
- **Espiga:** Latón
- **Ferrúl:** Acero
- **Tuerca:** Acero

### CARACTERÍSTICAS

- Máxima Flexibilidad
- Para Agua Fría y Caliente
- Evite el Contacto con Productos Químicos
- Resistente a Cambios de Temperatura

### DATOS TÉCNICOS

- **Temperatura:** 0-65 °C
- **Presión de Trabajo:** 125 PSI

### CONSTRUCCIÓN

- **Braid:** White Reinforced Vinyl
- **Hose:** EPDM
- **Barb:** Brass
- **Ferrule:** Steel
- **Nut:** Steel

### FEATURES

- Maximum Flexibility
- Hot and Cold Water
- Avoid Contact With Chemicals
- Temperature Changes Resistant

### TECHNICAL DATA

- **Maximum Temperature:** 0-65 °C
- **Working Pressure:** 125 PSI

# **MANGUERAS**

---

# **FRENOS DE**

# **NYLON, POLIE**

# **POLIU**

---



Frenos de Aire / <i>Air Brake</i> .....	D.1
Poliuretano / <i>Polyurethane Tubing</i> .....	D.2
Polietileno / <i>Polyethylene Tubing</i> .....	D.3
Nylon / <i>Nylon Tubing</i> .....	D.4

# AIRE TILENO, RETANO

**Air Brake, Nylon, Polyethylene,  
Polyurethane Hoses**



# INDICE VISUAL

## Visual Index

### Mangueras para Sistemas Neumáticos HOSES FOR PNEUMATIC SYSTEMS

#### Mangueras / Hoses

H02000



MANGUERA PARA FRENO DE AIRE / Air Brake Hose

D.1

H02700



D.2

H02800



COVALCA H02800-08 POLYETHYLENE TUBE 1/2" O.D.

TUBO DE POLIETILENO / Polyethylene Tubing

D.3

H02900



COVALCA H02900-10 AIR BRAKE TUBING DOT 280 PSI

TUBO DE NYLON PARA FRENO DE AIRE / Airbrake Tubing

D.4

# MANGUERAS PARA SISTEMAS NEUMÁTICOS

## Hoses for Pneumatic Systems





## MANGUERAS PARA SISTEMAS NEUMÁTICOS

### Hoses for Pneumatic Systems

## Sistemas Neumáticos

### PNEUMATIC SYSTEMS



MANGUERA PARA FRENO DE AIRE  
Air Brake Hose

Código Code	Diámetro Externo Hose O.D.		Diámetro Interno Hose I.D.		Presión Máx. Trab. Working Pressure		Presión Min. Ruptura Brust Pressure		Espiral Coil I.D.		Conexiones Recomendadas. Recommended Fittings.	Unidades por cajas. Boxes Units.
	in	mm	in	mm	bar	psi	bar	psi	in	mm		
<b>H02000-08</b>	1/2"	12.70	0.37	9.52	17.24	250	68.95	1000	3.0	76.2	1/2" NPT	10 unid

#### CONSTRUCCIÓN:

##### MATERIAL:

- Nylon color rojo y azul.
- Azul: Para Mantenimiento.
- Roja: Para emergencia.

##### APLICACIÓN:

- Desempeño sin mantenimiento. Protectores de resorte cromados para servicio pesado, antioxidantes para mayor protección. No se necesitan "pogo sticks" ni colgadores de resorte. Codificación por color garantiza conexiones sin errores.

##### RANGO DE TEMPERATURA:

- 21 °C + 93 °C

#### CONSTRUCTION:

##### MATERIAL:

- Blue and red nylon.
- Blue: For service.
- Red: For emergency.

##### APPLICATION:

- For any application of air brakes when you need a tractor-trailer connection without problems. Maintenance-free performance. Chrome plated spring guards for heavy duty antioxidants for better protection. No need for "pogo sticks" or spring hangers. Color coding guarantees connections without errors.

##### TEMPERATURE RANGE:

- 21 °C + 93 °C



# Sistemas Neumáticos

PNEUMATIC SYSTEMS

# MANGUERAS PARA SISTEMAS NEUMÁTICOS

Hoses for Pneumatic Systems

COVALCA

H02700 / H02711 PU POLIURETHANE TUBES 12MM OD WP 116

TUBO DE POLIURETANO  
Polyurethane Tubing

H02700 / H02711

Transferencia de Aire y Fluidos en Condiciones Severas  
Transfer of Air and Fluids Under Severe Conditions

Código Code	Diámetro Externo Hose O.D.		Tubo Interno Tube I.D.		Espesor Wall Thick	Presión Máx. Trab. Working Pressure		Presión de Ruptura Brust Pressure	Radio de Curvatura Bending Radius	mts	fts
	size	in	in	mm		bar	psi				
H02700-02	02	1/8"	0.079	0.6	8	116	32	464	8	200	656
H02700-04	04	1/4"	0.018	0.89	8	116	24	348	15	200	656
H02700-05	05	5/16"	0.197	1.5	8	116	32	464	20	100	328
H02700-06	06	3/8"	0.256	1.55	8	116	24	348	25	100	328
H02700-08	08	1/2"	0.378	1.5	8	116	24	348	35	100	328

Código Code	Diámetro Externo Hose O.D.		Tubo Interno Tube I.D.		Espesor Wall Thick	Presión Máx. Trab. Working Pressure		Presión de Ruptura Brust Pressure	Radio de Curvatura Bending Radius	mts	fts
	size	mm	in	mm		bar	psi				
H02711-04M	4M	4	0.098	0.75	8	116	32	464	10	200	656
H02711-06M	6M	6	0.157	1	8	116	24	348	15	200	656
H02711-08M	8M	8	0.236	1	8	116	24	348	20	100	328
H02711-10M	10M	10	0.256	1.75	8	116	24	348	25	100	328
H02711-12M	12M	12	0.315	2	8	116	24	348	35	100	328

**CONSTRUCCIÓN:****MATERIAL:**

- Poliuretano azul.
- Extremadamente flexible.
- Reduce los problemas de fugas y contaminación.
- Amplia resistencia a los químicos y hongos.

**APLICACIÓN:**

- Línea de alimentación y retorno.
- Trasferencia de abrasivos.
- Líneas de lubricación.

**RANGO DE TEMPERATURA:**

- -20 °C + 60 °C

**CONSTRUCTION:****MATERIAL:**

- Blue polyurethane.
- Extremely flexible.
- Reduces leak and contamination problems.
- Broad resistance to chemicals and fungus.

**APPLICATION:**

- Supply and return lines.
- Abrasive slurry transfer.
- Lubrication lines.

**TEMPERATURE RANGE:**

- -20 °C + 60 °C

# MANGUERAS PARA SISTEMAS NEUMÁTICOS

## Hoses for Pneumatic Systems

# Sistemas Neumáticos

## PNEUMATIC SYSTEMS

COVALCA H02800-08 POLYETHYLENE TUBE 1/2" OD WP 87 PSI

**TUBO DE POLIETILENO**  
Polyethylene Tubing

**H02800**

Para Aplicaciones en Equipos de Instrumentación  
Instrumentation Equipments Applications

Código Code	Diámetro Externo Hose O.D.			Tubo Interno Tube I.D.	Espesor Wall Thick	Presión Máx. Trab. Working Pressure		Presión de Ruptura Brust Pressure	Radio de Curvatura Bending Radius	Rollo Roll		
	size	in	mm	in	mm	bar	psi	bar	psi	mm	mts	fts
<b>H02800-04</b>	04	1/4"	6.35	0.018	0.89	8	116	24	348	32	200	656
<b>H02800-05</b>	05	5/16"	8	0.197	1.5	6	87	18	261	40	100	328
<b>H02800-06</b>	06	3/8"	9.6	0.256	1.55	6	87	18	261	50	100	328
<b>H02800-08</b>	08	1/2"	12.6	0.378	1.5	6	87	18	261	64	100	328

**CONSTRUCCIÓN:****MATERIAL:**

- Polietileno Blanco.

**APLICACIÓN:**

- En equipos de instrumentación o automatización industrial, con transferencia de aire - agua a baja presión.
- Resistente a productos químicos .

**RANGO DE TEMPERATURA:**

- -20 °C + 50 °C

**CONSTRUCTION:****MATERIAL:**

- White Polyethylene.

**APPLICATION:**

- Instrumentation equipments or industrial automation applications, with air-water transfer at low pressure.
- Chemically resistant.

**TEMPERATURE RANGE:**

- -20 °C + 50 °C

# Sistemas Neumáticos

## PNEUMATIC SYSTEMS

# MANGUERAS PARA SISTEMAS NEUMÁTICOS

## Hoses for Pneumatic Systems



H02900-10 AIR BRAKE TUBING DOT 290 PSI

TUBING DE NYLON PARA FRENIOS DE AIRE SAE 1844  
Airbrake Tubing SAE 1844

H02900 / H02911

Para Tractores, Remolques y otros Equipos Móviles  
For Tractors, Trailers and other Mobile Equipment

Código Code	Diámetro Externo Hose O.D.			Tubo Interno Tube I.D.	Espesor Wall Thick	Presión Máx. Trab. Working Pressure		Presión de Ruptura Brust Pressure		Radio de Curvatura Bending Radius	Rollo Roll	
	size	in	mm	in	mm	bar	psi	bar	psi	mm	mts	fts
H02900-02	02	1/8"	3.2	0.08	0.6	35	507	68	986	9.4	200	656
H02900-03	03	3/16"	4.76	0.116	0.9	30	435	97	1407	19.1	200	656
H02900-04	04	1/4"	6.35	0.171	1	12.4	180	103	1494	25.4	200	656
H02900-05	05	5/16"	8	0.236	1	18	261	57	827	31.8	100	328
H02900-06	06	3/8"	9.6	0.251	1.6	15	217	96.5	1400	38.1	100	328
H02900-08	08	1/2"	12.6	0.378	1.5	16.5	239	93.5	1356	55	100	328
H02900-10	10	5/8"	15.8	0.441	2.3	20	290	62.1	900	63.5	50	164

Código Code	Diámetro Externo Hose O.D.			Tubo Interno Tube I.D.	Espesor Wall Thick	Presión Máx. Trab. Working Pressure		Presión de Ruptura Brust Pressure		Radio de Curvatura Bending Radius	Rollo Roll	
	size	in	mm	in	mm	bar	psi	bar	psi	mm	mts	fts
H02911-4M	04	0.157	4	0.079	1	45	653	112.5	1632	10	200	656
H02911-6M	06	0.236	6	0.157	1	27	392	69.2	1004	26	100	328
H02911-8M	08	0.315	8	0.236	1	19	275	50	725	31.8	100	328
H02911-10M	10	0.394	10	0.315	1	15	217	39.1	567	48	50	164
H02911-12M	12	0.472	12	0.354	1.5	19	275	50	725	55	50	164

**CONSTRUCCIÓN:****MATERIAL:**

- Tubo de Nylon.

**REFUERZO:**

- Malla reforzada de Polyester.

Nota: Provista de refuerzo a partir de la medida 3/8"

**APLICACIÓN:**

- Para usos en sistemas de frenos de aire, combustible, instrumentación y accesorios de aire para equipos móviles.

**RANGO DE TEMPERATURA:**

-40 °C + 100 °C

**CONSTRUCTION:****MATERIAL:**

- Nylon Tubing.

**REINFORCEMENT:**

- Polyester Reinforcement ply.

Note: Supplied with reinforcement from 3/8" measure.

**APPLICATION:**

- For use in air brake systems, fuel, air instrumentation and accessories for mobile devices.

**TEMPERATURE RANGE:**

-40 °C + 100 °C

**Contra Pedido / Under Order:**

H02900R

H02900BL

H02900Y

H02900G

H02900O

H02900BR

# **ACOPLES**

---

# **PUSH IN**

---

**Push In Couplers**



**ACOPLES PUSH IN**  
**Push In Couplers**

<b>Macho Recto /</b> <i>Straight Adapter .....</i>	<b>E.1</b>
<b>Reductor /</b> <i>Reducer .....</i>	<b>E.2</b>
<b>Codo Macho 90° /</b> <i>90° Male Elbow .....</i>	<b>E.3</b>
<b>Silenciadores /</b> <i>Silencers .....</i>	<b>E.4</b>
<b>Macho "T" /</b> <i>Branch Tee Male.....</i>	<b>E.5</b>
<b>Unión Recta /</b> <i>Straight Union .....</i>	<b>E.6</b>
<b>Unión Codo 90° /</b> <i>Union 90° Elbow .....</i>	<b>E.6</b>
<b>Unión "T" /</b> <i>Tee Union .....</i>	<b>E.7</b>
<b>Unión "Y" /</b> <i>"Y" Type Male .....</i>	<b>E.7</b>
<b>Macho Tipo "Y" /</b> <i>"Y" Type Male .....</i>	<b>E.8</b>
<b>Codo de Control de Velocidad /</b> <i>Speed Controller Elbow .....</i>	<b>E.9</b>
<b>Unión Recta de Control de Velocidad /</b> <i>Straight Speed Controller Union.....</i>	<b>E.10</b>



# INDICE VISUAL

## Visual Index

### Conexiones Push In

#### Push In Fittings

PC E.1



MACHO RECTO  
Straight Adapter

PG E.2



REDUCTOR  
Reducer

PL E.3



CODO MACHO A 90°  
90° Male Elbow

PM E.4



SILENCIADORES  
Silencers

PT E.5



MACHO TIPO T  
Branch Tee Male

PUC E.6



UNIÓN RECTA  
Straight Union

PUL E.6



UNIÓN CODO 90°  
Union 90° Elbow

PUT E.7



UNIÓN T  
Tee Union

PY E.7



UNIÓN "Y"  
Union "Y"

PWT E.8



MACHO TIPO "Y"  
"Y" Type Male

SC E.9



CODO DE CONTROL DE VELOCIDAD  
Speed Controller Elbow

SCF E.10



UNIÓN RECTA DE CONTROL DE  
VELOCIDAD  
Straight Speed Controller Union

**CONEXIONES PUSH IN**  
**Push In Fittings**





## CONEXIONES PUSH IN PUSH IN FITTINGS

## Acoples para Sistemas Neumáticos COUPLERS FOR PNEUMATIC SYSTEMS



MACHO RECTO  
Straight Adapter

PC

Código Code	Medida O.D Tube	Rosca Pipe Thread
<b>Conexión Amarilla</b>		
PC-4Mx02	4mm	1/8" PT
PC-4Mx04	4mm	1/4" PT
PC-4Mx06	4mm	3/8" PT
PC-6Mx02	6mm	1/8" PT
PC-6Mx04	6mm	1/4" PT
PC-6Mx06	6mm	3/8" PT
PC-8Mx02	8mm	1/8" PT
PC-8Mx04	8mm	1/4" PT
PC-8Mx06	8mm	3/8" PT
PC-8Mx08	8mm	1/2" PT
PC-10Mx04	10mm	1/4" PT
PC-10Mx06	10mm	3/8" PT
PC-10Mx08	10mm	1/2" PT
PC-12Mx04	12mm	1/4" PT
PC-12Mx06	12mm	3/8" PT
PC-12Mx08	12mm	1/2" PT



MACHO RECTO  
Straight Adapter

PC

Código Code	Medida O.D Tube	Rosca Pipe Thread
<b>Conexión Negra</b>		
PC-02X02	1/8"	1/8" NPT
PC-02X04	1/8"	1/4" NPT
PC-04X02	1/4"	1/8" NPT
PC-04X04	1/4"	1/4" NPT
PC-04X06	1/4"	3/8" NPT
PC-05X02	5/16"	1/8" NPT
PC-05X04	5/16"	1/4" NPT
PC-05X06	5/16"	3/8" NPT
PC-06X02	3/8"	1/8" NPT
PC-06X04	3/8"	1/4" NPT
PC-06X06	3/8"	3/8" NPT
PC-06X08	3/8"	1/2" NPT
PC-08X04	1/2"	1/4" NPT
PC-08X06	1/2"	3/8" NPT
PC-08X08	1/2"	1/2" NPT



## Acoples para Sistemas Neumáticos

COUPLERS FOR PNEUMATIC SYSTEMS

CONEXIONES PUSH IN  
PUSH IN FITTINGS



REDUCTOR / Reducer

PG

Código Code	Medida O.D Tube	Rosca Pipe Thread
<b>Conexion Amarilla</b>		
PG-6MX4M	6mm	4mm
PG-8MX4M	8mm	4mm
PG-8MX6M	8mm	6mm
PG-10MX6M	10mm	6mm
PG-10MX8M	10mm	8mm
PG-12MX6M	12mm	6mm
PG-12MX8M	12mm	8mm
PG-12MX10M	12mm	10mm



REDUCTOR / Reducer

PG

Código Code	Medida O.D Tube	Rosca Pipe Thread
<b>Conexion Negra</b>		
PG-04X02	1/4"	1/8"
PG-05X02	5/16"	1/8"
PG-05X04	5/16"	1/4"
PG-06X02	3/8"	1/8"
PG-06X04	3/8"	1/4"
PG-08X04	1/2"	1/4"
PG-08X06	1/2"	3/8"



## CONEXIONES PUSH IN PUSH IN FITTINGS

## Acoples para Sistemas Neumáticos COUPLERS FOR PNEUMATIC SYSTEMS



CODO MACHO A 90°  
90° Male Elbow

PL



CODO MACHO A 90°  
90° Male Elbow

PL

Código Code	Medida O.D Tube	Rosca Pipe Thread
<b>Conexion Amarilla</b>		
PL-4Mx02	4mm	1/8" PT
PL-4Mx04	4mm	1/4" PT
PL-4Mx05	4mm	5/16" PT
PL-4Mx06	4mm	3/8" PT
PL-6Mx02	6mm	1/8" PT
PL-6Mx03	6mm	3/16" PT
PL-6Mx04	6mm	1/4" PT
PL-6Mx06	6mm	3/8" PT
PL-6Mx08	6mm	1/2" PT
PL-8Mx02	8mm	1/8" PT
PL-8Mx04	8mm	1/4" PT
PL-8Mx06	8mm	3/8" PT
PL-8Mx08	8mm	1/2" PT
PL-10Mx02	10mm	1/8" PT
PL-10Mx04	10mm	1/4" PT
PL-10Mx06	10mm	3/8" PT
PL-10Mx08	10mm	1/2" PT
PL-12Mx04	12mm	1/4" PT
PL-12Mx06	12mm	3/8" PT
PL-12Mx08	12mm	1/2" PT

Código Code	Medida O.D Tube	Rosca Pipe Thread
<b>Conexion Negra</b>		
PL-02X02	1/8"	1/8" NPT
PL-02X04	1/8"	1/4" NPT
PL-04X02	1/4"	1/8" NPT
PL-04X04	1/4"	1/4" NPT
PL-04X06	1/4"	3/8" NPT
PL-05X02	5/16"	1/8" NPT
PL-05X04	5/16"	1/4" NPT
PL-06X02	3/8"	1/8" NPT
PL-06X04	3/8"	1/4" NPT
PL-06X06	3/8"	3/8" NPT
PL-06X08	3/8"	1/2" NPT
PC-08X04	1/2"	1/4" NPT
PC-08X06	1/2"	3/8" NPT
PC-08X08	1/2"	1/2" NPT



## Acoples para Sistemas Neumáticos COUPLERS FOR PNEUMATIC SYSTEMS

CONEXIONES PUSH IN  
PUSH IN FITTINGS



SILENCIADORES / Silencers

PM

Código Code	Medida O.D Tube
<b>Conexion Amarilla</b>	
PM-4M	4mm
PM-6M	6mm
PM-8M	8mm
PM-10M	10mm
PM-12M	12mm



SILENCIADORES / Silencers

PM

Código Code	Medida O.D Tube
<b>Conexion Negra</b>	
PM-02	1/8"
PM-04	1/4"
PM-05	5/16"
PM-06	3/8"
PM-08	1/2"



## CONEXIONES PUSH IN PUSH IN FITTINGS

## Acoples para Sistemas Neumáticos COUPLERS FOR PNEUMATIC SYSTEMS



MACHO TIPO "T"  
Branch Tee Male

PT

Código Code	Medida O.D Tube	Rosca Pipe Thread
<b>Conexion Amarilla</b>		
PT4MX02	4mm	1/8" PT
PT-4MX04	4mm	1/4" PT
PT-4MX06	4mm	3/8" PT
PT-6MX02	6mm	1/8" PT
PT-6MX04	6mm	1/4" PT
PT-6MX06	6mm	3/8" PT
PT-8MX04	8mm	1/4" PT
PT-8MX06	8mm	3/8" PT
PT-8MX08	8mm	1/2" PT
PT-10MX04	10mm	1/4" PT
PT-10MX06	10mm	3/8" PT
PT-10MX08	10mm	1/2" PT
PT-12MX04	12mm	1/4" PT
PT-12MX06	12mm	3/8" PT
PT-12MX08	12mm	1/2" PT



MACHO TIPO "T"  
Branch Tee Male

PT

Código Code	Medida O.D Tube	Rosca Pipe Thread
<b>Conexion Negra</b>		
PT-02X02	1/8"	1/8" NPT
PT-02X04	1/8"	1/4" NPT
PT-04X02	1/4"	1/8" NPT
PT-04X04	1/4"	1/4" NPT
PT-04X06	1/4"	3/8" NPT
PT-05X02	5/16"	1/8" NPT
PT-05X04	5/16"	1/4" NPT
PT-05X06	5/16"	3/8" NPT
PT-06X02	3/8"	1/8" NPT
PT-06X04	3/8"	1/4" NPT
PT-06X06	3/8"	3/8" NPT
PT-06X08	3/8"	1/2" NPT
PT-08X04	1/2"	1/4" NPT
PT-08X06	1/2"	3/8" NPT
PT-08X08	1/2"	1/2" NPT



## Acoples para Sistemas Neumáticos COUPLERS FOR PNEUMATIC SYSTEMS

CONEXIONES PUSH IN  
PUSH IN FITTINGS



UNIÓN RECTA / Straight Union **PUC**

Código Code	Medida O.D Tube
<b>Conexion Amarilla</b>	
PUC-4M	4mm
PUC-6M	6mm
PUC-8M	8mm
PUC-10M	10mm
PUC-12M	12mm



UNIÓN RECTA / Straight Union **PUC**

Código Code	Medida O.D Tube
<b>Conexion Negra</b>	
PUC-02	1/8"
PUC-04	1/4"
PUC-05	5/16"
PUC-06	3/8"
PUC-08	1/2"



UNIÓN CODO 90° / Union 90° Elbow **PUL**

Código Code	Medida O.D Tube
<b>Conexion Amarilla</b>	
PUL-4M	4mm
PUL-6M	6mm
PUL-8M	8mm
PUL-10M	10mm
PUL-12M	12mm



UNIÓN CODO 90° / Union 90° Elbow **PUL**

Código Code	Medida O.D Tube
<b>Conexion Negra</b>	
PUL-02	1/8"
PUL-04	1/4"
PUL-05	5/16"
PUL-06	3/8"
PUL-08	1/2"



## CONEXIONES PUSH IN PUSH IN FITTINGS

## Acoples para Sistemas Neumáticos COUPLERS FOR PNEUMATIC SYSTEMS



UNIÓN "T" / Tee Union

PUT

Código Code	Medida O.D Tube
<b>Conexión Amarilla</b>	
PUT-4M	4mm
PUT-6M	6mm
PUT-8M	8mm
PUT-10M	10mm
PUT-12M	12mm



UNIÓN "T" / Tee Union

PUT

Código Code	Medida O.D Tube
<b>Conexión Negra</b>	
PUT-02	1/8"
PUT-04	1/4"
PUT-05	5/16"
PUT-06	3/8"
PUT-08	1/2"



UNIÓN "Y" / Union "Y"

PY

Código Code	Medida O.D Tube
<b>Conexión Amarilla</b>	
PY-4M	4mm
PY-6M	6mm
PY-8M	8mm
PY-10M	10mm
PY-12M	12mm



UNIÓN "Y" / Union "Y"

PY

Código Code	Medida O.D Tube
<b>Conexión Negra</b>	
PY-02	1/8"
PY-04	1/4"
PY-05	5/16"
PY-06	3/8"
PY-08	1/2"



## Acoples para Sistemas Neumáticos

### COUPLERS FOR PNEUMATIC SYSTEMS

CONEXIONES PUSH IN  
PUSH IN FITTINGS



MACHO TIPO "Y"  
"Y" Type Male

PWT

Código Code	Medida O.D Tube	Rosca Pipe Thread
<b>Conexion Amarilla</b>		
PWT-4MX02	4mm	1/8" PT
PWT-4MX04	4mm	1/4" PT
PWT-6MX02	6mm	1/8" PT
PWT-6MX04	6mm	1/4" PT
PWT-6MX06	6mm	3/8" PT
PWT-8MX02	8mm	1/8" PT
PWT-8MX04	8mm	1/4" PT
PWT-8MX06	8mm	3/8" PT
PWT-10MX04	10mm	1/4" PT
PWT-10MX06	10mm	3/8" PT
PWT-10MX08	10mm	1/2" PT
PWT-12MX04	12mm	1/4" PT
PWT-12MX06	12mm	3/8" PT
PWT-12MX08	12mm	1/2" PT



MACHO TIPO "Y"  
"Y" Type Male

PWT

Código Code	Medida O.D Tube	Rosca Pipe Thread
<b>Conexion Negra</b>		
PWT-02X02	1/8"	1/8" NPT
PWT-02X04	1/8"	1/4" NPT
PWT-04X02	1/4"	1/8" NPT
PWT-04X04	1/4"	1/4" NPT
PWT-04X06	1/4"	3/8" NPT
PWT-05X02	5/16"	1/8" NPT
PWT-05X04	5/16"	1/4" NPT
PWT-05X06	5/16"	3/8" NPT
PWT-06X02	3/8"	1/8" NPT
PWT-06X04	3/8"	1/4" NPT
PWT-06X06	3/8"	3/8" NPT
PWT-06X08	3/8"	1/2" NPT
PWT-08X04	1/2"	1/4" NPT
PWT-08X06	1/2"	3/8" NPT
PWT-08X08	1/2"	1/2" NPT



**CONEXIONES PUSH IN**  
**PUSH IN FITTINGS**

## **Acoples para Sistemas Neumáticos** **COUPLERS FOR PNEUMATIC SYSTEMS**



CODO DE CONTROL DE VELOCIDAD  
Speed Controller Elbow

**SC**



CODO DE CONTROL DE VELOCIDAD  
Speed Controller Elbow

**SC**

Código Code	Medida O.D Tube	Rosca Pipe Thread
<b>Conexión Amarilla</b>		
<b>SC-4MX02</b>	4mm	1/8" PT
<b>SC-4MX04</b>	4mm	1/4" PT
<b>SC-6MX02</b>	6mm	1/8" PT
<b>SC-6MX04</b>	6mm	1/4" PT
<b>SC-6MX06</b>	6mm	3/8" PT
<b>SC-8MX02</b>	8mm	1/8" PT
<b>SC-8MX04</b>	8mm	1/4" PT
<b>SC-8MX06</b>	8mm	3/8" PT
<b>SC-10MX04</b>	10mm	1/4" PT
<b>SC-10MX06</b>	10mm	3/8" PT
<b>SC-10MX08</b>	10mm	1/2" PT
<b>SC-12MX04</b>	12mm	1/4" PT
<b>SC-12MX06</b>	12mm	3/8" PT
<b>SC-12MX08</b>	12mm	1/2" PT

Código Code	Medida O.D Tube	Rosca Pipe Thread
<b>Conexión Negra</b>		
<b>SC-02X02</b>	1/8"	1/8" NPT
<b>SC-02X04</b>	1/8"	1/4" NPT
<b>SC-04X02</b>	1/4"	1/8" NPT
<b>SC-04X04</b>	1/4"	1/4" NPT
<b>SC-04X06</b>	1/4"	3/8" NPT
<b>SC-05X02</b>	5/16"	1/8" NPT
<b>SC-05X04</b>	5/16"	1/4" NPT
<b>SC-05X06</b>	5/16"	3/8" NPT
<b>SC-06X02</b>	3/8"	1/8" NPT
<b>SC-06X04</b>	3/8"	1/4" NPT
<b>SC-06X06</b>	3/8"	3/8" NPT
<b>SC-06X08</b>	3/8"	1/2" NPT
<b>SC-08X04</b>	1/2"	1/4" NPT
<b>SC-08X06</b>	1/2"	3/8" NPT
<b>SC-08X08</b>	1/2"	1/2" NPT



## Acoples para Sistemas Neumáticos COUPLERS FOR PNEUMATIC SYSTEMS

CONEXIONES PUSH IN  
PUSH IN FITTINGS



UNIÓN RECTA DE  
CONTROL DE VELOCIDAD  
Straight Speed Controller Union

SCF

Código Code	Medida O.D Tube
<b>Conexión Amarilla</b>	
SCF-4M	4mm
SCF-6M	6mm
SCF-8M	8mm
SCF-10M	10mm
SCF-12M	12mm



UNIÓN RECTA DE  
CONTROL DE VELOCIDAD  
Straight Speed Controller Union

SCF

Código Code	Medida O.D Tube
<b>Conexión Negra</b>	
SCF-02	1/8"
SCF-04	1/4"
SCF-05	5/16"
SCF-06	3/8"
SCF-08	1/2"

**ACOPLES**

---

**NEUMÁT**



# ICOS

## Pneumatic Couplers

<b>Acoples Neumáticos 1/4" CV71</b> <i>Pneumatic Couplers</i> .....	F.1
<b>Acoples Neumáticos 3/8" CV76</b> <i>Pneumatic Couplers</i> .....	F.2
<b>Acoples Neumáticos 1/2" CV78</b> <i>Pneumatic Couplers</i> .....	F.2
<b>Conector Rápido 1/4" CV72</b> <i>Quick Connector</i> .....	F.3
<b>Conector Rápido 3/8" CV77</b> <i>Quick Connector</i> .....	F.3
<b>Conector Rápido 3/8" CV77</b> <i>Quick Connector</i> .....	F.4
<b>Conector Rápido 1/2" CV79</b> <i>Quick Connector</i> .....	F.4
<b>Juego Acople / Conector para Hidrojets</b> <i>Coupling/Plug Set for Hydrojets</i> .....	F.5
<b>Adaptador de Acople Rápido Hembra para Hidrojets</b> <i>Quick Coupling Female Adapter for Hydrojets</i> .....	F.5
<b>Juego de Acople Rápido para Hidrojets con Hembra NPT</b> <i>Coupling Plug Set Female NPT Hydrojets</i> .....	F.5



# ÍNDICE VISUAL

## Visual Index

### Acoples Neumáticos PNEUMATICS COUPLERS

## Acoples Rápidos Neumáticos / Pneumatic Quick Couplers

CV71-M	F.1	CV71-F	F.1	CV71-1	F.1	CV76-M	F.2
ACOPLE RÁPIDO NEUMÁTICO MACHO Pneumatic Quick Coupling Male		ACOPLE RÁPIDO NEUMÁTICO HEMBRA Pneumatic Quick Coupling Female		ACOPLE RÁPIDO NEUMÁTICO ESPIGA Pneumatic Quick Coupling Barb		ACOPLE RÁPIDO NEUMÁTICO MACHO Pneumatic Quick Coupling Male	
CV76-F	F.2	CV78-M	F.2	CV78-F	F.2	CV72-M	F.3
ACOPLE RÁPIDO NEUMÁTICO HEMBRA Pneumatic Quick Coupling Female		ACOPLE RÁPIDO NEUMÁTICO MACHO Pneumatic Quick Coupling Male		ACOPLE RÁPIDO NEUMÁTICO HEMBRA Pneumatic Quick Coupling Female		CONECTOR RÁPIDO NEUMÁTICO MACHO Pneumatic Quick Connector Male	
CV72-F	F.3	CV72-1	F.3	CV77-M	F.3	CV77-F	F.3
CONECTOR RÁPIDO NEUMÁTICO HEMBRA Pneumatic Quick Connector Female		CONECTOR RÁPIDO NEUMÁTICO ESPIGA Pneumatic Quick Connector Barb		CONECTOR RÁPIDO NEUMÁTICO MACHO Pneumatic Quick Connector Male		CONECTOR RÁPIDO NEUMÁTICO HEMBRA Pneumatic Quick Connector Female	
CV77-1	F.4	CV79-M	F.4	CV79-F	F.4	CV79-1	F.4
CONECTOR RÁPIDO NEUMÁTICO ESPIGA Pneumatic Quick Connector Barb		CONECTOR RÁPIDO NEUMÁTICO MACHO Pneumatic Quick Connector Male		CONECTOR RÁPIDO NEUMÁTICO HEMBRA Pneumatic Quick Connector Female		CONECTOR RÁPIDO NEUMÁTICO ESPIGA Pneumatic Quick Connector Barb	
CV80-SET	F.5	CV80-06F	F.5	CV80-06SET1	F.5		
JUEGO ACOPLE/CONECTOR PARA HIDROJET Coupling/Plug Set for Hydrojet		ADAPTADOR DE ACOPLE RÁPIDO HEMBRA PARA HIDROJETS Quick Coupling Female Adapter for Hydrojets		JUEGO DE ACOPLE RÁPIDO PARA HIDROJETS CON HEMBRA NPT Coupling Plug Set Female NPT Hydrojets			

## **ACOPLES PARA SISTEMAS NEUMÁTICOS**

**Couplers for Pneumatic Systems**





## ACOPLES NEUMÁTICOS PNEUMATICS COUPLERS

## Acoples para Sistemas Neumáticos COUPLERS FOR PNEUMATIC SYSTEMS



1/4"

ACOPLE  
RAPIDO NEUMÁTICO MACHO  
Pneumatic Quick Coupling Male **CV71-M**

Código Code	Cuerpo Body Size	Medida Size	Material Material
		in	
<b>CV71-04M</b>	1/4"	1/4" Macho / Male	Bronce Cromado / Chrome Brass
<b>CV71-06M</b>	1/4"	3/8" Macho / Male	Bronce Cromado / Chrome Brass
<b>CV71-08M</b>	1/4"	1/2" Macho / Male	Bronce Cromado / Chrome Brass



1/4"

ACOPLE  
RAPIDO NEUMÁTICO HEMBRA  
Pneumatic Quick Coupling Female **CV71-F**

Código Code	Cuerpo Body Size	Medida Size	Material Material
		in	
<b>CV71-04F</b>	1/4"	1/4" Hembra / Female	Bronce Cromado / Chrome Brass
<b>CV71-06F</b>	1/4"	3/8" Hembra / Female	Bronce Cromado / Chrome Brass
<b>CV71-08F</b>	1/4"	1/2" Hembra / Female	Bronce Cromado / Chrome Brass



1/4"

ACOPLE  
RAPIDO NEUMÁTICO EPIGA  
Pneumatic Quick Coupling Barb **CV71-1**

Código Code	Cuerpo Body Size	Medida Size	Material Material
		in	
<b>CV71-041</b>	1/4"	1/4" Espiga / Barb	Bronce Cromado / Chrome Brass
<b>CV71-051</b>	1/4"	5/16" Espiga / Barb	Bronce Cromado / Chrome Brass
<b>CV71-061</b>	1/4"	3/8" Espiga / Barb	Bronce Cromado / Chrome Brass
<b>CV71-081</b>	1/4"	1/2" Espiga / Barb	Bronce Cromado / Chrome Brass



## Acoples para Sistemas Neumáticos

COUPLERS FOR PNEUMATIC SYSTEMS

ACOPLES NEUMÁTICOS  
PNEUMATICS COUPLERS



3/8"

ACOPLE  
RÁPIDO NEUMÁTICO MACHO  
Pneumatic Quick Coupling Male CV76-M

Código Code	Cuerpo Body Size	Medida Size	Material Material
		in	
CV76-06M	3/8"	3/8" Macho / Male	Bronce Cromado / Chrome Brass



3/8"

ACOPLE  
RÁPIDO NEUMÁTICO HEMBRA  
Pneumatic Quick Coupling Female CV76-F

Código Code	Cuerpo Body Size	Medida Size	Material Material
		in	
CV76-06F	3/8"	3/8" Hembra / Female	Bronce Cromado / Chrome Brass



1/2"

ACOPLE  
RÁPIDO NEUMÁTICO MACHO  
Pneumatic Quick Coupling Male CV78-M

Código Code	Cuerpo Body Size	Medida Size	Material Material
		in	
CV78-08M	1/2"	1/2" Macho / Male	Bronce Cromado / Chrome Brass



1/2"

ACOPLE  
RÁPIDO NEUMÁTICO HEMBRA  
Pneumatic Quick Coupling Female CV78-F

Código Code	Cuerpo Body Size	Medida Size	Material Material
		in	
CV78-08F	1/2"	1/2" Hembra / Female	Bronce Cromado / Chrome Brass



## ACOPLES NEUMÁTICOS PNEUMATICS COUPLERS

## Acoples para Sistemas Neumáticos COUPLERS FOR PNEUMATIC SYSTEMS



1/4"

CONECTOR RÁPIDO NEUMÁTICO MACHO  
Pneumatic Quick Connector Male **CV72-M**

Código Code	Cuerpo Body Size	Medida Size	Material Material
		in	
<b>CV72-04M</b>	1/4"	1/4" Macho / Male	Acer Cromado / Steel Plated
<b>CV72-06M</b>	1/4"	3/8" Macho / Male	Acer Cromado / Steel Plated
<b>CV72-08M</b>	1/4"	1/2" Macho / Male	Acer Cromado / Steel Plated



1/4"

CONECTOR RÁPIDO NEUMÁTICO HEMBRA  
Pneumatic Quick Connector Female **CV72-F**

Código Code	Cuerpo Body Size	Medida Size	Material Material
		in	
<b>CV72-04F</b>	1/4"	1/4" Hembra / Female	Acer Cromado / Steel Plated
<b>CV72-06F</b>	1/4"	3/8" Hembra / Female	Acer Cromado / Steel Plated
<b>CV72-08F</b>	1/4"	1/2" Hembra / Female	Acer Cromado / Steel Plated



1/4"

CONECTOR RÁPIDO NEUMÁTICO ESPIGA  
Pneumatic Quick Connector Barb **CV72-1**

Código Code	Cuerpo Body Size	Medida Size	Material Material
		in	
<b>CV72-041</b>	1/4"	1/4" Espiga / Barb	Acer Cromado / Steel Plated
<b>CV72-051</b>	1/4"	5/16" Espiga / Barb	Acer Cromado / Steel Plated
<b>CV72-061</b>	1/4"	3/8" Espiga / Barb	Acer Cromado / Steel Plated
<b>CV72-081</b>	1/4"	1/2" Espiga / Barb	Acer Cromado / Steel Plated



3/8"

CONECTOR RÁPIDO NEUMÁTICO MACHO  
Pneumatic Quick Connector Male **CV77-M**

Código Code	Cuerpo Body Size	Medida Size	Material Material
		in	
<b>CV77-06M</b>	3/8"	3/8" Macho / Male	Acer Cromado / Steel Plated
<b>CV77-08M</b>	3/8"	1/2" Macho / Male	Acer Cromado / Steel Plated



3/8"

CONECTOR RÁPIDO NEUMÁTICO HEMBRA  
Pneumatic Quick Connector Female **CV77-F**

Código Code	Cuerpo Body Size	Medida Size	Material Material
		in	
<b>CV77-06F</b>	3/8"	3/8" Hembra / Female	Acer Cromado / Steel Plated
<b>CV77-08F</b>	3/8"	1/2" Hembra / Female	Acer Cromado / Steel Plated



## Acoples para Sistemas Neumáticos COUPLERS FOR PNEUMATIC SYSTEMS

ACOPLES NEUMÁTICOS  
PNEUMATICS COUPLERS



3/8"

CONECTOR  
RÁPIDO NEUMÁTICO MACHO  
Pneumatic Quick Connector Male **CV79-M**

Código Code	Cuerpo Body Size	Medida Size	Material Material
CV79-08M	3/8"	3/8" Espiga / Barb	Acero Cromado / Steel Plated



1/2"

CONECTOR  
RÁPIDO NEUMÁTICO Hembra  
Pneumatic Quick Connector Female **CV79-F**

Código Code	Cuerpo Body Size	Medida Size	Material Material
CV79-08F	1/2"	1/2" Hembra / Female	Acero Cromado / Steel Plated



1/2"

CONECTOR  
RÁPIDO NEUMÁTICO ESPIGA  
Pneumatic Quick Connector Barb **CV79-1**

Código Code	Cuerpo Body Size	Medida Size	Material Material
CV79-081	1/2"	1/2" Espiga / Barb	Acero Cromado / Steel Plated



1/2"

CONECTOR  
RÁPIDO NEUMÁTICO ESPIGA  
Pneumatic Quick Connector Barb **CV79-1**

Código Code	Cuerpo Body Size	Medida Size	Material Material
CV79-081	1/2"	1/2" Espiga / Barb	Acero Cromado / Steel Plated



## ACOPLES NEUMÁTICOS PNEUMATICS COUPLERS

## Acoples para Sistemas Neumáticos COUPLERS FOR PNEUMATIC SYSTEMS

CV80-SET



3/8"

JUEGO ACOPLE /  
CONECTOR PARA HIDROJETS  
Coupling/Plug Set for Hydrojets

Código Code	Cuerpo Body Size	Medida Size	T	Material Material
in				
CV80-06SET	3/8"	3/8" NPT Hembra / Female	M22 x 1,5	Acero - Bronce Steel - Brass

CV80-06F



3/8"

ADAPTADOR DE ACOPLE  
RAPIDO HEMBRA PARA HIDROJETS  
Quick Coupling Female Adapter for Hydrojets

Código Code	Cuerpo Body Size	Medida Size	Material Material
in			
CV80-06F	3/8"	3/8" NPT Hembra / Female	Acero Cromado / Steel Plated

CV80-06SET1



3/8"

JUEGO DE ACOPLE RÁPIDO  
PARA HIDROJETS CON HEMBRA NPT  
Coupling Plug Set Female NPT Hydrojets

Código Code	Cuerpo Body Size	Medida Size	Material Material
in			
CV80-06SET1	3/8"	3/8" NPT Hembra / Female	Acero Bronce / Steel Brass

# ¿POR QUÉ ELEGIRNOS? ¿WHY CHOOSE COVALCA?

## Atención Personalizada

A través de ejecutivas de cuentas asignadas y Gtes de ventas regionales

## Presentación de los Productos

Empaques para fácil envío y almacenamiento.  
Sist. de identificación visual y Códigos de barras en cada producto

## Mejora Continua y Actualización Tecnológica

Cada producto es fabricado con máquinas de tecnología de punta

## Garantía

Nuestros productos están respaldados y garantizados por nuestra empresa

## Personal Attention

Through assigned accounts  
Executive and Regional Sales Managers

## Products Presentation

Packaging for easy shipping and storage. Visual identification System and Barcode in each products

## Continuous Improvement and Technology Update

Each product is manufactured with high technology machines



## Warranty

Our products are backed and guaranteed by our company

**COVALCA**  
FLUID CONNECTORS

**COVALCA**  
FIELD CONNECTORS

[www.covalcagroup.com](http://www.covalcagroup.com)