

5 Vee

Stellar Steel Products LLC



GAUGE	PANEL	FINISH	NET COVERAGE	SHEET WIDTH	WEIGHT PER SQ.	PRICE PER SQ.	PRICE PER LINEAR FOOT
26	5 Vee	GALVALUME®	24"	26 3/8"	95.00		

PANEL PRICING:

1. Price per Square is based on 26 3/8" sheet width.
2. Add \$ 2.00 per each panel less than 3'-0".
3. Add \$ 40.00 set up charge for reverse run panels. (Color upside down).
4. Panels longer than 40' will have a 10% surcharge.

PACKAGING PRICING:

- | | | |
|---|--|------------------|
| 1. Maximum weight of one bundle is 3,000 pounds or 75 panels. | | |
| 2. Standard packaging - band with guard, top waster sheet | \$10.00/bundle | \$20.00 over 16' |
| 3. Block and band, top waster sheet | \$15.00/bundle | \$25.00 over 16' |
| 4. Block and band, top and bottom waster sheet | \$25.00/bundle | \$40.00 over 16' |
| 5. LTL Crating - block and band, top and bottom waster sheet | \$5.00/linear foot, minimum charge \$40.00 | |

Orders less than 5 panels will require block and band , top waster sheet

Galvalume® and Acrylic Coated Galvalume® are unfinished products.





Shade variations, color difference and a rate of weathering in unfinished product such as Galvalume® and Acrylic Coated Galvalume® should be anticipated and are not a cause for rejection.

Use a pre-painted finish if uniform weathering and appearance is crucial.

Subject to change without notice.

5 Vee





Stellar Steel Products LLC

ITEM	DESCRIPTION	PRICE PER EACH
UNIVERSAL RIDGE CAP 	PART NUMBER LENGTH GIRTH WEIGHT	
	T100/10 10'-0" 16" 12.67 T100/20 20'-2" 16" 25.54	
SPECIFY ANGLE OR ROOF SLOPE		
HIP / RIDGE CAP 	PART NUMBER LENGTH GIRTH WEIGHT	
	T101/10 10'-0" 13 7/8" 10.89 T101/20 20'-2" 13 7/8" 21.95	
SPECIFY ANGLE OR ROOF SLOPE		
HIP / RIDGE CAP - EXTENDED 	PART NUMBER LENGTH GIRTH WEIGHT	
	T102/10 10'-0" 16" 12.67 T102/20 20'-2" 16" 25.54 T103/10 10'-0" 24" 19.00 T103/20 20'-2" 24" 38.32 T102 - A = 7 1/2" T103 - A = 11 1/2"	
SPECIFY ANGLE OR ROOF SLOPE		
VENTED RIDGE CAP 	PART NUMBER LENGTH GIRTH WEIGHT	
	T110/10 10'-0" 38 3/4" 30.68 VENTED AREA = 4.62SQ IN/LF DIM "A" DEPENDS ON THE ROOF SLOPE. SLOPE DIM "A" 1/4 /12 to 6 /12 6 7/16" 6 1/8 /12 to 9 /12 7 1/2" 9 1/8 /12 to 12/12 8 1/2"	
SPECIFY ANGLE OR ROOF SLOPE		

Kynar 500 ® Flashing – 24Ga Typ.
Galvalume® and SMP Flashing – 26Ga Typ.
Galvalume® = Acrylic Coated Galvalume
Galvalume is a trademark of BIEC , Inc.





5 Vee

Stellar Steel Products LLC

ITEM	DESCRIPTION				PRICE PER EACH
VENTED SKIRT 	PART NUMBER	LENGTH	GIRTH	WEIGHT	
	T400/10	10'-0"	10"	8.21	
	VENTED AREA = 2.31 SQ IN/LF				
VENTED RIDGE END CAP 	PART NUMBER	LENGTH	GIRTH	WEIGHT	
	T151/10	18"	N/A	.15	
	PRE NOTCHED FOR ADJUSTMENT TO ROOF SLOPE				
PEAK FLASHING / HIGH SIDE EAVE  SPECIFY ANGLE OR ROOF SLOPE	PART NUMBER	LENGTH	GIRTH	WEIGHT	
	T152TR/10	10'-0"	9 7/8"	8.02	
	T152TR/20	20'-2"	9 7/8"	16.16	
FASCIA TRIM 	PART NUMBER	LENGTH	GIRTH	WEIGHT	
	T154/10	10'-0"	7 1/2"	5.94	
	T154/20	20'-2"	7 1/2"	11.97	
Kynar 500 ® Flashing – 24Ga Typ. Galvalume® and SMP Flashing – 26Ga Typ. Galvalume® = Acrylic Coated Galvalume Galvalume is a trademark of BIEC , Inc.					





5 Vee

Stellar Steel Products LLC

ITEM	DESCRIPTION	PRICE PER EACH		
RAKE TRIM	PART NUMBER	LENGTH	GIRTH	WEIGHT
	T155TR/10	10'-0"	8 1/8"	6.63
	T155TR/20	20'-2"	8 1/8"	13.37
COLOR				
OUTSIDE CORNER TRIM	PART NUMBER	LENGTH	GIRTH	WEIGHT
	T157TR/10	10'-0"	9"	7.13
	T157TR/20	20'-2"	9"	14.37
COLOR				
INSIDE CORNER TRIM	PART NUMBER	LENGTH	GIRTH	WEIGHT
	T158TR/10	10'-0"	9"	7.13
	T158TR/20	20'-2"	9"	14.37
COLOR				
JAMB / HEAD CAP	PART NUMBER	LENGTH	GIRTH	WEIGHT
	T159/10	10'-0"	13 1/8"	10.39
	T159/20	20'-2"	13 1/8"	20.95
COLOR				
Kynar 500 ® Flashing – 24Ga Typ. Galvalume® and SMP Flashing – 26Ga Typ. Galvalume® = Acrylic Coated Galvalume Galvalume is a trademark of BIEC , Inc.				

5 Vee





Stellar Steel Products LLC

ITEM	DESCRIPTION				PRICE PER EACH
HEAD TRIM 	PART NUMBER	LENGTH	GIRTH	WEIGHT	
	T167TR/10	10'-0"	5 7/8"	4.65	
BASE TRIM – RECESSED 	PART NUMBER	LENGTH	GIRTH	WEIGHT	
	T160TR/10	10'-0"	5 1/8"	4.06	
	T160TR/20	20'-0"	5 1/8"	8.18	
BASE TRIM – FLUSH 	PART NUMBER	LENGTH	GIRTH	WEIGHT	
	T161TR/10	10'-0"	5 3/4"	4.55	
	T161TR/20	20'-2"	5 3/4"	9.18	
SILL / DRIP TRIM 	PART NUMBER	LENGTH	GIRTH	WEIGHT	
	T162TR/10	10'-0"	6 1/2"	4.75	
	T162TR/20	20'-2"	6 1/2"	9.58	
Kynar 500 ® Flashing – 24Ga Typ. Galvalume® and SMP Flashing – 26Ga Typ. Galvalume® = Acrylic Coated Galvalume Galvalume is a trademark of BIEC , Inc.					

Subject to change without notice.




5 Vee

Stellar Steel Products LLC

ITEM	DESCRIPTION			
SILL WITH SOFFIT 	PART NUMBER	LENGTH	GIRTH	WEIGHT
	T320TR/10	10'-0"	7 1/2"	5.94
COUNTERFLASH  	PART NUMBER	LENGTH	GIRTH	WEIGHT
	T321/10 T321/20	10'-0" 20'-2"	4 1/2" 4 1/2"	3.56 7.18
SPECIFY ANGLE OR ROOF SLOPE				
FLUSH MOUNT COUNTERFLASH 	PART NUMBER	LENGTH	GIRTH	WEIGHT
	T322/10	10'-0"		5.34
SPECIFY ANGLE OR ROOF SLOPE				
CONTINUOUS CLEAT 	PART NUMBER	LENGTH	GIRTH	WEIGHT
	T20/10	10'-0"	2 1/2"	1.98
Kynar 500® Flashing – 24Ga Typ. Galvalume® and SMP Flashing – 26Ga Typ. Galvalume® = Acrylic Coated Galvalume Galvalume is a trademark of BIEC, Inc.				




5 Vee

Stellar Steel Products LLC

ITEM	DESCRIPTION				PRICE PER EACH
HEAD TRIM / J CHANNEL	PART NUMBER	LENGTH	GIRTH	WEIGHT	
	T165TR/10	10'-0"	4 1/2"	3.76	
					
JAMB TRIM	PART NUMBER	LENGTH	GIRTH	WEIGHT	
	T168TR/10	10'-0"	4 1/2"	3.76	
					
SIDEWALL / PARAPET RAKE TRIM	PART NUMBER	LENGTH	GIRTH	WEIGHT	
	T169TR/10	10'-0"	8 3/8"	6.63	
	T169TR/20	20'-2"	8 3/8"	13.37	
 SPECIFY ANGLE OR ROOF SLOPE					
ENDWALL / PARAPET HIGH EAVE TRIM 6 X 5 1/2	PART NUMBER	LENGTH	GIRTH	WEIGHT	
	T170/10	10'-0"	12"	9.50	
	T170/20	20'-2"	12"	19.16	
 SPECIFY ANGLE OR ROOF SLOPE					
Kynar 500 ® Flashing – 24Ga Typ. Galvalume® and SMP Flashing – 26Ga Typ. Galvalume® = Acrylic Coated Galvalume Galvalume is a trademark of BIEC , Inc.					





5 Vee

Stellar Steel Products LLC

ITEM	DESCRIPTION					
ENDWALL / PARAPET HIGH EAVE TRIM 4 X 6  SPECIFY ANGLE OR ROOF SLOPE	PART NUMBER	LENGTH	GIRTH	WEIGHT		
	T171/10	10'-0"	10 1/2"	8.31		
	T171/20	20'-2"	10 1/2"	16.76		
2 X 2 OUTSIDE ANGLE 	PART NUMBER	LENGTH	GIRTH	WEIGHT		
	T180/10	10'-0"	5"	3.96		
	T180/20	20'-2"	5"	7.98		
3 X 3 OUTSIDE ANGLE 	PART NUMBER	LENGTH	GIRTH	WEIGHT		
	T181/10	10'-0"	7"	5.54		
	T181/20	20'-2"	7"	11.18		
4 X 4 OUTSIDE ANGLE 	PART NUMBER	LENGTH	GIRTH	WEIGHT		
	T182/10	10'-0"	9"	7.13		
	T182/20	20'-2"	9"	14.37		
Kynar 500 ® Flashing – 24Ga Typ. Galvalume® and SMP Flashing – 26Ga Typ. Galvalume® = Acrylic Coated Galvalume Galvalume is a trademark of BIEC , Inc.						

5 Vee





Stellar Steel Products LLC

ITEM	DESCRIPTION				
2 X 2 INSIDE ANGLE 	PART NUMBER	LENGTH	GIRTH	WEIGHT	
	T183/10 T183/20	10'-0" 20'-2"	5" 5"	3.96 7.98	
3 X 3 INSIDE ANGLE 	PART NUMBER	LENGTH	GIRTH	WEIGHT	
	T184/10 T184/20	10'-0" 20'-2"	7" 7"	3.96 7.98	
4 X 4 INSIDE ANGLE 	PART NUMBER	LENGTH	GIRTH	WEIGHT	
	T185/10 T185/20	10'-0" 20'-2"	9" 9"	7.13 14.37	
STANDARD VALLEY 	PART NUMBER	LENGTH	GIRTH	WEIGHT	
	T200/10 T200/20	10'-0" 20'-2"	20 13/16" 20 13/16"	16.63 33.53	
SPECIFY ANGLE OR ROOF SLOPE					
Kynar 500 ® Flashing – 24Ga Typ. Galvalume® and SMP Flashing – 26Ga Typ. Galvalume® = Acrylic Coated Galvalume Galvalume is a trademark of BIEC , Inc.					

Subject to change without notice.

5 Vee



Stellar Steel Products LLC

ITEM	DESCRIPTION				
EXTENDED VALLEY  SPECIFY ANGLE OR ROOF SLOPE	PART NUMBER	LENGTH	GIRTH	WEIGHT	
	T202/10	10'-0"	41 1/2"	32.85	
SLOPE TRANSITION / PITCH CHANGE  SPECIFY ANGLE OR ROOF SLOPE	PART NUMBER	DIM A	LENGTH	GIRTH	WEIGHT
	T323/10	8"	10'-0"	20 13/16"	16.48
BOX EAVE FLANGE GUTTER  SPECIFY ANGLE OR ROOF SLOPE	T323/20	8"	20'-2"	20 13/16"	33.23
	T324/10	11"	10'-0"	23 13/16"	18.85
GUTTER END - BOX GUTTER 	T324/20	11"	20'-2"	23 13/16"	38.02
	T325/10	14"	10'-0"	26 13/16"	21.23
	T325/20	14"	20'-2"	26 13/16"	42.81
BOX EAVE FLANGE GUTTER  SPECIFY ANGLE OR ROOF SLOPE	PART NUMBER	LENGTH	GIRTH	WEIGHT	
	T197/10	10'-0"	20"	15.24	
GUTTER END - BOX GUTTER 	T197/20	20'-2"	20"	30.73	
	PART NUMBER	LENGTH	GIRTH	WEIGHT	
	T199	N/A	N/A	0.20	

Kynar 500® Flashing – 24Ga Typ.
 Galvalume® and SMP Flashing – 26Ga Typ.
 Galvalume® = Acrylic Coated Galvalume
 Galvalume is a trademark of BIEC, Inc.

5 Vee





Stellar Steel Products LLC

ITEM	DESCRIPTION						
NATIONAL TRACK COVER 	PART NUMBER	LENGTH	GIRTH	WEIGHT			
	T227/10	10'-0"	10 1/2"	7.92			
	T227/20	14'-2"	10 1/2"	11.38			
SLIDING DOOR HOOD 	PART NUMBER	LENGTH	GIRTH	WEIGHT			
	T228/10	10'-0"	16"	7.49			
	T228/142	14'-2"	16"	10.74			
EAVE TRIM 2 X 2 							

Subject to change without notice.





5 Vee

Stellar Steel Products LLC

ITEM	DESCRIPTION			
EAVE TRIM 4 X 5 	PART NUMBER	LENGTH	GIRTH	WEIGHT
	T302/10	10'-0"	9 1/2"	7.52
	T302/20	20'-2"	9 1/2"	15.17
SPECIFY ANGLE OR ROOF SLOPE				
GUTTER HANGER 	PART NUMBER	LENGTH	WEIGHT	
	T303/5	5"	0.23	
	T303/6	6"	0.29	
	T303/7	7"	0.35	
16 GA GALVANIZED				
STRAIGHT DOWNSPOUT 	PART NUMBER	LENGTH	GIRTH	WEIGHT
	T305/10	10'-0"	16 1/2"	11.88
	T305/20	20'-2"	16 1/2"	23.95
DOWNSPOUT WITH ELBOW 	PART NUMBER	LENGTH	GIRTH	WEIGHT
	T306/10	10'-0"	16 1/2"	11.88
	T306/20	20'-2"	16 1/2"	23.95
Kynar 500 ® Flashing – 24Ga Typ. Galvalume® and SMP Flashing – 26Ga Typ. Galvalume® = Acrylic Coated Galvalume Galvalume is a trademark of BIEC , Inc.				





5 Vee

Stellar Steel Products LLC

ITEM	DESCRIPTION						
DOWNSPOUT ELBOW 	PART NUMBER	LENGTH	GIRTH	WEIGHT			
	T310/45	12"	16 ½"	1.38			
	T310/90	12"	16 ½"	1.38			
T310/45 = 45 DEGREE ELBOW T310/90 = 90 DEGREE ELBOW							
DOWNSPOUT STRAP 	PART NUMBER	LENGTH	GIRTH	WEIGHT			
	T311	3	10 1/8"	0.20			
UNIVERSAL STRAP 	PART NUMBER	LENGTH	GIRTH	WEIGHT			
	T21/10	10'-0"	3"	2.38			
CLOSURE STRIP 	PART NUMBER	SIZE	CARTON QUANTITY	CARTON WEIGHT			
	CG5VOUTSIDE OUTSIDE / TOP	36"	100 PCS	4.09			
	CG5VINSIDE INSIDE/BOTTOM	36"	100 PCS	8.32			
	CGHIP0625 UNIVERSAL	1" X 5/8" X 40"	100 PCS	9.27			
Kynar 500 ® Flashing – 24Ga Typ. Galvalume® and SMP Flashing – 26Ga Typ. Galvalume® = Acrylic Coated Galvalume Galvalume is a trademark of BIEC , Inc.							



5 Vee

Stellar Steel Products LLC

ITEM	DESCRIPTION				
PIPE FLASHING – GRAY EPDM 	PART NUMBER	PIPE SIZE RANGE	BASE DIMENSION		
	PFG000	1/4" TO 1 1/8"	3 1/2"		
	PFG001	1/4" TO 2"	4 3/4"		
	PFG002	1 3/4" TO 4"	6 1/4"		
	PFG003	1/4" TO 4"	7 3/4"		
	PFG004	3" TO 6"	9 1/4"		
	PFG005	4" TO 7"	10 3/4"		
	PFG007	6" TO 11"	14 1/2"		
	PFG008	7" TO 13"	16 1/2"		
	PFG009	10" TO 18"	25 3/8"		
	PFG010	16" TO 24"	39 1/2" x 35" sq.		
EPDM RUBBER SERVICE TEMPERATURE –65F TO +250F. IF SLOPE IS MORE THAN 20 DEGREES USE NEXT SIZE UP.					
PIPE FLASHING – RED SILICONE (HIGH TEMPERATURE) 	PART NUMBER	PIPE SIZE RANGE	BASE DIMENSION		
	PFS003	1/4" TO 4"	7 3/4"		
	PFS005	4" TO 7"	10 3/4"		
	PFS008	7" TO 13"	16 1/2"		
	PFS009	10" TO 18"	25 3/8"		
SILICONE SERVICE TEMPERATURE –40F TO +350F. IF SLOPE IS MORE THAN 20 DEGREES USE NEXT SIZE UP.					
RETROFIT PIPE FLASHING – GRAY EPDM 	PART NUMBER	PIPE SIZE RANGE	BASE DIMENSION		
	PFG801	3/4" TO 2 3/4"	6 1/4"		
	PFG802	2" TO 7 1/4"	10 3/4"		
	PFG803	3 1/4" TO 10"	14 1/2"		
EPDM RUBBER SERVICE TEMPERATURE –65F TO +250F. IF SLOPE IS MORE THAN 20 DEGREES USE NEXT SIZE UP.					
CAULK SEALER - TUBE 	PART NUMBER	TYPE	COLOR	CARTON QUANTITY	CARTON WEIGHT
	TCWM61111CLEAR	ACRYLIC	CLEAR	12	15
	TCWM62611GRAY	POLYURETHANE	GRAY	12	15
	TCWM61141BRONZE	POLYURETHANE	BRONZE	12	15
	TCWM61611BEIGE	POLYURETHANE	BEIGE	12	15
	TCWM61011WHITE	POLYURETHANE	WHITE	12	15
	10 OZ TUBE				
Kynar 500 ® Flashing – 24Ga Typ. Galvalume® and SMP Flashing– 26Ga Typ. Galvalume® = Acrylic Coated Galvalume Galvalume is a trademark of BIEC , Inc.					

5 Vee

Stellar Steel Products LLC

ITEM	DESCRIPTION				PRICE
BUTYL TAPE SEALER 	PART NUMBER	SIZE	CARTON QUANTITY	CARTON WEIGHT	
	TAPEBUTYL0375	3/8" X 3/32" X 45'	24 ROLLS	45.20	
	TAPEBUTYL0875	7/8" X 3/16" X 25'	14 ROLLS	60.75	
	TAPE250	2 ½" X 3/16" X 20'	6 ROLLS	23.00	
REFLECTIVE INSULATION  SINGLE BUBBLE FOIL BACKING	PART NUMBER	LENGTH	WIDTH	WEIGHT	
	INSAAS48FOIL	125'-0"	4'-0"	50.00	
DIE FORMED RIDGE CAP  SPECIFY ROOF SLOPE MAX. 6/12	PART NUMBER	LENGTH	GIRTH	WEIGHT	
	DIE5V	36"	24"	8.89	
TOUCHUP PAINT 	PART NUMBER	SIZE	TYPE		
	PNTK2	2 OZ	KYNAR - BRUSH ON (BRUSH NOT INCLUDED)		
	PNTS425	4.25 OZ	SMP - BRUSH ON		

Kynar 500 ® Flashing – 24Ga Typ.
Galvalume® and SMP Flashing – 26Ga Typ.
Galvalume® = Acrylic Coated Galvalume
Galvalume is a trademark of BIEC , Inc.

Trim Notes

Stellar Steel Products LLC

TRIM NOTES

1. All Galvalume® and SMP Painted standard trim is 26 gauge.
2. All Kynar 500® and Metallic Kynar 500® standard trim is 24 gauge.
3. 24 gauge Galvalume® trim is available - please request a quote.
4. All painted trim is fabricated with protective film to prevent scratches.
If you prefer trim without plastic film, please indicate this at the time of order.
Please request a quote for custom trim in length of 20'-02" up to 28'-0". Minimum order required.

DELIVERY

- | | |
|--|-------------------------------------|
| 1. Stock colors (See Color Chart) | Approximately 2 Working Days Please |
| 2. Non stock colors, gauges and metals | Inquire with SSP sales staff. |

Galvalume® and Acrylic Coated Galvalume® are unfinished products.
Shade variations, color difference and a rate of weathering in unfinished product such as Galvalume® and Acrylic Coated Galvalume® should be anticipated and are not a cause for rejection.
Use a pre-painted finish if uniform weathering and appearance is crucial.